Sheet: Sheet1

Cell: D5

Formula: =IF(SUM(D6:D17)>2,1,0)

Explanation: This formula calculates the sum of numbers in cells D6 to D17. If the sum is greater than 2, it will return 1. Otherwise, it will return 0.

Cell: E5

Formula: =IF(SUM(E6:E17)>2,1,0)

Explanation: This formula checks if the sum of the numbers in cells E6 to E17 is greater than 2. If it is, it returns 1. If not, it returns 0.

Cell: F5

Formula: =IF(SUM(F6:F17)>2,1,0)

Explanation: This formula checks if the sum of the numbers in cells F6 to F17 is greater than 2. If it is, it returns 1. If it's not, it returns 0.

Cell: G5

Formula: =IF(SUM(G6:G17)>2,1,0)

Explanation: This Excel formula is checking if the sum of the numbers in cells G6 to G17 is greater than 2. If it is, it will return the value 1. If not, it will return the value 0.

Cell: H5

Formula: =IF(SUM(H6:H17)>2,1,0)

Explanation: This formula checks if the sum of the numbers in cells H6 to H17 is greater than 2. If it is, it returns a value of 1. If it is not, it returns a value of 0.

Cell: I5

Formula: =IF(SUM(I6:I17)>2,1,0)

Explanation: If the sum of the numbers in cells I6 to I17 is greater than 2, the formula will output 1. If

the sum is not greater than 2, the formula will output 0.

Cell: J5

Formula: =IF(SUM(J6:J17)>2,1,0)

Explanation: This formula checks if the sum of numbers in cells J6 to J17 is greater than 2. If it is, the formula will return 1. If it is not, the formula will return 0.

Cell: K5

Formula: =IF(SUM(K6:K17)>2,1,0)

Explanation: This formula checks if the total of cells K6 to K17 is greater than 2. If it is, it will return 1, if not it will return 0.

Cell: L5

Formula: =IF(SUM(L6:L17)>2,1,0)

Explanation: If the sum of the numbers in cells L6 to L17 is greater than 2, then the formula will result in 1. Otherwise, it will result in 0.

Cell: M5

Formula: =IF(SUM(M6:M17)>2,1,0)

Explanation: This formula calculates whether the sum of the numbers in cells M6 to M17 is greater than 2. If the sum is greater than 2, it will return the value 1. If the sum is not greater than 2, it will return the value 0.

Cell: N5

Formula: =IF(SUM(N6:N17)>2,1,0)

Explanation: This formula checks if the total sum of numbers in cells N6 to N17 is greater than 2. If it is, it will return 1. If not, it will return 0.

Cell: O5

Formula: =IF(SUM(O6:O17)>2,1,0)

Explanation: This formula is saying if the sum of the numbers in cells O6 to O17 is greater than 2, then put a 1. If it's not greater than 2, put a 0.

Cell: P5

Formula: =IF(SUM(P6:P17)>2,1,0)

Explanation: This formula checks if the sum of the numbers in cells P6 to P17 is greater than 2. If the sum is greater than 2, it returns 1. If the sum is not greater than 2, it returns 0.

Cell: Q5

Formula: =IF(SUM(Q6:Q17)>2,1,0)

Explanation: This formula is saying, "If the sum of the numbers in cells Q6 to Q17 is greater than 2, then the result will be 1; If it is not greater than 2, then the result will be 0."

Cell: R5

Formula: =IF(SUM(R6:R17)>2,1,0)

Explanation: This formula checks if the sum of cells R6 to R17 is greater than 2. If it is, then it returns 1. Otherwise, it returns 0.

Cell: S5

Formula: =IF(SUM(S6:S17)>2,1,0)

Explanation: This formula checks if the sum of the numbers in cells S6 to S17 is greater than 2. If it is, then the formula returns 1, if not it returns 0.

Cell: D6

Formula: ='[1]PILE-1A'!L23

Explanation: This formula is referencing a specific cell in a different worksheet in the same Excel file. The formula is pulling the value from cell L23 in the worksheet named 'PILE-1A'.

Cell: E6

Formula: ='[1]PILE-1B'!L23

Explanation: This formula is trying to fetch the value in cell L23 from a worksheet named "PILE-1B" within the same Excel file.

Cell: F6

Formula: ='[1]PILE-1C'!L23

Explanation: This formula is accessing a specific cell in another spreadsheet named '[1]PILE-1C'. It is referring to cell L23 in that spreadsheet and pulling in the data or value from that cell.

Cell: G6

Formula: ='[1]PILE-1D'!L19

Explanation: This formula is referencing cell L19 in a specific sheet called 'PILE-1D' in the same Excel file.

Cell: H6

Formula: ='[1]PILE-2A'!L23

Explanation: This formula is telling Excel to look for the value in cell L23 of a sheet named 'PILE-2A' within the same workbook.

Cell: I6

Formula: ='[1]PILE-2B'!L23

Explanation: This formula is referencing cell L23 in a sheet named 'PILE-2B' in the Excel document called '1'.

Cell: J6

Formula: ='[1]PILE-2C'!L23

Explanation: This formula is referencing a specific cell in another sheet within the same Excel file. It is pulling the value from cell L23 in the sheet named "PILE-2C" within the file named "1".

Cell: K6

Formula: ='[1]PILE-2D'!L23

Explanation: This formula is telling Excel to look at cell L23 in the spreadsheet called PILE-2D, which is located in another workbook named 1.

Cell: L6

Formula: ='[1]PILE-3A'!L20

Explanation: This formula is telling Excel to look in a specific cell L20 in a worksheet named '[1]PILE-3A'.

Cell: M6

Formula: ='[1]PILE-3B'!L23

Explanation: This formula is referencing cell L23 in the sheet named "[1]PILE-3B" in the same Excel file. It pulls the value from that specific cell and displays it in the current cell.

Cell: N6

Formula: ='[1]PILE-3C'!L23

Explanation: This Excel formula is telling the program to look at cell L23 in a different worksheet called "PILE-3C". The [1] before the worksheet name indicates that it is the first sheet in the workbook.

Cell: O6

Formula: ='[1]PILE-3D'!L21

Explanation: This Excel formula says to look in a specific location in another sheet in the same Excel file. Specifically, it is telling Excel to look in the cell L21 of a sheet called 'PILE-3D' in the same file.

Cell: P6

Formula: ='[1]PILE-4A'!L23

Explanation: This formula is referencing cell L23 in a specific worksheet named '[1]PILE-4A'. It starts with an apostrophe and ends with an exclamation mark, which tells Excel that the information is in a different worksheet.

Cell: Q6

Formula: ='[1]PILE-4B'!L22

Explanation: This formula is referring to a specific cell in another worksheet within the same Excel file. Specifically, it is looking at cell L22 in a worksheet named '[1]PILE-4B'.

Cell: R6

Formula: ='[1]PILE-4C'!L19

Explanation: This formula is telling Excel to retrieve the value in cell L19 from a different worksheet named 'PILE-4C' within the same Excel file.

Cell: S6

Formula: ='[1]PILE-4D'!L23

Explanation: This formula is telling Excel to look in the cell L23 of a sheet called PILE-4D in another file named 1.

Cell: D7

Formula: ='[1]PILE-1A'!L24

Explanation: This formula is telling Excel to look for the value in cell L24 of the worksheet named 'PILE-1A' within the same Excel file.

Cell: E7

Formula: ='[1]PILE-1B'!L24

Explanation: This formula is referring to cell L24 in the sheet labeled 'PILE-1B' in the same Excel workbook. It is pulling the value from that specific cell in that specific sheet.

Cell: F7

Formula: ='[1]PILE-1C'!L24

Explanation: This formula is telling Excel to pull the value from cell L24 on a sheet named 'PILE-1C' that is in another workbook labeled as [1]. It is referencing specific data from that cell on that sheet.

Cell: G7

Formula: ='[1]PILE-1D'!L20

Explanation: This formula is referencing cell L20 in a worksheet named "PILE-1D" within a file named "1".

Cell: H7

Formula: ='[1]PILE-2A'!L24

Explanation: This formula is referencing a specific cell in a different sheet in the Excel workbook. The sheet name is '1PILE-2A' and the cell being referenced is L24.

Cell: I7

Formula: ='[1]PILE-2B'!L24

Explanation: This formula is telling Excel to retrieve the value in cell L24 from the sheet named "[1]PILE-2B".

Cell: J7

Formula: ='[1]PILE-2C'!L24

Explanation: This formula is referencing cell L24 in a worksheet named '[1]PILE-2C'.

Cell: K7

Formula: ='[1]PILE-2D'!L24

Explanation: This formula is telling Excel to pull the value from cell L24 in a specific sheet named "[1]PILE-2D".

Cell: L7

Formula: ='[1]PILE-3A'!L21

Explanation: This formula is referencing a specific cell (L21) in a sheet named "[1]PILE-3A".

Cell: M7

Formula: ='[1]PILE-3B'!L24

Explanation: This formula is referencing a specific cell in a different worksheet in the same Excel file. The formula is looking for the value in cell L24 on the worksheet named 'PILE-3B'.

Cell: N7

Formula: ='[1]PILE-3C'!L24

Explanation: This formula is telling Excel to look at cell L24 in the sheet called "PILE-3C" in another Excel file named "1" in the same directory.

Cell: O7

Formula: ='[1]PILE-3D'!L22

Explanation: This formula is telling Excel to look at cell L22 in a worksheet named 'PILE-3D' that is in a different workbook file named '1'.

Cell: P7

Formula: ='[1]PILE-4A'!L24

Explanation: This formula is pulling in the value from cell L24 in another sheet titled "PILE-4A" within the same Excel file.

Cell: Q7

Formula: ='[1]PILE-4B'!L23

Explanation: This formula is referencing a specific cell in a different Excel file or sheet. It is looking at cell L23 in the sheet named 'PILE-4B' from the first tab in the file.

Cell: R7

Formula: ='[1]PILE-4C'!L20

Explanation: This formula is referencing a cell in a different sheet within the same Excel file. It is taking the value from cell L20 in the sheet named "PILE-4C", which is located in the same Excel file.

Cell: S7

Formula: ='[1]PILE-4D'!L24

Explanation: This formula is pulling the value from cell L24 in a file called '[1]PILE-4D'.

Cell: D8

Formula: ='[1]PILE-1A'!L25

Explanation: This formula is telling Excel to get the value from cell L25 in a worksheet named 'PILE-1A' that is in another Excel file called 1.

Cell: E8

Formula: ='[1]PILE-1B'!L25

Explanation: This formula is telling Excel to show the content of cell L25 from a sheet named PILE-1B in another workbook called 1.

Cell: F8

Formula: ='[1]PILE-1C'!L25

Explanation: This formula is pulling data from cell L25 in the spreadsheet called 1 PILE-1C.

Cell: G8

Formula: ='[1]PILE-1D'!L21

Explanation: This formula is referencing cell L21 in a worksheet named "PILE-1D" within the same Excel workbook.

Cell: H8

Formula: ='[1]PILE-2A'!L25

Explanation: This formula is telling Excel to look at cell L25 in sheet called '1PILE-2A'.

Cell: I8

Formula: ='[1]PILE-2B'!L25

Explanation: This formula is telling Excel to pull the value of cell L25 from the sheet named '[1]PILE-2B'. It is referencing a specific cell in another sheet within the same Excel workbook.

Cell: J8

Formula: ='[1]PILE-2C'!L25

Explanation: This formula is pulling information from cell L25 in a worksheet named 'PILE-2C' within a different Excel file that is linked to the current file.

Cell: K8

Formula: ='[1]PILE-2D'!L25

Explanation: This formula is referencing cell L25 in the spreadsheet named "[1]PILE-2D".

Cell: L8

Formula: ='[1]PILE-3A'!L22

Explanation: This formula is telling Excel to look in cell L22 of the sheet named "PILE-3A" in a different Excel file.

Cell: M8

Formula: ='[1]PILE-3B'!L25

Explanation: This formula is referencing cell L25 in a sheet named 'PILE-3B' in a different Excel file. The square brackets around the number indicate that it is referencing a specific sheet within that file.

Cell: N8

Formula: ='[1]PILE-3C'!L25

Explanation: This formula is telling Excel to look in a specific cell (L25) on a different sheet named 'PILE-3C' in the same workbook.

Cell: O8

Formula: ='[1]PILE-3D'!L23

Explanation: This formula is referencing a specific cell L23 in a worksheet named PILE-3D which is in a separate Excel file called 1.

Cell: P8

Formula: ='[1]PILE-4A'!L25

Explanation: This formula is telling Excel to look in the cell L25 on the sheet named "PILE-4A" within the same Excel file. The apostrophes around [1]PILE-4A indicate that the sheet name contains spaces or special characters.

Cell: Q8

Formula: ='[1]PILE-4B'!L24

Explanation: This Excel formula is referring to a specific cell in a different sheet within the same Excel file. In this case, it is referring to cell L24 in a sheet named '[1]PILE-4B'.

Cell: R8

Formula: ='[1]PILE-4C'!L21

Explanation: This formula is telling Excel to look at cell L21 in a specific worksheet called 'PILE-4C'. The worksheet is located in the same workbook as the current worksheet.

Cell: S8

Formula: ='[1]PILE-4D'!L25

Explanation: This formula is telling Excel to retrieve the value from cell L25 in a worksheet named PILE-4D in a different file named [1].

Cell: D9

Formula: ='[1]PILE-1A'!L26

Explanation: This Excel formula is referencing a specific cell L26 in a sheet named 'PILE-1A' in another workbook named 1.

Cell: E9

Formula: ='[1]PILE-1B'!L26

Explanation: This formula is telling Excel to look at cell L26 in the sheet labeled "PILE-1B" within the same workbook.

Cell: F9

Formula: ='[1]PILE-1C'!L26

Explanation: This Excel formula is telling the program to look in a specific cell (L26) in a workbook named 'PILE-1C' and worksheet number 1.

Cell: G9

Formula: ='[1]PILE-1D'!L22

Explanation: This Excel formula is referring to a specific cell in another sheet of the same Excel file. The formula is pulling information from cell L22 in a sheet named "PILE-1D" within the same Excel file.

Cell: H9

Formula: ='[1]PILE-2A'!L26

Explanation: This formula tells Excel to look in a specific cell (L26) on a different sheet named "PILE-2A" in the same Excel file.

Cell: I9

Formula: ='[1]PILE-2B'!L26

Explanation: This formula is telling Excel to pull the value from cell L26 in the worksheet named "PILE-2B" in another Excel file that is stored in the same folder as the current one.

Cell: J9

Formula: ='[1]PILE-2C'!L26

Explanation: This formula is pulling data from cell L26 on a sheet called 'PILE-2C' within the same Excel file.

Cell: K9

Formula: ='[1]PILE-2D'!L26

Explanation: This formula is telling Excel to display the value in cell L26 of the sheet named

'PILE-2D' within the same Excel workbook.

Cell: L9

Formula: ='[1]PILE-3A'!L23

Explanation: This formula is telling Excel to pull the value from cell L23 in a specific sheet named "PILE-3A" within the same workbook. So, whatever value is in cell L23 on the "PILE-3A" sheet will be displayed in the cell where this formula is entered.

Cell: M9

Formula: ='[1]PILE-3B'!L26

Explanation: This formula is referencing cell L26 in a sheet named 'PILE-3B' in a different Excel file named '1'. It is pulling the data from that specific cell in the other Excel file.

Cell: N9

Formula: ='[1]PILE-3C'!L26

Explanation: This formula looks in a different sheet named "PILE-3C" and brings the value from cell L26.

Cell: O9

Formula: ='[1]PILE-3D'!L24

Explanation: This formula is referencing a cell in a different sheet within the same Excel file. The sheet name is '[1]PILE-3D' and the cell being referenced is L24.

Cell: P9

Formula: ='[1]PILE-4A'!L26

Explanation: This formula is referring to cell L26 in the worksheet named 'PILE-4A' within the same Excel file. The information or data in cell L26 from that specific worksheet will be pulled into the current cell where this formula is written.

Cell: Q9

Formula: ='[1]PILE-4B'!L25

Explanation: This formula is telling Excel to pull the value from cell L25 in a sheet named '1PILE-4B'.

Cell: R9

Formula: ='[1]PILE-4C'!L22

Explanation: This formula is referencing a cell in another sheet called "PILE-4C". It is looking for the value in cell L22 on that sheet and pulling it into the current sheet.

Cell: S9

Formula: ='[1]PILE-4D'!L26

Explanation: This formula is pulling information from cell L26 in a worksheet named '[1]PILE-4D'.

Cell: D10

Formula: ='[1]PILE-1A'!L27

Explanation: This formula is telling Excel to look in a different worksheet called "1PILE-1A" and return the value in cell L27.

Cell: E10

Formula: ='[1]PILE-1B'!L27

Explanation: This formula is telling Excel to look in a specific cell (L27) in a different worksheet called 'PILE-1B' in the same Excel file.

Cell: F10

Formula: ='[1]PILE-1C'!L27

Explanation: This formula is asking Excel to pull data from cell L27 in a spreadsheet named '[1]PILE-1C'.

Cell: G10

Formula: ='[1]PILE-1D'!L23

Explanation: This formula is referring to the cell L23 in the sheet named 'PILE-1D' within the same

Excel file as the current sheet.

Cell: H10

Formula: ='[1]PILE-2A'!L27

Explanation: This formula is referencing a specific cell in the worksheet named 'PILE-2A' and that cell is located in column L and row 27.

Cell: I10

Formula: ='[1]PILE-2B'!L27

Explanation: This formula is telling Excel to look in cell L27 on the sheet named "PILE-2B" that is located within the same workbook.

Cell: J10

Formula: ='[1]PILE-2C'!L27

Explanation: This formula is pulling data from cell L27 in the sheet named "PILE-2C" in another Excel file named "1".

Cell: K10

Formula: ='[1]PILE-2D'!L27

Explanation: This formula is telling Excel to pull data from a specific cell (L27) in a worksheet named 1PILE-2D.

Cell: L10

Formula: ='[1]PILE-3A'!L24

Explanation: This formula is referencing a cell in a different worksheet in the same Excel file. Specifically, it is pulling the value from cell L24 in a worksheet named '[1]PILE-3A'.

Cell: M10

Formula: ='[1]PILE-3B'!L27

Explanation: This formula is referencing cell L27 in a specific sheet named 'PILE-3B' which is

located in another workbook called '1'. The information in cell L27 from the 'PILE-3B' sheet will be displayed in the current cell where the formula is entered.

Cell: N10

Formula: ='[1]PILE-3C'!L27

Explanation: This formula is telling Excel to pull the value from cell L27 in a specific sheet called "PILE-3C" in another workbook or file that is named "1."

Cell: O10

Formula: ='[1]PILE-3D'!L25

Explanation: This formula is telling Excel to look for a cell in a different sheet called "PILE-3D" and return the value of cell L25 from that sheet.

Cell: P10

Formula: ='[1]PILE-4A'!L27

Explanation: This formula is telling Excel to look at cell L27 in a worksheet named 'PILE-4A' within another file named '1'.

Cell: Q10

Formula: ='[1]PILE-4B'!L26

Explanation: This formula is telling Excel to look for cell L26 in a worksheet named 'PILE-4B' that is stored in a different Excel file called '1'.

Cell: R10

Formula: ='[1]PILE-4C'!L23

Explanation: This formula is telling Excel to look at cell L23 in a spreadsheet named '[1]PILE-4C'. It is pulling data from that specific cell in that specific spreadsheet.

Cell: S10

Formula: ='[1]PILE-4D'!L27

Explanation: This formula is telling Excel to look at cell L27 in a specific sheet named 1PILE-4D.

Cell: D11

Formula: ='[1]PILE-1A'!L28

Explanation: This formula is telling Excel to look in cell L28 of a specific sheet called "[1]PILE-1A" and display the value in that cell.

Cell: E11

Formula: ='[1]PILE-1B'!L28

Explanation: This formula is pulling data from cell L28 in a sheet labeled "PILE-1B" in another Excel file named "1".

Cell: F11

Formula: ='[1]PILE-1C'!L28

Explanation: This formula is telling Excel to look for the value in cell L28 on a sheet named 'PILE-1C' in a file named [1].

Cell: G11

Formula: ='[1]PILE-1D'!L24

Explanation: This formula is telling Excel to retrieve the value in cell L24 from a worksheet named "PILE-1D" within a file named "1".

Cell: H11

Formula: ='[1]PILE-2A'!L28

Explanation: This formula is telling Excel to look in a specific cell (L28) on a specific sheet (PILE-2A) in the same Excel file. The information in that cell will be displayed in the cell where this formula is entered.

Cell: I11

Formula: ='[1]PILE-2B'!L28

Explanation: This formula is pulling information from a specific cell L28 in the sheet named PILE-2B within the file named 1.

Cell: J11

Formula: ='[1]PILE-2C'!L28

Explanation: This formula is telling Excel to fetch the value in cell L28 from a specific sheet in the same Excel file. The sheet is named 'PILE-2C' and is the first sheet in the file.

Cell: K11

Formula: ='[1]PILE-2D'!L28

Explanation: This formula is telling Excel to look in a specific cell (L28) in a different worksheet named "PILE-2D", which is located in a different Excel file named "1".

Cell: L11

Formula: ='[1]PILE-3A'!L25

Explanation: This formula is pulling the information in cell L25 from a specific sheet titled "PILE-3A" in the same Excel file.

Cell: M11

Formula: ='[1]PILE-3B'!L28

Explanation: This Excel formula is telling the program to look at cell L28 in a specific sheet named 'PILE-3B' within the same workbook.

Cell: N11

Formula: ='[1]PILE-3C'!L28

Explanation: This formula is referencing cell L28 in a specific sheet named '[1]PILE-3C'.

Cell: O11

Formula: ='[1]PILE-3D'!L26

Explanation: This formula is telling Excel to retrieve the value in cell L26 from a specific worksheet

named 'PILE-3D' within the same Excel file.

Cell: P11

Formula: ='[1]PILE-4A'!L28

Explanation: This formula is telling Excel to get the value in cell L28 from a specific sheet named '1PILE-4A'.

Cell: Q11

Formula: ='[1]PILE-4B'!L27

Explanation: This formula is pulling the value from cell L27 in a worksheet named 'PILE-4B' within the same Excel file.

Cell: R11

Formula: ='[1]PILE-4C'!L24

Explanation: This formula is referring to cell L24 in a worksheet called 'PILE-4C' that is in a different Excel file. The '[1]' indicates the specific file where the worksheet is located.

Cell: S11

Formula: ='[1]PILE-4D'!L28

Explanation: This formula is referencing a cell in a different worksheet named "[1]PILE-4D" and the specific cell is L28. The data in that cell will be displayed in the current worksheet cell where this formula is entered.

Cell: D12

Formula: ='[1]PILE-1A'!L29

Explanation: This formula is pulling the value from cell L29 in a spreadsheet named 'PILE-1A' in a different file, which is referenced as '[1]PILE-1A'.

Cell: E12

Formula: ='[1]PILE-1B'!L29

Explanation: This formula is telling Excel to pull the data from cell L29 in a sheet named "1PILE-1B" within the same workbook.

Cell: F12

Formula: ='[1]PILE-1C'!L29

Explanation: This formula is referencing cell L29 in sheet PILE-1C in a different Excel workbook. The information in that cell will be used in the current workbook.

Cell: G12

Formula: ='[1]PILE-1D'!L25

Explanation: This formula is pulling the value from cell L25 in a sheet called "PILE-1D" within the same Excel file.

Cell: H12

Formula: ='[1]PILE-2A'!L29

Explanation: This formula is telling Excel to look in a specific cell (L29) in a different worksheet named 'PILE-2A'.

Cell: I12

Formula: ='[1]PILE-2B'!L29

Explanation: This Excel formula is referencing a specific cell in another worksheet named 'PILE-2B'. It is specifically referencing cell L29 in that worksheet.

Cell: J12

Formula: ='[1]PILE-2C'!L29

Explanation: This formula is referencing a specific cell in another worksheet in the same Excel file. The worksheet is labeled "PILE-2C" and the cell being referenced is L29.

Cell: K12

Formula: ='[1]PILE-2D'!L29

Explanation: This formula is pulling data from cell L29 in a different sheet called "[1]PILE-2D". It is showing the value of cell L29 from that sheet in the current sheet.

Cell: L12

Formula: ='[1]PILE-3A'!L26

Explanation: This formula is telling Excel to look in cell L26 of the worksheet named "PILE-3A" in a different Excel file called "1." So, it is referencing a specific cell in a specific worksheet in another Excel file.

Cell: M12

Formula: ='[1]PILE-3B'!L29

Explanation: This formula is telling Excel to look in a specific cell (L29) in a different worksheet (PILE-3B) in the same Excel file.

Cell: N12

Formula: ='[1]PILE-3C'!L29

Explanation: This formula is telling Excel to look in a specific cell (L29) in a different worksheet named 'PILE-3C' that is found in the same Excel file.

Cell: O12

Formula: ='[1]PILE-3D'!L27

Explanation: This formula is referencing a cell L27 in a sheet called 'PILE-3D' in a workbook named [1].

Cell: P12

Formula: ='[1]PILE-4A'!L29

Explanation: This Excel formula is referring to a specific cell in a different worksheet. More specifically, it is looking at cell L29 in a worksheet named '[1]PILE-4A'.

Cell: Q12

Formula: ='[1]PILE-4B'!L28

Explanation: This formula is referencing cell L28 in a worksheet named '[1]PILE-4B'.

Cell: R12

Formula: ='[1]PILE-4C'!L25

Explanation: This Excel formula is referencing cell L25 in a specific sheet named "PILE-4C" within the same Excel file. The data from cell L25 in the "PILE-4C" sheet will be used in the current sheet or formula.

Cell: S12

Formula: ='[1]PILE-4D'!L29

Explanation: This formula is retrieving the value from cell L29 in a worksheet named '[1]PILE-4D'.

Cell: D13

Formula: ='[1]PILE-1A'!L30

Explanation: This formula is telling Excel to retrieve the value in cell L30 from a different spreadsheet named PILE-1A. The '[1]' indicates that it is the first worksheet within the PILE-1A spreadsheet.

Cell: E13

Formula: ='[1]PILE-1B'!L30

Explanation: This formula is telling Excel to look at cell L30 in the sheet called '1PILE-1B'. It is using single quotes and an exclamation mark to specify the sheet name and cell reference.

Cell: F13

Formula: ='[1]PILE-1C'!L30

Explanation: This formula is referring to a specific cell in a different worksheet in the same Excel file. It is pulling data from cell L30 in the worksheet named 'PILE-1C'.

Cell: G13

Formula: ='[1]PILE-1D'!L26

Explanation: This formula is telling Excel to get the value from cell L26 in a worksheet named "[1]PILE-1D".

Cell: H13

Formula: ='[1]PILE-2A'!L30

Explanation: This Excel formula is telling the program to display the value in cell L30 from a specific sheet named "[1]PILE-2A".

Cell: I13

Formula: ='[1]PILE-2B'!L30

Explanation: This formula is telling Excel to pull the value from cell L30 in a worksheet named 'PILE-2B' which is in the same Excel file as the current worksheet.

Cell: J13

Formula: ='[1]PILE-2C'!L30

Explanation: This formula is pulling the value in cell L30 from a worksheet named 'PILE-2C' that is stored in the same Excel file.

Cell: K13

Formula: ='[1]PILE-2D'!L30

Explanation: This formula is referencing cell L30 in a worksheet named "PILE-2D" in a different workbook named "1". It is pulling the value from that specific cell in the other worksheet.

Cell: L13

Formula: ='[1]PILE-3A'!L27

Explanation: This formula is referring to a cell in a different worksheet called "[1]PILE-3A" in Excel. It is specifically pointing to cell L27 in that worksheet.

Cell: M13

Formula: ='[1]PILE-3B'!L30

Explanation: This formula is telling Excel to pull the value located in cell L30 from the sheet labeled 'PILE-3B' in a different Excel file named [1].

Cell: N13

Formula: ='[1]PILE-3C'!L30

Explanation: This formula is referencing a specific cell in a different worksheet within the same Excel workbook. The formula is telling Excel to look in the worksheet named 'PILE-3C' and select cell L30.

Cell: O13

Formula: ='[1]PILE-3D'!L28

Explanation: This formula is telling Excel to get the value in cell L28 from a different worksheet called '[1]PILE-3D'.

Cell: P13

Formula: ='[1]PILE-4A'!L30

Explanation: This formula is pulling the value from cell L30 in the sheet named 'PILE-4A' in a different Excel file called 1.

Cell: Q13

Formula: ='[1]PILE-4B'!L29

Explanation: This formula is referencing a specific cell (L29) in a specific sheet named 'PILE-4B' in the same Excel file.

Cell: R13

Formula: ='[1]PILE-4C'!L26

Explanation: This formula is telling Excel to pull the data from cell L26 in the sheet named 'PILE-4C' that is in the same workbook as the current sheet.

Cell: S13

Formula: ='[1]PILE-4D'!L30

Explanation: This formula is telling Excel to retrieve the value in cell L30 from a sheet named PILE-4D in a different workbook named 1.

Cell: D14

Formula: ='[1]PILE-1A'!L31

Explanation: This Excel formula is referencing cell L31 in a worksheet named "PILE-1A" in a different Excel workbook called 1.

Cell: E14

Formula: ='[1]PILE-1B'!L31

Explanation: This formula is telling Excel to look in a specific cell, L31, in a specific worksheet named '[1]PILE-1B'.

Cell: F14

Formula: ='[1]PILE-1C'!L31

Explanation: This Excel formula is pulling data from cell L31 in the spreadsheet called '[1]PILE-1C'.

Cell: G14

Formula: ='[1]PILE-1D'!L27

Explanation: This formula is telling Excel to pull data from cell L27 in a sheet named "PILE-1D" within the same workbook as the formula.

Cell: H14

Formula: ='[1]PILE-2A'!L31

Explanation: This Excel formula is telling the program to pull the value from cell L31 of a specific sheet named "PILE-2A" in the same Excel file.

Cell: I14

Formula: ='[1]PILE-2B'!L31

Explanation: This Excel formula is referencing cell L31 in a worksheet named 'PILE-2B' which is in a different workbook called '[1]'.

Cell: J14

Formula: ='[1]PILE-2C'!L31

Explanation: This formula is asking Excel to retrieve the value in cell L31 from a specific sheet named 'PILE-2C' in a different workbook that is saved as '[1]PILE-2C'.

Cell: K14

Formula: ='[1]PILE-2D'!L31

Explanation: This formula is referencing a specific cell in another sheet in the same Excel file. It is looking at cell L31 in a sheet named 'PILE-2D'. The exclamation mark (!) separates the sheet name from the cell reference. So it is pulling the value from cell L31 in the sheet named 'PILE-2D'.

Cell: L14

Formula: ='[1]PILE-3A'!L28

Explanation: This formula is referring to a specific cell in a different worksheet in Excel. The worksheet is named 'PILE-3A' and the cell being referred to is cell L28 on that worksheet.

Cell: M14

Formula: ='[1]PILE-3B'!L31

Explanation: This formula is referencing cell L31 in a worksheet named 'PILE-3B' that is in the same Excel file.

Cell: N14

Formula: ='[1]PILE-3C'!L31

Explanation: This formula is telling Excel to pull data from cell L31 in a different worksheet called "PILE-3C" within the same Excel file.

Cell: O14

Formula: ='[1]PILE-3D'!L29

Explanation: This formula is retrieving the value from cell L29 in the worksheet named "PILE-3D" in a different Excel file.

Cell: P14

Formula: ='[1]PILE-4A'!L31

Explanation: This formula is referencing cell L31 in a different worksheet named PILE-4A within the same Excel workbook.

Cell: Q14

Formula: ='[1]PILE-4B'!L30

Explanation: This formula means that it is referencing cell L30 in the worksheet named '1PILE-4B'. The data or value in cell L30 of the sheet '1PILE-4B' is being pulled into the current cell where this formula is placed.

Cell: R14

Formula: ='[1]PILE-4C'!L27

Explanation: This formula is telling Excel to display the value in cell L27 from a specific sheet named 'PILE-4C' in another file.

Cell: S14

Formula: ='[1]PILE-4D'!L31

Explanation: This formula is referencing a specific cell in the worksheet called "PILE-4D" in the Excel file named "1". The cell being referenced is L31.

Cell: D15

Formula: ='[1]PILE-1A'!L32

Explanation: This formula is telling Excel to look in a specific worksheet called 'PILE-1A' and retrieve the value in cell L32 from that worksheet.

Cell: E15

Formula: ='[1]PILE-1B'!L32

Explanation: This Excel formula is pulling the value from cell L32 in the sheet named 'PILE-1B' within the file named '1'.

Cell: F15

Formula: ='[1]PILE-1C'!L32

Explanation: This formula is referring to cell L32 in a worksheet named 'PILE-1C' that is in another Excel file named '1'.

Cell: G15

Formula: ='[1]PILE-1D'!L28

Explanation: This formula is referencing a specific cell in a different sheet within the same Excel file. Specifically, it is pulling the value from cell L28 in a sheet named '[1]PILE-1D'.

Cell: H15

Formula: ='[1]PILE-2A'!L32

Explanation: This formula is referencing a specific cell in a different worksheet called 'PILE-2A'. It is referencing cell L32 in that worksheet.

Cell: I15

Formula: ='[1]PILE-2B'!L32

Explanation: This Excel formula is telling the program to look at cell L32 in the sheet named "PILE-2B" in another file named "1". The single quotes indicate that this is a reference to another sheet or file.

Cell: J15

Formula: ='[1]PILE-2C'!L32

Explanation: This formula is referring to a specific cell, L32, in a different sheet named '[1]PILE-2C'.

Cell: K15

Formula: ='[1]PILE-2D'!L32

Explanation: This formula means that it is looking for the value in cell L32 of the sheet named 'PILE-2D' in a different Excel file called '1'.

Cell: L15

Formula: ='[1]PILE-3A'!L29

Explanation: This formula is referencing a specific cell in a different worksheet within the same Excel file. It is looking at cell L29 in the worksheet named 'PILE-3A'.

Cell: M15

Formula: ='[1]PILE-3B'!L32

Explanation: This formula is pulling the value from cell L32 in another sheet named '[1]PILE-3B' in Excel.

Cell: N15

Formula: ='[1]PILE-3C'!L32

Explanation: This formula is referencing cell L32 in the spreadsheet named 'PILE-3C' within the same Excel file.

Cell: O15

Formula: ='[1]PILE-3D'!L30

Explanation: This formula is telling Excel to look in a specific cell (L30) in a different worksheet named '[1]PILE-3D' and retrieve the data from that cell.

Cell: P15

Formula: ='[1]PILE-4A'!L32

Explanation: This formula is referring to a specific cell in a different worksheet within the same Excel file. It is accessing cell L32 in the worksheet named '1PILE-4A'.

Cell: Q15

Formula: ='[1]PILE-4B'!L31

Explanation: This formula is telling Excel to look in cell L31 of a specific sheet named '[1]PILE-4B'. It is used to reference a specific cell in another sheet within the same Excel workbook.

Cell: R15

Formula: ='[1]PILE-4C'!L28

Explanation: This formula is referencing a cell in another worksheet of the Excel file. Specifically, it is referring to cell L28 in a worksheet named 'PILE-4C' within the same Excel file.

Cell: S15

Formula: ='[1]PILE-4D'!L32

Explanation: This formula refers to a specific cell in a different sheet called 'PILE-4D'. It is specifically looking at cell L32 in that sheet.

Cell: D16

Formula: ='[1]PILE-1A'!L33

Explanation: This formula is referencing cell L33 in a sheet named 'PILE-1A' in a different Excel file named '1'.

Cell: E16

Formula: ='[1]PILE-1B'!L33

Explanation: This formula is pulling data from a specific cell in a different worksheet in the Excel file named "PILE-1B". The data being pulled is from cell L33 in that worksheet.

Cell: F16

Formula: ='[1]PILE-1C'!L33

Explanation: This formula is telling Excel to look at cell L33 in a worksheet named "PILE-1C" that is in another Excel file (represented by the '[1]PILE-1C' part).

Cell: G16

Formula: ='[1]PILE-1D'!L29

Explanation: This formula is referring to a cell in a different worksheet in the same Excel file. Specifically, it is referencing cell L29 in a worksheet named "PILE-1D" within the same Excel file.

Cell: H16

Formula: ='[1]PILE-2A'!L33

Explanation: This formula looks up the value of cell L33 in the worksheet named '[1]PILE-2A'.

Cell: I16

Formula: ='[1]PILE-2B'!L33

Explanation: This formula is referencing a cell L33 from a worksheet labeled 'PILE-2B' within the same Excel file.

Cell: J16

Formula: ='[1]PILE-2C'!L33

Explanation: This formula is referencing a specific cell (L33) in a different worksheet called PILE-2C.

Cell: K16

Formula: ='[1]PILE-2D'!L33

Explanation: This formula is telling Excel to look at cell L33 in a different sheet named "PILE-2D" within the same workbook.

Cell: L16

Formula: ='[1]PILE-3A'!L30

Explanation: This formula is referring to cell L30 in the workbook called PILE-3A, which is the first sheet in that workbook.

Cell: M16

Formula: ='[1]PILE-3B'!L33

Explanation: This formula is telling Excel to take the value in cell L33 from the sheet named '[1]PILE-3B'. It is referencing a specific cell in a different worksheet within the same Excel workbook.

Cell: N16

Formula: ='[1]PILE-3C'!L33

Explanation: This formula is telling Excel to look at cell L33 in a sheet named '[1]PILE-3C' and retrieve the value or data from that cell.

Cell: O16

Formula: ='[1]PILE-3D'!L31

Explanation: This formula is referencing cell L31 in a worksheet named 'PILE-3D' within the same Excel file. It is pulling data from that specific cell.

Cell: P16

Formula: ='[1]PILE-4A'!L33

Explanation: This Excel formula is telling Excel to retrieve the value in cell L33 from a specific sheet named "[1]PILE-4A". This formula is referencing a specific cell in a different sheet within the same Excel file.

Cell: Q16

Formula: ='[1]PILE-4B'!L32

Explanation: This formula is telling Excel to look in the cell L32 on a worksheet named '1PILE-4B'.

Cell: R16

Formula: ='[1]PILE-4C'!L29

Explanation: This formula is referencing a cell in a different sheet in the same Excel file. Specifically, it is looking at cell L29 in a sheet named "PILE-4C" within the same file.

Cell: S16

Formula: ='[1]PILE-4D'!L33

Explanation: This formula is looking at a specific cell (L33) in a different Excel sheet named '[1]PILE-4D'.

Cell: D17

Formula: ='[1]PILE-1A'!L34

Explanation: This Excel formula is referring to cell L34 in the sheet labeled "PILE-1A" in the file named "1". This formula is pulling data from that specific cell in that specific sheet within the Excel file.

Cell: E17

Formula: ='[1]PILE-1B'!L34

Explanation: This formula is referencing cell L34 in a different worksheet named PILE-1B in the same Excel file.

Cell: F17

Formula: ='[1]PILE-1C'!L34

Explanation: This formula is telling Excel to look for cell L34 in the worksheet named "PILE-1C" which is located in another Excel file '[1]PILE-1C'.

Cell: G17

Formula: ='[1]PILE-1D'!L30

Explanation: This formula is telling Excel to retrieve the value from cell L30 in a specific tab called PILE-1D.

Cell: H17

Formula: ='[1]PILE-2A'!L34

Explanation: This formula is telling Excel to retrieve the value in cell L34 from the worksheet named 'PILE-2A' in the first workbook that is currently open.

Cell: I17

Formula: ='[1]PILE-2B'!L34

Explanation: This formula is looking at cell L34 in a worksheet named 'PILE-2B' within the same Excel file.

Cell: J17

Formula: ='[1]PILE-2C'!L34

Explanation: This formula is referring to cell L34 in a worksheet named '[1]PILE-2C'. The single quotes around the worksheet name indicate that it includes special characters or spaces.

Cell: K17

Formula: ='[1]PILE-2D'!L34

Explanation: This formula is pulling the value from cell L34 in a sheet named '[1]PILE-2D' and displaying it in the current cell in the Excel sheet.

Cell: L17

Formula: ='[1]PILE-3A'!L31

Explanation: This formula is pulling the value from cell L31 on a sheet named "PILE-3A" in another Excel file called "1".

Cell: M17

Formula: ='[1]PILE-3B'!L34

Explanation: This formula is telling Excel to get the value in cell L34 from the sheet named '[1]PILE-3B'.

Cell: N17

Formula: ='[1]PILE-3C'!L34

Explanation: This formula looks at cell L34 in a specific sheet named 'PILE-3C' and pulls the data from that cell into the current sheet.

Cell: O17

Formula: ='[1]PILE-3D'!L32

Explanation: This formula is telling Excel to retrieve the value from cell L32 in a sheet named 'PILE-3D' in a different workbook named '[1]PILE-3D'.

Cell: P17

Formula: ='[1]PILE-4A'!L34

Explanation: This formula retrieves the value in cell L34 from a specific sheet named [1]PILE-4A within the same Excel workbook.

Cell: Q17

Formula: ='[1]PILE-4B'!L33

Explanation: This formula is telling Excel to look at cell L33 in the sheet named 'PILE-4B' that is in another Excel file named '1'.

Cell: R17

Formula: ='[1]PILE-4C'!L30

Explanation: This formula is telling Excel to display the value in cell L30 of a sheet named PILE-4C in a different workbook labeled as [1].

Cell: S17

Formula: ='[1]PILE-4D'!L34

Explanation: This Excel formula is referencing cell L34 in another worksheet called "PILE-4D". It is denoted by the text '[1]PILE-4D'!L34.

Cell: B20

Formula: ='[1]PILE-1A'!J23

Explanation: This formula is telling Excel to grab the value in cell J23 from a specific sheet in the same workbook called "PILE-1A." The J23 refers to the column and row number of the cell we want to retrieve the value from.

Cell: C20

Formula: =U20

Explanation: This Excel formula simply refers to the value in cell U20. This means that whatever value is in cell U20 will be displayed or used in the formula.

Cell: D20

Formula: =IFERROR('[1]PILE-1A'!K23,"0")

Explanation: This Excel formula checks if there is an error in cell K23 on another sheet named 'PILE-1A'. If there is an error, it will show "0". If there is no error, it will show the value of cell K23 on the 'PILE-1A' sheet.

Cell: E20

Formula: =IFERROR('[1]PILE-1B'!K23,"0")

Explanation: This formula checks if there is an error in cell K23 of the sheet named '[1]PILE-1B'. If there is an error, it will display "0", otherwise it will display the value in cell K23.

Cell: F20

Formula: =IFERROR('[1]PILE-1C'!K23,"0")

Explanation: This formula checks if there is an error in the cell K23 in the sheet named "PILE-1C" within the file "[1]PILE-1C". If there is an error, it will display "0".

Cell: G20

Formula: =IFERROR('[1]PILE-1D'!K19,"0")

Explanation: This formula checks if there is an error in cell K19 on the sheet named '[1]PILE-1D'. If there is an error, it will display "0" instead.

Cell: H20

Formula: =IFERROR('[1]PILE-2A'!K23,"0")

Explanation: This formula checks if there is an error in the cell K23 on sheet named '[1]PILE-2A'. If

there is an error, it will return 0. If there is no error, it will return the value in cell K23.

Cell: I20

Formula: =IFERROR('[1]PILE-2B'!K23,"0")

Explanation: This formula checks cell K23 in a sheet named '[1]PILE-2B'. If there is a value in cell K23, it will display that value. If there is an error or no value in K23, it will display "0".

Cell: J20

Formula: =IFERROR('[1]PILE-2C'!K23,"0")

Explanation: This formula checks if there is an error in cell K23 of the sheet named '[1]PILE-2C'. If there is no error, it will display the value in that cell. If there is an error, it will display "0" instead.

Cell: K20

Formula: =IFERROR('[1]PILE-2D'!K23,"0")

Explanation: This formula checks if there is a value in cell K23 of the sheet named "PILE-2D". If there is a value, it will display that value. If there is an error or there is no value, it will display a 0 instead.

Cell: L20

Formula: =IFERROR('[1]PILE-3A'!K20,"0")

Explanation: This formula checks if there is an error in cell K20 of the sheet named '[1]PILE-3A'. If there is an error, it will display "0". Otherwise, it will display the value in cell K20.

Cell: M20

Formula: =IFERROR('[1]PILE-3B'!K23,"0")

Explanation: This formula checks if there is an error in cell K23 in the sheet named '[1]PILE-3B'. If there is an error, it will display "0".

Cell: N20

Formula: =IFERROR('[1]PILE-3C'!K23,"0")

Explanation: This formula checks if there is an error in cell K23 of the sheet named 'PILE-3C'. If there is an error, it will display a 0. If there is no error, it will display the value in cell K23.

Cell: O20

Formula: =IFERROR('[1]PILE-3D'!K21,"0")

Explanation: This formula checks if there is an error in cell K21 of the sheet named 'PILE-3D'. If there is no error, it will display the value in that cell. If there is an error, it will display "0".

Cell: P20

Formula: =IFERROR('[1]PILE-4A'!K23,"0")

Explanation: This formula checks if there is an error in cell K23 of the sheet named "PILE-4A" in another Excel workbook. If there is an error, it will display "0" in the current cell. If there is no error, it will display the value in cell K23 of the other sheet.

Cell: Q20

Formula: =IFERROR('[1]PILE-4B'!K22,"0")

Explanation: This formula checks if there is an error in the cell K22 in the spreadsheet named '[1]PILE-4B'. If there is an error, it will display 0 as the result. If there is no error, it will display the value in cell K22.

Cell: R20

Formula: =IFERROR('[1]PILE-4C'!K19,"0")

Explanation: This formula checks if there is an error in the cell K19 in the sheet named 'PILE-4C'. If there is an error, it will display "0" in the current cell. If there is no error, it will display the value in cell K19.

Cell: S20

Formula: =IFERROR('[1]PILE-4D'!K23,"0")

Explanation: This formula checks if there is an error in cell K23 of a sheet named "[1]PILE-4D". If

there is an error, it displays "0". If there is no error, it displays the value in cell K23.

Cell: U20

Formula: =SUM(D20:T20)

Explanation: Add up all the numbers in cells D20 to T20.

Cell: B21

Formula: ='[1]PILE-1A'!J24

Explanation: This formula is linking to cell J24 in a specific sheet named "PILE-1A" in another Excel file. The '[1]' indicates the file where the sheet is located.

Cell: C21

Formula: =U21

Explanation: This Excel formula simply refers to the value in cell U21. It means that whatever value is entered into cell U21 will be displayed in the cell where this formula is written.

Cell: D21

Formula: =IFERROR('[1]PILE-1A'!K24,"0")

Explanation: This formula checks if there is an error in cell K24 in the sheet named 'PILE-1A'. If there is an error, it will show 0 as the result. If there is no error, it will show the value in cell K24.

Cell: E21

Formula: =IFERROR('[1]PILE-1B'!K24,"0")

Explanation: This formula checks if there is an error in cell K24 of the sheet named 'PILE-1B'. If there is an error, it will show 0.

Cell: F21

Formula: =IFERROR('[1]PILE-1C'!K24,"0")

Explanation: This formula checks if there is an error in cell K24 of a sheet named "[1]PILE-1C" in Excel. If there is an error, it will show "0" instead of the error message.

Cell: G21

Formula: =IFERROR('[1]PILE-1D'!K20,"0")

Explanation: This formula is checking if there is an error in cell K20 in a sheet named "PILE-1D". If there is an error, it will display "0". If there is no error, it will display the value in cell K20.

Cell: H21

Formula: =IFERROR('[1]PILE-2A'!K24,"0")

Explanation: This formula checks if there is an error in cell K24 on the sheet named PILE-2A. If there is an error, it will show a 0. If there is no error, it will display the value in cell K24.

Cell: I21

Formula: =IFERROR('[1]PILE-2B'!K24,"0")

Explanation: This formula checks if there is an error in cell K24 in a specific worksheet named 'PILE-2B'. If there is an error, it will show "0". If there is no error, it will display the value in cell K24.

Cell: J21

Formula: =IFERROR('[1]PILE-2C'!K24,"0")

Explanation: This Excel formula checks if cell K24 in the sheet named '[1]PILE-2C' has any error. If there is an error, it will show "0" in the cell containing the formula. If there is no error, it will display the value in cell K24.

Cell: K21

Formula: =IFERROR('[1]PILE-2D'!K24,"0")

Explanation: This formula checks the cell K24 in another sheet named 'PILE-2D'. If there is a value in that cell, it will display that value. If there is an error or no value in that cell, it will display 0 instead.

Cell: L21

Formula: =IFERROR('[1]PILE-3A'!K21,"0")

Explanation: This formula checks a specific cell (K21) in another worksheet called [1]PILE-3A. If the

cell has a value, it will display that value. If the cell is empty or contains an error, it will display a 0 instead.

Cell: M21

Formula: =IFERROR('[1]PILE-3B'!K24,"0")

Explanation: This formula checks if there is an error in the cell K24 in the sheet named '[1]PILE-3B'. If there is an error, it will display "0". If there is no error, it will display the value in cell K24.

Cell: N21

Formula: =IFERROR('[1]PILE-3C'!K24,"0")

Explanation: This formula checks if there is an error in cell K24 of the sheet named '1PILE-3C'. If there is an error, it will display "0". If there is no error, it will display the value in cell K24.

Cell: O21

Formula: =IFERROR('[1]PILE-3D'!K22,"0")

Explanation: This formula checks if there is a value in cell K22 of a sheet named '[1]PILE-3D'. If there is a value, it will show that value. If there is an error or no value, it will show 0 instead.

Cell: P21

Formula: =IFERROR('[1]PILE-4A'!K24,"0")

Explanation: This formula checks if there is an error in cell K24 of the sheet named '[1]PILE-4A'. If there is an error, it will display "0". If there is no error, it will display the value in cell K24.

Cell: Q21

Formula: =IFERROR('[1]PILE-4B'!K23,"0")

Explanation: This formula checks if the cell K23 in the worksheet named "[1]PILE-4B" contains an error. If there is an error, it will display the number 0. If there is no error, it will display the value in cell K23.

Cell: R21

Formula: =IFERROR('[1]PILE-4C'!K20,"0")

Explanation: This formula checks if there is a value in cell K20 of the sheet named '[1]PILE-4C'. If there is a value, it will display that value. If there is no value, it will display "0".

Cell: S21

Formula: =IFERROR('[1]PILE-4D'!K24,"0")

Explanation: This formula checks if there is an error in cell K24 in another sheet called 'PILE-4D'. If there is an error, it will display "0". If there is no error, it will display the value in cell K24.

Cell: U21

Formula: =SUMPRODUCT(D20:T20,D21:T21)/U20

Explanation: This formula multiplies each number in cells D20 to T20 with the corresponding number in cells D21 to T21, adds all the products together, and then divides the sum by the number in cell U20.

Cell: B22

Formula: ='[1]PILE-1A'!J25

Explanation: This formula is telling Excel to get the value from cell J25 in the sheet named 'PILE-1A' in the workbook named '1'.

Cell: C22

Formula: =U22

Explanation: This formula simply references the value in cell U22. It does not perform any calculations or operations, it just displays whatever value is currently in cell U22.

Cell: D22

Formula: =IFERROR('[1]PILE-1A'!K25,"0")

Explanation: This formula checks if there is an error in cell K25 of a specific sheet called PILE-1A. If there is an error, it will display the number 0. If there is no error, it will display the value in cell K25 of

the PILE-1A sheet.

Cell: E22

Formula: =IFERROR('[1]PILE-1B'!K25,"0")

Explanation: This formula is checking if there is an error in the cell K25 in the sheet named "PILE-1B". If there is an error, it will display a "0" in the cell where this formula is entered.

Cell: F22

Formula: =IFERROR('[1]PILE-1C'!K25,"0")

Explanation: If the cell K25 in the sheet named 'PILE-1C' contains an error, then the formula will show "0". Otherwise, it will display the value in cell K25.

Cell: G22

Formula: =IFERROR('[1]PILE-1D'!K21,"0")

Explanation: This formula checks if there is an error in cell K21 of another sheet named [1]PILE-1D. If there is an error, it will display 0. If there is no error, it will show the value in cell K21.

Cell: H22

Formula: =IFERROR('[1]PILE-2A'!K25,"0")

Explanation: This formula checks if cell K25 in the sheet named "PILE-2A" has a value. If it does, it will display that value. If there is an error or if the cell is empty, it will display "0".

Cell: I22

Formula: =IFERROR('[1]PILE-2B'!K25,"0")

Explanation: This formula checks if there is an error in the cell K25 in another sheet named 'PILE-2B'. If there is an error, it will show 0 in the cell where this formula is entered.

Cell: J22

Formula: =IFERROR('[1]PILE-2C'!K25,"0")

Explanation: This formula checks if the cell K25 in the sheet named '[1]PILE-2C' has an error. If

there is an error, it will display '0'. If there is no error, it will display the value in cell K25.

Cell: K22

Formula: =IFERROR('[1]PILE-2D'!K25,"0")

Explanation: This formula checks if a specific cell in the sheet named "PILE-2D" is showing an error. If there is an error, it will display "0" instead of showing the error message.

Cell: L22

Formula: =IFERROR('[1]PILE-3A'!K22,"0")

Explanation: If there is an error in retrieving the value from cell K22 in the sheet named 'PILE-3A', then the formula will display "0" instead.

Cell: M22

Formula: =IFERROR('[1]PILE-3B'!K25,"0")

Explanation: This formula checks if there is an error in the cell K25 in a sheet named 'PILE-3B'. If there is an error, it will display a "0" in the current cell.

Cell: N22

Formula: =IFERROR('[1]PILE-3C'!K25,"0")

Explanation: In simple terms, this formula checks if there is an error in cell K25 in a specific sheet called '[1]PILE-3C'. If there is no error, it will display the value in that cell. If there is an error, it will show "0" instead.

Cell: O22

Formula: =IFERROR('[1]PILE-3D'!K23,"0")

Explanation: This formula checks if there is an error in cell K23 on another sheet named '[1]PILE-3D'. If there is an error, it will display "0". If there is no error, it will display the value in cell K23.

Cell: P22

Formula: =IFERROR('[1]PILE-4A'!K25,"0")

Explanation: This Excel formula checks if there is an error in the cell K25 on the sheet named '[1]PILE-4A'. If there is an error, it will show the number 0. If there is no error, it will display the value in that cell.

Cell: Q22

Formula: =IFERROR('[1]PILE-4B'!K24,"0")

Explanation: If there is an error in fetching the value from cell K24 in the sheet named '[1]PILE-4B', the formula will return a value of 0 instead.

Cell: R22

Formula: =IFERROR('[1]PILE-4C'!K21,"0")

Explanation: This formula checks if cell K21 in the sheet named "PILE-4C" has a value. If it does, it will show that value. If it doesn't have a value, it will show "0".

Cell: S22

Formula: =IFERROR('[1]PILE-4D'!K25,"0")

Explanation: This formula checks if there is an error in cell K25 of the sheet named "PILE-4D". If there is an error, it returns the number 0.

Cell: U22

Formula: =SUMPRODUCT(D22:T22,D23:T23)/U23

Explanation: This Excel formula will multiply each corresponding pair of numbers in cells D22:T22 and D23:T23, then add up the results of all the multiplications. Finally, it will divide that sum by the number in cell U23.

Cell: B23

Formula: ='[1]PILE-1A'!J26

Explanation: This formula is telling Excel to look in a specific cell (J26) in a specific worksheet

(PILE-1A) in a different workbook named 1.

Cell: C23

Formula: =U23

Explanation: In this formula, Excel is referring to the cell U23. It means the value or contents in cell U23 will be used in this calculation or display.

Cell: D23

Formula: =IFERROR('[1]PILE-1A'!K26,"0")

Explanation: This formula checks if there is an error in cell K26 in the sheet named "PILE-1A". If there is an error, it will display "0", otherwise it will show the value in cell K26.

Cell: E23

Formula: =IFERROR('[1]PILE-1B'!K26,"0")

Explanation: This formula checks if there is an error in cell K26 of the sheet named "PILE-1B". If there is an error, it will display a 0. If there is no error, it will display the value in cell K26.

Cell: F23

Formula: =IFERROR('[1]PILE-1C'!K26,"0")

Explanation: This formula checks if there is an error in cell K26 on a sheet named 'PILE-1C'.

If there is an error, it will return the value "0".

If there is no error, it will return the value in cell K26.

Cell: G23

Formula: =IFERROR('[1]PILE-1D'!K22,"0")

Explanation: This formula checks if there is an error in cell K22 on a sheet named '[1]PILE-1D'. If there is an error, it will display a "0".

Cell: H23

Formula: =IFERROR('[1]PILE-2A'!K26,"0")

Explanation: This formula checks if there is an error in cell K26 on the sheet named "PILE-2A". If there is an error, it will display a "0".

Cell: I23

Formula: =IFERROR('[1]PILE-2B'!K26,"0")

Explanation: This Excel formula checks if there is an error in cell K26 of sheet "[1]PILE-2B". If there is an error, it will display a "0". If there is no error, it will display the value in cell K26.

Cell: J23

Formula: =IFERROR('[1]PILE-2C'!K26,"0")

Explanation: This formula checks if there is an error in cell K26 in the sheet named '[1]PILE-2C'. If there is an error, it will display "0". If there is no error, it will display the value in cell K26.

Cell: K23

Formula: =IFERROR('[1]PILE-2D'!K26,"0")

Explanation: This formula checks if there is a value in cell K26 on another sheet named '[1]PILE-2D'. If there is a value, it will display that value. If there is an error or no value, it will display a "0" instead.

Cell: L23

Formula: =IFERROR('[1]PILE-3A'!K23,"0")

Explanation: This formula checks if there is an error in cell K23 in the sheet named 'PILE-3A'. If there is an error, it will display "0". Otherwise, it will display the value in cell K23.

Cell: M23

Formula: =IFERROR('[1]PILE-3B'!K26,"0")

Explanation: This formula checks if there is an error in cell K26 on a specific sheet called '[1]PILE-3B'. If there is an error, it will display "0" in the cell. If there is no error, it will display the value in cell K26.

Cell: N23

Formula: =IFERROR('[1]PILE-3C'!K26,"0")

Explanation: This formula checks if cell K26 in another sheet named '[1]PILE-3C' has any errors. If there are no errors, it will show the value in K26. If there is an error, it will show "0".

Cell: O23

Formula: =IFERROR('[1]PILE-3D'!K24,"0")

Explanation: This formula checks a specific cell (K24) in another sheet called PILE-3D. If there is an error in that cell, it will display "0" instead of the error.

Cell: P23

Formula: =IFERROR('[1]PILE-4A'!K26,"0")

Explanation: This formula checks if there is an error in cell K26 in a specific sheet. If there is an error, it will display "0" in the cell where this formula is entered.

Cell: Q23

Formula: =IFERROR('[1]PILE-4B'!K25,"0")

Explanation: This formula checks if there is an error in the cell K25 in a different sheet called '[1]PILE-4B'. If there is an error, it displays "0" in the current cell. If there is no error, it displays the value of cell K25 from the other sheet.

Cell: R23

Formula: =IFERROR('[1]PILE-4C'!K22,"0")

Explanation: This Excel formula checks if cell K22 in another worksheet called '[1]PILE-4C' has any errors. If there are no errors, it will display the value in cell K22. If there are errors, it will show the number 0 instead.

Cell: S23

Formula: =IFERROR('[1]PILE-4D'!K26,"0")

Explanation: This formula checks if there is an error in cell K26 of a sheet named "[1]PILE-4D". If

there is an error, it will display "0". If there is no error, it will display the value in that cell.

Cell: U23

Formula: =SUM(D23:T23)

Explanation: This formula adds up all the numbers in cells D23 to T23.

Cell: B24

Formula: ='[1]PILE-1A'!J27

Explanation: This formula is referencing cell J27 in a sheet called '1PILE-1A' within the same Excel file.

Cell: C24

Formula: =U24

Explanation: This formula simply refers to the value in cell U24. It displays or uses the value that is currently in cell U24.

Cell: D24

Formula: =IFERROR('[1]PILE-1A'!K27,"0")

Explanation: This formula checks if there is an error in cell K27 in the PILE-1A sheet. If there is an error, it will display "0". If there is no error, it will show the value in cell K27.

Cell: E24

Formula: =IFERROR('[1]PILE-1B'!K27,"0")

Explanation: This formula checks if there is an error in the cell K27 in a sheet named "PILE-1B". If there is an error, it will display a 0 instead of showing the error message.

Cell: F24

Formula: =IFERROR('[1]PILE-1C'!K27,"0")

Explanation: This formula looks at cell K27 in a specific sheet called '[1]PILE-1C'. If there is an error, it will display a "0".

Cell: G24

Formula: =IFERROR('[1]PILE-1D'!K23,"0")

Explanation: This formula checks if there is an error in cell K23 of a sheet named "PILE-1D". If there is an error, it returns "0".

Cell: H24

Formula: =IFERROR('[1]PILE-2A'!K27,"0")

Explanation: This formula checks if there is an error in cell K27 in a sheet named "PILE-2A". If there is no error, it returns the value in that cell. If there is an error, it returns the value of 0.

Cell: I24

Formula: =IFERROR('[1]PILE-2B'!K27,"0")

Explanation: This formula checks if there is an error in cell K27 in the sheet named '[1]PILE-2B'. If there is an error, it will display the number 0. If there is no error, it will display the value in cell K27.

Cell: J24

Formula: =IFERROR('[1]PILE-2C'!K27,"0")

Explanation: This Excel formula checks if there is an error in cell K27 of the sheet named '[1]PILE-2C'. If there is an error, it will return "0". If there is no error, it will return the value in cell K27.

Cell: K24

Formula: =IFERROR('[1]PILE-2D'!K27,"0")

Explanation: This Excel formula checks if there is an error in the cell K27 in the sheet named '[1]PILE-2D'. If there is an error, it will display "0". Otherwise, it will display the value in cell K27.

Cell: L24

Formula: =IFERROR('[1]PILE-3A'!K24,"0")

Explanation: This formula checks if there is an error in the data in cell K24 in the sheet named

'PILE-3A.' If there is an error, it will display the number 0.

Cell: M24

Formula: =IFERROR('[1]PILE-3B'!K27,"0")

Explanation: This formula checks if cell K27 in the sheet named '[1]PILE-3B' has a value. If it does, it will show that value. If there is an error or the cell is empty, it will show the number 0 instead.

Cell: N24

Formula: =IFERROR('[1]PILE-3C'!K27,"0")

Explanation: This formula checks if there is an error in the cell K27 in a worksheet called 'PILE-3C'. If there is an error, it will display "0" instead of the error.

Cell: O24

Formula: =IFERROR('[1]PILE-3D'!K25,"0")

Explanation: This formula checks if there is an error in cell K25 on a different sheet named '[1]PILE-3D'. If there is an error, it shows "0" in the cell where this formula is written.

Cell: P24

Formula: =IFERROR('[1]PILE-4A'!K27,"0")

Explanation: This formula will check if there is an error in cell K27 in the sheet named '1]PILE-4A'. If there is an error, it will return "0". If there is no error, it will display the value in cell K27.

Cell: Q24

Formula: =IFERROR('[1]PILE-4B'!K26,"0")

Explanation: This formula checks if cell K26 in the sheet named "PILE-4B" contains any value. If it does, it displays that value. If it doesn't, it displays "0".

Cell: R24

Formula: =IFERROR('[1]PILE-4C'!K23,"0")

Explanation: This formula checks if there is an error in the cell K23 in another sheet named

'[1]PILE-4C'. If there is an error, it will display "0" in the current cell. If there is no error, it will display the value in cell K23 from the other sheet.

Cell: S24

Formula: =IFERROR('[1]PILE-4D'!K27,"0")

Explanation: This formula checks if there is a value in cell K27 of another sheet named 'PILE-4D'. If there is a value, it will show that value. If there isn't a value, it will show "0".

Cell: U24

Formula: =SUMPRODUCT(D24:S24,D25:S25)/U25

Explanation: This formula calculates the sum of the products of two ranges (D24:S24 and D25:S25) and then divides that sum by the value in cell U25.

Cell: B25

Formula: ='[1]PILE-1A'!J28

Explanation: This formula is telling Excel to look for the value in cell J28 on the sheet named "PILE-1A" within the same Excel file or external file.

Cell: C25

Formula: =U25

Explanation: This formula simply references the value in cell U25. It doesn't perform any calculations or modifications to the data, it just displays the value in U25.

Cell: D25

Formula: =IFERROR('[1]PILE-1A'!K28,"0")

Explanation: This formula checks if there is an error in the cell K28 in another worksheet named PILE-1A. If there is an error, it will display the number 0. If there is no error, it will display the value in that cell.

Cell: E25

Formula: =IFERROR('[1]PILE-1B'!K28,"0")

Explanation: This formula checks if there is an error in the cell K28 in the sheet named 'PILE-1B'. If there is an error, it will display "0".

Cell: F25

Formula: =IFERROR('[1]PILE-1C'!K28,"0")

Explanation: This formula checks if there is an error in cell K28 in the sheet named '[1]PILE-1C'. If there is an error, it will display "0". If there is no error, it will display the value in cell K28.

Cell: G25

Formula: =IFERROR('[1]PILE-1D'!K24,"0")

Explanation: If there is an error in retrieving the value from cell K24 in the sheet named 'PILE-1D', display 0 instead.

Cell: H25

Formula: =IFERROR('[1]PILE-2A'!K28,"0")

Explanation: If there is an error in retrieving the value from cell K28 in sheet PILE-2A of workbook 1, display "0" instead.

Cell: I25

Formula: =IFERROR('[1]PILE-2B'!K28,"0")

Explanation: This formula checks if there is an error in cell K28 on the sheet named '[1]PILE-2B'. If there is an error, it will display "0". If there is no error, it will display the value in cell K28.

Cell: J25

Formula: =IFERROR('[1]PILE-2C'!K28,"0")

Explanation: This formula basically checks if there is an error in cell K28 in the sheet named 'PILE-2C', and if there is an error, it will display "0". Otherwise, it will display the value in cell K28.

Cell: K25

Formula: =IFERROR('[1]PILE-2D'!K28,"0")

Explanation: This formula checks if there is an error in cell K28 of the sheet named '[1]PILE-2D'. If there is an error, it will display "0". If there is no error, it will display the value in cell K28.

Cell: L25

Formula: =IFERROR('[1]PILE-3A'!K25,"0")

Explanation: This formula checks if there is an error in cell K25 of the sheet named '[1]PILE-3A'. If there is no error, it will display the value in that cell. If there is an error, it will display the number 0 instead.

Cell: M25

Formula: =IFERROR('[1]PILE-3B'!K28,"0")

Explanation: This formula checks if there is an error in cell K28 of a specific sheet named '[1]PILE-3B'. If there is an error, it will display "0". Otherwise, it will display the value of cell K28.

Cell: N25

Formula: =IFERROR('[1]PILE-3C'!K28,"0")

Explanation: This formula checks if there is an error in cell K28 in another sheet named '[1]PILE-3C'. If there is an error, it will display "0". If there is no error, it will display the value in cell K28.

Cell: O25

Formula: =IFERROR('[1]PILE-3D'!K26,"0")

Explanation: This formula is checking if there is an error in the cell K26 on a different sheet called PILE-3D. If there is an error, it will display 0. If there is no error, it will display the value in that cell on the PILE-3D sheet.

Cell: P25

Formula: =IFERROR('[1]PILE-4A'!K28,"0")

Explanation: This formula checks if there is an error in cell K28 of the sheet named 'PILE-4A'. If

there is an error, it will display "0". If there is no error, it will display the value in cell K28.

Cell: Q25

Formula: =IFERROR('[1]PILE-4B'!K27,"0")

Explanation: This formula checks if there is an error in cell K27 in a sheet called '1'PILE-4B'. If there is an error, it shows a 0. If there is no error, it shows the value in cell K27.

Cell: R25

Formula: =IFERROR('[1]PILE-4C'!K24,"0")

Explanation: This formula checks if the cell K24 in the sheet named "PILE-4C" contains a value. If it does, it will display that value. If not, it will display "0".

Cell: S25

Formula: =IFERROR('[1]PILE-4D'!K28,"0")

Explanation: This Excel formula checks if there is an error in cell K28 of another sheet named '[1]PILE-4D'. If there is an error, it will display "0" in the current cell. If there is no error, it will display the value in cell K28 of the other sheet.

Cell: U25

Formula: =SUM(D25:S25)

Explanation: Add up all the numbers in cells D25 to S25.

Cell: B26

Formula: ='[1]PILE-1A'!J29

Explanation: This formula is telling Excel to pull the value from cell J29 in another worksheet called "PILE-1A," which is in the same Excel file.

Cell: C26

Formula: =U26

Explanation: This formula simply means that the cell U26 is being referenced or displayed in the

current cell. Whatever value or content is in cell U26 will be displayed in the cell where this formula is written.

Cell: D26

Formula: =IFERROR('[1]PILE-1A'!K29,"0")

Explanation: This formula checks if cell K29 in the sheet named "PILE-1A" is empty or has an error. If it is empty or has an error, the formula will display 0. If the cell has a value, it will display that value.

Cell: E26

Formula: =IFERROR('[1]PILE-1B'!K29,"0")

Explanation: This formula checks a specific cell in a sheet named "PILE-1B". If there is an error in that cell, it will show a 0 instead.

Cell: F26

Formula: =IFERROR('[1]PILE-1C'!K29,"0")

Explanation: This formula checks if there is an error in cell K29 in the sheet named 'PILE-1C'. If there is an error, it will display "0". If there is no error, it will display the value in cell K29.

Cell: G26

Formula: =IFERROR('[1]PILE-1D'!K25,"0")

Explanation: This Excel formula checks if there is an error in cell K25 on another sheet named PILE-1D. If there is an error, it will display 0, otherwise it will display the value in cell K25.

Cell: H26

Formula: =IFERROR('[1]PILE-2A'!K29,"0")

Explanation: This Excel formula checks if there is an error in cell K29 on another sheet named '[1]PILE-2A'. If there is an error, it will display "0". If there is no error, it will display the value in cell K29.

Cell: I26

Formula: =IFERROR('[1]PILE-2B'!K29,"0")

Explanation: This formula checks if cell K29 in the sheet named 'PILE-2B' has a value. If it does, it will display that value. If it doesn't have a value or if there is an error, it will display "0".

Cell: J26

Formula: =IFERROR('[1]PILE-2C'!K29,"0")

Explanation: The formula checks if there is any error in the cell K29 in a specific sheet called '[1]PILE-2C'. If there is an error, it will display "0" instead of showing an error message.

Cell: K26

Formula: =IFERROR('[1]PILE-2D'!K29,"0")

Explanation: This formula checks if there is an error in the cell K29 in the spreadsheet named PILE-2D. If there is an error, it will display 0 in the cell where this formula is used. If there is no error, it will display the value from cell K29 in the PILE-2D spreadsheet.

Cell: L26

Formula: =IFERROR('[1]PILE-3A'!K26,"0")

Explanation: If the value in cell K26 on the worksheet named "PILE-3A" is an error, the formula will display "0". Otherwise, it will display the value in cell K26.

Cell: M26

Formula: =IFERROR('[1]PILE-3B'!K29,"0")

Explanation: This formula checks if there is an error in cell K29 of another sheet named "[1]PILE-3B". If there is an error, it will show "0", otherwise it will display the value in cell K29.

Cell: N26

Formula: =IFERROR('[1]PILE-3C'!K29,"0")

Explanation: This formula checks if cell K29 in the sheet named 'PILE-3C' has a value. If it does, it

will show that value. If there is an error or the cell is empty, it will display 0 instead.

Cell: O26

Formula: =IFERROR('[1]PILE-3D'!K27,"0")

Explanation: This Excel formula checks if cell K27 in the sheet named 'PILE-3D' contains an error. If there is an error, it will display 0. If there is no error, it will display the value in cell K27.

Cell: P26

Formula: =IFERROR('[1]PILE-4A'!K29,"0")

Explanation: This formula checks if there is an error in cell K29 on a sheet named "PILE-4A". If there is no error, it will show the value in that cell. If there is an error, it will show the number 0 instead.

Cell: Q26

Formula: =IFERROR('[1]PILE-4B'!K28,"0")

Explanation: This formula checks if the cell K28 in the sheet named 'PILE-4B' is displaying an error. If it is, it will display a 0 instead.

Cell: R26

Formula: =IFERROR('[1]PILE-4C'!K25,"0")

Explanation: This formula checks if there is an error in the cell K25 of the sheet named 'PILE-4C'. If there is an error, it will display the number 0. If there is no error, it will display the value in that cell.

Cell: S26

Formula: =IFERROR('[1]PILE-4D'!K29,"0")

Explanation: This Excel formula checks if there is an error in cell K29 of the sheet named 'PILE-4D'. If there is an error, it will display "0" in the cell where the formula is entered. If there is no error, it will display the value in cell K29.

Cell: U26

Formula: =MAX(D26:T26)

Explanation: Find the maximum value in the range of cells from D26 to T26.

Cell: B27

Formula: ='[1]PILE-1A'!J30

Explanation: This formula is referencing a cell J30 in a sheet named 'PILE-1A' within the same Excel file.

Cell: C27

Formula: =U27

Explanation: This formula means that the cell is referencing whatever is in cell U27. Whatever value or text is in cell U27 will also be shown in the cell with this formula.

Cell: D27

Formula: =IFERROR('[1]PILE-1A'!K30,"0")

Explanation: This formula checks if there is an error in the cell K30 in the sheet labeled 'PILE-1A'. If there is an error, it will display "0". If there is no error, it will display the value in cell K30.

Cell: E27

Formula: =IFERROR('[1]PILE-1B'!K30,"0")

Explanation: This formula checks if there is an error in the cell K30 in sheet named 'PILE-1B'. If there is an error, it will display "0" instead of showing the error.

Cell: F27

Formula: =IFERROR('[1]PILE-1C'!K30,"0")

Explanation: This formula checks if there is an error in cell K30 in another sheet named '[1]PILE-1C'. If there is an error, it will display "0" in the current cell.

Cell: G27

Formula: =IFERROR('[1]PILE-1D'!K26,"0")

Explanation: This formula checks if there is an error in cell K26 of another sheet named '[1]PILE-1D'.

If there is an error, it will display the number 0. Otherwise, it will display the value in cell K26.

Cell: H27

Formula: =IFERROR('[1]PILE-2A'!K30,"0")

Explanation: This formula checks if the cell K30 in a specific sheet named '[1]PILE-2A' has a value. If it does, it will display that value. If there is an error or no value, it will display "0" instead.

Cell: I27

Formula: =IFERROR('[1]PILE-2B'!K30,"0")

Explanation: This formula checks if there is an error in cell K30 of the sheet named 'PILE-2B'. If there is an error, it will display a zero. If there is no error, it will display the value in cell K30.

Cell: J27

Formula: =IFERROR('[1]PILE-2C'!K30,"0")

Explanation: This formula checks if there is an error in the cell K30 in another sheet named '[1]PILE-2C'. If there is an error, it will show "0" in the cell where this formula is placed.

Cell: K27

Formula: =IFERROR('[1]PILE-2D'!K30,"0")

Explanation: This formula checks if there is a value in cell K30 in the sheet named PILE-2D. If there is a value, it returns that value. If there is an error or the cell is empty, it returns a 0.

Cell: L27

Formula: =IFERROR('[1]PILE-3A'!K27,"0")

Explanation: This formula checks if there is an error in the cell K27 on another sheet called "PILE-3A". If there is an error, it will display the number 0. If there is not an error, it will display the value in cell K27.

Cell: M27

Formula: =IFERROR('[1]PILE-3B'!K30,"0")

Explanation: This formula checks if there is an error in cell K30 in another sheet named '[1]PILE-3B'. If there is an error, it will display "0" in the current sheet.

Cell: N27

Formula: =IFERROR('[1]PILE-3C'!K30,"0")

Explanation: This Excel formula checks if there is an error in cell K30 of a sheet named '[1]PILE-3C'. If there is an error, it will display "0", otherwise it will show the value in cell K30.

Cell: O27

Formula: =IFERROR('[1]PILE-3D'!K28,"0")

Explanation: This formula checks if there is an error in the cell K28 on another worksheet named '[1]PILE-3D'. If there is an error, it will display a "0" in the cell where the formula is written. If there is no error, it will display the value in cell K28 of the other worksheet.

Cell: P27

Formula: =IFERROR('[1]PILE-4A'!K30,"0")

Explanation: This formula checks if there is an error in cell K30 on the sheet named '[1]PILE-4A'. If there is an error, it will display "0". If there is no error, it will display the value in cell K30.

Cell: Q27

Formula: =IFERROR('[1]PILE-4B'!K29,"0")

Explanation: This formula checks if there is an error in the cell K29 in another sheet named 'PILE-4B'. If there is an error, it will display "0".

Cell: R27

Formula: =IFERROR('[1]PILE-4C'!K26,"0")

Explanation: This formula checks cell K26 in another sheet [1]PILE-4C. If there is a value in cell K26, it will show that value. If there is an error, it will show "0" instead.

Cell: S27

Formula: =IFERROR('[1]PILE-4D'!K30,"0")

Explanation: This formula checks if there is an error in the cell K30 in the sheet called 'PILE-4D'. If there is an error, it will show "0" in the current cell, otherwise it will display the value in cell K30.

Cell: U27

Formula: =AVERAGE(D27:T27)

Explanation: This formula calculates the average of the numbers in cells D27 to T27.

Cell: B28

Formula: ='[1]PILE-1A'!J31

Explanation: This formula is telling Excel to look in a specific cell (J31) in a sheet named "PILE-1A" within a file named "1".

Cell: C28

Formula: =U28

Explanation: In Excel, this formula simply means that the cell where this formula is written will display the value that is present in cell U28. It is like linking the two cells together so that whatever is written in U28 will automatically be shown in the cell with this formula.

Cell: D28

Formula: =IFERROR('[1]PILE-1A'!K31,"0")

Explanation: This formula checks if cell K31 in the sheet named "PILE-1A" has a value. If it does, it displays that value. If the cell is empty or shows an error, the formula will display "0" instead.

Cell: E28

Formula: =IFERROR('[1]PILE-1B'!K31,"0")

Explanation: This formula checks if there is an error in cell K31 on sheet PILE-1B. If there is an error, it will display "0" instead of the error.

Cell: F28

Formula: =IFERROR('[1]PILE-1C'!K31,"0")

Explanation: This formula checks if cell K31 in the sheet named "[1]PILE-1C" has a value. If it does, it displays that value. If there is an error or no value, it displays "0" instead.

Cell: G28

Formula: =IFERROR('[1]PILE-1D'!K27,"0")

Explanation: This formula checks if there is an error in cell K27 in the "PILE-1D" sheet. If there is an error, it will display "0" in the current cell. If there is no error, it will display the value in cell K27.

Cell: H28

Formula: =IFERROR('[1]PILE-2A'!K31,"0")

Explanation: This formula checks if there is an error in cell K31 on another sheet named '[1]PILE-2A'. If there is an error, it will display 0.

Cell: I28

Formula: =IFERROR('[1]PILE-2B'!K31,"0")

Explanation: This formula checks if there is an error in cell K31 in the sheet named '[1]PILE-2B'. If there is an error, it will display "0", otherwise it will display the value in cell K31.

Cell: J28

Formula: =IFERROR('[1]PILE-2C'!K31,"0")

Explanation: This formula checks if there is an error in cell K31 in another sheet called '[1]PILE-2C'. If there is an error, it will display "0".

Cell: K28

Formula: =IFERROR('[1]PILE-2D'!K31,"0")

Explanation: If there is an error in finding the value in cell K31 of the sheet named '[1]PILE-2D', then display "0" instead.

Cell: L28

Formula: =IFERROR('[1]PILE-3A'!K28,"0")

Explanation: If there is an error in retrieving the value from cell K28 in the sheet named 'PILE-3A', the formula will display 0 instead.

Cell: M28

Formula: =IFERROR('[1]PILE-3B'!K31,"0")

Explanation: This formula checks if cell K31 in the sheet named '[1]PILE-3B' has a value. If it does, it will display that value. If it doesn't, it will display 0 instead.

Cell: N28

Formula: =IFERROR('[1]PILE-3C'!K31,"0")

Explanation: This formula checks if there is an error in cell K31 in the sheet named '[1]PILE-3C'. If there is an error, it will display "0". If there is no error, it will display the value in cell K31.

Cell: O28

Formula: =IFERROR('[1]PILE-3D'!K29,"0")

Explanation: This formula checks if there is an error in cell K29 on another sheet named PILE-3D. If there is an error, it will display "0". If there is no error, it will display the value in cell K29.

Cell: P28

Formula: =IFERROR('[1]PILE-4A'!K31,"0")

Explanation: This formula checks if there is an error in cell K31 of the sheet named '[1]PILE-4A'. If there is an error, it will show "0" in the cell where the formula is placed. If there is no error, it will display the value in cell K31.

Cell: Q28

Formula: =IFERROR('[1]PILE-4B'!K30,"0")

Explanation: This formula checks if there is an error in cell K30 in another sheet called 'PILE-4B'. If there is an error, it will display "0".

Cell: R28

Formula: =IFERROR('[1]PILE-4C'!K27,"0")

Explanation: This formula checks if the cell K27 in the sheet named "PILE-4C" has any errors. If there are errors, it will display "0". If there are no errors, it will display the value in the cell K27.

Cell: S28

Formula: =IFERROR('[1]PILE-4D'!K31,"0")

Explanation: This formula checks if there is an error in cell K31 in a sheet called PILE-4D. If there is an error, it will display "0" instead.

Cell: U28

Formula: =SUM(D28:T28)

Explanation: This formula adds up all the numbers in cells D28 to T28 in the Excel spreadsheet.

Cell: W28

Formula: =C28/C20

Explanation: This formula divides the value in cell C28 by the value in cell C20.

Cell: B29

Formula: ='[1]PILE-1A'!J32

Explanation: This formula is referring to cell J32 in a sheet named 'PILE-1A' in another excel file named 1. It is pulling the information from that specific cell in the specified sheet.

Cell: C29

Formula: =U29

Explanation: This formula means that the value in cell U29 is being referenced or displayed in the cell where this formula is written. It basically shows the same value that is in cell U29.

Cell: D29

Formula: =IFERROR('[1]PILE-1A'!K32,"0")

Explanation: This formula checks if there is an error in cell K32 of a sheet called PILE-1A. If there is an error, it will display 0. If there is no error, it will display the value in cell K32.

Cell: E29

Formula: =IFERROR('[1]PILE-1B'!K32,"0")

Explanation: This formula checks to see if there is an error in cell K32 of a sheet named '[1]PILE-1B'. If there is an error, it will display "0". If there is no error, it will display the value in cell K32.

Cell: F29

Formula: =IFERROR('[1]PILE-1C'!K32,"0")

Explanation: This formula checks if there is an error in the cell K32 of a worksheet named 'PILE-1C'. If there is an error, it will display the number 0. If there is no error, it will display the value in cell K32.

Cell: G29

Formula: =IFERROR('[1]PILE-1D'!K28,"0")

Explanation: This formula checks if there is an error in the cell K28 in the sheet named PILE-1D. If there is an error, it will display "0". If there is no error, it will display the value in cell K28.

Cell: H29

Formula: =IFERROR('[1]PILE-2A'!K32,"0")

Explanation: This formula checks if cell K32 in the sheet named "[1]PILE-2A" has a value. If it does, then it shows that value. If not, it will show "0" instead of an error message.

Cell: I29

Formula: =IFERROR('[1]PILE-2B'!K32,"0")

Explanation: This formula checks if there is an error in the cell K32 in the sheet named '[1]PILE-2B'. If there is an error, it will display "0", otherwise it will display the value in that cell.

Cell: J29

Formula: =IFERROR('[1]PILE-2C'!K32,"0")

Explanation: This Excel formula checks if there is an error in cell K32 in the sheet named '[1]PILE-2C'. If there is an error, it will display a "0". If there is no error, it will display the value in cell K32.

Cell: K29

Formula: =IFERROR('[1]PILE-2D'!K32,"0")

Explanation: This formula checks if there is an error in cell K32 in the sheet 'PILE-2D'. If there is an error, it will display "0". If there is no error, it will display the value in cell K32.

Cell: L29

Formula: =IFERROR('[1]PILE-3A'!K29,"0")

Explanation: This Excel formula checks if cell K29 in the sheet named '[1]PILE-3A' has an error. If there is an error, it will display "0" in the cell where the formula is entered. If there is no error, it will display the value in cell K29.

Cell: M29

Formula: =IFERROR('[1]PILE-3B'!K32,"0")

Explanation: This formula checks if cell K32 in Sheet 1 named "PILE-3B" has a value. If it does, it will display that value. If cell K32 is empty or has an error, it will display "0" instead.

Cell: N29

Formula: =IFERROR('[1]PILE-3C'!K32,"0")

Explanation: This formula checks if there is an error in the cell K32 in the sheet named '[1]PILE-3C'. If there is an error, it will display "0".

Cell: O29

Formula: =IFERROR('[1]PILE-3D'!K30,"0")

Explanation: This formula checks if cell K30 in the sheet named "PILE-3D" has a value. If there is a

value, it will display that value. If there is an error or no value, it will display "0".

Cell: P29

Formula: =IFERROR('[1]PILE-4A'!K32,"0")

Explanation: This formula checks if there is an error in a specific cell (K32) in another sheet named `[1]PILE-4A'. If there is an error, it will display "0" in the current cell.

Cell: Q29

Formula: =IFERROR('[1]PILE-4B'!K31,"0")

Explanation: This formula checks if there is an error in the cell K31 of the sheet named 'PILE-4B'. If there is an error, it will display "0" in the cell where the formula is written. If there is no error, it will display the value in cell K31.

Cell: R29

Formula: =IFERROR('[1]PILE-4C'!K28,"0")

Explanation: This formula checks if there is an error in the cell K28 in another sheet named '[1]PILE-4C'. If there is an error, it will show a zero. If there is no error, it will show the value in cell K28.

Cell: S29

Formula: =IFERROR('[1]PILE-4D'!K32,"0")

Explanation: This formula checks if there is an error in cell K32 on another sheet called '[1]PILE-4D'. If there is an error, it will display "0" instead.

Cell: T29

Formula: =[1]WT!K46

Explanation: This Excel formula is referencing a specific cell in a different worksheet called "WT". It is pulling data from cell K46 in that worksheet.

Cell: U29

Formula: =SUM(D29:T29)

Explanation: This formula adds up all the numbers in the cells from D29 to T29 in the Excel worksheet.

Cell: W29

Formula: =C29/C20

Explanation: This formula is dividing the value in cell C29 by the value in cell C20. It calculates how many times the value in C20 fits into the value in C29.

Cell: B30

Formula: ='[1]PILE-1A'!J33

Explanation: This formula is telling Excel to get the value in cell J33 of a spreadsheet named "PILE-1A" located in the same folder as the current spreadsheet (indicated by the '[1]').

Cell: C30

Formula: =U30

Explanation: This formula selects the value in cell U30 and displays it in the current cell.

Cell: D30

Formula: =IFERROR('[1]PILE-1A'!K33,"0")

Explanation: This formula checks if there is an error in cell K33 in the sheet named 'PILE-1A' in Book1. If there is an error, it will display "0" instead of showing the error.

Cell: E30

Formula: =IFERROR('[1]PILE-1B'!K33,"0")

Explanation: This Excel formula checks if there is an error in the cell K33 in the sheet named 'PILE-1B'. If there is an error, it will display "0". Otherwise, it will display the value in that cell.

Cell: F30

Formula: =IFERROR('[1]PILE-1C'!K33,"0")

Explanation: This formula checks if there is an error in cell K33 of the sheet named '[1]PILE-1C'. If there is an error, it will display "0". If there is no error, it will display the value in cell K33.

Cell: G30

Formula: =IFERROR('[1]PILE-1D'!K29,"0")

Explanation: This formula checks if there is an error in cell K29 in the sheet named "PILE-1D". If there is an error, it will display the number 0. If there is no error, it will display the value in cell K29.

Cell: H30

Formula: =IFERROR('[1]PILE-2A'!K33,"0")

Explanation: This Excel formula checks if there is an error in cell K33 in the sheet named 'PILE-2A'. If there is an error, it will display the number 0. If there is no error, it will display the value in cell K33.

Cell: I30

Formula: =IFERROR('[1]PILE-2B'!K33,"0")

Explanation: This formula checks if there is any error in cell K33 in a specific sheet called '[1]PILE-2B'. If there is no error, it will display the value in that cell. If there is an error, it will display "0".

Cell: J30

Formula: =IFERROR('[1]PILE-2C'!K33,"0")

Explanation: This formula checks if there is an error in the cell K33 in the sheet named '[1]PILE-2C'. If there is an error, it will display "0" in the cell where the formula is entered. If there is no error, it will display the value in cell K33.

Cell: K30

Formula: =IFERROR('[1]PILE-2D'!K33,"0")

Explanation: This formula checks if there is an error in cell K33 on a different sheet named "PILE-2D". If there is an error, the formula returns "0". If there is no error, it displays whatever value

is in cell K33.

Cell: L30

Formula: =IFERROR('[1]PILE-3A'!K30,"0")

Explanation: This formula checks if cell K30 in another sheet named "PILE-3A" has a value. If it does, it will display that value. If it doesn't, it will display a 0.

Cell: M30

Formula: =IFERROR('[1]PILE-3B'!K33,"0")

Explanation: This formula checks if there is an error in cell K33 of a specific sheet called PILE-3B. If there is an error, it will display "0".

Cell: N30

Formula: =IFERROR('[1]PILE-3C'!K33,"0")

Explanation: This formula checks if there is an error in cell K33 of a specific sheet (PILE-3C). If there is an error, it will display "0" instead.

Cell: O30

Formula: =IFERROR('[1]PILE-3D'!K31,"0")

Explanation: This formula checks if there is an error in cell K31 in a sheet called '[1]PILE-3D'. If there is an error, it will display "0" in the current cell. If there is no error, it will display the value in cell K31.

Cell: P30

Formula: =IFERROR('[1]PILE-4A'!K33,"0")

Explanation: This formula checks if there is an error in cell K33 in the sheet named 'PILE-4A'. If there is an error, it will display "0". Otherwise, it will display the value in cell K33.

Cell: Q30

Formula: =IFERROR('[1]PILE-4B'!K32,"0")

Explanation: This formula checks if there is a value in cell K32 in a specific sheet called '[1]PILE-4B'.

If there is a value, it will display that value. If there is an error or no value, it will display "0".

Cell: R30

Formula: =IFERROR('[1]PILE-4C'!K29,"0")

Explanation: This Excel formula checks if there is an error in cell K29 in the sheet named [1]PILE-4C. If there is no error, it returns the value in that cell. If there is an error, it returns the number 0 instead.

Cell: S30

Formula: =IFERROR('[1]PILE-4D'!K33,"0")

Explanation: This formula checks the cell K33 of a sheet named '[1]PILE-4D'. If there is a value in that cell, it will display that value. If there is an error or no value, it will display '0'.

Cell: T30

Formula: =[1]WT!K47

Explanation: This formula is telling Excel to refer to cell K47 in a worksheet named WT.

Cell: U30

Formula: =SUM(D30:T30)

Explanation: This formula adds up all the numbers in cells D30 to T30 and gives you the total sum.

Cell: W30

Formula: =C30/C20

Explanation: This formula in Excel divides the value in cell C30 by the value in cell C20. It calculates the ratio between the two values.

Cell: D33

Formula: ='[1]RAKE GCV '!AF1

Explanation: This formula is referencing cell AF1 from a sheet named "1RAKE GCV".

Cell: E33

Formula: ='[1]RAKE GCV '!AG1

Explanation: This formula is pulling the value from cell AG1 in the sheet named "1RAKE GCV".

Cell: F33

Formula: ='[1]RAKE GCV '!AH1

Explanation: This formula is pulling the value from cell AH1 in a different worksheet named "RAKE GCV" within the same Excel file.

Cell: G33

Formula: ='[1]RAKE GCV '!AI1

Explanation: This formula is referencing a cell in a different worksheet called "RAKE GCV" and pulling the data from cell AI1 in that worksheet.

Cell: H33

Formula: ='[1]RAKE GCV '!AJ1

Explanation: This formula is telling Excel to reference cell AJ1 in a specific sheet named "RAKE GCV" in a separate Excel file called '1'.

Cell: I33

Formula: ='[1]RAKE GCV '!AK1

Explanation: This formula is telling Excel to retrieve the value in cell AK1 from a different sheet named "RAKE GCV" within the same Excel file. The sheet name is enclosed in single quotes and the cell reference is preceded by an exclamation mark.

Cell: J33

Formula: ='[1]RAKE GCV '!AL1

Explanation: This formula is telling Excel to retrieve the value in cell AL1 from another worksheet called 'RAKE GCV' in the same Excel file.

Cell: K33

Formula: ='[1]RAKE GCV '!AM1

Explanation: This formula is referencing a cell named AM1 in a different worksheet called "RAKE GCV" within the same Excel file. It is pulling the value from that cell into the current location.

Cell: L33

Formula: ='[1]RAKE GCV '!AN1

Explanation: This formula is referencing a specific cell in a different Excel workbook called 'RAKE GCV'. It is pulling the value from cell AN1 in that workbook and displaying it in the current sheet.

Cell: M33

Formula: ='[1]RAKE GCV '!AO1

Explanation: This formula is pulling data from cell AO1 in a different worksheet named '1RAKE GCV'.

Cell: N33

Formula: ='[1]RAKE GCV '!AP1

Explanation: This formula is getting the value from cell AP1 in a different sheet named "RAKE GCV" within the same Excel file. The sheet name is specified within single quotes, followed by an exclamation mark and the cell reference.

Cell: O33

Formula: ='[1]RAKE GCV '!AQ1

Explanation: This formula is pulling the value from cell AQ1 in a sheet named 'RAKE GCV' within the same Excel document.