

```
Select-String -A 15 'name="verify_hash"' | Select-Object -First 20
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (#!/usr/bin/env python3:PObject) [Select-String], ParameterBindingExce
```

```
ption
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (""":PObject) [Select-String],  
ParameterBindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (Dossier Space MCP Custody Server  
v1.4.2:PObject) [Select-String], Par
```

```
ameterBindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (Persistent MCP ...ON-RPC  
Protocol:PObject) [Select-String], Parameter
```

```
BindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (:PSObject) [Select-String],
ParameterBindingException
```

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (Session: DS-202...mediate build):PSObject)
[Select-String], Parameter
```

BindingException

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (Purpose: Expose... protocol layer:PSObject)
[Select-String], Parameter
```

BindingException

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (Architecture: C...RPC MCP server):PSObject)
[Select-String], Parameter
```

BindingException

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (Ea...vernance ledger:PSObject)
[Select-String], Parameter
```

BindingException

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (:PSObject) [Select-String],  
ParameterBindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (Version History::PSObject) [Select-String],  
ParameterBindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (- v1.3: Built w... in Session 10):PSObject)
[Select-String], Parameter
```

BindingException

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (- v1.4: Complet...29.0 compatible:PSObject)
[Select-String], Parameter
```

BindingException

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (- v1.4.1: Added...ging discipline:PSObject)
[Select-String], Parameter
```

BindingException

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (- v1.4.2: Added...ger gap logging:PSObject)
[Select-String], Parameter
```

BindingException

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (:PSObject) [Select-String],
ParameterBindingException
```

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (Key Features::PSObject) [Select-String],  
ParameterBindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (- FastMCP 1.29.0 (pinned for  
stability):PSObject) [Select-String], Par
```

```
ameterBindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```



```
+ ~~~~~~

+ CategoryInfo          : InvalidArgument: (- Full JSON-RPC...ol registration:PSObject)
[Select-String], Parameter

BindingException

+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~~

+ CategoryInfo          : InvalidArgument: (- Stdio transpo...ode integration:PSObject)
[Select-String], Parameter

BindingException

+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~~

+ CategoryInfo          : InvalidArgument: (- Full governance ledger
integration:PSObject) [Select-String], Parame
```

terBindingException

+ FullyQualifiedErrorId :

InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...

+ ~~~~~

+ CategoryInfo : InvalidArgument: (- Fail-closed semantics
maintained:PSObject) [Select-String], Paramete

rBindingException

+ FullyQualifiedErrorId :

InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...

+ ~~~~~

+ CategoryInfo : InvalidArgument: (- Six read-veri...nt, verify_hash:PSObject)
[Select-String], Parameter

BindingException

+ FullyQualifiedErrorId :

InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (:PSObject) [Select-String],  
ParameterBindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (Design Principl...er the watched":PSObject)  
[Select-String], Parameter
```

```
BindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (- Claude Code r...ia MCP JSON-  
RPC:PSObject) [Select-String], Parameter
```

BindingException

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (- Custody Serve...rds all actions:PSObject)  
[Select-String], Parameter
```

BindingException

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

+ CategoryInfo : InvalidArgument: (- Ledger is the canonical truth
source:PSObject) [Select-String], Para

meterBindingException

+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...

+ ~~~~~

+ CategoryInfo : InvalidArgument: (- No direct imp...nto Claude Code:PSObject)
[Select-String], Parameter

BindingException

+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...

+ ~~~~~

+ CategoryInfo : InvalidArgument: ("":PSObject) [Select-String],
ParameterBindingException

+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (:PSObject) [Select-String],  
ParameterBindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (import os:PSObject) [Select-String],  
ParameterBindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (import sys:PSObject) [Select-String],  
ParameterBindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (import json:PSObject) [Select-String],  
ParameterBindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (import uuid:PSObject) [Select-String],  
ParameterBindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (import hashlib:PSError) [Select-String],  
ParameterBindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (from datetime import datetime:PSError)  
[Select-String], ParameterBind
```

```
ingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (from pathlib import Path:PSObject) [Select-String], ParameterBindingEx
```

ception

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (from typing imp... List, Optional:PSObject) [Select-String], Parameter
```

BindingException

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (import logging:PSObject) [Select-String],
ParameterBindingException
```

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (import asyncio:PSObject) [Select-String],
ParameterBindingException
```

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (:PSObject) [Select-String],
ParameterBindingException
```

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (try::PSObject) [Select-String],  
ParameterBindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: ( from mcp.server import Server:PSObject)  
[Select-String], Parameter
```

```
BindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: ( from mcp.ty... CallToolResult:PSObject)
[Select-String], Parameter
```

```
BindingException
```

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: ( from mcp import stdio_server:PSObject)
[Select-String], ParameterB
```

```
indingException
```

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (except ImportError::PSError) [Select-String], ParameterBindingExcepti
```

```
on
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: ( print("ERRO...l mcp==1.29.0"):PSError) [Select-String], Parameter
```

```
BindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: ( sys.exit(1):PSError) [Select-String],  
ParameterBindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (:PSObject) [Select-String],  
ParameterBindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (#  
=====...=====:PSObject) [Select-String], Parameter  
BindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (# CONFIGURATION:PSObject) [Select-String], ParameterBindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (#  
=====...=====:PSObject) [Select-String], Parameter
```

```
BindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (:PSObject) [Select-String],  
ParameterBindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (SESSION_ID = "DS-202608xx-  
S12":PSObject) [Select-String], ParameterBin
```

```
dingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (OPERATOR = "Ken Tombs":PSObject)  
[Select-String], ParameterBindingExce
```

```
ption
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```


Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (DESIGN_LEAD = "Claude":PSObject) [Select-String], ParameterBindingExce
```

```
ption
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (:PSObject) [Select-String],  
ParameterBindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (# Paths:PSObject) [Select-String],  
ParameterBindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument:  
(ENRON_CORPUS_RO...150507\maildir":PSObject) [Select-String], Parameter  
BindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (GOVERNANCE_LEDG...ernance
Ledger":PSObject) [Select-String], Parameter
```

BindingException

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (RESULTS_DIR = o...DIR, "results"):PSObject)
[Select-String], Parameter
```

BindingException

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (LEDGER_FILE = o...-ledger.jsonl"):PSObject)
[Select-String], Parameter
```

BindingException

+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...

+ ~~~~~

+ CategoryInfo : InvalidArgument:
(LEDGER_FALLBACK...EGRADED.jsonl):PSObject [Select-String], Parameter
BindingException

+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...

+ ~~~~~

+ CategoryInfo : InvalidArgument: (:PSObject) [Select-String],
ParameterBindingException

+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (# Controlled value enums:PSObject) [Select-String], ParameterBindingEx
```

ception

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (ENTRY_TYPES = {:PSObject}) [Select-String], ParameterBindingException
```

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~~

+ CategoryInfo          : InvalidArgument: ( "session_st..., "result_set";PSObject)
[Select-String], Parameter

BindingException

+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~~

+ CategoryInfo          : InvalidArgument: ( "candidate_...on", "finding";PSObject)
[Select-String], Parameter

BindingException

+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~~

+ CategoryInfo          : InvalidArgument: ( "assurance"...session_close":PSObject)
[Select-String], Parameter
```

BindingException

+ FullyQualifiedErrorId :

InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...

+ ~~~~~

+ CategoryInfo : InvalidArgument: ({}:PSObject) [Select-String],
ParameterBindingException

+ FullyQualifiedErrorId :

InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...

+ ~~~~~

+ CategoryInfo : InvalidArgument: (:PSObject) [Select-String],
ParameterBindingException

+ FullyQualifiedErrorId :

InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument:
(SEVERITY_LEVELS...informational");PSObject) [Select-String], Parameter
```

BindingException

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (STATUS_VALUES = {"active",
"superseded");PSObject) [Select-String], Pa
```

parameterBindingException

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102


```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (:PSObject) [Select-String],  
ParameterBindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (# Configure logging:PSObject) [Select-String],  
ParameterBindingExcepti
```

on

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (logging.basicConfig(:PSObject) [Select-  
String], ParameterBindingExcept
```

ion

+ FullyQualifiedErrorId :

InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...

+ ~~~~~

+ CategoryInfo : InvalidArgument: (level=logging.INFO,:PSObject) [Select-String], ParameterBindingExc

ption

+ FullyQualifiedErrorId :

InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...

+ ~~~~~

+ CategoryInfo : InvalidArgument: (format='% (a...s] %(message)s':PSObject) [Select-String], Parameter

BindingException

+ FullyQualifiedErrorId :

InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (():PSObject) [Select-String],  
ParameterBindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (logger =  
logging.getLogger(__name__):PSObject) [Select-String], Parame  
terBindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (:PSObject) [Select-String],  
ParameterBindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (:PSObject) [Select-String],  
ParameterBindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (#  
=====...=====:PSObject) [Select-String], Parameter
```

BindingException

+ FullyQualifiedErrorId :

InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...

+ ~~~~~

+ CategoryInfo : InvalidArgument: (# PATH VALIDATION UTILITY:PSObject)
[Select-String], ParameterBindingE

xception

+ FullyQualifiedErrorId :

InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...

+ ~~~~~

+ CategoryInfo : InvalidArgument: (#
=====...=====:PSObject) [Select-String], Parameter

BindingException

+ FullyQualifiedErrorId :

InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (:PSObject) [Select-String],  
ParameterBindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (def validate_pa...: str) -> bool::PSObject)  
[Select-String], Parameter
```

```
BindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: ( ""Ensure r... traversal)."":PObject)
[Select-String], Parameter
```

BindingException

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: ( resolved = ...resolved_path)):PObject)
[Select-String], Parameter
```

BindingException

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: ( root = os.p...h(corpus_root)):PSObject)
[Select-String], Parameter
```

BindingException

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: ( return reso...esolved == root:PSObject)
[Select-String], Parameter
```

BindingException

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (:PSObject) [Select-String],
ParameterBindingException
```

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```


Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (:PSObject) [Select-String],  
ParameterBindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (#  
=====...=====:PSObject) [Select-String], Parameter  
BindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (# LEDGER WRITER...CLOSED  
BEHAVIOR:PObject) [Select-String], Parameter
```

BindingException

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (#  
=====...=====:PObject) [Select-String], Parameter
```

BindingException

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (:PSObject) [Select-String],
ParameterBindingException
```

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (class LedgerWriter::PSObject) [Select-
String], ParameterBindingExcepti
```

```
on
```

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: ( ""Handles ...d semantics."" :PSObject)
[Select-String], Parameter
```

```
BindingException
```

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: ( :PObject) [Select-String],  
ParameterBindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: ( def __init__...ults_dir: str)::PObject)  
[Select-String], Parameter
```

```
BindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: ( self.session_id = session_id:PObject)
[Select-String], Parame
```

```
terBindingException
```

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: ( self.ledger_path = ledger_path:PObject)
[Select-String], Para
```

```
meterBindingException
```

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (    self.fa...= fallback_path:PObject)
[Select-String], Parameter
```

BindingException

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (    self.results_dir = results_dir:PObject)
[Select-String], Para
```

meterBindingException

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (    self.action_counter = 0:PObject)
[Select-String], ParameterBi
```

ndingException

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (      :PSObject) [Select-String],
ParameterBindingException
```

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (      # Ensure directories exist:PSObject)
[Select-String], Paramete
rBindingException
```

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: ( Path(se... exist_ok=True):PSObject)
[Select-String], Parameter
```

BindingException

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: ( Path(se... exist_ok=True):PSObject)
[Select-String], Parameter
```

BindingException

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102


```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (      :PSObject) [Select-String],  
ParameterBindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (      # Recov...existing ledger:PSObject)  
[Select-String], Parameter
```

```
BindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (      self._recover_action_counter():PSObject)  
[Select-String], Para
```

meterBindingException

+ FullyQualifiedErrorId :

InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...

+ ~~~~~

+ CategoryInfo : InvalidArgument: (:PObject) [Select-String],
ParameterBindingException

+ FullyQualifiedErrorId :

InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...

+ ~~~~~

+ CategoryInfo : InvalidArgument: (def
_recover_action_counter(self)::PObject) [Select-String], Para

meterBindingException

+ FullyQualifiedErrorId :

InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: ( """"Scan...his session.""":PSObject) [Select-String], Parameter
```

BindingException

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: ( if not ...f.ledger_path)::PSObject) [Select-String], Parameter
```

BindingException

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (      self.action_counter = 0:PObject) [Select-String], Paramet
```

```
erBindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (      log... counter at 0"):PObject) [Select-String], Parameter
```

```
BindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (      return:PSObject) [Select-String],
ParameterBindingExceptio
```

```
n
```

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (      :PSObject) [Select-String],
ParameterBindingException
```

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (      max_action_num = 0:PSObject) [Select-
String], ParameterBinding
```

```
Exception
```

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: ( try::PSObject) [Select-String],  
ParameterBindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: ( wit...='utf-8') as f::PSObject) [Select-  
String], Parameter
```

```
BindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (          for line in f::PSObject) [Select-String],  
ParameterBindingException
```

dingException

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (          ...son.loads(line):PSObject) [Select-  
String], ParameterBindingException
```

BindingException

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (      ...elf.session_id::PSObject) [Select-String], Parameter
```

```
BindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (      continue:PSObject) [Select-String], ParameterB
```

```
indingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (      :PSObject) [Select-String],  
ParameterBindingExcept
```

```
ion
```


+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...

+ ~~~~~

+ CategoryInfo : InvalidArgument: (...action_id', '):PSObject) [Select-String], Parameter

BindingException

+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...

+ ~~~~~

+ CategoryInfo : InvalidArgument: (..." in action_id::PSObject) [Select-String], Parameter

BindingException

+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (          ...split('-A')[-1]:PSObject) [Select-String], Parameter
```

```
BindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (          try::PSObject) [Select-String],  
ParameterBindi
```

```
ngException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (          ... = int(num_str):PSObject) [Select-String], Parameter
```

```
BindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (          ...ction_num, num):PSObject) [Select-String], Parameter
```

```
BindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (          ...ept ValueError::PSObject) [Select-String], Parameter
```

```
BindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (          continue:PSObject) [Select-String], Parame
```

```
terBindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (          :PSObject) [Select-String],  
ParameterBindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (    except Exception as e::PSObject) [Select-String], ParameterBindingException
```

dingException

```
+ FullyQualifiedErrorId : InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (    log...starting at 0"):PSObject) [Select-String], ParameterBindingException
```

BindingException

```
+ FullyQualifiedErrorId : InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (      return:PSObject) [Select-String],  
ParameterBindingExceptio
```

```
n
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (      :PSObject) [Select-String],  
ParameterBindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~~

+ CategoryInfo          : InvalidArgument: (    self.ac... max_action_num:PObject)
[Select-String], Parameter

BindingException

+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~~

+ CategoryInfo          : InvalidArgument: (    logger....nter + 1:02d}):PObject)
[Select-String], Parameter

BindingException

+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~~

+ CategoryInfo          : InvalidArgument: (    :PObject) [Select-String],
ParameterBindingException
```

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: ( def next_action_id(self) -> str::PSObject)
[Select-String], Parame
```

```
terBindingException
```

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: ( ""Gene...l action ID."" :PSObject)
[Select-String], Parameter
```

```
BindingException
```

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```


Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: ( self.action_counter += 1:PSObject)
[Select-String], ParameterB
```

indingException

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: ( return ...n_counter:02d)":PSObject)
[Select-String], Parameter
```

BindingException

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: ( :PObject) [Select-String],  
ParameterBindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: ( def _valida...ict[str, Any]):PObject)  
[Select-String], Parameter
```

```
BindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (      """"Vali...lled values.""":PSObject)
[Select-String], Parameter
```

BindingException

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (      if not ...in ENTRY_TYPES::PSObject)
[Select-String], Parameter
```

BindingException

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (      rai...entry_type'})"):PSObject) [Select-
String], Parameter
```

BindingException

+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...

+ ~~~~~

+ CategoryInfo : InvalidArgument: (:PObject) [Select-String],
ParameterBindingException

+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...

+ ~~~~~

+ CategoryInfo : InvalidArgument: (if not ...EVERITY_LEVELS::PObject)
[Select-String], Parameter

BindingException

+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (rai...('severity')):PSObject [Select-String], Parameter
```

```
BindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: ( :PSObject) [Select-String],  
ParameterBindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~~

+ CategoryInfo          : InvalidArgument: (    if not ... STATUS_VALUES::PSObject)
[Select-String], Parameter

BindingException

+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~~

+ CategoryInfo          : InvalidArgument: (    rai...et('status')}"):PSObject) [Select-
String], Parameter

BindingException

+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~~

+ CategoryInfo          : InvalidArgument: (    :PSObject) [Select-String],
ParameterBindingException
```

+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...

+ ~~~~~

+ CategoryInfo : InvalidArgument: (def _write_...False) -> bool::PSObject)
[Select-String], Parameter

BindingException

+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...

+ ~~~~~

+ CategoryInfo : InvalidArgument: (""""Writ...r fallback).""":PSObject) [Select-
String], Parameter

BindingException

+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (    target_...elf.ledger_path:PSObject) [Select-String], Parameter
```

```
BindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (    :PSObject) [Select-String],  
ParameterBindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102


```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: ( try::PSObject) [Select-String],  
ParameterBindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: ( wit...='utf-8') as f::PSObject) [Select-  
String], Parameter
```

```
BindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: ( ...(entry) + '\n'):PSObject) [Select-  
String], Parameter
```

BindingException

+ FullyQualifiedErrorId :

InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...

+ ~~~~~

+ CategoryInfo : InvalidArgument: (return True:PSObject) [Select-String],
ParameterBindingExc

ption

+ FullyQualifiedErrorId :

InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...

+ ~~~~~

+ CategoryInfo : InvalidArgument: (except Exception as e::PSObject)
[Select-String], ParameterBin

dingException

+ FullyQualifiedErrorId :

InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (log...}ledger: {e}):PSObject) [Select-String], Parameter
```

```
BindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (return False:PSObject) [Select-String],  
ParameterBindingEx
```

```
ception
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: ( :PSError) [Select-String],  
ParameterBindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: ( def emit_entry(:PSError) [Select-String],  
ParameterBindingExcepti
```

```
on
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~

+ CategoryInfo          : InvalidArgument: (    self,:PSObject) [Select-String],
ParameterBindingException

+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~

+ CategoryInfo          : InvalidArgument: (    entry_type: str,:PSObject) [Select-String],
ParameterBindingEx
ception

+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~

+ CategoryInfo          : InvalidArgument: (    action_id: str,:PSObject) [Select-String],
ParameterBindingExc
eption
```

+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...

+ ~~~~~

+ CategoryInfo : InvalidArgument: (task_id: str,:PSObject) [Select-String],
ParameterBindingExcep

tion

+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...

+ ~~~~~

+ CategoryInfo : InvalidArgument: (tool_name: Optional[str] =
None,:PSObject) [Select-String], Pa

rameterBindingException

+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (    paramet..., Any]] = None,:PSObject)
[Select-String], Parameter
```

BindingException

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (    result_...t[str]] = None,:PSObject)
[Select-String], Parameter
```

BindingException

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (    result_...al[str] = None,:PSObject)
[Select-String], Parameter
```

BindingException

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (    result_...al[str] = None,:PSObject)
[Select-String], Parameter
```

BindingException

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```



```
+ CategoryInfo      : InvalidArgument: (   candida...t[str]] = None,:PSObject)
[Select-String], Parameter
```

BindingException

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (   description: str = "",:PSObject) [Select-
String], ParameterBin
```

dingException

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (   decision_rationale: str = "",:PSObject)
[Select-String], Param
```

eterBindingException

+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...

+ ~~~~~

+ CategoryInfo : InvalidArgument: (dedup_r...al[str] = None,:PSObject)
[Select-String], Parameter

BindingException

+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...

+ ~~~~~

+ CategoryInfo : InvalidArgument: (linked_...t[str]] = None,:PSObject)
[Select-String], Parameter

BindingException

+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: ( tool_ou..., Any]] = None,:PSObject) [Select-String], Parameter
```

```
BindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: ( material_decision: bool = False,:PSObject) [Select-String], Pa
```

```
rameterBindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (    severity: str = "informational";PSObject)
[Select-String], Pa
```

```
rameterBindingException
```

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (    reconciliation_notes: str = "";PSObject)
[Select-String], Par
```

```
ameterBindingException
```

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (    status: str = "active":PSObject) [Select-String], ParameterBin
```

```
dingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (    )-> Dict[str, Any]::PSObject) [Select-String], ParameterBindingEx
```

```
ception
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (    """"Emit...d semantics.""":PSObject) [Select-String], Parameter
```

```
BindingException
```

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (      :PSObject) [Select-String],
ParameterBindingException
```

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (    ledger_...r(uuid.uuid4()):PSObject)
[Select-String], Parameter
```

```
BindingException
```

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (    timesta...oformat() + "Z":PSObject) [Select-String], Parameter
```

BindingException

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (    :PSObject) [Select-String],  
ParameterBindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~~

+ CategoryInfo          : InvalidArgument: (entry = {:PSObject} [Select-String],
ParameterBindingException

+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~~

+ CategoryInfo          : InvalidArgument: (le...edger_entry_id,:PSObject) [Select-String], Parameter
BindingException

+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~~

+ CategoryInfo          : InvalidArgument: (se...elf.session_id,:PSObject) [Select-String], Parameter
BindingException
```


+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...

+ ~~~~~

+ CategoryInfo : InvalidArgument: ("task_id": task_id,:PSObject) [Select-String], ParameterBi

ndingException

+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...

+ ~~~~~

+ CategoryInfo : InvalidArgument: ("action_id": action_id,:PSObject) [Select-String], Paramet

erBindingException

+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (      "entry_type": entry_type,:PSObject)
[Select-String], Param
```

```
eterBindingException
```

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (      "timestamp": timestamp,:PSObject)
[Select-String], Paramet
```

```
erBindingException
```

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (      "operator": OPERATOR,;PSObject)
[Select-String], Parameter
```

BindingException

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (      "description": description,;PSObject)
[Select-String], Par
```

ameterBindingException

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (      "ma...erial_decision,:PSObject) [Select-String], Parameter
```

```
BindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (      "severity": severity,:PSObject) [Select-String], Parameter
```

```
BindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (      "payload": {:PSObject) [Select-String],  
ParameterBindingEx
```

```
ception
```

+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...

+ ~~~~~

+ CategoryInfo : InvalidArgument: ("tool_name": tool_name,:PSObject)
[Select-String], Par

ameterBindingException

+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...

+ ~~~~~

+ CategoryInfo : InvalidArgument: (...rameters or {},:PSObject) [Select-
String], Parameter

BindingException

+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (          ...None else None,:PSObject) [Select-String], Parameter
```

```
BindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (          ..._set_reference,:PSObject) [Select-String], Parameter
```

```
BindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (      ...ult_set_sha256,:PSObject) [Select-String], Parameter
```

```
BindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (      ...te_paths or [],:PSObject) [Select-String], Parameter
```

```
BindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (          ...e": dedup_rule,:PSObject) [Select-String], Parameter
```

BindingException

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (          ...sion_rationale,:PSObject) [Select-String], Parameter
```

BindingException

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (          ...tion_ids or [],:PSObject) [Select-String], Parameter
```

BindingException


```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (      ...ol_output or {}:PSObject) [Select-String], Parameter
```

```
BindingException
```

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (      },:PSObject) [Select-String],
ParameterBindingException
```

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (      "status": status,:PSObject) [Select-String], ParameterBind
```

```
ingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (      "superseded_by": None,:PSObject) [Select-String], Paramete
```

```
rBindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (      "re...ciliation_notes:PSObject) [Select-String], Parameter
```

```
BindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (      ):PSObject) [Select-String],  
ParameterBindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (      :PSObject) [Select-String],  
ParameterBindingException
```

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: ( # Validate before writing:PSObject)
[Select-String], Parameter
```

BindingException

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: ( try::PSObject) [Select-String],
ParameterBindingException
```

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~  
  
+ CategoryInfo          : InvalidArgument: (      self._validate_entry(entry):PSObject)  
[Select-String], Par  
  
    ameterBindingException  
  
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~  
  
+ CategoryInfo          : InvalidArgument: (      except ValueError as e::PSObject)  
[Select-String], ParameterBi  
  
    ndingException  
  
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (      log...n failed: {e}):PSObject) [Select-String], Parameter
```

```
BindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (      raise:PSObject) [Select-String],  
ParameterBindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (      :PSObject) [Select-String],  
ParameterBindingException
```

+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...

+ ~~~~~

+ CategoryInfo : InvalidArgument: (# Attempt primary write:PSObject)
[Select-String], ParameterBi

ndingException

+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...

+ ~~~~~

+ CategoryInfo : InvalidArgument: (if self...allback=False)::PSObject)
[Select-String], Parameter

BindingException

+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (log...ted (primary)):PSObject [Select-String], Parameter
```

```
BindingException
```

```
+ FullyQualifiedErrorId : InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (return entry:PSObject) [Select-String], ParameterBindingEx
```

```
ception
```

```
+ FullyQualifiedErrorId : InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (      :PSObject) [Select-String],  
ParameterBindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (      # Fallback write:PSObject) [Select-  
String], ParameterBindingEx
```

```
ception
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (    logger....ting fallback"):PSObject) [Select-String], Parameter
```

```
BindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (    if self...fallback=True)::PSObject) [Select-String], Parameter
```

```
BindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (    log...ed (fallback)":PSObject) [Select-String], Parameter
```

```
BindingException
```

+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...

+ ~~~~~

+ CategoryInfo : InvalidArgument: (return entry:PSObject) [Select-String],
ParameterBindingEx

ception

+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...

+ ~~~~~

+ CategoryInfo : InvalidArgument: (:PSObject) [Select-String],
ParameterBindingException

+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: ( # Both failed: fail-closed:PObject)
[Select-String], Paramete
```

```
rBindingException
```

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: ( logger.... FAIL-CLOSED.):PObject)
[Select-String], Parameter
```

```
BindingException
```

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: ( raise R...and fallback"):PSObject)
[Select-String], Parameter
```

```
BindingException
```

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: ( :PSObject) [Select-String],
ParameterBindingException
```

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: ( def persist...txt") -> tuple::PSObject)
[Select-String], Parameter
```

BindingException

+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...

+ ~~~~~

+ CategoryInfo : InvalidArgument: (""":PSObject) [Select-String],
ParameterBindingException

+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...

+ ~~~~~

+ CategoryInfo : InvalidArgument: (Persist...th SHA256 hash.:PSObject)
[Select-String], Parameter

BindingException

+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: ( Returns...e, sha256_hash):PSObject) [Select-String], Parameter
```

```
BindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: ( """:PSObject) [Select-String],  
ParameterBindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (    filenam...t_set.{format}":PSObject)
[Select-String], Parameter
```

```
BindingException
```

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (    filepat..._dir, filename):PSObject)
[Select-String], Parameter
```

```
BindingException
```

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```



```
+ CategoryInfo      : InvalidArgument: (      :PSObject) [Select-String],
ParameterBindingException
```

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (      # Exclu...fail if exists):PSObject) [Select-
String], Parameter
```

```
BindingException
```

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (      try::PSObject) [Select-String],
ParameterBindingException
```

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (      wit...='utf-8') as f::PSObject) [Select-String], Parameter
```

```
BindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (      for item in result_set::PSObject)  
[Select-String], Par
```

```
ameterBindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (          f.write(item + '\n'):PSObject)
[Select-String], Pa
```

```
rameterBindingException
```

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (    except FileExistsError::PSObject)
[Select-String], ParameterBi
```

```
ndingException
```

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (      log...s: {filepath}):PSObject) [Select-String], Parameter
```

```
BindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (      return filepath, None:PSObject)  
[Select-String], Parameter
```

```
BindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (      except Exception as e::PSObject)  
[Select-String], ParameterBin
```

```
dingException
```

+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...

+ ~~~~~

+ CategoryInfo : InvalidArgument: (log...sult set: {e}):PSObject) [Select-String], Parameter

BindingException

+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...

+ ~~~~~

+ CategoryInfo : InvalidArgument: (return None, None:PSObject) [Select-String], ParameterBind

ingException

+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (      :PSObject) [Select-String],  
ParameterBindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (      # Compute SHA256:PSObject) [Select-  
String], ParameterBindingEx
```

```
ception
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: ( sha256_hash =  
hashlib.sha256():PObject) [Select-String], Para
```

```
meterBindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: ( try::PObject) [Select-String],  
ParameterBindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: ( wit...th, 'rb') as f::PObject) [Select-  
String], Parameter
```

BindingException

+ FullyQualifiedErrorId :

InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...

+ ~~~~~

+ CategoryInfo : InvalidArgument: (...ad(4096), b"")::PSObject) [Select-String], Parameter

BindingException

+ FullyQualifiedErrorId :

InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...

+ ~~~~~

+ CategoryInfo : InvalidArgument: (...ate(byte_block):PSObject) [Select-String], Parameter

BindingException

+ FullyQualifiedErrorId :

InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (    except Exception as e::PSObject) [Select-String], ParameterBindingException
```

```
dingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (    log...ult file: {e}"):PSObject) [Select-String], ParameterBindingException
```

```
BindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (      return filepath, None:PSObject) [Select-String], Parameter
```

```
BindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (      :PSObject) [Select-String],  
ParameterBindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~

+ CategoryInfo          : InvalidArgument: (    return ...ash.hexdigest():PSObject)
[Select-String], Parameter

BindingException

+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not
take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~

+ CategoryInfo          : InvalidArgument: (:PSObject) [Select-String],
ParameterBindingException

+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not
take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~

+ CategoryInfo          : InvalidArgument: (:PSObject) [Select-String],
ParameterBindingException

+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (#  
=====...=====:PSObject) [Select-String], Parameter
```

BindingException

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (# CUSTODY SERVER (Evidence  
Operations):PSObject) [Select-String], Para
```

meterBindingException

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (#  
=====,PSObject) [Select-String], Parameter
```

BindingException

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (:PSObject) [Select-String],  
ParameterBindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~~

+ CategoryInfo          : InvalidArgument: (class CustodyServer::PSObject) [Select-String], ParameterBindingException

ion

+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~~

+ CategoryInfo          : InvalidArgument: ( ""Provides...nce logging."" :PSObject) [Select-String], ParameterBindingException

+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~~

+ CategoryInfo          : InvalidArgument: ( :PSObject) [Select-String], ParameterBindingException
```

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: ( def __init__ task_id: str)::PSObject)
[Select-String], Parameter
```

BindingException

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: ( self.corpus_root =
corpus_root:PSObject) [Select-String], Para
```

meterBindingException

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (    self.ledger = ledger:PSObject) [Select-String], ParameterBindi
```

```
ngException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (    self.task_id = task_id:PSObject) [Select-String], ParameterBin
```

```
dingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: ( logger...._id={task_id}):PSObject)
[Select-String], Parameter
```

BindingException

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: ( :PSObject) [Select-String],
ParameterBindingException
```

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: ( def _comput... Optional[str]:PSObject)
[Select-String], Parameter
```

BindingException

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: ( ""Priv...dger entry)."":PSObject)
[Select-String], Parameter
```

BindingException

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: ( full_fi...root, filepath):PSObject) [Select-
String], Parameter
```

BindingException

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: ( resolve...full_filepath):PSObject)
[Select-String], Parameter
```

BindingException

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: ( :PSObject) [Select-String],
ParameterBindingException
```

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: ( if not ...f.corpus_root)::PSObject) [Select-String], Parameter
```

```
BindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: ( return None:PSObject) [Select-String], ParameterBindingExc
```

```
eption
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (      :PSObject) [Select-String],  
ParameterBindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (      sha256_hash =  
hashlib.sha256():PSObject) [Select-String], Para
```

```
meterBindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (      try::PSObject) [Select-String],  
ParameterBindingException
```

+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...

+ ~~~~~

+ CategoryInfo : InvalidArgument: (wit...th, "rb") as f::PSObject) [Select-String], Parameter

BindingException

+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...

+ ~~~~~

+ CategoryInfo : InvalidArgument: (...ad(4096), b"")::PSObject) [Select-String], Parameter

BindingException

+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (          ...ate(byte_block):PSObject) [Select-String], Parameter
```

```
BindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (          ret...ash.hexdigest():PSObject) [Select-String], Parameter
```

```
BindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (    except Exception as e::PSObject) [Select-String], ParameterBin
```

```
dingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (    log...ed_path}: {e}):PSObject) [Select-String], Parameter
```

```
BindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```



```
+ CategoryInfo      : InvalidArgument: (      return None:PSError) [Select-String],
ParameterBindingExc
```

ption

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: ( :PSError) [Select-String],
ParameterBindingException
```

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: ( def search_...Dict[str, Any]::PSError)
[Select-String], Parameter
```

BindingException

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (      """"Sear...and keyword.""":PSObject) [Select-String], Parameter
```

```
BindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (      :PSObject) [Select-String],  
ParameterBindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (    action_...ext_action_id():PSObject)
[Select-String], Parameter
```

BindingException

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (    parameters = {:PSObject) [Select-String],
ParameterBindingExce
```

ption

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (      "custodian": custodian,:PSObject)
[Select-String], Paramet
```

```
erBindingException
```

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (      "keyword": keyword,:PSObject)
[Select-String], ParameterBi
```

```
ndingException
```

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (      "da...: date_contains:PSObject)
[Select-String], Parameter
```

```
BindingException
```

+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...

+ ~~~~~

+ CategoryInfo : InvalidArgument: (:PObject) [Select-String],
ParameterBindingException

+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...

+ ~~~~~

+ CategoryInfo : InvalidArgument: (:PObject) [Select-String],
ParameterBindingException

+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: ( # Validate custodian path:PSObject)
[Select-String], Parameter
```

BindingException

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: ( custodi...oot, custodian):PSObject)
[Select-String], Parameter
```

BindingException

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: ( resolve...ustodian_path)):PSObject)
[Select-String], Parameter
```

```
BindingException
```

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: ( :PSObject) [Select-String],
ParameterBindingException
```

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: ( if not ...f.corpus_root)::PSObject) [Select-
String], Parameter
```

BindingException

+ FullyQualifiedErrorId :

InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...

+ ~~~~~

+ CategoryInfo : InvalidArgument: (self.ledger.emit_entry(:PSObject)
[Select-String], Paramet

erBindingException

+ FullyQualifiedErrorId :

InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...

+ ~~~~~

+ CategoryInfo : InvalidArgument: (entry_type="exception",:PSObject)
[Select-String], Par

ameterBindingException

+ FullyQualifiedErrorId :

InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (          action_id=action_id,:PSObject)
[Select-String], Parame
```

```
terBindingException
```

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (          task_id=self.task_id,:PSObject)
[Select-String], Param
```

```
eterBindingException
```

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (          ...arch_messages";:PSObject)
[Select-String], Parameter
```

BindingException

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (          parameters=parameters,:PSObject)
[Select-String], Para
```

meterBindingException

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (      ...: {custodian}";:PSObject) [Select-String], Parameter
```

```
BindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (      material_decision=True,:PSObject) [Select-String], Par
```

```
ameterBindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (          severity="critical":PSObject) [Select-String], Paramet
```

```
erBindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (          ):PSObject) [Select-String],  
ParameterBindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (          ret...id": action_id};PSObject) [Select-String], Parameter
```

```
BindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (      :PSObject) [Select-String],  
ParameterBindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (      if not ...resolved_path)::PSObject)  
[Select-String], Parameter
```

```
BindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (      self.ledger.emit_entry(:PSObject)
[Select-String], Paramet
```

```
erBindingException
```

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (      entry_type="exception",:PSObject)
[Select-String], Par
```

```
ameterBindingException
```

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (          action_id=action_id,:PSObject)
[Select-String], Param
```

```
terBindingException
```

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (          task_id=self.task_id,:PSObject)
[Select-String], Param
```

```
eterBindingException
```

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (          ...arch_messages",:PSObject)
[Select-String], Parameter
```

```
BindingException
```

+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...

+ ~~~~~

+ CategoryInfo : InvalidArgument: (parameters=parameters,:PSObject)
[Select-String], Para

meterBindingException

+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...

+ ~~~~~

+ CategoryInfo : InvalidArgument: (...: {custodian}";:PSObject) [Select-
String], Parameter

BindingException

+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (          material_decision=False,:PSObject) [Select-String], Pa
```

```
rameterBindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (          severity="major":PSObject) [Select-String], ParameterB
```

```
indingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (      ):PSObject [Select-String],  
ParameterBindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (      ret...id": action_id);PSObject [Select-  
String], Parameter
```

```
BindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (      :PSObject) [Select-String],
ParameterBindingException
```

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (      results = []:PSObject) [Select-String],
ParameterBindingExcept
```

```
ion
```

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (      try::PSObject) [Select-String],
ParameterBindingException
```

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (      for...resolved_path)::PSObject) [Select-String], Parameter
```

```
BindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (      for file in files::PSObject) [Select-String], Paramete
```

```
rBindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (          ...dswith('.eml')::PSObject) [Select-String], Parameter
```

```
BindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (          ...oin(root, file):PSObject) [Select-String], Parameter
```

```
BindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (          try::PSObject) [Select-String],
ParameterBindi
```

```
ngException
```

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (          ...'ignore') as f::PSObject) [Select-
String], Parameter
```

```
BindingException
```

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (          ....read().lower():PSObject) [Select-
String], Parameter
```

```
BindingException
```

+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...

+ ~~~~~

+ CategoryInfo : InvalidArgument: (...r() in content::PSObject) [Select-String], Parameter

BindingException

+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...

+ ~~~~~

+ CategoryInfo : InvalidArgument: (...ins in content::PSObject) [Select-String], Parameter

BindingException

+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (      ...lf.corpus_root):PSObject [Select-String], Parameter
```

```
BindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (      ...ppend(rel_path):PSObject) [Select-String], Parameter
```

```
BindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (      ...Exception as e::PSObject) [Select-String], Parameter
```

```
BindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (      ...ilepath}: {e}):PSObject) [Select-String], Parameter
```

```
BindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (      :PSObject) [Select-String],
ParameterBindingException
```

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (      except Exception as e::PSObject)
[Select-String], ParameterBin
```

```
dingException
```

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (      log...h failed: {e}"):PSObject) [Select-
String], Parameter
```

```
BindingException
```

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (          self.ledger.emit_entry(:PSObject)
[Select-String], Paramet
```

```
erBindingException
```

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (          entry_type="exception",:PSObject)
[Select-String], Par
```

```
ameterBindingException
```

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (          action_id=action_id,:PSObject)
[Select-String], Parame
```

```
terBindingException
```

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (          task_id=self.task_id,:PSObject)
[Select-String], Param
```

```
eterBindingException
```

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (      ...arch_messages",:PSObject)
[Select-String], Parameter
```

```
BindingException
```

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (      parameters=parameters,:PSObject)
[Select-String], Para
```

```
meterBindingException
```

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (          ...h failed: {e}";PSObject) [Select-String], Parameter
```

```
BindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (          material_decision=False;PSObject)  
[Select-String], Pa
```

```
rameterBindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (          severity="critical";PSObject) [Select-String], Paramet
```

```
erBindingException
```

+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...

+ ~~~~~

+ CategoryInfo : InvalidArgument: ():PSObject [Select-String],
ParameterBindingException

+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...

+ ~~~~~

+ CategoryInfo : InvalidArgument: (ret...id": action_id};PSObject) [Select-String], Parameter
BindingException

+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (      :PSObject) [Select-String],  
ParameterBindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (      result_..., format="txt"):PSObject)  
[Select-String], Parameter
```

```
BindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```


+ ~~~~~

+ CategoryInfo : InvalidArgument: (:PSObject) [Select-String],
ParameterBindingException

+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...

+ ~~~~~

+ CategoryInfo : InvalidArgument: (self.ledger.emit_entry(:PSObject)
[Select-String], ParameterBi

ndingException

+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...

+ ~~~~~

+ CategoryInfo : InvalidArgument: (entry_type="mcp_call",:PSObject)
[Select-String], Paramete

rBindingException

+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...

+ ~~~~~

+ CategoryInfo : InvalidArgument: (action_id=action_id,:PSObject) [Select-String], ParameterB

indingException

+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...

+ ~~~~~

+ CategoryInfo : InvalidArgument: (task_id=self.task_id,:PSObject) [Select-String], Parameter

BindingException

+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (
tool_name="search_messages",:PSObject) [Select-String], ParameterBindingException
```

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (      parameters=parameters,:PSObject)
[Select-String], ParameterBindingException
```

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (      result_set=results,:PSObject) [Select-String], ParameterBi
```

```
ndingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (      res..._set_reference,:PSObject) [Select-String], Parameter
```

```
BindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (      res...ult_set_sha256,:PSObject)
[Select-String], Parameter
```

BindingException

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (      candidate_paths=results,:PSObject)
[Select-String], Parame
```

terBindingException

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (      des...te_contains})",:PSObject) [Select-
String], Parameter
```

BindingException

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (      material_decision=False,:PSObject)
[Select-String], Parame
```

```
terBindingException
```

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (      severity="informational":PSObject)
[Select-String], Parame
```

```
terBindingException
```

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (      ):PSObject [Select-String],  
ParameterBindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (      :PSObject) [Select-String],  
ParameterBindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~

+ CategoryInfo          : InvalidArgument: (    return ...id": action_id};PSObject) [Select-String], Parameter
BindingException

+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~

+ CategoryInfo          : InvalidArgument: (    :PSObject) [Select-String],
ParameterBindingException

+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~

+ CategoryInfo          : InvalidArgument: (    def list_fo...Dict[str, Any]::PSObject)
[Select-String], Parameter
BindingException
```



```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: ( ""List...a custodian."" :PObject)
[Select-String], Parameter
```

BindingException

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: ( :PObject) [Select-String],
ParameterBindingException
```

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (    action_...ext_action_id():PSObject)
[Select-String], Parameter
```

BindingException

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (    paramet...an": custodian}:PSObject)
[Select-String], Parameter
```

BindingException

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (    results = []:PSObject) [Select-String],  
ParameterBindingExcept
```

```
ion
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (    :PSObject) [Select-String],  
ParameterBindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (    custodi...oot, custodian):PSObject)  
[Select-String], Parameter
```

BindingException

+ FullyQualifiedErrorId :

InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...

+ ~~~~~

+ CategoryInfo : InvalidArgument: (resolve...ustodian_path)):PSObject)
[Select-String], Parameter

BindingException

+ FullyQualifiedErrorId :

InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...

+ ~~~~~

+ CategoryInfo : InvalidArgument: (:PSObject) [Select-String],
ParameterBindingException

+ FullyQualifiedErrorId :

InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (    if not ...f.corpus_root)::PSObject) [Select-String], Parameter
```

```
BindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (    self.ledger.emit_entry(:PSObject)  
[Select-String], Paramet
```

```
erBindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (          entry_type="exception",:PSObject)
[Select-String], Par
```

```
ameterBindingException
```

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (          action_id=action_id,:PSObject)
[Select-String], Parame
```

```
terBindingException
```

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (          task_id=self.task_id,:PSObject)
[Select-String], Param
```

```
eterBindingException
```

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (          tool_name="list_folder",:PSObject)
[Select-String], Pa
```

```
rameterBindingException
```

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (          parameters=parameters,:PSObject)
[Select-String], Para
```

```
meterBindingException
```

+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...

+ ~~~~~

+ CategoryInfo : InvalidArgument: (....: {custodian}";:PSObject) [Select-String], Parameter

BindingException

+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...

+ ~~~~~

+ CategoryInfo : InvalidArgument: (material_decision=True,:PSObject) [Select-String], Par

ameterBindingException

+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (          severity="critical":PSObject) [Select-String], Paramet
```

```
erBindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (          ):PSObject) [Select-String],  
ParameterBindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (      ret...id": action_id}:PSObject) [Select-String], Parameter
```

```
BindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (      :PSObject) [Select-String],  
ParameterBindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (      if not ...resolved_path)::PSObject)  
[Select-String], Parameter
```

BindingException

+ FullyQualifiedErrorId :

InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...

+ ~~~~~

+ CategoryInfo : InvalidArgument: (self.ledger.emit_entry(:PSObject)
[Select-String], Paramet

erBindingException

+ FullyQualifiedErrorId :

InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...

+ ~~~~~

+ CategoryInfo : InvalidArgument: (entry_type="exception",:PSObject)
[Select-String], Par

ameterBindingException

+ FullyQualifiedErrorId :

InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (          action_id=action_id,:PSObject)
[Select-String], Parame
```

```
terBindingException
```

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (          task_id=self.task_id,:PSObject)
[Select-String], Param
```

```
eterBindingException
```

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~  
  
+ CategoryInfo          : InvalidArgument: (          tool_name="list_folder",:PSObject)  
[Select-String], ParameterBindingException  
  
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~  
  
+ CategoryInfo          : InvalidArgument: (          parameters=parameters,:PSObject)  
[Select-String], ParameterBindingException  
  
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (      ...: {custodian}";:PSObject) [Select-String], Parameter
```

```
BindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (      material_decision=False,:PSObject) [Select-String], Pa
```

```
rameterBindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (          severity="major":PSObject) [Select-String], ParameterB
```

```
indingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (          ):PSObject) [Select-String],  
ParameterBindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (          ret...id": action_id};PSObject) [Select-String], Parameter
```

```
BindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (      :PSObject) [Select-String],  
ParameterBindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (      try::PSObject) [Select-String],  
ParameterBindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102


```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (      for...resolved_path)::PSObject) [Select-String], Parameter
```

```
BindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (      for file in files::PSObject) [Select-String], Paramete
```

```
rBindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (          ...dswith('.eml')::PSObject) [Select-String], Parameter
```

```
BindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (          ...oin(root, file):PSObject) [Select-String], Parameter
```

```
BindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (          ...lf.corpus_root):PSObject) [Select-String], Parameter
```

```
BindingException
```

+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...

+ ~~~~~

+ CategoryInfo : InvalidArgument: (...ppend(rel_path):PSObject) [Select-String], Parameter

BindingException

+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...

+ ~~~~~

+ CategoryInfo : InvalidArgument: (:PSObject) [Select-String],
ParameterBindingException

+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (    except Exception as e::PSObject) [Select-String], ParameterBin
```

```
dingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (    log...t folder: {e}"):PSObject) [Select-String], Parameter
```

```
BindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (      self.ledger.emit_entry(:PSObject)
[Select-String], Paramet
erBindingException
```

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (      entry_type="exception",:PSObject)
[Select-String], Par
ameterBindingException
```

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (          action_id=action_id,:PSObject)
[Select-String], Paramete

ParameterBindingException

+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (          task_id=self.task_id,:PSObject)
[Select-String], Paramete

ParameterBindingException

+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (          tool_name="list_folder",:PSObject)
[Select-String], ParameterBindingException
```

+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...

+ ~~~~~

+ CategoryInfo : InvalidArgument: (parameters=parameters,:PSObject)
[Select-String], Para

meterBindingException

+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...

+ ~~~~~

+ CategoryInfo : InvalidArgument: (...g failed: {e}";:PSObject) [Select-
String], Parameter

BindingException

+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (          material_decision=False,:PSObject) [Select-String], Pa
```

```
rameterBindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (          severity="critical":PSObject) [Select-String], Paramet
```

```
erBindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (      ):PSObject [Select-String],  
ParameterBindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (      ret...id": action_id);PSObject [Select-  
String], Parameter
```

```
BindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (      :PSObject) [Select-String],
ParameterBindingException
```

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (      result_..., format="txt"):PSObject)
[Select-String], Parameter
```

```
BindingException
```

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (      :PSObject) [Select-String],
ParameterBindingException
```

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (    self.ledger.emit_entry(:PSObject)
[Select-String], ParameterBi
```

```
ndingException
```

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (    entry_type="mcp_call";PSObject)
[Select-String], Paramete
```

```
rBindingException
```

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (      action_id=action_id,:PSObject) [Select-String], ParameterB
```

```
indingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (      task_id=self.task_id,:PSObject) [Select-String], Parameter
```

```
BindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (      tool_name="list_folder";PSObject)
[Select-String], Parame
```

```
terBindingException
```

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (      parameters=parameters;PSObject)
[Select-String], Paramete
```

```
rBindingException
```

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (      result_set=results;PSObject) [Select-
String], ParameterBi
```

```
ndingException
```

+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...

+ ~~~~~

+ CategoryInfo : InvalidArgument: (res..._set_reference,:PSObject)
[Select-String], Parameter

BindingException

+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...

+ ~~~~~

+ CategoryInfo : InvalidArgument: (res...ult_set_sha256,:PSObject)
[Select-String], Parameter

BindingException

+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (      candidate_paths=results,:PSObject) [Select-String], Parame
```

```
terBindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (      des...'{custodian}':,PSObject) [Select-String], Parameter
```

```
BindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (      material_decision=False,:PSObject)
[Select-String], Parame
```

```
terBindingException
```

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (      severity="informational":PSObject)
[Select-String], Parame
```

```
terBindingException
```

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```



```
+ CategoryInfo      : InvalidArgument: (      ):PSObject [Select-String],
ParameterBindingException
```

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (      :PSObject) [Select-String],
ParameterBindingException
```

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (      return ...id": action_id}:PSObject) [Select-
String], Parameter
```

```
BindingException
```

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: ( :PSObject) [Select-String],  
ParameterBindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: ( def read_fi...Dict[str, Any]::PSObject)  
[Select-String], Parameter
```

```
BindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (      ""Read...an EML file."":PSObject)
[Select-String], Parameter
```

```
BindingException
```

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (      :PSObject) [Select-String],
ParameterBindingException
```

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (      action_...ext_action_id():PSObject)
[Select-String], Parameter
```

BindingException

+ FullyQualifiedErrorId :

InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...

+ ~~~~~

+ CategoryInfo : InvalidArgument: (paramet...ath": filepath):PSObject)
[Select-String], Parameter

BindingException

+ FullyQualifiedErrorId :

InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...

+ ~~~~~

+ CategoryInfo : InvalidArgument: (:PSObject) [Select-String],
ParameterBindingException

+ FullyQualifiedErrorId :

InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (    full_fi...root, filepath):PSObject) [Select-String], Parameter
```

```
BindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (    resolve...full_filepath)):PSObject)  
[Select-String], Parameter
```

```
BindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (      :PSObject) [Select-String],  
ParameterBindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (      if not ...f.corpus_root)::PSObject) [Select-  
String], Parameter
```

```
BindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (      self.ledger.emit_entry(:PSObject)
[Select-String], Paramet
```

```
erBindingException
```

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (      entry_type="exception",:PSObject)
[Select-String], Par
```

```
ameterBindingException
```

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (      action_id=action_id,:PSObject)
[Select-String], Parame
```

```
terBindingException
```

+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...

+ ~~~~~

+ CategoryInfo : InvalidArgument: (task_id=self.task_id,:PSObject)
[Select-String], Param

eterBindingException

+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...

+ ~~~~~

+ CategoryInfo : InvalidArgument: (tool_name="read_file",:PSObject)
[Select-String], Para

meterBindingException

+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (          parameters=parameters,:PSObject) [Select-String], Para
```

```
meterBindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (          ...n: {filepath}";:PSObject) [Select-String], Parameter
```

```
BindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (          material_decision=True,:PSObject) [Select-String], Par
```

```
ameterBindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (          severity="critical":PSObject) [Select-String], Paramet
```

```
erBindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (      ):PSObject [Select-String],
ParameterBindingException
```

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (      ret...id": action_id):PSObject [Select-
String], Parameter
```

```
BindingException
```

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (      :PSObject) [Select-String],
ParameterBindingException
```

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (    if not ...resolved_path)::PSObject)
[Select-String], Parameter
```

BindingException

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (    self.ledger.emit_entry(:PSObject)
[Select-String], Paramet
```

erBindingException

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (          entry_type="exception",:PSObject)
[Select-String], Par
```

```
ameterBindingException
```

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (          action_id=action_id,:PSObject)
[Select-String], Parame
```

```
terBindingException
```

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (          task_id=self.task_id,:PSObject)
[Select-String], Param
```

```
eterBindingException
```

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (          tool_name="read_file",:PSObject)
[Select-String], Para
```

```
meterBindingException
```

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (          parameters=parameters,:PSObject)
[Select-String], Para
```

```
meterBindingException
```

+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...

+ ~~~~~

+ CategoryInfo : InvalidArgument: (...d: {filepath}";:PObject) [Select-String], Parameter

BindingException

+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...

+ ~~~~~

+ CategoryInfo : InvalidArgument: (material_decision=False,:PObject) [Select-String], Pa

parameterBindingException

+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (          severity="major":PSObject) [Select-String], ParameterB
```

```
indingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (          ):PSObject) [Select-String],  
ParameterBindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102


```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (      ret...id": action_id}:PSObject) [Select-String], Parameter
```

```
BindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (      :PSObject) [Select-String],  
ParameterBindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (      try::PSObject) [Select-String],  
ParameterBindingException
```

+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...

+ ~~~~~

+ CategoryInfo : InvalidArgument: (wit...'ignore') as f::PSObject) [Select-String], Parameter

BindingException

+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...

+ ~~~~~

+ CategoryInfo : InvalidArgument: (content = f.read():PSObject) [Select-String], Paramete

rBindingException

+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (    except Exception as e::PSObject) [Select-String], ParameterBin
```

```
dingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (    log...ilepath}: {e}):PSObject) [Select-String], Parameter
```

```
BindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (      self.ledger.emit_entry(:PSObject)
[Select-String], Paramet
```

```
erBindingException
```

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (      entry_type="exception",:PSObject)
[Select-String], Par
```

```
ameterBindingException
```

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (          action_id=action_id,:PSObject)
[Select-String], Param
```

```
terBindingException
```

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (          task_id=self.task_id,:PSObject)
[Select-String], Param
```

```
eterBindingException
```

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (          tool_name="read_file",:PSObject)
[Select-String], Para
```

```
meterBindingException
```

+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...

+ ~~~~~

+ CategoryInfo : InvalidArgument: (parameters=parameters,:PSObject)
[Select-String], Para

meterBindingException

+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...

+ ~~~~~

+ CategoryInfo : InvalidArgument: (...d failed: {e}";:PSObject) [Select-
String], Parameter

BindingException

+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (          material_decision=False,:PSObject) [Select-String], Pa
```

```
rameterBindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (          severity="major":PSObject) [Select-String], ParameterB
```

```
indingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (      ):PSObject [Select-String],  
ParameterBindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (      ret...id": action_id);PSObject [Select-  
String], Parameter
```

```
BindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```



```
+ CategoryInfo      : InvalidArgument: (      :PSObject) [Select-String],
ParameterBindingException
```

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (      self.ledger.emit_entry(:PSObject)
[Select-String], ParameterBi
```

```
ndingException
```

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (      entry_type="tool_call";:PSObject)
[Select-String], Paramet
```

```
erBindingException
```

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (      action_id=action_id,:PSObject) [Select-String], ParameterB
```

```
indingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (      task_id=self.task_id,:PSObject)  
[Select-String], Parameter
```

```
BindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~  
  
+ CategoryInfo          : InvalidArgument: (tool_name="read_file",:PSObject)  
[Select-String], Paramete  
  
rBindingException  
  
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~  
  
+ CategoryInfo          : InvalidArgument: (parameters=parameters,:PSObject)  
[Select-String], Paramete  
  
rBindingException  
  
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (      des...tent)} bytes);:PSObject) [Select-String], Parameter
```

```
BindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (      too... len(content));:PSObject) [Select-String], Parameter
```

```
BindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (      material_decision=False,:PSObject)
[Select-String], Parame
```

```
terBindingException
```

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (      severity="informational":PSObject)
[Select-String], Parame
```

```
terBindingException
```

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (      ):PSObject) [Select-String],
ParameterBindingException
```

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (      :PSObject) [Select-String],  
ParameterBindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (    return ...id": action_id};PSObject) [Select-  
String], Parameter
```

```
BindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: ( :PObject) [Select-String],  
ParameterBindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: ( def get_he...Dict[str, Any]::PObject)  
[Select-String], Parameter
```

```
BindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (      """"Extr...an EML file.""":PSObject)
[Select-String], Parameter
```

BindingException

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (      :PSObject) [Select-String],
ParameterBindingException
```

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (      action_...ext_action_id():PSObject)
[Select-String], Parameter
```

BindingException

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```


Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (    paramet...ath": filepath};PSObject) [Select-String], Parameter
```

```
BindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (    :PSObject) [Select-String],  
ParameterBindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: ( full_fi...root, filepath):PSObject) [Select-String], Parameter
```

```
BindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: ( resolve...full_filepath)):PSObject) [Select-String], Parameter
```

```
BindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (      :PSObject) [Select-String],
ParameterBindingException
```

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (      if not ...f.corpus_root)::PSObject) [Select-
String], Parameter
```

```
BindingException
```

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (      self.ledger.emit_entry(:PSObject)
[Select-String], Paramet
```

```
erBindingException
```

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (          entry_type="exception",:PSObject)
[Select-String], Par
```

```
ameterBindingException
```

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (          action_id=action_id,:PSObject)
[Select-String], Parame
```

```
terBindingException
```

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~  
  
+ CategoryInfo          : InvalidArgument: (          task_id=self.task_id,:PSObject)  
[Select-String], Param  
eterBindingException  
  
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~  
  
+ CategoryInfo          : InvalidArgument: (          tool_name="get_headers",:PSObject)  
[Select-String], Pa  
rameterBindingException  
  
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (      parameters=parameters,:PSObject)
[Select-String], Para
```

```
meterBindingException
```

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (      ...n: {filepath}";:PSObject) [Select-
String], Parameter
```

```
BindingException
```

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (          material_decision=True,:PSObject)
[Select-String], Par
```

```
ameterBindingException
```

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (          severity="critical":PSObject) [Select-
String], Paramet
```

```
erBindingException
```

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (          ):PSObject) [Select-String],
ParameterBindingException
```

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (      ret...id": action_id};PSObject) [Select-String], Parameter
```

```
BindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (      :PSObject) [Select-String],  
ParameterBindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: ( if not ...resolved_path)::PSObject)
[Select-String], Parameter
```

BindingException

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: ( self.ledger.emit_entry(:PSObject)
[Select-String], Paramet
```

erBindingException

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (          entry_type="exception",:PSObject)
[Select-String], Par
```

```
meterBindingException
```

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (          action_id=action_id,:PSObject)
[Select-String], Parame
```

```
terBindingException
```

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (          task_id=self.task_id,:PSObject)
[Select-String], Param
```

```
eterBindingException
```

+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...

+ ~~~~~

+ CategoryInfo : InvalidArgument: (tool_name="get_headers",:PSObject)
[Select-String], Pa

parameterBindingException

+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...

+ ~~~~~

+ CategoryInfo : InvalidArgument: (parameters=parameters,:PSObject)
[Select-String], Para

parameterBindingException

+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (          ...d: {filepath}";:PSObject) [Select-String], Parameter
```

```
BindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (          material_decision=False,:PSObject)  
[Select-String], Pa
```

```
rameterBindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (      severity="major":PSObject) [Select-String], ParameterB
```

```
indingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (      ):PSObject) [Select-String],  
ParameterBindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (      ret...id": action_id}:PSObject) [Select-String], Parameter
```

```
BindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (      :PSObject) [Select-String],  
ParameterBindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (      headers = {}:PSObject) [Select-String],  
ParameterBindingExcept
```

```
ion
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: ( try::PSObject) [Select-String],  
ParameterBindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: ( wit...'ignore') as f::PSObject) [Select-  
String], Parameter
```

```
BindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (          for line in f::PSObject) [Select-String],  
ParameterBindingException
```

dingException

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (          line = line.rstrip():PSObject)  
[Select-String], ParameterBindingException
```

parameterBindingException

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```



```
+ CategoryInfo      : InvalidArgument: (      ... End of headers:PSObject) [Select-String], Parameter
```

```
BindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (      break:PSObject) [Select-String],  
ParameterBind
```

```
ingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (      if ': ' in line::PSObject) [Select-String], Parame
```

```
terBindingException
```

+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...

+ ~~~~~

+ CategoryInfo : InvalidArgument: (....split(':', 1):PSObject) [Select-String], Parameter

BindingException

+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...

+ ~~~~~

+ CategoryInfo : InvalidArgument: (...rs[key] = value:PSObject) [Select-String], Parameter

BindingException

+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (    except Exception as e::PSObject) [Select-String], ParameterBindingException
```

```
dingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (    log...ilepath}: {e}):PSObject) [Select-String], ParameterBindingException
```

```
BindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (      self.ledger.emit_entry(:PSObject)
[Select-String], Paramet
```

```
erBindingException
```

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (      entry_type="exception",:PSObject)
[Select-String], Par
```

```
ameterBindingException
```

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (          action_id=action_id,:PSObject)
[Select-String], ParameterBindingException

+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (          task_id=self.task_id,:PSObject)
[Select-String], ParameterBindingException

+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (          tool_name="get_headers",:PSObject)
[Select-String], ParameterBindingException
```

+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...

+ ~~~~~

+ CategoryInfo : InvalidArgument: (parameters=parameters,:PSObject)
[Select-String], Para

meterBindingException

+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...

+ ~~~~~

+ CategoryInfo : InvalidArgument: (...n failed: {e}";:PSObject) [Select-
String], Parameter

BindingException

+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (          material_decision=False,:PSObject) [Select-String], Pa
```

```
rameterBindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (          severity="major":PSObject) [Select-String], ParameterB
```

```
indingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (      ):PSObject [Select-String],  
ParameterBindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (      ret...id": action_id);PSObject [Select-  
String], Parameter
```

```
BindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```



```
+ CategoryInfo      : InvalidArgument: (      :PSObject) [Select-String],
ParameterBindingException
```

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (      self.ledger.emit_entry(:PSObject)
[Select-String], ParameterBi
```

```
ndingException
```

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (      entry_type="tool_call";:PSObject)
[Select-String], Paramet
```

```
erBindingException
```

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (      action_id=action_id,:PSObject) [Select-String], ParameterB
```

```
indingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (      task_id=self.task_id,:PSObject)  
[Select-String], Parameter
```

```
BindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~  
  
+ CategoryInfo          : InvalidArgument: (tool_name="get_headers";PSObject)  
[Select-String], Paramet  
  
terBindingException  
  
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~  
  
+ CategoryInfo          : InvalidArgument: (parameters=parameters;PSObject)  
[Select-String], Paramete  
  
rBindingException  
  
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (      des...om {filepath}";:PSObject) [Select-String], Parameter
```

```
BindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (      too... len(headers));:PSObject) [Select-String], Parameter
```

```
BindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (      material_decision=False,:PSObject)
[Select-String], Parame
```

```
terBindingException
```

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (      severity="informational":PSObject)
[Select-String], Parame
```

```
terBindingException
```

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (      ):PSObject) [Select-String],
ParameterBindingException
```

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (      :PSObject) [Select-String],  
ParameterBindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (    return ...id": action_id};PSObject) [Select-  
String], Parameter
```

```
BindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: ( :PObject) [Select-String],  
ParameterBindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: ( def hash_do...Dict[str, Any]:PObject)  
[Select-String], Parameter
```

```
BindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (      ""Comp...an EML file."" :PSObject)
[Select-String], Parameter
```

BindingException

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (      :PSObject) [Select-String],
ParameterBindingException
```

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (      action_...ext_action_id():PSObject)
[Select-String], Parameter
```

BindingException

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```


Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (    paramet...ath": filepath};PSObject) [Select-String], Parameter
```

```
BindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (    :PSObject) [Select-String],  
ParameterBindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (    file_ha..._hash(filepath):PSObject)
[Select-String], Parameter
```

BindingException

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (    :PSObject) [Select-String],
ParameterBindingException
```

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (      if not file_hash::PSObject) [Select-String],
ParameterBindingE
```

```
xception
```

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (      self.ledger.emit_entry(:PSObject)
[Select-String], Paramet
```

```
erBindingException
```

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (      entry_type="exception",:PSObject)
[Select-String], Par
```

```
ameterBindingException
```

+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...

+ ~~~~~

+ CategoryInfo : InvalidArgument: (action_id=action_id,:PSObject)
[Select-String], Parame

terBindingException

+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...

+ ~~~~~

+ CategoryInfo : InvalidArgument: (task_id=self.task_id,:PSObject)
[Select-String], Param

eterBindingException

+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (          ...hash_document",:PSObject)
[Select-String], Parameter
```

BindingException

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (          parameters=parameters,:PSObject)
[Select-String], Para
```

meterBindingException

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (          ...d: {filepath}";:PSObject) [Select-String], Parameter
```

```
BindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (          material_decision=False,:PSObject) [Select-String], Pa
```

```
rameterBindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (          severity="major":PSObject) [Select-String], ParameterB
```

```
indingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (          ):PSObject) [Select-String],  
ParameterBindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (          ret...id": action_id};PSObject) [Select-String], Parameter
```

```
BindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (      :PSObject) [Select-String],  
ParameterBindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (    self.ledger.emit_entry(:PSObject)  
[Select-String], ParameterBi
```

```
ndingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (      entry_type="tool_call";PSObject)
[Select-String], Paramet
```

```
erBindingException
```

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (      action_id=action_id,:PSObject) [Select-
String], ParameterB
```

```
indingException
```

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (      task_id=self.task_id,:PSObject)
[Select-String], Parameter
```

BindingException

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (
tool_name="hash_document",:PSObject) [Select-String], Para
```

meterBindingException

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (      parameters=parameters,:PSObject)
[Select-String], Paramete
```

rBindingException

+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...

+ ~~~~~

+ CategoryInfo : InvalidArgument: (des...or {filepath}";PSObject) [Select-String], Parameter

BindingException

+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...

+ ~~~~~

+ CategoryInfo : InvalidArgument: (too...h": file_hash};PSObject) [Select-String], Parameter

BindingException

+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (material_decision=False,:PSObject)
[Select-String], Parame
```

```
terBindingException
```

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (severity="informational":PSObject)
[Select-String], Parame
```

```
terBindingException
```

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (    ):PSObject [Select-String],  
ParameterBindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (    :PSObject) [Select-String],  
ParameterBindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (    return ...id": action_id};PSObject) [Select-  
String], Parameter
```

BindingException

+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...

+ ~~~~~

+ CategoryInfo : InvalidArgument: (:PSErrorObject) [Select-String],
ParameterBindingException

+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...

+ ~~~~~

+ CategoryInfo : InvalidArgument: (def verify_...Dict[str, Any]::PSErrorObject)
[Select-String], Parameter

BindingException

+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: ( ""Veri...an EML file. """:PSObject) [Select-String], Parameter
```

```
BindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: ( :PSObject) [Select-String],  
ParameterBindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: ( action_...ext_action_id():PSObject)
[Select-String], Parameter
```

```
BindingException
```

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: ( paramet... expected_hash}:PSObject)
[Select-String], Parameter
```

```
BindingException
```

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```



```
+ CategoryInfo      : InvalidArgument: (      :PSObject) [Select-String],
ParameterBindingException
```

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (      actual_..._hash(filepath):PSObject)
[Select-String], Parameter
```

```
BindingException
```

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (      match =...hash else False:PSObject)
[Select-String], Parameter
```

```
BindingException
```

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (      :PSObject) [Select-String],  
ParameterBindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (      self.ledger.emit_entry(:PSObject)  
[Select-String], ParameterBi
```

```
ndingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (      entry_type="tool_call";PSObject)
[Select-String], Paramet
```

```
erBindingException
```

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (      action_id=action_id,:PSObject) [Select-
String], ParameterB
```

```
indingException
```

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (      task_id=self.task_id,:PSObject)
[Select-String], Parameter
```

```
BindingException
```

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (      tool_name="verify_hash",:PSObject)
[Select-String], Parame
```

```
terBindingException
```

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (      parameters=parameters,:PSObject)
[Select-String], Paramete
```

```
rBindingException
```

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: ( des...e 'MISMATCH'}';PSObject)
[Select-String], Parameter
```

BindingException

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: ( too...match": match};PSObject)
[Select-String], Parameter
```

BindingException

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (      material_decision=not  
match,:PSObject) [Select-String], Pa
```

```
rameterBindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (      sev..."informational":PSObject)  
[Select-String], Parameter
```

```
BindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (    ):PSObject [Select-String],  
ParameterBindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (    :PSObject) [Select-String],  
ParameterBindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (    return ...id": action_id};PSObject) [Select-  
String], Parameter
```

BindingException

+ FullyQualifiedErrorId :

InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...

+ ~~~~~

+ CategoryInfo : InvalidArgument: (:PObject) [Select-String],
ParameterBindingException

+ FullyQualifiedErrorId :

InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...

+ ~~~~~

+ CategoryInfo : InvalidArgument: (def emit_do...ificance: str, :PObject)
[Select-String], Parameter

BindingException

+ FullyQualifiedErrorId :

InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (          ...Dict[str, Any]::PSObject) [Select-String], Parameter
```

```
BindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (      ""Reco...ernance ledger.:PSObject) [Select-String], Parameter
```

```
BindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (      :PSObject) [Select-String],  
ParameterBindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (      A docum... or event that :PSObject)  
[Select-String], Parameter
```

```
BindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (    cannot ... in the corpus.:PSObject)
[Select-String], Parameter
```

```
BindingException
```

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (    :PSObject) [Select-String],
ParameterBindingException
```

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (    Args::PSObject) [Select-String],
ParameterBindingException
```

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (      gap... what's missing:PSObject) [Select-String], Parameter
```

BindingException

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (      rea... was identified:PSObject) [Select-String], Parameter
```

BindingException

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (      sig...dium", or "low":PSObject) [Select-String], Parameter
```

```
BindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (      sta...hed, not found):PSObject) [Select-String], Parameter
```

```
BindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (      sou... was identified:PSObject) [Select-String], Parameter
```

```
BindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (      sta... was identified:PSObject) [Select-String], Parameter
```

```
BindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (      :PSObject) [Select-String],  
ParameterBindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: ( Returns::PSObject) [Select-String],  
ParameterBindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: ( dic...mestamp, status:PSObject)  
[Select-String], Parameter
```

```
BindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (      ":PSObject) [Select-String],  
ParameterBindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (    if sign...edium", "low"]::PSObject)  
[Select-String], Parameter
```

```
BindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```



```
+ CategoryInfo      : InvalidArgument: (      rai...significance}):PSObject [Select-String], Parameter
```

BindingException

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (    if stat...en", "closed"]::PSObject) [Select-String], Parameter
```

BindingException

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (      rai... got {status}):PSObject [Select-String], Parameter
```

BindingException

+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...

+ ~~~~~

+ CategoryInfo : InvalidArgument: (:PObject) [Select-String],
ParameterBindingException

+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...

+ ~~~~~

+ CategoryInfo : InvalidArgument: (action_...ext_action_id():PObject)
[Select-String], Parameter

BindingException

+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (      :PSObject) [Select-String],  
ParameterBindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (      gap_payload = {:PSObject) [Select-String], ParameterBindingExc
```

```
ption
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~~

+ CategoryInfo          : InvalidArgument: (      "ga...gap_identified,:PSObject) [Select-String], Parameter

BindingException

+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~~

+ CategoryInfo          : InvalidArgument: (      "re...son_identified,:PSObject) [Select-String], Parameter

BindingException

+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~~

+ CategoryInfo          : InvalidArgument: (      "si...: significance,:PSObject) [Select-String], Parameter
```

BindingException

+ FullyQualifiedErrorId :

InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...

+ ~~~~~

+ CategoryInfo : InvalidArgument: ("status": status,:PSObject) [Select-String], ParameterBind

ingException

+ FullyQualifiedErrorId :

InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...

+ ~~~~~

+ CategoryInfo : InvalidArgument: ("so...ssage_id or """,:PSObject) [Select-String], Parameter

BindingException

+ FullyQualifiedErrorId :

InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (      "stage": stage or "":PSObject) [Select-String], ParameterB
```

```
indingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (      ):PSObject) [Select-String],  
ParameterBindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (      :PSObject) [Select-String],  
ParameterBindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (      self.ledger.emit_entry(:PSObject)  
[Select-String], ParameterBi
```

```
ndingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (ent...cumentary_gap",:PSObject)
[Select-String], Parameter
```

BindingException

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (action_id=action_id,:PSObject) [Select-
String], ParameterB
```

indingException

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (task_id=self.task_id,:PSObject)
[Select-String], Parameter
```

BindingException

+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...

+ ~~~~~

+ CategoryInfo : InvalidArgument: (des...p_identified}";:PSObject) [Select-String], Parameter

BindingException

+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...

+ ~~~~~

+ CategoryInfo : InvalidArgument: (material_decision=False,:PSObject) [Select-String], Parame

terBindingException

+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (      severity="informational",;PSObject)
[Select-String], Param
```

```
eterBindingException
```

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (      tool_output=gap_payload;PSObject)
[Select-String], Paramet
```

```
erBindingException
```

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (    ):PSObject [Select-String],  
ParameterBindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (    :PSObject) [Select-String],  
ParameterBindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (    return {PSObject}) [Select-String],  
ParameterBindingException
```

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (      "gap_id": str(uuid.uuid4()),:PSObject)
[Select-String], Pa
```

```
rameterBindingException
```

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (      "action_id": action_id,:PSObject)
[Select-String], Paramet
```

```
erBindingException
```

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (      "ga...gap_identified,:PSObject) [Select-String], Parameter
```

```
BindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (      "ti...format() + "Z",:PSObject) [Select-String], Parameter
```

```
BindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (      "status": "recorded";PSObject)
[Select-String], Parameter
```

BindingException

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (      "significance": significance:PSObject)
[Select-String], Pa
```

parameterBindingException

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (    ):PSObject [Select-String],
ParameterBindingException
```

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (:PSObject) [Select-String],
ParameterBindingException
```

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (:PSObject) [Select-String],
ParameterBindingException
```

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (#  
=====...=====:PSObject) [Select-String], Parameter
```

BindingException

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (# MAIN ENTRY POINT:PSObject) [Select-  
String], ParameterBindingExceptio
```

n

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (#
=====...=====:PSObject) [Select-String], Parameter
```

BindingException

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (:PSObject) [Select-String],
ParameterBindingException
```

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (async def main():PSObject) [Select-String],
ParameterBindingException
```

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: ( ""Initiali...tody server. """:PSObject)
[Select-String], Parameter
```

```
BindingException
```

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: ( :PSObject) [Select-String],
ParameterBindingException
```

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: ( logger.info...y Server v1.4"):PSObject)
[Select-String], Parameter
```

BindingException

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: ( logger.info... {SESSION_ID}"):PSObject)
[Select-String], Parameter
```

BindingException

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: ( logger.info...{LEDGER_FILE}):PSObject)
[Select-String], Parameter
```

BindingException

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: ( logger.info..._CORPUS_ROOT}):PSObject)
[Select-String], Parameter
```

BindingException

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: ( logger.info...lean rebuild"):PSObject)
[Select-String], Parameter
```

```
BindingException
```

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: ( :PSObject) [Select-String],
ParameterBindingException
```

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: ( # Initialize ledger writer:PSObject) [Select-
String], ParameterBin
```

```
dingException
```

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: ( ledger = Le...E, RESULTS_DIR):PSObject) [Select-String], Parameter
```

```
BindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: ( :PSObject) [Select-String],  
ParameterBindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: ( task_id = "DS-202608xx-S12-T01":PSObject) [Select-String], Paramet
```

```
erBindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: ( :PSObject) [Select-String],  
ParameterBindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: ( # Emit session_start:PObject) [Select-String], ParameterBindingEx
```

ception

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: ( action_id =  
ledger.next_action_id():PObject) [Select-String], Par
```

ameterBindingException

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: ( ledger.emit_entry(:PObject) [Select-String], ParameterBindingExce
```

ption

+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...

+ ~~~~~

+ CategoryInfo : InvalidArgument: (entry_type="session_start";PSObject)
[Select-String], Paramet

erBindingException

+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...

+ ~~~~~

+ CategoryInfo : InvalidArgument: (action_id=action_id;PSObject) [Select-
String], ParameterBindi

ngException

+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: ( task_id=task_id,:PSObject) [Select-String], ParameterBindingEx
```

```
ception
```

```
+ FullyQualifiedErrorId : InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: ( descrip...RPC protocol");:PSObject) [Select-String], Parameter
```

```
BindingException
```

```
+ FullyQualifiedErrorId : InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (    material_decision=True,:PSObject)
[Select-String], ParameterBi
```

```
ndingException
```

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (    severity="critical":PSObject) [Select-
String], ParameterBindin
```

```
gException
```

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: ( ):PSObject) [Select-String],  
ParameterBindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: ( logger.info...N_ID} started"):PSObject)  
[Select-String], Parameter
```

```
BindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: ( :PSObject) [Select-String],  
ParameterBindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: ( # Initialize custody server:PSObject)
[Select-String], ParameterBi
```

```
ndingException
```

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: ( custody = C...edger, task_id):PSObject)
[Select-String], Parameter
```

```
BindingException
```

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: ( :PSObject) [Select-String],  
ParameterBindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: ( # Create MCP server:PSObject) [Select-  
String], ParameterBindingExc
```

```
ption
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: ( server = Server("dossier-
custody"):PSObject) [Select-String], Para
```

```
meterBindingException
```

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: ( :PSObject) [Select-String],
ParameterBindingException
```

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: ( @server.list_tools():PSObject) [Select-
String], ParameterBindingEx
```

```
ception
```

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: ( async def list_tools():PSObject) [Select-String], ParameterBindin
```

```
gException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: ( return [:PSObject) [Select-String],  
ParameterBindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (      Tool(:PSObject) [Select-String],  
ParameterBindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (  
name="search_messages",:PSObject) [Select-String], Par  
ameterBindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (          ...n and keyword",:PSObject) [Select-String], Parameter
```

```
BindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (          inputSchema=:PSObject) [Select-String], ParameterBind
```

```
ingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (          "type": "object",:PSObject) [Select-String], Param
```

```
eterBindingException
```

+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...

+ ~~~~~

+ CategoryInfo : InvalidArgument: ("properties": {:PSObject} [Select-String], Paramet

erBindingException

+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...

+ ~~~~~

+ CategoryInfo : InvalidArgument: (... 'farmer-d')",:PSObject) [Select-String], Parameter

BindingException

+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (          ...o search for");:PSObject) [Select-String], Parameter
```

```
BindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (          ...ilter results");:PSObject) [Select-String], Parameter
```

```
BindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (          ),PSObject [Select-String],  
ParameterBindingExce
```

```
ption
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (          ...an", "keyword"):PSObject [Select-  
String], Parameter
```

```
BindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (      ):PSObject) [Select-String],
ParameterBindingException
```

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (      ),:PSObject) [Select-String],
ParameterBindingException
```

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (      Tool(:PSObject) [Select-String],
ParameterBindingException
```

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (          name="list_folder",:PSObject) [Select-String], Paramet
```

```
erBindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (          ...r a custodian",:PSObject) [Select-String], Parameter
```

```
BindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (          inputSchema={:PSObject) [Select-String], ParameterBind
```

```
ingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (          "type": "object",:PSObject) [Select-String], Param
```

```
eterBindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```



```
+ CategoryInfo      : InvalidArgument: (          "properties": {:PSObject) [Select-String], Paramet
```

```
erBindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (          ...n folder name":PSObject) [Select-String], Parameter
```

```
BindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (          },:PSObject) [Select-String],  
ParameterBindingExce
```

```
ption
```

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (      ....: ["custodian"]:PSObject) [Select-String], Parameter
```

```
BindingException
```

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (      };PSObject) [Select-String],
ParameterBindingException
```

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (      ),:PObject) [Select-String],  
ParameterBindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (      Tool(:PObject) [Select-String],  
ParameterBindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (          name="read_file",:PSObject) [Select-String], Parameter
```

```
BindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (          ...f an EML file",:PSObject) [Select-String], Parameter
```

```
BindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (          inputSchema={:PSObject) [Select-String], ParameterBind
```

```
ingException
```

+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...

+ ~~~~~

+ CategoryInfo : InvalidArgument: ("type": "object";:PObject) [Select-String], Param

eterBindingException

+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...

+ ~~~~~

+ CategoryInfo : InvalidArgument: ("properties": {:PObject) [Select-String], Paramet

erBindingException

+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (          ...h to EML file");PSObject) [Select-String], Parameter
```

```
BindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (          },:PSObject) [Select-String],  
ParameterBindingExce
```

```
ption
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (          ...": ["filepath"]:PSObject) [Select-String], Parameter
```

```
BindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (          };PSObject) [Select-String],  
ParameterBindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (      ),:PSObject) [Select-String],
ParameterBindingException
```

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (      Tool(:PSObject) [Select-String],
ParameterBindingException
```

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (      name="get_headers",:PSObject)
[Select-String], Paramet
```

```
erBindingException
```

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```


Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (          ...m an EML file";:PSObject) [Select-String], Parameter
```

```
BindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (          inputSchema=:PSObject) [Select-String], ParameterBind
```

```
ingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (          "type": "object";PSObject) [Select-String], Param
```

```
eterBindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (          "properties": {:PSObject) [Select-String], Paramet
```

```
erBindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (          ...h to EML file"):PSObject) [Select-String], Parameter
```

```
BindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (          },:PSObject) [Select-String],  
ParameterBindingExce
```

```
ption
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (          ...": ["filepath"]:PSObject) [Select-String], Parameter
```

```
BindingException
```

+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...

+ ~~~~~

+ CategoryInfo : InvalidArgument: ():PSObject [Select-String],
ParameterBindingException

+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...

+ ~~~~~

+ CategoryInfo : InvalidArgument: (),:PSObject [Select-String],
ParameterBindingException

+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (      Tool(:PSObject) [Select-String],  
ParameterBindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (      name="hash_document",:PSObject)  
[Select-String], Param
```

```
eterBindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~~

+ CategoryInfo          : InvalidArgument: (          ...f an EML file";:PSObject) [Select-String], ParameterBindingException

+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~~

+ CategoryInfo          : InvalidArgument: (          inputSchema={:PSObject) [Select-String], ParameterBindingException

+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~~

+ CategoryInfo          : InvalidArgument: (          "type": "object";:PSObject) [Select-String], Param
```

eterBindingException

+ FullyQualifiedErrorId :

InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...

+ ~~~~~

+ CategoryInfo : InvalidArgument: ("properties": {:PSObject) [Select-String], Paramet

erBindingException

+ FullyQualifiedErrorId :

InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...

+ ~~~~~

+ CategoryInfo : InvalidArgument: (...h to EML file":PSObject) [Select-String], Parameter

BindingException

+ FullyQualifiedErrorId :

InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (          ),PSObject [Select-String],  
ParameterBindingExce
```

```
ption
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (          ...": ["filepath"]:PSObject) [Select-  
String], Parameter
```

```
BindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (      ):PSObject [Select-String],  
ParameterBindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (      ),:PSObject [Select-String],  
ParameterBindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (      Tool(:PSObject) [Select-String],
ParameterBindingException

+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+
~~~~~

+ CategoryInfo      : InvalidArgument: (      name="verify_hash",:PSObject)
[Select-String], Paramet

erBindingException

+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+
~~~~~

+ CategoryInfo      : InvalidArgument: (      ...f an EML file",:PSObject) [Select-
String], Parameter

BindingException

+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (          inputSchema={:PSObject) [Select-String], ParameterBind
```

```
ingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (          "type": "object",:PSObject) [Select-String], Param
```

```
eterBindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~  
  
+ CategoryInfo          : InvalidArgument: (          "properties": {PSObject}) [Select-String], Paramet  
  
erBindingException  
  
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~  
  
+ CategoryInfo          : InvalidArgument: (          ... to EML file"},:PSObject) [Select-String], Parameter  
  
BindingException  
  
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (      ...56 hash (hex)":PSObject) [Select-String], Parameter
```

```
BindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (      },:PSObject) [Select-String],  
ParameterBindingExce
```

```
ption
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (      ...expected_hash"]:PSObject) [Select-String], Parameter
```

```
BindingException
```

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (      ):PSObject) [Select-String],
ParameterBindingException
```

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (      ),:PSObject) [Select-String],
ParameterBindingException
```

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (      Tool(:PSObject) [Select-String],  
ParameterBindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (      ...cumentary_gap",:PSObject) [Select-  
String], Parameter
```

```
BindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (          ...rnance ledger",:PSObject) [Select-String], Parameter
```

```
BindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (          inputSchema={:PSObject) [Select-String], ParameterBind
```

```
ingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```



```
+ CategoryInfo      : InvalidArgument: (          "type": "object",:PSObject) [Select-String], Param
```

```
eterBindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (          "properties": {:PSObject) [Select-String], Paramet
```

```
erBindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (          ...ng content')"),:PSObject) [Select-String], Parameter
```

```
BindingException
```

+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...

+ ~~~~~

+ CategoryInfo : InvalidArgument: (...s referenced"},:PSObject) [Select-String], Parameter

BindingException

+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...

+ ~~~~~

+ CategoryInfo : InvalidArgument: (...nvestigation"},:PSObject) [Select-String], Parameter

BindingException

+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (          ...ly searched?":PSObject) [Select-String], Parameter
```

```
BindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (          ...d (optional)":PSObject) [Select-String], Parameter
```

```
BindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (          ...ed (optional)");PSObject) [Select-String], Parameter
```

```
BindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (          },:PSObject) [Select-String],  
ParameterBindingExce
```

```
ption
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (           ...nce", "status");PSObject) [Select-String], Parameter
```

```
BindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (           ):PSObject) [Select-String],  
ParameterBindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (           ):PSObject) [Select-String],  
ParameterBindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (      ):PSObject [Select-String],  
ParameterBindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (      ):PSObject [Select-String],  
ParameterBindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~~

+ CategoryInfo          : InvalidArgument: ( @server.call_tool():PSObject) [Select-String], ParameterBindingExc

ption

+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~~

+ CategoryInfo          : InvalidArgument: ( async def c...guments: dict)::PSObject) [Select-String], Parameter

BindingException

+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~~

+ CategoryInfo          : InvalidArgument: ( """"Rout...tody server.""":PSObject) [Select-String], Parameter
```

BindingException

+ FullyQualifiedErrorId :

InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...

+ ~~~~~

+ CategoryInfo : InvalidArgument: (logger....s {arguments}):PSObject)
[Select-String], Parameter

BindingException

+ FullyQualifiedErrorId :

InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...

+ ~~~~~

+ CategoryInfo : InvalidArgument: (:PSObject) [Select-String],
ParameterBindingException

+ FullyQualifiedErrorId :

InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: ( try::PSObject) [Select-String],  
ParameterBindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: ( if ...arch_messages":PSObject)  
[Select-String], Parameter
```

```
BindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (          ...earch_messages(:PSObject)
[Select-String], Parameter
```

```
BindingException
```

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (          ...t("custodian"),:PSObject) [Select-
String], Parameter
```

```
BindingException
```

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (      ...get("keyword"),:PSObject) [Select-String], Parameter
```

```
BindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (      ...date_contains"):PSObject) [Select-String], Parameter
```

```
BindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (      ):PSObject) [Select-String],  
ParameterBindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (      elif name == "list_folder":PSObject) [Select-String], Par
```

```
ameterBindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (      ...t("custodian")):PSObject) [Select-String], Parameter
```

```
BindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~  
  
+ CategoryInfo          : InvalidArgument: (      elif name == "read_file"::PSObject)  
[Select-String], Param  
  
eterBindingException  
  
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~  
  
+ CategoryInfo          : InvalidArgument: (      ...et("filepath")):PSObject) [Select-  
String], Parameter  
  
BindingException  
  
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (      elif name == "get_headers"::PSObject)
[Select-String], Par
```

```
ameterBindingException
```

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (      ...et("filepath")):PSObject) [Select-
String], Parameter
```

```
BindingException
```

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (      eli...hash_document":PSObject)
[Select-String], Parameter
```

BindingException

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (      ...et("filepath")):PSObject) [Select-
String], Parameter
```

BindingException

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (      elif name == "verify_hash":PSObject)
[Select-String], Par
```

ameterBindingException

+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...

+ ~~~~~

+ CategoryInfo : InvalidArgument: (...dy.verify_hash(:PSObject) [Select-String], Parameter

BindingException

+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...

+ ~~~~~

+ CategoryInfo : InvalidArgument: (...et("filepath"),:PSObject) [Select-String], Parameter

BindingException

+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (      ...expected_hash"):PSObject) [Select-String], Parameter
```

```
BindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (      ):PSObject) [Select-String],  
ParameterBindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (eli...cumentary_gap":PSObject)
[Select-String], Parameter
```

```
BindingException
```

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (...ocumentary_gap(:PSObject)
[Select-String], Parameter
```

```
BindingException
```

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (      ...p_identified"),:PSObject) [Select-String], Parameter
```

```
BindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (      ...n_identified"),:PSObject) [Select-String], Parameter
```

```
BindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (      ...significance"),:PSObject) [Select-String], Parameter
```

```
BindingException
```

+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...

+ ~~~~~

+ CategoryInfo : InvalidArgument: (....get("status"),:PSObject) [Select-String], Parameter

BindingException

+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...

+ ~~~~~

+ CategoryInfo : InvalidArgument: (...e_message_id"),:PSObject) [Select-String], Parameter

BindingException

+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (      ...ts.get("stage"):PSObject) [Select-String], Parameter
```

```
BindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (      ):PSObject) [Select-String],  
ParameterBindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (      else::PSObject) [Select-String],  
ParameterBindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (      return CallToolResult(:PSObject)  
[Select-String], Para
```

```
meterBindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (      ...ool: {name}"),:PSObject) [Select-  
String], Parameter
```

BindingException

+ FullyQualifiedErrorId :

InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...

+ ~~~~~

+ CategoryInfo : InvalidArgument: (isError=True:PSObject) [Select-String], ParameterB

indingException

+ FullyQualifiedErrorId :

InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...

+ ~~~~~

+ CategoryInfo : InvalidArgument: ():PSObject) [Select-String],
ParameterBindingException

+ FullyQualifiedErrorId :

InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (      :PSObject) [Select-String],  
ParameterBindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (      return CallToolResult(:PSObject)  
[Select-String], Paramete
```

```
rBindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102


```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (      ...umps(result)),:PSObject) [Select-String], Parameter
```

```
BindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (      isError=False:PSObject) [Select-String], ParameterBind
```

```
ingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (      ):PSObject [Select-String],
ParameterBindingException
```

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (      :PSObject) [Select-String],
ParameterBindingException
```

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (      except Exception as e::PSObject)
[Select-String], ParameterBin
dingException
```

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: ( log...ll error: {e}):PSObject) [Select-String], Parameter
```

```
BindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: ( return CallToolResult(:PSObject)  
[Select-String], Paramete
```

```
rBindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (      ...r: {str(e)}"),:PSObject) [Select-String], Parameter
```

```
BindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (      isError=True:PSObject) [Select-String], ParameterBindi
```

```
ngException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (      ):PSObject [Select-String],
ParameterBindingException
```

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: ( :PSObject) [Select-String],
ParameterBindingException
```

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: ( logger.info...zed and ready"):PSObject)
[Select-String], Parameter
```

```
BindingException
```

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: ( logger.info(f"Available tools:"):PSObject)
[Select-String], Parame
```

```
terBindingException
```

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: ( logger.info...ate_contains"):PSObject)
[Select-String], Parameter
```

```
BindingException
```

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: ( logger.info...er(custodian)":PSObject)
[Select-String], Parameter
```

BindingException

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: ( logger.info...ile(filepath)":PSObject)
[Select-String], Parameter
```

BindingException

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: ( logger.info...ers(filepath)":PSObject)
[Select-String], Parameter
```

BindingException

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: ( logger.info...ent(filepath)":PSObject)
[Select-String], Parameter
```

BindingException

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: ( logger.info...xpected_hash)":PSObject)
[Select-String], Parameter
```

BindingException

+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...

+ ~~~~~

+ CategoryInfo : InvalidArgument: (logger.info...id], [stage]):PSObject)
[Select-String], Parameter

BindingException

+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...

+ ~~~~~

+ CategoryInfo : InvalidArgument: (logger.info(f''):PSObject) [Select-String],
ParameterBindingExcept

ion

+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: ( logger.info...tocol active"):PSObject)
[Select-String], Parameter
```

BindingException

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: ( logger.info...r on stdio..."):PSObject)
[Select-String], Parameter
```

BindingException

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: ( :PSObject) [Select-String],  
ParameterBindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: ( # Start ser...tMCP 1.29.0 API:PSObject)  
[Select-String], Parameter
```

```
BindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (  async with ... write_stream)::PSObject)
[Select-String], Parameter
```

BindingException

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (  logger....ning on stdio"):PSObject)
[Select-String], Parameter
```

BindingException

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (  await server.run(:PSObject) [Select-
String], ParameterBindingE
```

xception

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (      read_stream,:PSObject) [Select-String], ParameterBindingEx
```

ception

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (      write_stream,:PSObject) [Select-String], ParameterBindingE
```

xception

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (      ser...ation_options():PSObject) [Select-String], Parameter
```

```
BindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (      ):PSObject) [Select-String],  
ParameterBindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (:PSObject) [Select-String],  
ParameterBindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (:PSObject) [Select-String],  
ParameterBindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (if __name__ == "__main__":PSObject)  
[Select-String], ParameterBinding
```

```
Exception
```

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: ( try::PSObject) [Select-String],
ParameterBindingException
```

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: ( async.run(main()):PSObject) [Select-
String], ParameterBindin
gException
```

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (    except KeyboardInterrupt::PSObject)
[Select-String], ParameterBind
```

```
ingException
```

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: (    logger.....d by operator"):PSObject)
[Select-String], Parameter
```

```
BindingException
```

```
+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: ( sys.exit(0):PSObject) [Select-String],  
ParameterBindingExcepti
```

```
on
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo          : InvalidArgument: ( except Exception as e::PSObject) [Select-  
String], ParameterBinding
```

```
Exception
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (    logger....p failed: {e}):PSObject) [Select-String], Parameter
```

```
BindingException
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (    import traceback:PSObject) [Select-String], ParameterBindingEx
```

```
ception
```

```
+ FullyQualifiedErrorId :  
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand
```

Select-String : The input object cannot be bound to any parameters for the command either because the command does not

take pipeline input or the input and its properties do not match any of the parameters that take pipeline input.

At line:1 char:102

```
+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...
```

```
+ ~~~~~
```

```
+ CategoryInfo      : InvalidArgument: (    traceback.print_exc():PSObject) [Select-String], ParameterBind
```

```
ingException
```

+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand

Select-String : The input object cannot be bound to any parameters for the command
either because the command does not

take pipeline input or the input and its properties do not match any of the parameters
that take pipeline input.

At line:1 char:102

+ ... server_v1_4_2.py") | Select-String -A 15 'name="verify_hash"' | Selec ...

+ ~~~~~

+ CategoryInfo : InvalidArgument: (sys.exit(1):PSObject) [Select-String],
ParameterBindingExcepti

on

+ FullyQualifiedErrorId :
InputObjectNotBound,Microsoft.PowerShell.Commands.SelectStringCommand