

Manual Windows Guide for Dossier Space Experiment

Using PowerShell and Mistral AI in Chat for Legal Corpus Analysis

Table of Contents

- 1. Introduction
- 2. Step 1: Download the Emails Locally
- 3. Step 2: Extract Text from Emails
- 4. Step 3: Chunk the Extracted Text
- 5. Step 4: Analyze Chunks with Dossier Space Primers
- 6. Step 5: Store Results (Optional)
- 7. Summary of Your Manual Workflow
- 8. Appendix: PowerShell Scripts

1. Introduction

Purpose

This guide provides a **manual, Windows-friendly, and PowerShell-based approach** to analyze a legal corpus (e.g., Enron emails) using your **Dossier Space** methodology. The goal is to:

- Use **PowerShell scripts** for preprocessing and chunking.
- Leverage **this chat** (Mistral AI) to apply your **Procedural, ROMER, and Agentic Primers**.
- Store results in a **simple CSV file** for tracking.

Key Concepts

Concept	Description
Dossier Space	Your framework for structured, auditable, and interrogable AI-assisted legal analysis.
Primers	Procedural, ROMER, and Agentic templates to precondition analysis.
PowerShell	Windows scripting tool for automating tasks like downloading, extracting, and chunking text.

2. Step 1: Download the Emails Locally

Option A: Manual Download (Simple)

1. Open the link in your browser: <https://dossierspace.xplain-r.com/mailldir/allen-p/>.
2. **Download the entire folder** (or specific emails) to your local machine:
 - Right-click on the folder or individual files and select "**Save As**" or "**Download**".
 - Save them to a local directory, e.g., C:\EnronCorpus\allen-p\.

Option B: PowerShell Download (Automated)

If the files are accessible via HTTP, use PowerShell to **bulk-download** them.

PowerShell Script: Download-Emails.ps1

```
# Define the URL and local path
$baseUrl = "https://dossierspace.xplain-r.com/mailldir/allen-p/"
$localPath = "C:\EnronCorpus\allen-p\"
if (-not (Test-Path $localPath)) { New-Item -ItemType Directory -Path $localPath | Out-Null }

# Download all files in the directory
Invoke-WebRequest -Uri $baseUrl -OutFile "$localPath\index.html"
$files = (Get-Content "$localPath\index.html" -Raw) -split "<a href=\"" | Where-Object { $_ -match '>' } | ForEach-Object { $_ -replace '">', "" }

foreach ($file in $files) {
    if ($file -ne "" -and $file -ne "../" -and $file -ne "./") {
        $fileUrl = $baseUrl + $file
        $localFile = "$localPath\$file"
        if ($file -like "*.html") {
            Invoke-WebRequest -Uri $fileUrl -OutFile $localFile
        } else {
            # For non-HTML files (e.g., .txt, .eml)
            Invoke-WebRequest -Uri $fileUrl -OutFile $localFile
        }
    }
}
```

How to Run

1. Save the script as C:\Download-Emails.ps1.
2. Open **PowerShell as Administrator** and run:

```
Set-ExecutionPolicy -Scope Process -ExecutionPolicy Bypass
C:\Download-Emails.ps1
```

3. **Output:** All files from the directory will be saved to C:\EnronCorpus\allen-p\.
-

3. Step 2: Extract Text from Emails

If the files are in `.eml` (email) format, extract their text content using PowerShell.

PowerShell Script: Extract-EmailText.ps1

```
$emailPath = "C:\EnronCorpus\allen-p\"
$outputPath = "C:\EnronCorpus\allen-p-text\"
if (-not (Test-Path $outputPath)) { New-Item -ItemType Directory -Path $outputPath | Out-Null }

Get-ChildItem -Path $emailPath -Filter *.eml | ForEach-Object {
    $emailContent = Get-Content -Path $_.FullName -Raw
    # Extract the body (simplified; may need adjustments for complex emails)
    $body = ($emailContent -split "\n\n")[1] # Assumes body is after headers
    $outputFile = "$outputPath\$($_.BaseName).txt"
    $body | Out-File -FilePath $outputFile -Encoding UTF8
}
```

How to Run

1. Save as `C:\Extract-EmailText.ps1`.
2. Run in PowerShell:

```
C:\Extract-EmailText.ps1
```

3. **Output:** Text files in `C:\EnronCorpus\allen-p-text\`.

4. Step 3: Chunk the Extracted Text

Use PowerShell to split the text into smaller chunks for analysis.

PowerShell Script: Chunk-Corpus.ps1

```
$corpusPath = "C:\EnronCorpus\allen-p-text\"
$outputPath = "C:\EnronChunks\"
if (-not (Test-Path $outputPath)) { New-Item -ItemType Directory -Path $outputPath | Out-Null }

$chunkSize = 1000 # Words per chunk
$overlap = 200    # Words to overlap between chunks

Get-ChildItem -Path $corpusPath -Filter *.txt | ForEach-Object {
    $filePath = $_.FullName
    $fileName = $_.BaseName
    $text = Get-Content -Path $filePath -Raw
```

```
$words = $text -split "\s+"
$totalWords = $words.Count
$chunkId = 0

for ($i = 0; $i -lt $totalWords; $i += ($chunkSize - $overlap)) {
    $chunkWords = $words[$i..($i + $chunkSize - 1)]
    $chunkText = $chunkWords -join " "
    $chunkFileName = "$fileName_chunk$chunkId.txt"
    $chunkText | Out-File -FilePath "$outputPath\$chunkFileName" -Encoding UTF8
    $chunkId++
}
}
```

How to Run

1. Save as C:\Chunk-Corpus.ps1.
2. Run in PowerShell:

```
C:\Chunk-Corpus.ps1
```

3. **Output:** Chunks in C:\EnronChunks\.

5. Step 4: Analyze Chunks with Dossier Space Primers

How It Works

1. **You provide:**
 - A **query** (e.g., *"Find all emails about UK financial regulation breaches in 2005"*).
 - **1-3 chunks** from C:\EnronChunks\.
2. I'll **apply your primers** and return a **structured response** (ROMER format).

Example Workflow

- **You paste:**

***"Here's my first chunk:**

Source: allen-p_email1.txt Text: 'From: Allen P. To: Legal Team. Subject: Urgent: Offshore Accounts. We need to ensure the FSA doesn't find out about the Cayman Islands transactions. Let's meet tomorrow to discuss.' Hash: a1b2c3...

Apply the **Procedural and ROMER Primers** for the query: **'Find all emails about UK financial regulation breaches in 2005.'**"*

- I'll return:

Procedural Primer Check:

- Jurisdiction: UK (🇬🇧)
- Privilege risks: None detected.

ROMER Output:

- **Reasoning:** Chunk mentions hiding transactions from the FSA, a UK regulator.
- **Observations:** Potential breach of UK financial regulations.
- **Methods:** Manual review + primer application.
- **Evidence:** allen-p_email1.txt (hash: a1b2c3...).
- **Results:** 1 email flagged for potential breach.

Agentic Primer (Adversarial):

- Missing evidence: None.
- Logical flaws: None.
- Privilege risks: None.

Defensibility Score: (1, 1, 1)

6. Step 5: Store Results (Optional)

Save your analyses in a **CSV file** for tracking.

PowerShell Script: Save-Analysis.ps1

```
$analysis = @{}
    Query = "Find all emails about UK financial regulation breaches in 2005"
    ChunkSources = "allen-p_email1.txt, allen-p_email2.txt"
    ROMER_Output = @{
        Reasoning = "Chunk 1 mentions hiding transactions from the FSA, which is a UK regulator."
        Observations = "Potential breach of UK financial regulations."
```

```

        Methods = "Manual review + primer application"
        Evidence = "allen-p_email1.txt (hash: a1b2c3...)"
        Results = "1 email flagged for potential breach."
    }
    Defensibility_Score = "(1, 1, 1)"
    Timestamp = Get-Date -Format "yyyy-MM-dd HH:mm:ss"
}

$analysis | ConvertTo-Csv | Out-File -FilePath "C:\EnronAnalysis\analysis_results.csv" -Append

```

How to Run

1. Save as C:\Save-Analysis.ps1.
2. Run in PowerShell:

```
C:\Save-Analysis.ps1
```

3. **Output:** Results saved to C:\EnronAnalysis\analysis_results.csv.

7. Summary of Your Manual Workflow

Step	Action	Tool	Output
1	Download emails	Browser or Download-Emails.ps1	C:\EnronCorpus\allen-p\
2	Extract text	Extract-EmailText.ps1	C:\EnronCorpus\allen-p-text\
3	Chunk text	Chunk-Corpus.ps1	C:\EnronChunks\
4	Analyze chunks	This chat (paste chunks + query)	ROMER output + defensibility score
5	Save results	Save-Analysis.ps1	C:\EnronAnalysis\analysis_results.csv

8. Appendix: PowerShell Scripts

A. Download-Emails.ps1

```

$baseUrl = "https://dossierspace.xplain-r.com/maildir/allen-p/"
$localPath = "C:\EnronCorpus\allen-p\"
if (-not (Test-Path $localPath)) { New-Item -ItemType Directory -Path $localPath | Out-Null }

Invoke-WebRequest -Uri $baseUrl -OutFile "$localPath\index.html"
$files = (Get-Content "$localPath\index.html" -Raw) -split "<a href=\"" | Where-Object { $_ -match '>' } | ForEach-Object { $_ -replace '">', "" }

```

```

foreach ($file in $files) {
    if ($file -ne "" -and $file -ne "../" -and $file -ne ".") {
        $fileUrl = $baseUrl + $file
        $localFile = "$localPath\$file"
        Invoke-WebRequest -Uri $fileUrl -OutFile $localFile
    }
}

```

B. Extract-EmailText.ps1

```

$emailPath = "C:\EnronCorpus\allen-p\"
$outputPath = "C:\EnronCorpus\allen-p-text\"
if (-not (Test-Path $outputPath)) { New-Item -ItemType Directory -Path $outputPath | Out-Null }

Get-ChildItem -Path $emailPath -Filter *.eml | ForEach-Object {
    $emailContent = Get-Content -Path $_.FullName -Raw
    $body = ($emailContent -split "\n\n")[1]
    $outputFile = "$outputPath\$($_.BaseName).txt"
    $body | Out-File -FilePath $outputFile -Encoding UTF8
}

```

C. Chunk-Corpus.ps1

```

$corpusPath = "C:\EnronCorpus\allen-p-text\"
$outputPath = "C:\EnronChunks\"
if (-not (Test-Path $outputPath)) { New-Item -ItemType Directory -Path $outputPath | Out-Null }

$chunkSize = 1000
$overlap = 200

Get-ChildItem -Path $corpusPath -Filter *.txt | ForEach-Object {
    $filePath = $_.FullName
    $fileName = $_.BaseName
    $text = Get-Content -Path $filePath -Raw
    $words = $text -split "\s+"
    $totalWords = $words.Count
    $chunkId = 0

    for ($i = 0; $i -lt $totalWords; $i += ($chunkSize - $overlap)) {
        $chunkWords = $words[$i..($i + $chunkSize - 1)]
        $chunkText = $chunkWords -join " "
        $chunkFileName = "$fileName_chunk$chunkId.txt"
        $chunkText | Out-File -FilePath "$outputPath\$chunkFileName" -Encoding UTF8
        $chunkId++
    }
}

```

D. Save-Analysis.ps1

```
$analysis = @{
    Query = "Your query here"
    ChunkSources = "chunk1.txt, chunk2.txt"
    ROMER_Output = @{
        Reasoning = "Your reasoning here"
        Observations = "Your observations here"
        Methods = "Your methods here"
        Evidence = "Your evidence here"
        Results = "Your results here"
    }
    Defensibility_Score = "(X, Y, Z)"
    Timestamp = Get-Date -Format "yyyy-MM-dd HH:mm:ss"
}

$analysis | ConvertTo-Csv | Out-File -FilePath "C:
\EnronAnalysis\analysis_results.csv" -Append
```

Prepared for Kenneth Tombs | Manual Windows Approach for Dossier Space Experiment