

WEEK 4 ACTIVITY REPORT

Penetration Testing Project

Mediroza General Hospital

Project Information	Details
Cybersecurity Mentor	Waqas Karim, CCIE
Organisation	Networkwalks
Prepared by	Busiswa Zwane
Week	B082-Week 4
Assessment Type	Black-box Penetration Test
Target	https://medirozahospital.com
Duration	3 Days
Classification	Confidential

Prepared as an internship activity record

1. Introduction

During Week 4 of the internship, I worked on a controlled penetration-testing exercise for Mediroza General Hospital. The activity followed a black-box penetration-testing approach, beginning with reconnaissance and application analysis and progressing through initial access, protected PDF recovery, analysis of recovered files, identification of a database backup exposure, and documentation of the findings.

The exercise was conducted within the authorized educational environment specified in the project brief. The assessment was limited to the target domain, with social engineering and denial-of-service activities excluded from the scope. The overall objective was to identify vulnerabilities, demonstrate their impact where permitted, and document the results professionally.

The project milestones were M1 Initial Access, M2 Data Extraction, M3 Critical Data Exposure, and M4 Pentest Report. The activities in this document are arranged in the same progression so that the evidence and screenshots can be inserted beside the relevant steps.

1.1 Project Objectives

- Perform reconnaissance against the authorized target.
- Identify exposed entry points and authentication mechanisms.
- Assess input handling and document relevant application behaviour.
- Demonstrate access to the restricted patient-report area within the exercise.
- Recover and verify the three password-protected PDF reports.
- Analyze recovered file properties and metadata for further leads.
- Identify and document the exposed database backup and the sensitive information it contained.
- Prepare a professional penetration-testing report with findings, impact, risk and remediation.

1.2 Scope and Rules

Item	Scope
Target	medirozahospital.com
Testing type	Black-box penetration test
Included	Website/application reconnaissance, authentication analysis and in-scope vulnerability testing
Excluded	Social engineering and denial-of-service testing
Environment	Controlled educational environment with written authorization

The scope and milestone terminology above are based on the Week 4 project brief. The brief requires M1 to retrieve three confidential patient PDF lab reports, M2 to recover the encryption/password protection on all three, M3 to identify staff salary and shareholder information, and M4 to produce the final professional report.

2. Tools and Technologies Used

Tool / Technology	Purpose in the Activity
Kali Linux	Primary operating environment for reconnaissance and analysis.
Firefox	Browser-based inspection of the web application and authentication pages.
ping	Basic connectivity verification.
nslookup	DNS resolution and target verification.
curl	HTTP response and endpoint inspection.
Nmap	Port and service enumeration on the authorized target.
FFUF	Directory and resource enumeration.
Browser Developer Tools	Inspection of forms, requests and application behaviour.
NetworkWalks Password Cracker	Password recovery for the protected PDF files in the exercise.
RockYou wordlist	Alternative larger wordlist used after the built-in list did not recover PDF 3.
ExifTool	Extraction and analysis of PDF metadata.
PDF viewer	Verification that recovered passwords successfully opened the protected PDFs.
qpdf / pdftinfo	PDF property and encryption inspection where required.

The tools were used progressively rather than all at once. Reconnaissance tools were used first, followed by browser inspection and controlled application testing. File analysis tools were then used after the protected reports had been recovered.


3. M1 — Initial Access

M1 focused on reconnaissance, identifying exposed entry points, analyzing authentication mechanisms, examining input handling, and obtaining access to the restricted patient-report area. The project brief defines the M1 deliverable as proof of access together with three retrieved PDF files.

3.1 Connectivity and DNS Reconnaissance

The first activity was to confirm that the target was reachable and resolve its domain information. The target responded successfully to basic connectivity checks, and DNS resolution identified the target address used for the subsequent authorized service scan.

Tools used: ping, nslookup, curl



```
owethu@kali: ~  
Session Actions Edit View Help  
(owethu@kali)-[~]  
$ ping -c 4 medirozahospital.com  
PING medirozahospital.com (199.188.201.16) 56(84) bytes of data.  
64 bytes from server274-1.web-hosting.com (199.188.201.16): icmp_seq=1 ttl=255 time=319 ms  
64 bytes from server274-1.web-hosting.com (199.188.201.16): icmp_seq=2 ttl=255 time=331 ms  
64 bytes from server274-1.web-hosting.com (199.188.201.16): icmp_seq=3 ttl=255 time=313 ms  
64 bytes from server274-1.web-hosting.com (199.188.201.16): icmp_seq=4 ttl=255 time=341 ms  
  
— medirozahospital.com ping statistics —  
4 packets transmitted, 4 received, 0% packet loss, time 3029ms  
rtt min/avg/max/mdev = 313.083/326.037/341.282/10.809 ms  
(owethu@kali)-[~]  
$ nslookup medirozahospital.com  
Server:      8.8.8.8  
Address:     8.8.8.8#53  
  
Non-authoritative answer:  
Name:   medirozahospital.com  
Address: 199.188.201.16  
(owethu@kali)-[~]  
$ curl -I https://medirozahospital.com  
HTTP/2 200  
content-type: text/html  
last-modified: Fri, 04 Sep 2026 02:03:12 GMT  
accept-ranges: bytes  
content-length: 5445  
date: Tue, 15 Sep 2026 19:18:49 GMT  
server: LiteSpeed  
x-turbo-charged-by: LiteSpeed  
(owethu@kali)-[~]  
$ mkdir -p ~/mediroza-pentest/{recon,evidence,files,report}  
(owethu@kali)-[~]  
$
```

3.2 Web Service Enumeration

Nmap was used to inspect the authorized web services on ports 80 and 443. The results showed HTTP/HTTPS services and application/server information that was useful for understanding the exposed web surface.

Tool used: Nmap

```
(owethu@kali) [~]
$ nmap -Pn -sV --script=http-title,http-headers -p 80,443 199.188.201.16
Starting Nmap 7.98 ( https://nmap.org ) at 2026-09-15 21:26 +0200
Nmap scan report for server274-1.web-hosting.com (199.188.201.16)
Host is up (0.31s latency).

PORT      STATE SERVICE VERSION
80/tcp    open  http      OpenResty web app server 1.31.1.1
|_http-trane-info: Problem with XML parsing of /evox/about
|_http-headers:
|   Server: openresty/1.31.1.1
|   Date: Tue, 15 Sep 2026 19:27:03 GMT
|   Connection: close
|   Content-Type: text/html
|   Cache-Control: private, no-cache, no-store, must-revalidate, max-age=0
|   cf-edge-cache: no-cache
|_ (Request type: HEAD)
|_http-server-header: openresty/1.31.1.1
|_http-title: One moment, please...
443/tcp    open  ssl/http  OpenResty web app server 1.31.1.1
|_http-trane-info: Problem with XML parsing of /evox/about
|_http-server-header: openresty/1.31.1.1
|_http-headers:
|   Server: openresty/1.31.1.1
|   Date: Tue, 15 Sep 2026 19:27:03 GMT
|   Connection: close
|   Content-Type: text/html
|   Cache-Control: private, no-cache, no-store, must-revalidate, max-age=0
|   cf-edge-cache: no-cache
|_ (Request type: HEAD)
|_http-title: One moment, please...

Service detection performed. Please report any incorrect results at https://nmap.org/submit/ .
Nmap done: 1 IP address (1 host up) scanned in 27.45 seconds
(owethu@kali) [~]
```

3.3 Web Application Reconnaissance

The public website was reviewed to identify application entry points. The homepage exposed navigation options including the Staff Login and Patient Portal. These became the main authentication areas for further in-scope analysis.

Tools used: Firefox, Browser Developer Tools

Emergency: +27 11 555 0100 | Open 24/7

Back to site

+

Mediroza

HomeAboutDoctorsContact

Patient Portal

Staff Login

Internal staff access only.

Staff ID

Password

Sign in

© 2026 Mediroza General Hospital. All rights reserved. Powered by Mediroza CMS


3.4 Authentication Analysis — Staff Portal

The Staff Login page was inspected to understand how authentication was implemented. The form used a POST request with username and password fields. A deliberately invalid test login was submitted to observe the application's normal failure response.

Tools used: Firefox, Browser Developer Tools

Observation	Result
Endpoint	/staff/login.php
Method	POST
Input fields	username, password
Invalid test	Application returned an authentication failure message
Additional observation	Unexpected special-character input caused a database SQL syntax error


The SQL syntax error was documented as evidence of unsafe query construction and error disclosure. The result was treated as a potential SQL-injection-related weakness; the observed error alone was not recorded as proof of a successful database compromise.



3.5 Successful Initial Access

Following the lecturer-provided exercise workflow, access to the patient portal was successfully obtained. The portal displayed three password-protected laboratory reports. This provided the proof of access required for M1.

Tool used: Firefox



Insert screenshot of the authenticated patient portal showing the three reports.

Evidence handling note: patient names, identification numbers, medical results and other personal information should be redacted from the final report where they are not required to demonstrate the finding. Original evidence should remain securely stored in the authorized project evidence folder.

4. M2 — Data Extraction

M2 focused on the password protection applied to the three PDF reports. The exercise instructions required the encryption to be analyzed, a suitable recovery method to be selected, and the recovered contents to be verified.

4.1 PDF 1 Password Recovery

The first protected PDF was processed using the NetworkWalks password-cracking tool. The recovered password successfully opened the PDF, providing proof that the password recovery was successful.

Tool used: NetworkWalks Password Cracker

 **DICTIONARY ATTACK LAB**

Password Cracker through Dictionary Attacks

Hash every word in a wordlist and match it against a PDF password hash, the same idea John the Ripper uses.

- 1 Extract the \$pdf\$ hash in the [Hash Calculator](#)
- 2 Paste it below
- 3 Run the attack, then open your PDF with the password

Tried: 1 / 100

250 pw/s

1%

```
[*] Loaded wordlist: built-in list (100 entries)
[*] Target: PDF R3 / 128-bit / dictionary attack
[*] Deriving keys with MD5 + RC4...
██████████ ?
```

PASSWORD CRACKED SUCCESSFULLY



This is the PDF password. Open your PDF and enter it to unlock the file.

1 of 1 Automatic Zoom


Mediroza
 General Hospital

14 Cedar Avenue, Johannesburg, South Africa
 Tel: +27 11 555 0100
 medirozahospital.com

PATHOLOGY LABORATORY REPORT
CONFIDENTIAL

Patient Name:	Sipho Dlamini	Report Date:	2024-11-04
Patient ID:	MG-P-10231	Referring Dr:	Dr. Anita Naicker
Date of Birth:	1984-06-12	Specimen:	Whole blood (EDTA)
Gender:	Male	Lab Ref No:	LR-2024-1187

TEST	RESULT	UNIT	REFERENCE RANGE	FLAG
Haemoglobin	13.9	g/dL	13.0 - 17.0	Normal
White Cell Count	11.8	x10 ⁹ /L	4.0 - 11.0	HIGH
Platelet Count	245	x10 ⁹ /L	150 - 400	Normal
Fasting Glucose	5.4	mmol/L	3.9 - 5.5	Normal
Creatinine	88	umol/L	64 - 104	Normal

4.2 PDF 2 Password Recovery

The second protected PDF was processed using the same exercise tool. The recovered password successfully opened the second report.

Tool used: NetworkWalks Password Cracker

1 of 1

Automatic Zoom



Mediroza
General Hospital

14 Cedar Avenue, Johannesburg, South Africa
Tel: +27 11 555 0100
medirozahospital.com

PATHOLOGY LABORATORY REPORT

CONFIDENTIAL

Patient Name:**Priya Reddy**

Patient ID:**MG-P-10244**

Date of Birth:**1991-02-28**

Gender:**Female**

Report Date:**2024-11-05**

Referring Dr:**Dr. Johan van der Merwe**

Specimen:**Serum**


Lab Ref No:**LR-2024-1192**

TEST	RESULT	UNIT	REFERENCE RANGE	FLAG
Total Cholesterol	6.4	mmol/L	< 5.0	HIGH
LDL Cholesterol	4.1	mmol/L	< 3.0	HIGH
HDL Cholesterol	1.2	mmol/L	> 1.0	Normal
Triglycerides	1.8	mmol/L	< 1.7	HIGH
Fasting Glucose	4.9	mmol/L	3.9 - 5.5	Normal

4.3 PDF 3 — Initial Wordlist Attempt

The built-in 100-word list was first used against PDF 3. The tool exhausted all 100 entries without finding a match. This was recorded as a failed initial recovery attempt.

Tool used: NetworkWalks Password Cracker



4.4 PDF 3 — Alternative Wordlist

In accordance with the project instruction to try another approach when one method fails, a larger locally available wordlist, rockyou.txt, was selected from the Kali wordlists directory. The alternative approach successfully recovered the password for PDF 3.

Tools used: Kali Linux, NetworkWalks Password Cracker, RockYou wordlist

patient_report_3.pdf — Pathology Report - E. Thompson

File Edit View Go Bookmarks Help

Previous 1 (1 of 1) Next Fit Width

Files

Mediroza

General Hospital

14 Cedar Avenue, Johannesburg, South Africa
Tel: +27 11 555 0100
medirozahospital.com

PATHOLOGY LABORATORY REPORT

CONFIDENTIAL

Patient Name: Emily Thompson

Patient ID: MG-P-10258

Date of Birth: 1978-09-03

Gender: Female

Report Date: 2024-11-06

Referring Dr: Dr. Ahmed Kara

Specimen: Serum

Lab Ref No: LR-2024-1205

TEST	RESULT	UNIT	REFERENCE RANGE	FLAG
Haemoglobin	11.4	g/dL	12.0 - 15.5	LOW
Ferritin	9	ug/L	15 - 150	LOW
TSH	3.1	mIU/L	0.4 - 4.0	Normal
Vitamin D	42	nmol/L	50 - 125	LOW
Fasting Glucose	5.1	mmol/L	3.9 - 5.5	Normal

Report	Recovery Status	Verification
PDF 1	Successful	Recovered password opened the protected PDF.
PDF 2	Successful	Recovered password opened the protected PDF.
PDF 3	Successful	Alternative larger wordlist led to successful opening.

M2 was therefore completed with all three protected reports recovered and verified.

5. M3 — Critical Data Exposure

M3 required analysis of the recovered material, inspection of file properties, and identification of staff salary and shareholder information. The project brief also indicated that one finding would point toward further critical server exposure.


5.1 PDF Metadata Analysis

ExifTool was used to inspect the properties and metadata of the recovered PDF files. The first two reports showed consistent application metadata, including Mediroza CMS 1.4.2 and the Mediroza Lab Reporting Module.

Tool used: ExifTool

```
(owethu@kali)-[~/Downloads]
$ exiftool report1_open.pdf
ExifTool Version Number      : 13.50
File Name                    : report1_open.pdf
Directory                    : .
File Size                    : 2.8 kB
File Modification Date/Time  : 2026:09:16 18:47:11+02:00
File Access Date/Time       : 2026:09:16 18:47:11+02:00
File Inode Change Date/Time  : 2026:09:16 18:47:11+02:00
File Permissions             : -rw-rw-r--
File Type                    : PDF
File Type Extension          : pdf
MIME Type                    : application/pdf
PDF Version                  : 1.4
Linearized                   : No
Author                       : Mediroza Diagnostics Lab
Creator                      : Mediroza CMS 1.4.2
Keywords                     : pathology, fbc, patient report
Producer                     : Mediroza Lab Reporting Module
Subject                      : Full Blood Count
Title                        : Pathology Report - S. Dlamini
Page Count                   : 1

(owethu@kali)-[~/Downloads]
$
```

A terminal window titled 'owethu@kali: ~/Downloads' showing the output of the 'exiftool report2_open.pdf' command. The output lists various metadata fields for the PDF file, including version, name, size, timestamps, permissions, and content details. A large 'KALI' watermark is visible in the background of the terminal output.

```
owethu@kali: ~/Downloads
Session Actions Edit View Help
Title : Pathology Report - S. Dlamini
Page Count : 1

(owethu@kali)~[~/Downloads]
$ exiftool report2_open.pdf
ExifTool Version Number : 13.50
File Name : report2_open.pdf
Directory : .
File Size : 2.8 kB
File Modification Date/Time : 2026:09:16 18:46:24+02:00
File Access Date/Time : 2026:09:16 18:46:24+02:00
File Inode Change Date/Time : 2026:09:16 18:46:24+02:00
File Permissions : -rw-rw-r--
File Type : PDF
File Type Extension : pdf
MIME Type : application/pdf
PDF Version : 1.4
Linearized : No
Author : Mediroza Diagnostics Lab
Creator : Mediroza CMS 1.4.2
Keywords : pathology, lipids, patient report
Producer : Mediroza Lab Reporting Module
Subject : Lipid Profile
Title : Pathology Report - P. Reddy
Page Count : 1

(owethu@kali)~[~/Downloads]
$
```

5.2 Critical Metadata Lead in PDF 3

PDF 3 contained a Comments metadata field indicating that a database backup had been moved to an /old location before a site migration. This was the key lead for further investigation in the authorized exercise.

Tool used: ExifTool

```

Session  Actions  Edit  View  Help
(owethu@kali)-[~/Downloads]
$ exiftool report3_open.pdf
ExifTool Version Number      : 13.50
File Name                    : report3_open.pdf
Directory                   : .
File Size                   : 2.9 kB
File Modification Date/Time  : 2026:09:16 18:45:39+02:00
File Access Date/Time       : 2026:09:16 18:45:40+02:00
File Inode Change Date/Time  : 2026:09:16 18:45:39+02:00
File Permissions             : -rw-rw-r--
File Type                   : PDF
File Type Extension         : pdf
MIME Type                   : application/pdf
PDF Version                 : 1.4
Linearized                  : No
Author                     : j.malik
Comments                    : DB backup moved to /old before site migrati
on, do not delete
Creator                    : Mediroza CMS 1.4.2
Keywords                   : pathology, patient report
Producer                   : Mediroza Lab Reporting Module
Subject                    : Full Blood Count
Title                     : Pathology Report - E. Thompson
Page Count                  : 1
(owethu@kali)-[~/Downloads]
$

```

5.3 Database Backup Discovery

The metadata lead resulted in the discovery of an SQL database backup associated with the hospital application. The backup identified the database as mediroza_hr and contained two relevant tables: staff and shareholders.

The staff table included a monthly_salary_zar field, while the shareholders table included shareholder name, share percentage, shares held and share class. This directly addressed the M3 requirement to identify staff salary and shareholder information.

Tools used: Browser/curl-based resource inspection, text/SQL analysis

[**SCREENSHOT 5.3 PLACEHOLDER**]

```

-- mediroza_db backup_2019.sql
-- Mediroza General Hospital - internal database backup
-- Generated by Mediroza CMS 1.4.2 backup module
-- Host: localhost Database: mediroza_hr
-- WARNING: contains confidential staff and shareholder records
-- Backup date: 2019-08-27 02:14:03

SET NAMES utf8mb4;
SET FOREIGN_KEY_CHECKS = 0;

--
-- Table structure for table `staff`
--
DROP TABLE IF EXISTS `staff`;
CREATE TABLE `staff` (
  `id` int(11) NOT NULL AUTO_INCREMENT,
  `full_name` varchar(120) NOT NULL,
  `job_title` varchar(120) NOT NULL,
  `department` varchar(80) NOT NULL,
  `email` varchar(120) NOT NULL,
  `phone` varchar(20) NOT NULL,
  `national_id` varchar(20) NOT NULL,
  `monthly_salary_zar` int(11) NOT NULL,
  `date_joined` date NOT NULL,
  PRIMARY KEY (`id`)
) ENGINE=InnoDB DEFAULT CHARSET=utf8mb4;

--
-- Dumping data for table `staff`
--
LOCK TABLES `staff` WRITE;
INSERT INTO `staff` (`id`,`full_name`,`job_title`,`department`,`email`,`phone`,`national_id`,`monthly_salary_zar`,`date_joined`)
VALUES
(1,'Dr. Rajesh Naidoo','Chief Pathologist','Diagnostics Lab','r.naidoo@medirozahospital.com','+27 82 101
2007','85021013011081',138000,'2009-03-16'),
(2,'Sarah Botha','Chief Financial Officer','Finance','s.botha@medirozahospital.com','+27 82 102
2014','85031023022082',152000,'2011-07-01'),
(3,'Dr. Johan van der Merwe','Medical Director','Management','j.merwe@medirozahospital.com','+27 82 103
2021','85041033033083',160000,'2007-01-22'),
(4,'Dr. Anita Naicker','Consultant Cardiologist','Cardiology','a.naicker@medirozahospital.com','+27 82 104
2028','85051043044084',132000,'2012-09-10'),
(5,'Dr. Ahmed Kara','Consultant Physician','Internal Medicine','a.kara@medirozahospital.com','+27 82 105
2025','85061053055085',120000,'2013-03-10'),

```

5.4 Readable Summary of Exposed Information

Exposed Data Category	Examples of Fields	Security Impact
Staff/HR information	Name, job title, department, salary, employment date	Confidential HR information disclosure
Contact information	Email and telephone fields	Exposure of staff contact information
Identity information	National ID field	Exposure of sensitive personal identifiers
Shareholder information	Name, ownership %, shares held, share class	Disclosure of confidential corporate ownership information

For the final submitted report, unnecessary personal identifiers should be redacted. The complete original evidence should be retained securely for assessment verification.

5.5 M3 Finding and Risk

Finding	Risk Rating	Justification
Exposed database backup containing confidential staff and shareholder records	Critical	The backup exposed sensitive HR information, salary information and corporate ownership data, creating significant information-disclosure impact.

The Critical rating is based on the nature and breadth of the information exposed and the fact that the backup represented an internal database resource rather than ordinary public website content.

6. Challenges Encountered

Several challenges were encountered during the assessment. These were useful learning points because they required the testing process to be adjusted rather than relying on a single technique.

- The website presented an anti-bot/browser verification page during some command-line requests, which made automated reconnaissance less straightforward.
- Some directory-enumeration results required manual verification because server responses produced false positives.
- The /patient/reports resource returned a 403 response when accessed without the required authentication, so the access state had to be confirmed through the normal application workflow.
- The initial 100-word password list did not recover PDF 3, requiring an alternative larger wordlist as directed by the exercise.
- The assessment generated confidential information, so evidence had to be handled carefully and unnecessary personal identifiers should not be reproduced in the final report.

6.1 Lessons Learned

- Reconnaissance results should be verified manually before being treated as confirmed findings.
- A failed technique does not necessarily mean that the underlying objective cannot be achieved; the methodology can be adapted using another permitted approach.
- File metadata can reveal useful technical information that is not visible in the document itself.
- Backups and old migration files can create significant security exposure when placed in publicly accessible locations.
- Professional penetration testing requires evidence, reproducibility, impact analysis and clear remediation—not only discovery of a vulnerability.

7. Recommendations and Remediation

Recommendation	Remediation
Remove exposed database backups	Remove SQL/database backups from publicly accessible web directories and ensure obsolete migration files are deleted.
Store backups outside the web root	Place backups in protected storage that cannot be requested directly through the web server.
Apply strict access controls	Use filesystem and web-server permissions to restrict access to administrative and backup resources.
Disable detailed production errors	Prevent database and application errors from exposing SQL syntax, implementation details or internal information to users.
Use secure database queries	Use parameterized queries/prepared statements and appropriate server-side input validation.
Review migration procedures	Include a security check for /old, backup, temporary and legacy directories whenever a site is migrated.
Protect sensitive documents	Apply appropriate access controls and secure handling for patient reports and other confidential records.
Perform regular exposure scans	Periodically scan the web root and application paths for backup files, old copies and other unintended public resources.

8. Conclusion

Week 4 provided practical experience across the main stages of a black-box penetration test. The assessment progressed from reconnaissance and authentication analysis to successful access to the restricted patient-report area, recovery of three protected PDF reports, metadata analysis and discovery of a database backup containing sensitive staff and shareholder information.

The work also demonstrated the importance of documenting unsuccessful attempts. The first password-recovery method did not work for PDF 3, but an alternative larger wordlist was selected and the report was successfully opened. This showed the value of adapting the methodology while remaining within the exercise requirements.

The final stage is to consolidate the evidence into the professional penetration-testing report required by M4, including the executive summary, scope and methodology, findings and proof of exploitation, risk ratings with justification, and recommendations for remediation.

9. Reference to Project Brief

This activity report follows the Week 4 Mediroza General Hospital project brief. The brief defines the assessment as a black-box penetration test in a controlled educational environment and sets out the M1–M4 milestones used in this report.

M1 — Initial Access: reconnaissance, exposed entry points, authentication analysis, input handling and retrieval of three confidential patient PDF lab reports.

M2 — Data Extraction: analysis of PDF encryption, password recovery and proof of recovered contents.

M3 — Critical Data Exposure: analysis of recovered material, file properties, staff salaries and shareholder details.

M4 — Pentest Report: Executive Summary, Scope and Methodology, Findings and Proof of Exploitation, Risk Rating, Recommendations and Remediation.