

GENERATED REFERENCE

Appendices A, B and C, and the tool reports, for the IdleWorlds Fantasy Skin handover

Extension	idleworlds-fantasy-skin v1.6.0 (Chrome MV3 content script)
Source commit	0590816 (branch main)
Prepared	17-18 September 2026 · PDF generated 2026-09-18
Documents	21 — appendix-a-file-inventory.md, appendix-b-css-rule-index/README.md, appendix-b-css-rule-index/base.css.md, ...
Source of truth	handoff/reskin-technical-handover/*.md in the repository

Nothing in this package was verified against the live game. Statements that need a check on the running application, its server or with the IdleWorlds team are marked **Verify** or **Assumption**.

CONTENTS

Appendix A – File inventory

.github/workflows	build-tools
(repository root)	claude
assets/fonts	claude/captures
assets	dist
assets/header	docs/superpowers
assets/header/zones	docs/traps
assets/inventory	docs
assets/quest-frames	handoff
assets/skills-ui/action-icons	src
assets/skills-ui/buttons	src/modules
assets/skills-ui	src/page
assets/village	src/styles
assets/world-bosses	tests

Appendix B – CSS rule index

base.css – rule index

@font-face	Rules
------------	-------

tooltip-engine.css – rule index

Rules

inventory.css – rule index

Rules

skillpanel.css – rule index

Rules

skillcard-v2.css – rule index

Rules

skillcard-v2-runtime-safe.css — rule index

Rules

card-button-atlas.css — rule index

Rules

card-buttons.css — rule index

Rules

header.css — rule index

Rules

overlay.css — rule index

Rules

ui-system.css — rule index

@keyframes

Rules

compact-buttons.css — rule index

Rules

village-scene.css — rule index

Rules

collapsible.css — rule index

Rules

header.claude.css — rule index (INACTIVE)

Rules

Appendix C — CSS dependency surface

- C.1 Host (game) hooks the stylesheets depend on
- C.2 Skin-owned hooks
- C.3 Fragile selector patterns
- C.4 :has() rules
- C.5 !important by property

- C.6 Custom properties
- C.7 Media and container queries
- C.8 Animations and transitions
- C.9 Pseudo-elements
- C.10 Pseudo-classes

Superseded declarations (identical selector, later rule wins)

tools/hook-census.md

JavaScript API census

Import graph

Per-file imports, events and listeners

APPENDIX A — FILE INVENTORY

Generated by `tools/file-inventory.mjs` from `git ls-files` at commit `059081671bf3af4490a025121f25f13ada142b7e`. **556 tracked files, 148.4 MB**. 325 of them (144.6 MB) ship in the release zip (the allowlist of `build-tools/package-release.mjs`).

Columns. *Ships:* included in `npm run package` output. *Runtime use:* how the running extension uses the file. The value is `bundled`, `fetches at runtime`, `CSS url()`, `JS assetUrl`, a template family, `not referenced at runtime`, or `UNREACHABLE`. *Description:* extracted from the file (first doc comment or heading, JSON keys, CSV header, image size) or from the asset-family pattern. Untracked and ignored local folders (browser profile, `tmp/`, `output/`, `release/`, `node_modules/`) are listed in §1.7.2, not here.

Group	Files	Size
.github/workflows	1	912 B
(repository root)	17	137.6 KB
assets/fonts	6	141.7 KB
assets	12	38.5 MB
assets/header	15	1.5 MB
assets/header/zones	68	8.4 MB
assets/inventory	2	51.4 KB
assets/quest-frames	4	1.6 MB
assets/skills-ui/action-icons	11	43.9 KB
assets/skills-ui/buttons	146	76.8 MB
assets/skills-ui	28	7.9 MB
assets/village	41	3.8 MB
assets/world-bosses	4	5.7 MB
build-tools	26	299.3 KB
claudio	49	365.1 KB
claudio/captures	2	48.4 KB
dist	1	668.3 KB
docs/superpowers	4	15.6 KB
docs/traps	14	258.8 KB
docs	1	5.0 KB

Group	Files	Size
handoff	7	339.4 KB
src	1	9.1 KB
src/modules	33	520.2 KB
src/page	1	3.1 KB
src/styles	15	576.1 KB
tests	47	638.3 KB

.GITHUB/WORKFLOWS

File	Size	Lines	Ships	Runtime use	Description
<code>.github/workflows/ci.yml</code>	912 B	42		—	Workflow: CI

(REPOSITORY ROOT)

File	Size	Lines	Ships	Runtime use	Description
<code>.gitignore</code>	1.1 KB	31		—	Git ignore rules
<code>CLAUDE.md</code>	23.1 KB	348		—	CLAUDE.md
<code>README.md</code>	9.3 KB	125		—	IdleWorlds Fantasy Skin
<code>STABILITY_NOTES.md</code>	3.9 KB	58		—	IdleWorlds Fantasy Skin — Stability and Validation Notes
<code>V1.5.0_UI_FOUNDATION.md</code>	2.9 KB	41		—	IdleWorlds Fantasy Skin v1.5.0 — Shared RPG UI Foundation
<code>V1.5.10_INVENTORY_CORRECTION.md</code>	1.7 KB	13		—	v1.5.10 — Inventory ItemRow correction
<code>V1.5.1_HUD_SKILLS_REFINEMENT.md</code>	1.6 KB	27		—	IdleWorlds Fantasy Skin v1.5.1 — HUD & Skills Refinement
<code>V1.5.2_LIVE_DOM_CORRECTIONS.md</code>	2.2 KB	30		—	v1.5.2 — Live DOM Corrections
<code>V1.5.3_DETERMINISTIC_LIVE_FIX.md</code>	1.1 KB	19		—	v1.5.3 — Deterministic live-DOM correction
<code>V1.5.7_CONSERVATIVE_FIX.md</code>	741 B	10		—	v1.5.7 Conservative Live-DOM Fix
<code>V1.5.8_TOOLTIP_OWNERSHIP_FIX.md</code>	1.8 KB	28		—	IdleWorlds Fantasy Skin v1.5.8 — Strict Tooltip Hover Ownership
<code>V1.5.9_INVENTORY_ITEMROW.md</code>	2.8 KB	71		—	IdleWorlds Fantasy Skin v1.5.9 — Inventory ItemRow Foundation
<code>V1.6.0_MOBILE_LAYOUT_AUDIT.md</code>	32.5 KB	592		—	V1.6.0 — Mobile layout audit and refactor plan

File	Size	Lines	Ships	Runtime use	Description
VISUAL_NOTES.md	2.9 KB	38		—	IdleWorlds Fantasy Skin v1.4.2 — Ashen Iron visual pass
manifest.json	1.3 KB	53	✓	extension manifest	JSON: manifest_version, name, version, description, permissions, host_permissions, ...
package-lock.json	45.2 KB			—	npm lockfile (exact dev-dependency versions)
package.json	3.6 KB	32		—	JSON: name, version, private, type, description, scripts, ...

ASSETS/FONTS

File	Size	Lines	Ships	Runtime use	Description
assets/fonts/barlow-400.woff2	22.2 KB		✓	CSS url()	Web font: barlow-400
assets/fonts/barlow-500.woff2	22.0 KB		✓	CSS url()	Web font: barlow-500
assets/fonts/barlow-600.woff2	22.8 KB		✓	CSS url()	Web font: barlow-600
assets/fonts/barlow-700.woff2	22.8 KB		✓	CSS url()	Web font: barlow-700
assets/fonts/cinzel-variable.woff2	25.9 KB		✓	CSS url()	Web font: cinzel-variable
assets/fonts/crimson-text-italic.woff2	26.1 KB		✓	CSS url()	Web font: crimson-text-italic

ASSETS

File	Size	Lines	Ships	Runtime use	Description
assets/gear_icons_atlas.png	25.7 MB		✓	JS assetUrl	1280×19584 px
assets/gear_icons_manifest.json	209.5 KB	11471	✓	fetches at runtime	JSON: version, cell_size, display_cell_size, pixel_ratio, columns, rows, ...
assets/item_icons_atlas.png	12.2 MB		✓	JS assetUrl	1280×6144 px
assets/item_icons_index.csv	222.5 KB	1270	✓	fetches at runtime	CSV (1269 rows): item_id, name, category, subcategory, tier, group...
assets/skills_icons_atlas.webp	70.9 KB		✓	named by fetched index	672×224 px
assets/skills_icons_index.json	2.6 KB	144	✓	fetches at runtime	JSON: version, atlas, width, height, cellWidth, cellHeight, ...
assets/skills_nav_next.svg	1.4 KB	14	✓	JS assetUrl	SVG (viewBox 0 0 128 128)
assets/skills_nav_prev.svg	1.4 KB	14	✓	JS assetUrl	SVG (viewBox 0 0 128 128)
assets/skills_panel_texture.webp	2.2 KB		✓	CSS url() + JS	256×256 px
assets/skills_ui_atlas.webp	90.2 KB		✓	named by fetched index	860×463 px

File	Size	Lines	Ships	Runtime use	Description
assets/skills_ui_index.json	1.8 KB	104	✓	fetches at runtime	JSON: version, atlas, width, height, entries
assets/skills_xp_plaque_wide.webp	10.1 KB		✓	not referenced at runtime	300×100 px

ASSETS/HEADER

File	Size	Lines	Ships	Runtime use	Description
assets/header/announcement_frame.webp	128.5 KB		✓	JS assetUrl	2148×349 px
assets/header/header_crest.webp	220.7 KB		✓	JS assetUrl	565×933 px
assets/header/header_divider.webp	30.3 KB		✓	JS assetUrl	730×170 px
assets/header/header_frame.webp	195.6 KB		✓	JS assetUrl	2172×706 px
assets/header/header_surface.webp	262.8 KB		✓	JS assetUrl	2150×435 px
assets/header/nav_active.webp	58.9 KB		✓	JS assetUrl	641×257 px
assets/header/nav_idle.webp	46.0 KB		✓	JS assetUrl	635×255 px
assets/header/nav_rail.webp	85.0 KB		✓	JS assetUrl	1442×243 px
assets/header/status_frame.webp	56.0 KB		✓	JS assetUrl	841×166 px
assets/header/utility_frame.webp	18.7 KB		✓	JS assetUrl	208×197 px
assets/header/zone_button_active.webp	107.8 KB		✓	JS assetUrl	1331×274 px
assets/header/zone_button_idle.webp	74.6 KB		✓	JS assetUrl	1335×198 px
assets/header/zone_button_teal.webp	87.1 KB		✓	JS assetUrl	1368×281 px
assets/header/zone_frame.webp	87.9 KB		✓	JS assetUrl	1418×247 px
assets/header/zone_scene.webp	62.2 KB		✓	JS assetUrl	1416×171 px

ASSETS/HEADER/ZONES

File	Size	Lines	Ships	Runtime use	Description
assets/header/zones/zone_1.webp	185.7 KB		✓	JS assetUrl (zone template)	Zone 1 header painting (desktop strip) – 1792×440 px
assets/header/zones/zone_10.webp	159.9 KB		✓	JS assetUrl (zone template)	Zone 10 header painting (desktop strip) – 1792×440 px
assets/header/zones/zone_10_mobile.webp	116.1 KB		✓	JS assetUrl (zone template)	Zone 10 header painting (mobile portrait crop) – 768×880 px

File	Size	Lines	Ships	Runtime use	Description
assets/header/zones/zone_11.webp	113.6 KB		✓	JS assetUrl (zone template)	Zone 11 header painting (desktop strip) – 1792×440 px
assets/header/zones/zone_11_mobile.webp	36.5 KB		✓	JS assetUrl (zone template)	Zone 11 header painting (mobile portrait crop) – 768×880 px
assets/header/zones/zone_12.webp	181.2 KB		✓	JS assetUrl (zone template)	Zone 12 header painting (desktop strip) – 1792×440 px
assets/header/zones/zone_12_mobile.webp	112.4 KB		✓	JS assetUrl (zone template)	Zone 12 header painting (mobile portrait crop) – 768×880 px
assets/header/zones/zone_13.webp	129.4 KB		✓	JS assetUrl (zone template)	Zone 13 header painting (desktop strip) – 1792×440 px
assets/header/zones/zone_13_mobile.webp	82.2 KB		✓	JS assetUrl (zone template)	Zone 13 header painting (mobile portrait crop) – 768×880 px
assets/header/zones/zone_14.webp	167.4 KB		✓	JS assetUrl (zone template)	Zone 14 header painting (desktop strip) – 1792×440 px
assets/header/zones/zone_14_mobile.webp	115.8 KB		✓	JS assetUrl (zone template)	Zone 14 header painting (mobile portrait crop) – 768×880 px
assets/header/zones/zone_15.webp	141.8 KB		✓	JS assetUrl (zone template)	Zone 15 header painting (desktop strip) – 1792×440 px
assets/header/zones/zone_15_mobile.webp	87.2 KB		✓	JS assetUrl (zone template)	Zone 15 header painting (mobile portrait crop) – 768×880 px
assets/header/zones/zone_16.webp	125.1 KB		✓	JS assetUrl (zone template)	Zone 16 header painting (desktop strip) – 1792×440 px
assets/header/zones/zone_16_mobile.webp	68.4 KB		✓	JS assetUrl (zone template)	Zone 16 header painting (mobile portrait crop) – 768×880 px
assets/header/zones/zone_17.webp	122.1 KB		✓	JS assetUrl (zone template)	Zone 17 header painting (desktop strip) – 1792×440 px
assets/header/zones/zone_17_mobile.webp	96.0 KB		✓	JS assetUrl (zone template)	Zone 17 header painting (mobile portrait crop) – 768×880 px
assets/header/zones/zone_18.webp	167.8 KB		✓	JS assetUrl (zone template)	Zone 18 header painting (desktop strip) – 1792×440 px
assets/header/zones/zone_18_mobile.webp	98.4 KB		✓	JS assetUrl (zone template)	Zone 18 header painting (mobile portrait crop) – 768×880 px
assets/header/zones/zone_19.webp	158.7 KB		✓	JS assetUrl (zone template)	Zone 19 header painting (desktop strip) – 1792×440 px
assets/header/zones/zone_19_mobile.webp	105.9 KB		✓	JS assetUrl (zone template)	Zone 19 header painting (mobile portrait crop) – 768×880 px
assets/header/zones/zone_1_mobile.webp	134.2 KB		✓	JS assetUrl (zone template)	Zone 1 header painting (mobile portrait crop) – 768×880 px
assets/header/zones/zone_2.webp	163.0 KB		✓	JS assetUrl (zone template)	Zone 2 header painting (desktop strip) – 1792×440 px
assets/header/zones/zone_20.webp	166.7 KB		✓	JS assetUrl (zone template)	Zone 20 header painting (desktop strip) – 1792×440 px
assets/header/zones/zone_20_mobile.webp	75.2 KB		✓	JS assetUrl (zone template)	Zone 20 header painting (mobile portrait crop) – 768×880 px
assets/header/zones/zone_21.webp	180.5 KB		✓	JS assetUrl (zone template)	Zone 21 header painting (desktop strip) – 1792×440 px
assets/header/zones/zone_21_mobile.webp	155.5 KB		✓	JS assetUrl (zone template)	Zone 21 header painting (mobile portrait crop) – 768×880 px
assets/header/zones/zone_22.webp	164.8 KB		✓	JS assetUrl (zone template)	Zone 22 header painting (desktop strip) – 1792×440 px
assets/header/zones/zone_22_mobile.webp	105.2 KB		✓	JS assetUrl (zone template)	Zone 22 header painting (mobile portrait crop) – 768×880 px
assets/header/zones/zone_23.webp	120.3 KB		✓	JS assetUrl (zone template)	Zone 23 header painting (desktop strip) – 1792×440 px
assets/header/zones/zone_23_mobile.webp	77.4 KB		✓	JS assetUrl (zone template)	Zone 23 header painting (mobile portrait crop) – 768×880 px

File	Size	Lines	Ships	Runtime use	Description
assets/header/zones/zone_24.webp	172.4 KB		✓	JS assetUrl (zone template)	Zone 24 header painting (desktop strip) – 1792×440 px
assets/header/zones/zone_24_mobile.webp	84.4 KB		✓	JS assetUrl (zone template)	Zone 24 header painting (mobile portrait crop) – 768×880 px
assets/header/zones/zone_25.webp	136.4 KB		✓	JS assetUrl (zone template)	Zone 25 header painting (desktop strip) – 1792×440 px
assets/header/zones/zone_25_mobile.webp	88.8 KB		✓	JS assetUrl (zone template)	Zone 25 header painting (mobile portrait crop) – 768×880 px
assets/header/zones/zone_26.webp	153.1 KB		✓	JS assetUrl (zone template)	Zone 26 header painting (desktop strip) – 1792×440 px
assets/header/zones/zone_26_mobile.webp	82.8 KB		✓	JS assetUrl (zone template)	Zone 26 header painting (mobile portrait crop) – 768×880 px
assets/header/zones/zone_27.webp	132.0 KB		✓	JS assetUrl (zone template)	Zone 27 header painting (desktop strip) – 1792×440 px
assets/header/zones/zone_27_mobile.webp	56.5 KB		✓	JS assetUrl (zone template)	Zone 27 header painting (mobile portrait crop) – 768×880 px
assets/header/zones/zone_28.webp	183.8 KB		✓	JS assetUrl (zone template)	Zone 28 header painting (desktop strip) – 1792×440 px
assets/header/zones/zone_28_mobile.webp	145.5 KB		✓	JS assetUrl (zone template)	Zone 28 header painting (mobile portrait crop) – 768×880 px
assets/header/zones/zone_29.webp	135.5 KB		✓	JS assetUrl (zone template)	Zone 29 header painting (desktop strip) – 1792×440 px
assets/header/zones/zone_29_mobile.webp	82.1 KB		✓	JS assetUrl (zone template)	Zone 29 header painting (mobile portrait crop) – 768×880 px
assets/header/zones/zone_2_mobile.webp	119.8 KB		✓	JS assetUrl (zone template)	Zone 2 header painting (mobile portrait crop) – 768×880 px
assets/header/zones/zone_3.webp	212.1 KB		✓	JS assetUrl (zone template)	Zone 3 header painting (desktop strip) – 1792×440 px
assets/header/zones/zone_30.webp	133.8 KB		✓	JS assetUrl (zone template)	Zone 30 header painting (desktop strip) – 1792×440 px
assets/header/zones/zone_30_mobile.webp	69.8 KB		✓	JS assetUrl (zone template)	Zone 30 header painting (mobile portrait crop) – 768×880 px
assets/header/zones/zone_31.webp	140.0 KB		✓	JS assetUrl (zone template)	Zone 31 header painting (desktop strip) – 1792×440 px
assets/header/zones/zone_31_mobile.webp	75.5 KB		✓	JS assetUrl (zone template)	Zone 31 header painting (mobile portrait crop) – 768×880 px
assets/header/zones/zone_32.webp	128.4 KB		✓	JS assetUrl (zone template)	Zone 32 header painting (desktop strip) – 1792×440 px
assets/header/zones/zone_32_mobile.webp	73.2 KB		✓	JS assetUrl (zone template)	Zone 32 header painting (mobile portrait crop) – 768×880 px
assets/header/zones/zone_33.webp	145.4 KB		✓	JS assetUrl (zone template)	Zone 33 header painting (desktop strip) – 1792×440 px
assets/header/zones/zone_33_mobile.webp	78.0 KB		✓	JS assetUrl (zone template)	Zone 33 header painting (mobile portrait crop) – 768×880 px
assets/header/zones/zone_34.webp	165.5 KB		✓	JS assetUrl (zone template)	Zone 34 header painting (desktop strip) – 1792×440 px
assets/header/zones/zone_34_mobile.webp	108.4 KB		✓	JS assetUrl (zone template)	Zone 34 header painting (mobile portrait crop) – 768×880 px
assets/header/zones/zone_3_mobile.webp	152.0 KB		✓	JS assetUrl (zone template)	Zone 3 header painting (mobile portrait crop) – 768×880 px
assets/header/zones/zone_4.webp	180.9 KB		✓	JS assetUrl (zone template)	Zone 4 header painting (desktop strip) – 1792×440 px
assets/header/zones/zone_4_mobile.webp	122.5 KB		✓	JS assetUrl (zone template)	Zone 4 header painting (mobile portrait crop) – 768×880 px
assets/header/zones/zone_5.webp	182.0 KB		✓	JS assetUrl (zone template)	Zone 5 header painting (desktop strip) – 1792×440 px

File	Size	Lines	Ships	Runtime use	Description
assets/header/zones/zone_5_mobile.webp	110.2 KB		✓	JS assetUrl (zone template)	Zone 5 header painting (mobile portrait crop) – 768×880 px
assets/header/zones/zone_6.webp	160.2 KB		✓	JS assetUrl (zone template)	Zone 6 header painting (desktop strip) – 1792×440 px
assets/header/zones/zone_6_mobile.webp	69.6 KB		✓	JS assetUrl (zone template)	Zone 6 header painting (mobile portrait crop) – 768×880 px
assets/header/zones/zone_7.webp	119.2 KB		✓	JS assetUrl (zone template)	Zone 7 header painting (desktop strip) – 1792×440 px
assets/header/zones/zone_7_mobile.webp	64.0 KB		✓	JS assetUrl (zone template)	Zone 7 header painting (mobile portrait crop) – 768×880 px
assets/header/zones/zone_8.webp	171.0 KB		✓	JS assetUrl (zone template)	Zone 8 header painting (desktop strip) – 1792×440 px
assets/header/zones/zone_8_mobile.webp	82.6 KB		✓	JS assetUrl (zone template)	Zone 8 header painting (mobile portrait crop) – 768×880 px
assets/header/zones/zone_9.webp	124.1 KB		✓	JS assetUrl (zone template)	Zone 9 header painting (desktop strip) – 1792×440 px
assets/header/zones/zone_9_mobile.webp	90.7 KB		✓	JS assetUrl (zone template)	Zone 9 header painting (mobile portrait crop) – 768×880 px

ASSETS/INVENTORY

File	Size	Lines	Ships	Runtime use	Description
assets/inventory/panel_corners.webp	34.5 KB		✓	CSS url()	176×190 px
assets/inventory/separator_flourish.webp	16.8 KB		✓	CSS url()	219×73 px

ASSETS/QUEST-FRAMES

File	Size	Lines	Ships	Runtime use	Description
assets/quest-frames/README.md	1.3 KB	25		documentation (not shipped)	Quest icon frames
assets/quest-frames/approved-frames.png	1.6 MB		✓	CSS url()	1254×1254 px
assets/quest-frames/index.json	1.2 KB	70	✓	not referenced at runtime	JSON: atlas, width, height, entries
assets/quest-frames/prompt.txt	2.9 KB	20		documentation (not shipped)	Use case: stylized-concept.

ASSETS/SKILLS-UI/ACTION-ICONS

File	Size	Lines	Ships	Runtime use	Description
assets/skills-ui/action-icons/alchemy.svg	5.8 KB	1	✓	CSS url()	V2 action-button icon: alchemy

File	Size	Lines	Ships	Runtime use	Description
assets/skills-ui/action-icons/combat.svg	3.7 KB	1	✓	CSS url()	V2 action-button icon: combat
assets/skills-ui/action-icons/construction.svg	9.4 KB	1	✓	CSS url()	V2 action-button icon: construction
assets/skills-ui/action-icons/gathering.svg	5.8 KB	1	✓	CSS url()	V2 action-button icon: gathering
assets/skills-ui/action-icons/index.json	209 B	14	✓	not referenced at runtime	JSON: skills
assets/skills-ui/action-icons/jewelcrafting.svg	4.5 KB	1	✓	CSS url()	V2 action-button icon: jewelcrafting
assets/skills-ui/action-icons/mining.svg	2.9 KB	1	✓	CSS url()	V2 action-button icon: mining
assets/skills-ui/action-icons/smithing.svg	2.4 KB	1	✓	CSS url()	V2 action-button icon: smithing
assets/skills-ui/action-icons/spellcrafting.svg	1.8 KB	1	✓	CSS url()	V2 action-button icon: spellcrafting
assets/skills-ui/action-icons/tailoring.svg	3.3 KB	1	✓	CSS url()	V2 action-button icon: tailoring
assets/skills-ui/action-icons/woodcutting.svg	4.1 KB	1	✓	CSS url()	V2 action-button icon: woodcutting

ASSETS/SKILLS-UI/BUTTONS

File	Size	Lines	Ships	Runtime use	Description
assets/skills-ui/buttons/README.md	952 B	13		documentation (not shipped)	Button artwork
assets/skills-ui/buttons/card-v6/README.md	2.3 KB	45		documentation (not shipped)	Skill card button graphics
assets/skills-ui/buttons/card-v6/action-atlas.png	1.4 MB		✓	CSS url()	887×1774 px
assets/skills-ui/buttons/card-v6/index.json	10.2 KB	552	✓	not referenced at runtime	JSON: themes, states, atlases, entries
assets/skills-ui/buttons/card-v6/nav-atlas.png	2.3 MB		✓	CSS url()	948×1659 px
assets/skills-ui/buttons/card-v6/preview.html	31.2 KB	79		documentation (not shipped)	Skill button artwork — all themes
assets/skills-ui/buttons/card-v6/prompts.json	3.8 KB	5		documentation (not shipped)	JSON: mode, action, navigation
assets/skills-ui/buttons/compact-ghost-v3/README.md	1.1 KB	23		documentation (not shipped)	Ghost Metal compact controls
assets/skills-ui/buttons/compact-ghost-v3/celestial.png	260.6 KB		✓	JS assetUrl (theme template)	Compact ghost-metal control atlas, celestial theme — 672×392 px
assets/skills-ui/buttons/compact-ghost-v3/forged-metal.png	304.0 KB		✓	JS assetUrl (theme template)	Compact ghost-metal control atlas, forged-metal theme — 672×392 px
assets/skills-ui/buttons/compact-ghost-v3/glacial.png	275.9 KB		✓	JS assetUrl (theme template)	Compact ghost-metal control atlas, glacial theme — 672×392 px
assets/skills-ui/buttons/compact-ghost-v3/index.json	1.1 KB	67	✓	not referenced at runtime	JSON: version, style, width, height, themes, states, ...

File	Size	Lines	Ships	Runtime use	Description
assets/skills-ui/buttons/compact-ghost-v3/infernal.png	268.1 KB		✓	JS assetUrl (theme template)	Compact ghost-metal control atlas, infernal theme — 672×392 px
assets/skills-ui/buttons/compact-ghost-v3/lunar-spectral.png	269.4 KB		✓	JS assetUrl (theme template)	Compact ghost-metal control atlas, lunar-spectral theme — 672×392 px
assets/skills-ui/buttons/compact-ghost-v3/preview.html	432.3 KB	9296		documentation (not shipped)	Ghost Metal controls · IdleWorlds
assets/skills-ui/buttons/compact-ghost-v3/registration.json	4.1 KB	344	✓	not referenced at runtime	JSON: forged-metal, infernal, glacial, celestial, lunar-spectral, runic-arcane, ...
assets/skills-ui/buttons/compact-ghost-v3/runic-arcane.png	277.0 KB		✓	JS assetUrl (theme template)	Compact ghost-metal control atlas, runic-arcane theme — 672×392 px
assets/skills-ui/buttons/compact-ghost-v3/tempest-oceanic.png	270.3 KB		✓	JS assetUrl (theme template)	Compact ghost-metal control atlas, tempest-oceanic theme — 672×392 px
assets/skills-ui/buttons/compact-ghost-v3/verdant.png	295.7 KB		✓	JS assetUrl (theme template)	Compact ghost-metal control atlas, verdant theme — 672×392 px
assets/skills-ui/buttons/compact-ghost-v3/voidborn.png	252.4 KB		✓	JS assetUrl (theme template)	Compact ghost-metal control atlas, voidborn theme — 672×392 px
assets/skills-ui/buttons/exact-v3/README.md	2.0 KB	17		documentation (not shipped)	Exact button states
assets/skills-ui/buttons/exact-v3/celestial/action-clicked.png	39.7 KB		✓	UNREACHABLE (dead branch, SIZE-01)	exact-v3 button state "action-clicked", celestial theme — 264×75 px
assets/skills-ui/buttons/exact-v3/celestial/action-hover.png	35.4 KB		✓	UNREACHABLE (dead branch, SIZE-01)	exact-v3 button state "action-hover", celestial theme — 264×75 px
assets/skills-ui/buttons/exact-v3/celestial/action-idle.png	45.6 KB		✓	UNREACHABLE (dead branch, SIZE-01)	exact-v3 button state "action-idle", celestial theme — 264×75 px
assets/skills-ui/buttons/exact-v3/celestial/action-secondary-clicked.png	39.7 KB		✓	UNREACHABLE (dead branch, SIZE-01)	exact-v3 button state "action-secondary-clicked", celestial theme — 264×75 px
assets/skills-ui/buttons/exact-v3/celestial/action-secondary-hover.png	36.9 KB		✓	UNREACHABLE (dead branch, SIZE-01)	exact-v3 button state "action-secondary-hover", celestial theme — 264×75 px
assets/skills-ui/buttons/exact-v3/celestial/action-secondary-idle.png	46.5 KB		✓	UNREACHABLE (dead branch, SIZE-01)	exact-v3 button state "action-secondary-idle", celestial theme — 264×75 px
assets/skills-ui/buttons/exact-v3/celestial/chevron-next-clicked.png	1.1 MB		✓	UNREACHABLE (dead branch, SIZE-01)	exact-v3 button state "chevron-next-clicked", celestial theme — 1068×1472 px
assets/skills-ui/buttons/exact-v3/celestial/chevron-next-hover.png	979.3 KB		✓	UNREACHABLE (dead branch, SIZE-01)	exact-v3 button state "chevron-next-hover", celestial theme — 1068×1472 px

File	Size	Lines	Ships	Runtime use	Description
assets/skills-ui/buttons/exact-v3/celestial/chevron-next-idle.png	1.3 MB		✓	UNREACHABLE (dead branch, SIZE-01)	exact-v3 button state "chevron-next-idle", celestial theme — 1068×1472 px
assets/skills-ui/buttons/exact-v3/celestial/chevron-prev-clicked.png	1.1 MB		✓	UNREACHABLE (dead branch, SIZE-01)	exact-v3 button state "chevron-prev-clicked", celestial theme — 1068×1472 px
assets/skills-ui/buttons/exact-v3/celestial/chevron-prev-hover.png	980.2 KB		✓	UNREACHABLE (dead branch, SIZE-01)	exact-v3 button state "chevron-prev-hover", celestial theme — 1068×1472 px
assets/skills-ui/buttons/exact-v3/celestial/chevron-prev-idle.png	1.3 MB		✓	UNREACHABLE (dead branch, SIZE-01)	exact-v3 button state "chevron-prev-idle", celestial theme — 1068×1472 px
assets/skills-ui/buttons/exact-v3/forged-metal/action-clicked.png	37.8 KB		✓	UNREACHABLE (dead branch, SIZE-01)	exact-v3 button state "action-clicked", forged-metal theme — 264×75 px
assets/skills-ui/buttons/exact-v3/forged-metal/action-hover.png	40.2 KB		✓	UNREACHABLE (dead branch, SIZE-01)	exact-v3 button state "action-hover", forged-metal theme — 264×75 px
assets/skills-ui/buttons/exact-v3/forged-metal/action-idle.png	44.6 KB		✓	UNREACHABLE (dead branch, SIZE-01)	exact-v3 button state "action-idle", forged-metal theme — 264×75 px
assets/skills-ui/buttons/exact-v3/forged-metal/action-secondary-clicked.png	39.2 KB		✓	UNREACHABLE (dead branch, SIZE-01)	exact-v3 button state "action-secondary-clicked", forged-metal theme — 264×75 px
assets/skills-ui/buttons/exact-v3/forged-metal/action-secondary-hover.png	41.9 KB		✓	UNREACHABLE (dead branch, SIZE-01)	exact-v3 button state "action-secondary-hover", forged-metal theme — 264×75 px
assets/skills-ui/buttons/exact-v3/forged-metal/action-secondary-idle.png	46.8 KB		✓	UNREACHABLE (dead branch, SIZE-01)	exact-v3 button state "action-secondary-idle", forged-metal theme — 264×75 px
assets/skills-ui/buttons/exact-v3/forged-metal/chevron-next-clicked.png	794.7 KB		✓	UNREACHABLE (dead branch, SIZE-01)	exact-v3 button state "chevron-next-clicked", forged-metal theme — 1254×1254 px
assets/skills-ui/buttons/exact-v3/forged-metal/chevron-next-hover.png	899.5 KB		✓	UNREACHABLE (dead branch, SIZE-01)	exact-v3 button state "chevron-next-hover", forged-metal theme — 1254×1254 px
assets/skills-ui/buttons/exact-v3/forged-metal/chevron-next-idle.png	977.2 KB		✓	UNREACHABLE (dead branch, SIZE-01)	exact-v3 button state "chevron-next-idle", forged-metal theme — 1254×1254 px
assets/skills-ui/buttons/exact-v3/forged-metal/chevron-prev-clicked.png	795.3 KB		✓	UNREACHABLE (dead branch, SIZE-01)	exact-v3 button state "chevron-prev-clicked", forged-metal theme — 1254×1254 px
assets/skills-ui/buttons/exact-v3/forged-metal/chevron-prev-hover.png	900.1 KB		✓	UNREACHABLE (dead branch, SIZE-01)	exact-v3 button state "chevron-prev-hover", forged-metal theme — 1254×1254 px
assets/skills-ui/buttons/exact-v3/forged-metal/chevron-prev-idle.png	977.8 KB		✓	UNREACHABLE (dead branch, SIZE-01)	exact-v3 button state "chevron-prev-idle", forged-metal theme — 1254×1254 px

File	Size	Lines	Ships	Runtime use	Description
assets/skills-ui/buttons/exact-v3/glacial/action-clicked.png	41.5 KB		✓	UNREACHABLE (dead branch, SIZE-01)	exact-v3 button state "action-clicked", glacial theme — 264×75 px
assets/skills-ui/buttons/exact-v3/glacial/action-hover.png	39.9 KB		✓	UNREACHABLE (dead branch, SIZE-01)	exact-v3 button state "action-hover", glacial theme — 264×75 px
assets/skills-ui/buttons/exact-v3/glacial/action-idle.png	46.9 KB		✓	UNREACHABLE (dead branch, SIZE-01)	exact-v3 button state "action-idle", glacial theme — 264×75 px
assets/skills-ui/buttons/exact-v3/glacial/action-secondary-clicked.png	40.2 KB		✓	UNREACHABLE (dead branch, SIZE-01)	exact-v3 button state "action-secondary-clicked", glacial theme — 264×75 px
assets/skills-ui/buttons/exact-v3/glacial/action-secondary-hover.png	40.8 KB		✓	UNREACHABLE (dead branch, SIZE-01)	exact-v3 button state "action-secondary-hover", glacial theme — 264×75 px
assets/skills-ui/buttons/exact-v3/glacial/action-secondary-idle.png	46.0 KB		✓	UNREACHABLE (dead branch, SIZE-01)	exact-v3 button state "action-secondary-idle", glacial theme — 264×75 px
assets/skills-ui/buttons/exact-v3/glacial/chevron-next-clicked.png	1.1 MB		✓	UNREACHABLE (dead branch, SIZE-01)	exact-v3 button state "chevron-next-clicked", glacial theme — 1254×1254 px
assets/skills-ui/buttons/exact-v3/glacial/chevron-next-hover.png	1.0 MB		✓	UNREACHABLE (dead branch, SIZE-01)	exact-v3 button state "chevron-next-hover", glacial theme — 1254×1254 px
assets/skills-ui/buttons/exact-v3/glacial/chevron-next-idle.png	1.2 MB		✓	UNREACHABLE (dead branch, SIZE-01)	exact-v3 button state "chevron-next-idle", glacial theme — 1254×1254 px
assets/skills-ui/buttons/exact-v3/glacial/chevron-prev-clicked.png	1.1 MB		✓	UNREACHABLE (dead branch, SIZE-01)	exact-v3 button state "chevron-prev-clicked", glacial theme — 1254×1254 px
assets/skills-ui/buttons/exact-v3/glacial/chevron-prev-hover.png	1.0 MB		✓	UNREACHABLE (dead branch, SIZE-01)	exact-v3 button state "chevron-prev-hover", glacial theme — 1254×1254 px
assets/skills-ui/buttons/exact-v3/glacial/chevron-prev-idle.png	1.2 MB		✓	UNREACHABLE (dead branch, SIZE-01)	exact-v3 button state "chevron-prev-idle", glacial theme — 1254×1254 px
assets/skills-ui/buttons/exact-v3/infernal/action-clicked.png	33.0 KB		✓	UNREACHABLE (dead branch, SIZE-01)	exact-v3 button state "action-clicked", infernal theme — 264×75 px
assets/skills-ui/buttons/exact-v3/infernal/action-hover.png	39.2 KB		✓	UNREACHABLE (dead branch, SIZE-01)	exact-v3 button state "action-hover", infernal theme — 264×75 px
assets/skills-ui/buttons/exact-v3/infernal/action-idle.png	39.5 KB		✓	UNREACHABLE (dead branch, SIZE-01)	exact-v3 button state "action-idle", infernal theme — 264×75 px
assets/skills-ui/buttons/exact-v3/infernal/action-secondary-clicked.png	31.2 KB		✓	UNREACHABLE (dead branch, SIZE-01)	exact-v3 button state "action-secondary-clicked", infernal theme — 264×75 px

File	Size	Lines	Ships	Runtime use	Description
assets/skills-ui/buttons/exact-v3/infernal/action-secondary-hover.png	38.0 KB		✓	UNREACHABLE (dead branch, SIZE-01)	exact-v3 button state "action-secondary-hover", infernal theme — 264×75 px
assets/skills-ui/buttons/exact-v3/infernal/action-secondary-idle.png	38.2 KB		✓	UNREACHABLE (dead branch, SIZE-01)	exact-v3 button state "action-secondary-idle", infernal theme — 264×75 px
assets/skills-ui/buttons/exact-v3/infernal/chevron-next-clicked.png	892.0 KB		✓	UNREACHABLE (dead branch, SIZE-01)	exact-v3 button state "chevron-next-clicked", infernal theme — 1230×1278 px
assets/skills-ui/buttons/exact-v3/infernal/chevron-next-hover.png	1.0 MB		✓	UNREACHABLE (dead branch, SIZE-01)	exact-v3 button state "chevron-next-hover", infernal theme — 1230×1278 px
assets/skills-ui/buttons/exact-v3/infernal/chevron-next-idle.png	1.1 MB		✓	UNREACHABLE (dead branch, SIZE-01)	exact-v3 button state "chevron-next-idle", infernal theme — 1230×1278 px
assets/skills-ui/buttons/exact-v3/infernal/chevron-prev-clicked.png	893.1 KB		✓	UNREACHABLE (dead branch, SIZE-01)	exact-v3 button state "chevron-prev-clicked", infernal theme — 1230×1278 px
assets/skills-ui/buttons/exact-v3/infernal/chevron-prev-hover.png	1.0 MB		✓	UNREACHABLE (dead branch, SIZE-01)	exact-v3 button state "chevron-prev-hover", infernal theme — 1230×1278 px
assets/skills-ui/buttons/exact-v3/infernal/chevron-prev-idle.png	1.1 MB		✓	UNREACHABLE (dead branch, SIZE-01)	exact-v3 button state "chevron-prev-idle", infernal theme — 1230×1278 px
assets/skills-ui/buttons/exact-v3/lunar-spectral/action-clicked.png	39.8 KB		✓	UNREACHABLE (dead branch, SIZE-01)	exact-v3 button state "action-clicked", lunar-spectral theme — 264×75 px
assets/skills-ui/buttons/exact-v3/lunar-spectral/action-hover.png	42.6 KB		✓	UNREACHABLE (dead branch, SIZE-01)	exact-v3 button state "action-hover", lunar-spectral theme — 264×75 px
assets/skills-ui/buttons/exact-v3/lunar-spectral/action-idle.png	47.0 KB		✓	UNREACHABLE (dead branch, SIZE-01)	exact-v3 button state "action-idle", lunar-spectral theme — 264×75 px
assets/skills-ui/buttons/exact-v3/lunar-spectral/action-secondary-clicked.png	35.8 KB		✓	UNREACHABLE (dead branch, SIZE-01)	exact-v3 button state "action-secondary-clicked", lunar-spectral theme — 264×75 px
assets/skills-ui/buttons/exact-v3/lunar-spectral/action-secondary-hover.png	41.3 KB		✓	UNREACHABLE (dead branch, SIZE-01)	exact-v3 button state "action-secondary-hover", lunar-spectral theme — 264×75 px
assets/skills-ui/buttons/exact-v3/lunar-spectral/action-secondary-idle.png	43.8 KB		✓	UNREACHABLE (dead branch, SIZE-01)	exact-v3 button state "action-secondary-idle", lunar-spectral theme — 264×75 px
assets/skills-ui/buttons/exact-v3/lunar-spectral/chevron-next-clicked.png	1.0 MB		✓	UNREACHABLE (dead branch, SIZE-01)	exact-v3 button state "chevron-next-clicked", lunar-spectral theme — 1199×1312 px
assets/skills-ui/buttons/exact-v3/lunar-spectral/chevron-next-hover.png	1.1 MB		✓	UNREACHABLE (dead branch, SIZE-01)	exact-v3 button state "chevron-next-hover", lunar-spectral theme — 1199×1312 px

File	Size	Lines	Ships	Runtime use	Description
assets/skills-ui/buttons/exact-v3/lunar-spectral/chevron-next-idle.png	1.2 MB		✓	UNREACHABLE (dead branch, SIZE-01)	exact-v3 button state "chevron-next-idle", lunar-spectral theme — 1199×1312 px
assets/skills-ui/buttons/exact-v3/lunar-spectral/chevron-prev-clicked.png	1.0 MB		✓	UNREACHABLE (dead branch, SIZE-01)	exact-v3 button state "chevron-prev-clicked", lunar-spectral theme — 1199×1312 px
assets/skills-ui/buttons/exact-v3/lunar-spectral/chevron-prev-hover.png	1.1 MB		✓	UNREACHABLE (dead branch, SIZE-01)	exact-v3 button state "chevron-prev-hover", lunar-spectral theme — 1199×1312 px
assets/skills-ui/buttons/exact-v3/lunar-spectral/chevron-prev-idle.png	1.2 MB		✓	UNREACHABLE (dead branch, SIZE-01)	exact-v3 button state "chevron-prev-idle", lunar-spectral theme — 1199×1312 px
assets/skills-ui/buttons/exact-v3/preview.html	18.3 KB	1		documentation (not shipped)	Exact button states
assets/skills-ui/buttons/exact-v3/runic-arcane/action-clicked.png	23.7 KB		✓	UNREACHABLE (dead branch, SIZE-01)	exact-v3 button state "action-clicked", runic-arcane theme — 264×75 px
assets/skills-ui/buttons/exact-v3/runic-arcane/action-hover.png	27.1 KB		✓	UNREACHABLE (dead branch, SIZE-01)	exact-v3 button state "action-hover", runic-arcane theme — 264×75 px
assets/skills-ui/buttons/exact-v3/runic-arcane/action-idle.png	27.4 KB		✓	UNREACHABLE (dead branch, SIZE-01)	exact-v3 button state "action-idle", runic-arcane theme — 264×75 px
assets/skills-ui/buttons/exact-v3/runic-arcane/action-secondary-clicked.png	39.3 KB		✓	UNREACHABLE (dead branch, SIZE-01)	exact-v3 button state "action-secondary-clicked", runic-arcane theme — 264×75 px
assets/skills-ui/buttons/exact-v3/runic-arcane/action-secondary-hover.png	45.4 KB		✓	UNREACHABLE (dead branch, SIZE-01)	exact-v3 button state "action-secondary-hover", runic-arcane theme — 264×75 px
assets/skills-ui/buttons/exact-v3/runic-arcane/action-secondary-idle.png	47.1 KB		✓	UNREACHABLE (dead branch, SIZE-01)	exact-v3 button state "action-secondary-idle", runic-arcane theme — 264×75 px
assets/skills-ui/buttons/exact-v3/runic-arcane/chevron-next-clicked.png	901.8 KB		✓	UNREACHABLE (dead branch, SIZE-01)	exact-v3 button state "chevron-next-clicked", runic-arcane theme — 1254×1254 px
assets/skills-ui/buttons/exact-v3/runic-arcane/chevron-next-hover.png	997.5 KB		✓	UNREACHABLE (dead branch, SIZE-01)	exact-v3 button state "chevron-next-hover", runic-arcane theme — 1254×1254 px
assets/skills-ui/buttons/exact-v3/runic-arcane/chevron-next-idle.png	1.1 MB		✓	UNREACHABLE (dead branch, SIZE-01)	exact-v3 button state "chevron-next-idle", runic-arcane theme — 1254×1254 px
assets/skills-ui/buttons/exact-v3/runic-arcane/chevron-prev-clicked.png	902.3 KB		✓	UNREACHABLE (dead branch, SIZE-01)	exact-v3 button state "chevron-prev-clicked", runic-arcane theme — 1254×1254 px
assets/skills-ui/buttons/exact-v3/runic-arcane/chevron-prev-hover.png	997.7 KB		✓	UNREACHABLE (dead branch, SIZE-01)	exact-v3 button state "chevron-prev-hover", runic-arcane theme — 1254×1254 px
assets/skills-ui/buttons/exact-v3/runic-arcane/chevron-prev-idle.png	1.1 MB		✓	UNREACHABLE (dead branch, SIZE-01)	exact-v3 button state "chevron-prev-idle", runic-arcane theme — 1254×1254 px

File	Size	Lines	Ships	Runtime use	Description
assets/skills-ui/buttons/exact-v3/tempest-oceanic/action-clicked.png	40.9 KB		✓	UNREACHABLE (dead branch, SIZE-01)	exact-v3 button state "action-clicked", tempest-oceanic theme — 264×75 px
assets/skills-ui/buttons/exact-v3/tempest-oceanic/action-hover.png	46.4 KB		✓	UNREACHABLE (dead branch, SIZE-01)	exact-v3 button state "action-hover", tempest-oceanic theme — 264×75 px
assets/skills-ui/buttons/exact-v3/tempest-oceanic/action-idle.png	48.2 KB		✓	UNREACHABLE (dead branch, SIZE-01)	exact-v3 button state "action-idle", tempest-oceanic theme — 264×75 px
assets/skills-ui/buttons/exact-v3/tempest-oceanic/action-secondary-clicked.png	41.0 KB		✓	UNREACHABLE (dead branch, SIZE-01)	exact-v3 button state "action-secondary-clicked", tempest-oceanic theme — 264×75 px
assets/skills-ui/buttons/exact-v3/tempest-oceanic/action-secondary-hover.png	46.9 KB		✓	UNREACHABLE (dead branch, SIZE-01)	exact-v3 button state "action-secondary-hover", tempest-oceanic theme — 264×75 px
assets/skills-ui/buttons/exact-v3/tempest-oceanic/action-secondary-idle.png	48.5 KB		✓	UNREACHABLE (dead branch, SIZE-01)	exact-v3 button state "action-secondary-idle", tempest-oceanic theme — 264×75 px
assets/skills-ui/buttons/exact-v3/tempest-oceanic/chevron-next-clicked.png	1.3 MB		✓	UNREACHABLE (dead branch, SIZE-01)	exact-v3 button state "chevron-next-clicked", tempest-oceanic theme — 1254×1254 px
assets/skills-ui/buttons/exact-v3/tempest-oceanic/chevron-next-hover.png	1.4 MB		✓	UNREACHABLE (dead branch, SIZE-01)	exact-v3 button state "chevron-next-hover", tempest-oceanic theme — 1254×1254 px
assets/skills-ui/buttons/exact-v3/tempest-oceanic/chevron-next-idle.png	1.5 MB		✓	UNREACHABLE (dead branch, SIZE-01)	exact-v3 button state "chevron-next-idle", tempest-oceanic theme — 1254×1254 px
assets/skills-ui/buttons/exact-v3/tempest-oceanic/chevron-prev-clicked.png	1.3 MB		✓	UNREACHABLE (dead branch, SIZE-01)	exact-v3 button state "chevron-prev-clicked", tempest-oceanic theme — 1254×1254 px
assets/skills-ui/buttons/exact-v3/tempest-oceanic/chevron-prev-hover.png	1.4 MB		✓	UNREACHABLE (dead branch, SIZE-01)	exact-v3 button state "chevron-prev-hover", tempest-oceanic theme — 1254×1254 px
assets/skills-ui/buttons/exact-v3/tempest-oceanic/chevron-prev-idle.png	1.5 MB		✓	UNREACHABLE (dead branch, SIZE-01)	exact-v3 button state "chevron-prev-idle", tempest-oceanic theme — 1254×1254 px
assets/skills-ui/buttons/exact-v3/verdant/action-clicked.png	36.9 KB		✓	UNREACHABLE (dead branch, SIZE-01)	exact-v3 button state "action-clicked", verdant theme — 264×75 px
assets/skills-ui/buttons/exact-v3/verdant/action-hover.png	42.3 KB		✓	UNREACHABLE (dead branch, SIZE-01)	exact-v3 button state "action-hover", verdant theme — 264×75 px
assets/skills-ui/buttons/exact-v3/verdant/action-idle.png	43.3 KB		✓	UNREACHABLE (dead branch, SIZE-01)	exact-v3 button state "action-idle", verdant theme — 264×75 px
assets/skills-ui/buttons/exact-v3/verdant/action-secondary-clicked.png	33.7 KB		✓	UNREACHABLE (dead branch, SIZE-01)	exact-v3 button state "action-secondary-clicked", verdant theme — 264×75 px

File	Size	Lines	Ships	Runtime use	Description
assets/skills-ui/buttons/exact-v3/verdant/action-secondary-hover.png	40.4 KB		✓	UNREACHABLE (dead branch, SIZE-01)	exact-v3 button state "action-secondary-hover", verdant theme — 264×75 px
assets/skills-ui/buttons/exact-v3/verdant/action-secondary-idle.png	41.1 KB		✓	UNREACHABLE (dead branch, SIZE-01)	exact-v3 button state "action-secondary-idle", verdant theme — 264×75 px
assets/skills-ui/buttons/exact-v3/verdant/chevron-next-clicked.png	948.5 KB		✓	UNREACHABLE (dead branch, SIZE-01)	exact-v3 button state "chevron-next-clicked", verdant theme — 1199×1312 px
assets/skills-ui/buttons/exact-v3/verdant/chevron-next-hover.png	1.1 MB		✓	UNREACHABLE (dead branch, SIZE-01)	exact-v3 button state "chevron-next-hover", verdant theme — 1199×1312 px
assets/skills-ui/buttons/exact-v3/verdant/chevron-next-idle.png	1.1 MB		✓	UNREACHABLE (dead branch, SIZE-01)	exact-v3 button state "chevron-next-idle", verdant theme — 1199×1312 px
assets/skills-ui/buttons/exact-v3/verdant/chevron-prev-clicked.png	948.4 KB		✓	UNREACHABLE (dead branch, SIZE-01)	exact-v3 button state "chevron-prev-clicked", verdant theme — 1199×1312 px
assets/skills-ui/buttons/exact-v3/verdant/chevron-prev-hover.png	1.1 MB		✓	UNREACHABLE (dead branch, SIZE-01)	exact-v3 button state "chevron-prev-hover", verdant theme — 1199×1312 px
assets/skills-ui/buttons/exact-v3/verdant/chevron-prev-idle.png	1.1 MB		✓	UNREACHABLE (dead branch, SIZE-01)	exact-v3 button state "chevron-prev-idle", verdant theme — 1199×1312 px
assets/skills-ui/buttons/exact-v3/verification.json	3.7 KB	74	✓	not referenced at runtime	JSON array (9 entries)
assets/skills-ui/buttons/exact-v3/voidborn/action-clicked.png	36.9 KB		✓	UNREACHABLE (dead branch, SIZE-01)	exact-v3 button state "action-clicked", voidborn theme — 264×75 px
assets/skills-ui/buttons/exact-v3/voidborn/action-hover.png	42.9 KB		✓	UNREACHABLE (dead branch, SIZE-01)	exact-v3 button state "action-hover", voidborn theme — 264×75 px
assets/skills-ui/buttons/exact-v3/voidborn/action-idle.png	43.7 KB		✓	UNREACHABLE (dead branch, SIZE-01)	exact-v3 button state "action-idle", voidborn theme — 264×75 px
assets/skills-ui/buttons/exact-v3/voidborn/action-secondary-clicked.png	33.8 KB		✓	UNREACHABLE (dead branch, SIZE-01)	exact-v3 button state "action-secondary-clicked", voidborn theme — 264×75 px
assets/skills-ui/buttons/exact-v3/voidborn/action-secondary-hover.png	41.0 KB		✓	UNREACHABLE (dead branch, SIZE-01)	exact-v3 button state "action-secondary-hover", voidborn theme — 264×75 px
assets/skills-ui/buttons/exact-v3/voidborn/action-secondary-idle.png	41.3 KB		✓	UNREACHABLE (dead branch, SIZE-01)	exact-v3 button state "action-secondary-idle", voidborn theme — 264×75 px
assets/skills-ui/buttons/exact-v3/voidborn/chevron-next-clicked.png	1.0 MB		✓	UNREACHABLE (dead branch, SIZE-01)	exact-v3 button state "chevron-next-clicked", voidborn theme — 1199×1312 px
assets/skills-ui/buttons/exact-v3/voidborn/chevron-next-hover.png	1.1 MB		✓	UNREACHABLE (dead branch, SIZE-01)	exact-v3 button state "chevron-next-hover", voidborn theme — 1199×1312 px

File	Size	Lines	Ships	Runtime use	Description
assets/skills-ui/buttons/exact-v3/voidborn/chevron-next-idle.png	1.2 MB		✓	UNREACHABLE (dead branch, SIZE-01)	exact-v3 button state "chevron-next-idle", voidborn theme — 1199×1312 px
assets/skills-ui/buttons/exact-v3/voidborn/chevron-prev-clicked.png	1.0 MB		✓	UNREACHABLE (dead branch, SIZE-01)	exact-v3 button state "chevron-prev-clicked", voidborn theme — 1199×1312 px
assets/skills-ui/buttons/exact-v3/voidborn/chevron-prev-hover.png	1.1 MB		✓	UNREACHABLE (dead branch, SIZE-01)	exact-v3 button state "chevron-prev-hover", voidborn theme — 1199×1312 px
assets/skills-ui/buttons/exact-v3/voidborn/chevron-prev-idle.png	1.2 MB		✓	UNREACHABLE (dead branch, SIZE-01)	exact-v3 button state "chevron-prev-idle", voidborn theme — 1199×1312 px
assets/skills-ui/buttons/preview.html	1.8 KB	6		documentation (not shipped)	Fantasy button artwork
assets/skills-ui/buttons/prompts.json	4.2 KB	11		documentation (not shipped)	JSON: tool, reference, prompts
assets/skills-ui/buttons/revised-v5/README.md	4.4 KB	81		documentation (not shipped)	Revised button atlases
assets/skills-ui/buttons/revised-v5/celestial.png	901.8 KB		✓	JS assetUrl (theme template)	Revised action + chevron button atlas (idle/hover/pressed), celestial theme — 1110×723 px
assets/skills-ui/buttons/revised-v5/forged-metal.png	941.8 KB		✓	JS assetUrl (theme template)	Revised action + chevron button atlas (idle/hover/pressed), forged-metal theme — 1110×723 px
assets/skills-ui/buttons/revised-v5/glacial.png	1.1 MB		✓	JS assetUrl (theme template)	Revised action + chevron button atlas (idle/hover/pressed), glacial theme — 1110×723 px
assets/skills-ui/buttons/revised-v5/index.json	2.0 KB	122	✓	imported into bundle	JSON: version, width, height, themes, states, entries
assets/skills-ui/buttons/revised-v5/infernal.png	1.0 MB		✓	JS assetUrl (theme template)	Revised action + chevron button atlas (idle/hover/pressed), infernal theme — 1110×723 px
assets/skills-ui/buttons/revised-v5/lunar-spectral.png	992.2 KB		✓	JS assetUrl (theme template)	Revised action + chevron button atlas (idle/hover/pressed), lunar-spectral theme — 1110×723 px
assets/skills-ui/buttons/revised-v5/preview.html	51.4 KB	16		documentation (not shipped)	Revised button atlas
assets/skills-ui/buttons/revised-v5/registration.json	9.5 KB	668	✓	not referenced at runtime	JSON: forged-metal, infernal, glacial, celestial, lunar-spectral, runic-arcane, ...
assets/skills-ui/buttons/revised-v5/runic-arcane.png	1.1 MB		✓	JS assetUrl (theme template)	Revised action + chevron button atlas (idle/hover/pressed), runic-arcane theme — 1110×723 px
assets/skills-ui/buttons/revised-v5/tempest-oceanic.png	1.0 MB		✓	JS assetUrl (theme template)	Revised action + chevron button atlas (idle/hover/pressed), tempest-oceanic theme — 1110×723 px
assets/skills-ui/buttons/revised-v5/verdant.png	1.1 MB		✓	JS assetUrl (theme template)	Revised action + chevron button atlas (idle/hover/pressed), verdant theme — 1110×723 px
assets/skills-ui/buttons/revised-v5/voidborn.png	1.1 MB		✓	JS assetUrl (theme template)	Revised action + chevron button atlas (idle/hover/pressed), voidborn theme — 1110×723 px

ASSETS/SKILLS-UI

File	Size	Lines	Ships	Runtime use	Description
assets/skills-ui/panel_corners_celestial.webp	145.5 KB		✓	JS assetUrl (theme template)	Frame corner filigree sheet, celestial theme — 352×380 px
assets/skills-ui/panel_corners_forged-metal.webp	145.8 KB		✓	JS assetUrl (theme template)	Frame corner filigree sheet, forged-metal theme — 352×380 px
assets/skills-ui/panel_corners_glacial.webp	191.3 KB		✓	JS assetUrl (theme template)	Frame corner filigree sheet, glacial theme — 352×380 px
assets/skills-ui/panel_corners_infernal.webp	138.6 KB		✓	JS assetUrl (theme template)	Frame corner filigree sheet, infernal theme — 352×380 px
assets/skills-ui/panel_corners_lunar-spectral.webp	150.6 KB		✓	JS assetUrl (theme template)	Frame corner filigree sheet, lunar-spectral theme — 352×380 px
assets/skills-ui/panel_corners_runic-arcane.webp	145.1 KB		✓	JS assetUrl (theme template)	Frame corner filigree sheet, runic-arcane theme — 352×380 px
assets/skills-ui/panel_corners_tempest-oceanic.webp	147.0 KB		✓	JS assetUrl (theme template)	Frame corner filigree sheet, tempest-oceanic theme — 352×380 px
assets/skills-ui/panel_corners_verdant.webp	176.3 KB		✓	JS assetUrl (theme template)	Frame corner filigree sheet, verdant theme — 352×380 px
assets/skills-ui/panel_corners_voidborn.webp	132.4 KB		✓	JS assetUrl (theme template)	Frame corner filigree sheet, voidborn theme — 352×380 px
assets/skills-ui/separator_flourish_celestial.webp	58.1 KB		✓	JS assetUrl (theme template)	Separator flourish sheet, celestial theme — 438×146 px
assets/skills-ui/separator_flourish_forged-metal.webp	55.2 KB		✓	JS assetUrl (theme template)	Separator flourish sheet, forged-metal theme — 438×146 px
assets/skills-ui/separator_flourish_glacial.webp	66.1 KB		✓	JS assetUrl (theme template)	Separator flourish sheet, glacial theme — 438×146 px
assets/skills-ui/separator_flourish_infernal.webp	51.5 KB		✓	JS assetUrl (theme template)	Separator flourish sheet, infernal theme — 438×146 px
assets/skills-ui/separator_flourish_lunar-spectral.webp	53.4 KB		✓	JS assetUrl (theme template)	Separator flourish sheet, lunar-spectral theme — 438×146 px
assets/skills-ui/separator_flourish_runic-arcane.webp	52.4 KB		✓	JS assetUrl (theme template)	Separator flourish sheet, runic-arcane theme — 438×146 px
assets/skills-ui/separator_flourish_tempest-oceanic.webp	63.0 KB		✓	JS assetUrl (theme template)	Separator flourish sheet, tempest-oceanic theme — 438×146 px
assets/skills-ui/separator_flourish_verdant.webp	67.0 KB		✓	JS assetUrl (theme template)	Separator flourish sheet, verdant theme — 438×146 px
assets/skills-ui/separator_flourish_voidborn.webp	55.7 KB		✓	JS assetUrl (theme template)	Separator flourish sheet, voidborn theme — 438×146 px
assets/skills-ui/theme_celestial.webp	715.6 KB		✓	JS assetUrl (theme template)	Skills UI atlas recoloured for the celestial theme — 1720×926 px
assets/skills-ui/theme_forged-metal.webp	653.1 KB		✓	JS assetUrl (theme template)	Skills UI atlas recoloured for the forged-metal theme — 1720×926 px
assets/skills-ui/theme_glacial.webp	691.7 KB		✓	JS assetUrl (theme template)	Skills UI atlas recoloured for the glacial theme — 1720×926 px
assets/skills-ui/theme_infernal.webp	619.3 KB		✓	JS assetUrl (theme template)	Skills UI atlas recoloured for the infernal theme — 1720×926 px
assets/skills-ui/theme_lunar-spectral.webp	624.8 KB		✓	JS assetUrl (theme template)	Skills UI atlas recoloured for the lunar-spectral theme — 1720×926 px
assets/skills-ui/theme_runic-arcane.webp	688.0 KB		✓	JS assetUrl (theme template)	Skills UI atlas recoloured for the runic-arcane theme — 1720×926 px
assets/skills-ui/theme_tempest-oceanic.webp	688.3 KB		✓	JS assetUrl (theme template)	Skills UI atlas recoloured for the tempest-oceanic theme — 1720×926 px
assets/skills-ui/theme_verdant.webp	706.3 KB		✓	JS assetUrl (theme template)	Skills UI atlas recoloured for the verdant theme — 1720×926 px

File	Size	Lines	Ships	Runtime use	Description
assets/skills-ui/theme_voidborn.webp	598.4 KB		✓	JS assetUrl (theme template)	Skills UI atlas recoloured for the voidborn theme – 1720×926 px
assets/skills-ui/zone-theme-map.json	4.2 KB	227	✓	not referenced at runtime	JSON: schemaVersion, canvas, pixelRatio, themes, zones

ASSETS/VILLAGE

File	Size	Lines	Ships	Runtime use	Description
assets/village/building_1.webp	15.4 KB		✓	JS assetUrl (generated table)	Village add-on building art, tier 1 – 256×256 px
assets/village/building_10.webp	22.9 KB		✓	JS assetUrl (generated table)	Village add-on building art, tier 10 – 256×256 px
assets/village/building_11.webp	15.0 KB		✓	JS assetUrl (generated table)	Village add-on building art, tier 11 – 256×256 px
assets/village/building_12.webp	23.5 KB		✓	JS assetUrl (generated table)	Village add-on building art, tier 12 – 256×256 px
assets/village/building_13.webp	11.2 KB		✓	JS assetUrl (generated table)	Village add-on building art, tier 13 – 256×256 px
assets/village/building_14.webp	24.9 KB		✓	JS assetUrl (generated table)	Village add-on building art, tier 14 – 256×256 px
assets/village/building_15.webp	14.6 KB		✓	JS assetUrl (generated table)	Village add-on building art, tier 15 – 256×256 px
assets/village/building_16.webp	11.8 KB		✓	JS assetUrl (generated table)	Village add-on building art, tier 16 – 256×256 px
assets/village/building_17.webp	14.5 KB		✓	JS assetUrl (generated table)	Village add-on building art, tier 17 – 256×256 px
assets/village/building_18.webp	14.6 KB		✓	JS assetUrl (generated table)	Village add-on building art, tier 18 – 256×256 px
assets/village/building_19.webp	22.4 KB		✓	JS assetUrl (generated table)	Village add-on building art, tier 19 – 256×256 px
assets/village/building_2.webp	20.3 KB		✓	JS assetUrl (generated table)	Village add-on building art, tier 2 – 256×256 px
assets/village/building_20.webp	21.5 KB		✓	JS assetUrl (generated table)	Village add-on building art, tier 20 – 256×256 px
assets/village/building_21.webp	21.4 KB		✓	JS assetUrl (generated table)	Village add-on building art, tier 21 – 256×256 px
assets/village/building_22.webp	17.7 KB		✓	JS assetUrl (generated table)	Village add-on building art, tier 22 – 256×256 px
assets/village/building_23.webp	14.3 KB		✓	JS assetUrl (generated table)	Village add-on building art, tier 23 – 256×256 px
assets/village/building_24.webp	20.9 KB		✓	JS assetUrl (generated table)	Village add-on building art, tier 24 – 256×256 px
assets/village/building_25.webp	12.6 KB		✓	JS assetUrl (generated table)	Village add-on building art, tier 25 – 256×256 px
assets/village/building_26.webp	19.0 KB		✓	JS assetUrl (generated table)	Village add-on building art, tier 26 – 256×256 px
assets/village/building_27.webp	19.0 KB		✓	JS assetUrl (generated table)	Village add-on building art, tier 27 – 256×256 px
assets/village/building_28.webp	13.3 KB		✓	JS assetUrl (generated table)	Village add-on building art, tier 28 – 256×256 px
assets/village/building_29.webp	26.4 KB		✓	JS assetUrl (generated table)	Village add-on building art, tier 29 – 256×256 px

File	Size	Lines	Ships	Runtime use	Description
assets/village/building_3.webp	19.1 KB		✓	JS assetUrl (generated table)	Village add-on building art, tier 3 – 256×256 px
assets/village/building_30.webp	16.2 KB		✓	JS assetUrl (generated table)	Village add-on building art, tier 30 – 256×256 px
assets/village/building_31.webp	17.5 KB		✓	JS assetUrl (generated table)	Village add-on building art, tier 31 – 256×256 px
assets/village/building_32.webp	15.9 KB		✓	JS assetUrl (generated table)	Village add-on building art, tier 32 – 256×256 px
assets/village/building_33.webp	23.8 KB		✓	JS assetUrl (generated table)	Village add-on building art, tier 33 – 256×256 px
assets/village/building_34.webp	23.1 KB		✓	JS assetUrl (generated table)	Village add-on building art, tier 34 – 256×256 px
assets/village/building_4.webp	15.2 KB		✓	JS assetUrl (generated table)	Village add-on building art, tier 4 – 256×256 px
assets/village/building_5.webp	19.7 KB		✓	JS assetUrl (generated table)	Village add-on building art, tier 5 – 256×256 px
assets/village/building_6.webp	14.5 KB		✓	JS assetUrl (generated table)	Village add-on building art, tier 6 – 256×256 px
assets/village/building_7.webp	16.4 KB		✓	JS assetUrl (generated table)	Village add-on building art, tier 7 – 256×256 px
assets/village/building_8.webp	15.5 KB		✓	JS assetUrl (generated table)	Village add-on building art, tier 8 – 256×256 px
assets/village/building_9.webp	18.7 KB		✓	JS assetUrl (generated table)	Village add-on building art, tier 9 – 256×256 px
assets/village/buildings.json	5.9 KB	240	✓	not referenced at runtime	JSON: schema, imported_from, source_version, source_audited_on, size, buildings, ...
assets/village/cobblestone.png	3.1 MB		✓	CSS url()	1254×1254 px
assets/village/house_1.webp	21.9 KB		✓	JS assetUrl (generated table)	Village housing art, tier 1 – 256×256 px
assets/village/house_2.webp	18.9 KB		✓	JS assetUrl (generated table)	Village housing art, tier 2 – 256×256 px
assets/village/house_3.webp	37.2 KB		✓	JS assetUrl (generated table)	Village housing art, tier 3 – 256×256 px
assets/village/house_4.webp	19.7 KB		✓	JS assetUrl (generated table)	Village housing art, tier 4 – 256×256 px
assets/village/house_5.webp	18.6 KB		✓	JS assetUrl (generated table)	Village housing art, tier 5 – 256×256 px

ASSETS/WORLD-BOSSSES

File	Size	Lines	Ships	Runtime use	Description
assets/world-bosses/README.md	3.6 KB	25		documentation (not shipped)	World encounter artwork and reward sources
assets/world-bosses/encounters.png	3.1 MB		✓	CSS url()	1254×1254 px
assets/world-bosses/rewards.json	3.1 KB	92	✓	imported into bundle	JSON array (9 entries)
assets/world-bosses/zone-control-contested-v3.png	2.6 MB		✓	CSS url()	1254×1254 px

BUILD-TOOLS

File	Size	Lines	Ships	Runtime use	Description
build-tools/audit-header-assets.mjs	906 B	17		—	
build-tools/audit-header-live.mjs	1.7 KB	21		—	
build-tools/audit-header-tree.mjs	896 B	4		—	
build-tools/audit-inventory-live.mjs	1.1 KB	20		—	
build-tools/audit-items-contract.mjs	3.8 KB	87		—	
build-tools/audit-sprite-windows.mjs	7.2 KB	153		—	audit-sprite-windows.mjs
build-tools/build-card-buttons.mjs	1.9 KB	29		—	Register generated artwork as CSS sprite windows. The source PNGs are kept
build-tools/build-compact-buttons.py	4.0 KB	86		—	
build-tools/build-revised-buttons.py	11.9 KB	255		—	
build-tools/build.mjs	4.4 KB	127		—	
build-tools/import-action-icons.mjs	6.1 KB	128		—	Imports the V2 skill card's action-button icons from Curtis's Illustrator
build-tools/import-skill-themes.mjs	12.7 KB	286		—	import-skill-themes.mjs
build-tools/import-village-art.mjs	9.4 KB	198		—	import-village-art.mjs
build-tools/import-zone-headers.mjs	5.2 KB	111		—	import-zone-headers.mjs
build-tools/make-exact-button-states.ps1	6.4 KB	123		—	
build-tools/make-handoff-pdfs.mjs	8.7 KB	206		—	Render handoff/*.spec.js to PDF.
build-tools/make-panel-corners.mjs	5.0 KB	119		—	make-panel-corners.mjs
build-tools/make-source-preview-button-states.ps1	7.0 KB	151		—	
build-tools/make-zone-surfaces.mjs	32.4 KB	514		—	make-zone-surfaces.mjs
build-tools/package-release.mjs	7.0 KB	147		—	Assemble the release zip - <code>npm run package</code> (which rebuilds the bundle first).
build-tools/preview-card-buttons.mjs	6.7 KB	17		—	
build-tools/preview-compact-buttons.mjs	9.8 KB	62		—	
build-tools/preview-revised-buttons.mjs	5.2 KB	30		—	
build-tools/render-fixtures.mjs	122.0 KB	1931		—	render-fixtures — visual verification harness
build-tools/render-quest-frames.mjs	9.1 KB	121		—	Render the real quest renderer and approved frames at desktop/mobile sizes.
build-tools/vendor-assets.mjs	8.9 KB	204		—	vendor-assets — download the sprite atlases and typefaces into assets/

CLAUDE

File	Size	Lines	Ships	Runtime use	Description
claude/HeaderRenderer.zone-tone.patch	1.5 KB			—	
claude/_qloop.mjs	2.4 KB	34		—	
claude/audit-mobile.mjs	33.5 KB	482		—	Mobile audit: renders one live-shaped dashboard with the shipped bundle and
claude/capture-actionlog.js	5.5 KB	114		—	
claude/capture-backgrounds.js	2.6 KB	51		—	Read-only DevTools snippet — paste into the console on idleworlds.com with
claude/capture-frames.js	6.6 KB	133		—	
claude/capture-header.js	7.5 KB	130		—	
claude/capture-inventory-tools.js	6.6 KB	135		—	capture-inventory-tools.js — READ ONLY. Paste into the DevTools console on
claude/capture-inventory.js	8.2 KB	214		—	
claude/capture-leaderboard-rows.js	3.5 KB	85		—	
claude/capture-leaderboards.js	5.5 KB	134		—	
claude/capture-market.js	9.0 KB	177		—	
claude/capture-overlays.js	8.5 KB	194		—	
claude/capture-quests.js	9.4 KB	162		—	
claude/capture-runaway-text.js	6.4 KB	121		—	READ-ONLY live capture for the repeated-copy card (Curtis, 2026-09-16).
claude/capture-skill-cards.js	9.9 KB	200		—	READ-ONLY live capture for the Skill Actions cards.
claude/capture-skill-pager.js	8.3 KB	178		—	
claude/header.chatgpt.css.bak	13.3 KB			—	
claude/inventory.pre-forge.css.bak	13.7 KB			—	
claude/perf-harness.mjs	26.1 KB	438		—	perf-harness — what the skin costs the main thread on a live-shaped, TICKING
claude/probe-action-progress.js	4.9 KB	107		—	Current Action progress probe — paste in the console with the skin ACTIVE and
claude/probe-action-timer-start.js	3.1 KB	62		—	Read-only DevTools snippet: what gates the skill-card action timer during
claude/probe-actionlog.js	4.4 KB	65		—	Action Log classifier probe — paste in console after reloading the extension.
claude/probe-boss-prejoin-scroll.js	5.7 KB	105		—	probe-boss-prejoin-scroll.js - READ ONLY (it never clicks anything). Paste
claude/probe-boss-prejoin-scroll.mjs	4.1 KB	55		—	Probe: does the skin move window scroll when a boss card's Prejoin text flips?
claude/probe-boss-source-tags.js	3.4 KB	66		—	probe-boss-source-tags.js - READ ONLY. Paste into the DevTools console on

File	Size	Lines	Ships	Runtime use	Description
claude/probe-chromium-important.mjs	1.8 KB	38		—	
claude/probe-cloak.js	7.1 KB	175		—	
claude/probe-header-chrome.js	2.4 KB	47		—	
claude/probe-header-glass.mjs	1.6 KB	23		—	
claude/probe-header-width-watch.js	4.5 KB	98		—	
claude/probe-header-width.js	4.7 KB	95		—	
claude/probe-inventory-toolrow.js	5.7 KB	115		—	probe-inventory-toolrow.js — READ ONLY. Paste into the DevTools console on
claude/probe-jsdom-important.mjs	1.4 KB	20		—	
claude/probe-jsdom-sensitivity.mjs	729 B	13		—	
claude/probe-nav-shape.mjs	2.6 KB	39		—	
claude/probe-nav.js	4.0 KB	79		—	
claude/probe-panel-layout.js	12.6 KB	266		—	
claude/probe-skill-card-v2-cascade.mjs	6.5 KB	133		—	Companion to probe-skill-card-v2.mjs: for the handful of nodes the V2
claude/probe-skill-card-v2.mjs	10.8 KB	197		—	Read-only probe: mounts ONE live-shaped skill card, boots the real bundle
claude/probe-skill-cards.mjs	33.3 KB	455		—	Geometry audit for the WHOLE skill-card system, not one card.
claude/probe-skill-requirement.js	4.8 KB	94		—	
claude/probe-skill-tabbed.js	5.8 KB	120		—	
claude/probe-text-runaway.mjs	14.6 KB	244		—	Runaway repeated-text probe (Curtis, 2026-09-16: after refreshing a tab that
claude/probe-v2-body-cost.mjs	6.5 KB	114		—	
claude/probe-v2-expanded-quiescence.mjs	6.4 KB	91		—	Real-browser quiescence for the EXPANDED V2 card — the shape
claude/probe-v2-loop-attribution.mjs	4.6 KB	75		—	
claude/probe-world-boss.js	4.3 KB	78		—	probe-world-boss.js - READ ONLY. Paste into the DevTools console on
claude/probe-world-chat-bg.js	5.0 KB	102		—	

CLAUDE/CAPTURES

File	Size	Lines	Ships	Runtime use	Description
claude/captures/iw-panel-layout-root-1188.json	24.5 KB	945		—	JSON: route, viewport, breakpoint, counts, groups, panels, ...

File	Size	Lines	Ships	Runtime use	Description
claude/captures/iw-panel-layout-root-1683.json	23.9 KB	945		—	JSON: route, viewport, breakpoint, counts, groups, panels, ...

DIST

File	Size	Lines	Ships	Runtime use	Description
dist/content.bundle.js	668.3 KB	7932	✓	content script (ISOLATED)	

DOCS/SUPERPOWERS

File	Size	Lines	Ships	Runtime use	Description
docs/superpowers/plans/2026-08-26-activity-panels.md	4.2 KB	85		—	Activity Panels Implementation Plan
docs/superpowers/plans/2026-09-07-retina-skill-theme-atlases.md	5.8 KB	93		—	Retina Skill Theme Atlases Implementation Plan
docs/superpowers/specs/2026-08-26-activity-panels-design.md	1.7 KB	25		—	Activity Panels Design
docs/superpowers/specs/2026-09-07-retina-skill-theme-atlases-design.md	4.0 KB	50		—	Retina Skill Theme Atlases Design

DOCS/TRAPS

File	Size	Lines	Ships	Runtime use	Description
docs/traps/classification.md	16.7 KB	243		—	Classification and ownership
docs/traps/collapsible-frames.md	11.0 KB	161		—	Collapsible frames
docs/traps/current-action-progress.md	7.2 KB	100		—	Current Action progress smoothing
docs/traps/header-chrome.md	18.5 KB	279		—	Header chrome and main nav
docs/traps/inventory.md	9.6 KB	143		—	Inventory
docs/traps/mobile.md	9.8 KB	153		—	Mobile layout
docs/traps/panel-frames.md	6.2 KB	94		—	Section frames and frame headings
docs/traps/panel-order.md	15.4 KB	230		—	Panel order (rearrange mode) - RETIRED
docs/traps/performance.md	30.7 KB	472		—	Performance: flush loops, write cost and caching
docs/traps/skill-card-v2.md	76.2 KB	1175		—	Skill Card V2

File	Size	Lines	Ships	Runtime use	Description
docs/traps/sprites-and-buttons.md	20.9 KB	306		—	Sprites, plaques and button art
docs/traps/test-harness.md	4.0 KB	60		—	Fixture and render-harness traps
docs/traps/village.md	19.2 KB	286		—	Village panels and the Village scene
docs/traps/zone-theming.md	13.6 KB	202		—	Zone theming

DOCS

File	Size	Lines	Ships	Runtime use	Description
docs/zone-control-motion-notes.md	5.0 KB	84		—	Zone Control motion revision — 8 September 2026

HANDOFF

File	Size	Lines	Ships	Runtime use	Description
handoff/README.md	2.7 KB	64		—	Handoff package
handoff/collapsible-panels.html	17.1 KB	157		—	COLLAPSIBLE PANELS
handoff/collapsible-panels.pdf	122.9 KB			—	PDF document
handoff/collapsible-panels.spec.js	20.2 KB	372		—	
handoff/rearrangeable-panels.html	20.2 KB	184		—	REARRANGEABLE PANELS
handoff/rearrangeable-panels.pdf	133.3 KB			—	PDF document
handoff/rearrangeable-panels.spec.js	23.1 KB	427		—	

SRC

File	Size	Lines	Ships	Runtime use	Description
src/content.js	9.1 KB	217		bundled JS	IdleWorlds Fantasy Skin — content script entry point

SRC/MODULES

File	Size	Lines	Ships	Runtime use	Description
src/modules/AtlasService.js	18.2 KB	466		bundled JS	AtlasService — v2, dual atlas
src/modules/BackgroundPainter.js	5.0 KB	142		bundled JS	BackgroundPainter
src/modules/CollapsibleFrames.js	13.4 KB	295		bundled JS	Per-panel collapse, on the skin's OWN control.
src/modules/CompactButtons.js	3.8 KB	77		bundled JS	Additive artwork only: native labels, icons, handlers and layout stay owned by React.
src/modules/DOMWatcher.js	20.8 KB	484		bundled JS	DOMWatcher
src/modules/HeaderChrome.js	6.3 KB	144		bundled JS	HeaderChrome — merges the nav rail, the announcement strip and the zone bar
src/modules/HeaderRenderer.js	21.0 KB	465		bundled JS	HeaderRenderer
src/modules/HydrationGate.js	2.3 KB	56		bundled JS	HydrationGate — hold the skin's FIRST boot until React has hydrated the page.
src/modules/InlineStyleOwner.js	5.2 KB	144		bundled JS	InlineStyleOwner
src/modules/InventoryModel.js	11.5 KB	260		bundled JS	InventoryModel
src/modules/InventoryRenderer.js	33.7 KB	760		bundled JS	InventoryRenderer — reusable owned-item row presentation
src/modules/ItemDatabase.js	10.5 KB	287		bundled JS	ItemDatabase
src/modules/NameScanner.js	16.5 KB	456		bundled JS	NameScanner — non-destructive rewrite (Audit S1.4)
src/modules/OverlayFramer.js	7.6 KB	188		bundled JS	OverlayFramer
src/modules/ProgressCadence.js	5.6 KB	115		bundled JS	ProgressCadence — the measurement half of smoothing a progress fill the
src/modules/QuestPanelRenderer.js	20.1 KB	466		bundled JS	QuestPanelRenderer
src/modules/Runtime.js	6.3 KB	177		bundled JS	Runtime
src/modules/SkillCardDesignController.js	29.7 KB	548		bundled JS	
src/modules/SkillPanelRenderer.js	73.7 KB	1577		bundled JS	SkillPanelRenderer
src/modules/SkillsArtService.js	11.7 KB	289		bundled JS	SkillsArtService
src/modules/StyleInjector.js	1.4 KB	42		bundled JS	StyleInjector
src/modules/TooltipEngine.js	28.5 KB	688		bundled JS	TooltipEngine
src/modules/UIFoundation.js	70.7 KB	1468		bundled JS	UIFoundation
src/modules/Viewport.js	5.1 KB	107		bundled JS	Viewport
src/modules/VillageLedger.js	17.8 KB	415		bundled JS	VillageLedger.js — the Village scene's right-hand reading of the village.
src/modules/VillagePanels.js	18.3 KB	380		bundled JS	Presentation only: preserve native controls, text, state and handlers.

File	Size	Lines	Ships	Runtime use	Description
src/modules/VillageScene.js	16.5 KB	346		bundled JS	Read-only village mirror. All scene nodes belong to the extension.
src/modules/WorldBossPanels.js	19.8 KB	364		bundled JS	Presentation only: preserve native controls, text, state and handlers.
src/modules/aliases.js	2.0 KB	52		bundled JS	Cloak Material Aliases
src/modules/itemDisplay.js	9.5 KB	185		bundled JS	
src/modules/normaliseItemName.js	670 B	20		bundled JS	Shared item-name normalisation.
src/modules/villageBuildings.js	5.6 KB	63		bundled JS	villageBuildings.js – GENERATED by build-tools/import-village-art.mjs. Do not edit.
src/modules/zoneThemes.js	1.5 KB	62		bundled JS	zoneThemes.js – GENERATED by build-tools/import-skill-themes.mjs. Do not edit.

SRC/PAGE

File	Size	Lines	Ships	Runtime use	Description
src/page/hydration-signal.js	3.1 KB	64	✓	content script (MAIN)	hydration-signal.js – runs in the PAGE's world ("world": "MAIN"), not the

SRC/STYLES

File	Size	Lines	Ships	Runtime use	Description
src/styles/base.css	34.8 KB	713		bundled CSS	
src/styles/card-button-atlas.css	10.3 KB	73		bundled CSS	Generated by build-tools/build-card-buttons.mjs.
src/styles/card-buttons.css	4.6 KB	55		bundled CSS	Square action artwork for the V2 cards. Keep the existing native controls,
src/styles/collapsible.css	9.9 KB	202		bundled CSS	Per-panel collapse. CollapsibleFrames.js owns the button and the two
src/styles/compact-buttons.css	7.3 KB	128		bundled CSS	Dedicated compact-ghost-v3 atlas. Native controls keep their layout, content and
src/styles/header.claude.css	22.8 KB	560		not imported	
src/styles/header.css	50.9 KB	1045		bundled CSS	
src/styles/inventory.css	36.5 KB	884		bundled CSS	
src/styles/overlay.css	3.1 KB	55		bundled CSS	
src/styles/skillcard-v2-runtime-safe.css	1.3 KB	29		bundled CSS	V2 may visually tuck native semantic rows away, but SkillPanelRenderer also
src/styles/skillcard-v2.css	59.0 KB	543		bundled CSS	
src/styles/skillpanel.css	190.0 KB	4001		bundled CSS	

File	Size	Lines	Ships	Runtime use	Description
src/styles/tooltip-engine.css	13.0 KB	411		bundled CSS	
src/styles/ui-system.css	117.6 KB	2460		bundled CSS	
src/styles/village-scene.css	15.0 KB	192		bundled CSS	The Construction calculator's five-plot composition, scoped to our own frame.

TESTS

File	Size	Lines	Ships	Runtime use	Description
tests/action-progress-theme.test.mjs	2.8 KB	55		—	
tests/boss-action-label.test.mjs	10.3 KB	182		—	World Boss action-button label centring.
tests/boss-participation-hit.test.mjs	8.9 KB	148		—	World Boss card, row 3: the participation link and the status row.
tests/button-art-states.test.mjs	10.1 KB	188		—	
tests/card-button-art.test.mjs	9.8 KB	138		—	
tests/collapsible-frames.test.mjs	28.0 KB	537		—	Per-panel collapse: every parent frame folds, and folds ALONE.
tests/compact-button-atlas.test.mjs	13.0 KB	114		—	
tests/compact-button-boot.test.mjs	5.7 KB	70		—	Exercise the actual bundled startup and reactivation path. Do not inject
tests/compact-button-reconcile.test.mjs	2.3 KB	31		—	
tests/corner-filigree-density.test.mjs	4.4 KB	95		—	The themed corner sheet is physically 2x the fallback sheet. A pixel-valued
tests/data-services.test.mjs	10.5 KB	221		—	
tests/extension-e2e.test.mjs	7.9 KB	119		—	The UNPACKED EXTENSION, end to end - manifest and all.
tests/flush-quiescence.test.mjs	21.3 KB	390		—	A QUIET PAGE MUST COST NOTHING.
tests/header-compact.test.mjs	22.7 KB	404		—	Compact header chrome: nav rail, announcement, zone bar (2026-09).
tests/header-hidden-duplicate.test.mjs	4.5 KB	120		—	
tests/hydration-gate.test.mjs	7.3 KB	151		—	The hydration gate and the page-world signal it waits for.
tests/ingredient-entries.test.mjs	9.1 KB	175		—	Where a material line is CUT into cells, and the invariant that keeps the
tests/inventory-model.test.mjs	7.4 KB	156		—	
tests/inventory-root.test.mjs	4.8 KB	117		—	
tests/item-display.test.mjs	5.0 KB	82		—	
tests/menu-rows.test.mjs	10.4 KB	171		—	Menu rows on phones and tablets (Curtis, 2026-09-15).

File	Size	Lines	Ships	Runtime use	Description
tests/overlay-framer.test.mjs	5.6 KB	109		—	OverlayFramer unit test.
tests/panel-frame-nesting.test.mjs	8.0 KB	173		—	
tests/quest-card-detection.test.mjs	3.7 KB	62		—	Quest cards must be recognised on markup with NO whitespace between elements.
tests/quest-command-width.test.mjs	12.9 KB	262		—	Quest command rail: the frame follows the LABEL.
tests/quest-structure-signature.test.mjs	5.8 KB	136		—	
tests/revised-button-atlas.test.mjs	11.4 KB	144		—	
tests/route-swap-reclassify.test.mjs	21.6 KB	409		—	Route-swap reclassification regression.
tests/separator-symmetry.test.mjs	2.8 KB	73		—	The inventory title ornament must be truly bilateral. The source atlas cell
tests/skill-action-countdown.test.mjs	7.1 KB	151		—	
tests/skill-card-system.test.mjs	71.5 KB	1030		—	The V2 skill card as a SYSTEM: five live shapes rendered from one set of
tests/skill-card-v2-render.test.mjs	17.9 KB	310		—	Skill Card V2 — what the card actually PAINTS, in a real browser.
tests/skill-card-v2-wiring.test.mjs	1.9 KB	26		—	
tests/skill-card-v2.test.mjs	7.0 KB	123		—	
tests/skill-structure-signature.test.mjs	8.7 KB	184		—	
tests/smoke.test.mjs	118.9 KB	1724		—	Smoke test — boots the built bundle against a synthetic IdleWorlds-shaped DOM
tests/static-invariants.test.mjs	31.3 KB	451		—	
tests/tooltip-virtual-anchor.test.mjs	4.0 KB	78		—	TooltipEngine: leaving the card while it is open on a VIRTUAL anchor.
tests/viewport-swap.test.mjs	10.3 KB	215		—	Viewport-swap regression.
tests/village-ledger.test.mjs	10.7 KB	213		—	The Village ledger: the numbers, and the disclosure that hides them.
tests/village-panels.test.mjs	14.2 KB	248		—	VillagePanels: role classification, building-art resolution, live state
tests/village-scene-layout.test.mjs	17.2 KB	348		—	Village scene: the plot composition actually LAYS OUT.
tests/village-scene.test.mjs	5.9 KB	104		—	
tests/world-boss-panels.test.mjs	9.8 KB	120		—	
tests/zone-control-motion.test.mjs	13.1 KB	191		—	
tests/zone-headers.test.mjs	2.2 KB	48		—	zone-headers.test.mjs
tests/zone-themes.test.mjs	8.8 KB	165		—	zone-themes.test.mjs

APPENDIX B — CSS RULE INDEX

Generated by `tools/css-inventory.mjs` at commit `059081671bf3af4490a025121f25f13ada142b7e`. Every qualified rule in every stylesheet under `src/styles` has exactly one row in the per-file pages linked below. Regenerate after any stylesheet change: `node handoff/reskin-technical-handover/tools/css-inventory.mjs`.

Injection order at runtime (each row is one `<style data-iw-style>` element; later elements win ties in the cascade):

Order	data-iw-style	Files concatenated (in order)	Rules	Selectors	Declarations	!important	@media	:has() rules	Rules with host hooks	Rules flagged fragile	Highest specificity
1	base	base.css	58	92	388	66	1	0	24	12	(0,12,0)
2	tooltip-engine	tooltip-engine.css	51	54	260	24	1	1	9	2	(0,3,0)
3	inventory	inventory.css	108	142	437	178	6	6	21	9	(0,4,1)
4	skillpanel	skillpanel.css + skillcard-v2.css + skillcard-v2-runtime-safe.css + card-button-atlas.css + card-buttons.css	609	702	2593	2351	30	12	558	15	(0,13,2)
5	header	header.css	81	98	471	400	6	6	3	6	(0,3,0)
6	overlay	overlay.css	2	2	11	11	0	0	0	0	(0,1,0)
7	ui-system	ui-system.css + compact-buttons.css + village-scene.css + collapsible.css	464	534	1728	849	22	12	53	20	(0,30,3)
	Total shipped		1373	1624	5888	3879	66	37	668	64	

Not shipped: `header.claude.css` — Not imported by any module; esbuild never bundles it. Kept in the repository only. (53 rules, 270 `!important`).

Columns. *Line* is the rule's first line in the source file at the commit above. *Context* is the enclosing `@media` / `@container` / `@supports` chain. *Specificity* is the highest (id, class, type) of the rule's selector list, computed per Selectors Level 4 (`:is()` / `:not()` / `:has()` take their most specific argument, `:where()` counts zero). *Decl* is the declaration count; *!imp* the number marked `!important`. *Properties* lists every property the rule sets, with `!` marking `!important`. *Hooks* separates skin-owned hooks (`data-iw-*`, `data-fs-*`, `.fs-*`, `.iw-*`, `#iw-tip`) from game/host hooks (classes, attributes, elements the extension does not own). *Fragility* flags selectors that depend on utility class names, attribute substrings, element position or sibling order. *Comment* is the nearest authored comment for the rule's block (its own when marked `●`, otherwise the last one above it in the same block, marked `○`).

BASE.CSS — RULE INDEX

Generated by tools/css-inventory.mjs from src/styles/base.css at commit 059081671bf3 . Do not edit by hand.

Injected as part of <style data-iw-style="base"> — stylesheet 1 of 7 in injection order (src/content.js injectPresentationStyles()).

714 lines · 34,079 bytes · 58 rules · 92 selectors · 388 declarations · 66 !important · 1 @media · 0 @container · 0 @keyframes · 6 @font-face

Columns. *Line* is the rule's first line in the source file at the commit above. *Context* is the enclosing @media / @container / @supports chain. *Specificity* is the highest (id, class, type) of the rule's selector list, computed per Selectors Level 4 (:is()/:not()/:has() take their most specific argument, :where() counts zero). *Decl* is the declaration count; *!imp* the number marked !important . *Properties* lists every property the rule sets, with ! marking !important . *Hooks* separates skin-owned hooks (data-iw-*, data-fs-*, .fs-*, .iw-*, #iw-tip) from game/host hooks (classes, attributes, elements the extension does not own). *Fragility* flags selectors that depend on utility class names, attribute substrings, element position or sibling order. *Comment* is the nearest authored comment for the rule's block (its own when marked ●, otherwise the last one above it in the same block, marked ○).

ⒶFONT-FACE

Line	Family	Weight	Style	Display	Source
26	'Cinzel'	600 700	normal	swap	url('../assets/fonts/cinzel-variable.woff2') format('woff2')
34	'Barlow'	400	normal	swap	url('../assets/fonts/barlow-400.woff2') format('woff2')
42	'Barlow'	500	normal	swap	url('../assets/fonts/barlow-500.woff2') format('woff2')
50	'Barlow'	600	normal	swap	url('../assets/fonts/barlow-600.woff2') format('woff2')
58	'Barlow'	700	normal	swap	url('../assets/fonts/barlow-700.woff2') format('woff2')
66	'Crimson Text'	400	italic	swap	url('../assets/fonts/crimson-text-italic.woff2') format('woff2')

RULES

#	Line	Context	Selector(s)	Specificity	Decl / !imp	Properties	Hooks	Fragility	Comment
1	74	—	:root	(0,1,0)	79 / 23	—iw-ink-950, —iw-ink-900, —iw-ink-850, —iw-ink-800, —iw-ink-750, —iw-ink-700, —iw-ink-600, —iw-th-accent, —iw-th-accent-dim, —iw-th-edge, —iw-th-hairline, —iw-th-hairline-hi, —iw-th-bracket, —iw-th-bracket-dim, —iw-th-brass, —iw-th-rule, —iw-th-rule-soft, —iw-th-plate, —iw-th-cta, —iw-th-cta-hi, —iw-th-ground-a, —iw-th-ground-b, —iw-th-ground-wash, —iw-th-glow, —iw-th-edge-mid, —iw-th-edge-soft, —iw-th-edge-faint, —iw-line, —iw-line-hi, —iw-line-hot, —iw-gold, —iw-gold-dim, —iw-ember, —iw-ember-hi, —iw-text, —iw-text-hi, —iw-dim, —iw-faint, —iw-good, —iw-bad, —iw-info, —iw-t-common, —iw-t-uncommon, —iw-t-rare, —iw-t-epic, —iw-t-legendary, —iw-t-mythic, —iw-font-head, —iw-font-ui, —iw-font-flav, —iw-r-panel, —iw-r-control, —iw-r-slot, —iw-r, —iw-r-sm, —iw-action-tick, —background!, —foreground!, —card!, —card-foreground!, —popover!, —popover-foreground!, —panel-bg!, —panel-border!, —surface-bg!, —surface-border!, —primary!, —primary-foreground!, —accent!, —accent-foreground!, —ring!, —border!, —input!, —muted!, —muted-foreground!, —sidebar!, —sidebar-foreground!, —sidebar-border!, —sidebar-accent!	—	—	—
2	210	—	:root	(0,1,0)	3 / 0	—iw-zone-atlas, —iw-corner-filigree, —iw-zone-separator	—	—	● L195: — Per-zone frame theme The skin ships nine environment recolours of the skills UI atlas and its corner filigree and repaired separator flourish (assets/skills-ui/).
3	230	—	:root[data-iw-zone-theme="glacial"]	(0,2,0)	17 / 0	—iw-th-accent, —iw-th-accent-dim, —iw-th-edge, —iw-th-hairline, —iw-th-hairline-hi, —iw-th-bracket, —iw-th-bracket-dim, —iw-th-brass, —iw-th-rule, —iw-th-rule-soft, —iw-th-plate, —iw-th-cta, —iw-th-cta-hi, —iw-th-ground-a, —iw-th-ground-b, —iw-th-ground-wash, —iw-th-glow	skin: [data-iw-zone-theme="glacial"]	—	● L216: — Per-zone accent palettes Nine hand-tuned recolours of the —iw-th-* accent layer, one per environment family (assets/skills-ui/zone-theme-map.json).
4	240	—	:root[data-iw-zone-theme="infernal"]	(0,2,0)	17 / 0	—iw-th-accent, —iw-th-accent-dim, —iw-th-edge, —iw-th-hairline, —iw-th-hairline-hi, —iw-th-bracket, —iw-th-bracket-dim, —iw-th-brass, —iw-th-rule, —iw-th-rule-soft, —iw-th-plate, —iw-th-cta, —iw-th-cta-hi, —iw-th-ground-a, —iw-th-ground-b, —iw-th-ground-wash, —iw-th-glow	skin: [data-iw-zone-theme="infernal"]	—	○ L216: — Per-zone accent palettes Nine hand-tuned recolours of the —iw-th-* accent layer, one per environment family (assets/skills-ui/zone-theme-map.json).

#	Line	Context	Selector(s)	Specificity	Decl / !imp	Properties	Hooks	Fragility	Comment
5	250	—	:root[data-iw-zone-theme="verdant"]	(0,2,0)	17 / 0	—iw-th-accent, —iw-th-accent-dim, —iw-th-edge, —iw-th-hairline, —iw-th-hairline-hi, —iw-th-bracket, —iw-th-bracket-dim, —iw-th-brass, —iw-th-rule, —iw-th-rule-soft, —iw-th-plate, —iw-th-cta, —iw-th-cta-hi, —iw-th-ground-a, —iw-th-ground-b, —iw-th-ground-wash, —iw-th-glow	skin: [data-iw-zone-theme="verdant"]	—	○ L216: — Per-zone accent palettes Nine hand-tuned recolours of the —iw-th-* accent layer, one per environment family (assets/skills-ui/zone-theme-map.json).
6	260	—	:root[data-iw-zone-theme="forged-metal"]	(0,2,0)	17 / 0	—iw-th-accent, —iw-th-accent-dim, —iw-th-edge, —iw-th-hairline, —iw-th-hairline-hi, —iw-th-bracket, —iw-th-bracket-dim, —iw-th-brass, —iw-th-rule, —iw-th-rule-soft, —iw-th-plate, —iw-th-cta, —iw-th-cta-hi, —iw-th-ground-a, —iw-th-ground-b, —iw-th-ground-wash, —iw-th-glow	skin: [data-iw-zone-theme="forged-metal"]	—	○ L216: — Per-zone accent palettes Nine hand-tuned recolours of the —iw-th-* accent layer, one per environment family (assets/skills-ui/zone-theme-map.json).
7	270	—	:root[data-iw-zone-theme="celestial"]	(0,2,0)	17 / 0	—iw-th-accent, —iw-th-accent-dim, —iw-th-edge, —iw-th-hairline, —iw-th-hairline-hi, —iw-th-bracket, —iw-th-bracket-dim, —iw-th-brass, —iw-th-rule, —iw-th-rule-soft, —iw-th-plate, —iw-th-cta, —iw-th-cta-hi, —iw-th-ground-a, —iw-th-ground-b, —iw-th-ground-wash, —iw-th-glow	skin: [data-iw-zone-theme="celestial"]	—	○ L216: — Per-zone accent palettes Nine hand-tuned recolours of the —iw-th-* accent layer, one per environment family (assets/skills-ui/zone-theme-map.json).
8	280	—	:root[data-iw-zone-theme="voidborn"]	(0,2,0)	17 / 0	—iw-th-accent, —iw-th-accent-dim, —iw-th-edge, —iw-th-hairline, —iw-th-hairline-hi, —iw-th-bracket, —iw-th-bracket-dim, —iw-th-brass, —iw-th-rule, —iw-th-rule-soft, —iw-th-plate, —iw-th-cta, —iw-th-cta-hi, —iw-th-ground-a, —iw-th-ground-b, —iw-th-ground-wash, —iw-th-glow	skin: [data-iw-zone-theme="voidborn"]	—	○ L216: — Per-zone accent palettes Nine hand-tuned recolours of the —iw-th-* accent layer, one per environment family (assets/skills-ui/zone-theme-map.json).
9	290	—	:root[data-iw-zone-theme="runic-arcane"]	(0,2,0)	17 / 0	—iw-th-accent, —iw-th-accent-dim, —iw-th-edge, —iw-th-hairline, —iw-th-hairline-hi, —iw-th-bracket, —iw-th-bracket-dim, —iw-th-brass, —iw-th-rule, —iw-th-rule-soft, —iw-th-plate, —iw-th-cta, —iw-th-cta-hi, —iw-th-ground-a, —iw-th-ground-b, —iw-th-ground-wash, —iw-th-glow	skin: [data-iw-zone-theme="runic-arcane"]	—	○ L216: — Per-zone accent palettes Nine hand-tuned recolours of the —iw-th-* accent layer, one per environment family (assets/skills-ui/zone-theme-map.json).
10	300	—	:root[data-iw-zone-theme="lunar-spectral"]	(0,2,0)	17 / 0	—iw-th-accent, —iw-th-accent-dim, —iw-th-edge, —iw-th-hairline, —iw-th-hairline-hi, —iw-th-bracket, —iw-th-bracket-dim, —iw-th-brass, —iw-th-rule, —iw-th-rule-soft, —iw-th-plate, —iw-th-cta, —iw-th-cta-hi, —iw-th-ground-a, —iw-th-ground-b, —iw-th-ground-wash, —iw-th-glow	skin: [data-iw-zone-theme="lunar-spectral"]	—	○ L216: — Per-zone accent palettes Nine hand-tuned recolours of the —iw-th-* accent layer, one per environment family (assets/skills-ui/zone-theme-map.json).

#	Line	Context	Selector(s)	Specificity	Decl / !imp	Properties	Hooks	Fragility	Comment
11	310	—	:root[data-iw-zone-theme="tempest-oceanic"]	(0,2,0)	17 / 0	—iw-th-accent, —iw-th-accent-dim, —iw-th-edge, —iw-th-hairline, —iw-th-hairline-hi, —iw-th-bracket, —iw-th-bracket-dim, —iw-th-brass, —iw-th-rule, —iw-th-rule-soft, —iw-th-plate, —iw-th-cta, —iw-th-cta-hi, —iw-th-ground-a, —iw-th-ground-b, —iw-th-ground-wash, —iw-th-glow	skin: [data-iw-zone-theme="tempest-oceanic"]	—	○ L216: — Per-zone accent palettes Nine hand-tuned recolours of the —iw-th-* accent layer, one per environment family (assets/skills-ui/zone-theme-map.json).
12	336	—	:root[data-iw-zone-theme]	(0,2,0)	5 / 0	—iw-th-edge-mid, —iw-th-edge-soft, —iw-th-edge-faint, —iw-line, —iw-line-hi	skin: [data-iw-zone-theme]	—	● L320: — Derived inner frames The nine palettes above set —iw-th-edge and nothing else about frames.
13	344	—	html body	max(0,0,1)	3 / 3	background-color!, color!, font-family!	—	—	○ L320: — Derived inner frames The nine palettes above set —iw-th-edge and nothing else about frames.
14	351	—	body	(0,0,1)	2 / 2	background-image!, background-attachment!	—	—	○ L320: — Derived inner frames The nine palettes above set —iw-th-edge and nothing else about frames.
15	362	—	h1 h2 h3	max(0,0,1)	2 / 1	font-family!, letter-spacing	host: h1 h2 h3	—	● L358: Major semantic text. Item names remain Barlow via their own selectors.
16	366	—	h1:not(:where([data-iw-header="profile-name"])) h2 h3	max(0,0,1)	1 / 1	color!	skin: [data-iw-header="profile-name"] host: h1 h2 h3	—	○ L358: Major semantic text. Item names remain Barlow via their own selectors.
17	381	—	.compact-panel [class~="compact-panel"]	max(0,1,0)	6 / 6	border-color!, background!, background-blend-mode!, color!, border-radius!, box-shadow!	host: .compact-panel [class~="compact-panel"]	substring/attribute match [class~="compact-panel"]	● L372: .compact-panel is the game's shared card class — skills, quests, bosses, village, shop and every dialog-nested stat group (Character Stats, etc.) all use it.

#	Line	Context	Selector(s)	Specificity	Decl / !imp	Properties	Hooks	Fragility	Comment
18	405	—	<code>.compact-row</code> <code>[class*="item-row"]</code>	<code>max(0,1,0)</code>	4 / 4	<code>border-color!</code> , <code>background!</code> , <code>background-blend-mode!</code> , <code>color!</code>	host: <code>.compact-row</code> <code>[class*="item-row"]</code>	substring/attribute match <code>[class*="item-row"]</code>	● L397: <code>.compact-row</code> is the shared card-row class — leaderboard rows, chat feed rows and (before InventoryRenderer's own shell rule wins by :has() specificity) inventory rows all use i...
19	420	—	<code>[class*="rounded-3xl"]</code> <code>[class*="rounded-2xl"]</code> <code>[class*="rounded-xl"]</code> <code>[class*="rounded-lg"]</code> <code>[class*="rounded-md"]</code>	<code>max(0,1,0)</code>	1 / 1	<code>border-radius!</code>	host: <code>[class*="rounded-3xl"]</code> <code>[class*="rounded-2xl"]</code> <code>[class*="rounded-xl"]</code> <code>[class*="rounded-lg"]</code> <code>[class*="rounded-md"]</code>	substring/attribute match <code>[class*="rounded-3xl"]</code> ; substring/attribute match <code>[class*="rounded-2xl"]</code> ; substring/attribute match <code>[class*="rounded-xl"]</code> ; substring/attribute match <code>[class*="rounded-lg"]</code> ; substring/attribute match <code>[class*="rounded-md"]</code>	● L417: Tailwind's generous radii are a major source of the dashboard aesthetic.
20	428	—	<code>button:not([class*="chat-name-"]):not([class*="hover:underline"]):not([data-iw-skill-role="level-progress"]):not([class*="decoration-dotted"]):not([data-iw-order-handle])</code> <code>[role="button"]:not(.iw-item-ref):not([class*="chat-name-"]):not([class*="hover:underline"]):not([data-iw-skill-role="level-progress"]):not([class*="decoration-dotted"]):not([data-iw-order-handle])</code>	<code>max(0,7,0)</code>	1 / 1	<code>border-radius!</code>	skin: <code>.iw-item-ref [data-iw-skill-role="level-progress"]</code> host: <code>[class*="chat-name-"]</code> <code>[class*="hover:underline"]</code> <code>[class*="decoration-dotted"]</code> <code>[role="button"] button</code>	substring/attribute match <code>[class*="chat-name-"]</code> ; substring/attribute match <code>[class*="hover:underline"]</code> ; substring/attribute match <code>[class*="decoration-dotted"]</code>	○ L417: Tailwind's generous radii are a major source of the dashboard aesthetic.

#	Line	Context	Selector(s)	Specificity	Decl / !imp	Properties	Hooks	Fragility	Comment
21	452	—	<code>button:not(:where([data-iw-header="profile-name"] button)) [role="button"]:not(:where([data-iw-header="profile-name"] *))</code>	max(0,1,0)	2 / 0	background-color, color	skin: <code>[data-iw-header="profile-name"] host: [role="button"] button</code>	—	● L435: Forged base colour for controls.
22	466	—	<code>[class*="hover:underline"]</code>	(0,1,0)	5 / 5	background-color!, border!, box-shadow!, padding!, border-radius!	host: <code>[class*="hover:underline"]</code>	substring/attribute match <code>[class*="hover:underline"]</code>	● L458: A handful of controls (leaderboard player names so far) are Tailwind <code>hover:underline</code> text links wearing a <code><button></code> tag, not real controls — the game gives them no plate of thei...
23	492	—	<code>button:not(.iw-item-ref):not([class*="chat-name-"]):not([class*="hover:underline"]):not([data-iw-skill-role="level-progress"]):not([data-iw-ui="section-title"]):not([data-iw-order-handle]) [role="button"]:not(.iw-item-ref):not([class*="chat-name-"]):not([class*="hover:underline"]):not([data-iw-skill-role="level-progress"]):not([data-iw-ui="section-title"]):not([data-iw-order-handle]) input select textarea</code>	max(0,7,0)	1 / 1	font-family!	skin: <code>.iw-item-ref [data-iw-skill-role="level-progress"] [data-iw-ui="section-title"] [data-iw-order-handle]</code> host: <code>[class*="chat-name-"] [class*="hover:underline"] [role="button"] button input select textarea</code>	substring/attribute match <code>[class*="chat-name-"]</code> ; substring/attribute match <code>[class*="hover:underline"]</code>	● L485: <code>:not([data-iw-ui="section-title"])</code> — the Action Log's panel title is a real <code><button></code> (the game makes the label open the full log), so this rule was painting one panel heading in...

#	Line	Context	Selector(s)	Specificity	Decl / !imp	Properties	Hooks	Fragility	Comment
24	508	—	button:not(.iw-item-ref):not([class*="chat-name-"]):not([class*="hover:underline"]):not([data-iw-skill-role="level-progress"]):not([class*="decoration-dotted"]):not([data-iw-quest-role]):not([data-iw-boss-role]):not([data-iw-village-role]):not(.iw-boss-reward):not([data-iw-order-handle]):not([data-iw-zone-link])[role="button"]:not(.iw-item-ref):not([class*="chat-name-"]):not([class*="hover:underline"]):not([data-iw-skill-role="level-progress"]):not([class*="decoration-dotted"]):not([data-iw-quest-role]):not([data-iw-boss-role]):not([data-iw-village-role]):not(.iw-boss-reward):not([data-iw-order-handle]):not([data-iw-zone-link])	max (0,12,0)	2 / 2	box-shadow!, transition!	skin: .iw-item-ref .iw-boss-reward [data-iw-skill-role="level-progress"] [data-iw-quest-role] [data-iw-boss-role] [data-iw-village-role] [data-iw-order-handle] [data-iw-zone-link] host: [class*="chat-name-"] [class*="hover:underline"] [class*="decoration-dotted"] [role="button"] button	substring/attribute match [class*="chat-name-"]; substring/attribute match [class*="hover:underline"]; substring/attribute match [class*="decoration-dotted"]	• L500: The quest command buttons (data-iw-quest-role turn-in / skip) paint an action_frame sprite and nothing else — skillpanel.css strips their plate to box-shadow: none and moves the...

#	Line	Context	Selector(s)	Specificity	Decl / !imp	Properties	Hooks	Fragility	Comment
25	516	—	button:not(.iw-item-ref):not([class*="chat-name-"]):not([class*="hover:underline"]):not([data-iw-skill-role="level-progress"]):not([data-iw-order-handle]):hover:not(:disabled) [role="button"]:not(.iw-item-ref):not([class*="chat-name-"]):not([class*="hover:underline"]):not([data-iw-skill-role="level-progress"]):not([data-iw-order-handle]):hover	max(0,7,1)	1 / 0	filter	skin: .iw-item-ref [data-iw-skill-role="level-progress"] [data-iw-order-handle] host: [class*="chat-name-"] [class*="hover:underline"] [role="button"] button	substring/attribute match [class*="chat-name-"]; substring/attribute match [class*="hover:underline"]	○ L500: The quest command buttons (data-iw-quest-role turn-in / skip) paint an action_frame sprite and nothing else — skillpanel.css strips their plate to box-shadow: none and moves the...
26	521	—	button:not(.iw-item-ref):not([class*="chat-name-"]):not([class*="hover:underline"]):not([data-iw-skill-role="level-progress"]):not([data-iw-order-handle]):focus-visible [role="button"]:not(.iw-item-ref):not([class*="chat-name-"]):not([class*="hover:underline"]):not([data-iw-skill-role="level-progress"]):not([data-iw-order-handle]):focus-visible input:focus-visible select:focus-visible textarea:focus-visible	max(0,7,0)	2 / 2	outline!, outline-offset!	skin: .iw-item-ref [data-iw-skill-role="level-progress"] [data-iw-order-handle] host: [class*="chat-name-"] [class*="hover:underline"] [role="button"] button input select textarea	substring/attribute match [class*="chat-name-"]; substring/attribute match [class*="hover:underline"]	○ L500: The quest command buttons (data-iw-quest-role turn-in / skip) paint an action_frame sprite and nothing else — skillpanel.css strips their plate to box-shadow: none and moves the...

#	Line	Context	Selector(s)	Specificity	Decl / !imp	Properties	Hooks	Fragility	Comment
27	530	—	<code>input:not([type="checkbox"]):not([type="radio"])</code> <code>select</code> <code>textarea</code>	max(0,2,1)	5 / 5	border-radius!, border-color!, background!, color!, box-shadow!	host: <code>[type="checkbox"]</code> <code>[type="radio"]</code> <code>input</code> <code>select</code> <code>textarea</code>	—	○ L500: The quest command buttons (data-iw-quest-role turn-in / skip) paint an action_frame sprite and nothing else — skillpanel.css strips their plate to <code>box-shadow: none</code> and moves the...
28	542	—	<code>input::placeholder</code> <code>textarea::placeholder</code>	max(0,0,2)	1 / 1	color!	host: <code>input</code> <code>textarea</code>	—	○ L500: The quest command buttons (data-iw-quest-role turn-in / skip) paint an action_frame sprite and nothing else — skillpanel.css strips their plate to <code>box-shadow: none</code> and moves the...
29	549	—	<code>nav button</code> <code>nav [role="button"]</code> <code>header</code> <code>button:not([class*="chat-name-"]):not([class*="hover:underline"])</code> <code>[class*="tab"] button</code>	max(0,2,2)	2 / 2	border-radius!, font-weight!	host: <code>[role="button"]</code> <code>[class*="chat-name-"]</code> <code>[class*="hover:underline"]</code> <code>[class*="tab"]</code> <code>nav button</code> <code>header</code>	substring/attribute match <code>[class*="chat-name-"]</code> ; substring/attribute match <code>[class*="hover:underline"]</code> ; substring/attribute match <code>[class*="tab"]</code>	● L547: Main nav/tabs often arrive as heavily rounded buttons.
30	557	—	<code>hr</code>	(0,0,1)	1 / 1	border-color!	host: <code>hr</code>	—	○ L547: Main nav/tabs often arrive as heavily rounded buttons.
31	563	—	<code>.iw-ico</code>	(0,1,0)	8 / 0	flex, display, position, background-repeat, background-color, border, border-radius, box-shadow	skin: <code>.iw-ico</code>	—	● L561: — Shared icon slot
32	576	—	<code>.iw-icon-badge</code>	(0,1,0)	15 / 0	position, right, bottom, font-family, font-size, font-weight, line-height, padding, border-radius, background, border, color, font-variant-numeric, pointer-events, z-index	skin: <code>.iw-icon-badge</code>	—	● L574: Drawn fallback chip. Used only when the atlas has no sprite for a future enhancement level.
33	594	—	<code>.iw-icon-badge--sprite</code>	(0,1,0)	12 / 0	right, bottom, width, height, padding, border, border-radius, background-color, color, font-size, line-height, filter	skin: <code>.iw-icon-badge--sprite</code>	—	○ L574: Drawn fallback chip. Used only when the atlas has no sprite for a future enhancement level.
34	611	—	<code>.tier-common</code>	(0,1,0)	1 / 0	color	host: <code>.tier-common</code>	—	● L609: — Tier colours

#	Line	Context	Selector(s)	Specificity	Decl / !imp	Properties	Hooks	Fragility	Comment
35	612	—	.tier-uncommon	(0,1,0)	1 / 0	color	host: .tier-uncommon	—	○ L609: — Tier colours
36	613	—	.tier-rare	(0,1,0)	1 / 0	color	host: .tier-rare	—	○ L609: — Tier colours
37	614	—	.tier-epic	(0,1,0)	1 / 0	color	host: .tier-epic	—	○ L609: — Tier colours
38	615	—	.tier-legendary	(0,1,0)	1 / 0	color	host: .tier-legendary	—	○ L609: — Tier colours
39	616	—	.tier-mythic	(0,1,0)	1 / 0	color	host: .tier-mythic	—	○ L609: — Tier colours
40	620	—	.iw-btn	(0,1,0)	16 / 0	font-family, font-size, font-weight, letter-spacing, text-transform, padding, min-width, border-radius, cursor, border, background, color, transition, align-self, height, box-shadow	skin: .iw-btn	—	● L618: — Extension-owned button primitive
41	638	—	.iw-btn:hover	(0,2,0)	3 / 0	background, border-color, color	skin: .iw-btn	—	○ L618: — Extension-owned button primitive
42	643	—	.iw-btn--primary	(0,1,0)	3 / 0	background, border-color, color	skin: .iw-btn--primary	—	○ L618: — Extension-owned button primitive
43	648	—	.iw-btn--primary:hover	(0,2,0)	3 / 0	background, border-color, color	skin: .iw-btn--primary	—	○ L618: — Extension-owned button primitive
44	653	—	.iw-btn--disabled .iw-btn:disabled	max(0,2,0)	5 / 0	background, border-color, color, cursor, box-shadow	skin: .iw-btn--disabled .iw-btn	—	○ L618: — Extension-owned button primitive
45	664	—	.iw-xp	(0,1,0)	3 / 0	display, flex-direction, gap	skin: .iw-xp	—	● L662: — Progress / XP primitive
46	665	—	.iw-xp__line	(0,1,0)	5 / 0	display, align-items, gap, font-size, font-family	skin: .iw-xp__line	—	○ L662: — Progress / XP primitive
47	672	—	.iw-xp__pct	(0,1,0)	3 / 0	color, font-weight, font-variant-numeric	skin: .iw-xp__pct	—	○ L662: — Progress / XP primitive
48	673	—	.iw-xp__togo	(0,1,0)	3 / 0	margin-left, color, font-variant-numeric	skin: .iw-xp__togo	—	○ L662: — Progress / XP primitive
49	674	—	.iw-xp__track	(0,1,0)	6 / 0	height, background, border, border-radius, overflow, box-shadow	skin: .iw-xp__track	—	○ L662: — Progress / XP primitive
50	682	—	.iw-xp__fill	(0,1,0)	3 / 0	height, background, transition	skin: .iw-xp__fill	—	○ L662: — Progress / XP primitive

#	Line	Context	Selector(s)	Specificity	Decl / !imp	Properties	Hooks	Fragility	Comment
51	683	—	.iw-xp__fill--ready	(0,1,0)	1 / 0	background	skin: .iw-xp__fill--ready	—	○ L662: — Progress / XP primitive
52	687	—	::-webkit-scrollbar	(0,0,1)	2 / 0	width, height	—	—	● L685: — Scrollbars
53	688	—	::-webkit-scrollbar-track	(0,0,1)	1 / 0	background	—	—	○ L685: — Scrollbars
54	689	—	::-webkit-scrollbar-thumb	(0,0,1)	2 / 0	background, border-radius	—	—	○ L685: — Scrollbars
55	690	—	::-webkit-scrollbar-thumb:hover	(0,1,1)	1 / 0	background	—	—	○ L685: — Scrollbars
56	693	@media (prefers-reduced-motion: reduce)	*	(0,0,0)	2 / 2	transition!, animation!	—	—	—
57	698	—	[class*="rounded-full"] [class*="px-"] button[class*="rounded-full"]:not([class*="chat-name-"]):not([class*="hover:underline"]) [role="button"] [class*="rounded-full"]:not([class*="chat-name-"]):not([class*="hover:underline"])	max(0,4,0)	1 / 1	border-radius!	host: [class*="rounded-full"] [class*="px-"] [class*="chat-name-"] [class*="hover:underline"] [role="button"] button	substring/attribute match [class*="rounded-full"]; substring/attribute match [class*="px-"]; substring/attribute match [class*="chat-name-"]; substring/attribute match [class*="hover:underline"]	● L696: Padded rounded-full elements are almost always pills/tabs/status readouts, not true circular glyphs.
58	706	—	[class*="border"] [class*="rounded-3xl"] [class*="border"] [class*="rounded-2xl"] [class*="border"] [class*="rounded-xl"]	max(0,2,0)	2 / 2	border-color!, box-shadow!	host: [class*="border"] [class*="rounded-3xl"] [class*="rounded-2xl"] [class*="rounded-xl"]	substring/attribute match [class*="border"]; substring/attribute match [class*="rounded-3xl"]; substring/attribute match [class*="rounded-2xl"]; substring/attribute match [class*="rounded-xl"]	● L704: Bordered large-radius frames get the same forged edge treatment even when they are not .compact-panel (top HUD, inventory shell, market, leaderboard).

TOOLTIP-ENGINE.CSS — RULE INDEX

Generated by tools/css-inventory.mjs from src/styles/tooltip-engine.css at commit 059081671bf3. Do not edit by hand.

Injected as part of <style data-iw-style="tooltip-engine"> — stylesheet 2 of 7 in injection order (src/content.js injectPresentationStyles()).

412 lines · 12,568 bytes · 51 rules · 54 selectors · 260 declarations · 24 !important · 1 @media · 0 @container · 0 @keyframes · 0 @font-face

Columns. *Line* is the rule's first line in the source file at the commit above. *Context* is the enclosing @media / @container / @supports chain. *Specificity* is the highest (id, class, type) of the rule's selector list, computed per Selectors Level 4 (:is()/:not()/:has() take their most specific argument, :where() counts zero). *Decl* is the declaration count; *!imp* the number marked !important. *Properties* lists every property the rule sets, with ! marking !important. *Hooks* separates skin-owned hooks (data-iw-*, data-fs-*, .fs-*, .iw-*, #iw-tip) from game/host hooks (classes, attributes, elements the extension does not own). *Fragility* flags selectors that depend on utility class names, attribute substrings, element position or sibling order. *Comment* is the nearest authored comment for the rule's block (its own when marked ●, otherwise the last one above it in the same block, marked ○).

RULES

#	Line	Context	Selector(s)	Specificity	Decl / !imp	Properties	Hooks	Fragility	Comment
1	27	—	.iw-item-ref	(0,1,0)	18 / 12	display, background!, border!, border-bottom!, border-radius!, padding!, margin!, box-shadow!, font!, line-height!, font-weight!, letter-spacing!, text-transform!, color, cursor, text-decoration, transition, vertical-align	skin: .iw-item-ref	—	● L1: Tooltip engine — rich item-card treatment The card is a FRAMED SURFACE, and it is framed the way every other framed surface in the skin is (see ui-system.css, "Shared forged frame...
2	47	—	.iw-item-ref:hover .iw-item-ref:focus-visible	max(0,2,0)	2 / 1	color, border-bottom-color!	skin: .iw-item-ref	—	○ L1: Tooltip engine — rich item-card treatment The card is a FRAMED SURFACE, and it is framed the way every other framed surface in the skin is (see ui-system.css, "Shared forged frame...
3	52	—	.iw-item-ref:focus-visible	(0,2,0)	2 / 2	outline!, outline-offset!	skin: .iw-item-ref	—	○ L1: Tooltip engine — rich item-card treatment The card is a FRAMED SURFACE, and it is framed the way every other framed surface in the skin is (see ui-system.css, "Shared forged frame...
4	56	—	.iw-item-info	(0,1,0)	1 / 0	display	skin: .iw-item-info	—	○ L1: Tooltip engine — rich item-card treatment The card is a FRAMED SURFACE, and it is framed the way every other framed surface in the skin is (see ui-system.css, "Shared forged frame...

#	Line	Context	Selector(s)	Specificity	Decl / !imp	Properties	Hooks	Fragility	Comment
5	58	—	<code>.iw-tip</code>	(0,1,0)	27 / 0	<code>—fs-tip-w</code> , <code>—fs-tip-pad-x</code> , <code>—fs-tip-art</code> , <code>—fs-tip-corner-h</code> , <code>—fs-tip-corner-w</code> , position, z-index, width, max-width, box-sizing, background, background-blend-mode, border, border-radius, box-shadow, max-height, flex-direction, overflow, overscroll-behavior, font-family, font-size, line-height, color, opacity, pointer-events, transition	skin: <code>.iw-tip</code>	—	○ L1: Tooltip engine — rich item-card treatment The card is a FRAMED SURFACE, and it is framed the way every other framed surface in the skin is (see ui-system.css, "Shared forged frame...
6	99	—	<code>.iw-tip::before</code>	(0,1,1)	10 / 0	content, position, z-index, left, right, top, height, background, opacity, pointer-events	skin: <code>.iw-tip</code>	—	● L98: Gold hairline across the head of the frame — the shared frame's ::before.
7	115	—	<code>.iw-tip::after</code>	(0,1,1)	9 / 0	content, position, inset, z-index, pointer-events, border-style, border-width, border-color, border-image	skin: <code>.iw-tip</code>	—	● L111: Four mirrored corners from one 176x190 sheet — the same asset, slice and stretch the inventory panel, quest cards, skill actions, the activity panels and the header all draw.
8	127	—	<code>.iw-tip &gt; *</code>	(0,1,0)	2 / 0	position, z-index	skin: <code>.iw-tip</code>	—	● L126: Card content sits above the ornament.
9	129	—	<code>.iw-tip.is-open</code>	(0,2,0)	2 / 0	opacity, pointer-events	skin: <code>.iw-tip</code> host: <code>.is-open</code>	—	○ L126: Card content sits above the ornament.
10	130	—	<code>.iw-tip:focus-visible</code>	(0,2,0)	2 / 0	outline, outline-offset	skin: <code>.iw-tip</code>	—	○ L126: Card content sits above the ornament.
11	143	—	<code>.iw-tip-head</code>	(0,1,0)	9 / 0	position, flex, display, align-items, gap, padding, box-sizing, background, border-bottom	skin: <code>.iw-tip-head</code>	—	● L135: — Head: sprite slot, name, badges The art used to be a 100px box absolutely positioned in the top-right, which forced <code>min-height: 116px</code> on the head and reserved 118px of paddin...
12	154	—	<code>.iw-tip-title-block</code>	(0,1,0)	2 / 0	flex, min-width	skin: <code>.iw-tip-title-block</code>	—	○ L135: — Head: sprite slot, name, badges The art used to be a 100px box absolutely positioned in the top-right, which forced <code>min-height: 116px</code> on the head and reserved 118px of paddin...
13	155	—	<code>.iw-tip-name</code>	(0,1,0)	7 / 0	font-family, font-size, font-weight, line-height, letter-spacing, word-break, text-shadow	skin: <code>.iw-tip-name</code>	—	○ L135: — Head: sprite slot, name, badges The art used to be a 100px box absolutely positioned in the top-right, which forced <code>min-height: 116px</code> on the head and reserved 118px of paddin...
14	168	—	<code>.iw-tip-art</code>	(0,1,0)	13 / 0	flex, width, height, box-sizing, display, place-items, padding, background-color, border, border-radius, box-shadow, overflow, pointer-events	skin: <code>.iw-tip-art</code>	—	● L165: The item slot, built like .fs-inv-icon: black ground, brass edge, 2px radius, and overflow visible so the AtlasService enhancement badge can overhang.
15	186	—	<code>.iw-tip-art-host</code> <code>.iw-tip-art-fallback</code>	max(0,1,0)	10 / 0	<code>—fs-tip-art-inner</code> , position, display, width, height, min-width, min-height, max-width, max-height, background-repeat	skin: <code>.iw-tip-art-host</code> <code>.iw-tip-art-fallback</code>	—	○ L165: The item slot, built like .fs-inv-icon: black ground, brass edge, 2px radius, and overflow visible so the AtlasService enhancement badge can overhang.
16	200	—	<code>.iw-tip-art-fallback</code>	(0,1,0)	4 / 0	display, place-items, font-size, opacity	skin: <code>.iw-tip-art-fallback</code>	—	● L188: 8px padding + 1px border on each side.

#	Line	Context	Selector(s)	Specificity	Decl / !imp	Properties	Hooks	Fragility	Comment
17	206	—	<code>.iw-tip-close</code>	(0,1,0)	12 / 6	flex, width, height, display, place-items, padding!, border!, border-radius!, background-color!, color!, font!, cursor	skin: <code>.iw-tip-close</code>	—	○ L188: 8px padding + 1px border on each side.
18	220	—	<code>.iw-tip-close:hover</code> <code>.iw-tip-close:focus-visible</code>	max(0,2,0)	3 / 3	border-color!, color!, outline!	skin: <code>.iw-tip-close</code>	—	○ L188: 8px padding + 1px border on each side.
19	228	—	<code>.iw-tip-badges</code>	(0,1,0)	5 / 0	display, flex-wrap, align-items, gap, margin-top	skin: <code>.iw-tip-badges</code>	—	● L227: Chips, not pills: round pills are not the house style (base.css).
20	235	—	<code>.iw-tip-badge</code>	(0,1,0)	10 / 0	font-size, font-weight, line-height, letter-spacing, white-space, padding, border, border-radius, background, color	skin: <code>.iw-tip-badge</code>	—	○ L227: Chips, not pills: round pills are not the house style (base.css).
21	247	—	<code>.iw-tip-badge.t</code>	(0,2,0)	2 / 0	color, border-color	skin: <code>.iw-tip-badge</code> host: <code>.t</code>	—	○ L227: Chips, not pills: round pills are not the house style (base.css).
22	251	—	<code>.iw-tip-badge.req</code>	(0,2,0)	2 / 0	color, border-color	skin: <code>.iw-tip-badge</code> host: <code>.req</code>	—	○ L227: Chips, not pills: round pills are not the house style (base.css).
23	256	—	<code>.iw-tip-body</code>	(0,1,0)	7 / 0	flex, min-height, padding, overflow-y, overscroll-behavior, -webkit-overflow-scrolling, scrollbar-gutter	skin: <code>.iw-tip-body</code>	—	○ L227: Chips, not pills: round pills are not the house style (base.css).
24	265	—	<code>.iw-tip-sec</code>	(0,1,0)	3 / 0	margin-top, padding-top, border-top	skin: <code>.iw-tip-sec</code>	—	○ L227: Chips, not pills: round pills are not the house style (base.css).
25	270	—	<code>.iw-tip-sec:first-child</code>	(0,2,0)	3 / 0	margin-top, padding-top, border-top	skin: <code>.iw-tip-sec</code>	position-dependent :first-child	○ L227: Chips, not pills: round pills are not the house style (base.css).
26	273	—	<code>.iw-tip-sec-title</code>	(0,1,0)	7 / 0	font-family, font-size, font-weight, letter-spacing, text-transform, color, margin-bottom	skin: <code>.iw-tip-sec-title</code>	—	● L271: The house eyebrow: Cinzel, tracked-out caps, dim gold — the treatment the inventory pager and the skill kickers already use.
27	282	—	<code>.iw-tip-effect</code>	(0,1,0)	3 / 0	color, font-size, line-height	skin: <code>.iw-tip-effect</code>	—	○ L271: The house eyebrow: Cinzel, tracked-out caps, dim gold — the treatment the inventory pager and the skill kickers already use.
28	288	—	<code>.iw-tip-stats</code>	(0,1,0)	3 / 0	display, grid-template-columns, gap	skin: <code>.iw-tip-stats</code>	—	○ L271: The house eyebrow: Cinzel, tracked-out caps, dim gold — the treatment the inventory pager and the skill kickers already use.
29	298	—	<code>.iw-tip-stats:not(:has(&gt; :nth-child(2)))</code>	(0,2,0)	1 / 0	grid-template-columns	skin: <code>.iw-tip-stats</code>	position-dependent :nth-child	● L293: A single stat block in a two-column grid strands its value in the middle of the card with an empty column beside it — the "Base value 551g" case, which is most trade goods and eve...

#	Line	Context	Selector(s)	Specificity	Decl / !imp	Properties	Hooks	Fragility	Comment
30	301	—	<code>.iw-tip-stat-block</code>	(0,1,0)	1 / 0	min-width	skin: <code>.iw-tip-stat-block</code>	—	○ L293: A single stat block in a two-column grid strands its value in the middle of the card with an empty column beside it — the "Base value 551g" case, which is most trade goods and eve...
31	302	—	<code>.iw-tip-stat</code>	(0,1,0)	7 / 0	min-width, display, justify-content, align-items, gap, font-size, padding	skin: <code>.iw-tip-stat</code>	—	○ L293: A single stat block in a two-column grid strands its value in the middle of the card with an empty column beside it — the "Base value 551g" case, which is most trade goods and eve...
32	311	—	<code>.iw-tip-stat .k</code>	(0,2,0)	3 / 0	min-width, color, white-space	skin: <code>.iw-tip-stat</code> host: <code>.k</code>	—	○ L293: A single stat block in a two-column grid strands its value in the middle of the card with an empty column beside it — the "Base value 551g" case, which is most trade goods and eve...
33	316	—	<code>.iw-tip-stat .v</code>	(0,2,0)	7 / 0	flex, font-family, font-size, color, font-weight, text-align, font-variant-numeric	skin: <code>.iw-tip-stat</code> host: <code>.v</code>	—	○ L293: A single stat block in a two-column grid strands its value in the middle of the card with an empty column beside it — the "Base value 551g" case, which is most trade goods and eve...
34	325	—	<code>.iw-tip-stat .v.amber</code>	(0,3,0)	1 / 0	color	skin: <code>.iw-tip-stat</code> host: <code>.v .amber</code>	—	○ L293: A single stat block in a two-column grid strands its value in the middle of the card with an empty column beside it — the "Base value 551g" case, which is most trade goods and eve...
35	326	—	<code>.iw-tip-stat .v.good</code>	(0,3,0)	1 / 0	color	skin: <code>.iw-tip-stat</code> host: <code>.v .good</code>	—	○ L293: A single stat block in a two-column grid strands its value in the middle of the card with an empty column beside it — the "Base value 551g" case, which is most trade goods and eve...
36	327	—	<code>.iw-tip-stat-note</code>	(0,1,0)	4 / 0	margin-top, color, font-size, line-height	skin: <code>.iw-tip-stat-note</code>	—	○ L293: A single stat block in a two-column grid strands its value in the middle of the card with an empty column beside it — the "Base value 551g" case, which is most trade goods and eve...
37	334	—	<code>.iw-tip-acq</code>	(0,1,0)	2 / 0	position, padding	skin: <code>.iw-tip-acq</code>	—	○ L293: A single stat block in a two-column grid strands its value in the middle of the card with an empty column beside it — the "Base value 551g" case, which is most trade goods and eve...
38	338	—	<code>.iw-tip-acq::before</code>	(0,1,1)	7 / 0	content, position, left, top, bottom, width, background	skin: <code>.iw-tip-acq</code>	—	○ L293: A single stat block in a two-column grid strands its value in the middle of the card with an empty column beside it — the "Base value 551g" case, which is most trade goods and eve...
39	347	—	<code>.iw-tip-acq-main</code>	(0,1,0)	3 / 0	font-size, font-weight, color	skin: <code>.iw-tip-acq-main</code>	—	○ L293: A single stat block in a two-column grid strands its value in the middle of the card with an empty column beside it — the "Base value 551g" case, which is most trade goods and eve...

#	Line	Context	Selector(s)	Specificity	Decl / !imp	Properties	Hooks	Fragility	Comment
40	352	—	<code>.iw-tip-acq-sub</code>	(0,1,0)	4 / 0	font-size, color, margin-top, line-height	skin: <code>.iw-tip-acq-sub</code>	—	○ L293: A single stat block in a two-column grid strands its value in the middle of the card with an empty column beside it — the "Base value 551g" case, which is most trade goods and eve...
41	358	—	<code>.iw-tip-acq.is-unknown</code> <code>.iw-tip-acq-main</code>	(0,3,0)	2 / 0	color, font-style	skin: <code>.iw-tip-acq</code> <code>.iw-tip-acq-main</code> host: <code>.is-unknown</code>	—	○ L293: A single stat block in a two-column grid strands its value in the middle of the card with an empty column beside it — the "Base value 551g" case, which is most trade goods and eve...
42	359	—	<code>.iw-tip-flavour</code>	(0,1,0)	5 / 0	font-family, font-style, font-size, color, line-height	skin: <code>.iw-tip-flavour</code>	—	○ L293: A single stat block in a two-column grid strands its value in the middle of the card with an empty column beside it — the "Base value 551g" case, which is most trade goods and eve...
43	367	—	<code>.iw-tip-foot</code>	(0,1,0)	9 / 0	flex, min-height, padding, border-top, background, display, align-items, justify-content, gap	skin: <code>.iw-tip-foot</code>	—	○ L293: A single stat block in a two-column grid strands its value in the middle of the card with an empty column beside it — the "Base value 551g" case, which is most trade goods and eve...
44	378	—	<code>.iw-tip-foot:empty</code>	(0,2,0)	1 / 0	display	skin: <code>.iw-tip-foot</code>	—	○ L293: A single stat block in a two-column grid strands its value in the middle of the card with an empty column beside it — the "Base value 551g" case, which is most trade goods and eve...
45	379	—	<code>.iw-tip-link</code>	(0,1,0)	5 / 0	font-size, font-weight, letter-spacing, color, text-decoration	skin: <code>.iw-tip-link</code>	—	○ L293: A single stat block in a two-column grid strands its value in the middle of the card with an empty column beside it — the "Base value 551g" case, which is most trade goods and eve...
46	386	—	<code>.iw-tip-link:hover</code>	(0,2,0)	1 / 0	color	skin: <code>.iw-tip-link</code>	—	○ L293: A single stat block in a two-column grid strands its value in the middle of the card with an empty column beside it — the "Base value 551g" case, which is most trade goods and eve...
47	387	—	<code>.iw-tip-link:focus-visible</code>	(0,2,0)	3 / 0	color, outline, outline-offset	skin: <code>.iw-tip-link</code>	—	○ L293: A single stat block in a two-column grid strands its value in the middle of the card with an empty column beside it — the "Base value 551g" case, which is most trade goods and eve...
48	392	—	<code>.iw-tip-source</code>	(0,1,0)	6 / 0	margin-left, font-size, font-weight, letter-spacing, color, text-transform	skin: <code>.iw-tip-source</code>	—	○ L293: A single stat block in a two-column grid strands its value in the middle of the card with an empty column beside it — the "Base value 551g" case, which is most trade goods and eve...

#	Line	Context	Selector(s)	Specificity	Decl / !imp	Properties	Hooks	Fragility	Comment
49	400	—	.iw-tip-source.is-stale	(0,2,0)	1 / 0	color	skin: .iw-tip-source host: .is-stale	—	○ L293: A single stat block in a two-column grid strands its value in the middle of the card with an empty column beside it — the "Base value 551g" case, which is most trade goods and eve...
50	403	@media (max-width: 420px)	.iw-tip	(0,1,0)	5 / 0	—fs-tip-w, —fs-tip-pad-x, —fs-tip-art, —fs-tip-corner-h, —fs-tip-corner-w	skin: .iw-tip	—	—
51	410	@media (max-width: 420px)	.iw-tip-stats	(0,1,0)	1 / 0	grid-template-columns	skin: .iw-tip-stats	—	—

INVENTORY.CSS — RULE INDEX

Generated by tools/css-inventory.mjs from src/styles/inventory.css at commit 059081671bf3. Do not edit by hand.

Injected as part of <style data-iw-style="inventory"> — stylesheet 3 of 7 in injection order(src/content.js injectPresentationStyles()).

885 lines · 35,647 bytes · 108 rules · 142 selectors · 437 declarations · 178 !important · 6 @media · 0 @container · 0 @keyframes · 0 @font-face

Columns. *Line* is the rule's first line in the source file at the commit above. *Context* is the enclosing @media / @container / @supports chain. *Specificity* is the highest (id, class, type) of the rule's selector list, computed per Selectors Level 4 (:is()/:not()/:has() take their most specific argument, :where() counts zero). *Decl* is the declaration count; *!imp* the number marked !important. *Properties* lists every property the rule sets, with ! marking !important. *Hooks* separates skin-owned hooks (data-iw-*, data-fs-*, .fs-*, .iw-*, #iw-tip) from game/host hooks (classes, attributes, elements the extension does not own). *Fragility* flags selectors that depend on utility class names, attribute substrings, element position or sibling order. *Comment* is the nearest authored comment for the rule's block (its own when marked ●, otherwise the last one above it in the same block, marked ○).

RULES

#	Line	Context	Selector(s)	Specificity	Decl / !imp	Properties	Hooks	Fragility	Comment
1	31	—	[data-iw-inventory-root="1"]	(0,1,0)	2 / 1	—fs-inv-command-w, overflow!	skin: [data-iw-inventory-root="1"]	—	● L27: The panel ground, the gold hairline, the corner filigree and the padding that clears them are NOT here.
2	44	—	[data-iw-inventory-root="1"] [data-iw-inventory-list="1"]	(0,2,0)	9 / 9	position!, isolation!, margin!, padding!, border!, border-radius!, background!, background-blend-mode!, box-shadow!	skin: [data-iw-inventory-root="1"] [data-iw-inventory-list="1"]	—	● L36: Inner frame around the item list — the same relationship the Quests panel has with its quest cards: an ornate outer section frame (corner filigree + gold hairline, from ui-system....
3	63	—	[data-iw-inventory-root="1"] [data-iw-inventory-list="1"]::before	(0,2,1)	10 / 10	content!, position!, z-index!, pointer-events!, left!, right!, top!, height!, background!, opacity!	skin: [data-iw-inventory-root="1"] [data-iw-inventory-list="1"]	—	● L61: Themed hairline across the head of the inner frame — the shared frame's ::before, scaled to a card.
4	76	—	[data-iw-inventory-root="1"] [data-iw-inventory-list="1"]::after	(0,2,1)	8 / 8	content!, position!, inset!, z-index!, pointer-events!, border!, border-radius!, box-shadow!	skin: [data-iw-inventory-root="1"] [data-iw-inventory-list="1"]	—	● L75: Recessed inner line, exactly like the quest card's inset border.

#	Line	Context	Selector(s)	Specificity	Decl / !imp	Properties	Hooks	Fragility	Comment
5	87	—	[data-iw-inventory-root="1"] [data-iw-inventory-list="1"] > *	(0,2,0)	2 / 0	position, z-index	skin: [data-iw-inventory-root="1"] [data-iw-inventory-list="1"]	—	● L86: Rows sit above both ornaments.
6	92	—	[data-iw-inventory-title="1"]	(0,1,0)	7 / 7	font-family!, font-size!, font-weight!, letter-spacing!, text-transform!, color!, text-shadow!	skin: [data-iw-inventory-title="1"]	—	○ L86: Rows sit above both ornaments.
7	125	—	.fs-inv-rule	(0,1,0)	4 / 0	position, height, margin, pointer-events	skin: .fs-inv-rule	—	● L106: Title flourish — a centred ornament on a full-width hairline, matching the concept.
8	131	—	.fs-inv-rule::before	(0,1,1)	8 / 0	content, position, left, right, top, height, background, opacity	skin: .fs-inv-rule	—	○ L106: Title flourish — a centred ornament on a full-width hairline, matching the concept.
9	147	—	.fs-inv-rule::after	(0,1,1)	11 / 0	content, position, left, top, width, height, transform, background-image, background-repeat, background-size, background-position	skin: .fs-inv-rule	—	○ L106: Title flourish — a centred ornament on a full-width hairline, matching the concept.
10	171	@media (max-width: 560px)	.fs-inv-rule::before .fs-inv-rule::after	max(0,1,1)	1 / 0	top	skin: .fs-inv-rule	—	—
11	173	@media (max-width: 560px)	.fs-inv-rule::after	(0,1,1)	2 / 0	width, height	skin: .fs-inv-rule	—	—
12	176	—	[data-iw-inventory-root="1"] [data-iw-inventory-control="filter"] [data-iw-inventory-root="1"] [data-iw-inventory-control="page"]	max(0,2,0)	16 / 16	min-height!, height!, position!, top!, border-radius!, border!, background!, box-shadow!, padding!, font-family!, font-size!, font-weight!, line-height!, letter-spacing!, text-transform!, color!	skin: [data-iw-inventory-root="1"] [data-iw-inventory-control="filter"] [data-iw-inventory-control="page"]	—	○ L106: Title flourish — a centred ornament on a full-width hairline, matching the concept.
13	215	@media (max-width: 1279px)	[data-iw-inventory-root="1"] [data-iw-inventory-filters="1"]	(0,2,0)	7 / 2	—iw-filter-gap, —iw-filter-pad, —iw-filter-k, —iw-filter-fixed, container, flex-wrap!, column-gap!	skin: [data-iw-inventory-root="1"] [data-iw-inventory-filters="1"]	—	—
14	224	@media (max-width: 1279px)	[data-iw-inventory-root="1"] [data-iw-inventory-filters="1"] > [data-iw-inventory-control="filter"]	(0,3,0)	4 / 4	min-width!, white-space!, padding!, font-size!	skin: [data-iw-inventory-root="1"] [data-iw-inventory-filters="1"] [data-iw-inventory-control="filter"]	—	—

#	Line	Context	Selector(s)	Specificity	Decl / !imp	Properties	Hooks	Fragility	Comment
15	234	@media (max-width: 767px)	[data-iw-inventory-root="1"] [data-iw-inventory-filters="1"]	(0,2,0)	2 / 0	—iw-filter-pad, —iw-filter-k	skin: [data-iw-inventory-root="1"] [data-iw-inventory-filters="1"]	—	—
16	238	@media (max-width: 767px)	[data-iw-inventory-root="1"] [data-iw-inventory-filters="1"] > [data-iw-inventory-control="filter"]	(0,3,0)	2 / 2	flex!, letter-spacing!	skin: [data-iw-inventory-root="1"] [data-iw-inventory-filters="1"] [data-iw-inventory-control="filter"]	—	—
17	248	—	[data-iw-inventory-root="1"] [data-iw-inventory-control="filter"]:hover [data-iw-inventory-root="1"] [data-iw-inventory-control="page"]:hover	max(0,3,0)	3 / 3	color!, border-color!, box-shadow!	skin: [data-iw-inventory-root="1"] [data-iw-inventory-control="filter"] [data-iw-inventory-control="page"]	—	● L244: No seam collapsing here: the game's filter container ships gap-1.5 (6px), so the tabs are separate plates by its own layout, not a segmented control.
18	257	—	[data-iw-inventory-root="1"] [data-iw-inventory-control="page"]:disabled:hover	(0,4,0)	2 / 2	border-color!, box-shadow!	skin: [data-iw-inventory-root="1"] [data-iw-inventory-control="page"]	—	○ L244: No seam collapsing here: the game's filter container ships gap-1.5 (6px), so the tabs are separate plates by its own layout, not a segmented control.
19	267	—	[data-iw-inventory-root="1"] [data-iw-inventory-control="filter"][data-iw-inventory-filter-state="active"]	(0,3,0)	5 / 5	color!, border-color!, background!, box-shadow!, text-shadow!	skin: [data-iw-inventory-root="1"] [data-iw-inventory-control="filter"] [data-iw-inventory-filter-state="active"]	—	● L264: Which filter is live is real information.
20	280	—	[data-iw-inventory-root="1"] [data-iw-inventory-control="page"]:disabled	(0,3,0)	2 / 2	opacity!, color!	skin: [data-iw-inventory-root="1"] [data-iw-inventory-control="page"]	—	○ L264: Which filter is live is real information.
21	329	—	[data-iw-inventory-root="1"] [data-iw-inventory-control="icon"]	(0,2,0)	20 / 20	display!, place-items!, width!, height!, min-width!, min-height!, padding!, border!, border-radius!, color!, background-color!, background!, background-image!, background-repeat!, background-size!, background-position!, background-repeat!, box-shadow!, flex!, overflow!	skin: [data-iw-inventory-root="1"] [data-iw-inventory-control="icon"]	—	● L303: The three real tool buttons keep the forged frame — they appear once, in the corner, which is the one place a framed button still earns its keep.

#	Line	Context	Selector(s)	Specificity	Decl / !imp	Properties	Hooks	Fragility	Comment
22	354	—	[data-iw-inventory-root="1"] [data-iw-inventory-control="icon"] svg	(0,2,1)	2 / 2	width!, height!	skin: [data-iw-inventory-root="1"] [data-iw-inventory-control="icon"] host: svg	—	● L341: background (shorthand) rather than background-image, so the game's bg-white/5 colour and ui-system's gradient are both reset in one go instead of layering underneath the atlas.
23	358	—	[data-iw-inventory-root="1"] [data-iw-inventory-control="icon"]:hover	(0,3,0)	2 / 2	color!, background-position!	skin: [data-iw-inventory-root="1"] [data-iw-inventory-control="icon"]	—	○ L341: background (shorthand) rather than background-image, so the game's bg-white/5 colour and ui-system's gradient are both reset in one go instead of layering underneath the atlas.
24	372	—	[data-iw-inventory-root="1"] [data-iw-inventory-control="glyph"]	(0,2,0)	5 / 5	width!, height!, flex!, align-self!, filter!	skin: [data-iw-inventory-root="1"] [data-iw-inventory-control="glyph"]	—	● L363: The package ornament.
25	380	—	[data-iw-inventory-root="1"] [data-iw-inventory-control="page-count"]	(0,2,0)	6 / 4	color!, font-family!, font-size!, font-weight!, font-variant-numeric, letter-spacing	skin: [data-iw-inventory-root="1"] [data-iw-inventory-control="page-count"]	—	○ L363: The package ornament.
26	390	—	.compact-row:has(> .fs-inv-row) [class*="item-row"]:has(> .fs-inv-row)	max(0,2,0)	13 / 13	display!, align-items!, gap!, min-height!, padding!, position!, overflow!, border!, border-top!, border-radius!, background!, box-shadow!, transition!	skin: .fs-inv-row host: .compact-row [class*="item-row"]	substring/attribute match [class*="item-row"]	● L389: — Row shell
27	406	—	.compact-row:has(> .fs-inv-row):first-child [class*="item-row"]:has(> .fs-inv-row):first-child	max(0,3,0)	1 / 1	border-top!	skin: .fs-inv-row host: .compact-row [class*="item-row"]	substring/attribute match [class*="item-row"]; position-dependent :first-child	○ L389: — Row shell
28	414	—	.compact-row:has(> .fs-inv-row):hover [class*="item-row"]:has(> .fs-inv-row):hover	max(0,3,0)	1 / 1	background!	skin: .fs-inv-row host: .compact-row [class*="item-row"]	substring/attribute match [class*="item-row"]	● L411: —fs-tier lives on .fs-inv-row, a CHILD of this shell, so the shell cannot read it.
29	418	—	.fs-inv-row::after	(0,1,1)	7 / 0	content, position, inset, pointer-events, opacity, transition, background	skin: .fs-inv-row	—	○ L411: —fs-tier lives on .fs-inv-row, a CHILD of this shell, so the shell cannot read it.

#	Line	Context	Selector(s)	Specificity	Decl / !imp	Properties	Hooks	Fragility	Comment
30	431	—	.compact-row:has(> .fs-inv-row):hover .fs-inv-row::after [class*="item-row"]:has(> .fs-inv-row):hover .fs-inv-row::after	max(0,4,1)	1 / 0	opacity	skin: .fs-inv-row host: .compact-row [class*="item-row"]	substring/attribute match [class*="item-row"]	○ L411: —fs-tier lives on .fs-inv-row, a CHILd of this shell, so the shell cannot read it.
31	434	—	.fs-inv-row	(0,1,0)	15 / 0	—fs-tier, —fs-frame, order, flex, min-width, min-height, box-sizing, display, grid-template-columns, grid-template-areas, align-items, column-gap, padding, position, cursor	skin: .fs-inv-row	—	○ L411: —fs-tier lives on .fs-inv-row, a CHILd of this shell, so the shell cannot read it.
32	457	—	.fs-inv-row.has-details .fs-inv-row.has-requirements	max(0,2,0)	1 / 0	min-height	skin: .fs-inv-row host: .has-details .has-requirements	—	● L439: Frame accent (rail, icon border + glow, hover tint).
33	459	—	.fs-inv-row.has-details.has-requirements	(0,3,0)	1 / 0	min-height	skin: .fs-inv-row host: .has-details .has-requirements	—	○ L439: Frame accent (rail, icon border + glow, hover tint).
34	464	—	.fs-inv-row.fs-cat-gear	(0,2,0)	1 / 0	—fs-tier	skin: .fs-inv-row .fs-cat-gear	—	● L461: Super-type identity colours.
35	465	—	.fs-inv-row.fs-cat-consumable	(0,2,0)	1 / 0	—fs-tier	skin: .fs-inv-row .fs-cat-consumable	—	○ L461: Super-type identity colours.
36	466	—	.fs-inv-row.fs-cat-processed	(0,2,0)	1 / 0	—fs-tier	skin: .fs-inv-row .fs-cat-processed	—	○ L461: Super-type identity colours.
37	467	—	.fs-inv-row.fs-cat-resource	(0,2,0)	1 / 0	—fs-tier	skin: .fs-inv-row .fs-cat-resource	—	○ L461: Super-type identity colours.
38	468	—	.fs-inv-row.fs-cat-trade	(0,2,0)	1 / 0	—fs-tier	skin: .fs-inv-row .fs-cat-trade	—	○ L461: Super-type identity colours.
39	469	—	.fs-inv-row.fs-cat-unknown	(0,2,0)	1 / 0	—fs-tier	skin: .fs-inv-row .fs-cat-unknown	—	○ L461: Super-type identity colours.
40	474	—	.fs-inv-row.fs-cat-potion	(0,2,0)	1 / 0	—fs-tier	skin: .fs-inv-row .fs-cat-potion	—	● L471: Consumable subtypes. Parent green stays the fallback (Usable item, Cosmetic Token).
41	475	—	.fs-inv-row.fs-cat-enchanted	(0,2,0)	1 / 0	—fs-tier	skin: .fs-inv-row .fs-cat-enchanted	—	○ L471: Consumable subtypes. Parent green stays the fallback (Usable item, Cosmetic Token).
42	476	—	.fs-inv-row.fs-cat-xpscroll	(0,2,0)	1 / 0	—fs-tier	skin: .fs-inv-row .fs-cat-xpscroll	—	○ L471: Consumable subtypes. Parent green stays the fallback (Usable item, Cosmetic Token).

#	Line	Context	Selector(s)	Specificity	Decl / !imp	Properties	Hooks	Fragility	Comment
43	477	—	.fs-inv-row.fs-cat-cache	(0,2,0)	1 / 0	—fs-tier	skin: .fs-inv-row .fs-cat-cache	—	○ L471: Consumable subtypes. Parent green stays the fallback (Usable item, Cosmetic Token).
44	481	—	.fs-inv-row.fs-inv-orb	(0,2,0)	1 / 0	—fs-tier	skin: .fs-inv-row .fs-inv-orb	—	● L479: Upgrade Orb: warm orange for the whole identity (name + frame), overriding the Consumable green.
45	485	—	.fs-inv-row::before	(0,1,1)	9 / 0	content, position, left, top, bottom, width, background, box-shadow, pointer-events	skin: .fs-inv-row	—	● L483: Super-type rail — the second of the two identity reads per row (the icon frame is the first).
46	506	—	.fs-inv-icon	(0,1,0)	20 / 0	grid-area, width, height, min-width, min-height, position, background-repeat, background-color, border, border-radius, box-shadow, image-rendering, display, align-items, justify-content, font-size, color, overflow, cursor, outline	skin: .fs-inv-icon	—	● L504: AtlasService owns background-image / -position / -size here, inline.
47	533	—	.fs-inv-icon:hover .fs-inv-icon:focus-visible	max(0,2,0)	2 / 0	border-color, box-shadow	skin: .fs-inv-icon	—	● L528: Enhancement sprite intentionally overhangs the bottom-right frame.
48	544	—	.fs-inv-row.is-equipped .fs-inv-icon	(0,3,0)	2 / 0	border-color, box-shadow	skin: .fs-inv-row .fs-inv-icon host: .is-equipped	—	● L542: Equipped is a state, and it lives on its own axis — a warm edge, never the rarity channel, so the two signals cannot be confused.
49	553	—	.fs-inv-body	(0,1,0)	6 / 0	grid-area, min-width, max-width, overflow, align-self, padding-block	skin: .fs-inv-body	—	● L552: — Identity / information rails
50	562	—	.fs-inv-name	(0,1,0)	15 / 0	display, -webkit-box-orient, -webkit-line-clamp, line-clamp, font-family, font-size, font-weight, line-height, letter-spacing, white-space, overflow, overflow-wrap, text-overflow, color, text-shadow	skin: .fs-inv-name	—	○ L552: — Identity / information rails
51	579	—	.fs-inv-name .fs-inv-sub	(0,2,0)	6 / 0	color, font-family, font-size, font-weight, letter-spacing, text-transform	skin: .fs-inv-name .fs-inv-sub	—	○ L552: — Identity / information rails
52	587	—	.fs-inv-name .fs-inv-plus	(0,2,0)	6 / 0	color, font-family, font-size, font-weight, letter-spacing, vertical-align	skin: .fs-inv-name .fs-inv-plus	—	○ L552: — Identity / information rails
53	595	—	.fs-inv-name-plain	(0,1,0)	1 / 0	color	skin: .fs-inv-name-plain	—	○ L552: — Identity / information rails
54	596	—	.fs-inv-name .iw-item-ref	(0,2,0)	1 / 0	color	skin: .fs-inv-name .iw-item-ref	—	○ L552: — Identity / information rails
55	597	—	.fs-inv-name .iw-item-ref:hover .fs-inv-name .iw-item-ref:focus-visible	max(0,3,0)	1 / 0	border-bottom-color	skin: .fs-inv-name .iw-item-ref	—	○ L552: — Identity / information rails

#	Line	Context	Selector(s)	Specificity	Decl / !imp	Properties	Hooks	Fragility	Comment
56	601	—	.fs-inv-stats	(0,1,0)	6 / 0	display, flex-wrap, align-items, gap, margin-top, min-height	skin: .fs-inv-stats	—	● L600: Stable database information: one compact rail, no boxed stat chips.
57	609	—	.fs-stat	(0,1,0)	13 / 0	position, font-family, font-size, line-height, font-weight, color, background, border, border-radius, padding, margin-right, font-variant-numeric, white-space	skin: .fs-stat	—	○ L600: Stable database information: one compact rail, no boxed stat chips.
58	624	—	.fs-stat:not(:last-child)::after	(0,2,1)	7 / 0	content, position, right, top, bottom, width, background	skin: .fs-stat	position-dependent :last-child	○ L600: Stable database information: one compact rail, no boxed stat chips.
59	633	—	.fs-stat--pos	(0,1,0)	1 / 0	color	skin: .fs-stat--pos	—	○ L600: Stable database information: one compact rail, no boxed stat chips.
60	634	—	.fs-stat--tier	(0,1,0)	2 / 0	color, font-weight	skin: .fs-stat--tier	—	○ L600: Stable database information: one compact rail, no boxed stat chips.
61	638	—	.fs-inv-details .fs-inv-requirements	max(0,1,0)	11 / 0	display, min-width, max-width, overflow, flex-wrap, align-items, gap, margin-top, font-family, font-size, line-height	skin: .fs-inv-details .fs-inv-requirements	—	● L636: Dynamic owned-item state.
62	653	—	.fs-inv-detail .fs-inv-requirement	max(0,1,0)	7 / 0	position, min-width, color, max-width, overflow, text-overflow, white-space	skin: .fs-inv-detail .fs-inv-requirement	—	○ L636: Dynamic owned-item state.
63	663	—	.fs-inv-detail::before .fs-inv-requirement::before	max(0,1,1)	5 / 0	content, margin-right, font-size, vertical-align, color	skin: .fs-inv-detail .fs-inv-requirement	—	○ L636: Dynamic owned-item state.
64	671	—	.fs-inv-detail--loadout	(0,1,0)	1 / 0	color	skin: .fs-inv-detail--loadout	—	○ L636: Dynamic owned-item state.
65	672	—	.fs-inv-detail--loadout::before	(0,1,1)	1 / 0	color	skin: .fs-inv-detail--loadout	—	○ L636: Dynamic owned-item state.
66	673	—	.fs-inv-detail--socket	(0,1,0)	1 / 0	color	skin: .fs-inv-detail--socket	—	○ L636: Dynamic owned-item state.
67	674	—	.fs-inv-detail--socket::before	(0,1,1)	1 / 0	color	skin: .fs-inv-detail--socket	—	○ L636: Dynamic owned-item state.
68	675	—	.fs-inv-detail--effect	(0,1,0)	1 / 0	color	skin: .fs-inv-detail--effect	—	○ L636: Dynamic owned-item state.
69	676	—	.fs-inv-detail--effect::before	(0,1,1)	1 / 0	color	skin: .fs-inv-detail--effect	—	○ L636: Dynamic owned-item state.
70	677	—	.fs-inv-detail--status	(0,1,0)	1 / 0	color	skin: .fs-inv-detail--status	—	○ L636: Dynamic owned-item state.
71	678	—	.fs-inv-detail--status::before	(0,1,1)	1 / 0	color	skin: .fs-inv-detail--status	—	○ L636: Dynamic owned-item state.

#	Line	Context	Selector(s)	Specificity	Decl / !imp	Properties	Hooks	Fragility	Comment
72	679	—	<code>.fs-inv-detail--set</code>	(0,1,0)	1 / 0	color	skin: <code>.fs-inv-detail--set</code>	—	○ L636: Dynamic owned-item state.
73	680	—	<code>.fs-inv-requirement</code>	(0,1,0)	1 / 0	color	skin: <code>.fs-inv-requirement</code>	—	○ L636: Dynamic owned-item state.
74	681	—	<code>.fs-inv-requirement::before</code>	(0,1,1)	1 / 0	color	skin: <code>.fs-inv-requirement</code>	—	○ L636: Dynamic owned-item state.
75	682	—	<code>.fs-inv-detail-count</code>	(0,1,0)	3 / 0	margin-left, color, font-variant-numeric	skin: <code>.fs-inv-detail-count</code>	—	○ L636: Dynamic owned-item state.
76	688	—	<code>.fs-inv-qty</code>	(0,1,0)	12 / 0	grid-area, justify-self, align-self, min-width, padding-right, text-align, font-family, font-size, font-weight, color, font-variant-numeric, white-space	skin: <code>.fs-inv-qty</code>	—	○ L636: Dynamic owned-item state.
77	704	—	<code>[data-fs-action-host="1"]</code>	(0,1,0)	4 / 4	display!, font-size!, line-height!, color!	skin: <code>[data-fs-action-host="1"]</code>	—	● L703: — React-owned action rail
78	710	—	<code>[data-fs-suppressed="1"]</code>	(0,1,0)	1 / 1	display!	skin: <code>[data-fs-suppressed="1"]</code>	—	○ L703: — React-owned action rail
79	712	—	<code>[data-fs-preserved-action="control"]</code>	(0,1,0)	8 / 5	order, flex!, align-self!, position, z-index, margin!, min-width!, max-width!	skin: <code>[data-fs-preserved-action="control"]</code>	—	○ L703: — React-owned action rail
80	732	—	<code>button[data-fs-preserved-action="control"]</code> <code>a[data-fs-preserved-action="control"]</code> <code>[role="button"][data-fs-preserved-action="control"]</code>	max(0,2,0)	15 / 15	height!, min-height!, padding!, border-radius!, border!, background!, color!, box-shadow!, font-family!, font-size!, line-height!, font-weight!, letter-spacing!, text-transform!, white-space!	skin: <code>[data-fs-preserved-action="control"]</code> host: <code>[role="button"]</code> <code>button</code> <code>a</code>	—	● L723: The row action controls (Equipped / List / Use / Equip / set bonus / lock) share ONE plate with the panel's filter tabs and pagers — same border, ground, inner shadow, font metric...
81	753	—	<code>button[data-fs-preserved-action="control"]:hover:not(:disabled)</code> <code>a[data-fs-preserved-action="control"]:hover</code> <code>[role="button"][data-fs-preserved-action="control"]:hover</code>	max(0,3,1)	4 / 4	color!, border-color!, background!, box-shadow!	skin: <code>[data-fs-preserved-action="control"]</code> host: <code>[role="button"]</code> <code>button</code> <code>a</code>	—	○ L723: The row action controls (Equipped / List / Use / Equip / set bonus / lock) share ONE plate with the panel's filter tabs and pagers — same border, ground, inner shadow, font metric...

#	Line	Context	Selector(s)	Specificity	Decl / !imp	Properties	Hooks	Fragility	Comment
82	770	—	button[data-fs-preserved-action="control"][data-fs-action-kind="equipped"] a[data-fs-preserved-action="control"][data-fs-action-kind="equipped"] [role="button"][data-fs-preserved-action="control"][data-fs-action-kind="equipped"]	max(0,3,0)	2 / 2	border-color!, color!	skin: [data-fs-preserved-action="control"] [data-fs-action-kind="equipped"] host: [role="button"] button a	—	● L764: — Action kinds These MUST carry the element+attribute qualifier.
83	776	—	button[data-fs-preserved-action="control"][data-fs-action-kind="equip"] a[data-fs-preserved-action="control"][data-fs-action-kind="equip"] [role="button"][data-fs-preserved-action="control"][data-fs-action-kind="equip"]	max(0,3,0)	2 / 2	border-color!, color!	skin: [data-fs-preserved-action="control"] [data-fs-action-kind="equip"] host: [role="button"] button a	—	○ L764: — Action kinds These MUST carry the element+attribute qualifier.
84	782	—	button[data-fs-preserved-action="control"][data-fs-action-kind="set"] a[data-fs-preserved-action="control"][data-fs-action-kind="set"] [role="button"][data-fs-preserved-action="control"][data-fs-action-kind="set"]	max(0,3,0)	1 / 1	color!	skin: [data-fs-preserved-action="control"] [data-fs-action-kind="set"] host: [role="button"] button a	—	○ L764: — Action kinds These MUST carry the element+attribute qualifier.

#	Line	Context	Selector(s)	Specificity	Decl / !imp	Properties	Hooks	Fragility	Comment
85	787	—	button[data-fs-preserved-action="control"][data-fs-action-kind="secondary"] a[data-fs-preserved-action="control"][data-fs-action-kind="secondary"] [role="button"][data-fs-preserved-action="control"][data-fs-action-kind="secondary"]	max(0,3,0)	1 / 1	color!	skin: [data-fs-preserved-action="control"] [data-fs-action-kind="secondary"] host: [role="button"] button a	—	○ L764: — Action kinds These MUST carry the element+attribute qualifier.
86	792	—	button[data-fs-preserved-action="control"][data-fs-action-kind="icon"] a[data-fs-preserved-action="control"][data-fs-action-kind="icon"] [role="button"][data-fs-preserved-action="control"][data-fs-action-kind="icon"]	max(0,3,0)	8 / 8	width!, min-width!, padding!, color!, display!, align-items!, justify-content!, line-height!	skin: [data-fs-preserved-action="control"] [data-fs-action-kind="icon"] host: [role="button"] button a	—	○ L764: — Action kinds These MUST carry the element+attribute qualifier.
87	807	—	button[data-fs-preserved-action="control"][data-fs-action-kind="equipped"]:hover:not(:disabled)	(0,4,1)	2 / 2	color!, border-color!	skin: [data-fs-preserved-action="control"] [data-fs-action-kind="equipped"] host: button	—	● L805: Hover must not erase the state colour: it is the only thing telling you the item is equipped.
88	811	—	button[data-fs-preserved-action="control"][data-fs-action-kind="equip"]:hover:not(:disabled)	(0,4,1)	2 / 2	color!, border-color!	skin: [data-fs-preserved-action="control"] [data-fs-action-kind="equip"] host: button	—	○ L805: Hover must not erase the state colour: it is the only thing telling you the item is equipped.

#	Line	Context	Selector(s)	Specificity	Decl / !imp	Properties	Hooks	Fragility	Comment
89	816	—	button[data-fs-preserved-action="control"]:disabled [role="button"][data-fs-preserved-action="control"][aria-disabled="true"]	max(0,3,0)	4 / 4	opacity!, color!, border-color!, background!	skin: [data-fs-preserved-action="control"] host: [role="button"] [aria-disabled="true"] button	—	○ L805: Hover must not erase the state colour: it is the only thing telling you the item is equipped.
90	826	@media (max-width: 1024px)	.fs-inv-row	(0,1,0)	4 / 0	grid-template-columns, min-height, padding-left, column-gap	skin: .fs-inv-row	—	—
91	832	@media (max-width: 1024px)	.fs-inv-icon	(0,1,0)	4 / 0	width, height, min-width, min-height	skin: .fs-inv-icon	—	—
92	833	@media (max-width: 1024px)	.fs-inv-stats .fs-stat:nth-child(n+6)	(0,3,0)	1 / 0	display	skin: .fs-inv-stats .fs-stat	position-dependent :nth-child	—
93	834	@media (max-width: 1024px)	.fs-inv-details	(0,1,0)	2 / 0	max-height, overflow	skin: .fs-inv-details	—	—
94	835	@media (max-width: 1024px)	[data-iw-inventory-root="1"]	(0,1,0)	1 / 1	padding!	skin: [data-iw-inventory-root="1"]	—	—
95	836	@media (max-width: 1024px)	[data-iw-inventory-root="1"]::after	(0,1,1)	2 / 0	border-width, border-image-width	skin: [data-iw-inventory-root="1"]	—	—
96	837	@media (max-width: 1024px)	[data-iw-inventory-title="1"]::after	(0,1,1)	1 / 0	width	skin: [data-iw-inventory-title="1"]	—	—
97	841	@media (max-width: 768px)	.compact-row:has(>.fs-inv-row)[class*="item-row"]:has(>.fs-inv-row)	max(0,2,0)	3 / 3	flex-wrap!, align-items!, padding-bottom!	skin: .fs-inv-row host: .compact-row [class*="item-row"]	substring/attribute match [class*="item-row"]	—
98	847	@media (max-width: 768px)	.fs-inv-row	(0,1,0)	3 / 0	flex, grid-template-columns, grid-template-areas	skin: .fs-inv-row	—	—

#	Line	Context	Selector(s)	Specificity	Decl / !imp	Properties	Hooks	Fragility	Comment
99	852	@media (max-width: 768px)	.fs-inv-icon	(0,1,0)	4 / 0	width, height, min-width, min-height	skin: .fs-inv-icon	—	—
100	853	@media (max-width: 768px)	.fs-inv-qty	(0,1,0)	3 / 0	justify-self, padding, text-align	skin: .fs-inv-qty	—	—
101	854	@media (max-width: 768px)	.fs-inv-stats .fs-stat:nth-child(n+4)	(0,3,0)	1 / 0	display	skin: .fs-inv-stats .fs-stat	position-dependent :nth-child	—
102	855	@media (max-width: 768px)	.fs-inv-details .fs-inv-requirements	max(0,1,0)	5 / 0	display, max-height, overflow, gap, font-size	skin: .fs-inv-details .fs-inv-requirements	—	—
103	863	@media (max-width: 768px)	.fs-inv-detail .fs-inv-requirement	max(0,1,0)	3 / 0	white-space, overflow, text-overflow	skin: .fs-inv-detail .fs-inv-requirement	—	—
104	869	@media (max-width: 768px)	[data-fs-preserved-action="control"]	(0,1,0)	1 / 1	margin-top!	skin: [data-fs-preserved-action="control"]	—	—
105	872	@media (max-width: 768px)	button[data-fs-preserved-action="control"] a[data-fs-preserved-action="control"] [role="button"][data-fs-preserved-action="control"]	max(0,2,0)	1 / 1	padding-inline!	skin: [data-fs-preserved-action="control"] host: [role="button"] button a	—	—
106	877	@media (max-width: 768px)	[data-iw-inventory-root="1"]	(0,1,0)	1 / 1	padding!	skin: [data-iw-inventory-root="1"]	—	—
107	878	@media (max-width: 768px)	[data-iw-inventory-root="1"]::after	(0,1,1)	2 / 0	border-width, border-image-width	skin: [data-iw-inventory-root="1"]	—	—
108	882	@media (prefers-reduced-motion: reduce)	.compact-row:has(>.fs-inv-row) [class*="item-row"]:has(>.fs-inv-row)	max(0,2,0)	1 / 1	transition!	skin: .fs-inv-row host: .compact-row [class*="item-row"]	substring/attribute match [class*="item-row"]	—

SKILLPANEL.CSS — RULE INDEX

Generated by tools/css-inventory.mjs from src/styles/skillpanel.css at commit 059081671bf3 . Do not edit by hand.

Injected as part of <style data-iw-style="skillpanel"> — stylesheet 4 of 7 in injection order, part 1 of 5 in that element's concatenation (src/content.js injectPresentationStyles()).
4002 lines · 186,034 bytes · 483 rules · 567 selectors · 1953 declarations · 1807 !important · 27 @media · 0 @container · 0 @keyframes · 0 @font-face

Columns. *Line* is the rule's first line in the source file at the commit above. *Context* is the enclosing @media / @container / @supports chain. *Specificity* is the highest (id, class, type) of the rule's selector list, computed per Selectors Level 4 (:is()/:not()/:has() take their most specific argument, :where() counts zero). *Decl* is the declaration count; *!imp* the number marked !important . *Properties* lists every property the rule sets, with ! marking !important . *Hooks* separates skin-owned hooks (data-iw-*, data-fs-*, .fs-*, .iw-*, #iw-tip) from game/host hooks (classes, attributes, elements the extension does not own). *Fragility* flags selectors that depend on utility class names, attribute substrings, element position or sibling order. *Comment* is the nearest authored comment for the rule's block (its own when marked ●, otherwise the last one above it in the same block, marked ○).

RULES

#	Line	Context	Selector(s)	Specificity	Decl / !imp	Properties	Hooks	Fragility	Comment
1	8	—	.fs-skill--combat	(0,1,0)	1 / 0	—fs-skill-accent	skin: .fs-skill--combat	—	● L1: Skill panels — compact action frame The panel is a dense RPG action row, not a metric card.
2	9	—	.fs-skill--mining	(0,1,0)	1 / 0	—fs-skill-accent	skin: .fs-skill--mining	—	○ L1: Skill panels — compact action frame The panel is a dense RPG action row, not a metric card.
3	10	—	.fs-skill--smithing	(0,1,0)	1 / 0	—fs-skill-accent	skin: .fs-skill--smithing	—	○ L1: Skill panels — compact action frame The panel is a dense RPG action row, not a metric card.
4	11	—	.fs-skill--gathering	(0,1,0)	1 / 0	—fs-skill-accent	skin: .fs-skill--gathering	—	○ L1: Skill panels — compact action frame The panel is a dense RPG action row, not a metric card.
5	12	—	.fs-skill--alchemy	(0,1,0)	1 / 0	—fs-skill-accent	skin: .fs-skill--alchemy	—	○ L1: Skill panels — compact action frame The panel is a dense RPG action row, not a metric card.

#	Line	Context	Selector(s)	Specificity	Decl / !imp	Properties	Hooks	Fragility	Comment
6	13	—	<code>.fs-skill--jewelcrafting</code>	(0,1,0)	1 / 0	<code>—fs-skill-accent</code>	skin: <code>.fs-skill--jewelcrafting</code>	—	○ L1: Skill panels — compact action frame The panel is a dense RPG action row, not a metric card.
7	14	—	<code>.fs-skill--spellcrafting</code>	(0,1,0)	1 / 0	<code>—fs-skill-accent</code>	skin: <code>.fs-skill--spellcrafting</code>	—	○ L1: Skill panels — compact action frame The panel is a dense RPG action row, not a metric card.
8	15	—	<code>.fs-skill--tailoring</code>	(0,1,0)	1 / 0	<code>—fs-skill-accent</code>	skin: <code>.fs-skill--tailoring</code>	—	○ L1: Skill panels — compact action frame The panel is a dense RPG action row, not a metric card.
9	16	—	<code>.fs-skill--woodcutting</code>	(0,1,0)	1 / 0	<code>—fs-skill-accent</code>	skin: <code>.fs-skill--woodcutting</code>	—	○ L1: Skill panels — compact action frame The panel is a dense RPG action row, not a metric card.
10	17	—	<code>.fs-skill--construction</code>	(0,1,0)	1 / 0	<code>—fs-skill-accent</code>	skin: <code>.fs-skill--construction</code>	—	○ L1: Skill panels — compact action frame The panel is a dense RPG action row, not a metric card.
11	18	—	<code>.fs-skill--crafting</code>	(0,1,0)	1 / 0	<code>—fs-skill-accent</code>	skin: <code>.fs-skill--crafting</code>	—	○ L1: Skill panels — compact action frame The panel is a dense RPG action row, not a metric card.
12	19	—	<code>.fs-skill--fishing</code>	(0,1,0)	1 / 0	<code>—fs-skill-accent</code>	skin: <code>.fs-skill--fishing</code>	—	○ L1: Skill panels — compact action frame The panel is a dense RPG action row, not a metric card.
13	20	—	<code>.fs-skill--locked</code>	(0,1,0)	1 / 0	<code>—fs-skill-accent</code>	skin: <code>.fs-skill--locked</code>	—	○ L1: Skill panels — compact action frame The panel is a dense RPG action row, not a metric card.
14	42	—	<code>.compact-panel.fs-skill-panel</code>	(0,2,0)	16 / 0	<code>—fs-forge-bg, —fs-forge-line, —fs-forge-shadow, —fs-forge-ink, —fs-forge-live-bg, —fs-forge-live-line, —fs-forge-live-tint, —fs-forge-live-shadow, —fs-forge-live-ink, —fs-forge-live-glow, —fs-forge-hot-line, —fs-forge-hot-ink, —fs-chev-box, —fs-chev-stroke, —fs-chev-ink, —fs-forge-hot-shadow</code>	skin: <code>.fs-skill-panel</code> host: <code>.compact-panel</code>	—	● L22: — The forged plate Per Curtis (2026-09) every CONTROL inside a skill card wears the same surface as the inventory filter / tool rail: a near-black plate under a thin dark-gold ru...
15	81	—	<code>.compact-panel.fs-skill-panel</code>	(0,2,0)	10 / 10	<code>position!, min-height!, margin-bottom!, padding-top!, padding-bottom!, background!, border!, border-left!, border-radius!, box-shadow!</code>	skin: <code>.fs-skill-panel</code> host: <code>.compact-panel</code>	—	● L69: Pager chevron: a <code>--fs-chev-box</code> square with <code>--fs-chev-stroke</code> borders on two adjacent edges, rotated 45deg.

#	Line	Context	Selector(s)	Specificity	Decl / !imp	Properties	Hooks	Fragility	Comment
16	100	—	<code>.compact-panel.fs-skill-panel::before</code>	(0,2,1)	10 / 0	content, position, z-index, pointer-events, left, top, width, height, background, opacity	skin: <code>.fs-skill-panel</code> host: <code>.compact-panel</code>	—	○ L69: Pager chevron: a <code>--fs-chevron</code> square with <code>--fs-chevron-stroke</code> borders on two adjacent edges, rotated 45deg.
17	115	—	<code>.compact-panel.fs-skill-panel::after</code>	(0,2,1)	1 / 1	content!	skin: <code>.fs-skill-panel</code> host: <code>.compact-panel</code>	—	● L113: v1.5.0 used a large watermark glyph here.
18	117	—	<code>.fs-skill-wrapper</code>	(0,1,0)	1 / 1	display!	skin: <code>.fs-skill-wrapper</code>	—	○ L113: v1.5.0 used a large watermark glyph here.
19	118	—	<code>.fs-skill-header</code>	(0,1,0)	1 / 1	display!	skin: <code>.fs-skill-header</code>	—	○ L113: v1.5.0 used a large watermark glyph here.
20	122	—	<code>.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"]</code>	(0,3,0)	6 / 6	display!, grid-template-columns!, grid-template-areas!, gap!, align-items!, padding!	skin: <code>.fs-skill-panel [data-iw-skill-layout="three-zone"]</code> host: <code>.compact-panel</code>	—	● L120: Strict alignment only when the renderer proves three existing top-level zones: skill identity, action content and commands.
21	131	—	<code>.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-zone="identity"]</code>	(0,4,0)	2 / 2	grid-area!, min-width!	skin: <code>.fs-skill-panel [data-iw-skill-layout="three-zone"] [data-iw-skill-zone="identity"]</code> host: <code>.compact-panel</code>	—	○ L120: Strict alignment only when the renderer proves three existing top-level zones: skill identity, action content and commands.
22	135	—	<code>.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-zone="content"]</code>	(0,4,0)	2 / 2	grid-area!, min-width!	skin: <code>.fs-skill-panel [data-iw-skill-layout="three-zone"] [data-iw-skill-zone="content"]</code> host: <code>.compact-panel</code>	—	○ L120: Strict alignment only when the renderer proves three existing top-level zones: skill identity, action content and commands.
23	139	—	<code>.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-zone="commands"]</code>	(0,4,0)	3 / 3	grid-area!, min-width!, justify-self!	skin: <code>.fs-skill-panel [data-iw-skill-layout="three-zone"] [data-iw-skill-zone="commands"]</code> host: <code>.compact-panel</code>	—	○ L120: Strict alignment only when the renderer proves three existing top-level zones: skill identity, action content and commands.
24	146	—	<code>[data-iw-skill-role="identity"]</code>	(0,1,0)	9 / 9	position!, min-width!, color!, font-family!, font-size!, font-weight!, line-height!, letter-spacing!, text-shadow!	skin: <code>[data-iw-skill-role="identity"]</code>	—	● L145: — Skill information hierarchy
25	158	—	<code>[data-iw-skill-role="identity"]::after</code>	(0,1,1)	8 / 0	content, position, left, right, bottom, height, background, opacity	skin: <code>[data-iw-skill-role="identity"]</code>	—	○ L145: — Skill information hierarchy
26	169	—	<code>[data-iw-skill-role="action-title"]</code>	(0,1,0)	7 / 7	color!, font-family!, font-size!, line-height!, font-weight!, letter-spacing!, text-shadow!	skin: <code>[data-iw-skill-role="action-title"]</code>	—	○ L145: — Skill information hierarchy

#	Line	Context	Selector(s)	Specificity	Decl / !imp	Properties	Hooks	Fragility	Comment
27	180	—	[data-iw-skill-role="level-progress"]	(0,1,0)	22 / 22	display!, width!, max-width!, min-width!, min-height!, height!, margin!, padding!, color!, font-family!, font-size!, line-height!, font-weight!, font-variant-numeric!, letter-spacing!, text-transform!, border!, outline!, border-radius!, background!, background-image!, box-shadow!	skin: [data-iw-skill-role="level-progress"]	—	● L179: XP readout is data, never a callout card.
28	205	—	[data-iw-skill-role="xp-gain"]	(0,1,0)	7 / 7	display!, margin-top!, color!, font-size!, line-height!, font-weight!, font-variant-numeric!	skin: [data-iw-skill-role="xp-gain"]	—	○ L179: XP readout is data, never a callout card.
29	215	—	[data-iw-skill-role="requirement"]	(0,1,0)	5 / 5	margin-top!, color!, font-size!, line-height!, font-weight!	skin: [data-iw-skill-role="requirement"]	—	○ L179: XP readout is data, never a callout card.
30	225	—	[data-iw-skill-role="requirement"][data-iw-req-state="unmet"] .compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-role="requirement"][data-iw-req-state="unmet"]	max(0,5,0)	1 / 1	color!	skin: .fs-skill-panel [data-iw-skill-role="requirement"] [data-iw-req-state="unmet"] [data-iw-skill-layout="three-zone"] host: .compact-panel	—	● L217: Met requirement — muted, mirrors the game's own text-white/45.
31	230	—	[data-iw-skill-role="reward"]	(0,1,0)	4 / 4	margin-top!, color!, font-size!, line-height!	skin: [data-iw-skill-role="reward"]	—	○ L217: Met requirement — muted, mirrors the game's own text-white/45.
32	237	—	[data-iw-skill-role="action-detail"]	(0,1,0)	7 / 7	margin-top!, color!, font-family!, font-size!, line-height!, font-weight!, letter-spacing!	skin: [data-iw-skill-role="action-detail"]	—	○ L217: Met requirement — muted, mirrors the game's own text-white/45.
33	247	—	[data-iw-skill-role="ingredient"]	(0,1,0)	11 / 11	display!, align-items!, gap!, margin-top!, padding!, color!, border!, border-radius!, background!, background-image!, box-shadow!	skin: [data-iw-skill-role="ingredient"]	—	○ L217: Met requirement — muted, mirrors the game's own text-white/45.
34	261	—	.compact-panel.fs-skill-panel .iw-item-ref	(0,3,0)	5 / 5	color!, font-weight!, letter-spacing!, text-transform!, border-bottom-color!	skin: .fs-skill-panel .iw-item-ref host: .compact-panel	—	○ L217: Met requirement — muted, mirrors the game's own text-white/45.
35	270	—	[data-iw-skill-role="progress-track"]	(0,1,0)	9 / 9	height!, min-height!, max-height!, margin-top!, overflow!, border!, border-radius!, background!, box-shadow!	skin: [data-iw-skill-role="progress-track"]	—	● L269: — Progress rail
36	282	—	[data-iw-skill-role="progress-fill"]	(0,1,0)	4 / 4	height!, border-radius!, background!, box-shadow!	skin: [data-iw-skill-role="progress-fill"]	—	○ L269: — Progress rail

#	Line	Context	Selector(s)	Specificity	Decl / !imp	Properties	Hooks	Fragility	Comment
37	293	—	<code>.compact-panel.fs-skill-panel [data-iw-readout]::before</code> <code>.compact-panel.fs-skill-panel [data-iw-readout]::after</code>	max(0,3,1)	5 / 5	content!, display!, border!, background!, box-shadow!	skin: <code>.fs-skill-panel [data-iw-readout]</code> host: <code>.compact-panel</code>	—	● L290: Metric shells in the live skill panel may draw their frame with pseudo elements rather than the element's own border/background.
38	302	—	<code>[data-iw-readout]</code> <code>[data-iw-ingr]</code>	max(0,1,0)	16 / 16	width!, max-width!, min-width!, min-height!, height!, max-height!, margin!, background!, background-color!, background-image!, border!, border-radius!, outline!, padding!, box-shadow!, cursor!	skin: <code>[data-iw-readout]</code> <code>[data-iw-ingr]</code>	—	○ L290: Metric shells in the live skill panel may draw their frame with pseudo elements rather than the element's own border/background.
39	325	—	<code>.compact-panel.fs-skill-panel [data-iw-readout]</code>	(0,3,0)	7 / 7	color!, font-family!, font-size!, line-height!, font-weight!, letter-spacing!, text-transform!	skin: <code>.fs-skill-panel [data-iw-readout]</code> host: <code>.compact-panel</code>	—	● L322: The live game nests the XP text inside several same-text shells.
40	335	—	<code>.compact-panel.fs-skill-panel [data-iw-skill-role="level-progress"]</code>	(0,3,0)	1 / 1	margin-top!	skin: <code>.fs-skill-panel [data-iw-skill-role="level-progress"]</code> host: <code>.compact-panel</code>	—	○ L322: The live game nests the XP text inside several same-text shells.
41	340	—	<code>[data-iw-skill-role="nav-group"]</code>	(0,1,0)	4 / 4	display!, align-items!, justify-content!, gap!	skin: <code>[data-iw-skill-role="nav-group"]</code>	—	● L339: — Command rail
42	347	—	<code>.compact-panel.fs-skill-panel button:not([data-iw-skill-role="level-progress"])</code>	(0,3,1)	2 / 2	align-self!, border-radius!	skin: <code>.fs-skill-panel [data-iw-skill-role="level-progress"]</code> host: <code>.compact-panel button</code>	—	○ L339: — Command rail
43	352	—	<code>.compact-panel.fs-skill-panel button[data-iw-skill-role="nav-button"]</code>	(0,3,1)	5 / 5	width!, min-width!, height!, min-height!, padding!	skin: <code>.fs-skill-panel [data-iw-skill-role="nav-button"]</code> host: <code>.compact-panel button</code>	—	○ L339: — Command rail
44	360	—	<code>.compact-panel.fs-skill-panel button[data-iw-skill-role="action-button"]</code>	(0,3,1)	6 / 6	width!, min-width!, height!, min-height!, justify-content!, letter-spacing!	skin: <code>.fs-skill-panel [data-iw-skill-role="action-button"]</code> host: <code>.compact-panel button</code>	—	○ L339: — Command rail
45	375	—	<code>.compact-panel.fs-skill-panel button[data-iw-skill-role="action-button"]</code> <code>.compact-panel.fs-skill-panel button[data-iw-btn-state="primary"]</code>	max(0,3,1)	9 / 9	background!, border!, color!, text-shadow!, font-family!, font-size!, font-weight!, letter-spacing!, text-transform!	skin: <code>.fs-skill-panel [data-iw-skill-role="action-button"] [data-iw-btn-state="primary"]</code> host: <code>.compact-panel button</code>	—	● L369: CSS fallbacks for the button skins SkillPanelRenderer also writes inline.

#	Line	Context	Selector(s)	Specificity	Decl / !imp	Properties	Hooks	Fragility	Comment
46	388	—	<code>.compact-panel.fs-skill-panel button[data-iw-skill-role="nav-button"]</code> <code>.compact-panel.fs-skill-panel button[data-iw-btn-state="secondary"]</code> <code>.compact-panel.fs-skill-panel button[data-iw-btn-state="icon"]</code>	max(0,3,1)	6 / 6	background!, border!, color!, text-shadow!, font-family!, font-weight!	skin: <code>.fs-skill-panel [data-iw-skill-role="nav-button"]</code> <code>[data-iw-btn-state="secondary"]</code> <code>[data-iw-btn-state="icon"]</code> host: <code>.compact-panel button</code>	—	○ L369: CSS fallbacks for the button skins SkillPanelRenderer also writes inline.
47	399	—	<code>.compact-panel.fs-skill-panel button[data-iw-skill-role="action-button"]:hover:not(:disabled)</code>	(0,5,1)	2 / 2	border-color!, box-shadow!	skin: <code>.fs-skill-panel [data-iw-skill-role="action-button"]</code> host: <code>.compact-panel button</code>	—	○ L369: CSS fallbacks for the button skins SkillPanelRenderer also writes inline.
48	404	—	<code>.compact-panel.fs-skill-panel button[data-iw-btn-state="primary"]</code>	(0,3,1)	2 / 2	color!, box-shadow!	skin: <code>.fs-skill-panel [data-iw-btn-state="primary"]</code> host: <code>.compact-panel button</code>	—	○ L369: CSS fallbacks for the button skins SkillPanelRenderer also writes inline.
49	409	—	<code>.compact-panel.fs-skill-panel button[data-iw-btn-state="disabled"]</code>	(0,3,1)	7 / 7	opacity!, color!, background!, border-color!, box-shadow!, text-shadow!, filter!	skin: <code>.fs-skill-panel [data-iw-btn-state="disabled"]</code> host: <code>.compact-panel button</code>	—	○ L369: CSS fallbacks for the button skins SkillPanelRenderer also writes inline.
50	420	—	<code>.compact-panel.fs-skill-panel [data-iw-skill-zone="identity"]</code>	(0,3,0)	4 / 4	align-self!, display!, flex-direction!, justify-content!	skin: <code>.fs-skill-panel [data-iw-skill-zone="identity"]</code> host: <code>.compact-panel</code>	—	● L419: Existing direct React branches get deterministic roles without reparenting.
51	426	—	<code>.compact-panel.fs-skill-panel [data-iw-skill-zone="content"]</code>	(0,3,0)	1 / 1	min-width!	skin: <code>.fs-skill-panel [data-iw-skill-zone="content"]</code> host: <code>.compact-panel</code>	—	○ L419: Existing direct React branches get deterministic roles without reparenting.
52	429	—	<code>.compact-panel.fs-skill-panel [data-iw-skill-zone="commands"]</code>	(0,3,0)	5 / 5	display!, flex-direction!, align-items!, justify-content!, gap!	skin: <code>.fs-skill-panel [data-iw-skill-zone="commands"]</code> host: <code>.compact-panel</code>	—	○ L419: Existing direct React branches get deterministic roles without reparenting.
53	437	—	<code>.compact-panel.fs-skill-panel [data-iw-readout]</code>	(0,3,0)	7 / 7	font-family!, font-size!, line-height!, font-weight!, color!, letter-spacing!, text-transform!	skin: <code>.fs-skill-panel [data-iw-readout]</code> host: <code>.compact-panel</code>	—	○ L419: Existing direct React branches get deterministic roles without reparenting.
54	446	—	<code>.compact-panel.fs-skill-panel [data-iw-ingr]</code>	(0,3,0)	6 / 6	font-family!, font-size!, line-height!, color!, letter-spacing!, text-transform!	skin: <code>.fs-skill-panel [data-iw-ingr]</code> host: <code>.compact-panel</code>	—	○ L419: Existing direct React branches get deterministic roles without reparenting.
55	458	—	<code>::highlight(iw-skill-ingredient-met)</code>	(0,0,1)	1 / 1	color!	—	—	● L455: Material rows can contain a mixture of met and unmet counts in one native React text node.
56	463	@media (max-width: 768px)	<code>.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"]</code>	(0,3,0)	3 / 3	grid-template-columns!, gap!, padding-inline!	skin: <code>.fs-skill-panel [data-iw-skill-layout="three-zone"]</code> host: <code>.compact-panel</code>	—	—

#	Line	Context	Selector(s)	Specificity	Decl / !imp	Properties	Hooks	Fragility	Comment
57	479	@media (max-width: 768px)	.compact-panel.fs-skill-panel button[data-iw-skill-role="action-button"]	(0,3,1)	2 / 2	width!, min-width!	skin: .fs-skill-panel [data-iw-skill-role="action-button"] host: .compact-panel button	—	● L468: DEAD, and would be WRONG if it ever fired — kept in place rather than deleted (this project's convention for superseded rules, see the --fs-skills-nav-prev/next note below), so ...
58	483	@media (max-width: 768px)	[data-iw-skill-role="action-title"]	(0,1,0)	1 / 1	font-size!	skin: [data-iw-skill-role="action-title"]	—	○ L468: DEAD, and would be WRONG if it ever fired — kept in place rather than deleted (this project's convention for superseded rules, see the --fs-skills-nav-prev/next note below), so ...
59	489	—	.compact-panel.fs-skill-panel [data-iw-readout]	(0,3,0)	8 / 8	display!, position!, float!, transform!, filter!, backdrop-filter!, -webkit-backdrop-filter!, clip-path!	skin: .fs-skill-panel [data-iw-readout] host: .compact-panel	—	● L486: v1.5.3 hard fallback: an identified XP branch must never retain native card geometry, even when the game adds a new utility class to an intermediate wrapper.
60	503	@media (max-width: 520px)	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"]	(0,3,0)	5 / 5	grid-template-columns!, grid-template-areas!, gap!, align-items!, padding!	skin: .fs-skill-panel [data-iw-skill-layout="three-zone"] host: .compact-panel	—	—
61	512	@media (max-width: 520px)	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-zone="identity"]	(0,4,0)	2 / 2	align-self!, min-width!	skin: .fs-skill-panel [data-iw-skill-layout="three-zone"] [data-iw-skill-zone="identity"] host: .compact-panel	—	—
62	516	@media (max-width: 520px)	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-zone="commands"]	(0,4,0)	2 / 2	align-self!, justify-self!	skin: .fs-skill-panel [data-iw-skill-layout="three-zone"] [data-iw-skill-zone="commands"] host: .compact-panel	—	—
63	529	—	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"]	(0,3,0)	15 / 13	—fs-skill-identity-w, —fs-skill-command-w, display!, grid-template-columns!, grid-template-areas!, gap!, align-items!, min-height!, padding!, overflow!, border!, border-left!, border-radius!, background!, box-shadow!	skin: .fs-skill-panel [data-iw-skill-layout="three-zone"] host: .compact-panel	—	● L523: Skills redesign — premium three-zone action card Keeps React-owned identity/content/command branches in place and changes presentation only.

#	Line	Context	Selector(s)	Specificity	Decl / !imp	Properties	Hooks	Fragility	Comment
64	547	—	<code>.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"]::before</code>	(0,3,1)	6 / 6	left!, top!, width!, height!, background!, opacity!	skin: <code>.fs-skill-panel [data-iw-skill-layout="three-zone"]</code> host: <code>.compact-panel</code>	—	○ L523: Skills redesign — premium three-zone action card Keeps React-owned identity/content/command branches in place and changes presentation only.
65	558	—	<code>.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-zone="identity"]</code>	(0,4,0)	11 / 11	grid-area!, min-width!, display!, flex-direction!, align-items!, justify-content!, gap!, padding!, border-right!, background!, text-align!	skin: <code>.fs-skill-panel [data-iw-skill-layout="three-zone"] [data-iw-skill-zone="identity"]</code> host: <code>.compact-panel</code>	—	○ L523: Skills redesign — premium three-zone action card Keeps React-owned identity/content/command branches in place and changes presentation only.
66	574	—	<code>.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-role="identity-icon"]</code>	(0,4,0)	16 / 16	order!, display!, place-items!, width!, min-width!, height!, min-height!, margin!, padding!, border!, border-radius!, background!, color!, box-shadow!, font-size!, line-height!	skin: <code>.fs-skill-panel [data-iw-skill-layout="three-zone"] [data-iw-skill-role="identity-icon"]</code> host: <code>.compact-panel</code>	—	○ L523: Skills redesign — premium three-zone action card Keeps React-owned identity/content/command branches in place and changes presentation only.
67	597	—	<code>.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-role="identity"]</code>	(0,4,0)	10 / 10	order!, min-width!, margin!, color!, font-family!, font-size!, font-weight!, line-height!, letter-spacing!, text-transform!	skin: <code>.fs-skill-panel [data-iw-skill-layout="three-zone"] [data-iw-skill-role="identity"]</code> host: <code>.compact-panel</code>	—	○ L523: Skills redesign — premium three-zone action card Keeps React-owned identity/content/command branches in place and changes presentation only.
68	610	—	<code>.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-role="identity"]::after</code>	(0,4,1)	1 / 1	content!	skin: <code>.fs-skill-panel [data-iw-skill-layout="three-zone"] [data-iw-skill-role="identity"]</code> host: <code>.compact-panel</code>	—	○ L523: Skills redesign — premium three-zone action card Keeps React-owned identity/content/command branches in place and changes presentation only.
69	614	—	<code>.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-role="identity-level"]</code>	(0,4,0)	10 / 10	order!, margin!, color!, font-family!, font-size!, font-weight!, line-height!, letter-spacing!, text-transform!, font-variant-numeric!	skin: <code>.fs-skill-panel [data-iw-skill-layout="three-zone"] [data-iw-skill-role="identity-level"]</code> host: <code>.compact-panel</code>	—	○ L523: Skills redesign — premium three-zone action card Keeps React-owned identity/content/command branches in place and changes presentation only.
70	627	—	<code>.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-zone="content"]</code>	(0,4,0)	9 / 9	grid-area!, min-width!, display!, grid-template-columns!, grid-template-rows!, column-gap!, align-content!, padding!, overflow!	skin: <code>.fs-skill-panel [data-iw-skill-layout="three-zone"] [data-iw-skill-zone="content"]</code> host: <code>.compact-panel</code>	—	○ L523: Skills redesign — premium three-zone action card Keeps React-owned identity/content/command branches in place and changes presentation only.
71	639	—	<code>.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-role="action-title"]</code>	(0,4,0)	12 / 12	grid-column!, grid-row!, align-self!, margin!, color!, font-family!, font-size!, line-height!, font-weight!, letter-spacing!, text-transform!, text-shadow!	skin: <code>.fs-skill-panel [data-iw-skill-layout="three-zone"] [data-iw-skill-role="action-title"]</code> host: <code>.compact-panel</code>	—	○ L523: Skills redesign — premium three-zone action card Keeps React-owned identity/content/command branches in place and changes presentation only.

#	Line	Context	Selector(s)	Specificity	Decl / !imp	Properties	Hooks	Fragility	Comment
72	654	—	<code>.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-role="level-progress"]</code>	(0,4,0)	8 / 8	grid-column!, grid-row!, margin!, color!, font-size!, font-weight!, line-height!, letter-spacing!	skin: <code>.fs-skill-panel [data-iw-skill-layout="three-zone"] [data-iw-skill-role="level-progress"]</code> host: <code>.compact-panel</code>	—	○ L523: Skills redesign — premium three-zone action card Keeps React-owned identity/content/command branches in place and changes presentation only.
73	665	—	<code>.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-role="progress-track"]</code>	(0,4,0)	11 / 11	grid-column!, grid-row!, align-self!, width!, height!, min-height!, max-height!, margin!, border!, background!, box-shadow!	skin: <code>.fs-skill-panel [data-iw-skill-layout="three-zone"] [data-iw-skill-role="progress-track"]</code> host: <code>.compact-panel</code>	—	○ L523: Skills redesign — premium three-zone action card Keeps React-owned identity/content/command branches in place and changes presentation only.
74	679	—	<code>.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-role="ingredient"]</code>	(0,4,0)	9 / 9	grid-column!, grid-row!, align-self!, margin!, padding!, color!, font-size!, font-weight!, line-height!	skin: <code>.fs-skill-panel [data-iw-skill-layout="three-zone"] [data-iw-skill-role="ingredient"]</code> host: <code>.compact-panel</code>	—	○ L523: Skills redesign — premium three-zone action card Keeps React-owned identity/content/command branches in place and changes presentation only.
75	691	—	<code>.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-role="ingredient"]::before</code>	(0,4,1)	5 / 0	content, margin-right, color, font-size, transform	skin: <code>.fs-skill-panel [data-iw-skill-layout="three-zone"] [data-iw-skill-role="ingredient"]</code> host: <code>.compact-panel</code>	—	○ L523: Skills redesign — premium three-zone action card Keeps React-owned identity/content/command branches in place and changes presentation only.
76	699	—	<code>.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-role="requirement"]</code>	(0,4,0)	6 / 6	grid-column!, grid-row!, margin!, padding-top!, border-top!, color!	skin: <code>.fs-skill-panel [data-iw-skill-layout="three-zone"] [data-iw-skill-role="requirement"]</code> host: <code>.compact-panel</code>	—	○ L523: Skills redesign — premium three-zone action card Keeps React-owned identity/content/command branches in place and changes presentation only.
77	708	—	<code>.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-role="reward"]</code>	(0,4,0)	9 / 9	grid-column!, grid-row!, margin!, padding!, border-top!, border-left!, color!, font-size!, line-height!	skin: <code>.fs-skill-panel [data-iw-skill-layout="three-zone"] [data-iw-skill-role="reward"]</code> host: <code>.compact-panel</code>	—	○ L523: Skills redesign — premium three-zone action card Keeps React-owned identity/content/command branches in place and changes presentation only.
78	720	—	<code>.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-role="xp-gain"]</code>	(0,4,0)	6 / 6	grid-column!, grid-row!, justify-self!, align-self!, margin!, color!	skin: <code>.fs-skill-panel [data-iw-skill-layout="three-zone"] [data-iw-skill-role="xp-gain"]</code> host: <code>.compact-panel</code>	—	○ L523: Skills redesign — premium three-zone action card Keeps React-owned identity/content/command branches in place and changes presentation only.
79	729	—	<code>.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-role="action-detail"]</code>	(0,4,0)	6 / 6	grid-column!, grid-row!, margin!, color!, font-size!, line-height!	skin: <code>.fs-skill-panel [data-iw-skill-layout="three-zone"] [data-iw-skill-role="action-detail"]</code> host: <code>.compact-panel</code>	—	○ L523: Skills redesign — premium three-zone action card Keeps React-owned identity/content/command branches in place and changes presentation only.

#	Line	Context	Selector(s)	Specificity	Decl / !imp	Properties	Hooks	Fragility	Comment
80	738	—	<code>.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-zone="commands"]</code>	(0,4,0)	10 / 10	grid-area!, min-width!, display!, flex-direction!, align-items!, justify-content!, gap!, padding!, border-left!, background!	skin: <code>.fs-skill-panel [data-iw-skill-layout="three-zone"] [data-iw-skill-zone="commands"]</code> host: <code>.compact-panel</code>	—	○ L523: Skills redesign — premium three-zone action card Keeps React-owned identity/content/command branches in place and changes presentation only.
81	751	—	<code>.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-role="nav-group"]</code>	(0,4,0)	5 / 5	display!, align-items!, justify-content!, gap!, width!	skin: <code>.fs-skill-panel [data-iw-skill-layout="three-zone"] [data-iw-skill-role="nav-group"]</code> host: <code>.compact-panel</code>	—	○ L523: Skills redesign — premium three-zone action card Keeps React-owned identity/content/command branches in place and changes presentation only.
82	759	—	<code>.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] button[data-iw-skill-role="nav-button"]</code>	(0,4,1)	6 / 6	width!, min-width!, height!, min-height!, border-color!, background!	skin: <code>.fs-skill-panel [data-iw-skill-layout="three-zone"] [data-iw-skill-role="nav-button"]</code> host: <code>.compact-panel button</code>	—	○ L523: Skills redesign — premium three-zone action card Keeps React-owned identity/content/command branches in place and changes presentation only.
83	768	—	<code>.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] button[data-iw-skill-role="action-button"]</code>	(0,4,1)	16 / 16	width!, min-width!, height!, min-height!, padding!, border!, border-radius!, background!, color!, font-family!, font-size!, font-weight!, letter-spacing!, text-transform!, text-shadow!, box-shadow!	skin: <code>.fs-skill-panel [data-iw-skill-layout="three-zone"] [data-iw-skill-role="action-button"]</code> host: <code>.compact-panel button</code>	—	○ L523: Skills redesign — premium three-zone action card Keeps React-owned identity/content/command branches in place and changes presentation only.
84	787	—	<code>.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] button[data-iw-skill-role="action-button"]:hover:not(:disabled)</code>	(0,6,1)	3 / 3	border-color!, box-shadow!, color!	skin: <code>.fs-skill-panel [data-iw-skill-layout="three-zone"] [data-iw-skill-role="action-button"]</code> host: <code>.compact-panel button</code>	—	○ L523: Skills redesign — premium three-zone action card Keeps React-owned identity/content/command branches in place and changes presentation only.
85	796	—	<code>.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] button[data-iw-btn-state="disabled"]</code>	(0,4,1)	2 / 2	filter!, opacity!	skin: <code>.fs-skill-panel [data-iw-skill-layout="three-zone"] [data-iw-btn-state="disabled"]</code> host: <code>.compact-panel button</code>	—	○ L523: Skills redesign — premium three-zone action card Keeps React-owned identity/content/command branches in place and changes presentation only.
86	802	@media (max-width: 1024px)	<code>.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"]</code>	(0,3,0)	3 / 1	—fs-skill-identity-w, —fs-skill-command-w, min-height!	skin: <code>.fs-skill-panel [data-iw-skill-layout="three-zone"]</code> host: <code>.compact-panel</code>	—	—
87	807	@media (max-width: 1024px)	<code>.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-zone="content"]</code>	(0,4,0)	2 / 2	padding-inline!, column-gap!	skin: <code>.fs-skill-panel [data-iw-skill-layout="three-zone"] [data-iw-skill-zone="content"]</code> host: <code>.compact-panel</code>	—	—

#	Line	Context	Selector(s)	Specificity	Decl / !imp	Properties	Hooks	Fragility	Comment
88	811	@media (max-width: 1024px)	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-role="identity-icon"]	(0,4,0)	5 / 5	width!, min-width!, height!, min-height!, font-size!	skin: .fs-skill-panel [data-iw-skill-layout="three-zone"] [data-iw-skill-role="identity-icon"] host: .compact-panel	—	—
89	819	@media (max-width: 640px)	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"]	(0,3,0)	3 / 3	grid-template-columns!, grid-template-areas!, min-height!	skin: .fs-skill-panel [data-iw-skill-layout="three-zone"] host: .compact-panel	—	—
90	826	@media (max-width: 640px)	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-zone="identity"]	(0,4,0)	4 / 4	min-height!, padding!, border-right!, border-bottom!	skin: .fs-skill-panel [data-iw-skill-layout="three-zone"] [data-iw-skill-zone="identity"] host: .compact-panel	—	—
91	832	@media (max-width: 640px)	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-zone="commands"]	(0,4,0)	4 / 4	min-height!, padding!, border-left!, border-bottom!	skin: .fs-skill-panel [data-iw-skill-layout="three-zone"] [data-iw-skill-zone="commands"] host: .compact-panel	—	—
92	838	@media (max-width: 640px)	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-zone="content"]	(0,4,0)	1 / 1	padding!	skin: .fs-skill-panel [data-iw-skill-layout="three-zone"] [data-iw-skill-zone="content"] host: .compact-panel	—	—
93	841	@media (max-width: 640px)	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-role="identity-icon"]	(0,4,0)	6 / 6	width!, min-width!, height!, min-height!, margin-bottom!, font-size!	skin: .fs-skill-panel [data-iw-skill-layout="three-zone"] [data-iw-skill-role="identity-icon"] host: .compact-panel	—	—
94	850	@media (max-width: 420px)	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-zone="content"]	(0,4,0)	2 / 2	grid-template-columns!, grid-template-rows!	skin: .fs-skill-panel [data-iw-skill-layout="three-zone"] [data-iw-skill-zone="content"] host: .compact-panel	—	—
95	854	@media (max-width: 420px)	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-role="action-title"]	(0,4,0)	1 / 1	font-size!	skin: .fs-skill-panel [data-iw-skill-layout="three-zone"] [data-iw-skill-role="action-title"] host: .compact-panel	—	—

#	Line	Context	Selector(s)	Specificity	Decl / !imp	Properties	Hooks	Fragility	Comment
96	857	@media (max-width: 420px)	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-role="requirement"]	(0,4,0)	2 / 2	grid-column!, grid-row!	skin: .fs-skill-panel [data-iw-skill-layout="three-zone"] [data-iw-skill-role="requirement"] host: .compact-panel	—	—
97	861	@media (max-width: 420px)	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-role="reward"] .compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-role="xp-gain"]	max(0,4,0)	5 / 5	grid-column!, grid-row!, justify-self!, padding-left!, border-left!	skin: .fs-skill-panel [data-iw-skill-layout="three-zone"] [data-iw-skill-role="reward"] [data-iw-skill-role="xp-gain"] host: .compact-panel	—	—
98	869	@media (max-width: 420px)	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-role="action-detail"]	(0,4,0)	2 / 2	grid-column!, grid-row!	skin: .fs-skill-panel [data-iw-skill-layout="three-zone"] [data-iw-skill-role="action-detail"] host: .compact-panel	—	—
99	876	—	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-zone="content"]	(0,4,0)	1 / 1	grid-template-columns!	skin: .fs-skill-panel [data-iw-skill-layout="three-zone"] [data-iw-skill-zone="content"] host: .compact-panel	—	● L875: Final information-flow refinements for the premium card.
100	880	—	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-role="level-progress"]	(0,4,0)	1 / 1	grid-column!	skin: .fs-skill-panel [data-iw-skill-layout="three-zone"] [data-iw-skill-role="level-progress"] host: .compact-panel	—	○ L875: Final information-flow refinements for the premium card.
101	884	—	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-role="xp-gain"]	(0,4,0)	5 / 5	grid-column!, grid-row!, justify-self!, align-self!, margin!	skin: .fs-skill-panel [data-iw-skill-layout="three-zone"] [data-iw-skill-role="xp-gain"] host: .compact-panel	—	○ L875: Final information-flow refinements for the premium card.
102	892	—	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-role="nav-group"]	(0,4,0)	1 / 1	order!	skin: .fs-skill-panel [data-iw-skill-layout="three-zone"] [data-iw-skill-role="nav-group"] host: .compact-panel	—	○ L875: Final information-flow refinements for the premium card.
103	895	—	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] button[data-iw-skill-role="action-button"]	(0,4,1)	1 / 1	order!	skin: .fs-skill-panel [data-iw-skill-layout="three-zone"] [data-iw-skill-role="action-button"] host: .compact-panel button	—	○ L875: Final information-flow refinements for the premium card.

#	Line	Context	Selector(s)	Specificity	Decl / !imp	Properties	Hooks	Fragility	Comment
104	900	@media (max-width: 420px)	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-role="xp-gain"]	(0,4,0)	3 / 3	grid-column!, grid-row!, justify-self!	skin: .fs-skill-panel [data-iw-skill-layout="three-zone"] [data-iw-skill-role="xp-gain"] host: .compact-panel	—	—
105	908	—	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-role="identity-level"]::after	(0,4,1)	7 / 7	content!, display!, width!, height!, margin!, background!, opacity!	skin: .fs-skill-panel [data-iw-skill-layout="three-zone"] [data-iw-skill-role="identity-level"] host: .compact-panel	—	● L907: Approved Option 3 finishing details.
106	918	—	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] button[data-iw-skill-role="action-button"]	(0,4,1)	3 / 3	background!, border-color!, box-shadow!	skin: .fs-skill-panel [data-iw-skill-layout="three-zone"] [data-iw-skill-role="action-button"] host: .compact-panel button	—	○ L907: Approved Option 3 finishing details.
107	928	—	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"]	(0,3,0)	5 / 5	border!, border-left-width!, border-left-color!, background!, box-shadow!	skin: .fs-skill-panel [data-iw-skill-layout="three-zone"] host: .compact-panel	—	● L924: Option 3 art-direction fidelity pass Real atlas art + metallic/recessed fantasy card chrome.
108	942	—	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"]::after	(0,3,1)	10 / 10	content!, display!, position!, inset!, z-index!, pointer-events!, border!, border-radius!, background!, box-shadow!	skin: .fs-skill-panel [data-iw-skill-layout="three-zone"] host: .compact-panel	—	○ L924: Option 3 art-direction fidelity pass Real atlas art + metallic/recessed fantasy card chrome.
109	955	—	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-zone]	(0,4,0)	2 / 2	position!, z-index!	skin: .fs-skill-panel [data-iw-skill-layout="three-zone"] [data-iw-skill-zone] host: .compact-panel	—	○ L924: Option 3 art-direction fidelity pass Real atlas art + metallic/recessed fantasy card chrome.
110	960	—	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-zone="identity"]	(0,4,0)	2 / 2	background!, box-shadow!	skin: .fs-skill-panel [data-iw-skill-layout="three-zone"] [data-iw-skill-zone="identity"] host: .compact-panel	—	○ L924: Option 3 art-direction fidelity pass Real atlas art + metallic/recessed fantasy card chrome.
111	966	—	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] .fs-skill-medallion-art	(0,4,0)	13 / 13	order!, display!, position!, width!, min-width!, height!, min-height!, margin!, border!, border-radius!, background-color!, box-shadow!, pointer-events!	skin: .fs-skill-panel .fs-skill-medallion-art [data-iw-skill-layout="three-zone"] host: .compact-panel	—	○ L924: Option 3 art-direction fidelity pass Real atlas art + metallic/recessed fantasy card chrome.

#	Line	Context	Selector(s)	Specificity	Decl / !imp	Properties	Hooks	Fragility	Comment
112	988	—	<code>.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] .fs-skill-medallion-art::before</code> <code>.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] .fs-skill-medallion-art::after</code>	max(0,4,1)	3 / 3	content!, position!, pointer-events!	skin: <code>.fs-skill-panel .fs-skill-medallion-art [data-iw-skill-layout="three-zone"]</code> host: <code>.compact-panel</code>	—	○ L924: Option 3 art-direction fidelity pass Real atlas art + metallic/recessed fantasy card chrome.
113	994	—	<code>.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] .fs-skill-medallion-art::before</code>	(0,4,1)	8 / 8	width!, height!, left!, top!, transform!, border!, background!, box-shadow!	skin: <code>.fs-skill-panel .fs-skill-medallion-art [data-iw-skill-layout="three-zone"]</code> host: <code>.compact-panel</code>	—	○ L924: Option 3 art-direction fidelity pass Real atlas art + metallic/recessed fantasy card chrome.
114	1005	—	<code>.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] .fs-skill-medallion-art::after</code>	(0,4,1)	8 / 8	width!, height!, left!, bottom!, transform!, border!, background!, box-shadow!	skin: <code>.fs-skill-panel .fs-skill-medallion-art [data-iw-skill-layout="three-zone"]</code> host: <code>.compact-panel</code>	—	○ L924: Option 3 art-direction fidelity pass Real atlas art + metallic/recessed fantasy card chrome.
115	1016	—	<code>.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-zone="identity"]:has(> .fs-skill-medallion-art[data-iw-skill-art-ready="1"])</code> <code>[data-iw-skill-role="identity-icon"]</code>	(0,7,0)	9 / 9	position!, width!, height!, min-width!, min-height!, margin!, padding!, opacity!, overflow!	skin: <code>.fs-skill-panel .fs-skill-medallion-art [data-iw-skill-layout="three-zone"] [data-iw-skill-zone="identity"] [data-iw-skill-art-ready="1"] [data-iw-skill-role="identity-icon"]</code> host: <code>.compact-panel</code>	—	○ L924: Option 3 art-direction fidelity pass Real atlas art + metallic/recessed fantasy card chrome.
116	1027	—	<code>.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-zone="content"]</code>	(0,4,0)	1 / 1	background!	skin: <code>.fs-skill-panel [data-iw-skill-layout="three-zone"] [data-iw-skill-zone="content"]</code> host: <code>.compact-panel</code>	—	○ L924: Option 3 art-direction fidelity pass Real atlas art + metallic/recessed fantasy card chrome.
117	1033	—	<code>.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-zone="commands"]</code>	(0,4,0)	3 / 3	border-left!, background!, box-shadow!	skin: <code>.fs-skill-panel [data-iw-skill-layout="three-zone"] [data-iw-skill-zone="commands"]</code> host: <code>.compact-panel</code>	—	○ L924: Option 3 art-direction fidelity pass Real atlas art + metallic/recessed fantasy card chrome.
118	1043	—	<code>.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-role="action-title"]</code>	(0,4,0)	2 / 2	color!, text-shadow!	skin: <code>.fs-skill-panel [data-iw-skill-layout="three-zone"] [data-iw-skill-role="action-title"]</code> host: <code>.compact-panel</code>	—	○ L924: Option 3 art-direction fidelity pass Real atlas art + metallic/recessed fantasy card chrome.

#	Line	Context	Selector(s)	Specificity	Decl / !imp	Properties	Hooks	Fragility	Comment
119	1048	—	<code>.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-role="progress-track"]</code>	(0,4,0)	3 / 3	border-color!, background!, box-shadow!	skin: <code>.fs-skill-panel [data-iw-skill-layout="three-zone"] [data-iw-skill-role="progress-track"]</code> host: <code>.compact-panel</code>	—	○ L924: Option 3 art-direction fidelity pass Real atlas art + metallic/recessed fantasy card chrome.
120	1055	—	<code>.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] button[data-iw-skill-role="nav-button"]</code>	(0,4,1)	6 / 6	position!, border!, border-radius!, background!, color!, box-shadow!	skin: <code>.fs-skill-panel [data-iw-skill-layout="three-zone"] [data-iw-skill-role="nav-button"]</code> host: <code>.compact-panel button</code>	—	○ L924: Option 3 art-direction fidelity pass Real atlas art + metallic/recessed fantasy card chrome.
121	1064	—	<code>.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] button[data-iw-skill-role="nav-button"]:hover:not(:disabled)</code>	(0,6,1)	3 / 3	border-color!, background!, box-shadow!	skin: <code>.fs-skill-panel [data-iw-skill-layout="three-zone"] [data-iw-skill-role="nav-button"]</code> host: <code>.compact-panel button</code>	—	○ L924: Option 3 art-direction fidelity pass Real atlas art + metallic/recessed fantasy card chrome.
122	1070	—	<code>.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] button[data-iw-skill-role="action-button"]</code>	(0,4,1)	5 / 5	position!, overflow!, border-width!, border-radius!, box-shadow!	skin: <code>.fs-skill-panel [data-iw-skill-layout="three-zone"] [data-iw-skill-role="action-button"]</code> host: <code>.compact-panel button</code>	—	○ L924: Option 3 art-direction fidelity pass Real atlas art + metallic/recessed fantasy card chrome.
123	1077	—	<code>.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] button[data-iw-skill-role="action-button"]::before</code> <code>.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] button[data-iw-skill-role="action-button"]::after</code>	max(0,4,2)	10 / 10	content!, position!, left!, width!, height!, transform!, pointer-events!, border!, background!, box-shadow!	skin: <code>.fs-skill-panel [data-iw-skill-layout="three-zone"] [data-iw-skill-role="action-button"]</code> host: <code>.compact-panel button</code>	—	○ L924: Option 3 art-direction fidelity pass Real atlas art + metallic/recessed fantasy card chrome.
124	1091	—	<code>.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] button[data-iw-skill-role="action-button"]::before</code>	(0,4,2)	1 / 1	top!	skin: <code>.fs-skill-panel [data-iw-skill-layout="three-zone"] [data-iw-skill-role="action-button"]</code> host: <code>.compact-panel button</code>	—	○ L924: Option 3 art-direction fidelity pass Real atlas art + metallic/recessed fantasy card chrome.
125	1094	—	<code>.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] button[data-iw-skill-role="action-button"]::after</code>	(0,4,2)	1 / 1	bottom!	skin: <code>.fs-skill-panel [data-iw-skill-layout="three-zone"] [data-iw-skill-role="action-button"]</code> host: <code>.compact-panel button</code>	—	○ L924: Option 3 art-direction fidelity pass Real atlas art + metallic/recessed fantasy card chrome.

#	Line	Context	Selector(s)	Specificity	Decl / !imp	Properties	Hooks	Fragility	Comment
126	1098	—	<code>.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-readout]</code> <code>.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-readout]::before</code> <code>.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-readout]::after</code>	max(0,4,1)	3 / 3	border!, background!, box-shadow!	skin: <code>.fs-skill-panel [data-iw-skill-layout="three-zone"] [data-iw-readout]</code> host: <code>.compact-panel</code>	—	○ L924: Option 3 art-direction fidelity pass Real atlas art + metallic/recessed fantasy card chrome.
127	1106	@media (max-width: 1024px)	<code>.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] .fs-skill-medallion-art</code>	(0,4,0)	4 / 4	width!, min-width!, height!, min-height!	skin: <code>.fs-skill-panel .fs-skill-medallion-art [data-iw-skill-layout="three-zone"]</code> host: <code>.compact-panel</code>	—	—
128	1115	@media (max-width: 640px)	<code>.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] .fs-skill-medallion-art</code>	(0,4,0)	5 / 5	width!, min-width!, height!, min-height!, margin-bottom!	skin: <code>.fs-skill-panel .fs-skill-medallion-art [data-iw-skill-layout="three-zone"]</code> host: <code>.compact-panel</code>	—	—
129	1122	@media (max-width: 640px)	<code>.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-zone="identity"]</code>	(0,4,0)	1 / 1	background!	skin: <code>.fs-skill-panel [data-iw-skill-layout="three-zone"] [data-iw-skill-zone="identity"]</code> host: <code>.compact-panel</code>	—	—
130	1129	@media (max-width: 420px)	<code>.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-zone="content"]</code>	(0,4,0)	2 / 2	grid-template-columns!, grid-template-rows!	skin: <code>.fs-skill-panel [data-iw-skill-layout="three-zone"] [data-iw-skill-zone="content"]</code> host: <code>.compact-panel</code>	—	—
131	1133	@media (max-width: 420px)	<code>.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-role="reward"]</code>	(0,4,0)	4 / 4	grid-column!, grid-row!, padding-left!, border-left!	skin: <code>.fs-skill-panel [data-iw-skill-layout="three-zone"] [data-iw-skill-role="reward"]</code> host: <code>.compact-panel</code>	—	—
132	1139	@media (max-width: 420px)	<code>.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-role="xp-gain"]</code>	(0,4,0)	5 / 5	grid-column!, grid-row!, justify-self!, align-self!, margin-top!	skin: <code>.fs-skill-panel [data-iw-skill-layout="three-zone"] [data-iw-skill-role="xp-gain"]</code> host: <code>.compact-panel</code>	—	—
133	1146	@media (max-width: 420px)	<code>.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-role="action-detail"]</code>	(0,4,0)	2 / 2	grid-column!, grid-row!	skin: <code>.fs-skill-panel [data-iw-skill-layout="three-zone"] [data-iw-skill-role="action-detail"]</code> host: <code>.compact-panel</code>	—	—

#	Line	Context	Selector(s)	Specificity	Decl / !imp	Properties	Hooks	Fragility	Comment
134	1156	—	<code>.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"][data-iw-skills-ui-ready="1"]</code>	(0,4,0)	2 / 2	background!, background-blend-mode!	skin: <code>.fs-skill-panel [data-iw-skill-layout="three-zone"] [data-iw-skills-ui-ready="1"]</code> host: <code>.compact-panel</code>	—	● L1153: Dedicated Skills art atlas integration.
135	1164	—	<code>.compact-panel.fs-skill-panel[data-iw-skills-ui-ready="1"] .fs-skill-medallion-art::before</code>	(0,4,1)	15 / 15	display!, inset!, width!, height!, left!, top!, transform!, z-index!, border!, background-color!, background-image!, background-size!, background-position!, background-repeat!, box-shadow!	skin: <code>.fs-skill-panel .fs-skill-medallion-art [data-iw-skills-ui-ready="1"]</code> host: <code>.compact-panel</code>	—	○ L1153: Dedicated Skills art atlas integration.
136	1184	—	<code>.compact-panel.fs-skill-panel[data-iw-skills-ui-ready="1"] .fs-skill-medallion-art::after</code>	(0,4,1)	1 / 1	display!	skin: <code>.fs-skill-panel .fs-skill-medallion-art [data-iw-skills-ui-ready="1"]</code> host: <code>.compact-panel</code>	—	● L1165: The atlas medallion is quest chrome.
137	1188	—	<code>.compact-panel.fs-skill-panel[data-iw-skills-ui-ready="1"] [data-iw-skill-zone="identity"]::after</code>	(0,4,1)	13 / 13	content!, position!, left!, top!, width!, height!, pointer-events!, opacity!, filter!, background-image!, background-size!, background-position!, background-repeat!	skin: <code>.fs-skill-panel [data-iw-skills-ui-ready="1"] [data-iw-skill-zone="identity"]</code> host: <code>.compact-panel</code>	—	○ L1165: The atlas medallion is quest chrome.
138	1204	—	<code>.compact-panel.fs-skill-panel[data-iw-skills-ui-ready="1"] [data-iw-skill-role="identity-level"]::after</code>	(0,4,1)	8 / 8	width!, height!, margin-top!, background-image!, background-size!, background-position!, background-repeat!, opacity!	skin: <code>.fs-skill-panel [data-iw-skills-ui-ready="1"] [data-iw-skill-role="identity-level"]</code> host: <code>.compact-panel</code>	—	○ L1165: The atlas medallion is quest chrome.
139	1228	—	<code>.compact-panel.fs-skill-panel[data-iw-skills-ui-ready="1"] button[data-iw-skill-role="nav-button"]</code>	(0,4,1)	1 / 1	background-image!	skin: <code>.fs-skill-panel [data-iw-skills-ui-ready="1"] [data-iw-skill-role="nav-button"]</code> host: <code>.compact-panel button</code>	—	● L1215: The pager is a PLATE, not a sprite.
140	1232	—	<code>.compact-panel.fs-skill-panel[data-iw-skills-ui-ready="1"] [data-iw-skill-role="xp-gain"]</code>	(0,4,0)	11 / 11	display!, place-items!, min-width!, min-height!, padding!, background-image!, background-size!, background-position!, background-repeat!, color!, text-shadow!	skin: <code>.fs-skill-panel [data-iw-skills-ui-ready="1"] [data-iw-skill-role="xp-gain"]</code> host: <code>.compact-panel</code>	—	○ L1215: The pager is a PLATE, not a sprite.
141	1247	@media (max-width: 640px)	<code>.compact-panel.fs-skill-panel[data-iw-skills-ui-ready="1"] [data-iw-skill-role="xp-gain"]</code>	(0,4,0)	2 / 2	min-width!, min-height!	skin: <code>.fs-skill-panel [data-iw-skills-ui-ready="1"] [data-iw-skill-role="xp-gain"]</code> host: <code>.compact-panel</code>	—	—

#	Line	Context	Selector(s)	Specificity	Decl / !imp	Properties	Hooks	Fragility	Comment
142	1258	—	<code>.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"]:has(&gt; [data-iw-skill-layout-shell="1"])</code>	(0,4,0)	2 / 2	display!, min-height!	skin: <code>.fs-skill-panel [data-iw-skill-layout="three-zone"] [data-iw-skill-layout-shell="1"]</code> host: <code>.compact-panel</code>	—	● L1253: — Live IdleWorlds wrapper compatibility Current production wraps identity/content/action in one native grid.
143	1262	—	<code>.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] &gt; [data-iw-skill-layout-shell="1"]</code>	(0,4,0)	8 / 8	display!, grid-template-columns!, grid-template-areas!, align-items!, gap!, width!, min-height!, padding!	skin: <code>.fs-skill-panel [data-iw-skill-layout="three-zone"] [data-iw-skill-layout-shell="1"]</code> host: <code>.compact-panel</code>	—	○ L1253: — Live IdleWorlds wrapper compatibility Current production wraps identity/content/action in one native grid.
144	1272	—	<code>.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-zone="identity"]</code>	(0,4,0)	5 / 5	width!, max-width!, min-width!, justify-self!, box-sizing!	skin: <code>.fs-skill-panel [data-iw-skill-layout="three-zone"] [data-iw-skill-zone="identity"]</code> host: <code>.compact-panel</code>	—	○ L1253: — Live IdleWorlds wrapper compatibility Current production wraps identity/content/action in one native grid.
145	1278	—	<code>.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-zone="content"]</code>	(0,4,0)	8 / 8	display!, flex-direction!, justify-content!, width!, min-width!, box-sizing!, padding!, row-gap!	skin: <code>.fs-skill-panel [data-iw-skill-layout="three-zone"] [data-iw-skill-zone="content"]</code> host: <code>.compact-panel</code>	—	○ L1253: — Live IdleWorlds wrapper compatibility Current production wraps identity/content/action in one native grid.
146	1288	—	<code>.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-zone="content"] &gt; :first-child</code>	(0,5,0)	3 / 3	width!, min-width!, flex!	skin: <code>.fs-skill-panel [data-iw-skill-layout="three-zone"] [data-iw-skill-zone="content"]</code> host: <code>.compact-panel</code>	position-dependent :first-child	○ L1253: — Live IdleWorlds wrapper compatibility Current production wraps identity/content/action in one native grid.
147	1293	—	<code>.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-role="action-title"]</code>	(0,4,0)	5 / 5	width!, max-width!, white-space!, word-break!, overflow-wrap!	skin: <code>.fs-skill-panel [data-iw-skill-layout="three-zone"] [data-iw-skill-role="action-title"]</code> host: <code>.compact-panel</code>	—	○ L1253: — Live IdleWorlds wrapper compatibility Current production wraps identity/content/action in one native grid.
148	1300	—	<code>.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] button[data-iw-skill-zone="commands"]</code>	(0,4,1)	4 / 4	display!, place-items!, justify-self!, align-self!	skin: <code>.fs-skill-panel [data-iw-skill-layout="three-zone"] [data-iw-skill-zone="commands"]</code> host: <code>.compact-panel button</code>	—	○ L1253: — Live IdleWorlds wrapper compatibility Current production wraps identity/content/action in one native grid.
149	1305	—	<code>.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] button[data-iw-skill-zone="commands"]</code>	(0,4,1)	5 / 5	padding!, width!, min-width!, height!, min-height!	skin: <code>.fs-skill-panel [data-iw-skill-layout="three-zone"] [data-iw-skill-zone="commands"]</code> host: <code>.compact-panel button</code>	—	○ L1253: — Live IdleWorlds wrapper compatibility Current production wraps identity/content/action in one native grid.

#	Line	Context	Selector(s)	Specificity	Decl / !imp	Properties	Hooks	Fragility	Comment
150	1312	—	<code>.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-role="nav-group"]</code>	(0,4,0)	2 / 2	flex!, width!	skin: <code>.fs-skill-panel [data-iw-skill-layout="three-zone"] [data-iw-skill-role="nav-group"]</code> host: <code>.compact-panel</code>	—	○ L1253: — Live IdleWorlds wrapper compatibility Current production wraps identity/content/action in one native grid.
151	1317	@media (max-width: 640px)	<code>.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] &gt; [data-iw-skill-layout-shell="1"]</code>	(0,4,0)	3 / 3	grid-template-columns!, grid-template-areas!, min-height!	skin: <code>.fs-skill-panel [data-iw-skill-layout="three-zone"] [data-iw-skill-layout-shell="1"]</code> host: <code>.compact-panel</code>	—	—
152	1330	—	<code>.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] &gt; [data-iw-skill-layout-shell="1"]</code>	(0,4,0)	1 / 1	position!	skin: <code>.fs-skill-panel [data-iw-skill-layout="three-zone"] [data-iw-skill-layout-shell="1"]</code> host: <code>.compact-panel</code>	—	● L1325: Final approved Skills composition Left: identity + level progress.
153	1333	—	<code>.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-zone="content"]</code>	(0,4,0)	9 / 9	position!, display!, flex-direction!, align-items!, justify-content!, gap!, padding!, text-align!, overflow!	skin: <code>.fs-skill-panel [data-iw-skill-layout="three-zone"] [data-iw-skill-zone="content"]</code> host: <code>.compact-panel</code>	—	○ L1325: Final approved Skills composition Left: identity + level progress.
154	1344	—	<code>.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-zone="content"] &gt; :first-child</code>	(0,5,0)	3 / 3	width!, min-width!, text-align!	skin: <code>.fs-skill-panel [data-iw-skill-layout="three-zone"] [data-iw-skill-zone="content"]</code> host: <code>.compact-panel</code>	position-dependent :first-child	○ L1325: Final approved Skills composition Left: identity + level progress.
155	1349	—	<code>.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-role="identity"]</code> <code>.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-role="action-title"]</code>	max(0,4,0)	1 / 1	font-size!	skin: <code>.fs-skill-panel [data-iw-skill-layout="three-zone"] [data-iw-skill-role="identity"] [data-iw-skill-role="action-title"]</code> host: <code>.compact-panel</code>	—	○ L1325: Final approved Skills composition Left: identity + level progress.
156	1353	—	<code>.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-role="identity"] ::before</code>	(0,4,1)	7 / 7	content!, font-family!, font-size!, font-weight!, line-height!, letter-spacing!, color!	skin: <code>.fs-skill-panel [data-iw-skill-layout="three-zone"] [data-iw-skill-role="identity"]</code> host: <code>.compact-panel</code>	—	○ L1325: Final approved Skills composition Left: identity + level progress.
157	1362	—	<code>.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-role="action-title"] ::before</code>	(0,4,1)	7 / 7	content!, font-family!, font-size!, font-weight!, line-height!, letter-spacing!, color!	skin: <code>.fs-skill-panel [data-iw-skill-layout="three-zone"] [data-iw-skill-role="action-title"]</code> host: <code>.compact-panel</code>	—	○ L1325: Final approved Skills composition Left: identity + level progress.

#	Line	Context	Selector(s)	Specificity	Decl / !imp	Properties	Hooks	Fragility	Comment
158	1371	—	<code>.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-role="identity-level"]::after</code>	(0,4,1)	1 / 1	display!	skin: <code>.fs-skill-panel [data-iw-skill-layout="three-zone"] [data-iw-skill-role="identity-level"]</code> host: <code>.compact-panel</code>	—	○ L1325: Final approved Skills composition Left: identity + level progress.
159	1374	—	<code>.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] .fs-skill-identity-progress</code>	(0,4,0)	9 / 9	order!, display!, width!, height!, margin-top!, overflow!, border!, background!, box-shadow!	skin: <code>.fs-skill-panel .fs-skill-identity-progress [data-iw-skill-layout="three-zone"]</code> host: <code>.compact-panel</code>	—	○ L1325: Final approved Skills composition Left: identity + level progress.
160	1385	—	<code>.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] .fs-skill-identity-progress-fill</code>	(0,4,0)	5 / 5	display!, height!, min-width!, background!, box-shadow!	skin: <code>.fs-skill-panel .fs-skill-identity-progress-fill [data-iw-skill-layout="three-zone"]</code> host: <code>.compact-panel</code>	—	○ L1325: Final approved Skills composition Left: identity + level progress.
161	1394	—	<code>.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-role="progress-track"]</code> <code>.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-role="progress-fill"]</code>	max(0,4,0)	9 / 9	position!, width!, height!, min-height!, margin!, padding!, opacity!, overflow!, pointer-events!	skin: <code>.fs-skill-panel [data-iw-skill-layout="three-zone"] [data-iw-skill-role="progress-track"] [data-iw-skill-role="progress-fill"]</code> host: <code>.compact-panel</code>	—	○ L1325: Final approved Skills composition Left: identity + level progress.
162	1406	—	<code>.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] .fs-skill-base-exp</code>	(0,4,0)	18 / 18	display!, place-items!, width!, min-width!, max-width!, min-height!, margin!, padding!, box-sizing!, white-space!, color!, font-family!, font-size!, font-weight!, letter-spacing!, text-shadow!, border!, background!	skin: <code>.fs-skill-panel .fs-skill-base-exp [data-iw-skill-layout="three-zone"]</code> host: <code>.compact-panel</code>	—	○ L1325: Final approved Skills composition Left: identity + level progress.
163	1427	—	<code>.compact-panel.fs-skill-panel[data-iw-skills-ui-ready="1"] .fs-skill-base-exp</code>	(0,4,0)	6 / 6	border!, background-color!, background-image!, background-size!, background-position!, background-repeat!	skin: <code>.fs-skill-panel .fs-skill-base-exp [data-iw-skills-ui-ready="1"]</code> host: <code>.compact-panel</code>	—	● L1414: The plaque artwork's visual centre sits slightly above its CSS box centre.
164	1435	—	<code>.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-role="xp-gain"]</code> <code>.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-role="reward"]</code>	max(0,4,0)	8 / 8	position!, width!, height!, margin!, padding!, opacity!, overflow!, pointer-events!	skin: <code>.fs-skill-panel [data-iw-skill-layout="three-zone"] [data-iw-skill-role="xp-gain"] [data-iw-skill-role="reward"]</code> host: <code>.compact-panel</code>	—	○ L1414: The plaque artwork's visual centre sits slightly above its CSS box centre.

#	Line	Context	Selector(s)	Specificity	Decl / !imp	Properties	Hooks	Fragility	Comment
165	1446	—	<code>.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-role="level-progress"]</code> <code>.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-role="ingredient"]</code> <code>.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-role="requirement"]</code> <code>.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-role="action-detail"]</code>	max(0,4,0)	9 / 9	width!, margin-left!, margin-right!, padding-left!, padding-right!, border-left!, text-align!, justify-self!, align-self!	skin: <code>.fs-skill-panel [data-iw-skill-layout="three-zone"] [data-iw-skill-role="level-progress"] [data-iw-skill-role="ingredient"] [data-iw-skill-role="requirement"] [data-iw-skill-role="action-detail"]</code> host: <code>.compact-panel</code>	—	○ L1414: The plaque artwork's visual centre sits slightly above its CSS box centre.
166	1460	—	<code>.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-role="requirement"]</code>	(0,4,0)	2 / 2	padding-top!, border-top!	skin: <code>.fs-skill-panel [data-iw-skill-layout="three-zone"] [data-iw-skill-role="requirement"]</code> host: <code>.compact-panel</code>	—	○ L1414: The plaque artwork's visual centre sits slightly above its CSS box centre.
167	1464	—	<code>.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-role="ingredient"]::before</code>	(0,4,1)	1 / 1	content!	skin: <code>.fs-skill-panel [data-iw-skill-layout="three-zone"] [data-iw-skill-role="ingredient"]</code> host: <code>.compact-panel</code>	—	○ L1414: The plaque artwork's visual centre sits slightly above its CSS box centre.
168	1474	@media (max-width: 1024px)	<code>.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] .fs-skill-identity-progress</code>	(0,4,0)	1 / 1	width!	skin: <code>.fs-skill-panel .fs-skill-identity-progress [data-iw-skill-layout="three-zone"]</code> host: <code>.compact-panel</code>	—	—
169	1479	@media (max-width: 640px)	<code>.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-zone="content"]</code>	(0,4,0)	2 / 2	position!, padding!	skin: <code>.fs-skill-panel [data-iw-skill-layout="three-zone"] [data-iw-skill-zone="content"]</code> host: <code>.compact-panel</code>	—	—
170	1483	@media (max-width: 640px)	<code>.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] .fs-skill-identity-progress</code>	(0,4,0)	2 / 2	width!, height!	skin: <code>.fs-skill-panel .fs-skill-identity-progress [data-iw-skill-layout="three-zone"]</code> host: <code>.compact-panel</code>	—	—
171	1487	@media (max-width: 640px)	<code>.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-role="action-title"]::before</code>	(0,4,1)	1 / 1	font-size!	skin: <code>.fs-skill-panel [data-iw-skill-layout="three-zone"] [data-iw-skill-role="action-title"]</code> host: <code>.compact-panel</code>	—	—

#	Line	Context	Selector(s)	Specificity	Decl / !imp	Properties	Hooks	Fragility	Comment
172	1491	—	<code>.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-role="ingredient"]</code>	(0,4,0)	4 / 4	display!, align-items!, justify-content!, gap!	skin: <code>.fs-skill-panel [data-iw-skill-layout="three-zone"] [data-iw-skill-role="ingredient"]</code> host: <code>.compact-panel</code>	—	○ L1414: The plaque artwork's visual centre sits slightly above its CSS box centre.
173	1497	—	<code>.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-zone="content"] &gt; *</code>	(0,4,0)	1 / 1	order!	skin: <code>.fs-skill-panel [data-iw-skill-layout="three-zone"] [data-iw-skill-zone="content"]</code> host: <code>.compact-panel</code>	—	○ L1414: The plaque artwork's visual centre sits slightly above its CSS box centre.
174	1500	—	<code>.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-zone="content"] &gt; :first-child</code>	(0,5,0)	1 / 1	order!	skin: <code>.fs-skill-panel [data-iw-skill-layout="three-zone"] [data-iw-skill-zone="content"]</code> host: <code>.compact-panel</code>	position-dependent :first-child	○ L1414: The plaque artwork's visual centre sits slightly above its CSS box centre.
175	1503	—	<code>.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] .fs-skill-base-exp</code>	(0,4,0)	1 / 1	order!	skin: <code>.fs-skill-panel .fs-skill-base-exp [data-iw-skill-layout="three-zone"]</code> host: <code>.compact-panel</code>	—	○ L1414: The plaque artwork's visual centre sits slightly above its CSS box centre.
176	1506	—	<code>.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-role="ingredient"]</code>	(0,4,0)	1 / 1	order!	skin: <code>.fs-skill-panel [data-iw-skill-layout="three-zone"] [data-iw-skill-role="ingredient"]</code> host: <code>.compact-panel</code>	—	○ L1414: The plaque artwork's visual centre sits slightly above its CSS box centre.
177	1509	—	<code>.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-role="action-detail"]</code>	(0,4,0)	1 / 1	order!	skin: <code>.fs-skill-panel [data-iw-skill-layout="three-zone"] [data-iw-skill-role="action-detail"]</code> host: <code>.compact-panel</code>	—	○ L1414: The plaque artwork's visual centre sits slightly above its CSS box centre.
178	1512	—	<code>.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-role="xp-gain"]</code> <code>.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-role="progress-track"]</code> <code>.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-role="reward"]</code>	max(0,4,0)	1 / 1	order!	skin: <code>.fs-skill-panel [data-iw-skill-layout="three-zone"] [data-iw-skill-role="xp-gain"] [data-iw-skill-role="progress-track"] [data-iw-skill-role="reward"]</code> host: <code>.compact-panel</code>	—	○ L1414: The plaque artwork's visual centre sits slightly above its CSS box centre.

#	Line	Context	Selector(s)	Specificity	Decl / !imp	Properties	Hooks	Fragility	Comment
179	1519	—	<code>.compact-panel.fs-skill-panel.fs-skill--locked[data-iw-skill-layout="three-zone"]</code>	(0,4,0)	1 / 1	filter!	skin: <code>.fs-skill-panel .fs-skill--locked [data-iw-skill-layout="three-zone"]</code> host: <code>.compact-panel</code>	—	● L1518: Locked / coming-soon skill cards use the same atlas-backed composition.
180	1522	—	<code>.compact-panel.fs-skill-panel.fs-skill--locked[data-iw-skill-layout="three-zone"] .fs-skill-medallion-art</code>	(0,5,0)	1 / 1	filter!	skin: <code>.fs-skill-panel .fs-skill--locked .fs-skill-medallion-art [data-iw-skill-layout="three-zone"]</code> host: <code>.compact-panel</code>	—	○ L1518: Locked / coming-soon skill cards use the same atlas-backed composition.
181	1525	—	<code>.compact-panel.fs-skill-panel.fs-skill--locked[data-iw-skill-layout="three-zone"] button[data-iw-skill-zone="commands"]</code>	(0,5,1)	1 / 1	transform!	skin: <code>.fs-skill-panel .fs-skill--locked [data-iw-skill-layout="three-zone"] [data-iw-skill-zone="commands"]</code> host: <code>.compact-panel button</code>	—	○ L1518: Locked / coming-soon skill cards use the same atlas-backed composition.
182	1528	—	<code>.compact-panel.fs-skill-panel.fs-skill--locked[data-iw-skill-layout="three-zone"] [data-iw-skill-role="action-title"]::before</code>	(0,5,1)	1 / 1	color!	skin: <code>.fs-skill-panel .fs-skill--locked [data-iw-skill-layout="three-zone"] [data-iw-skill-role="action-title"]</code> host: <code>.compact-panel</code>	—	○ L1518: Locked / coming-soon skill cards use the same atlas-backed composition.
183	1531	—	<code>.compact-panel.fs-skill-panel.fs-skill--locked[data-iw-skill-layout="three-zone"] [data-iw-skill-role="action-detail"]</code>	(0,5,0)	1 / 1	color!	skin: <code>.fs-skill-panel .fs-skill--locked [data-iw-skill-layout="three-zone"] [data-iw-skill-role="action-detail"]</code> host: <code>.compact-panel</code>	—	○ L1518: Locked / coming-soon skill cards use the same atlas-backed composition.
184	1536	—	<code>.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] .fs-skill-identity-percent</code>	(0,4,0)	12 / 12	order!, display!, flex-direction!, align-items!, margin-top!, color!, font-family!, font-size!, font-weight!, line-height!, letter-spacing!, font-variant-numeric!	skin: <code>.fs-skill-panel .fs-skill-identity-percent [data-iw-skill-layout="three-zone"]</code> host: <code>.compact-panel</code>	—	● L1535: — Skills polish: identity completion + generated navigation
185	1550	—	<code>.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] .fs-skill-identity-percent::before</code>	(0,4,1)	7 / 7	content!, display!, width!, height!, margin!, background!, box-shadow!	skin: <code>.fs-skill-panel .fs-skill-identity-percent [data-iw-skill-layout="three-zone"]</code> host: <code>.compact-panel</code>	—	○ L1535: — Skills polish: identity completion + generated navigation
186	1559	—	<code>.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] .fs-skill-identity-progress</code>	(0,4,0)	2 / 2	order!, margin-top!	skin: <code>.fs-skill-panel .fs-skill-identity-progress [data-iw-skill-layout="three-zone"]</code> host: <code>.compact-panel</code>	—	○ L1535: — Skills polish: identity completion + generated navigation

#	Line	Context	Selector(s)	Specificity	Decl / !imp	Properties	Hooks	Fragility	Comment
187	1563	—	<code>.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-role="level-progress"][data-iw-progress-display]</code>	(0,5,0)	12 / 12	width!, margin-left!, margin-right!, padding!, border!, background!, box-shadow!, color!, font-size!, text-align!, pointer-events!, cursor!	skin: <code>.fs-skill-panel [data-iw-skill-layout="three-zone"] [data-iw-skill-role="level-progress"] [data-iw-progress-display]</code> host: <code>.compact-panel</code>	—	○ L1535: — Skills polish: identity completion + generated navigation
188	1581	—	<code>.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-role="level-progress"][data-iw-progress-display]::before</code>	(0,5,1)	8 / 8	content!, color!, font-family!, font-size!, font-weight!, line-height!, letter-spacing!, font-variant-numeric!	skin: <code>.fs-skill-panel [data-iw-skill-layout="three-zone"] [data-iw-skill-role="level-progress"] [data-iw-progress-display]</code> host: <code>.compact-panel</code>	—	● L1571: The raw text node is collapsed by font-size:0; the readable copy is the ::before plaque below.
189	1591	—	<code>.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-role="nav-group"]</code>	(0,4,0)	2 / 2	width!, gap!	skin: <code>.fs-skill-panel [data-iw-skill-layout="three-zone"] [data-iw-skill-role="nav-group"]</code> host: <code>.compact-panel</code>	—	○ L1571: The raw text node is collapsed by font-size:0; the readable copy is the ::before plaque below.
190	1595	—	<code>.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] button[data-iw-skill-role="nav-button"][data-iw-nav-direction]</code>	(0,5,1)	14 / 14	width!, min-width!, height!, min-height!, padding!, border!, border-radius!, box-shadow!, color!, font-size!, background-color!, background-position!, background-repeat!, background-size!	skin: <code>.fs-skill-panel [data-iw-skill-layout="three-zone"] [data-iw-skill-role="nav-button"] [data-iw-nav-direction]</code> host: <code>.compact-panel button</code>	—	○ L1571: The raw text node is collapsed by font-size:0; the readable copy is the ::before plaque below.
191	1611	—	<code>.compact-panel.fs-skill-panel[data-iw-skills-ui-ready="1"] button[data-iw-nav-direction="prev"]</code>	(0,4,1)	1 / 1	background-image!	skin: <code>.fs-skill-panel [data-iw-skills-ui-ready="1"] [data-iw-nav-direction="prev"]</code> host: <code>.compact-panel button</code>	—	○ L1571: The raw text node is collapsed by font-size:0; the readable copy is the ::before plaque below.
192	1614	—	<code>.compact-panel.fs-skill-panel[data-iw-skills-ui-ready="1"] button[data-iw-nav-direction="next"]</code>	(0,4,1)	1 / 1	background-image!	skin: <code>.fs-skill-panel [data-iw-skills-ui-ready="1"] [data-iw-nav-direction="next"]</code> host: <code>.compact-panel button</code>	—	○ L1571: The raw text node is collapsed by font-size:0; the readable copy is the ::before plaque below.
193	1617	—	<code>.compact-panel.fs-skill-panel[data-iw-skills-ui-ready="1"] button[data-iw-skill-role="nav-button"][data-iw-nav-direction]:hover:not(:disabled)</code>	(0,7,1)	2 / 2	filter!, transform!	skin: <code>.fs-skill-panel [data-iw-skills-ui-ready="1"] [data-iw-skill-role="nav-button"] [data-iw-nav-direction]</code> host: <code>.compact-panel button</code>	—	○ L1571: The raw text node is collapsed by font-size:0; the readable copy is the ::before plaque below.

#	Line	Context	Selector(s)	Specificity	Decl / !imp	Properties	Hooks	Fragility	Comment
194	1621	—	<code>.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-zone="content"] [data-iw-skill-role="action-title"]</code> <code>.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-zone="content"] [data-iw-skill-role="level-progress"]</code> <code>.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-zone="content"] [data-iw-skill-role="ingredient"]</code> <code>.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-zone="content"] [data-iw-skill-role="requirement"]</code> <code>.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-zone="content"] [data-iw-skill-role="action-detail"]</code>	max(0,5,0)	4 / 4	text-align!, justify-content!, margin-left!, margin-right!	skin: <code>.fs-skill-panel [data-iw-skill-layout="three-zone"] [data-iw-skill-zone="content"] [data-iw-skill-role="action-title"] [data-iw-skill-role="level-progress"] [data-iw-skill-role="ingredient"] [data-iw-skill-role="requirement"] [data-iw-skill-role="action-detail"]</code> host: <code>.compact-panel</code>	—	○ L1571: The raw text node is collapsed by font-size:0; the readable copy is the ::before plaque below.
195	1631	—	<code>.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-zone="content"] &gt; :first-child &gt; :not([data-iw-skill-role="nav-group"])</code>	(0,6,0)	3 / 3	text-align!, margin-left!, margin-right!	skin: <code>.fs-skill-panel [data-iw-skill-layout="three-zone"] [data-iw-skill-zone="content"] [data-iw-skill-role="nav-group"]</code> host: <code>.compact-panel</code>	position-dependent :first-child	○ L1571: The raw text node is collapsed by font-size:0; the readable copy is the ::before plaque below.
196	1636	—	<code>.fs-skills-section-frame[data-iw-skills-ui-ready="1"]</code>	(0,2,0)	6 / 6	position!, border!, border-radius!, background!, background-blend-mode!, box-shadow!	skin: <code>.fs-skills-section-frame [data-iw-skills-ui-ready="1"]</code>	—	○ L1571: The raw text node is collapsed by font-size:0; the readable copy is the ::before plaque below.
197	1650	—	<code>.fs-skills-section-frame[data-iw-skills-ui-ready="1"] ::before</code>	(0,2,1)	10 / 10	content!, position!, z-index!, pointer-events!, left!, right!, top!, height!, background!, opacity!	skin: <code>.fs-skills-section-frame [data-iw-skills-ui-ready="1"]</code>	—	○ L1571: The raw text node is collapsed by font-size:0; the readable copy is the ::before plaque below.
198	1664	—	<code>.compact-panel.fs-skill-panel[data-iw-skills-ui-ready="1"] [data-iw-skill-layout="three-zone"] button[data-iw-skill-role="nav-button"] [data-iw-nav-direction="prev"]</code>	(0,6,1)	1 / 1	background-image!	skin: <code>.fs-skill-panel [data-iw-skills-ui-ready="1"] [data-iw-skill-layout="three-zone"] [data-iw-skill-role="nav-button"] [data-iw-nav-direction="prev"]</code> host: <code>.compact-panel button</code>	—	● L1663: Keep generated nav artwork above the shared global button skin.

#	Line	Context	Selector(s)	Specificity	Decl / !imp	Properties	Hooks	Fragility	Comment
199	1667	—	<code>.compact-panel.fs-skill-panel[data-iw-skills-ui-ready="1"][data-iw-skill-layout="three-zone"] button[data-iw-skill-role="nav-button"][data-iw-nav-direction="next"]</code>	(0,6,1)	1 / 1	background-image!	skin: <code>.fs-skill-panel [data-iw-skills-ui-ready="1"] [data-iw-skill-layout="three-zone"] [data-iw-skill-role="nav-button"] [data-iw-nav-direction="next"]</code> host: <code>.compact-panel button</code>	—	○ L1663: Keep generated nav artwork above the shared global button skin.
200	1672	—	<code>.compact-panel.fs-skill-panel[data-iw-skills-ui-ready="1"][data-iw-skill-layout="three-zone"] button[data-iw-skill-role="nav-button"][data-iw-nav-direction]</code>	(0,6,1)	9 / 9	color!, font-size!, line-height!, text-indent!, text-shadow!, overflow!, background-position!, background-repeat!, background-size!	skin: <code>.fs-skill-panel [data-iw-skills-ui-ready="1"] [data-iw-skill-layout="three-zone"] [data-iw-skill-role="nav-button"] [data-iw-nav-direction]</code> host: <code>.compact-panel button</code>	—	● L1671: Live nav cleanup: suppress the game's own chevron so only the generated artwork is visible.
201	1683	—	<code>.compact-panel.fs-skill-panel[data-iw-skills-ui-ready="1"][data-iw-skill-layout="three-zone"] button[data-iw-skill-role="nav-button"][data-iw-nav-direction] &gt; *</code>	(0,6,1)	2 / 2	visibility!, opacity!	skin: <code>.fs-skill-panel [data-iw-skills-ui-ready="1"] [data-iw-skill-layout="three-zone"] [data-iw-skill-role="nav-button"] [data-iw-nav-direction]</code> host: <code>.compact-panel button</code>	—	○ L1671: Live nav cleanup: suppress the game's own chevron so only the generated artwork is visible.
202	1687	—	<code>.compact-panel.fs-skill-panel[data-iw-skills-ui-ready="1"][data-iw-skill-layout="three-zone"] button[data-iw-skill-role="nav-button"][data-iw-nav-direction]::before</code> <code>.compact-panel.fs-skill-panel[data-iw-skills-ui-ready="1"][data-iw-skill-layout="three-zone"] button[data-iw-skill-role="nav-button"][data-iw-nav-direction]::after</code>	max(0,6,2)	2 / 2	content!, display!	skin: <code>.fs-skill-panel [data-iw-skills-ui-ready="1"] [data-iw-skill-layout="three-zone"] [data-iw-skill-role="nav-button"] [data-iw-nav-direction]</code> host: <code>.compact-panel button</code>	—	○ L1671: Live nav cleanup: suppress the game's own chevron so only the generated artwork is visible.
203	1698	—	<code>.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"]</code>	(0,3,0)	3 / 1	<code>—fs-skill-identity-w, —fs-skill-command-w, min-height!</code>	skin: <code>.fs-skill-panel [data-iw-skill-layout="three-zone"]</code> host: <code>.compact-panel</code>	—	● L1693: Compact responsive Skills composition Preserves every native readout and control while removing the large ornamental dead zones from the approved three-zone card.
204	1704	—	<code>.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] &gt; [data-iw-skill-layout-shell="1"]</code>	(0,4,0)	3 / 3	grid-template-columns!, grid-template-areas!, min-height!	skin: <code>.fs-skill-panel [data-iw-skill-layout="three-zone"] [data-iw-skill-layout-shell="1"]</code> host: <code>.compact-panel</code>	—	○ L1693: Compact responsive Skills composition Preserves every native readout and control while removing the large ornamental dead zones from the approved three-zone card.

#	Line	Context	Selector(s)	Specificity	Decl / !imp	Properties	Hooks	Fragility	Comment
205	1710	—	<code>.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-zone="identity"]</code>	(0,4,0)	2 / 2	gap!, padding!	skin: <code>.fs-skill-panel [data-iw-skill-layout="three-zone"] [data-iw-skill-zone="identity"]</code> host: <code>.compact-panel</code>	—	○ L1693: Compact responsive Skills composition Preserves every native readout and control while removing the large ornamental dead zones from the approved three-zone card.
206	1715	—	<code>.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] .fs-skill-medallion-art</code>	(0,4,0)	6 / 6	width!, min-width!, height!, min-height!, margin!, box-shadow!	skin: <code>.fs-skill-panel .fs-skill-medallion-art [data-iw-skill-layout="three-zone"]</code> host: <code>.compact-panel</code>	—	○ L1693: Compact responsive Skills composition Preserves every native readout and control while removing the large ornamental dead zones from the approved three-zone card.
207	1730	—	<code>.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] .fs-skill-medallion-art::before</code> <code>.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] .fs-skill-medallion-art::after</code>	max(0,4,1)	2 / 2	width!, height!	skin: <code>.fs-skill-panel .fs-skill-medallion-art [data-iw-skill-layout="three-zone"]</code> host: <code>.compact-panel</code>	—	○ L1693: Compact responsive Skills composition Preserves every native readout and control while removing the large ornamental dead zones from the approved three-zone card.
208	1736	—	<code>.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-role="identity"]::before</code>	(0,4,1)	1 / 1	font-size!	skin: <code>.fs-skill-panel [data-iw-skill-layout="three-zone"] [data-iw-skill-role="identity"]</code> host: <code>.compact-panel</code>	—	○ L1693: Compact responsive Skills composition Preserves every native readout and control while removing the large ornamental dead zones from the approved three-zone card.
209	1740	—	<code>.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-role="identity-level"]</code>	(0,4,0)	1 / 1	font-size!	skin: <code>.fs-skill-panel [data-iw-skill-layout="three-zone"] [data-iw-skill-role="identity-level"]</code> host: <code>.compact-panel</code>	—	○ L1693: Compact responsive Skills composition Preserves every native readout and control while removing the large ornamental dead zones from the approved three-zone card.
210	1744	—	<code>.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] .fs-skill-identity-percent</code>	(0,4,0)	2 / 2	margin-top!, font-size!	skin: <code>.fs-skill-panel .fs-skill-identity-percent [data-iw-skill-layout="three-zone"]</code> host: <code>.compact-panel</code>	—	○ L1693: Compact responsive Skills composition Preserves every native readout and control while removing the large ornamental dead zones from the approved three-zone card.
211	1749	—	<code>.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] .fs-skill-identity-percent::before</code>	(0,4,1)	2 / 2	width!, margin-bottom!	skin: <code>.fs-skill-panel .fs-skill-identity-percent [data-iw-skill-layout="three-zone"]</code> host: <code>.compact-panel</code>	—	○ L1693: Compact responsive Skills composition Preserves every native readout and control while removing the large ornamental dead zones from the approved three-zone card.
212	1754	—	<code>.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] .fs-skill-identity-progress</code>	(0,4,0)	3 / 3	width!, height!, margin-top!	skin: <code>.fs-skill-panel .fs-skill-identity-progress [data-iw-skill-layout="three-zone"]</code> host: <code>.compact-panel</code>	—	○ L1693: Compact responsive Skills composition Preserves every native readout and control while removing the large ornamental dead zones from the approved three-zone card.

#	Line	Context	Selector(s)	Specificity	Decl / !imp	Properties	Hooks	Fragility	Comment
213	1760	—	<code>.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-zone="content"]</code>	(0,4,0)	2 / 2	gap!, padding!	skin: <code>.fs-skill-panel [data-iw-skill-layout="three-zone"] [data-iw-skill-zone="content"]</code> host: <code>.compact-panel</code>	—	○ L1693: Compact responsive Skills composition Preserves every native readout and control while removing the large ornamental dead zones from the approved three-zone card.
214	1765	—	<code>.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-role="action-title"] :: before</code>	(0,4,1)	1 / 1	font-size!	skin: <code>.fs-skill-panel [data-iw-skill-layout="three-zone"] [data-iw-skill-role="action-title"]</code> host: <code>.compact-panel</code>	—	○ L1693: Compact responsive Skills composition Preserves every native readout and control while removing the large ornamental dead zones from the approved three-zone card.
215	1769	—	<code>.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-role="level-progress"][data-iw-progress-display] :: before</code>	(0,5,1)	1 / 1	font-size!	skin: <code>.fs-skill-panel [data-iw-skill-layout="three-zone"] [data-iw-skill-role="level-progress"] [data-iw-progress-display]</code> host: <code>.compact-panel</code>	—	○ L1693: Compact responsive Skills composition Preserves every native readout and control while removing the large ornamental dead zones from the approved three-zone card.
216	1773	—	<code>.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] .fs-skill-base-exp</code>	(0,4,0)	6 / 6	width!, min-width!, min-height!, margin!, padding!, font-size!	skin: <code>.fs-skill-panel .fs-skill-base-exp [data-iw-skill-layout="three-zone"]</code> host: <code>.compact-panel</code>	—	○ L1693: Compact responsive Skills composition Preserves every native readout and control while removing the large ornamental dead zones from the approved three-zone card.
217	1782	—	<code>.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-role="ingredient"]</code> <code>.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-role="requirement"]</code> <code>.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-role="action-detail"]</code>	max(0,4,0)	3 / 3	margin-top!, font-size!, line-height!	skin: <code>.fs-skill-panel [data-iw-skill-layout="three-zone"] [data-iw-skill-role="ingredient"] [data-iw-skill-role="requirement"] [data-iw-skill-role="action-detail"]</code> host: <code>.compact-panel</code>	—	○ L1693: Compact responsive Skills composition Preserves every native readout and control while removing the large ornamental dead zones from the approved three-zone card.
218	1790	—	<code>.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-zone="commands"]</code>	(0,4,0)	1 / 1	padding!	skin: <code>.fs-skill-panel [data-iw-skill-layout="three-zone"] [data-iw-skill-zone="commands"]</code> host: <code>.compact-panel</code>	—	○ L1693: Compact responsive Skills composition Preserves every native readout and control while removing the large ornamental dead zones from the approved three-zone card.
219	1797	@media (max-width: 1024px) and (min-width: 641px)	<code>.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"]</code>	(0,3,0)	2 / 0	—fs-skill-identity-w, —fs-skill-command-w	skin: <code>.fs-skill-panel [data-iw-skill-layout="three-zone"]</code> host: <code>.compact-panel</code>	—	—

#	Line	Context	Selector(s)	Specificity	Decl / !imp	Properties	Hooks	Fragility	Comment
220	1802	@media (max-width: 1024px) and (min-width: 641px)	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] > [data-iw-skill-layout-shell="1"]	(0,4,0)	1 / 1	min-height!	skin: .fs-skill-panel [data-iw-skill-layout="three-zone"] [data-iw-skill-layout-shell="1"] host: .compact-panel	—	—
221	1809	@media (max-width: 640px)	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"]	(0,3,0)	2 / 0	—fs-skill-identity-w, —fs-skill-command-w	skin: .fs-skill-panel [data-iw-skill-layout="three-zone"] host: .compact-panel	—	—
222	1814	@media (max-width: 640px)	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] > [data-iw-skill-layout-shell="1"]	(0,4,0)	4 / 4	grid-template-columns!, grid-template-rows!, grid-template-areas!, min-height!	skin: .fs-skill-panel [data-iw-skill-layout="three-zone"] [data-iw-skill-layout-shell="1"] host: .compact-panel	—	—
223	1823	@media (max-width: 640px)	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-zone="identity"]	(0,4,0)	3 / 3	min-height!, padding!, border-bottom!	skin: .fs-skill-panel [data-iw-skill-layout="three-zone"] [data-iw-skill-zone="identity"] host: .compact-panel	—	—
224	1829	@media (max-width: 640px)	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] .fs-skill-medallion-art	(0,4,0)	5 / 5	width!, min-width!, height!, min-height!, margin-bottom!	skin: .fs-skill-panel .fs-skill-medallion-art [data-iw-skill-layout="three-zone"] host: .compact-panel	—	—
225	1837	@media (max-width: 640px)	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-role="identity"]::before	(0,4,1)	1 / 1	font-size!	skin: .fs-skill-panel [data-iw-skill-layout="three-zone"] [data-iw-skill-role="identity"] host: .compact-panel	—	—
226	1841	@media (max-width: 640px)	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-role="identity-level"]	(0,4,0)	1 / 1	font-size!	skin: .fs-skill-panel [data-iw-skill-layout="three-zone"] [data-iw-skill-role="identity-level"] host: .compact-panel	—	—
227	1845	@media (max-width: 640px)	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] .fs-skill-identity-percent	(0,4,0)	1 / 1	font-size!	skin: .fs-skill-panel .fs-skill-identity-percent [data-iw-skill-layout="three-zone"] host: .compact-panel	—	—

#	Line	Context	Selector(s)	Specificity	Decl / !imp	Properties	Hooks	Fragility	Comment
228	1849	@media (max-width: 640px)	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] .fs-skill-identity-progress	(0,4,0)	3 / 3	width!, height!, margin-top!	skin: .fs-skill-panel .fs-skill-identity-progress [data-iw-skill-layout="three-zone"] host: .compact-panel	—	—
229	1855	@media (max-width: 640px)	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-zone="content"]	(0,4,0)	4 / 4	position!, gap!, padding!, border-bottom!	skin: .fs-skill-panel [data-iw-skill-layout="three-zone"] [data-iw-skill-zone="content"] host: .compact-panel	—	—
230	1862	@media (max-width: 640px)	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-role="action-title"] :: before	(0,4,1)	1 / 1	font-size!	skin: .fs-skill-panel [data-iw-skill-layout="three-zone"] [data-iw-skill-role="action-title"] host: .compact-panel	—	—
231	1866	@media (max-width: 640px)	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-role="level-progress"] [data-iw-progress-display] :: before .compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-role="ingredient"] .compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-role="requirement"] .compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-role="action-detail"]	max(0,5,1)	2 / 2	font-size!, line-height!	skin: .fs-skill-panel [data-iw-skill-layout="three-zone"] [data-iw-skill-role="level-progress"] [data-iw-progress-display] [data-iw-skill-role="ingredient"] [data-iw-skill-role="requirement"] [data-iw-skill-role="action-detail"] host: .compact-panel	—	—
232	1874	@media (max-width: 640px)	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] .fs-skill-base-exp	(0,4,0)	6 / 6	width!, min-width!, min-height!, margin!, padding-bottom!, font-size!	skin: .fs-skill-panel .fs-skill-base-exp [data-iw-skill-layout="three-zone"] host: .compact-panel	—	—
233	1883	@media (max-width: 640px)	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] button[data-iw-skill-zone="commands"]	(0,4,1)	8 / 8	justify-self!, align-self!, width!, min-width!, height!, min-height!, margin-left!, transform!	skin: .fs-skill-panel [data-iw-skill-layout="three-zone"] [data-iw-skill-zone="commands"] host: .compact-panel button	—	—
234	1895	@media (max-width: 640px)	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-role="nav-group"] :: after	(0,4,1)	1 / 1	display!	skin: .fs-skill-panel [data-iw-skill-layout="three-zone"] [data-iw-skill-role="nav-group"] host: .compact-panel	—	—

#	Line	Context	Selector(s)	Specificity	Decl / !imp	Properties	Hooks	Fragility	Comment
235	1903	—	html .compact-panel.fs-skill-panel[data-iw-skills-ui-ready="1"][data-iw-skill-layout="three-zone"] button[data-iw-skill-role="nav-button"][data-iw-nav-direction="prev"]	(0,6,2)	1 / 1	background!	skin: .fs-skill-panel [data-iw-skills-ui-ready="1"] [data-iw-skill-layout="three-zone"] [data-iw-skill-role="nav-button"] [data-iw-nav-direction="prev"] host: .compact-panel button	—	● L1900: Re-assert the generated arrow skins after the compact layout overrides.
236	1906	—	html .compact-panel.fs-skill-panel[data-iw-skills-ui-ready="1"][data-iw-skill-layout="three-zone"] button[data-iw-skill-role="nav-button"][data-iw-nav-direction="next"]	(0,6,2)	1 / 1	background!	skin: .fs-skill-panel [data-iw-skills-ui-ready="1"] [data-iw-skill-layout="three-zone"] [data-iw-skill-role="nav-button"] [data-iw-nav-direction="next"] host: .compact-panel button	—	○ L1900: Re-assert the generated arrow skins after the compact layout overrides.
237	1935	—	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-zone="commands"]:not(button)	(0,4,1)	6 / 6	display!, flex-direction!, align-items!, justify-content!, gap!, padding!	skin: .fs-skill-panel [data-iw-skill-layout="three-zone"] [data-iw-skill-zone="commands"] host: .compact-panel button	—	● L1934: — Command rail: genuine flow, no absolute nav, no translate
238	1944	—	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-role="nav-group"]	(0,4,0)	13 / 13	position!, order!, top!, right!, bottom!, left!, display!, flex!, align-items!, justify-content!, width!, margin!, gap!	skin: .fs-skill-panel [data-iw-skill-layout="three-zone"] [data-iw-skill-role="nav-group"] host: .compact-panel	—	○ L1934: — Command rail: genuine flow, no absolute nav, no translate
239	1961	—	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-role="nav-group"]::after	(0,4,1)	2 / 2	content!, display!	skin: .fs-skill-panel [data-iw-skill-layout="three-zone"] [data-iw-skill-role="nav-group"] host: .compact-panel	—	● L1960: The floating flourish under the old absolute nav has no anchor in flow.
240	1966	—	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-zone="commands"] button[data-iw-skill-role="action-button"]	(0,5,1)	3 / 3	order!, transform!, margin!	skin: .fs-skill-panel [data-iw-skill-layout="three-zone"] [data-iw-skill-zone="commands"] [data-iw-skill-role="action-button"] host: .compact-panel button	—	○ L1960: The floating flourish under the old absolute nav has no anchor in flow.
241	1974	—	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] button[data-iw-skill-zone="commands"]	(0,4,1)	4 / 4	transform!, justify-self!, align-self!, margin!	skin: .fs-skill-panel [data-iw-skill-layout="three-zone"] [data-iw-skill-zone="commands"] host: .compact-panel button	—	● L1972: Variant: a panel with no recipe navigation exposes the bare action button AS the command cell.

#	Line	Context	Selector(s)	Specificity	Decl / !imp	Properties	Hooks	Fragility	Comment
242	1985	—	<code>.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"]</code>	(0,3,0)	1 / 0	<code>—fs-skill-command-w</code>	skin: <code>.fs-skill-panel [data-iw-skill-layout="three-zone"]</code> host: <code>.compact-panel</code>	—	● L1982: The 44px touch target is an accessibility floor and is NOT negotiable to serve the art, so the frame is widened to suit that height rather than shortened to suit the width: 44 * 3...
243	1989	—	<code>.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] button[data-iw-skill-role="action-button"]</code> <code>.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] button[data-iw-skill-zone="commands"]</code>	<code>max(0,4,1)</code>	7 / 7	<code>width!, min-width!, height!, min-height!, padding!, font-size!, letter-spacing!</code>	skin: <code>.fs-skill-panel [data-iw-skill-layout="three-zone"] [data-iw-skill-role="action-button"] [data-iw-skill-zone="commands"]</code> host: <code>.compact-panel button</code>	—	○ L1982: The 44px touch target is an accessibility floor and is NOT negotiable to serve the art, so the frame is widened to suit that height rather than shortened to suit the width: 44 * 3...
244	2002	—	<code>.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] button[data-iw-skill-role="nav-button"][data-iw-nav-direction]</code>	(0,5,1)	4 / 4	<code>width!, min-width!, height!, min-height!</code>	skin: <code>.fs-skill-panel [data-iw-skill-layout="three-zone"] [data-iw-skill-role="nav-button"] [data-iw-nav-direction]</code> host: <code>.compact-panel button</code>	—	● L2000: <code>nav_frame</code> is 80x83(0.96) — a 44px square is already true to it, and 44px is also the touch-target floor.
245	2010	—	<code>.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] button[data-iw-skill-role="action-button"]::before</code> <code>.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] button[data-iw-skill-role="action-button"]::after</code>	<code>max(0,4,2)</code>	2 / 2	<code>width!, height!</code>	skin: <code>.fs-skill-panel [data-iw-skill-layout="three-zone"] [data-iw-skill-role="action-button"]</code> host: <code>.compact-panel button</code>	—	● L2009: Diamond studs read as detached when they float far off the button edge.
246	2015	—	<code>.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] button[data-iw-skill-role="action-button"]::before</code>	(0,4,2)	1 / 1	<code>top!</code>	skin: <code>.fs-skill-panel [data-iw-skill-layout="three-zone"] [data-iw-skill-role="action-button"]</code> host: <code>.compact-panel button</code>	—	○ L2009: Diamond studs read as detached when they float far off the button edge.
247	2018	—	<code>.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] button[data-iw-skill-role="action-button"]::after</code>	(0,4,2)	1 / 1	<code>bottom!</code>	skin: <code>.fs-skill-panel [data-iw-skill-layout="three-zone"] [data-iw-skill-role="action-button"]</code> host: <code>.compact-panel button</code>	—	○ L2009: Diamond studs read as detached when they float far off the button edge.
248	2043	—	<code>.compact-panel.fs-skill-panel[data-iw-skills-ui-ready="1"] button[data-iw-skill-role="action-button"]</code>	(0,4,1)	1 / 1	<code>filter!</code>	skin: <code>.fs-skill-panel [data-iw-skills-ui-ready="1"] [data-iw-skill-role="action-button"]</code> host: <code>.compact-panel button</code>	—	● L2022: <code>===</code> Command button: the quest rail's artwork Per Curtis (2026-09) the skill command button wears the SAME frame the quest rail does — one action-button skin across the site.

#	Line	Context	Selector(s)	Specificity	Decl / !imp	Properties	Hooks	Fragility	Comment
249	2048	—	<code>.compact-panel.fs-skill-panel[data-iw-skills-ui-ready="1"] button[data-iw-skill-role="action-button"]:hover:not(:disabled)</code>	(0,6,1)	2 / 2	filter!, color!	skin: <code>.fs-skill-panel [data-iw-skills-ui-ready="1"] [data-iw-skill-role="action-button"]</code> host: <code>.compact-panel button</code>	—	● L2044: The shadow follows the art's alpha, not the box — the same move the quest rail makes once its sprite is on.
250	2056	—	<code>.compact-panel.fs-skill-panel[data-iw-skills-ui-ready="1"] button[data-iw-skill-role="action-button"][data-iw-btn-state="disabled"]</code> <code>.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"][data-iw-skills-ui-ready="1"] button[data-iw-skill-role="action-button"][data-iw-btn-state="disabled"]</code>	max(0,6,1)	1 / 1	filter!	skin: <code>.fs-skill-panel [data-iw-skills-ui-ready="1"] [data-iw-skill-role="action-button"] [data-iw-btn-state="disabled"] [data-iw-skill-layout="three-zone"]</code> host: <code>.compact-panel button</code>	—	● L2054: Rule 5: the disabled frame is already the desaturated <code>action_frame_disabled</code> cell, and the dimming stays on top of it so the state survives the reskin.
251	2060	—	<code>.compact-panel.fs-skill-panel[data-iw-skills-ui-ready="1"][data-iw-skill-layout="three-zone"] button[data-iw-skill-role="action-button"]::before</code> <code>.compact-panel.fs-skill-panel[data-iw-skills-ui-ready="1"][data-iw-skill-layout="three-zone"] button[data-iw-skill-role="action-button"]::after</code> <code>.compact-panel.fs-skill-panel[data-iw-skills-ui-ready="1"] button[data-iw-skill-role="action-button"]::before</code> <code>.compact-panel.fs-skill-panel[data-iw-skills-ui-ready="1"] button[data-iw-skill-role="action-button"]::after</code>	max(0,5,2)	2 / 2	content!, display!	skin: <code>.fs-skill-panel [data-iw-skills-ui-ready="1"] [data-iw-skill-layout="three-zone"] [data-iw-skill-role="action-button"]</code> host: <code>.compact-panel button</code>	—	○ L2054: Rule 5: the disabled frame is already the desaturated <code>action_frame_disabled</code> cell, and the dimming stays on top of it so the state survives the reskin.
252	2069	—	<code>.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] .fs-skill-base-exp</code>	(0,4,0)	9 / 9	width!, min-width!, height!, min-height!, padding!, margin!, font-size!, letter-spacing!, font-variant-numeric!	skin: <code>.fs-skill-panel .fs-skill-base-exp [data-iw-skill-layout="three-zone"]</code> host: <code>.compact-panel</code>	—	● L2068: — Base EXP plaque: 3:1 like the art, text inside the flat centre
253	2104	—	<code>.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-zone="content"]</code>	(0,4,0)	1 / 1	position!	skin: <code>.fs-skill-panel [data-iw-skill-layout="three-zone"] [data-iw-skill-zone="content"]</code> host: <code>.compact-panel</code>	—	● L2103: Keep the shell as the containing block for the content-branch variant.
254	2117	—	<code>.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] button[data-iw-skill-role="nav-button"][data-iw-nav-direction]</code>	(0,5,1)	15 / 15	display!, place-items!, width!, min-width!, height!, min-height!, padding!, border!, border-radius!, background-color!, box-shadow!, filter!, color!, font-size!, transition!	skin: <code>.fs-skill-panel [data-iw-skill-layout="three-zone"] [data-iw-skill-role="nav-button"] [data-iw-nav-direction]</code> host: <code>.compact-panel button</code>	—	● L2114: The artwork is the control.

#	Line	Context	Selector(s)	Specificity	Decl / !imp	Properties	Hooks	Fragility	Comment
255	2138	—	<pre>html .compact-panel.fs-skill-panel[data-iw-skills-ui-ready="1"][data-iw-skill-layout="three-zone"] button[data-iw-skill-role="nav-button"][data-iw-nav-direction]::before html .compact-panel.fs-skill-panel[data-iw-skills-ui-ready="1"][data-iw-skill-layout="three-zone"] button[data-iw-skill-role="nav-button"][data-iw-nav-direction]::after .compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] button[data-iw-skill-role="nav-button"][data-iw-nav-direction]::before .compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] button[data-iw-skill-role="nav-button"][data-iw-nav-direction]::after</pre>	max(0,6,3)	2 / 2	content!, display!	<pre>skin: .fs-skill-panel [data-iw-skills-ui-ready="1"] [data-iw-skill-layout="three-zone"] [data-iw-skill-role="nav-button"] [data-iw-nav-direction] host: .compact-panel button</pre>	—	● L2135: Nothing may be drawn on top of the artwork — no pseudo-element glyph and no native text.
256	2145	—	<pre>.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] button[data-iw-skill-role="nav-button"][data-iw-nav-direction]> *</pre>	(0,5,1)	2 / 2	visibility!, opacity!	<pre>skin: .fs-skill-panel [data-iw-skill-layout="three-zone"] [data-iw-skill-role="nav-button"] [data-iw-nav-direction] host: .compact-panel button</pre>	—	○ L2135: Nothing may be drawn on top of the artwork — no pseudo-element glyph and no native text.
257	2150	—	<pre>.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] button[data-iw-skill-role="nav-button"][data-iw-nav-direction]:hover:not(:disabled)</pre>	(0,7,1)	3 / 3	background-color!, transform!, filter!	<pre>skin: .fs-skill-panel [data-iw-skill-layout="three-zone"] [data-iw-skill-role="nav-button"] [data-iw-nav-direction] host: .compact-panel button</pre>	—	○ L2135: Nothing may be drawn on top of the artwork — no pseudo-element glyph and no native text.
258	2162	—	<pre>.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-role="xp-gain"] .compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-role="reward"] .compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-role="progress-track"] .compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-role="progress-fill"]</pre>	max(0,4,0)	8 / 8	min-width!, min-height!, max-height!, padding!, margin!, border!, background!, box-shadow!	<pre>skin: .fs-skill-panel [data-iw-skill-layout="three-zone"] [data-iw-skill-role="xp-gain"] [data-iw-skill-role="reward"] [data-iw-skill-role="progress-track"] [data-iw-skill-role="progress-fill"] host: .compact-panel</pre>	—	● L2157: The redesign hides the native XP-gain / reward / progress-rail nodes behind the plaque and identity mirror by shrinking them to 1px.

#	Line	Context	Selector(s)	Specificity	Decl / !imp	Properties	Hooks	Fragility	Comment
259	2180	—	<code>.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] &gt; [data-iw-skill-layout-shell="1"]</code>	(0,4,0)	2 / 2	min-height!, align-items!	skin: <code>.fs-skill-panel [data-iw-skill-layout="three-zone"] [data-iw-skill-layout-shell="1"]</code> host: <code>.compact-panel</code>	—	● L2177: Tightened per Curtis (2026-09): the card was reading far too tall.
260	2185	—	<code>.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-zone="content"]</code>	(0,4,0)	2 / 2	gap!, padding!	skin: <code>.fs-skill-panel [data-iw-skill-layout="three-zone"] [data-iw-skill-zone="content"]</code> host: <code>.compact-panel</code>	—	○ L2177: Tightened per Curtis (2026-09): the card was reading far too tall.
261	2190	—	<code>.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-role="action-title"]::before</code>	(0,4,1)	2 / 2	font-size!, line-height!	skin: <code>.fs-skill-panel [data-iw-skill-layout="three-zone"] [data-iw-skill-role="action-title"]</code> host: <code>.compact-panel</code>	—	○ L2177: Tightened per Curtis (2026-09): the card was reading far too tall.
262	2195	—	<code>.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-role="ingredient"]</code> <code>.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-role="requirement"]</code> <code>.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-role="action-detail"]</code>	max(0,4,0)	3 / 3	margin-top!, font-size!, line-height!	skin: <code>.fs-skill-panel [data-iw-skill-layout="three-zone"] [data-iw-skill-role="ingredient"] [data-iw-skill-role="requirement"] [data-iw-skill-role="action-detail"]</code> host: <code>.compact-panel</code>	—	○ L2177: Tightened per Curtis (2026-09): the card was reading far too tall.
263	2204	—	<code>.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-zone="identity"]</code>	(0,4,0)	2 / 2	gap!, padding!	skin: <code>.fs-skill-panel [data-iw-skill-layout="three-zone"] [data-iw-skill-zone="identity"]</code> host: <code>.compact-panel</code>	—	● L2203: — Identity column
264	2209	—	<code>.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] .fs-skill-medallion-art</code>	(0,4,0)	5 / 5	width!, min-width!, height!, min-height!, margin!	skin: <code>.fs-skill-panel .fs-skill-medallion-art [data-iw-skill-layout="three-zone"]</code> host: <code>.compact-panel</code>	—	○ L2203: — Identity column
265	2217	—	<code>.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-role="identity"]::before</code>	(0,4,1)	2 / 2	font-size!, letter-spacing!	skin: <code>.fs-skill-panel [data-iw-skill-layout="three-zone"] [data-iw-skill-role="identity"]</code> host: <code>.compact-panel</code>	—	○ L2203: — Identity column

#	Line	Context	Selector(s)	Specificity	Decl / !imp	Properties	Hooks	Fragility	Comment
266	2222	—	<code>.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-role="identity-level"]</code>	(0,4,0)	2 / 2	font-size!, letter-spacing!	skin: <code>.fs-skill-panel [data-iw-skill-layout="three-zone"] [data-iw-skill-role="identity-level"]</code> host: <code>.compact-panel</code>	—	○ L2203: — Identity column
267	2227	—	<code>.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] .fs-skill-identity-percent</code>	(0,4,0)	3 / 3	margin-top!, font-size!, letter-spacing!	skin: <code>.fs-skill-panel .fs-skill-identity-percent [data-iw-skill-layout="three-zone"]</code> host: <code>.compact-panel</code>	—	○ L2203: — Identity column
268	2233	—	<code>.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] .fs-skill-identity-progress</code>	(0,4,0)	4 / 4	width!, height!, margin-top!, border-radius!	skin: <code>.fs-skill-panel .fs-skill-identity-progress [data-iw-skill-layout="three-zone"]</code> host: <code>.compact-panel</code>	—	○ L2203: — Identity column
269	2242	@media (max-width: 1024px) and (min-width: 641px)	<code>.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"]</code>	(0,3,0)	1 / 0	—fs-skill-command-w	skin: <code>.fs-skill-panel [data-iw-skill-layout="three-zone"]</code> host: <code>.compact-panel</code>	—	—
270	2245	@media (max-width: 1024px) and (min-width: 641px)	<code>.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] .fs-skill-base-exp</code>	(0,4,0)	6 / 6	width!, min-width!, height!, min-height!, padding!, font-size!	skin: <code>.fs-skill-panel .fs-skill-base-exp [data-iw-skill-layout="three-zone"]</code> host: <code>.compact-panel</code>	—	—
271	2253	@media (max-width: 1024px) and (min-width: 641px)	<code>.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] button[data-iw-skill-role="action-button"]</code> <code>.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] button[data-iw-skill-zone="commands"]</code>	max(0,4,1)	4 / 4	width!, min-width!, height!, min-height!	skin: <code>.fs-skill-panel [data-iw-skill-layout="three-zone"] [data-iw-skill-role="action-button"] [data-iw-skill-zone="commands"]</code> host: <code>.compact-panel button</code>	—	—
272	2263	@media (max-width: 640px)	<code>.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-zone="commands"]:not(button)</code>	(0,4,1)	5 / 5	flex-direction!, align-items!, justify-content!, gap!, padding!	skin: <code>.fs-skill-panel [data-iw-skill-layout="three-zone"] [data-iw-skill-zone="commands"]</code> host: <code>.compact-panel button</code>	—	—

#	Line	Context	Selector(s)	Specificity	Decl / !imp	Properties	Hooks	Fragility	Comment
273	2270	@media (max-width: 640px)	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-role="nav-group"]	(0,4,0)	1 / 1	order!	skin: .fs-skill-panel [data-iw-skill-layout="three-zone"] [data-iw-skill-role="nav-group"] host: .compact-panel	—	—
274	2273	@media (max-width: 640px)	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-zone="commands"] button[data-iw-skill-role="action-button"]	(0,5,1)	1 / 1	order!	skin: .fs-skill-panel [data-iw-skill-layout="three-zone"] [data-iw-skill-zone="commands"] [data-iw-skill-role="action-button"] host: .compact-panel button	—	—
275	2276	@media (max-width: 640px)	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] button[data-iw-skill-zone="commands"]	(0,4,1)	2 / 2	justify-self!, margin-left!	skin: .fs-skill-panel [data-iw-skill-layout="three-zone"] [data-iw-skill-zone="commands"] host: .compact-panel button	—	—
276	2283	@media (max-width: 640px)	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-zone="commands"] button[data-iw-skill-role="action-button"]	(0,5,1)	7 / 7	flex!, width!, min-width!, max-width!, height!, min-height!, font-size!	skin: .fs-skill-panel [data-iw-skill-layout="three-zone"] [data-iw-skill-zone="commands"] [data-iw-skill-role="action-button"] host: .compact-panel button	—	● L2280: Nav now occupies real width in the row, so the action control must be elastic or it overflows a 320px viewport.
277	2292	@media (max-width: 640px)	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-role="nav-group"]	(0,4,0)	1 / 1	flex!	skin: .fs-skill-panel [data-iw-skill-layout="three-zone"] [data-iw-skill-role="nav-group"] host: .compact-panel	—	○ L2280: Nav now occupies real width in the row, so the action control must be elastic or it overflows a 320px viewport.
278	2295	@media (max-width: 640px)	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] button[data-iw-skill-zone="commands"]	(0,4,1)	5 / 5	width!, min-width!, height!, min-height!, font-size!	skin: .fs-skill-panel [data-iw-skill-layout="three-zone"] [data-iw-skill-zone="commands"] host: .compact-panel button	—	○ L2280: Nav now occupies real width in the row, so the action control must be elastic or it overflows a 320px viewport.
279	2305	@media (max-width: 640px)	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-zone="content"]	(0,4,0)	2 / 2	gap!, padding!	skin: .fs-skill-panel [data-iw-skill-layout="three-zone"] [data-iw-skill-zone="content"] host: .compact-panel	—	● L2302: The desktop content padding above is not inside a media query, so it also applies here unless restated — and an 18px inset leaves the plaque no room in a 320px column.

#	Line	Context	Selector(s)	Specificity	Decl / !imp	Properties	Hooks	Fragility	Comment
280	2309	@media (max-width: 640px)	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-zone="identity"]	(0,4,0)	2 / 2	gap!, padding!	skin: .fs-skill-panel [data-iw-skill-layout="three-zone"] [data-iw-skill-zone="identity"] host: .compact-panel	—	○ L2302: The desktop content padding above is not inside a media query, so it also applies here unless restated — and an 18px inset leaves the plaque no room in a 320px column.
281	2314	@media (max-width: 640px)	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-role="action-title"]::before	(0,4,1)	2 / 2	font-size!, line-height!	skin: .fs-skill-panel [data-iw-skill-layout="three-zone"] [data-iw-skill-role="action-title"] host: .compact-panel	—	● L2313: The desktop type scale above is likewise outside a media query.
282	2318	@media (max-width: 640px)	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-role="ingredient"] .compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-role="requirement"] .compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-role="action-detail"]	max(0,4,0)	2 / 2	font-size!, line-height!	skin: .fs-skill-panel [data-iw-skill-layout="three-zone"] [data-iw-skill-role="ingredient"] [data-iw-skill-role="requirement"] [data-iw-skill-role="action-detail"] host: .compact-panel	—	○ L2313: The desktop type scale above is likewise outside a media query.
283	2324	@media (max-width: 640px)	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-role="identity"]::before	(0,4,1)	1 / 1	font-size!	skin: .fs-skill-panel [data-iw-skill-layout="three-zone"] [data-iw-skill-role="identity"] host: .compact-panel	—	○ L2313: The desktop type scale above is likewise outside a media query.
284	2327	@media (max-width: 640px)	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-role="identity-level"]	(0,4,0)	1 / 1	font-size!	skin: .fs-skill-panel [data-iw-skill-layout="three-zone"] [data-iw-skill-role="identity-level"] host: .compact-panel	—	○ L2313: The desktop type scale above is likewise outside a media query.
285	2330	@media (max-width: 640px)	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] .fs-skill-identity-percent	(0,4,0)	2 / 2	font-size!, margin-top!	skin: .fs-skill-panel .fs-skill-identity-percent [data-iw-skill-layout="three-zone"] host: .compact-panel	—	○ L2313: The desktop type scale above is likewise outside a media query.
286	2334	@media (max-width: 640px)	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] .fs-skill-base-exp	(0,4,0)	6 / 6	width!, min-width!, height!, min-height!, padding!, font-size!	skin: .fs-skill-panel .fs-skill-base-exp [data-iw-skill-layout="three-zone"] host: .compact-panel	—	○ L2313: The desktop type scale above is likewise outside a media query.
287	2342	@media (max-width: 640px)	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] .fs-skill-medallion-art	(0,4,0)	5 / 5	width!, min-width!, height!, min-height!, margin-bottom!	skin: .fs-skill-panel .fs-skill-medallion-art [data-iw-skill-layout="three-zone"] host: .compact-panel	—	○ L2313: The desktop type scale above is likewise outside a media query.

#	Line	Context	Selector(s)	Specificity	Decl / !imp	Properties	Hooks	Fragility	Comment
288	2362	—	<code>.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] .fs-skill-base-exp .compact-panel.fs-skill-panel[data-iw-skills-ui-ready="1"] .fs-skill-base-exp</code>	max(0,4,0)	22 / 22	display!, place-items!, width!, min-width!, max-width!, height!, min-height!, margin!, padding!, white-space!, border!, border-radius!, background-color!, background-image!, box-shadow!, color!, font-family!, font-size!, font-weight!, letter-spacing!, text-transform!, text-shadow!	skin: <code>.fs-skill-panel .fs-skill-base-exp [data-iw-skill-layout="three-zone"] [data-iw-skills-ui-ready="1"]</code> host: <code>.compact-panel</code>	—	● L2351: — Base readout: simplified The atlas "xp_plaque" sprite (heavy border + flared horns + centre stud) read as too ornate for a single-line datum.
289	2414	—	<code>html .compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-zone="commands"]:not(button)</code>	(0,4,2)	6 / 6	flex-direction!, flex-wrap!, align-items!, justify-content!, gap!, padding!	skin: <code>.fs-skill-panel [data-iw-skill-layout="three-zone"] [data-iw-skill-zone="commands"]</code> host: <code>.compact-panel button</code>	—	● L2413: Command cell: one centred horizontal row.
290	2426	—	<code>.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"]</code>	(0,3,0)	1 / 0	<code>—fs-skill-command-w</code>	skin: <code>.fs-skill-panel [data-iw-skill-layout="three-zone"]</code> host: <code>.compact-panel</code>	—	● L2423: Widen the command track to hold arrow + gap + action + gap + arrow, with enough slack that the content-branch pager (laid across the whole column) clears the centred action button...
291	2430	@media (max-width: 1024px) and (min-width: 641px)	<code>.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"]</code>	(0,3,0)	1 / 0	<code>—fs-skill-command-w</code>	skin: <code>.fs-skill-panel [data-iw-skill-layout="three-zone"]</code> host: <code>.compact-panel</code>	—	—
292	2436	—	<code>html .compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-zone="commands"] [data-iw-skill-role="nav-group"]</code>	(0,5,1)	1 / 1	display!	skin: <code>.fs-skill-panel [data-iw-skill-layout="three-zone"] [data-iw-skill-zone="commands"] [data-iw-skill-role="nav-group"]</code> host: <code>.compact-panel</code>	—	● L2435: Shape A: dissolve the group box so the arrows are flex items of the row.
293	2439	—	<code>html .compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-zone="commands"] button[data-iw-skill-role="nav-button"][data-iw-nav-direction="prev"]</code>	(0,6,2)	1 / 1	order!	skin: <code>.fs-skill-panel [data-iw-skill-layout="three-zone"] [data-iw-skill-zone="commands"] [data-iw-skill-role="nav-button"] [data-iw-nav-direction="prev"]</code> host: <code>.compact-panel button</code>	—	○ L2435: Shape A: dissolve the group box so the arrows are flex items of the row.

#	Line	Context	Selector(s)	Specificity	Decl / !imp	Properties	Hooks	Fragility	Comment
294	2442	—	html .compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-zone="commands"] button[data-iw-skill-role="action-button"]	(0,5,2)	1 / 1	order!	skin: .fs-skill-panel [data-iw-skill-layout="three-zone"] [data-iw-skill-zone="commands"] [data-iw-skill-role="action-button"] host: .compact-panel button	—	○ L2435: Shape A: dissolve the group box so the arrows are flex items of the row.
295	2445	—	html .compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-zone="commands"] button[data-iw-skill-role="nav-button"][data-iw-nav-direction="next"]	(0,6,2)	1 / 1	order!	skin: .fs-skill-panel [data-iw-skill-layout="three-zone"] [data-iw-skill-zone="commands"] [data-iw-skill-role="nav-button"] [data-iw-nav-direction="next"] host: .compact-panel button	—	○ L2435: Shape A: dissolve the group box so the arrows are flex items of the row.
296	2451	@media (min-width: 641px)	html .compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-zone="content"] [data-iw-skill-role="nav-group"]	(0,5,1)	14 / 14	position!, z-index!, right!, top!, left!, transform!, display!, flex-direction!, align-items!, justify-content!, width!, padding!, margin!, gap!	skin: .fs-skill-panel [data-iw-skill-layout="three-zone"] [data-iw-skill-zone="content"] [data-iw-skill-role="nav-group"] host: .compact-panel	—	—
297	2475	—	html .compact-panel.fs-skill-panel[data-iw-skills-ui-ready="1"][data-iw-skill-layout="three-zone"] button[data-iw-skill-role="nav-button"][data-iw-nav-direction] .compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] button[data-iw-skill-role="nav-button"][data-iw-nav-direction]	max(0,6,2)	17 / 17	display!, place-items!, position!, width!, min-width!, height!, min-height!, padding!, border!, border-radius!, background!, background-image!, box-shadow!, color!, font-size!, filter!, transition!	skin: .fs-skill-panel [data-iw-skills-ui-ready="1"] [data-iw-skill-layout="three-zone"] [data-iw-skill-role="nav-button"] [data-iw-nav-direction] host: .compact-panel button	—	● L2469: The pager plate. Geometry AND colour mirror the inline copy from styleButton(), which is the one that actually wins; the chevron is a rotated border corner so it needs no artwork.
298	2496	—	html .compact-panel.fs-skill-panel[data-iw-skills-ui-ready="1"][data-iw-skill-layout="three-zone"] button[data-iw-skill-role="nav-button"][data-iw-nav-direction] > * .compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] button[data-iw-skill-role="nav-button"][data-iw-nav-direction] > *	max(0,6,2)	2 / 2	visibility!, opacity!	skin: .fs-skill-panel [data-iw-skills-ui-ready="1"] [data-iw-skill-layout="three-zone"] [data-iw-skill-role="nav-button"] [data-iw-nav-direction] host: .compact-panel button	—	○ L2469: The pager plate. Geometry AND colour mirror the inline copy from styleButton(), which is the one that actually wins; the chevron is a rotated border corner so it needs no artwork.

#	Line	Context	Selector(s)	Specificity	Decl / !imp	Properties	Hooks	Fragility	Comment
299	2525	—	html .compact-panel.fs-skill-panel[data-iw-skills-ui-ready="1"][data-iw-skill-layout="three-zone"] button[data-iw-skill-role="nav-button"][data-iw-nav-direction]::before .compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] button[data-iw-skill-role="nav-button"][data-iw-nav-direction]::before	max(0,6,3)	15 / 15	content!, display!, position!, left!, top!, box-sizing!, width!, height!, border!, border-right-width!, border-bottom-width!, background!, box-shadow!, pointer-events!, transition!	skin: .fs-skill-panel [data-iw-skills-ui-ready="1"] [data-iw-skill-layout="three-zone"] [data-iw-skill-role="nav-button"] [data-iw-nav-direction] host: .compact-panel button	—	● L2502: — The chevron, and why it is positioned ABSOLUTELY place-items: center on the button does NOT centre this pseudo-element, for the reason CLAUDE.md already records for the quest...
300	2543	—	html .compact-panel.fs-skill-panel[data-iw-skills-ui-ready="1"][data-iw-skill-layout="three-zone"] button[data-iw-skill-role="nav-button"][data-iw-nav-direction="prev"]::before .compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] button[data-iw-skill-role="nav-button"][data-iw-nav-direction="prev"]::before	max(0,6,3)	1 / 1	transform!	skin: .fs-skill-panel [data-iw-skills-ui-ready="1"] [data-iw-skill-layout="three-zone"] [data-iw-skill-role="nav-button"] [data-iw-nav-direction="prev"] host: .compact-panel button	—	○ L2502: — The chevron, and why it is positioned ABSOLUTELY place-items: center on the button does NOT centre this pseudo-element, for the reason CLAUDE.md already records for the quest...
301	2547	—	html .compact-panel.fs-skill-panel[data-iw-skills-ui-ready="1"][data-iw-skill-layout="three-zone"] button[data-iw-skill-role="nav-button"][data-iw-nav-direction="next"]::before .compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] button[data-iw-skill-role="nav-button"][data-iw-nav-direction="next"]::before	max(0,6,3)	1 / 1	transform!	skin: .fs-skill-panel [data-iw-skills-ui-ready="1"] [data-iw-skill-layout="three-zone"] [data-iw-skill-role="nav-button"] [data-iw-nav-direction="next"] host: .compact-panel button	—	○ L2502: — The chevron, and why it is positioned ABSOLUTELY place-items: center on the button does NOT centre this pseudo-element, for the reason CLAUDE.md already records for the quest...
302	2551	—	html .compact-panel.fs-skill-panel[data-iw-skills-ui-ready="1"][data-iw-skill-layout="three-zone"] button[data-iw-skill-role="nav-button"][data-iw-nav-direction]::after .compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] button[data-iw-skill-role="nav-button"][data-iw-nav-direction]::after	max(0,6,3)	2 / 2	content!, display!	skin: .fs-skill-panel [data-iw-skills-ui-ready="1"] [data-iw-skill-layout="three-zone"] [data-iw-skill-role="nav-button"] [data-iw-nav-direction] host: .compact-panel button	—	○ L2502: — The chevron, and why it is positioned ABSOLUTELY place-items: center on the button does NOT centre this pseudo-element, for the reason CLAUDE.md already records for the quest...

#	Line	Context	Selector(s)	Specificity	Decl / !imp	Properties	Hooks	Fragility	Comment
303	2557	—	html .compact-panel.fs-skill-panel[data-iw-skills-ui-ready="1"][data-iw-skill-layout="three-zone"] button[data-iw-skill-role="nav-button"][data-iw-nav-direction]:hover:not(:disabled) .compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] button[data-iw-skill-role="nav-button"][data-iw-nav-direction]:hover:not(:disabled)	max(0,8,2)	4 / 4	border-color!, box-shadow!, filter!, transform!	skin: .fs-skill-panel [data-iw-skills-ui-ready="1"] [data-iw-skill-layout="three-zone"] [data-iw-skill-role="nav-button"] [data-iw-nav-direction] host: .compact-panel button	—	○ L2502: — The chevron, and why it is positioned ABSOLUTELY place-items: center on the button does NOT centre this pseudo-element, for the reason CLAUDE.md already records for the quest...
304	2564	—	html .compact-panel.fs-skill-panel[data-iw-skills-ui-ready="1"][data-iw-skill-layout="three-zone"] button[data-iw-skill-role="nav-button"][data-iw-nav-direction]:hover:not(:disabled)::before .compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] button[data-iw-skill-role="nav-button"][data-iw-nav-direction]:hover:not(:disabled)::before	max(0,8,3)	1 / 1	border-color!	skin: .fs-skill-panel [data-iw-skills-ui-ready="1"] [data-iw-skill-layout="three-zone"] [data-iw-skill-role="nav-button"] [data-iw-nav-direction] host: .compact-panel button	—	○ L2502: — The chevron, and why it is positioned ABSOLUTELY place-items: center on the button does NOT centre this pseudo-element, for the reason CLAUDE.md already records for the quest...
305	2568	—	html .compact-panel.fs-skill-panel[data-iw-skills-ui-ready="1"][data-iw-skill-layout="three-zone"] button[data-iw-skill-role="nav-button"][data-iw-nav-direction]:disabled	(0,7,2)	1 / 1	opacity!	skin: .fs-skill-panel [data-iw-skills-ui-ready="1"] [data-iw-skill-layout="three-zone"] [data-iw-skill-role="nav-button"] [data-iw-nav-direction] host: .compact-panel button	—	○ L2502: — The chevron, and why it is positioned ABSOLUTELY place-items: center on the button does NOT centre this pseudo-element, for the reason CLAUDE.md already records for the quest...
306	2575	@media (max-width: 640px)	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-zone="commands"]:not(button)	(0,4,1)	3 / 3	flex-direction!, justify-content!, gap!	skin: .fs-skill-panel [data-iw-skill-layout="three-zone"] [data-iw-skill-zone="commands"] host: .compact-panel button	—	—
307	2580	@media (max-width: 640px)	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-zone="commands"] button[data-iw-skill-role="nav-button"][data-iw-nav-direction="prev"]	(0,6,1)	1 / 1	order!	skin: .fs-skill-panel [data-iw-skill-layout="three-zone"] [data-iw-skill-zone="commands"] [data-iw-skill-role="nav-button"] [data-iw-nav-direction="prev"] host: .compact-panel button	—	—

#	Line	Context	Selector(s)	Specificity	Decl / !imp	Properties	Hooks	Fragility	Comment
308	2583	@media (max-width: 640px)	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-zone="commands"] button[data-iw-skill-role="action-button"]	(0,5,1)	1 / 1	order!	skin: .fs-skill-panel [data-iw-skill-layout="three-zone"] [data-iw-skill-zone="commands"] [data-iw-skill-role="action-button"] host: .compact-panel button	—	—
309	2586	@media (max-width: 640px)	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-zone="commands"] button[data-iw-skill-role="nav-button"][data-iw-nav-direction="next"]	(0,6,1)	1 / 1	order!	skin: .fs-skill-panel [data-iw-skill-layout="three-zone"] [data-iw-skill-zone="commands"] [data-iw-skill-role="nav-button"] [data-iw-nav-direction="next"] host: .compact-panel button	—	—
310	2604	—	.compact-panel.fs-quest-panel	(0,2,0)	10 / 9	—fs-quest-accent, position!, margin-bottom!, padding!, overflow!, border!, border-left!, border-radius!, background!, box-shadow!	skin: .fs-quest-panel host: .compact-panel	—	● L2592: Quest cards — forged into the same family as the skill action frames IdleWorlds renders each quest as a bare .compact-panel inside the Quests section frame.
311	2624	—	.compact-panel.fs-quest-panel[data-iw-skills-ui-ready="1"]	(0,3,0)	2 / 2	background!, background-blend-mode!	skin: .fs-quest-panel [data-iw-skills-ui-ready="1"] host: .compact-panel	—	○ L2592: Quest cards — forged into the same family as the skill action frames IdleWorlds renders each quest as a bare .compact-panel inside the Quests section frame.
312	2632	—	.compact-panel.fs-quest-panel::before	(0,2,1)	10 / 10	content!, position!, left!, top!, width!, height!, z-index!, pointer-events!, background!, opacity!	skin: .fs-quest-panel host: .compact-panel	—	○ L2592: Quest cards — forged into the same family as the skill action frames IdleWorlds renders each quest as a bare .compact-panel inside the Quests section frame.
313	2647	—	.compact-panel.fs-quest-panel::after	(0,2,1)	8 / 8	content!, position!, inset!, z-index!, pointer-events!, border!, border-radius!, box-shadow!	skin: .fs-quest-panel host: .compact-panel	—	○ L2592: Quest cards — forged into the same family as the skill action frames IdleWorlds renders each quest as a bare .compact-panel inside the Quests section frame.
314	2659	—	.compact-panel.fs-quest-panel > [data-iw-quest-zone="body"]	(0,3,0)	9 / 9	position!, z-index!, display!, grid-template-columns!, grid-template-areas!, align-items!, row-gap!, column-gap!, padding!	skin: .fs-quest-panel [data-iw-quest-zone="body"] host: .compact-panel	—	● L2658: Grid: sigil column + stacked content / progress / label.
315	2673	—	.compact-panel.fs-quest-panel > [data-iw-quest-zone="body"] > *	(0,3,0)	1 / 1	margin!	skin: .fs-quest-panel [data-iw-quest-zone="body"] host: .compact-panel	—	○ L2658: Grid: sigil column + stacked content / progress / label.

#	Line	Context	Selector(s)	Specificity	Decl / !imp	Properties	Hooks	Fragility	Comment
316	2675	—	<code>.compact-panel.fs-quest-panel [data-iw-quest-zone="row"]</code>	(0,3,0)	6 / 6	grid-area!, display!, align-items!, justify-content!, gap!, min-width!	skin: <code>.fs-quest-panel [data-iw-quest-zone="row"]</code> host: <code>.compact-panel</code>	—	○ L2658: Grid: sigil column + stacked content / progress / label.
317	2683	—	<code>.compact-panel.fs-quest-panel [data-iw-quest-zone="content"]</code>	(0,3,0)	4 / 4	min-width!, display!, flex-direction!, gap!	skin: <code>.fs-quest-panel [data-iw-quest-zone="content"]</code> host: <code>.compact-panel</code>	—	○ L2658: Grid: sigil column + stacked content / progress / label.
318	2692	—	<code>.compact-panel.fs-quest-panel [data-iw-quest-zone="content"] &gt; *</code>	(0,3,0)	1 / 1	margin!	skin: <code>.fs-quest-panel [data-iw-quest-zone="content"]</code> host: <code>.compact-panel</code>	—	● L2689: The live page zeroes <p> margins via Tailwind preflight; do it here too so the column's rhythm is <code>gap</code> alone and never the UA's <code>1em</code> , whether or not the host reset reaches these n...
319	2693	—	<code>.compact-panel.fs-quest-panel [data-iw-quest-zone="commands"]</code>	(0,3,0)	6 / 6	flex!, display!, flex-direction!, align-items!, justify-content!, gap!	skin: <code>.fs-quest-panel [data-iw-quest-zone="commands"]</code> host: <code>.compact-panel</code>	—	○ L2689: The live page zeroes <p> margins via Tailwind preflight; do it here too so the column's rhythm is <code>gap</code> alone and never the UA's <code>1em</code> , whether or not the host reset reaches these n...
320	2706	—	<code>:root</code>	(0,1,0)	1 / 0	<code>—fs-quest-frame-position</code>	—	—	● L2702: Approved quest rings: source pixels remain unchanged.
321	2709	—	<code>:root[data-iw-zone-theme="verdant"]</code>	(0,2,0)	1 / 0	<code>—fs-quest-frame-position</code>	skin: <code>[data-iw-zone-theme="verdant"]</code>	—	○ L2702: Approved quest rings: source pixels remain unchanged.
322	2712	—	<code>:root[data-iw-zone-theme="forged-metal"]</code>	(0,2,0)	1 / 0	<code>—fs-quest-frame-position</code>	skin: <code>[data-iw-zone-theme="forged-metal"]</code>	—	○ L2702: Approved quest rings: source pixels remain unchanged.
323	2715	—	<code>:root[data-iw-zone-theme="infernal"]</code>	(0,2,0)	1 / 0	<code>—fs-quest-frame-position</code>	skin: <code>[data-iw-zone-theme="infernal"]</code>	—	○ L2702: Approved quest rings: source pixels remain unchanged.
324	2718	—	<code>:root[data-iw-zone-theme="celestial"]</code>	(0,2,0)	1 / 0	<code>—fs-quest-frame-position</code>	skin: <code>[data-iw-zone-theme="celestial"]</code>	—	○ L2702: Approved quest rings: source pixels remain unchanged.
325	2721	—	<code>:root[data-iw-zone-theme="voidborn"]</code>	(0,2,0)	1 / 0	<code>—fs-quest-frame-position</code>	skin: <code>[data-iw-zone-theme="voidborn"]</code>	—	○ L2702: Approved quest rings: source pixels remain unchanged.
326	2724	—	<code>:root[data-iw-zone-theme="runic-arcane"]</code>	(0,2,0)	1 / 0	<code>—fs-quest-frame-position</code>	skin: <code>[data-iw-zone-theme="runic-arcane"]</code>	—	○ L2702: Approved quest rings: source pixels remain unchanged.
327	2727	—	<code>:root[data-iw-zone-theme="lunar-spectral"]</code>	(0,2,0)	1 / 0	<code>—fs-quest-frame-position</code>	skin: <code>[data-iw-zone-theme="lunar-spectral"]</code>	—	○ L2702: Approved quest rings: source pixels remain unchanged.
328	2730	—	<code>:root[data-iw-zone-theme="tempest-oceanic"]</code>	(0,2,0)	1 / 0	<code>—fs-quest-frame-position</code>	skin: <code>[data-iw-zone-theme="tempest-oceanic"]</code>	—	○ L2702: Approved quest rings: source pixels remain unchanged.
329	2733	—	<code>:root[data-iw-zone-theme="glacial"]</code>	(0,2,0)	1 / 0	<code>—fs-quest-frame-position</code>	skin: <code>[data-iw-zone-theme="glacial"]</code>	—	○ L2702: Approved quest rings: source pixels remain unchanged.

#	Line	Context	Selector(s)	Specificity	Decl / !imp	Properties	Hooks	Fragility	Comment
330	2738	—	<code>.compact-panel.fs-quest-panel .fs-quest-sigil</code>	(0,3,0)	15 / 13	<code>—fs-quest-sigil-size, —fs-quest-icon-scale, grid-area!, align-self!, justify-self!, position!, display!, place-items!, width!, height!, border!, border-radius!, background!, box-shadow!, pointer-events!</code>	skin: <code>.fs-quest-panel .fs-quest-sigil</code> host: <code>.compact-panel</code>	—	● L2737: Medallion sigil.
331	2761	—	<code>.compact-panel.fs-quest-panel .fs-quest-sigil::before</code>	(0,3,1)	8 / 8	<code>content!, position!, z-index!, color!, font-family!, font-size!, line-height!, text-shadow!</code>	skin: <code>.fs-quest-panel .fs-quest-sigil</code> host: <code>.compact-panel</code>	—	● L2739: One knob for the medallion, one for how much of it the sprite fills.
332	2771	—	<code>.compact-panel.fs-quest-panel .fs-quest-sigil::after</code>	(0,3,1)	11 / 11	<code>content!, position!, inset!, z-index!, pointer-events!, background-image!, background-size!, background-position!, background-repeat!, -webkit-mask-image!, mask-image!</code>	skin: <code>.fs-quest-panel .fs-quest-sigil</code> host: <code>.compact-panel</code>	—	○ L2739: One knob for the medallion, one for how much of it the sprite fills.
333	2790	—	<code>.compact-panel.fs-quest-panel .fs-quest-sigil-icon</code>	(0,3,0)	5 / 5	<code>position!, inset!, z-index!, filter!, pointer-events!</code>	skin: <code>.fs-quest-panel .fs-quest-sigil-icon</code> host: <code>.compact-panel</code>	—	● L2785: The objective item's real atlas icon.
334	2797	—	<code>.compact-panel.fs-quest-panel .fs-quest-sigil[data-iw-quest-icon="1"]::before</code>	(0,4,1)	1 / 1	<code>content!</code>	skin: <code>.fs-quest-panel .fs-quest-sigil [data-iw-quest-icon="1"]</code> host: <code>.compact-panel</code>	—	○ L2785: The objective item's real atlas icon.
335	2800	—	<code>.compact-panel.fs-quest-panel .fs-quest-sigil-pct</code>	(0,3,0)	16 / 16	<code>position!, left!, bottom!, transform!, z-index!, padding!, border!, border-radius!, background!, color!, font-family!, font-size!, font-weight!, letter-spacing!, font-variant-numeric!, white-space!</code>	skin: <code>.fs-quest-panel .fs-quest-sigil-pct</code> host: <code>.compact-panel</code>	—	○ L2785: The objective item's real atlas icon.
336	2820	—	<code>.compact-panel.fs-quest-panel [data-iw-quest-role="kicker"]</code>	(0,3,0)	7 / 7	<code>margin-bottom!, color!, font-family!, font-size!, font-weight!, letter-spacing!, text-transform!</code>	skin: <code>.fs-quest-panel [data-iw-quest-role="kicker"]</code> host: <code>.compact-panel</code>	—	● L2819: Text hierarchy.
337	2829	—	<code>.compact-panel.fs-quest-panel [data-iw-quest-role="title"]</code>	(0,3,0)	7 / 7	<code>color!, font-family!, font-size!, font-weight!, line-height!, letter-spacing!, text-shadow!</code>	skin: <code>.fs-quest-panel [data-iw-quest-role="title"]</code> host: <code>.compact-panel</code>	—	○ L2819: Text hierarchy.
338	2838	—	<code>.compact-panel.fs-quest-panel [data-iw-quest-role="brief"]</code>	(0,3,0)	5 / 5	<code>color!, font-family!, font-size!, font-style!, line-height!</code>	skin: <code>.fs-quest-panel [data-iw-quest-role="brief"]</code> host: <code>.compact-panel</code>	—	○ L2819: Text hierarchy.

#	Line	Context	Selector(s)	Specificity	Decl / !imp	Properties	Hooks	Fragility	Comment
339	2845	—	<code>.compact-panel.fs-quest-panel [data-iw-quest-role="objective"]</code>	(0,3,0)	10 / 10	display!, align-items!, gap!, margin-top!, color!, font-family!, font-size!, font-weight!, line-height!, font-variant-numeric!	skin: <code>.fs-quest-panel [data-iw-quest-role="objective"]</code> host: <code>.compact-panel</code>	—	○ L2819: Text hierarchy.
340	2857	—	<code>.compact-panel.fs-quest-panel [data-iw-quest-role="objective"]::before</code>	(0,3,1)	4 / 4	content!, color!, font-size!, transform!	skin: <code>.fs-quest-panel [data-iw-quest-role="objective"]</code> host: <code>.compact-panel</code>	—	○ L2819: Text hierarchy.
341	2866	—	<code>.compact-panel.fs-quest-panel [data-iw-quest-role="objective"][data-iw-tooltip-trigger]</code>	(0,4,0)	3 / 3	cursor!, border-radius!, transition!	skin: <code>.fs-quest-panel [data-iw-quest-role="objective"] [data-iw-tooltip-trigger]</code> host: <code>.compact-panel</code>	—	● L2864: When the objective line is an item-tooltip trigger, give it a hover affordance without turning it into a boxed control.
342	2871	—	<code>.compact-panel.fs-quest-panel [data-iw-quest-role="objective"][data-iw-tooltip-trigger]:hover</code> <code>.compact-panel.fs-quest-panel [data-iw-quest-role="objective"][data-iw-tooltip-trigger]:focus-visible</code>	max(0,5,0)	4 / 4	outline!, color!, background!, box-shadow!	skin: <code>.fs-quest-panel [data-iw-quest-role="objective"] [data-iw-tooltip-trigger]</code> host: <code>.compact-panel</code>	—	○ L2864: When the objective line is an item-tooltip trigger, give it a hover affordance without turning it into a boxed control.
343	2902	—	<code>.compact-panel.fs-quest-panel [data-iw-quest-role="reward"]</code>	(0,3,0)	19 / 18	—fs-plaque-h, align-self!, display!, align-items!, justify-content!, box-sizing!, min-width!, height!, min-height!, margin-top!, padding!, border!, border-radius!, background!, box-shadow!, color!, font-family!, font-size!, text-shadow!	skin: <code>.fs-quest-panel [data-iw-quest-role="reward"]</code> host: <code>.compact-panel</code>	—	● L2879: — Reward chip: a plain plate, not the ornate horned plaque Curtis (2026-09): the 3-slice <code>skills_xp_plaque_wide.webp</code> frame (horns + flared studs) read as gaudy against the rest ...
344	2932	—	<code>.compact-panel.fs-quest-panel [data-iw-quest-role="reward"]::before</code>	(0,3,1)	7 / 7	content!, font-family!, font-size!, font-weight!, letter-spacing!, font-variant-numeric!, white-space!	skin: <code>.fs-quest-panel [data-iw-quest-role="reward"]</code> host: <code>.compact-panel</code>	—	● L2905: FLEX, not grid. The native "Reward: ..." text stays in the node as the accessible copy at font-size: 0 — and in a GRID that leftover text node becomes a second, anonymous grid it...
345	2943	—	<code>.compact-panel.fs-quest-panel [data-iw-quest-role="progress-track"]</code>	(0,3,0)	9 / 9	grid-area!, width!, height!, margin!, overflow!, border!, border-radius!, background!, box-shadow!	skin: <code>.fs-quest-panel [data-iw-quest-role="progress-track"]</code> host: <code>.compact-panel</code>	—	● L2942: Progress rail.
346	2954	—	<code>.compact-panel.fs-quest-panel [data-iw-quest-role="progress-fill"]</code>	(0,3,0)	4 / 4	height!, border-radius!, background!, box-shadow!	skin: <code>.fs-quest-panel [data-iw-quest-role="progress-fill"]</code> host: <code>.compact-panel</code>	—	○ L2942: Progress rail.

#	Line	Context	Selector(s)	Specificity	Decl / !imp	Properties	Hooks	Fragility	Comment
347	2962	—	<code>.compact-panel.fs-quest-panel [data-iw-quest-role="progress-label"]</code>	(0,3,0)	9 / 9	grid-area!, margin!, color!, font-family!, font-size!, font-weight!, letter-spacing!, text-transform!, font-variant-numeric!	skin: <code>.fs-quest-panel [data-iw-quest-role="progress-label"]</code> host: <code>.compact-panel</code>	—	○ L2942: Progress rail.
348	2997	—	<code>.compact-panel.fs-quest-panel [data-iw-quest-role="turn-in"]</code> <code>.compact-panel.fs-quest-panel [data-iw-quest-role="skip"]</code>	max(0,3,0)	20 / 18	—fs-action-h, —fs-action-cap, align-self!, box-sizing!, width!, max-width!, min-width!, height!, min-height!, padding!, white-space!, border-radius!, font-family!, font-size!, font-weight!, letter-spacing!, text-transform!, text-shadow!, cursor!, transition!	skin: <code>.fs-quest-panel [data-iw-quest-role="turn-in"]</code> <code>[data-iw-quest-role="skip"]</code> host: <code>.compact-panel</code>	—	● L2974: == Command rail: the artwork IS the control Both controls carry an action_frame sprite, and once it is painted the button's OWN plate has to go.
349	3039	—	<code>.compact-panel.fs-quest-panel [data-iw-quest-role="turn-in"]</code>	(0,3,0)	4 / 4	border!, background!, color!, box-shadow!	skin: <code>.fs-quest-panel [data-iw-quest-role="turn-in"]</code> host: <code>.compact-panel</code>	—	● L3038: Fallback plate — drawn only while the atlas has not resolved.
350	3050	—	<code>.compact-panel.fs-quest-panel [data-iw-quest-role="skip"]</code>	(0,3,0)	6 / 6	font-size!, border!, background!, color!, letter-spacing!, box-shadow!	skin: <code>.fs-quest-panel [data-iw-quest-role="skip"]</code> host: <code>.compact-panel</code>	—	○ L3038: Fallback plate — drawn only while the atlas has not resolved.
351	3088	—	<code>.compact-panel.fs-quest-panel[data-iw-skills-ui-ready="1"] [data-iw-quest-role="turn-in"]</code> <code>.compact-panel.fs-quest-panel[data-iw-skills-ui-ready="1"] [data-iw-quest-role="skip"]</code>	max(0,4,0)	12 / 12	position!, isolation!, border!, border-radius!, padding!, background-color!, background-image!, background-repeat!, background-origin!, background-clip!, box-shadow!, filter!	skin: <code>.fs-quest-panel [data-iw-skills-ui-ready="1"]</code> <code>[data-iw-quest-role="turn-in"]</code> <code>[data-iw-quest-role="skip"]</code> host: <code>.compact-panel</code>	—	● L3059: Art present: nothing but the sprite — in THREE bands, not one window.
352	3103	—	<code>.compact-panel.fs-quest-panel[data-iw-skills-ui-ready="1"] [data-iw-quest-role="turn-in"]::before</code> <code>.compact-panel.fs-quest-panel[data-iw-skills-ui-ready="1"] [data-iw-quest-role="turn-in"]::after</code> <code>.compact-panel.fs-quest-panel[data-iw-skills-ui-ready="1"] [data-iw-quest-role="skip"]::before</code> <code>.compact-panel.fs-quest-panel[data-iw-skills-ui-ready="1"] [data-iw-quest-role="skip"]::after</code>	max(0,4,1)	8 / 8	content!, position!, top!, bottom!, z-index!, width!, background-repeat!, pointer-events!	skin: <code>.fs-quest-panel [data-iw-skills-ui-ready="1"]</code> <code>[data-iw-quest-role="turn-in"]</code> <code>[data-iw-quest-role="skip"]</code> host: <code>.compact-panel</code>	—	○ L3059: Art present: nothing but the sprite — in THREE bands, not one window.
353	3116	—	<code>.compact-panel.fs-quest-panel[data-iw-skills-ui-ready="1"] [data-iw-quest-role="turn-in"]::before</code> <code>.compact-panel.fs-quest-panel[data-iw-skills-ui-ready="1"] [data-iw-quest-role="skip"]::before</code>	max(0,4,1)	1 / 1	left!	skin: <code>.fs-quest-panel [data-iw-skills-ui-ready="1"]</code> <code>[data-iw-quest-role="turn-in"]</code> <code>[data-iw-quest-role="skip"]</code> host: <code>.compact-panel</code>	—	○ L3059: Art present: nothing but the sprite — in THREE bands, not one window.

#	Line	Context	Selector(s)	Specificity	Decl / !imp	Properties	Hooks	Fragility	Comment
354	3120	—	<code>.compact-panel.fs-quest-panel[data-iw-skills-ui-ready="1"] [data-iw-quest-role="turn-in"]::after</code> <code>.compact-panel.fs-quest-panel[data-iw-skills-ui-ready="1"] [data-iw-quest-role="skip"]::after</code>	max(0,4,1)	1 / 1	right!	skin: <code>.fs-quest-panel [data-iw-skills-ui-ready="1"] [data-iw-quest-role="turn-in"] [data-iw-quest-role="skip"]</code> host: <code>.compact-panel</code>	—	○ L3059: Art present: nothing but the sprite — in THREE bands, not one window.
355	3126	—	<code>.compact-panel.fs-quest-panel[data-iw-skills-ui-ready="1"] [data-iw-quest-role="turn-in"]</code>	(0,4,0)	2 / 2	background-size!, background-position!	skin: <code>.fs-quest-panel [data-iw-skills-ui-ready="1"] [data-iw-quest-role="turn-in"]</code> host: <code>.compact-panel</code>	—	● L3125: Turn In takes the gold cell.
356	3130	—	<code>.compact-panel.fs-quest-panel[data-iw-skills-ui-ready="1"] [data-iw-quest-role="turn-in"]::before</code> <code>.compact-panel.fs-quest-panel[data-iw-skills-ui-ready="1"] [data-iw-quest-role="turn-in"]::after</code>	max(0,4,1)	2 / 2	background-image!, background-size!	skin: <code>.fs-quest-panel [data-iw-skills-ui-ready="1"] [data-iw-quest-role="turn-in"]</code> host: <code>.compact-panel</code>	—	○ L3125: Turn In takes the gold cell.
357	3135	—	<code>.compact-panel.fs-quest-panel[data-iw-skills-ui-ready="1"] [data-iw-quest-role="turn-in"]::before</code>	(0,4,1)	1 / 1	background-position!	skin: <code>.fs-quest-panel [data-iw-skills-ui-ready="1"] [data-iw-quest-role="turn-in"]</code> host: <code>.compact-panel</code>	—	○ L3125: Turn In takes the gold cell.
358	3138	—	<code>.compact-panel.fs-quest-panel[data-iw-skills-ui-ready="1"] [data-iw-quest-role="turn-in"]::after</code>	(0,4,1)	1 / 1	background-position!	skin: <code>.fs-quest-panel [data-iw-skills-ui-ready="1"] [data-iw-quest-role="turn-in"]</code> host: <code>.compact-panel</code>	—	○ L3125: Turn In takes the gold cell.
359	3144	—	<code>.compact-panel.fs-quest-panel[data-iw-skills-ui-ready="1"] [data-iw-quest-role="skip"]</code>	(0,4,0)	2 / 2	background-size!, background-position!	skin: <code>.fs-quest-panel [data-iw-skills-ui-ready="1"] [data-iw-quest-role="skip"]</code> host: <code>.compact-panel</code>	—	● L3142: Skip is the secondary action and takes the DESATURATED cell — hierarchy, not state; see the note above the base rules.
360	3148	—	<code>.compact-panel.fs-quest-panel[data-iw-skills-ui-ready="1"] [data-iw-quest-role="skip"]::before</code> <code>.compact-panel.fs-quest-panel[data-iw-skills-ui-ready="1"] [data-iw-quest-role="skip"]::after</code>	max(0,4,1)	2 / 2	background-image!, background-size!	skin: <code>.fs-quest-panel [data-iw-skills-ui-ready="1"] [data-iw-quest-role="skip"]</code> host: <code>.compact-panel</code>	—	○ L3142: Skip is the secondary action and takes the DESATURATED cell — hierarchy, not state; see the note above the base rules.
361	3153	—	<code>.compact-panel.fs-quest-panel[data-iw-skills-ui-ready="1"] [data-iw-quest-role="skip"]::before</code>	(0,4,1)	1 / 1	background-position!	skin: <code>.fs-quest-panel [data-iw-skills-ui-ready="1"] [data-iw-quest-role="skip"]</code> host: <code>.compact-panel</code>	—	○ L3142: Skip is the secondary action and takes the DESATURATED cell — hierarchy, not state; see the note above the base rules.

#	Line	Context	Selector(s)	Specificity	Decl / !imp	Properties	Hooks	Fragility	Comment
362	3156	—	<code>.compact-panel.fs-quest-panel[data-iw-skills-ui-ready="1"] [data-iw-quest-role="skip"]::after</code>	(0,4,1)	1 / 1	background-position!	skin: <code>.fs-quest-panel [data-iw-skills-ui-ready="1"] [data-iw-quest-role="skip"]</code> host: <code>.compact-panel</code>	—	○ L3142: Skip is the secondary action and takes the DESATURATED cell — hierarchy, not state; see the note above the base rules.
363	3159	—	<code>.compact-panel.fs-quest-panel[data-iw-quest-state="ready"]</code>	(0,3,0)	2 / 1	—fs-quest-accent, box-shadow!	skin: <code>.fs-quest-panel [data-iw-quest-state="ready"]</code> host: <code>.compact-panel</code>	—	○ L3142: Skip is the secondary action and takes the DESATURATED cell — hierarchy, not state; see the note above the base rules.
364	3170	—	<code>.compact-panel.fs-quest-panel [data-iw-quest-role="turn-in"]:hover:not(:disabled)</code>	(0,5,0)	2 / 2	filter!, border-color!	skin: <code>.fs-quest-panel [data-iw-quest-role="turn-in"]</code> host: <code>.compact-panel</code>	—	● L3168: Hover / disabled. With the plate gone <code>border-color</code> has nothing to say, so hover reads through the label and a bloom on the art itself.
365	3174	—	<code>.compact-panel.fs-quest-panel[data-iw-skills-ui-ready="1"] [data-iw-quest-role="turn-in"]:hover:not(:disabled)</code>	(0,6,0)	2 / 2	color!, filter!	skin: <code>.fs-quest-panel [data-iw-skills-ui-ready="1"] [data-iw-quest-role="turn-in"]</code> host: <code>.compact-panel</code>	—	○ L3168: Hover / disabled. With the plate gone <code>border-color</code> has nothing to say, so hover reads through the label and a bloom on the art itself.
366	3178	—	<code>.compact-panel.fs-quest-panel [data-iw-quest-role="skip"]:hover:not(:disabled)</code>	(0,5,0)	2 / 2	border-color!, color!	skin: <code>.fs-quest-panel [data-iw-quest-role="skip"]</code> host: <code>.compact-panel</code>	—	○ L3168: Hover / disabled. With the plate gone <code>border-color</code> has nothing to say, so hover reads through the label and a bloom on the art itself.
367	3182	—	<code>.compact-panel.fs-quest-panel[data-iw-skills-ui-ready="1"] [data-iw-quest-role="skip"]:hover:not(:disabled)</code>	(0,6,0)	2 / 2	color!, filter!	skin: <code>.fs-quest-panel [data-iw-skills-ui-ready="1"] [data-iw-quest-role="skip"]</code> host: <code>.compact-panel</code>	—	○ L3168: Hover / disabled. With the plate gone <code>border-color</code> has nothing to say, so hover reads through the label and a bloom on the art itself.
368	3186	—	<code>.compact-panel.fs-quest-panel [data-iw-quest-role="turn-in"]:disabled</code> <code>.compact-panel.fs-quest-panel [data-iw-quest-role="skip"]:disabled</code>	max(0,4,0)	3 / 3	cursor!, filter!, opacity!	skin: <code>.fs-quest-panel [data-iw-quest-role="turn-in"] [data-iw-quest-role="skip"]</code> host: <code>.compact-panel</code>	—	○ L3168: Hover / disabled. With the plate gone <code>border-color</code> has nothing to say, so hover reads through the label and a bloom on the art itself.
369	3192	—	<code>.compact-panel.fs-quest-panel[data-iw-skills-ui-ready="1"] [data-iw-quest-role="turn-in"]:disabled</code>	(0,5,0)	4 / 4	color!, background-size!, background-position!, filter!	skin: <code>.fs-quest-panel [data-iw-skills-ui-ready="1"] [data-iw-quest-role="turn-in"]</code> host: <code>.compact-panel</code>	—	○ L3168: Hover / disabled. With the plate gone <code>border-color</code> has nothing to say, so hover reads through the label and a bloom on the art itself.
370	3200	—	<code>.compact-panel.fs-quest-panel[data-iw-skills-ui-ready="1"] [data-iw-quest-role="turn-in"]:disabled::before</code> <code>.compact-panel.fs-quest-panel[data-iw-skills-ui-ready="1"] [data-iw-quest-role="turn-in"]:disabled::after</code>	max(0,5,1)	1 / 1	background-size!	skin: <code>.fs-quest-panel [data-iw-skills-ui-ready="1"] [data-iw-quest-role="turn-in"]</code> host: <code>.compact-panel</code>	—	● L3198: Re-aim BOTH end bands with the middle one, or a disabled turn-in renders grey in the centre with the gold horns still on it.

#	Line	Context	Selector(s)	Specificity	Decl / !imp	Properties	Hooks	Fragility	Comment
371	3204	—	<code>.compact-panel.fs-quest-panel[data-iw-skills-ui-ready="1"] [data-iw-quest-role="turn-in"]:disabled::before</code>	(0,5,1)	1 / 1	background-position!	skin: <code>.fs-quest-panel [data-iw-skills-ui-ready="1"] [data-iw-quest-role="turn-in"]</code> host: <code>.compact-panel</code>	—	○ L3198: Re-aim BOTH end bands with the middle one, or a disabled turn-in renders grey in the centre with the gold horns still on it.
372	3207	—	<code>.compact-panel.fs-quest-panel[data-iw-skills-ui-ready="1"] [data-iw-quest-role="turn-in"]:disabled::after</code>	(0,5,1)	1 / 1	background-position!	skin: <code>.fs-quest-panel [data-iw-skills-ui-ready="1"] [data-iw-quest-role="turn-in"]</code> host: <code>.compact-panel</code>	—	○ L3198: Re-aim BOTH end bands with the middle one, or a disabled turn-in renders grey in the centre with the gold horns still on it.
373	3210	—	<code>.compact-panel.fs-quest-panel[data-iw-skills-ui-ready="1"] [data-iw-quest-role="skip"]:disabled</code>	(0,5,0)	3 / 3	color!, filter!, opacity!	skin: <code>.fs-quest-panel [data-iw-skills-ui-ready="1"] [data-iw-quest-role="skip"]</code> host: <code>.compact-panel</code>	—	○ L3198: Re-aim BOTH end bands with the middle one, or a disabled turn-in renders grey in the centre with the gold horns still on it.
374	3237	@media (max-width: 640px)	<code>.compact-panel.fs-quest-panel > [data-iw-quest-zone="body"]</code>	(0,3,0)	6 / 6	grid-template-columns!, grid-template-areas!, align-items!, row-gap!, column-gap!, padding!	skin: <code>.fs-quest-panel [data-iw-quest-zone="body"]</code> host: <code>.compact-panel</code>	—	—
375	3248	@media (max-width: 640px)	<code>.compact-panel.fs-quest-panel .fs-quest-sigil</code>	(0,3,0)	3 / 1	—fs-quest-sigil-size, —fs-quest-icon-scale, margin-bottom!	skin: <code>.fs-quest-panel .fs-quest-sigil</code> host: <code>.compact-panel</code>	—	—
376	3253	@media (max-width: 640px)	<code>.compact-panel.fs-quest-panel .fs-quest-sigil::before</code>	(0,3,1)	1 / 1	font-size!	skin: <code>.fs-quest-panel .fs-quest-sigil</code> host: <code>.compact-panel</code>	—	—
377	3254	@media (max-width: 640px)	<code>.compact-panel.fs-quest-panel .fs-quest-sigil-pct</code>	(0,3,0)	3 / 3	bottom!, padding!, font-size!	skin: <code>.fs-quest-panel .fs-quest-sigil-pct</code> host: <code>.compact-panel</code>	—	—
378	3261	@media (max-width: 640px)	<code>.compact-panel.fs-quest-panel .fs-quest-sigil::after</code>	(0,3,1)	1 / 1	inset!	skin: <code>.fs-quest-panel .fs-quest-sigil</code> host: <code>.compact-panel</code>	—	● L3257: 9.5px, not 8.5px: a floor for phone legibility (mobile audit, 2026-09).
379	3265	@media (max-width: 640px)	<code>.compact-panel.fs-quest-panel [data-iw-quest-zone="row"]</code>	(0,3,0)	2 / 2	position!, display!	skin: <code>.fs-quest-panel [data-iw-quest-zone="row"]</code> host: <code>.compact-panel</code>	—	○ L3257: 9.5px, not 8.5px: a floor for phone legibility (mobile audit, 2026-09).

#	Line	Context	Selector(s)	Specificity	Decl / !imp	Properties	Hooks	Fragility	Comment
380	3269	@media (max-width: 640px)	.compact-panel.fs-quest-panel [data-iw-quest-zone="commands"]	(0,3,0)	7 / 7	position!, top!, right!, width!, max-width!, justify-content!, gap!	skin: .fs-quest-panel [data-iw-quest-zone="commands"] host: .compact-panel	—	○ L3257: 9.5px, not 8.5px: a floor for phone legibility (mobile audit, 2026-09).
381	3287	@media (max-width: 640px)	.compact-panel.fs-quest-panel [data-iw-quest-role="turn-in"] .compact-panel.fs-quest-panel [data-iw-quest-role="skip"]	max(0,3,0)	7 / 6	—fs-action-h, width!, min-width!, max-width!, padding!, font-size!, letter-spacing!	skin: .fs-quest-panel [data-iw-quest-role="turn-in"] [data-iw-quest-role="skip"] host: .compact-panel	—	● L3282: 116x33 is the RESTING size — it matches the live card's compact button height, clears WCAG 2.5.8 (24px), and trades the 44px target for live parity as the skill pager already doe...
382	3304	@media (max-width: 640px)	.compact-panel.fs-quest-panel [data-iw-quest-role="kicker"] .compact-panel.fs-quest-panel [data-iw-quest-role="title"] .compact-panel.fs-quest-panel [data-iw-quest-role="brief"] .compact-panel.fs-quest-panel [data-iw-quest-role="objective"]	max(0,3,0)	1 / 1	padding-right!	skin: .fs-quest-panel [data-iw-quest-role="kicker"] [data-iw-quest-role="title"] [data-iw-quest-role="brief"] [data-iw-quest-role="objective"] host: .compact-panel	—	● L3298: Only the lines level with the button block reserve room for it — and the reserve has to TRACK it, because the block is out of flow (absolute) and its width is now the label's.
383	3310	@media (max-width: 640px)	.compact-panel.fs-quest-panel [data-iw-quest-role="kicker"]	(0,3,0)	1 / 1	font-size!	skin: .fs-quest-panel [data-iw-quest-role="kicker"] host: .compact-panel	—	○ L3298: Only the lines level with the button block reserve room for it — and the reserve has to TRACK it, because the block is out of flow (absolute) and its width is now the label's.
384	3311	@media (max-width: 640px)	.compact-panel.fs-quest-panel [data-iw-quest-role="title"]	(0,3,0)	2 / 2	font-size!, line-height!	skin: .fs-quest-panel [data-iw-quest-role="title"] host: .compact-panel	—	○ L3298: Only the lines level with the button block reserve room for it — and the reserve has to TRACK it, because the block is out of flow (absolute) and its width is now the label's.
385	3315	@media (max-width: 640px)	.compact-panel.fs-quest-panel [data-iw-quest-role="brief"]	(0,3,0)	1 / 1	font-size!	skin: .fs-quest-panel [data-iw-quest-role="brief"] host: .compact-panel	—	○ L3298: Only the lines level with the button block reserve room for it — and the reserve has to TRACK it, because the block is out of flow (absolute) and its width is now the label's.
386	3316	@media (max-width: 640px)	.compact-panel.fs-quest-panel [data-iw-quest-role="objective"]	(0,3,0)	1 / 1	font-size!	skin: .fs-quest-panel [data-iw-quest-role="objective"] host: .compact-panel	—	○ L3298: Only the lines level with the button block reserve room for it — and the reserve has to TRACK it, because the block is out of flow (absolute) and its width is now the label's.
387	3322	@media (max-width: 640px)	.compact-panel.fs-quest-panel [data-iw-quest-role="reward"]	(0,3,0)	4 / 3	—fs-plaque-h, align-self!, max-width!, margin-top!	skin: .fs-quest-panel [data-iw-quest-role="reward"] host: .compact-panel	—	● L3318: Reward plaque: full column width, below the button block.

#	Line	Context	Selector(s)	Specificity	Decl / !imp	Properties	Hooks	Fragility	Comment
388	3328	@media (max-width: 640px)	.compact-panel.fs-quest-panel [data-iw-quest-zone="row"]:has([data-iw-quest-role="skip"]) [data-iw-quest-role="reward"]	(0,5,0)	1 / 1	margin-top!	skin: .fs-quest-panel [data-iw-quest-zone="row"] [data-iw-quest-role="skip"] [data-iw-quest-role="reward"] host: .compact-panel	—	○ L3318: Reward plaque: full column width, below the button block.
389	3331	@media (max-width: 640px)	.compact-panel.fs-quest-panel [data-iw-quest-role="reward"] :: before	(0,3,1)	1 / 1	font-size!	skin: .fs-quest-panel [data-iw-quest-role="reward"] host: .compact-panel	—	○ L3318: Reward plaque: full column width, below the button block.
390	3335	@media (max-width: 640px)	.compact-panel.fs-quest-panel [data-iw-quest-role="progress-track"]	(0,3,0)	1 / 1	height!	skin: .fs-quest-panel [data-iw-quest-role="progress-track"] host: .compact-panel	—	○ L3318: Reward plaque: full column width, below the button block.
391	3336	@media (max-width: 640px)	.compact-panel.fs-quest-panel [data-iw-quest-role="progress-label"]	(0,3,0)	2 / 2	margin-top!, font-size!	skin: .fs-quest-panel [data-iw-quest-role="progress-label"] host: .compact-panel	—	○ L3318: Reward plaque: full column width, below the button block.
392	3344	@media (max-width: 400px)	.compact-panel.fs-quest-panel > [data-iw-quest-zone="body"]	(0,3,0)	4 / 4	grid-template-columns!, column-gap!, padding-left!, padding-right!	skin: .fs-quest-panel [data-iw-quest-zone="body"] host: .compact-panel	—	—
393	3350	@media (max-width: 400px)	.compact-panel.fs-quest-panel .fs-quest-sigil	(0,3,0)	1 / 0	—fs-quest-sigil-size	skin: .fs-quest-panel .fs-quest-sigil host: .compact-panel	—	—
394	3351	@media (max-width: 400px)	.compact-panel.fs-quest-panel .fs-quest-sigil :: before	(0,3,1)	1 / 1	font-size!	skin: .fs-quest-panel .fs-quest-sigil host: .compact-panel	—	—
395	3352	@media (max-width: 400px)	.compact-panel.fs-quest-panel [data-iw-quest-zone="commands"]	(0,3,0)	1 / 1	max-width!	skin: .fs-quest-panel [data-iw-quest-zone="commands"] host: .compact-panel	—	—
396	3353	@media (max-width: 400px)	.compact-panel.fs-quest-panel [data-iw-quest-role="turn-in"] .compact-panel.fs-quest-panel [data-iw-quest-role="skip"]	max(0,3,0)	3 / 2	—fs-action-h, min-width!, font-size!	skin: .fs-quest-panel [data-iw-quest-role="turn-in"] [data-iw-quest-role="skip"] host: .compact-panel	—	—

#	Line	Context	Selector(s)	Specificity	Decl / !imp	Properties	Hooks	Fragility	Comment
397	3359	@media (max-width: 400px)	.compact-panel.fs-quest-panel [data-iw-quest-role="kicker"] .compact-panel.fs-quest-panel [data-iw-quest-role="title"] .compact-panel.fs-quest-panel [data-iw-quest-role="brief"] .compact-panel.fs-quest-panel [data-iw-quest-role="objective"]	max(0,3,0)	1 / 1	padding-right!	skin: .fs-quest-panel [data-iw-quest-role="kicker"] [data-iw-quest-role="title"] [data-iw-quest-role="brief"] [data-iw-quest-role="objective"] host: .compact-panel	—	—
398	3365	@media (max-width: 400px)	.compact-panel.fs-quest-panel [data-iw-quest-role="reward"]	(0,3,0)	1 / 0	—fs-plaque-h	skin: .fs-quest-panel [data-iw-quest-role="reward"] host: .compact-panel	—	—
399	3366	@media (max-width: 400px)	.compact-panel.fs-quest-panel [data-iw-quest-role="reward"] :: before	(0,3,1)	1 / 1	font-size!	skin: .fs-quest-panel [data-iw-quest-role="reward"] host: .compact-panel	—	—
400	3411	—	html .compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"]	(0,3,1)	3 / 0	—fs-skill-command-w, —fs-skill-command-h, —fs-skill-identity-w	skin: .fs-skill-panel [data-iw-skill-layout="three-zone"] host: .compact-panel	—	● L3369: Skill card composition — full-height identity, right-hand command band (Curtis, 2026-09) Supersedes every earlier layout pass for the skill card's grid.
401	3419	—	html .compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] > [data-iw-skill-layout-shell="1"]	(0,4,1)	6 / 6	display!, grid-template-columns!, grid-template-rows!, grid-template-areas!, align-items!, min-height!	skin: .fs-skill-panel [data-iw-skill-layout="three-zone"] [data-iw-skill-layout-shell="1"] host: .compact-panel	—	● L3415: The fixed command band.
402	3433	—	html .compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-zone="identity"]	(0,4,1)	10 / 10	grid-area!, align-self!, display!, flex-direction!, align-items!, justify-content!, gap!, padding!, border-right!, border-bottom!	skin: .fs-skill-panel [data-iw-skill-layout="three-zone"] [data-iw-skill-zone="identity"] host: .compact-panel	—	● L3432: — Identity: one full-height column, contents centred
403	3445	—	html .compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] .fs-skill-medallion-art	(0,4,1)	5 / 5	width!, min-width!, height!, min-height!, margin!	skin: .fs-skill-panel .fs-skill-medallion-art [data-iw-skill-layout="three-zone"] host: .compact-panel	—	○ L3432: — Identity: one full-height column, contents centred
404	3452	—	html .compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-role="identity"] :: before	(0,4,2)	1 / 1	font-size!	skin: .fs-skill-panel [data-iw-skill-layout="three-zone"] [data-iw-skill-role="identity"] host: .compact-panel	—	○ L3432: — Identity: one full-height column, contents centred

#	Line	Context	Selector(s)	Specificity	Decl / !imp	Properties	Hooks	Fragility	Comment
405	3455	—	html .compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-role="identity-level"]	(0,4,1)	1 / 1	font-size!	skin: .fs-skill-panel [data-iw-skill-layout="three-zone"] [data-iw-skill-role="identity-level"] host: .compact-panel	—	○ L3432: — Identity: one full-height column, contents centred
406	3458	—	html .compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] .fs-skill-identity-percent	(0,4,1)	2 / 2	margin-top!, font-size!	skin: .fs-skill-panel .fs-skill-identity-percent [data-iw-skill-layout="three-zone"] host: .compact-panel	—	○ L3432: — Identity: one full-height column, contents centred
407	3462	—	html .compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] .fs-skill-identity-percent::before	(0,4,2)	2 / 2	width!, margin-bottom!	skin: .fs-skill-panel .fs-skill-identity-percent [data-iw-skill-layout="three-zone"] host: .compact-panel	—	○ L3432: — Identity: one full-height column, contents centred
408	3466	—	html .compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] .fs-skill-identity-progress	(0,4,1)	4 / 4	width!, max-width!, height!, margin-top!	skin: .fs-skill-panel .fs-skill-identity-progress [data-iw-skill-layout="three-zone"] host: .compact-panel	—	○ L3432: — Identity: one full-height column, contents centred
409	3474	—	html .compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-zone="content"]	(0,4,1)	3 / 3	grid-area!, align-self!, border-bottom!	skin: .fs-skill-panel [data-iw-skill-layout="three-zone"] [data-iw-skill-zone="content"] host: .compact-panel	—	● L3473: — Content: centred in the flexible row, right of the identity rail —
410	3481	—	html .compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-zone="commands"]	(0,4,1)	3 / 3	grid-area!, border-left!, box-shadow!	skin: .fs-skill-panel [data-iw-skill-layout="three-zone"] [data-iw-skill-zone="commands"] host: .compact-panel	—	● L3480: — Command band
411	3486	—	html .compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-zone="commands"]:not(button)	(0,4,2)	12 / 12	display!, flex-direction!, flex-wrap!, align-items!, justify-content!, gap!, box-sizing!, width!, height!, min-height!, padding!, background!	skin: .fs-skill-panel [data-iw-skill-layout="three-zone"] [data-iw-skill-zone="commands"] host: .compact-panel button	—	○ L3480: — Command band
412	3501	—	html .compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] button[data-iw-skill-zone="commands"]	(0,4,2)	3 / 3	justify-self!, align-self!, margin!	skin: .fs-skill-panel [data-iw-skill-layout="three-zone"] [data-iw-skill-zone="commands"] host: .compact-panel button	—	● L3500: Bare-button variant: the button itself is the cell — centre it on the band.

#	Line	Context	Selector(s)	Specificity	Decl / !imp	Properties	Hooks	Fragility	Comment
413	3508	—	html .compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-zone="commands"] [data-iw-skill-role="nav-group"]	(0,5,1)	1 / 1	display!	skin: .fs-skill-panel [data-iw-skill-layout="three-zone"] [data-iw-skill-zone="commands"] [data-iw-skill-role="nav-group"] host: .compact-panel	—	● L3507: Shape A: pager in the command cell.
414	3511	—	html .compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-zone="commands"] button[data-iw-skill-role="nav-button"][data-iw-nav-direction="prev"]	(0,6,2)	1 / 1	order!	skin: .fs-skill-panel [data-iw-skill-layout="three-zone"] [data-iw-skill-zone="commands"] [data-iw-skill-role="nav-button"] [data-iw-nav-direction="prev"] host: .compact-panel button	—	○ L3507: Shape A: pager in the command cell.
415	3514	—	html .compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-zone="commands"] button[data-iw-skill-role="action-button"]	(0,5,2)	2 / 2	order!, flex!	skin: .fs-skill-panel [data-iw-skill-layout="three-zone"] [data-iw-skill-zone="commands"] [data-iw-skill-role="action-button"] host: .compact-panel button	—	○ L3507: Shape A: pager in the command cell.
416	3522	—	html .compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-zone="commands"] button[data-iw-skill-role="nav-button"][data-iw-nav-direction="next"]	(0,6,2)	1 / 1	order!	skin: .fs-skill-panel [data-iw-skill-layout="three-zone"] [data-iw-skill-zone="commands"] [data-iw-skill-role="nav-button"] [data-iw-nav-direction="next"] host: .compact-panel button	—	● L3516: Shrinkable, NOT 0 0 auto : on a 320px phone the right-hand column has only ~175px for arrow + action + arrow, and the mobile rule above lets the button size between its 108px flo...
417	3527	—	html .compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-zone="content"] [data-iw-skill-role="nav-group"]	(0,5,1)	18 / 18	position!, left!, right!, bottom!, top!, transform!, display!, flex-direction!, align-items!, justify-content!, box-sizing!, width!, max-width!, height!, padding!, margin!, gap!, z-index!	skin: .fs-skill-panel [data-iw-skill-layout="three-zone"] [data-iw-skill-zone="content"] [data-iw-skill-role="nav-group"] host: .compact-panel	—	● L3526: Shape B: pager left in the content branch, laid over the command band.
418	3554	@media (max-width: 640px)	html .compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"]	(0,3,1)	1 / 0	—fs-skill-identity-w	skin: .fs-skill-panel [data-iw-skill-layout="three-zone"] host: .compact-panel	—	—

#	Line	Context	Selector(s)	Specificity	Decl / !imp	Properties	Hooks	Fragility	Comment
419	3557	@media (max-width: 640px)	html .compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] > [data-iw-skill-layout-shell="1"]	(0,4,1)	1 / 1	min-height!	skin: .fs-skill-panel [data-iw-skill-layout="three-zone"] [data-iw-skill-layout-shell="1"] host: .compact-panel	—	—
420	3560	@media (max-width: 640px)	html .compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-zone="identity"]	(0,4,1)	2 / 2	padding!, gap!	skin: .fs-skill-panel [data-iw-skill-layout="three-zone"] [data-iw-skill-zone="identity"] host: .compact-panel	—	—
421	3566	@media (max-width: 640px)	html .compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] .fs-skill-medallion-art	(0,4,1)	4 / 4	width!, min-width!, height!, min-height!	skin: .fs-skill-panel .fs-skill-medallion-art [data-iw-skill-layout="three-zone"] host: .compact-panel	—	● L3564: Per Curtis (2026-09): the phone medallion grows rather than shrinks now that the identity rail runs the full height of the card.
422	3572	@media (max-width: 640px)	html .compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-role="identity"] ::before	(0,4,2)	1 / 1	font-size!	skin: .fs-skill-panel [data-iw-skill-layout="three-zone"] [data-iw-skill-role="identity"] host: .compact-panel	—	○ L3564: Per Curtis (2026-09): the phone medallion grows rather than shrinks now that the identity rail runs the full height of the card.
423	3575	@media (max-width: 640px)	html .compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-role="identity-level"]	(0,4,1)	1 / 1	font-size!	skin: .fs-skill-panel [data-iw-skill-layout="three-zone"] [data-iw-skill-role="identity-level"] host: .compact-panel	—	○ L3564: Per Curtis (2026-09): the phone medallion grows rather than shrinks now that the identity rail runs the full height of the card.
424	3578	@media (max-width: 640px)	html .compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] .fs-skill-identity-percent	(0,4,1)	1 / 1	font-size!	skin: .fs-skill-panel .fs-skill-identity-percent [data-iw-skill-layout="three-zone"] host: .compact-panel	—	○ L3564: Per Curtis (2026-09): the phone medallion grows rather than shrinks now that the identity rail runs the full height of the card.
425	3581	@media (max-width: 640px)	html .compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] .fs-skill-identity-percent ::before	(0,4,2)	1 / 1	width!	skin: .fs-skill-panel .fs-skill-identity-percent [data-iw-skill-layout="three-zone"] host: .compact-panel	—	○ L3564: Per Curtis (2026-09): the phone medallion grows rather than shrinks now that the identity rail runs the full height of the card.
426	3584	@media (max-width: 640px)	html .compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] .fs-skill-identity-progress	(0,4,1)	2 / 2	width!, height!	skin: .fs-skill-panel .fs-skill-identity-progress [data-iw-skill-layout="three-zone"] host: .compact-panel	—	○ L3564: Per Curtis (2026-09): the phone medallion grows rather than shrinks now that the identity rail runs the full height of the card.

#	Line	Context	Selector(s)	Specificity	Decl / !imp	Properties	Hooks	Fragility	Comment
427	3588	@media (max-width: 640px)	html .compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-zone="commands"]:not(button)	(0,4,2)	2 / 2	gap!, padding!	skin: .fs-skill-panel [data-iw-skill-layout="three-zone"] [data-iw-skill-zone="commands"] host: .compact-panel button	—	○ L3564: Per Curtis (2026-09): the phone medallion grows rather than shrinks now that the identity rail runs the full height of the card.
428	3607	@media (max-width: 430px)	html .compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"]	(0,3,1)	1 / 0	—fs-skill-identity-w	skin: .fs-skill-panel [data-iw-skill-layout="three-zone"] host: .compact-panel	—	—
429	3610	@media (max-width: 430px)	html .compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-zone="identity"]	(0,4,1)	2 / 2	padding!, gap!	skin: .fs-skill-panel [data-iw-skill-layout="three-zone"] [data-iw-skill-zone="identity"] host: .compact-panel	—	—
430	3614	@media (max-width: 430px)	html .compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] .fs-skill-medallion-art	(0,4,1)	4 / 4	width!, min-width!, height!, min-height!	skin: .fs-skill-panel .fs-skill-medallion-art [data-iw-skill-layout="three-zone"] host: .compact-panel	—	—
431	3620	@media (max-width: 430px)	html .compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-role="identity"]::before	(0,4,2)	1 / 1	font-size!	skin: .fs-skill-panel [data-iw-skill-layout="three-zone"] [data-iw-skill-role="identity"] host: .compact-panel	—	—
432	3623	@media (max-width: 430px)	html .compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-role="identity-level"]	(0,4,1)	1 / 1	font-size!	skin: .fs-skill-panel [data-iw-skill-layout="three-zone"] [data-iw-skill-role="identity-level"] host: .compact-panel	—	—
433	3626	@media (max-width: 430px)	html .compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] .fs-skill-identity-percent	(0,4,1)	1 / 1	font-size!	skin: .fs-skill-panel .fs-skill-identity-percent [data-iw-skill-layout="three-zone"] host: .compact-panel	—	—
434	3629	@media (max-width: 430px)	html .compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] .fs-skill-identity-percent::before	(0,4,2)	1 / 1	width!	skin: .fs-skill-panel .fs-skill-identity-percent [data-iw-skill-layout="three-zone"] host: .compact-panel	—	—
435	3632	@media (max-width: 430px)	html .compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] .fs-skill-identity-progress	(0,4,1)	2 / 2	width!, height!	skin: .fs-skill-panel .fs-skill-identity-progress [data-iw-skill-layout="three-zone"] host: .compact-panel	—	—

#	Line	Context	Selector(s)	Specificity	Decl / !imp	Properties	Hooks	Fragility	Comment
436	3636	@media (max-width: 430px)	html .compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-zone="commands"]:not(button)	(0,4,2)	2 / 2	gap!, padding!	skin: .fs-skill-panel [data-iw-skill-layout="three-zone"] [data-iw-skill-zone="commands"] host: .compact-panel button	—	—
437	3647	—	html[data-iw-zone-theme]:not([data-iw-zone-theme="default"]) .compact-panel.fs-skill-panel[data-iw-skills-ui-ready="1"] button[data-iw-skill-role="action-button"]	(0,6,2)	5 / 2	—fs-button-art, —fs-button-paint, —fs-button-background, background!, filter!	skin: .fs-skill-panel [data-iw-zone-theme] [data-iw-zone-theme="default"] [data-iw-skills-ui-ready="1"] [data-iw-skill-role="action-button"] host: .compact-panel button	—	● L3642: === Exact themed button states The state images in exact-v3 share one alpha mask and canvas per control, so interaction changes only lighting.
438	3656	—	html[data-iw-zone-theme]:not([data-iw-zone-theme="default"]) .compact-panel.fs-skill-panel[data-iw-skills-ui-ready="1"] button[data-iw-skill-role="action-button"]:hover:not(:disabled):not([aria-disabled="true"])	(0,9,2)	3 / 1	—fs-button-art, —fs-button-paint, filter!	skin: .fs-skill-panel [data-iw-zone-theme] [data-iw-zone-theme="default"] [data-iw-skills-ui-ready="1"] [data-iw-skill-role="action-button"] host: .compact-panel [aria-disabled="true"] button	—	○ L3642: === Exact themed button states The state images in exact-v3 share one alpha mask and canvas per control, so interaction changes only lighting.
439	3663	—	html[data-iw-zone-theme]:not([data-iw-zone-theme="default"]) .compact-panel.fs-skill-panel[data-iw-skills-ui-ready="1"] button[data-iw-skill-role="action-button"]:active:not(:disabled):not([aria-disabled="true"])	(0,9,2)	4 / 2	—fs-button-art, —fs-button-paint, filter!, transform!	skin: .fs-skill-panel [data-iw-zone-theme] [data-iw-zone-theme="default"] [data-iw-skills-ui-ready="1"] [data-iw-skill-role="action-button"] host: .compact-panel [aria-disabled="true"] button	—	○ L3642: === Exact themed button states The state images in exact-v3 share one alpha mask and canvas per control, so interaction changes only lighting.
440	3671	—	html[data-iw-zone-theme]:not([data-iw-zone-theme="default"]) .compact-panel.fs-skill-panel[data-iw-skills-ui-ready="1"] button[data-iw-skill-role="action-button"]:is(:disabled, [aria-disabled="true"], [data-iw-btn-state="disabled"])	(0,7,2)	2 / 0	—fs-button-art, —fs-button-paint	skin: .fs-skill-panel [data-iw-zone-theme] [data-iw-zone-theme="default"] [data-iw-skills-ui-ready="1"] [data-iw-skill-role="action-button"] [data-iw-btn-state="disabled"] host: .compact-panel [aria-disabled="true"] button	—	○ L3642: === Exact themed button states The state images in exact-v3 share one alpha mask and canvas per control, so interaction changes only lighting.

#	Line	Context	Selector(s)	Specificity	Decl / !imp	Properties	Hooks	Fragility	Comment
441	3678	—	<code>html[data-iw-zone-theme]:not([data-iw-zone-theme="default"]) .compact-panel.fs-skill-panel[data-iw-skills-ui-ready="1"] button[data-iw-skill-role="nav-button"][data-iw-nav-direction]</code>	(0,7,2)	2 / 1	<code>—fs-button-background, background!</code>	skin: <code>.fs-skill-panel [data-iw-zone-theme] [data-iw-zone-theme="default"] [data-iw-skills-ui-ready="1"] [data-iw-skill-role="nav-button"] [data-iw-nav-direction]</code> host: <code>.compact-panel button</code>	—	○ L3642: === Exact themed button states The state images in exact-v3 share one alpha mask and canvas per control, so interaction changes only lighting.
442	3684	—	<code>html[data-iw-zone-theme]:not([data-iw-zone-theme="default"]) .compact-panel.fs-skill-panel[data-iw-skills-ui-ready="1"] button[data-iw-skill-role="nav-button"][data-iw-nav-direction="prev"]</code>	(0,7,2)	2 / 0	<code>—fs-button-art, —fs-button-paint</code>	skin: <code>.fs-skill-panel [data-iw-zone-theme] [data-iw-zone-theme="default"] [data-iw-skills-ui-ready="1"] [data-iw-skill-role="nav-button"] [data-iw-nav-direction="prev"]</code> host: <code>.compact-panel button</code>	—	○ L3642: === Exact themed button states The state images in exact-v3 share one alpha mask and canvas per control, so interaction changes only lighting.
443	3690	—	<code>html[data-iw-zone-theme]:not([data-iw-zone-theme="default"]) .compact-panel.fs-skill-panel[data-iw-skills-ui-ready="1"] button[data-iw-skill-role="nav-button"][data-iw-nav-direction="next"]</code>	(0,7,2)	2 / 0	<code>—fs-button-art, —fs-button-paint</code>	skin: <code>.fs-skill-panel [data-iw-zone-theme] [data-iw-zone-theme="default"] [data-iw-skills-ui-ready="1"] [data-iw-skill-role="nav-button"] [data-iw-nav-direction="next"]</code> host: <code>.compact-panel button</code>	—	○ L3642: === Exact themed button states The state images in exact-v3 share one alpha mask and canvas per control, so interaction changes only lighting.
444	3696	—	<code>html[data-iw-zone-theme]:not([data-iw-zone-theme="default"]) .compact-panel.fs-skill-panel[data-iw-skills-ui-ready="1"] button[data-iw-skill-role="nav-button"][data-iw-nav-direction="prev"]:hover:not(:disabled):not([aria-disabled="true"])</code>	(0,10,2)	2 / 0	<code>—fs-button-art, —fs-button-paint</code>	skin: <code>.fs-skill-panel [data-iw-zone-theme] [data-iw-zone-theme="default"] [data-iw-skills-ui-ready="1"] [data-iw-skill-role="nav-button"] [data-iw-nav-direction="prev"]</code> host: <code>.compact-panel [aria-disabled="true"] button</code>	—	○ L3642: === Exact themed button states The state images in exact-v3 share one alpha mask and canvas per control, so interaction changes only lighting.
445	3702	—	<code>html[data-iw-zone-theme]:not([data-iw-zone-theme="default"]) .compact-panel.fs-skill-panel[data-iw-skills-ui-ready="1"] button[data-iw-skill-role="nav-button"][data-iw-nav-direction="next"]:hover:not(:disabled):not([aria-disabled="true"])</code>	(0,10,2)	2 / 0	<code>—fs-button-art, —fs-button-paint</code>	skin: <code>.fs-skill-panel [data-iw-zone-theme] [data-iw-zone-theme="default"] [data-iw-skills-ui-ready="1"] [data-iw-skill-role="nav-button"] [data-iw-nav-direction="next"]</code> host: <code>.compact-panel [aria-disabled="true"] button</code>	—	○ L3642: === Exact themed button states The state images in exact-v3 share one alpha mask and canvas per control, so interaction changes only lighting.

#	Line	Context	Selector(s)	Specificity	Decl / !imp	Properties	Hooks	Fragility	Comment
446	3708	—	<code>html[data-iw-zone-theme]:not([data-iw-zone-theme="default"]) .compact-panel.fs-skill-panel[data-iw-skills-ui-ready="1"] button[data-iw-skill-role="nav-button"][data-iw-nav-direction="prev"]:active:not(:disabled):not([aria-disabled="true"])</code>	(0,10,2)	3 / 1	—fs-button-art, —fs-button-paint, transform!	skin: .fs-skill-panel [data-iw-zone-theme] [data-iw-zone-theme="default"] [data-iw-skills-ui-ready="1"] [data-iw-skill-role="nav-button"] [data-iw-nav-direction="prev"] host: .compact-panel [aria-disabled="true"] button	—	○ L3642: == Exact themed button states The state images in exact-v3 share one alpha mask and canvas per control, so interaction changes only lighting.
447	3715	—	<code>html[data-iw-zone-theme]:not([data-iw-zone-theme="default"]) .compact-panel.fs-skill-panel[data-iw-skills-ui-ready="1"] button[data-iw-skill-role="nav-button"][data-iw-nav-direction="next"]:active:not(:disabled):not([aria-disabled="true"])</code>	(0,10,2)	3 / 1	—fs-button-art, —fs-button-paint, transform!	skin: .fs-skill-panel [data-iw-zone-theme] [data-iw-zone-theme="default"] [data-iw-skills-ui-ready="1"] [data-iw-skill-role="nav-button"] [data-iw-nav-direction="next"] host: .compact-panel [aria-disabled="true"] button	—	○ L3642: == Exact themed button states The state images in exact-v3 share one alpha mask and canvas per control, so interaction changes only lighting.
448	3726	—	<code>html[data-iw-zone-theme]:not([data-iw-zone-theme="default"]) .compact-panel.fs-quest-panel[data-iw-skills-ui-ready="1"] [data-iw-quest-role="turn-in"]</code> <code>html[data-iw-zone-theme]:not([data-iw-zone-theme="default"]) .compact-panel.fs-quest-panel[data-iw-skills-ui-ready="1"] [data-iw-quest-role="skip"]</code>	max(0,6,1)	3 / 2	—fs-button-background, background!, filter!	skin: .fs-quest-panel [data-iw-zone-theme] [data-iw-zone-theme="default"] [data-iw-skills-ui-ready="1"] [data-iw-quest-role="turn-in"] [data-iw-quest-role="skip"] host: .compact-panel	—	● L3723: Quest command buttons do not receive SkillPanelRenderer's inline chrome, so use the same state images directly and retire the old three-band atlas caps for themed zones.
449	3734	—	<code>html[data-iw-zone-theme]:not([data-iw-zone-theme="default"]) .compact-panel.fs-quest-panel[data-iw-skills-ui-ready="1"] [data-iw-quest-role="turn-in"]</code>	(0,6,1)	2 / 0	—fs-button-art, —fs-button-paint	skin: .fs-quest-panel [data-iw-zone-theme] [data-iw-zone-theme="default"] [data-iw-skills-ui-ready="1"] [data-iw-quest-role="turn-in"] host: .compact-panel	—	○ L3723: Quest command buttons do not receive SkillPanelRenderer's inline chrome, so use the same state images directly and retire the old three-band atlas caps for themed zones.
450	3739	—	<code>html[data-iw-zone-theme]:not([data-iw-zone-theme="default"]) .compact-panel.fs-quest-panel[data-iw-skills-ui-ready="1"] [data-iw-quest-role="skip"]</code>	(0,6,1)	2 / 0	—fs-button-art, —fs-button-paint	skin: .fs-quest-panel [data-iw-zone-theme] [data-iw-zone-theme="default"] [data-iw-skills-ui-ready="1"] [data-iw-quest-role="skip"] host: .compact-panel	—	○ L3723: Quest command buttons do not receive SkillPanelRenderer's inline chrome, so use the same state images directly and retire the old three-band atlas caps for themed zones.

#	Line	Context	Selector(s)	Specificity	Decl / !imp	Properties	Hooks	Fragility	Comment
451	3744	—	<code>html[data-iw-zone-theme]:not([data-iw-zone-theme="default"]) .compact-panel.fs-quest-panel[data-iw-skills-ui-ready="1"] [data-iw-quest-role="turn-in"]:hover:not(:disabled):not([aria-disabled="true"])</code>	(0,9,1)	3 / 1	<code>—fs-button-art, —fs-button-paint, filter!</code>	skin: <code>.fs-quest-panel [data-iw-zone-theme] [data-iw-zone-theme="default"] [data-iw-skills-ui-ready="1"] [data-iw-quest-role="turn-in"]</code> host: <code>.compact-panel [aria-disabled="true"]</code>	—	O L3723: Quest command buttons do not receive SkillPanelRenderer's inline chrome, so use the same state images directly and retire the old three-band atlas caps for themed zones.
452	3750	—	<code>html[data-iw-zone-theme]:not([data-iw-zone-theme="default"]) .compact-panel.fs-quest-panel[data-iw-skills-ui-ready="1"] [data-iw-quest-role="skip"]:hover:not(:disabled):not([aria-disabled="true"])</code>	(0,9,1)	3 / 1	<code>—fs-button-art, —fs-button-paint, filter!</code>	skin: <code>.fs-quest-panel [data-iw-zone-theme] [data-iw-zone-theme="default"] [data-iw-skills-ui-ready="1"] [data-iw-quest-role="skip"]</code> host: <code>.compact-panel [aria-disabled="true"]</code>	—	O L3723: Quest command buttons do not receive SkillPanelRenderer's inline chrome, so use the same state images directly and retire the old three-band atlas caps for themed zones.
453	3756	—	<code>html[data-iw-zone-theme]:not([data-iw-zone-theme="default"]) .compact-panel.fs-quest-panel[data-iw-skills-ui-ready="1"] [data-iw-quest-role="turn-in"]:active:not(:disabled):not([aria-disabled="true"])</code>	(0,9,1)	4 / 2	<code>—fs-button-art, —fs-button-paint, filter!, transform!</code>	skin: <code>.fs-quest-panel [data-iw-zone-theme] [data-iw-zone-theme="default"] [data-iw-skills-ui-ready="1"] [data-iw-quest-role="turn-in"]</code> host: <code>.compact-panel [aria-disabled="true"]</code>	—	O L3723: Quest command buttons do not receive SkillPanelRenderer's inline chrome, so use the same state images directly and retire the old three-band atlas caps for themed zones.
454	3763	—	<code>html[data-iw-zone-theme]:not([data-iw-zone-theme="default"]) .compact-panel.fs-quest-panel[data-iw-skills-ui-ready="1"] [data-iw-quest-role="skip"]:active:not(:disabled):not([aria-disabled="true"])</code>	(0,9,1)	4 / 2	<code>—fs-button-art, —fs-button-paint, filter!, transform!</code>	skin: <code>.fs-quest-panel [data-iw-zone-theme] [data-iw-zone-theme="default"] [data-iw-skills-ui-ready="1"] [data-iw-quest-role="skip"]</code> host: <code>.compact-panel [aria-disabled="true"]</code>	—	O L3723: Quest command buttons do not receive SkillPanelRenderer's inline chrome, so use the same state images directly and retire the old three-band atlas caps for themed zones.
455	3770	—	<code>html[data-iw-zone-theme]:not([data-iw-zone-theme="default"]) .compact-panel.fs-quest-panel[data-iw-skills-ui-ready="1"] :is([data-iw-quest-role="turn-in"], [data-iw-quest-role="skip"]):before</code> <code>html[data-iw-zone-theme]:not([data-iw-zone-theme="default"]) .compact-panel.fs-quest-panel[data-iw-skills-ui-ready="1"] :is([data-iw-quest-role="turn-in"], [data-iw-quest-role="skip"]):after</code>	max(0,6,2)	2 / 2	<code>content!, display!</code>	skin: <code>.fs-quest-panel [data-iw-zone-theme] [data-iw-zone-theme="default"] [data-iw-skills-ui-ready="1"] [data-iw-quest-role="turn-in"]</code> <code>[data-iw-quest-role="skip"]</code> host: <code>.compact-panel</code>	—	O L3723: Quest command buttons do not receive SkillPanelRenderer's inline chrome, so use the same state images directly and retire the old three-band atlas caps for themed zones.

#	Line	Context	Selector(s)	Specificity	Decl / !imp	Properties	Hooks	Fragility	Comment
456	3783	—	<pre>html[data-iw-button-atlas="revised-v5"] .compact-panel.fs-skill-panel[data-iw-skills- ui-ready="1"] button:is([data-iw-skill- role="action-button"], [data-iw-skill- role="nav-button"]) html[data-iw-button-atlas="revised-v5"] .compact-panel.fs-quest-panel[data-iw-skills- ui-ready="1"] :is([data-iw-quest-role="turn- in"], [data-iw-quest-role="skip"])</pre>	max(0,5,2)	4 / 3	—fs-button-transition, transition!, background-origin!, background-clip!	<pre>skin: .fs-skill-panel .fs- quest-panel [data-iw-button- atlas="revised-v5"] [data-iw- skills-ui-ready="1"] [data- iw-skill-role="action- button"] [data-iw-skill- role="nav-button"] [data-iw- quest-role="turn-in"] [data- iw-quest-role="skip"] host: .compact-panel button</pre>	—	● L3780: Dedicated revised atlases have their own frame and arrow ink.
457	3792	—	<pre>html[data-iw-button-atlas="revised-v5"] .compact-panel.fs-skill-panel[data-iw-skills- ui-ready="1"] button[data-iw-skill- role="action-button"]</pre>	(0,5,2)	4 / 4	display!, align-items!, justify-content!, line-height!	<pre>skin: .fs-skill-panel [data- iw-button-atlas="revised-v5"] [data-iw-skills-ui-ready="1"] [data-iw-skill-role="action- button"] host: .compact-panel button</pre>	—	○ L3780: Dedicated revised atlases have their own frame and arrow ink.
458	3799	—	<pre>html[data-iw-button-atlas="revised-v5"] .compact-panel.fs-skill-panel[data-iw-skills- ui-ready="1"] button[data-iw-skill-role="nav- button"][data-iw-nav-direction]</pre>	(0,6,2)	4 / 2	—fs-button-border, —fs-button-shadow, border!, box-shadow!	<pre>skin: .fs-skill-panel [data- iw-button-atlas="revised-v5"] [data-iw-skills-ui-ready="1"] [data-iw-skill-role="nav- button"] [data-iw-nav- direction] host: .compact-panel button</pre>	—	○ L3780: Dedicated revised atlases have their own frame and arrow ink.
459	3806	—	<pre>html[data-iw-button-atlas="revised-v5"] .compact-panel.fs-skill-panel[data-iw-skills- ui-ready="1"] button[data-iw-skill-role="nav- button"][data-iw-nav-direction]:: before html[data-iw-button-atlas="revised-v5"] .compact-panel.fs-skill-panel[data-iw-skills- ui-ready="1"] button[data-iw-skill-role="nav- button"][data-iw-nav-direction]:: after</pre>	max(0,6,3)	2 / 2	content!, display!	<pre>skin: .fs-skill-panel [data- iw-button-atlas="revised-v5"] [data-iw-skills-ui-ready="1"] [data-iw-skill-role="nav- button"] [data-iw-nav- direction] host: .compact-panel button</pre>	—	○ L3780: Dedicated revised atlases have their own frame and arrow ink.
460	3818	—	<pre>html[data-iw-button-atlas="revised-v5"] [data-iw-zone-theme] .compact-panel:is(.fs- skill-panel, .fs-quest-panel)[data-iw-skills- ui-ready="1"] :is(button[data-iw-skill- role="action-button"], button[data-iw-skill- role="nav-button"][data-iw-nav-direction], button[data-iw-quest-role="turn-in"], button[data-iw-quest-role="skip"])</pre>	(0,7,2)	5 / 2	—fs-motion-idle, —fs-motion-hover, —fs-motion-pressed, —fs-button-background!, isolation!	<pre>skin: .fs-skill-panel .fs- quest-panel [data-iw-button- atlas="revised-v5"] [data-iw- zone-theme] [data-iw-skills- ui-ready="1"] [data-iw-skill- role="action-button"] [data- iw-skill-role="nav-button"] [data-iw-nav-direction] [data-iw-quest-role="turn- in"] [data-iw-quest- role="skip"] host: .compact-panel button</pre>	—	● L3814: Crossfade registered sprites on separate layers.

#	Line	Context	Selector(s)	Specificity	Decl / !imp	Properties	Hooks	Fragility	Comment
461	3825	—	html[data-iw-button-atlas="revised-v5"] [data-iw-zone-theme] .compact-panel:is(.fs-skill-panel, .fs-quest-panel)[data-iw-skills-ui-ready="1"] :is(button[data-iw-skill-role="action-button"], button[data-iw-skill-role="nav-button"][data-iw-nav-direction], button[data-iw-quest-role="turn-in"], button[data-iw-quest-role="skip"])[data-iw-nav-direction="prev"]	(0,8,2)	3 / 0	—fs-motion-idle, —fs-motion-hover, —fs-motion-pressed	skin: .fs-skill-panel .fs-quest-panel [data-iw-button-atlas="revised-v5"] [data-iw-zone-theme] [data-iw-skills-ui-ready="1"] [data-iw-skill-role="action-button"] [data-iw-skill-role="nav-button"] [data-iw-nav-direction] [data-iw-quest-role="turn-in"] [data-iw-quest-role="skip"] [data-iw-nav-direction="prev"] host: .compact-panel button	—	○ L3814: Crossfade registered sprites on separate layers.
462	3830	—	html[data-iw-button-atlas="revised-v5"] [data-iw-zone-theme] .compact-panel:is(.fs-skill-panel, .fs-quest-panel)[data-iw-skills-ui-ready="1"] :is(button[data-iw-skill-role="action-button"], button[data-iw-skill-role="nav-button"][data-iw-nav-direction], button[data-iw-quest-role="turn-in"], button[data-iw-quest-role="skip"])[data-iw-nav-direction="next"]	(0,8,2)	3 / 0	—fs-motion-idle, —fs-motion-hover, —fs-motion-pressed	skin: .fs-skill-panel .fs-quest-panel [data-iw-button-atlas="revised-v5"] [data-iw-zone-theme] [data-iw-skills-ui-ready="1"] [data-iw-skill-role="action-button"] [data-iw-skill-role="nav-button"] [data-iw-nav-direction] [data-iw-quest-role="turn-in"] [data-iw-quest-role="skip"] [data-iw-nav-direction="next"] host: .compact-panel button	—	○ L3814: Crossfade registered sprites on separate layers.
463	3835	—	html[data-iw-button-atlas="revised-v5"] [data-iw-zone-theme] .compact-panel:is(.fs-skill-panel, .fs-quest-panel)[data-iw-skills-ui-ready="1"] :is(button[data-iw-skill-role="action-button"], button[data-iw-skill-role="nav-button"][data-iw-nav-direction], button[data-iw-quest-role="turn-in"], button[data-iw-quest-role="skip"])[data-iw-quest-role="skip"]	(0,8,2)	3 / 0	—fs-motion-idle, —fs-motion-hover, —fs-motion-pressed	skin: .fs-skill-panel .fs-quest-panel [data-iw-button-atlas="revised-v5"] [data-iw-zone-theme] [data-iw-skills-ui-ready="1"] [data-iw-skill-role="action-button"] [data-iw-skill-role="nav-button"] [data-iw-nav-direction] [data-iw-quest-role="turn-in"] [data-iw-quest-role="skip"] host: .compact-panel button	—	○ L3814: Crossfade registered sprites on separate layers.

#	Line	Context	Selector(s)	Specificity	Decl / !imp	Properties	Hooks	Fragility	Comment
464	3840	—	html[data-iw-button-atlas="revised-v5"] [data-iw-zone-theme] .compact-panel:is(.fs-skill-panel, .fs-quest-panel)[data-iw-skills-ui-ready="1"] :is(button[data-iw-skill-role="action-button"], button[data-iw-skill-role="nav-button"])[data-iw-nav-direction], button[data-iw-quest-role="turn-in"], button[data-iw-quest-role="skip"]>::before html[data-iw-button-atlas="revised-v5"] [data-iw-zone-theme] .compact-panel:is(.fs-skill-panel, .fs-quest-panel)[data-iw-skills-ui-ready="1"] :is(button[data-iw-skill-role="action-button"], button[data-iw-skill-role="nav-button"])[data-iw-nav-direction], button[data-iw-quest-role="turn-in"], button[data-iw-quest-role="skip"]>::after	max(0,7,3)	21 / 21	content!, display!, position!, inset!, width!, height!, min-width!, min-height!, max-width!, max-height!, margin!, padding!, border!, border-radius!, box-shadow!, transform!, filter!, pointer-events!, z-index!, opacity!, transition!	skin: .fs-skill-panel .fs-quest-panel [data-iw-button-atlas="revised-v5"] [data-iw-zone-theme] [data-iw-skills-ui-ready="1"] [data-iw-skill-role="action-button"] [data-iw-skill-role="nav-button"] [data-iw-nav-direction] [data-iw-quest-role="turn-in"] [data-iw-quest-role="skip"] host: .compact-panel button	—	○ L3814: Crossfade registered sprites on separate layers.
465	3864	—	html[data-iw-button-atlas="revised-v5"] [data-iw-zone-theme] .compact-panel:is(.fs-skill-panel, .fs-quest-panel)[data-iw-skills-ui-ready="1"] :is(button[data-iw-skill-role="action-button"], button[data-iw-skill-role="nav-button"])[data-iw-nav-direction], button[data-iw-quest-role="turn-in"], button[data-iw-quest-role="skip"]>::before	(0,7,3)	1 / 1	background!	skin: .fs-skill-panel .fs-quest-panel [data-iw-button-atlas="revised-v5"] [data-iw-zone-theme] [data-iw-skills-ui-ready="1"] [data-iw-skill-role="action-button"] [data-iw-skill-role="nav-button"] [data-iw-nav-direction] [data-iw-quest-role="turn-in"] [data-iw-quest-role="skip"] host: .compact-panel button	—	○ L3814: Crossfade registered sprites on separate layers.
466	3867	—	html[data-iw-button-atlas="revised-v5"] [data-iw-zone-theme] .compact-panel:is(.fs-skill-panel, .fs-quest-panel)[data-iw-skills-ui-ready="1"] :is(button[data-iw-skill-role="action-button"], button[data-iw-skill-role="nav-button"])[data-iw-nav-direction], button[data-iw-quest-role="turn-in"], button[data-iw-quest-role="skip"]>::after	(0,7,3)	2 / 2	background!, transition-duration!	skin: .fs-skill-panel .fs-quest-panel [data-iw-button-atlas="revised-v5"] [data-iw-zone-theme] [data-iw-skills-ui-ready="1"] [data-iw-skill-role="action-button"] [data-iw-skill-role="nav-button"] [data-iw-nav-direction] [data-iw-quest-role="turn-in"] [data-iw-quest-role="skip"] host: .compact-panel button	—	○ L3814: Crossfade registered sprites on separate layers.

#	Line	Context	Selector(s)	Specificity	Decl / !imp	Properties	Hooks	Fragility	Comment
467	3871	—	html[data-iw-button-atlas="revised-v5"] [data-iw-zone-theme] .compact-panel:is(.fs-skill-panel, .fs-quest-panel)[data-iw-skills-ui-ready="1"] :is(button[data-iw-skill-role="action-button"], button[data-iw-skill-role="nav-button"][data-iw-nav-direction], button[data-iw-quest-role="turn-in"], button[data-iw-quest-role="skip"]):not(:disabled):not([aria-disabled="true"]):not([data-iw-btn-state="disabled"]):is(:hover, :focus-visible, :active)::before html[data-iw-button-atlas="revised-v5"] [data-iw-zone-theme] .compact-panel:is(.fs-skill-panel, .fs-quest-panel)[data-iw-skills-ui-ready="1"] :is(button[data-iw-skill-role="action-button"], button[data-iw-skill-role="nav-button"][data-iw-nav-direction], button[data-iw-quest-role="turn-in"], button[data-iw-quest-role="skip"]):not(:disabled):not([aria-disabled="true"]):not([data-iw-btn-state="disabled"]):active::after	max (0,11,3)	1 / 1	opacity!	skin: .fs-skill-panel .fs-quest-panel [data-iw-button-atlas="revised-v5"] [data-iw-zone-theme] [data-iw-skills-ui-ready="1"] [data-iw-skill-role="action-button"] [data-iw-skill-role="nav-button"] [data-iw-nav-direction] [data-iw-quest-role="turn-in"] [data-iw-quest-role="skip"] [data-iw-btn-state="disabled"] host: .compact-panel [aria-disabled="true"] button	—	○ L3814: Crossfade registered sprites on separate layers.

#	Line	Context	Selector(s)	Specificity	Decl / !imp	Properties	Hooks	Fragility	Comment
468	3875	—	html[data-iw-button-atlas="revised-v5"] [data-iw-zone-theme] .compact-panel:is(.fs-skill-panel, .fs-quest-panel)[data-iw-skills-ui-ready="1"] :is(button[data-iw-skill-role="action-button"], button[data-iw-skill-role="nav-button"][data-iw-nav-direction], button[data-iw-quest-role="turn-in"], button[data-iw-quest-role="skip"]):is(:disabled, [aria-disabled="true"], [data-iw-btn-state="disabled"]):before html[data-iw-button-atlas="revised-v5"] [data-iw-zone-theme] .compact-panel:is(.fs-skill-panel, .fs-quest-panel)[data-iw-skills-ui-ready="1"] :is(button[data-iw-skill-role="action-button"], button[data-iw-skill-role="nav-button"][data-iw-nav-direction], button[data-iw-quest-role="turn-in"], button[data-iw-quest-role="skip"]):is(:disabled, [aria-disabled="true"], [data-iw-btn-state="disabled"]):after	max(0,8,3)	2 / 2	opacity!, transition!	skin: .fs-skill-panel .fs-quest-panel [data-iw-button-atlas="revised-v5"] [data-iw-zone-theme] [data-iw-skills-ui-ready="1"] [data-iw-skill-role="action-button"] [data-iw-skill-role="nav-button"] [data-iw-nav-direction] [data-iw-quest-role="turn-in"] [data-iw-quest-role="skip"] [data-iw-btn-state="disabled"] host: .compact-panel [aria-disabled="true"] button	—	○ L3814: Crossfade registered sprites on separate layers.
469	3881	@media (prefers-reduced-motion: reduce)	html[data-iw-button-atlas="revised-v5"] [data-iw-zone-theme] .compact-panel:is(.fs-skill-panel, .fs-quest-panel)[data-iw-skills-ui-ready="1"] :is(button[data-iw-skill-role="action-button"], button[data-iw-skill-role="nav-button"][data-iw-nav-direction], button[data-iw-quest-role="turn-in"], button[data-iw-quest-role="skip"]):before html[data-iw-button-atlas="revised-v5"] [data-iw-zone-theme] .compact-panel:is(.fs-skill-panel, .fs-quest-panel)[data-iw-skills-ui-ready="1"] :is(button[data-iw-skill-role="action-button"], button[data-iw-skill-role="nav-button"][data-iw-nav-direction], button[data-iw-quest-role="turn-in"], button[data-iw-quest-role="skip"]):after	max(0,7,3)	1 / 1	transition!	skin: .fs-skill-panel .fs-quest-panel [data-iw-button-atlas="revised-v5"] [data-iw-zone-theme] [data-iw-skills-ui-ready="1"] [data-iw-skill-role="action-button"] [data-iw-skill-role="nav-button"] [data-iw-nav-direction] [data-iw-quest-role="turn-in"] [data-iw-quest-role="skip"] host: .compact-panel button	—	—
470	3901	@media (max-width: 384px)	html .compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"]	(0,3,1)	1 / 0	—fs-skill-identity-w	skin: .fs-skill-panel [data-iw-skill-layout="three-zone"] host: .compact-panel	—	—

#	Line	Context	Selector(s)	Specificity	Decl / !imp	Properties	Hooks	Fragility	Comment
471	3904	@media (max-width: 384px)	html .compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] > [data-iw-skill-layout-shell="1"]	(0,4,1)	2 / 2	grid-template-areas!, min-height!	skin: .fs-skill-panel [data-iw-skill-layout="three-zone"] [data-iw-skill-layout-shell="1"] host: .compact-panel	—	—
472	3910	@media (max-width: 384px)	html .compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-zone="identity"]	(0,4,1)	1 / 1	border-bottom!	skin: .fs-skill-panel [data-iw-skill-layout="three-zone"] [data-iw-skill-zone="identity"] host: .compact-panel	—	—
473	3913	@media (max-width: 384px)	html .compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] .fs-skill-medallion-art	(0,4,1)	4 / 4	width!, min-width!, height!, min-height!	skin: .fs-skill-panel .fs-skill-medallion-art [data-iw-skill-layout="three-zone"] host: .compact-panel	—	—
474	3919	@media (max-width: 384px)	html .compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] .fs-skill-identity-progress	(0,4,1)	1 / 1	width!	skin: .fs-skill-panel .fs-skill-identity-progress [data-iw-skill-layout="three-zone"] host: .compact-panel	—	—
475	3922	@media (max-width: 384px)	html .compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-zone="commands"]:not(button)	(0,4,2)	2 / 2	gap!, padding!	skin: .fs-skill-panel [data-iw-skill-layout="three-zone"] [data-iw-skill-zone="commands"] host: .compact-panel button	—	—
476	3927	@media (max-width: 384px)	html .compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-zone="content"] [data-iw-skill-role="nav-group"]	(0,5,1)	2 / 2	left!, max-width!	skin: .fs-skill-panel [data-iw-skill-layout="three-zone"] [data-iw-skill-zone="content"] [data-iw-skill-role="nav-group"] host: .compact-panel	—	● L3926: Full-width band again, so the shape-B overlay re-centres on the card.
477	3941	—	html .compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-ingredient-list-source="1"]	(0,4,1)	1 / 1	display!	skin: .fs-skill-panel [data-iw-skill-layout="three-zone"] [data-iw-ingredient-list-source="1"] host: .compact-panel	—	● L3933: Material requirements — separated visual list (Curtis, 2026-09).
478	3945	—	html .compact-panel.fs-skill-panel .fs-skill-ingredient-grid	(0,3,1)	15 / 15	order!, display!, grid-template-columns!, justify-content!, gap!, box-sizing!, width!, margin!, padding!, color!, font-family!, font-size!, line-height!, font-variant-numeric!, text-align!	skin: .fs-skill-panel .fs-skill-ingredient-grid host: .compact-panel	—	○ L3933: Material requirements — separated visual list (Curtis, 2026-09).

#	Line	Context	Selector(s)	Specificity	Decl / !imp	Properties	Hooks	Fragility	Comment
479	3963	—	html .compact-panel.fs-skill-panel .fs-skill-ingredient-item	(0,3,1)	11 / 11	display!, align-items!, justify-content!, min-width!, padding!, overflow-wrap!, color!, border!, border-left!, border-radius!, background!	skin: .fs-skill-panel .fs-skill-ingredient-item host: .compact-panel	—	○ L3933: Material requirements – separated visual list (Curtis, 2026-09).
480	3977	—	html .compact-panel.fs-skill-panel .fs-skill-ingredient-item[data-iw-ingredient-state="met"]	(0,4,1)	2 / 2	color!, border-left-color!	skin: .fs-skill-panel .fs-skill-ingredient-item [data-iw-ingredient-state="met"] host: .compact-panel	—	○ L3933: Material requirements – separated visual list (Curtis, 2026-09).
481	3985	—	html .compact-panel.fs-skill-panel .fs-skill-ingredient-item:only-child	(0,4,1)	4 / 4	grid-column!, box-sizing!, justify-self!, width!	skin: .fs-skill-panel .fs-skill-ingredient-item host: .compact-panel	position-dependent :only-child	● L3982: A lone requirement auto-places into grid column 1, so it sits flush left under the two-column track instead of reading as its own centred plaque.
482	3993	@media (max-width: 430px)	html .compact-panel.fs-skill-panel .fs-skill-ingredient-grid	(0,3,1)	3 / 3	grid-template-columns!, gap!, font-size!	skin: .fs-skill-panel .fs-skill-ingredient-grid host: .compact-panel	—	—
483	3998	@media (max-width: 430px)	html .compact-panel.fs-skill-panel .fs-skill-ingredient-item	(0,3,1)	1 / 1	padding!	skin: .fs-skill-panel .fs-skill-ingredient-item host: .compact-panel	—	—

SKILLCARD-V2.CSS — RULE INDEX

Generated by tools/css-inventory.mjs from src/styles/skillcard-v2.css at commit 059081671bf3. Do not edit by hand.

Injected as part of <style data-iw-style="skillpanel"> — stylesheet 4 of 7 in injection order, part 2 of 5 in that element's concatenation (src/content.js injectPresentationStyles()).

544 lines · 58,448 bytes · 108 rules · 116 selectors · 541 declarations · 500 !important · 3 @media · 3 @container · 0 @keyframes · 0 @font-face

Columns. *Line* is the rule's first line in the source file at the commit above. *Context* is the enclosing @media / @container / @supports chain. *Specificity* is the highest (id, class, type) of the rule's selector list, computed per Selectors Level 4 (:is()/:not()/:has() take their most specific argument, :where() counts zero). *Decl* is the declaration count; !imp the number marked !important. *Properties* lists every property the rule sets, with ! marking !important. *Hooks* separates skin-owned hooks (data-iw-*, data-fs-*, .fs-*, .iw-*, #iw-tip) from game/host hooks (classes, attributes, elements the extension does not own). *Fragility* flags selectors that depend on utility class names, attribute substrings, element position or sibling order. *Comment* is the nearest authored comment for the rule's block (its own when marked ●, otherwise the last one above it in the same block, marked ○).

RULES

#	Line	Context	Selector(s)	Specificity	Decl / !imp	Properties	Hooks	Fragility	Comment
1	17	—	html[data-iw-skill-card-design="new"] .compact-panel.fs-skill-panel[data-iw-skill-v2="1"] [data-iw-skill-layout]	(0,5,1)	37 / 9	—iw-skill-v2-icon, —iw-skill-v2-ring-gap, —iw-skill-v2-ring-weight, —iw-skill-v2-identity-w, —iw-skill-v2-command-w, —iw-skill-v2-gutter, —iw-skill-v2-rail-bottom, —iw-skill-v2-cmd-buffer, —iw-skill-v2-label-h, —iw-skill-v2-action-label-gap, —iw-skill-v2-glyph-safe-inset, —iw-skill-v2-action-label-font, —iw-skill-v2-btn-font, —iw-skill-v2-label-buffer, —iw-skill-v2-btn-tracking, —iw-skill-v2-btn-border, —iw-skill-v2-btn-offset, —iw-skill-v2-glyph, —iw-skill-v2-glyph-inset, —iw-skill-v2-btn-pad, —iw-skill-v2-cmd-stack, —iw-skill-v2-btn-w, —iw-skill-v2-nav-w, —iw-skill-v2-nav-h, —iw-skill-v2-nav-radius, —iw-skill-v2-btn-h, —iw-skill-v2-edge, —iw-skill-v2-edge-soft, container!, position!, overflow!, padding!, margin-bottom!, border!, border-radius!, background!, box-shadow!	skin: .fs-skill-panel [data-iw-skill-card-design="new"] [data-iw-skill-v2="1"] [data-iw-skill-layout] host: .compact-panel	—	● L14: Shared composition. Native game branches remain in place.

#	Line	Context	Selector(s)	Specificity	Decl / !imp	Properties	Hooks	Fragility	Comment
2	73	—	html[data-iw-skill-card-design="new"] .compact-panel.fs-skill-panel[data-iw-skill-v2="1"] [data-iw-skill-layout]::before	(0,5,2)	6 / 6	content!, position!, inset!, height!, background!, pointer-events!	skin: .fs-skill-panel [data-iw-skill-card-design="new"] [data-iw-skill-v2="1"] [data-iw-skill-layout] host: .compact-panel	—	● L57: The card's frame, dividers and panels follow the CURRENT ZONE (Curtis, 2026-09) from the shared —iw-th-* layer.
3	78	—	html[data-iw-skill-card-design="new"] .compact-panel.fs-skill-panel[data-iw-skill-v2="1"] [data-iw-skill-layout]::after	(0,5,2)	13 / 13	content!, display!, position!, inset!, z-index!, pointer-events!, border!, border-width!, border-radius!, background!, box-shadow!, border-image!, opacity!	skin: .fs-skill-panel [data-iw-skill-card-design="new"] [data-iw-skill-v2="1"] [data-iw-skill-layout] host: .compact-panel	—	○ L57: The card's frame, dividers and panels follow the CURRENT ZONE (Curtis, 2026-09) from the shared —iw-th-* layer.
4	86	—	html[data-iw-skill-card-design="new"] .compact-panel.fs-skill-panel[data-iw-skill-v2="1"] [data-iw-skill-layout] > [data-iw-skill-layout-shell="1"] html[data-iw-skill-card-design="new"] .compact-panel.fs-skill-panel[data-iw-skill-v2="1"] [data-iw-skill-layout]:not(:has(> [data-iw-skill-layout-shell="1"]))	max(0,6,1)	7 / 7	display!, grid-template-columns!, grid-template-rows!, grid-template-areas!, gap!, align-items!, min-height!	skin: .fs-skill-panel [data-iw-skill-card-design="new"] [data-iw-skill-v2="1"] [data-iw-skill-layout] [data-iw-skill-layout-shell="1"] host: .compact-panel	—	○ L57: The card's frame, dividers and panels follow the CURRENT ZONE (Curtis, 2026-09) from the shared —iw-th-* layer.
5	109	—	html[data-iw-skill-card-design="new"] [data-iw-collapsed="1"] > .compact-panel.fs-skill-panel[data-iw-skill-v2="1"] [data-iw-skill-layout] [data-iw-skill-v2-state]	(0,7,1)	1 / 1	display!	skin: .fs-skill-panel [data-iw-skill-card-design="new"] [data-iw-collapsed="1"] [data-iw-skill-v2="1"] [data-iw-skill-layout] [data-iw-skill-v2-state] host: .compact-panel	—	● L106: Tall enough for the command group plus a margin, whatever the content.
6	110	—	html[data-iw-skill-card-design="new"] .compact-panel.fs-skill-panel[data-iw-skill-v2="1"] [data-iw-skill-layout] [data-iw-skill-zone]	(0,6,1)	5 / 5	position!, align-self!, min-width!, border!, margin!	skin: .fs-skill-panel [data-iw-skill-card-design="new"] [data-iw-skill-v2="1"] [data-iw-skill-layout] [data-iw-skill-zone] host: .compact-panel	—	○ L106: Tall enough for the command group plus a margin, whatever the content.

#	Line	Context	Selector(s)	Specificity	Decl / !imp	Properties	Hooks	Fragility	Comment
7	114	—	html[data-iw-skill-card-design="new"] .compact-panel.fs-skill-panel[data-iw-skill-v2="1"] [data-iw-skill-layout] [data-iw-skill-zone="identity"]	(0,6,1)	9 / 9	grid-area!, display!, flex-direction!, align-items!, justify-content!, gap!, padding!, border-right!, background!	skin: .fs-skill-panel [data-iw-skill-card-design="new"] [data-iw-skill-v2="1"] [data-iw-skill-layout] [data-iw-skill-zone="identity"] host: .compact-panel	—	○ L106: Tall enough for the command group plus a margin, whatever the content.
8	120	—	html[data-iw-skill-card-design="new"] .compact-panel.fs-skill-panel[data-iw-skill-v2="1"] [data-iw-skill-layout] [data-iw-skill-zone="identity"]::before html[data-iw-skill-card-design="new"] .compact-panel.fs-skill-panel[data-iw-skill-v2="1"] [data-iw-skill-layout] [data-iw-skill-zone="identity"]::after	max(0,6,2)	2 / 2	display!, content!	skin: .fs-skill-panel [data-iw-skill-card-design="new"] [data-iw-skill-v2="1"] [data-iw-skill-layout] [data-iw-skill-zone="identity"] host: .compact-panel	—	○ L106: Tall enough for the command group plus a margin, whatever the content.
9	122	—	html[data-iw-skill-card-design="new"] .compact-panel.fs-skill-panel[data-iw-skill-v2="1"] [data-iw-skill-layout] [data-iw-skill-zone="identity"] *:not(.fs-skill-medallion-art):not([data-iw-skill-v2-level-readout]):not([data-iw-skill-role="identity"]):not(.fs-skill-medallion-art *):not([data-iw-skill-v2-level-readout *]):not([data-iw-skill-role="identity"] *):not(:has([data-iw-skill-role="identity"]))	(0,13,1)	1 / 1	display!	skin: .fs-skill-panel .fs-skill-medallion-art [data-iw-skill-card-design="new"] [data-iw-skill-v2="1"] [data-iw-skill-layout] [data-iw-skill-zone="identity"] [data-iw-skill-v2-level-readout] [data-iw-skill-role="identity"] host: .compact-panel	—	○ L106: Tall enough for the command group plus a margin, whatever the content.
10	123	—	html[data-iw-skill-card-design="new"] .compact-panel.fs-skill-panel[data-iw-skill-v2="1"] [data-iw-skill-layout] .fs-skill-medallion-art	(0,6,1)	11 / 11	position!, order!, flex!, width!, min-width!, height!, min-height!, margin!, border!, border-radius!, box-shadow!	skin: .fs-skill-panel .fs-skill-medallion-art [data-iw-skill-card-design="new"] [data-iw-skill-v2="1"] [data-iw-skill-layout] host: .compact-panel	—	○ L106: Tall enough for the command group plus a margin, whatever the content.
11	130	—	html[data-iw-skill-card-design="new"] .compact-panel.fs-skill-panel[data-iw-skill-v2="1"] [data-iw-skill-layout] .fs-skill-medallion-art::after	(0,6,2)	18 / 18	content!, display!, position!, inset!, width!, height!, min-width!, min-height!, transform!, border!, border-radius!, z-index!, background!, -webkit-mask!, mask!, filter!, box-shadow!, pointer-events!	skin: .fs-skill-panel .fs-skill-medallion-art [data-iw-skill-card-design="new"] [data-iw-skill-v2="1"] [data-iw-skill-layout] host: .compact-panel	—	○ L106: Tall enough for the command group plus a margin, whatever the content.

#	Line	Context	Selector(s)	Specificity	Decl / !imp	Properties	Hooks	Fragility	Comment
12	140	—	<code>html[data-iw-skill-card-design="new"] .compact-panel.fs-skill-panel[data-iw-skill-v2="1"] [data-iw-skill-layout] .iw-skill-v2-level-readout</code>	(0,6,1)	20 / 20	position!, z-index!, order!, display!, flex-direction!, align-items!, width!, min-width!, max-width!, margin!, padding!, border!, border-radius!, background!, box-shadow!, color!, font-family!, line-height!, font-variant-numeric!, pointer-events!	skin: <code>.fs-skill-panel .iw-skill-v2-level-readout [data-iw-skill-card-design="new"] [data-iw-skill-v2="1"] [data-iw-skill-layout]</code> host: <code>.compact-panel</code>	—	○ L106: Tall enough for the command group plus a margin, whatever the content.
13	151	—	<code>html[data-iw-skill-card-design="new"] .compact-panel.fs-skill-panel[data-iw-skill-v2="1"] [data-iw-skill-layout] .iw-skill-v2-level</code>	(0,6,1)	2 / 2	font-size!, font-weight!	skin: <code>.fs-skill-panel .iw-skill-v2-level [data-iw-skill-card-design="new"] [data-iw-skill-v2="1"] [data-iw-skill-layout]</code> host: <code>.compact-panel</code>	—	○ L106: Tall enough for the command group plus a margin, whatever the content.
14	152	—	<code>html[data-iw-skill-card-design="new"] .compact-panel.fs-skill-panel[data-iw-skill-v2="1"] [data-iw-skill-layout] .iw-skill-v2-percent</code>	(0,6,1)	2 / 2	font-size!, color!	skin: <code>.fs-skill-panel .iw-skill-v2-percent [data-iw-skill-card-design="new"] [data-iw-skill-v2="1"] [data-iw-skill-layout]</code> host: <code>.compact-panel</code>	—	○ L106: Tall enough for the command group plus a margin, whatever the content.
15	153	—	<code>html[data-iw-skill-card-design="new"] .compact-panel.fs-skill-panel[data-iw-skill-v2="1"] [data-iw-skill-layout] [data-iw-skill-role="identity"]</code>	(0,6,1)	6 / 6	order!, width!, min-width!, margin!, overflow!, text-align!	skin: <code>.fs-skill-panel [data-iw-skill-card-design="new"] [data-iw-skill-v2="1"] [data-iw-skill-layout] [data-iw-skill-role="identity"]</code> host: <code>.compact-panel</code>	—	○ L106: Tall enough for the command group plus a margin, whatever the content.
16	158	—	<code>html[data-iw-skill-card-design="new"] .compact-panel.fs-skill-panel[data-iw-skill-v2="1"] [data-iw-skill-layout] [data-iw-skill-role="identity"]::before</code>	(0,6,2)	11 / 11	display!, font-size!, line-height!, letter-spacing!, font-weight!, text-transform!, color!, white-space!, overflow!, text-overflow!, max-width!	skin: <code>.fs-skill-panel [data-iw-skill-card-design="new"] [data-iw-skill-v2="1"] [data-iw-skill-layout] [data-iw-skill-role="identity"]</code> host: <code>.compact-panel</code>	—	● L157: The renderer paints clean labels in ::before.
17	164	—	<code>html[data-iw-skill-card-design="new"] .compact-panel.fs-skill-panel[data-iw-skill-v2="1"] [data-iw-skill-layout] [data-iw-skill-role="level-progress"]</code> <code>html[data-iw-skill-card-design="new"] .compact-panel.fs-skill-panel[data-iw-skill-v2="1"] [data-iw-skill-layout] .iw-skill-v2-break</code>	max(0,6,1)	1 / 1	display!	skin: <code>.fs-skill-panel .iw-skill-v2-break [data-iw-skill-card-design="new"] [data-iw-skill-v2="1"] [data-iw-skill-layout] [data-iw-skill-role="level-progress"]</code> host: <code>.compact-panel</code>	—	○ L157: The renderer paints clean labels in ::before.

#	Line	Context	Selector(s)	Specificity	Decl / !imp	Properties	Hooks	Fragility	Comment
18	178	—	html[data-iw-skill-card-design="new"] .compact-panel.fs-skill-panel[data-iw-skill-v2="1"] [data-iw-skill-layout] [data-iw-skill-zone="content"]	(0,6,1)	12 / 12	grid-area!, display!, grid-template-columns!, justify-content!, align-content!, align-items!, gap!, position!, padding!, background!, text-align!, box-shadow!	skin: .fs-skill-panel [data-iw-skill-card-design="new"] [data-iw-skill-v2="1"] [data-iw-skill-layout] [data-iw-skill-zone="content"] host: .compact-panel	—	● L166: The title row: the action name with its BASE chip beside it, centred on the text.
19	189	—	html[data-iw-skill-card-design="new"] .compact-panel.fs-skill-panel[data-iw-skill-v2="1"] [data-iw-skill-layout] [data-iw-skill-zone="content"] > *	(0,6,1)	7 / 7	flex!, align-self!, order!, min-width!, max-width!, margin!, text-align!	skin: .fs-skill-panel [data-iw-skill-card-design="new"] [data-iw-skill-v2="1"] [data-iw-skill-layout] [data-iw-skill-zone="content"] host: .compact-panel	—	● L183: No ground of its own (Curtis, 2026-09).
20	193	—	html[data-iw-skill-card-design="new"] .compact-panel.fs-skill-panel[data-iw-skill-v2="1"] [data-iw-skill-layout] [data-iw-skill-zone="content"] > *	(0,6,1)	1 / 1	grid-column!	skin: .fs-skill-panel [data-iw-skill-card-design="new"] [data-iw-skill-v2="1"] [data-iw-skill-layout] [data-iw-skill-zone="content"] host: .compact-panel	—	○ L183: No ground of its own (Curtis, 2026-09).
21	194	—	html[data-iw-skill-card-design="new"] .compact-panel.fs-skill-panel[data-iw-skill-v2="1"] [data-iw-skill-layout] [data-iw-skill-zone="content"] > :is([data-iw-skill-role="action-title"], :has([data-iw-skill-role="action-title"]))	(0,7,1)	4 / 4	grid-column!, grid-row!, align-self!, width!	skin: .fs-skill-panel [data-iw-skill-card-design="new"] [data-iw-skill-v2="1"] [data-iw-skill-layout] [data-iw-skill-zone="content"] [data-iw-skill-role="action-title"] host: .compact-panel	—	○ L183: No ground of its own (Curtis, 2026-09).
22	197	—	html[data-iw-skill-card-design="new"] .compact-panel.fs-skill-panel[data-iw-skill-v2="1"] [data-iw-skill-layout] [data-iw-skill-role="action-title"]::before	(0,6,2)	8 / 8	display!, font-size!, line-height!, letter-spacing!, color!, white-space!, overflow-wrap!, text-align!	skin: .fs-skill-panel [data-iw-skill-card-design="new"] [data-iw-skill-v2="1"] [data-iw-skill-layout] [data-iw-skill-role="action-title"] host: .compact-panel	—	○ L183: No ground of its own (Curtis, 2026-09).
23	202	—	html[data-iw-skill-card-design="new"] .compact-panel.fs-skill-panel[data-iw-skill-v2="1"] [data-iw-skill-layout] [data-iw-skill-zone="content"] > .fs-skill-base-exp	(0,7,1)	14 / 14	grid-column!, grid-row!, align-self!, justify-self!, white-space!, width!, padding!, border!, border-radius!, background!, color!, font-size!, line-height!, letter-spacing!	skin: .fs-skill-panel .fs-skill-base-exp [data-iw-skill-card-design="new"] [data-iw-skill-v2="1"] [data-iw-skill-layout] [data-iw-skill-zone="content"] host: .compact-panel	—	○ L183: No ground of its own (Curtis, 2026-09).

#	Line	Context	Selector(s)	Specificity	Decl / !imp	Properties	Hooks	Fragility	Comment
24	209	—	html[data-iw-skill-card-design="new"] .compact-panel.fs-skill-panel[data-iw-skill-v2="1"] [data-iw-skill-layout] [data-iw-skill-zone="content"] > .iw-skill-v2-summary	(0,7,1)	13 / 13	order!, display!, width!, padding!, border!, border-left!, border-radius!, background!, color!, font-family!, font-size!, line-height!, overflow-wrap!	skin: .fs-skill-panel .iw-skill-v2-summary [data-iw-skill-card-design="new"] [data-iw-skill-v2="1"] [data-iw-skill-layout] [data-iw-skill-zone="content"] host: .compact-panel	—	○ L183: No ground of its own (Curtis, 2026-09).
25	216	—	html[data-iw-skill-card-design="new"] .compact-panel.fs-skill-panel[data-iw-skill-v2="1"] [data-iw-skill-layout] [data-iw-skill-zone="content"] > .iw-skill-v2-summary[data-iw-skill-v2-summary-state="unmet"]	(0,8,1)	3 / 3	color!, border-color!, border-left-color!	skin: .fs-skill-panel .iw-skill-v2-summary [data-iw-skill-card-design="new"] [data-iw-skill-v2="1"] [data-iw-skill-layout] [data-iw-skill-zone="content"] [data-iw-skill-v2-summary-state="unmet"] host: .compact-panel	—	○ L183: No ground of its own (Curtis, 2026-09).
26	217	—	html[data-iw-skill-card-design="new"] .compact-panel.fs-skill-panel[data-iw-skill-v2="1"] [data-iw-skill-layout] [data-iw-skill-zone="content"] > *:not([data-iw-skill-role]):not([data-iw-skill-v2-section]):not([class*="fs-skill"]):not([class*="iw-skill-v2"])	(0,10,1)	3 / 3	color!, font-size!, line-height!	skin: .fs-skill-panel [data-iw-skill-card-design="new"] [data-iw-skill-v2="1"] [data-iw-skill-layout] [data-iw-skill-zone="content"] [data-iw-skill-role] [data-iw-skill-v2-section] host: .compact-panel [class*="fs-skill"] [class*="iw-skill-v2"]	substring/attribute match [class*="fs-skill"]; substring/attribute match [class*="iw-skill-v2"]	○ L183: No ground of its own (Curtis, 2026-09).
27	220	—	html[data-iw-skill-card-design="new"] .compact-panel.fs-skill-panel[data-iw-skill-v2="1"] [data-iw-skill-layout] [data-iw-skill-zone="content"] > .iw-skill-v2-expand	(0,7,1)	15 / 15	order!, align-self!, margin!, display!, align-items!, justify-content!, width!, min-width!, height!, min-height!, padding!, border!, background!, color!, cursor!	skin: .fs-skill-panel .iw-skill-v2-expand [data-iw-skill-card-design="new"] [data-iw-skill-v2="1"] [data-iw-skill-layout] [data-iw-skill-zone="content"] host: .compact-panel	—	○ L183: No ground of its own (Curtis, 2026-09).
28	227	—	html[data-iw-skill-card-design="new"] .compact-panel.fs-skill-panel[data-iw-skill-v2="1"] [data-iw-skill-layout] .iw-skill-v2-expand::before	(0,6,2)	7 / 7	content!, display!, width!, height!, border!, border-width!, transform!	skin: .fs-skill-panel .iw-skill-v2-expand [data-iw-skill-card-design="new"] [data-iw-skill-v2="1"] [data-iw-skill-layout] host: .compact-panel	—	○ L183: No ground of its own (Curtis, 2026-09).
29	228	—	html[data-iw-skill-card-design="new"] .compact-panel.fs-skill-panel[data-iw-skill-v2="1"] [data-iw-skill-layout] .iw-skill-v2-expand[aria-expanded="true"]::before	(0,7,2)	1 / 1	transform!	skin: .fs-skill-panel .iw-skill-v2-expand [data-iw-skill-card-design="new"] [data-iw-skill-v2="1"] [data-iw-skill-layout] host: .compact-panel [aria-expanded="true"]	—	○ L183: No ground of its own (Curtis, 2026-09).

#	Line	Context	Selector(s)	Specificity	Decl / !imp	Properties	Hooks	Fragility	Comment
30	229	—	html[data-iw-skill-card-design="new"] .compact-panel.fs-skill-panel[data-iw-skill-v2="1"] [data-iw-skill-layout] .iw-skill-v2-expand:focus-visible	(0,7,1)	2 / 2	outline!, outline-offset!	skin: .fs-skill-panel .iw-skill-v2-expand [data-iw-skill-card-design="new"] [data-iw-skill-v2="1"] [data-iw-skill-layout] host: .compact-panel	—	○ L183: No ground of its own (Curtis, 2026-09).
31	245	—	html[data-iw-skill-card-design="new"] .compact-panel.fs-skill-panel[data-iw-skill-v2="1"] [data-iw-skill-layout]	(0,5,1)	1 / 0	—iw-skill-v2-cmd-stack	skin: .fs-skill-panel [data-iw-skill-card-design="new"] [data-iw-skill-v2="1"] [data-iw-skill-layout] host: .compact-panel	—	● L232: The command GROUP - the action button, its glyph and the recipe arrows - is centred vertically in the card, with a fixed buffer between the button and the arrows (Curtis, 2026-09:...
32	248	—	html[data-iw-skill-card-design="new"] .compact-panel.fs-skill-panel[data-iw-skill-v2="1"] [data-iw-skill-layout]:has([data-iw-skill-role="nav-group"])	(0,6,1)	1 / 0	—iw-skill-v2-cmd-stack	skin: .fs-skill-panel [data-iw-skill-card-design="new"] [data-iw-skill-v2="1"] [data-iw-skill-layout] [data-iw-skill-role="nav-group"] host: .compact-panel	—	○ L232: The command GROUP - the action button, its glyph and the recipe arrows - is centred vertically in the card, with a fixed buffer between the button and the arrows (Curtis, 2026-09:...
33	251	—	html[data-iw-skill-card-design="new"] .compact-panel.fs-skill-panel[data-iw-skill-v2="1"] [data-iw-skill-layout] [data-iw-skill-zone="commands"]	(0,6,1)	5 / 5	grid-area!, display!, padding!, border-left!, background!	skin: .fs-skill-panel [data-iw-skill-card-design="new"] [data-iw-skill-v2="1"] [data-iw-skill-layout] [data-iw-skill-zone="commands"] host: .compact-panel	—	○ L232: The command GROUP - the action button, its glyph and the recipe arrows - is centred vertically in the card, with a fixed buffer between the button and the arrows (Curtis, 2026-09:...
34	256	—	html[data-iw-skill-card-design="new"] .compact-panel.fs-skill-panel[data-iw-skill-v2="1"] [data-iw-skill-layout] button[data-iw-skill-role="action-button"]	(0,6,2)	22 / 22	—fs-motion-idle!, —fs-motion-hover!, —fs-motion-pressed!, —fs-button-border!, —fs-button-shadow!, position!, top!, left!, right!, bottom!, margin!, border-radius!, outline!, color!, overflow!, font-size!, line-height!, letter-spacing!, white-space!, text-shadow!, filter!, transition!	skin: .fs-skill-panel [data-iw-skill-card-design="new"] [data-iw-skill-v2="1"] [data-iw-skill-layout] [data-iw-skill-role="action-button"] host: .compact-panel button	—	○ L232: The command GROUP - the action button, its glyph and the recipe arrows - is centred vertically in the card, with a fixed buffer between the button and the arrows (Curtis, 2026-09:...

#	Line	Context	Selector(s)	Specificity	Decl / !imp	Properties	Hooks	Fragility	Comment
35	275	—	html[data-iw-skill-card-design="new"] .compact-panel.fs-skill-panel[data-iw-skill-v2="1"] [data-iw-skill-layout] button[data-iw-skill-role="action-button"] > :not([style*="width"])	(0,7,2)	1 / 1	opacity!	skin: .fs-skill-panel [data-iw-skill-card-design="new"] [data-iw-skill-v2="1"] [data-iw-skill-layout] [data-iw-skill-role="action-button"] host: .compact-panel [style*="width"] button	substring/attribute match [style*="width"]	● L257: Frame and fill follow the CURRENT ZONE (Curtis, 2026-09), from the same — iw-th-* layer every other framed surface reads, so a glacial zone draws a cold button and an infernal one...
36	276	—	html[data-iw-skill-card-design="new"] .compact-panel.fs-skill-panel[data-iw-skill-v2="1"] [data-iw-skill-layout] button[data-iw-skill-role="action-button"]:hover	(0,7,2)	1 / 1	filter!	skin: .fs-skill-panel [data-iw-skill-card-design="new"] [data-iw-skill-v2="1"] [data-iw-skill-layout] [data-iw-skill-role="action-button"] host: .compact-panel button	—	○ L257: Frame and fill follow the CURRENT ZONE (Curtis, 2026-09), from the same — iw-th-* layer every other framed surface reads, so a glacial zone draws a cold button and an infernal one...
37	277	—	html[data-iw-skill-card-design="new"] .compact-panel.fs-skill-panel[data-iw-skill-v2="1"] [data-iw-skill-layout] button[data-iw-skill-role="action-button"]:active	(0,7,2)	1 / 1	filter!	skin: .fs-skill-panel [data-iw-skill-card-design="new"] [data-iw-skill-v2="1"] [data-iw-skill-layout] [data-iw-skill-role="action-button"] host: .compact-panel button	—	○ L257: Frame and fill follow the CURRENT ZONE (Curtis, 2026-09), from the same — iw-th-* layer every other framed surface reads, so a glacial zone draws a cold button and an infernal one...
38	278	—	html[data-iw-skill-card-design="new"] .compact-panel.fs-skill-panel[data-iw-skill-v2="1"] [data-iw-skill-layout] button[data-iw-skill-role="action-button"]:focus-visible	(0,7,2)	2 / 2	outline!, outline-offset!	skin: .fs-skill-panel [data-iw-skill-card-design="new"] [data-iw-skill-v2="1"] [data-iw-skill-layout] [data-iw-skill-role="action-button"] host: .compact-panel button	—	○ L257: Frame and fill follow the CURRENT ZONE (Curtis, 2026-09), from the same — iw-th-* layer every other framed surface reads, so a glacial zone draws a cold button and an infernal one...

#	Line	Context	Selector(s)	Specificity	Decl / !imp	Properties	Hooks	Fragility	Comment
39	279	—	html[data-iw-skill-card-design="new"] .compact-panel.fs-skill-panel[data-iw-skill-v2="1"] [data-iw-skill-layout] button[data-iw-skill-role="action-button"]:disabled html[data-iw-skill-card-design="new"] .compact-panel.fs-skill-panel[data-iw-skill-v2="1"] [data-iw-skill-layout] button[data-iw-skill-role="action-button"][aria-disabled="true"]	max(0,7,2)	4 / 4	—fs-motion-idle!, —fs-motion-hover!, filter!, opacity!	skin: .fs-skill-panel [data-iw-skill-card-design="new"] [data-iw-skill-v2="1"] [data-iw-skill-layout] [data-iw-skill-role="action-button"] host: .compact-panel [aria-disabled="true"] button	—	○ L257: Frame and fill follow the CURRENT ZONE (Curtis, 2026-09), from the same — iw-th-* layer every other framed surface reads, so a glacial zone draws a cold button and an infernal one...
40	295	—	html[data-iw-skill-card-design="new"] .compact-panel.fs-skill-panel[data-iw-skill-v2="1"] [data-iw-skill-layout] button[data-iw-skill-role="action-button"] > span[style*="width"]	(0,7,3)	10 / 10	position!, top!, bottom!, left!, height!, z-index!, border-radius!, pointer-events!, background!, box-shadow!	skin: .fs-skill-panel [data-iw-skill-card-design="new"] [data-iw-skill-v2="1"] [data-iw-skill-layout] [data-iw-skill-role="action-button"] host: .compact-panel [style*="width"] button span	substring/attribute match [style*="width"]	● L281: The ACTIVE skill's progress.
41	301	—	html[data-iw-skill-card-design="new"] .compact-panel.fs-skill-panel[data-iw-skill-v2="1"] [data-iw-skill-layout] button[data-iw-skill-role="action-button"] > span:not([style*="width"])	(0,7,3)	2 / 2	position!, z-index!	skin: .fs-skill-panel [data-iw-skill-card-design="new"] [data-iw-skill-v2="1"] [data-iw-skill-layout] [data-iw-skill-role="action-button"] host: .compact-panel [style*="width"] button span	substring/attribute match [style*="width"]	○ L281: The ACTIVE skill's progress.
42	309	—	html[data-iw-skill-card-design="new"] .compact-panel.fs-skill-panel[data-iw-skill-v2="1"] [data-iw-skill-layout] button[data-iw-skill-role="action-button"] > span[style*="width"]	(0,7,3)	1 / 1	transition!	skin: .fs-skill-panel [data-iw-skill-card-design="new"] [data-iw-skill-v2="1"] [data-iw-skill-layout] [data-iw-skill-role="action-button"] host: .compact-panel [style*="width"] button span	substring/attribute match [style*="width"]	● L302: The game rewrites the fill's width every 250ms, so the band stepped.
43	310	—	html[data-iw-skill-card-design="new"] .compact-panel.fs-skill-panel[data-iw-skill-v2="1"] [data-iw-skill-layout][data-iw-skill-v2-fill-reset] button[data-iw-skill-role="action-button"] > span[style*="width"]	(0,8,3)	1 / 1	transition!	skin: .fs-skill-panel [data-iw-skill-card-design="new"] [data-iw-skill-v2="1"] [data-iw-skill-layout] [data-iw-skill-v2-fill-reset] [data-iw-skill-role="action-button"] host: .compact-panel [style*="width"] button span	substring/attribute match [style*="width"]	○ L302: The game rewrites the fill's width every 250ms, so the band stepped.

#	Line	Context	Selector(s)	Specificity	Decl / !imp	Properties	Hooks	Fragility	Comment
44	311	@media (prefers-reduced-motion: reduce)	html[data-iw-skill-card-design="new"] .compact-panel.fs-skill-panel[data-iw-skill-v2="1"] [data-iw-skill-layout] button[data-iw-skill-role="action-button"][data-iw-skill-role] > span[style*="width"]	(0,8,3)	1 / 1	transition!	skin: .fs-skill-panel [data-iw-skill-card-design="new"] [data-iw-skill-v2="1"] [data-iw-skill-layout] [data-iw-skill-role="action-button"] [data-iw-skill-role] host: .compact-panel [style*="width"] button span	substring/attribute match [style*="width"]	—
45	312	—	html[data-iw-skill-card-design="new"] .compact-panel.fs-skill-panel[data-iw-skill-v2="1"] [data-iw-skill-layout] button[data-iw-skill-role="action-button"]:has(> span[style*="width"])	(0,7,3)	5 / 5	—fs-motion-idle!, —fs-motion-hover!, —fs-button-border!, —fs-button-shadow!, text-shadow!	skin: .fs-skill-panel [data-iw-skill-card-design="new"] [data-iw-skill-v2="1"] [data-iw-skill-layout] [data-iw-skill-role="action-button"] host: .compact-panel [style*="width"] button span	substring/attribute match [style*="width"]	○ L302: The game rewrites the fill's width every 250ms, so the band stepped.
46	325	—	html[data-iw-skill-card-design="new"] .compact-panel.fs-skill-panel[data-iw-skill-v2="1"] [data-iw-skill-layout] > [data-iw-skill-layout-shell="1"] > :is(.iw-skill-v2-action-glyph, .iw-skill-v2-action-label) html[data-iw-skill-card-design="new"] .compact-panel.fs-skill-panel[data-iw-skill-v2="1"] [data-iw-skill-layout]:not(:has(> [data-iw-skill-layout-shell="1"])) > :is(.iw-skill-v2-action-glyph, .iw-skill-v2-action-label)	max(0,7,1)	1 / 1	grid-area!	skin: .fs-skill-panel .iw-skill-v2-action-glyph .iw-skill-v2-action-label [data-iw-skill-card-design="new"] [data-iw-skill-v2="1"] [data-iw-skill-layout] [data-iw-skill-layout-shell="1"] host: .compact-panel	—	● L319: When the game ships the action button as the shell's own child (the button IS the command zone), the icon is appended next to it, in the shell grid.
47	327	—	html[data-iw-skill-card-design="new"] .compact-panel.fs-skill-panel[data-iw-skill-v2="1"] [data-iw-skill-layout] .iw-skill-v2-action-label	(0,6,1)	18 / 18	display!, position!, z-index!, top!, left!, width!, height!, margin!, padding!, color!, font!, text-transform!, letter-spacing!, text-align!, white-space!, overflow!, pointer-events!, text-shadow!	skin: .fs-skill-panel .iw-skill-v2-action-label [data-iw-skill-card-design="new"] [data-iw-skill-v2="1"] [data-iw-skill-layout] host: .compact-panel	—	○ L319: When the game ships the action button as the shell's own child (the button IS the command zone), the icon is appended next to it, in the shell grid.

#	Line	Context	Selector(s)	Specificity	Decl / Imp	Properties	Hooks	Fragility	Comment
48	343	—	html[data-iw-skill-card-design="new"] .compact-panel.fs-skill-panel[data-iw-skill-v2="1"] [data-iw-skill-layout] .iw-skill-v2-action-glyph	(0,6,1)	11 / 11	display!, position!, z-index!, top!, left!, transform!, width!, height!, background!, pointer-events!, filter!	skin: .fs-skill-panel .iw-skill-v2-action-glyph [data-iw-skill-card-design="new"] [data-iw-skill-v2="1"] [data-iw-skill-layout] host: .compact-panel	—	● L333: Capitals in the recipe title's typeface (Curtis, 2026-09-16, chosen over capitals in Barlow): the label reads as part of the card's heading voice.
49	353	—	html[data-iw-skill-card-design="new"] .compact-panel.fs-skill-panel[data-iw-skill-v2="1"] [data-iw-skill-layout][data-iw-skill-v2-long-action="1"] button[data-iw-skill-role="action-button"]	(0,7,2)	2 / 2	color!, text-shadow!	skin: .fs-skill-panel [data-iw-skill-card-design="new"] [data-iw-skill-v2="1"] [data-iw-skill-layout] [data-iw-skill-v2-long-action="1"] [data-iw-skill-role="action-button"] host: .compact-panel button	—	● L349: A condition-adjusted action that STARTS above 11 seconds uses the existing skin-owned glyph as its countdown readout.
50	356	—	html[data-iw-skill-card-design="new"] .compact-panel.fs-skill-panel[data-iw-skill-v2="1"] [data-iw-skill-layout][data-iw-skill-v2-long-action="1"] button[data-iw-skill-role="action-button"] > :not([style*="width"])	(0,8,2)	1 / 1	opacity!	skin: .fs-skill-panel [data-iw-skill-card-design="new"] [data-iw-skill-v2="1"] [data-iw-skill-layout] [data-iw-skill-v2-long-action="1"] [data-iw-skill-role="action-button"] host: .compact-panel [style*="width"] button	substring/attribute match [style*="width"]	○ L349: A condition-adjusted action that STARTS above 11 seconds uses the existing skin-owned glyph as its countdown readout.
51	359	—	html[data-iw-skill-card-design="new"] .compact-panel.fs-skill-panel[data-iw-skill-v2="1"] [data-iw-skill-layout][data-iw-skill-v2-long-action="1"] .iw-skill-v2-action-label	(0,7,1)	1 / 1	opacity!	skin: .fs-skill-panel .iw-skill-v2-action-label [data-iw-skill-card-design="new"] [data-iw-skill-v2="1"] [data-iw-skill-layout] [data-iw-skill-v2-long-action="1"] host: .compact-panel	—	○ L349: A condition-adjusted action that STARTS above 11 seconds uses the existing skin-owned glyph as its countdown readout.
52	360	—	html[data-iw-skill-card-design="new"] .compact-panel.fs-skill-panel[data-iw-skill-v2="1"] [data-iw-skill-layout][data-iw-skill-v2-long-action="1"] .iw-skill-v2-action-glyph[data-iw-skill-v2-action-timer]	(0,8,1)	15 / 15	display!, place-items!, z-index!, top!, left!, width!, height!, transform!, background!, color!, font!, letter-spacing!, font-variant-numeric!, text-shadow!, filter!	skin: .fs-skill-panel .iw-skill-v2-action-glyph [data-iw-skill-card-design="new"] [data-iw-skill-v2="1"] [data-iw-skill-layout] [data-iw-skill-v2-long-action="1"] [data-iw-skill-v2-action-timer] host: .compact-panel	—	○ L349: A condition-adjusted action that STARTS above 11 seconds uses the existing skin-owned glyph as its countdown readout.

#	Line	Context	Selector(s)	Specificity	Decl / !imp	Properties	Hooks	Fragility	Comment
53	376	—	html[data-iw-skill-card-design="new"] .compact-panel.fs-skill-panel[data-iw-skill-v2="1"] [data-iw-skill-layout][data-iw-skill-v2-type="combat"] .iw-skill-v2-action-glyph	(0,7,1)	1/1	background-image!	skin: .fs-skill-panel .iw-skill-v2-action-glyph [data-iw-skill-card-design="new"] [data-iw-skill-v2="1"] [data-iw-skill-layout] [data-iw-skill-v2-type="combat"] host: .compact-panel	—	● L371: One icon per discipline, drawn by Curtis and imported from his EPS by build-tools/import-action-icons.mjs - never re-drawn by hand.
54	377	—	html[data-iw-skill-card-design="new"] .compact-panel.fs-skill-panel[data-iw-skill-v2="1"] [data-iw-skill-layout][data-iw-skill-v2-type="mining"] .iw-skill-v2-action-glyph	(0,7,1)	1/1	background-image!	skin: .fs-skill-panel .iw-skill-v2-action-glyph [data-iw-skill-card-design="new"] [data-iw-skill-v2="1"] [data-iw-skill-layout] [data-iw-skill-v2-type="mining"] host: .compact-panel	—	○ L371: One icon per discipline, drawn by Curtis and imported from his EPS by build-tools/import-action-icons.mjs - never re-drawn by hand.
55	378	—	html[data-iw-skill-card-design="new"] .compact-panel.fs-skill-panel[data-iw-skill-v2="1"] [data-iw-skill-layout][data-iw-skill-v2-type="smithing"] .iw-skill-v2-action-glyph	(0,7,1)	1/1	background-image!	skin: .fs-skill-panel .iw-skill-v2-action-glyph [data-iw-skill-card-design="new"] [data-iw-skill-v2="1"] [data-iw-skill-layout] [data-iw-skill-v2-type="smithing"] host: .compact-panel	—	○ L371: One icon per discipline, drawn by Curtis and imported from his EPS by build-tools/import-action-icons.mjs - never re-drawn by hand.
56	379	—	html[data-iw-skill-card-design="new"] .compact-panel.fs-skill-panel[data-iw-skill-v2="1"] [data-iw-skill-layout][data-iw-skill-v2-type="gathering"] .iw-skill-v2-action-glyph	(0,7,1)	1/1	background-image!	skin: .fs-skill-panel .iw-skill-v2-action-glyph [data-iw-skill-card-design="new"] [data-iw-skill-v2="1"] [data-iw-skill-layout] [data-iw-skill-v2-type="gathering"] host: .compact-panel	—	○ L371: One icon per discipline, drawn by Curtis and imported from his EPS by build-tools/import-action-icons.mjs - never re-drawn by hand.
57	380	—	html[data-iw-skill-card-design="new"] .compact-panel.fs-skill-panel[data-iw-skill-v2="1"] [data-iw-skill-layout][data-iw-skill-v2-type="alchemy"] .iw-skill-v2-action-glyph	(0,7,1)	1/1	background-image!	skin: .fs-skill-panel .iw-skill-v2-action-glyph [data-iw-skill-card-design="new"] [data-iw-skill-v2="1"] [data-iw-skill-layout] [data-iw-skill-v2-type="alchemy"] host: .compact-panel	—	○ L371: One icon per discipline, drawn by Curtis and imported from his EPS by build-tools/import-action-icons.mjs - never re-drawn by hand.
58	381	—	html[data-iw-skill-card-design="new"] .compact-panel.fs-skill-panel[data-iw-skill-v2="1"] [data-iw-skill-layout][data-iw-skill-v2-type="jewelcrafting"] .iw-skill-v2-action-glyph	(0,7,1)	1/1	background-image!	skin: .fs-skill-panel .iw-skill-v2-action-glyph [data-iw-skill-card-design="new"] [data-iw-skill-v2="1"] [data-iw-skill-layout] [data-iw-skill-v2-type="jewelcrafting"] host: .compact-panel	—	○ L371: One icon per discipline, drawn by Curtis and imported from his EPS by build-tools/import-action-icons.mjs - never re-drawn by hand.

#	Line	Context	Selector(s)	Specificity	Decl / !imp	Properties	Hooks	Fragility	Comment
59	382	—	html[data-iw-skill-card-design="new"] .compact-panel.fs-skill-panel[data-iw-skill-v2="1"] [data-iw-skill-layout][data-iw-skill-v2-type="spellcrafting"] .iw-skill-v2-action-glyph	(0,7,1)	1/1	background-image!	skin: .fs-skill-panel .iw-skill-v2-action-glyph [data-iw-skill-card-design="new"] [data-iw-skill-v2="1"] [data-iw-skill-layout] [data-iw-skill-v2-type="spellcrafting"] host: .compact-panel	—	○ L371: One icon per discipline, drawn by Curtis and imported from his EPS by build-tools/import-action-icons.mjs - never re-drawn by hand.
60	383	—	html[data-iw-skill-card-design="new"] .compact-panel.fs-skill-panel[data-iw-skill-v2="1"] [data-iw-skill-layout][data-iw-skill-v2-type="tailoring"] .iw-skill-v2-action-glyph	(0,7,1)	1/1	background-image!	skin: .fs-skill-panel .iw-skill-v2-action-glyph [data-iw-skill-card-design="new"] [data-iw-skill-v2="1"] [data-iw-skill-layout] [data-iw-skill-v2-type="tailoring"] host: .compact-panel	—	○ L371: One icon per discipline, drawn by Curtis and imported from his EPS by build-tools/import-action-icons.mjs - never re-drawn by hand.
61	384	—	html[data-iw-skill-card-design="new"] .compact-panel.fs-skill-panel[data-iw-skill-v2="1"] [data-iw-skill-layout][data-iw-skill-v2-type="woodcutting"] .iw-skill-v2-action-glyph	(0,7,1)	1/1	background-image!	skin: .fs-skill-panel .iw-skill-v2-action-glyph [data-iw-skill-card-design="new"] [data-iw-skill-v2="1"] [data-iw-skill-layout] [data-iw-skill-v2-type="woodcutting"] host: .compact-panel	—	○ L371: One icon per discipline, drawn by Curtis and imported from his EPS by build-tools/import-action-icons.mjs - never re-drawn by hand.
62	385	—	html[data-iw-skill-card-design="new"] .compact-panel.fs-skill-panel[data-iw-skill-v2="1"] [data-iw-skill-layout][data-iw-skill-v2-type="construction"] .iw-skill-v2-action-glyph	(0,7,1)	1/1	background-image!	skin: .fs-skill-panel .iw-skill-v2-action-glyph [data-iw-skill-card-design="new"] [data-iw-skill-v2="1"] [data-iw-skill-layout] [data-iw-skill-v2-type="construction"] host: .compact-panel	—	○ L371: One icon per discipline, drawn by Curtis and imported from his EPS by build-tools/import-action-icons.mjs - never re-drawn by hand.

#	Line	Context	Selector(s)	Specificity	Decl / !imp	Properties	Hooks	Fragility	Comment
63	386	—	html[data-iw-skill-card-design="new"] .compact-panel.fs-skill-panel[data-iw-skill-v2="1"] [data-iw-skill-layout]:not(:is([data-iw-skill-v2-type="combat"], [data-iw-skill-v2-type="mining"], [data-iw-skill-v2-type="smithing"], [data-iw-skill-v2-type="gathering"], [data-iw-skill-v2-type="alchemy"], [data-iw-skill-v2-type="jewelcrafting"], [data-iw-skill-v2-type="spellcrafting"], [data-iw-skill-v2-type="tailoring"], [data-iw-skill-v2-type="woodcutting"], [data-iw-skill-v2-type="construction"])))	(0,6,1)	1/0	—iw-skill-v2-btn-pad	skin: .fs-skill-panel [data-iw-skill-card-design="new"] [data-iw-skill-v2="1"] [data-iw-skill-layout] [data-iw-skill-v2-type="combat"] [data-iw-skill-v2-type="mining"] [data-iw-skill-v2-type="smithing"] [data-iw-skill-v2-type="gathering"] [data-iw-skill-v2-type="alchemy"] [data-iw-skill-v2-type="jewelcrafting"] [data-iw-skill-v2-type="spellcrafting"] [data-iw-skill-v2-type="tailoring"] [data-iw-skill-v2-type="woodcutting"] [data-iw-skill-v2-type="construction"] host: .compact-panel	—	○ L371: One icon per discipline, drawn by Curtis and imported from his EPS by build-tools/import-action-icons.mjs - never re-drawn by hand.
64	387	—	html[data-iw-skill-card-design="new"] .compact-panel.fs-skill-panel[data-iw-skill-v2="1"] [data-iw-skill-layout]:not(:is([data-iw-skill-v2-type="combat"], [data-iw-skill-v2-type="mining"], [data-iw-skill-v2-type="smithing"], [data-iw-skill-v2-type="gathering"], [data-iw-skill-v2-type="alchemy"], [data-iw-skill-v2-type="jewelcrafting"], [data-iw-skill-v2-type="spellcrafting"], [data-iw-skill-v2-type="tailoring"], [data-iw-skill-v2-type="woodcutting"], [data-iw-skill-v2-type="construction"]))) .iw-skill-v2-action-glyph	(0,7,1)	1/1	display!	skin: .fs-skill-panel .iw-skill-v2-action-glyph [data-iw-skill-card-design="new"] [data-iw-skill-v2="1"] [data-iw-skill-layout] [data-iw-skill-v2-type="combat"] [data-iw-skill-v2-type="mining"] [data-iw-skill-v2-type="smithing"] [data-iw-skill-v2-type="gathering"] [data-iw-skill-v2-type="alchemy"] [data-iw-skill-v2-type="jewelcrafting"] [data-iw-skill-v2-type="spellcrafting"] [data-iw-skill-v2-type="tailoring"] [data-iw-skill-v2-type="woodcutting"] [data-iw-skill-v2-type="construction"] host: .compact-panel	—	○ L371: One icon per discipline, drawn by Curtis and imported from his EPS by build-tools/import-action-icons.mjs - never re-drawn by hand.

#	Line	Context	Selector(s)	Specificity	Decl / !imp	Properties	Hooks	Fragility	Comment
65	390	—	html[data-iw-skill-card-design="new"] .compact-panel.fs-skill-panel[data-iw-skill-v2="1"] [data-iw-skill-layout] [data-iw-skill-zone] [data-iw-skill-role="nav-group"]	(0,7,1)	17 / 17	position!, top!, bottom!, left!, right!, transform!, z-index!, display!, align-items!, justify-content!, gap!, width!, max-width!, min-width!, height!, margin!, padding!	skin: .fs-skill-panel [data-iw-skill-card-design="new"] [data-iw-skill-v2="1"] [data-iw-skill-layout] [data-iw-skill-zone] [data-iw-skill-role="nav-group"] host: .compact-panel	—	● L388: React can ship the pager in either branch.
66	397	—	html[data-iw-skill-card-design="new"] .compact-panel.fs-skill-panel[data-iw-skill-v2="1"] [data-iw-skill-layout] [data-iw-skill-zone="commands"] :has(button[data-iw-skill-role="action-button"]) html[data-iw-skill-card-design="new"] .compact-panel.fs-skill-panel[data-iw-skill-v2="1"] [data-iw-skill-layout] [data-iw-skill-zone] :has(> [data-iw-skill-role="nav-group"]):not([data-iw-skill-zone])	max(0,8,1)	7 / 7	position!, transform!, filter!, backdrop-filter!, perspective!, contain!, will-change!	skin: .fs-skill-panel [data-iw-skill-card-design="new"] [data-iw-skill-v2="1"] [data-iw-skill-layout] [data-iw-skill-zone="commands"] [data-iw-skill-role="action-button"] [data-iw-skill-zone] [data-iw-skill-role="nav-group"] host: .compact-panel button	—	○ L388: React can ship the pager in either branch.
67	408	—	html[data-iw-skill-card-design="new"] .compact-panel.fs-skill-panel[data-iw-skill-v2="1"] [data-iw-skill-layout] button[data-iw-skill-role="nav-button"][data-iw-nav-direction]	(0,7,2)	6 / 6	display!, align-items!, justify-content!, —fs-button-background!, —fs-button-border!, —fs-button-shadow!	skin: .fs-skill-panel [data-iw-skill-card-design="new"] [data-iw-skill-v2="1"] [data-iw-skill-layout] [data-iw-skill-role="nav-button"] [data-iw-nav-direction] host: .compact-panel button	—	● L399: Everything that makes an element a containing block for absolutely positioned descendants, not just position .
68	409	—	html[data-iw-skill-card-design="new"] .compact-panel.fs-skill-panel[data-iw-skill-v2="1"] [data-iw-skill-layout] button[data-iw-skill-role="nav-button"][data-iw-nav-direction]:hover	(0,8,2)	2 / 2	—fs-button-background!, —fs-button-border!	skin: .fs-skill-panel [data-iw-skill-card-design="new"] [data-iw-skill-v2="1"] [data-iw-skill-layout] [data-iw-skill-role="nav-button"] [data-iw-nav-direction] host: .compact-panel button	—	○ L399: Everything that makes an element a containing block for absolutely positioned descendants, not just position .
69	410	—	html[data-iw-skill-card-design="new"] .compact-panel.fs-skill-panel[data-iw-skill-v2="1"] [data-iw-skill-layout] button[data-iw-skill-role="nav-button"][data-iw-nav-direction]::before	(0,7,3)	14 / 14	background!, border-image!, content!, width!, height!, inset!, position!, display!, opacity!, filter!, margin!, border!, border-width!, transform!	skin: .fs-skill-panel [data-iw-skill-card-design="new"] [data-iw-skill-v2="1"] [data-iw-skill-layout] [data-iw-skill-role="nav-button"] [data-iw-nav-direction] host: .compact-panel button	—	○ L399: Everything that makes an element a containing block for absolutely positioned descendants, not just position .

#	Line	Context	Selector(s)	Specificity	Decl / !imp	Properties	Hooks	Fragility	Comment
70	411	—	html[data-iw-skill-card-design="new"] .compact-panel.fs-skill-panel[data-iw-skill-v2="1"] [data-iw-skill-layout] button[data-iw-skill-role="nav-button"][data-iw-nav-direction="prev"]::before	(0,7,3)	1/1	transform!	skin: .fs-skill-panel [data-iw-skill-card-design="new"] [data-iw-skill-v2="1"] [data-iw-skill-layout] [data-iw-skill-role="nav-button"] [data-iw-nav-direction="prev"] host: .compact-panel button	—	○ L399: Everything that makes an element a containing block for absolutely positioned descendants, not just position.
71	422	—	html[data-iw-skill-card-design="new"] .compact-panel.fs-skill-panel[data-iw-skill-v2="1"] [data-iw-skill-layout] button[data-iw-skill-role="nav-button"][data-iw-nav-direction]::after	(0,7,3)	1/1	display!	skin: .fs-skill-panel [data-iw-skill-card-design="new"] [data-iw-skill-v2="1"] [data-iw-skill-layout] [data-iw-skill-role="nav-button"] [data-iw-nav-direction] host: .compact-panel button	—	● L412: The chevron is a 7px square's right and bottom borders (2px) turned 45deg.
72	431	—	html[data-iw-skill-card-design="new"] .compact-panel.fs-skill-panel[data-iw-skill-v2="1"] [data-iw-skill-layout] button[data-iw-skill-role="nav-button"][data-iw-nav-direction] > *	(0,7,2)	6/6	position!, top!, left!, margin!, visibility!, pointer-events!	skin: .fs-skill-panel [data-iw-skill-card-design="new"] [data-iw-skill-v2="1"] [data-iw-skill-layout] [data-iw-skill-role="nav-button"] [data-iw-nav-direction] host: .compact-panel button	—	● L423: The live arrows are not text: each button holds a Lucide <svg class="h-4 w-4">.
73	437	—	html[data-iw-skill-card-design="new"] .compact-panel.fs-skill-panel[data-iw-skill-v2="1"] [data-iw-skill-layout] .iw-skill-v2-controls	(0,6,1)	10/10	grid-area!, display!, flex-wrap!, align-items!, justify-content!, gap!, width!, margin!, padding!, border!	skin: .fs-skill-panel .iw-skill-v2-controls [data-iw-skill-card-design="new"] [data-iw-skill-v2="1"] [data-iw-skill-layout] host: .compact-panel	—	● L434: The foot row carries the tabs and, only when the player does NOT meet a requirement, that requirement in small type.
74	438	—	html[data-iw-skill-card-design="new"] .compact-panel.fs-skill-panel[data-iw-skill-v2="1"] [data-iw-skill-layout] .iw-skill-v2-controls	(0,6,1)	1/1	justify-content!	skin: .fs-skill-panel .iw-skill-v2-controls [data-iw-skill-card-design="new"] [data-iw-skill-v2="1"] [data-iw-skill-layout] host: .compact-panel	—	○ L434: The foot row carries the tabs and, only when the player does NOT meet a requirement, that requirement in small type.
75	439	—	html[data-iw-skill-card-design="new"] .compact-panel.fs-skill-panel[data-iw-skill-v2="1"] [data-iw-skill-layout] .iw-skill-v2-controls:not(:has(.iw-skill-v2-req-note))	(0,7,1)	1/1	display!	skin: .fs-skill-panel .iw-skill-v2-controls .iw-skill-v2-req-note [data-iw-skill-card-design="new"] [data-iw-skill-v2="1"] [data-iw-skill-layout] host: .compact-panel	—	○ L434: The foot row carries the tabs and, only when the player does NOT meet a requirement, that requirement in small type.

#	Line	Context	Selector(s)	Specificity	Decl / !imp	Properties	Hooks	Fragility	Comment
76	440	—	html[data-iw-skill-card-design="new"] .compact-panel.fs-skill-panel[data-iw-skill-v2="1"] [data-iw-skill-layout] .iw-skill-v2-req-note	(0,6,1)	7 / 7	flex!, min-width!, color!, font!, letter-spacing!, text-align!, overflow-wrap!	skin: .fs-skill-panel .iw-skill-v2-req-note [data-iw-skill-card-design="new"] [data-iw-skill-v2="1"] [data-iw-skill-layout] host: .compact-panel	—	○ L434: The foot row carries the tabs and, only when the player does NOT meet a requirement, that requirement in small type.
77	441	—	html[data-iw-skill-card-design="new"] .compact-panel.fs-skill-panel[data-iw-skill-v2="1"] [data-iw-skill-layout] .iw-skill-v2-req-note::before	(0,6,2)	2 / 2	content!, color!	skin: .fs-skill-panel .iw-skill-v2-req-note [data-iw-skill-card-design="new"] [data-iw-skill-v2="1"] [data-iw-skill-layout] host: .compact-panel	—	○ L434: The foot row carries the tabs and, only when the player does NOT meet a requirement, that requirement in small type.
78	442	—	html[data-iw-skill-card-design="new"] .compact-panel.fs-skill-panel[data-iw-skill-v2="1"] [data-iw-skill-layout] .iw-skill-v2-body:empty	(0,7,1)	1 / 1	display!	skin: .fs-skill-panel .iw-skill-v2-body [data-iw-skill-card-design="new"] [data-iw-skill-v2="1"] [data-iw-skill-layout] host: .compact-panel	—	○ L434: The foot row carries the tabs and, only when the player does NOT meet a requirement, that requirement in small type.
79	451	—	html[data-iw-skill-card-design="new"] .compact-panel.fs-skill-panel[data-iw-skill-v2="1"] [data-iw-skill-layout] .iw-skill-v2-body	(0,6,1)	18 / 16	—iw-skill-v2-cell-min, —iw-skill-v2-cell-gap, container!, grid-area!, display!, grid-template-columns!, align-content!, align-items!, gap!, width!, min-height!, margin!, padding!, border!, border-radius!, background!, box-shadow!, text-align!	skin: .fs-skill-panel .iw-skill-v2-body [data-iw-skill-card-design="new"] [data-iw-skill-v2="1"] [data-iw-skill-layout] host: .compact-panel	—	● L443: At most THREE columns, and fewer only when a cell would drop under its floor.
80	452	—	html[data-iw-skill-card-design="new"] .compact-panel.fs-skill-panel[data-iw-skill-v2="1"] [data-iw-skill-layout] .iw-skill-v2-body-row	(0,6,1)	12 / 12	display!, align-items!, min-width!, padding!, border!, border-left!, border-radius!, color!, background!, font!, text-align!, overflow-wrap!	skin: .fs-skill-panel .iw-skill-v2-body-row [data-iw-skill-card-design="new"] [data-iw-skill-v2="1"] [data-iw-skill-layout] host: .compact-panel	—	○ L443: At most THREE columns, and fewer only when a cell would drop under its floor.
81	453	—	html[data-iw-skill-card-design="new"] .compact-panel.fs-skill-panel[data-iw-skill-v2="1"] [data-iw-skill-layout] .iw-skill-v2-body-row[data-iw-skill-v2-body-state="unmet"]	(0,7,1)	2 / 2	border-left-color!, color!	skin: .fs-skill-panel .iw-skill-v2-body-row [data-iw-skill-card-design="new"] [data-iw-skill-v2="1"] [data-iw-skill-layout] [data-iw-skill-v2-body-state="unmet"] host: .compact-panel	—	○ L443: At most THREE columns, and fewer only when a cell would drop under its floor.

#	Line	Context	Selector(s)	Specificity	Decl / !imp	Properties	Hooks	Fragility	Comment
82	454	—	html[data-iw-skill-card-design="new"] .compact-panel.fs-skill-panel[data-iw-skill-v2="1"] [data-iw-skill-layout] .iw-skill-v2-body-row[data-iw-skill-v2-body-state="met"]:not([data-iw-skill-v2-body-kind="material"]):before	(0,8,2)	6 / 6	content!, flex!, margin-right!, color!, font-size!, line-height!	skin: .fs-skill-panel .iw-skill-v2-body-row [data-iw-skill-card-design="new"] [data-iw-skill-v2="1"] [data-iw-skill-layout] [data-iw-skill-v2-body-state="met"] [data-iw-skill-v2-body-kind="material"] host: .compact-panel	—	○ L443: At most THREE columns, and fewer only when a cell would drop under its floor.
83	459	—	html[data-iw-skill-card-design="new"] .compact-panel.fs-skill-panel[data-iw-skill-v2="1"] [data-iw-skill-layout] .iw-skill-v2-body-row[data-iw-skill-v2-body-kind="material"]	(0,7,1)	5 / 5	flex-flow!, align-items!, align-content!, gap!, padding!	skin: .fs-skill-panel .iw-skill-v2-body-row [data-iw-skill-card-design="new"] [data-iw-skill-v2="1"] [data-iw-skill-layout] [data-iw-skill-v2-body-kind="material"] host: .compact-panel	—	● L455: A material cell keeps name and count on ONE line while the cell is wide enough, and lets the count wrap beneath the name only when it is not.
84	460	—	html[data-iw-skill-card-design="new"] .compact-panel.fs-skill-panel[data-iw-skill-v2="1"] [data-iw-skill-layout] .iw-skill-v2-body-name	(0,6,1)	5 / 5	display!, max-width!, font-size!, line-height!, opacity!	skin: .fs-skill-panel .iw-skill-v2-body-name [data-iw-skill-card-design="new"] [data-iw-skill-v2="1"] [data-iw-skill-layout] host: .compact-panel	—	○ L455: A material cell keeps name and count on ONE line while the cell is wide enough, and lets the count wrap beneath the name only when it is not.
85	461	—	html[data-iw-skill-card-design="new"] .compact-panel.fs-skill-panel[data-iw-skill-v2="1"] [data-iw-skill-layout] .iw-skill-v2-body-count	(0,6,1)	5 / 5	display!, font-weight!, line-height!, font-variant-numeric!, white-space!	skin: .fs-skill-panel .iw-skill-v2-body-count [data-iw-skill-card-design="new"] [data-iw-skill-v2="1"] [data-iw-skill-layout] host: .compact-panel	—	○ L455: A material cell keeps name and count on ONE line while the cell is wide enough, and lets the count wrap beneath the name only when it is not.
86	462	—	html[data-iw-skill-card-design="new"] .compact-panel.fs-skill-panel[data-iw-skill-v2="1"] [data-iw-skill-layout] .iw-skill-v2-body-row[data-iw-skill-v2-body-state="met"] .iw-skill-v2-body-count::before	(0,8,2)	2 / 2	content!, color!	skin: .fs-skill-panel .iw-skill-v2-body-row .iw-skill-v2-body-count [data-iw-skill-card-design="new"] [data-iw-skill-v2="1"] [data-iw-skill-layout] [data-iw-skill-v2-body-state="met"] host: .compact-panel	—	○ L455: A material cell keeps name and count on ONE line while the cell is wide enough, and lets the count wrap beneath the name only when it is not.

#	Line	Context	Selector(s)	Specificity	Decl / !imp	Properties	Hooks	Fragility	Comment
87	463	—	html[data-iw-skill-card-design="new"] .compact-panel.fs-skill-panel[data-iw-skill-v2="1"] [data-iw-skill-layout] .iw-skill-v2-body-row:not([data-iw-skill-v2-body-kind="material"])	(0,7,1)	1 / 1	grid-column!	skin: .fs-skill-panel .iw-skill-v2-body-row [data-iw-skill-card-design="new"] [data-iw-skill-v2="1"] [data-iw-skill-layout] [data-iw-skill-v2-body-kind="material"] host: .compact-panel	—	○ L455: A material cell keeps name and count on ONE line while the cell is wide enough, and lets the count wrap beneath the name only when it is not.
88	464	—	html[data-iw-skill-card-design="new"] .compact-panel.fs-skill-panel[data-iw-skill-v2="1"] [data-iw-skill-layout] .iw-skill-v2-body-row:not([data-iw-skill-v2-body-state])	(0,7,1)	2 / 2	color!, border-left-color!	skin: .fs-skill-panel .iw-skill-v2-body-row [data-iw-skill-card-design="new"] [data-iw-skill-v2="1"] [data-iw-skill-layout] [data-iw-skill-v2-body-state] host: .compact-panel	—	○ L455: A material cell keeps name and count on ONE line while the cell is wide enough, and lets the count wrap beneath the name only when it is not.
89	465	—	html[data-iw-skill-card-design="new"] .compact-panel.fs-skill-panel[data-iw-skill-v2="1"] [data-iw-skill-layout] .fs-skill-ingredient-item	(0,6,1)	2 / 2	justify-content!, text-align!	skin: .fs-skill-panel .fs-skill-ingredient-item [data-iw-skill-card-design="new"] [data-iw-skill-v2="1"] [data-iw-skill-layout] host: .compact-panel	—	○ L455: A material cell keeps name and count on ONE line while the cell is wide enough, and lets the count wrap beneath the name only when it is not.
90	466	—	html[data-iw-skill-card-design="new"] .compact-panel.fs-skill-panel[data-iw-skill-v2="1"] [data-iw-skill-layout][data-iw-skill-v2-state="collapsed"] .iw-skill-v2-controls html[data-iw-skill-card-design="new"] .compact-panel.fs-skill-panel[data-iw-skill-v2="1"] [data-iw-skill-layout][data-iw-skill-v2-state="collapsed"] .iw-skill-v2-body	max(0,7,1)	1 / 1	display!	skin: .fs-skill-panel .iw-skill-v2-controls .iw-skill-v2-body [data-iw-skill-card-design="new"] [data-iw-skill-v2="1"] [data-iw-skill-layout] [data-iw-skill-v2-state="collapsed"] host: .compact-panel	—	○ L455: A material cell keeps name and count on ONE line while the cell is wide enough, and lets the count wrap beneath the name only when it is not.
91	472	@contain er iw-skill-card (max-width: 580px)	html[data-iw-skill-card-design="new"] .compact-panel.fs-skill-panel[data-iw-skill-v2="1"] [data-iw-skill-layout] > [data-iw-skill-layout-shell="1"]	(0,6,1)	5 / 0	—iw-skill-v2-identity-w, —iw-skill-v2-command-w, —iw-skill-v2-btn-w, —iw-skill-v2-nav-w, —iw-skill-v2-gutter	skin: .fs-skill-panel [data-iw-skill-card-design="new"] [data-iw-skill-v2="1"] [data-iw-skill-layout] [data-iw-skill-layout-shell="1"] host: .compact-panel	—	—

#	Line	Context	Selector(s)	Specificity	Decl / !imp	Properties	Hooks	Fragility	Comment
92	473	@contain er iw- skill- card (max- width: 580px)	html[data-iw-skill-card- design="new"] .compact-panel.fs- skill-panel[data-iw-skill-v2="1"] [data-iw-skill-layout] [data-iw- skill-zone="content"]	(0,6,1)	1 / 1	padding!	skin: .fs-skill-panel [data-iw- skill-card-design="new"] [data- iw-skill-v2="1"] [data-iw- skill-layout] [data-iw-skill- zone="content"] host: .compact-panel	—	—
93	474	@contain er iw- skill- card (max- width: 580px)	html[data-iw-skill-card- design="new"] .compact-panel.fs- skill-panel[data-iw-skill-v2="1"] [data-iw-skill-layout] [data-iw- skill-role="identity"]::before	(0,6,2)	2 / 2	font-size!, letter-spacing!	skin: .fs-skill-panel [data-iw- skill-card-design="new"] [data- iw-skill-v2="1"] [data-iw- skill-layout] [data-iw-skill- role="identity"] host: .compact-panel	—	—
94	475	@contain er iw- skill- card (max- width: 580px)	html[data-iw-skill-card- design="new"] .compact-panel.fs- skill-panel[data-iw-skill-v2="1"] [data-iw-skill-layout] [data-iw- skill-role="action-title"]::before	(0,6,2)	1 / 1	font-size!	skin: .fs-skill-panel [data-iw- skill-card-design="new"] [data- iw-skill-v2="1"] [data-iw- skill-layout] [data-iw-skill- role="action-title"] host: .compact-panel	—	—
95	493	@contain er iw- skill- card (max- width: 480px)	html[data-iw-skill-card- design="new"] .compact-panel.fs- skill-panel[data-iw-skill-v2="1"] [data-iw-skill-layout] > [data-iw- skill-layout-shell="1"]	(0,6,1)	5 / 3	—iw-skill-v2-identity-w, —iw-skill-v2-command-w, grid-template-rows!, grid-template-areas!, min- height!	skin: .fs-skill-panel [data-iw- skill-card-design="new"] [data- iw-skill-v2="1"] [data-iw- skill-layout] [data-iw-skill- layout-shell="1"] host: .compact-panel	—	—
96	499	@contain er iw- skill- card (max- width: 480px)	html[data-iw-skill-card- design="new"] .compact-panel.fs- skill-panel[data-iw-skill-v2="1"] [data-iw-skill-layout] [data-iw- skill-zone="content"]	(0,6,1)	3 / 3	position!, grid-template-columns!, padding!	skin: .fs-skill-panel [data-iw- skill-card-design="new"] [data- iw-skill-v2="1"] [data-iw- skill-layout] [data-iw-skill- zone="content"] host: .compact-panel	—	—
97	505	@contain er iw- skill- card (max- width: 480px)	html[data-iw-skill-card- design="new"] .compact-panel.fs- skill-panel[data-iw-skill-v2="1"] [data-iw-skill-layout] [data-iw- skill-zone="content"] > .fs-skill- base-exp	(0,7,1)	3 / 3	grid-column!, grid-row!, margin-top!	skin: .fs-skill-panel .fs-skill- base-exp [data-iw-skill-card- design="new"] [data-iw-skill- v2="1"] [data-iw-skill-layout] [data-iw-skill-zone="content"] host: .compact-panel	—	● L503: The chip goes UNDER the name: beside it, a 150px column left the title under 50px and wrapped it to four lines.

#	Line	Context	Selector(s)	Specificity	Decl / !imp	Properties	Hooks	Fragility	Comment
98	511	@contain er iw- skill- card (max- width: 480px)	html[data-iw-skill-card- design="new"] .compact-panel.fs- skill-panel[data-iw-skill-v2="1"] [data-iw-skill-layout] [data-iw- skill-zone="content"] [data-iw-skill- role="nav-group"]	(0,7,1)	2 / 2	grid-column!, right!	skin: .fs-skill-panel [data-iw- skill-card-design="new"] [data- iw-skill-v2="1"] [data-iw- skill-layout] [data-iw-skill- zone="content"] [data-iw-skill- role="nav-group"] host: .compact-panel	—	● L506: grid-column: auto is load-bearing.
99	512	@contain er iw- skill- card (max- width: 480px)	html[data-iw-skill-card- design="new"] .compact-panel.fs- skill-panel[data-iw-skill-v2="1"] [data-iw-skill-layout] [data-iw- skill-role="action-title"]::before	(0,6,2)	1 / 1	font-size!	skin: .fs-skill-panel [data-iw- skill-card-design="new"] [data- iw-skill-v2="1"] [data-iw- skill-layout] [data-iw-skill- role="action-title"] host: .compact-panel	—	○ L506: grid-column: auto is load-bearing.
100	513	@contain er iw- skill- card (max- width: 480px)	html[data-iw-skill-card- design="new"] .compact-panel.fs- skill-panel[data-iw-skill-v2="1"] [data-iw-skill-layout] .iw-skill-v2- body	(0,6,1)	1 / 1	margin!	skin: .fs-skill-panel .iw-skill- v2-body [data-iw-skill-card- design="new"] [data-iw-skill- v2="1"] [data-iw-skill-layout] host: .compact-panel	—	○ L506: grid-column: auto is load-bearing.
101	515	@media (prefers - reduced- motion: reduce)	html[data-iw-skill-card- design="new"] .compact-panel.fs- skill-panel[data-iw-skill-v2="1"] [data-iw-skill-layout] *	(0,5,1)	1 / 1	transition!	skin: .fs-skill-panel [data-iw- skill-card-design="new"] [data- iw-skill-v2="1"] [data-iw- skill-layout] host: .compact-panel	—	—
102	519	—	html[data-iw-skill-card- design="new"] .compact-panel.fs- skill-panel[data-iw-skill-v2="1"] [data-iw-skill-layout] [data-iw- skill-zone="identity"] *:has([data- iw-skill-role="identity"])	(0,7,1)	1 / 1	display!	skin: .fs-skill-panel [data-iw- skill-card-design="new"] [data- iw-skill-v2="1"] [data-iw- skill-layout] [data-iw-skill- zone="identity"] [data-iw- skill-role="identity"] host: .compact-panel	—	● L517: Identity wrappers remain React-owned; contents lets the retained name join the same badge stack while only the obsolete readouts are hidden.
103	528	@media (pointer : coarse)	html[data-iw-skill-card- design="new"] .compact-panel.fs- skill-panel[data-iw-skill-v2="1"] [data-iw-skill-layout]	(0,5,1)	1 / 0	—iw-skill-v2-nav-h	skin: .fs-skill-panel [data-iw- skill-card-design="new"] [data- iw-skill-v2="1"] [data-iw- skill-layout] host: .compact-panel	—	—

#	Line	Context	Selector(s)	Specificity	Decl / !imp	Properties	Hooks	Fragility	Comment
104	537	@contain er iw- skill- card (max- width: 480px)	html[data-iw-skill-card-design="new"] .compact-panel.fs-skill-panel[data-iw-skill-v2="1"] [data-iw-skill-layout] > [data-iw-skill-zone="identity"]	(0,6,1)	4 / 4	grid-area!, grid-column!, grid-row!, min-height!	skin: .fs-skill-panel [data-iw-skill-card-design="new"] [data-iw-skill-v2="1"] [data-iw-skill-layout] [data-iw-skill-zone="identity"] host: .compact-panel	—	—
105	538	@contain er iw- skill- card (max- width: 480px)	html[data-iw-skill-card-design="new"] .compact-panel.fs-skill-panel[data-iw-skill-v2="1"] [data-iw-skill-layout] > [data-iw-skill-zone="content"]	(0,6,1)	3 / 3	grid-area!, grid-column!, grid-row!	skin: .fs-skill-panel [data-iw-skill-card-design="new"] [data-iw-skill-v2="1"] [data-iw-skill-layout] [data-iw-skill-zone="content"] host: .compact-panel	—	—
106	539	@contain er iw- skill- card (max- width: 480px)	html[data-iw-skill-card-design="new"] .compact-panel.fs-skill-panel[data-iw-skill-v2="1"] [data-iw-skill-layout] > [data-iw-skill-zone="commands"] html[data-iw-skill-card-design="new"] .compact-panel.fs-skill-panel[data-iw-skill-v2="1"] [data-iw-skill-layout] > :is(.iw-skill-v2-action-glyph,.iw-skill-v2-action-label)	max(0,6,1)	3 / 3	grid-area!, grid-column!, grid-row!	skin: .fs-skill-panel .iw-skill-v2-action-glyph .iw-skill-v2-action-label [data-iw-skill-card-design="new"] [data-iw-skill-v2="1"] [data-iw-skill-layout] [data-iw-skill-zone="commands"] host: .compact-panel	—	—
107	541	@contain er iw- skill- card (max- width: 480px)	html[data-iw-skill-card-design="new"] .compact-panel.fs-skill-panel[data-iw-skill-v2="1"] [data-iw-skill-layout] > .iw-skill-v2-body	(0,6,1)	3 / 3	grid-area!, grid-column!, grid-row!	skin: .fs-skill-panel .iw-skill-v2-body [data-iw-skill-card-design="new"] [data-iw-skill-v2="1"] [data-iw-skill-layout] host: .compact-panel	—	—
108	542	@contain er iw- skill- card (max- width: 480px)	html[data-iw-skill-card-design="new"] .compact-panel.fs-skill-panel[data-iw-skill-v2="1"] [data-iw-skill-layout] > .iw-skill-v2-controls	(0,6,1)	3 / 3	grid-area!, grid-column!, grid-row!	skin: .fs-skill-panel .iw-skill-v2-controls [data-iw-skill-card-design="new"] [data-iw-skill-v2="1"] [data-iw-skill-layout] host: .compact-panel	—	—

SKILLCARD-V2-RUNTIME-SAFE.CSS — RULE INDEX

Generated by tools/css-inventory.mjs from src/styles/skillcard-v2-runtime-safe.css at commit 059081671bf3 . Do not edit by hand.

Injected as part of `<style data-iw-style="skillpanel">` — stylesheet 4 of 7 in injection order, part 3 of 5 in that element's concatenation (src/content.js injectPresentationStyles()).

30 lines · 1,311 bytes · 1 rules · 1 selectors · 14 declarations · 14 `!important` · 0 `@media` · 0 `@container` · 0 `@keyframes` · 0 `@font-face`

Columns. *Line* is the rule's first line in the source file at the commit above. *Context* is the enclosing `@media` / `@container` / `@supports` chain. *Specificity* is the highest (id, class, type) of the rule's selector list, computed per Selectors Level 4 (`:is()` / `:not()` / `:has()` take their most specific argument, `:where()` counts zero). *Decl* is the declaration count; *!imp* the number marked `!important`. *Properties* lists every property the rule sets, with `!` marking `!important`. *Hooks* separates skin-owned hooks (`data-iw-*`, `data-fs-*`, `.fs-*`, `.iw-*`, `#iw-tip`) from game/host hooks (classes, attributes, elements the extension does not own). *Fragility* flags selectors that depend on utility class names, attribute substrings, element position or sibling order. *Comment* is the nearest authored comment for the rule's block (its own when marked ●, otherwise the last one above it in the same block, marked ○).

RULES

#	Line	Context	Selector(s)	Specificity	Decl / !imp	Properties	Hooks	Fragility	Comment
1	14	—	html[data-iw-skill-card-design="new"] .compact-panel.fs-skill-panel[data-iw-skill-v2="1"] [data-iw-skill-v2-section]	(0,5,1)	14 / 14	display!, position!, width!, min-width!, max-width!, height!, min-height!, max-height!, margin!, padding!, overflow!, clip-path!, opacity!, pointer-events!	skin: .fs-skill-panel [data-iw-skill-card-design="new"] [data-iw-skill-v2="1"] [data-iw-skill-v2-section] host: .compact-panel	—	● L1: V2 may visually tuck native semantic rows away, but SkillPanelRenderer also uses computed display/visibility to choose the live reward/action among stale React siblings.

CARD-BUTTON-ATLAS.CSS — RULE INDEX

Generated by tools/css-inventory.mjs from src/styles/card-button-atlas.css at commit 059081671bf3. Do not edit by hand.

Injected as part of <style data-iw-style="skillpanel"> — stylesheet 4 of 7 in injection order, part 4 of 5 in that element's concatenation (src/content.js injectPresentationStyles()).

74 lines · 10,263 bytes · 9 rules · 9 selectors · 54 declarations · 0 !important · 0 @media · 0 @container · 0 @keyframes · 0 @font-face

Columns. *Line* is the rule's first line in the source file at the commit above. *Context* is the enclosing @media / @container / @supports chain. *Specificity* is the highest (id, class, type) of the rule's selector list, computed per Selectors Level 4 (:is()/:not()/:has() take their most specific argument, :where() counts zero). *Decl* is the declaration count; *!imp* the number marked !important. *Properties* lists every property the rule sets, with ! marking !important. *Hooks* separates skin-owned hooks (data-iw-*, data-fs-*, .fs-*, .iw-*, #iw-tip) from game/host hooks (classes, attributes, elements the extension does not own). *Fragility* flags selectors that depend on utility class names, attribute substrings, element position or sibling order. *Comment* is the nearest authored comment for the rule's block (its own when marked ●, otherwise the last one above it in the same block, marked ○).

RULES

#	Line	Context	Selector(s)	Specificity	Decl / !imp	Properties	Hooks	Fragility	Comment
1	2	—	html[data-iw-zone-theme="forged-metal"]	(0,1,1)	6 / 0	—iw-card-action-idle, —iw-card-action-hover, —iw-card-action-clicked, —iw-card-nav-idle, —iw-card-nav-hover, —iw-card-nav-clicked	skin: [data-iw-zone-theme="forged-metal"]	—	● L1: Generated by build-tools/build-card-buttons.mjs.
2	10	—	html[data-iw-zone-theme="infernal"]	(0,1,1)	6 / 0	—iw-card-action-idle, —iw-card-action-hover, —iw-card-action-clicked, —iw-card-nav-idle, —iw-card-nav-hover, —iw-card-nav-clicked	skin: [data-iw-zone-theme="infernal"]	—	○ L1: Generated by build-tools/build-card-buttons.mjs.
3	18	—	html[data-iw-zone-theme="glacial"]	(0,1,1)	6 / 0	—iw-card-action-idle, —iw-card-action-hover, —iw-card-action-clicked, —iw-card-nav-idle, —iw-card-nav-hover, —iw-card-nav-clicked	skin: [data-iw-zone-theme="glacial"]	—	○ L1: Generated by build-tools/build-card-buttons.mjs.
4	26	—	html[data-iw-zone-theme="celestial"]	(0,1,1)	6 / 0	—iw-card-action-idle, —iw-card-action-hover, —iw-card-action-clicked, —iw-card-nav-idle, —iw-card-nav-hover, —iw-card-nav-clicked	skin: [data-iw-zone-theme="celestial"]	—	○ L1: Generated by build-tools/build-card-buttons.mjs.
5	34	—	html[data-iw-zone-theme="lunar-spectral"]	(0,1,1)	6 / 0	—iw-card-action-idle, —iw-card-action-hover, —iw-card-action-clicked, —iw-card-nav-idle, —iw-card-nav-hover, —iw-card-nav-clicked	skin: [data-iw-zone-theme="lunar-spectral"]	—	○ L1: Generated by build-tools/build-card-buttons.mjs.
6	42	—	html[data-iw-zone-theme="runic-arcane"]	(0,1,1)	6 / 0	—iw-card-action-idle, —iw-card-action-hover, —iw-card-action-clicked, —iw-card-nav-idle, —iw-card-nav-hover, —iw-card-nav-clicked	skin: [data-iw-zone-theme="runic-arcane"]	—	○ L1: Generated by build-tools/build-card-buttons.mjs.
7	50	—	html[data-iw-zone-theme="tempest-oceanic"]	(0,1,1)	6 / 0	—iw-card-action-idle, —iw-card-action-hover, —iw-card-action-clicked, —iw-card-nav-idle, —iw-card-nav-hover, —iw-card-nav-clicked	skin: [data-iw-zone-theme="tempest-oceanic"]	—	○ L1: Generated by build-tools/build-card-buttons.mjs.
8	58	—	html[data-iw-zone-theme="verdant"]	(0,1,1)	6 / 0	—iw-card-action-idle, —iw-card-action-hover, —iw-card-action-clicked, —iw-card-nav-idle, —iw-card-nav-hover, —iw-card-nav-clicked	skin: [data-iw-zone-theme="verdant"]	—	○ L1: Generated by build-tools/build-card-buttons.mjs.

#	Line	Context	Selector(s)	Specificity	Decl / !imp	Properties	Hooks	Fragility	Comment
9	66	—	html[data-iw-zone-theme="voidborn"]	(0,1,1)	6 / 0	—iw-card-action-idle, —iw-card-action-hover, —iw-card-action-clicked, —iw-card-nav-idle, —iw-card-nav-hover, —iw-card-nav-clicked	skin: [data-iw-zone-theme="voidborn"]	—	○ L1: Generated by build-tools/build-card-buttons.mjs.

CARD-BUTTONS.CSS — RULE INDEX

Generated by tools/css-inventory.mjs from src/styles/card-buttons.css at commit 059081671bf3 . Do not edit by hand.

Injected as part of <style data-iw-style="skillpanel"> — stylesheet 4 of 7 in injection order, part 5 of 5 in that element's concatenation(src/content.js injectPresentationStyles()).

56 lines · 4,537 bytes · 8 rules · 9 selectors · 31 declarations · 30 !important · 0 @media · 0 @container · 0 @keyframes · 0 @font-face

Columns. *Line* is the rule's first line in the source file at the commit above. *Context* is the enclosing @media / @container / @supports chain. *Specificity* is the highest (id, class, type) of the rule's selector list, computed per Selectors Level 4 (:is()/:not()/:has() take their most specific argument, :where() counts zero). *Decl* is the declaration count; *!imp* the number marked !important . *Properties* lists every property the rule sets, with ! marking !important . *Hooks* separates skin-owned hooks (data-iw-*, data-fs-*, .fs-*, .iw-*, #iw-tip) from game/host hooks (classes, attributes, elements the extension does not own). *Fragility* flags selectors that depend on utility class names, attribute substrings, element position or sibling order. *Comment* is the nearest authored comment for the rule's block (its own when marked ●, otherwise the last one above it in the same block, marked ○).

RULES

#	Line	Context	Selector(s)	Specificity	Decl / !imp	Properties	Hooks	Fragility	Comment
1	4	—	html[data-iw-zone-theme][data-iw-skill-card-design="new"] .compact-panel.fs-skill-panel[data-iw-skill-v2="1"][data-iw-skill-layout][data-iw-skills-ui-ready="1"] button[data-iw-skill-role="action-button"]	(0,8,2)	12 / 12	—fs-motion-idle!, —fs-motion-hover!, —fs-motion-pressed!, —fs-button-background!, —fs-button-border!, —fs-button-shadow!, background-origin!, background-clip!, border-radius!, filter!, transition!, text-shadow!	skin: .fs-skill-panel [data-iw-zone-theme] [data-iw-skill-card-design="new"] [data-iw-skill-v2="1"] [data-iw-skill-layout] [data-iw-skills-ui-ready="1"] [data-iw-skill-role="action-button"] host: .compact-panel button	—	● L1: Square action artwork for the V2 cards.
2	18	—	html[data-iw-zone-theme][data-iw-skill-card-design="new"] .compact-panel.fs-skill-panel[data-iw-skill-v2="1"][data-iw-skill-layout][data-iw-skills-ui-ready="1"] button[data-iw-skill-role="action-button"]::before html[data-iw-zone-theme][data-iw-skill-card-design="new"] .compact-panel.fs-skill-panel[data-iw-skill-v2="1"][data-iw-skill-layout][data-iw-skills-ui-ready="1"] button[data-iw-skill-role="action-button"]::after	max(0,8,3)	2 / 2	inset!, border-radius!	skin: .fs-skill-panel [data-iw-zone-theme] [data-iw-skill-card-design="new"] [data-iw-skill-v2="1"] [data-iw-skill-layout] [data-iw-skills-ui-ready="1"] [data-iw-skill-role="action-button"] host: .compact-panel button	—	○ L1: Square action artwork for the V2 cards.

#	Line	Context	Selector(s)	Specificity	Decl / !imp	Properties	Hooks	Fragility	Comment
3	25	—	html[data-iw-zone-theme][data-iw-skill-card-design="new"] .compact-panel.fs-skill-panel[data-iw-skill-v2="1"][data-iw-skill-layout][data-iw-skills-ui-ready="1"] button[data-iw-skill-role="action-button"] > span[style*="width"]	(0,9,3)	4 / 4	clip-path!, background!, box-shadow!, animation!	skin: .fs-skill-panel [data-iw-zone-theme] [data-iw-skill-card-design="new"] [data-iw-skill-v2="1"] [data-iw-skill-layout] [data-iw-skills-ui-ready="1"] [data-iw-skill-role="action-button"] host: .compact-panel [style*="width"] button span	substring/attribute match [style*="width"]	● L23: Clip the native percentage fill INSIDE the graphic rail.
4	31	—	html[data-iw-zone-theme][data-iw-skill-card-design="new"] .compact-panel.fs-skill-panel[data-iw-skill-v2="1"][data-iw-skill-layout][data-iw-skills-ui-ready="1"] button[data-iw-skill-role="action-button"]:is(:disabled,[aria-disabled="true"],[data-iw-btn-state="disabled"])	(0,9,2)	2 / 2	filter!, opacity!	skin: .fs-skill-panel [data-iw-zone-theme] [data-iw-skill-card-design="new"] [data-iw-skill-v2="1"] [data-iw-skill-layout] [data-iw-skills-ui-ready="1"] [data-iw-skill-role="action-button"] [data-iw-btn-state="disabled"] host: .compact-panel [aria-disabled="true"] button	—	○ L23: Clip the native percentage fill INSIDE the graphic rail.
5	37	—	html[data-iw-zone-theme][data-iw-skill-card-design="new"] .compact-panel.fs-skill-panel[data-iw-skill-v2="1"][data-iw-skill-layout][data-iw-skills-ui-ready="1"] button[data-iw-skill-role="nav-button"][data-iw-nav-direction]	(0,9,2)	7 / 6	—fs-button-background!, —fs-button-border!, —fs-button-shadow!, background-origin!, border-radius!, clip-path, filter!	skin: .fs-skill-panel [data-iw-zone-theme] [data-iw-skill-card-design="new"] [data-iw-skill-v2="1"] [data-iw-skill-layout] [data-iw-skills-ui-ready="1"] [data-iw-skill-role="nav-button"] [data-iw-nav-direction] host: .compact-panel button	—	● L35: The existing directional glyph remains in ::before.
6	46	—	html[data-iw-zone-theme][data-iw-skill-card-design="new"] .compact-panel.fs-skill-panel[data-iw-skill-v2="1"][data-iw-skill-layout][data-iw-skills-ui-ready="1"] button[data-iw-skill-role="nav-button"][data-iw-nav-direction]:not(:disabled):not([aria-disabled="true"]):not([data-iw-btn-state="disabled"]):is(:hover,:focus-visible)	(0,13,2)	1 / 1	—fs-button-background!	skin: .fs-skill-panel [data-iw-zone-theme] [data-iw-skill-card-design="new"] [data-iw-skill-v2="1"] [data-iw-skill-layout] [data-iw-skills-ui-ready="1"] [data-iw-skill-role="nav-button"] [data-iw-nav-direction] [data-iw-btn-state="disabled"] host: .compact-panel [aria-disabled="true"] button	—	○ L35: The existing directional glyph remains in ::before.

#	Line	Context	Selector(s)	Specificity	Decl / !imp	Properties	Hooks	Fragility	Comment
7	49	—	<code>html[data-iw-zone-theme][data-iw-skill-card-design="new"] .compact-panel.fs-skill-panel[data-iw-skill-v2="1"][data-iw-skill-layout][data-iw-skills-ui-ready="1"] button[data-iw-skill-role="nav-button"][data-iw-nav-direction]:not(:disabled):not([aria-disabled="true"]):not([data-iw-btn-state="disabled"]):active</code>	(0,13,2)	1 / 1	<code>—fs-button-background!</code>	skin: <code>.fs-skill-panel [data-iw-zone-theme] [data-iw-skill-card-design="new"] [data-iw-skill-v2="1"] [data-iw-skill-layout] [data-iw-skills-ui-ready="1"] [data-iw-skill-role="nav-button"] [data-iw-nav-direction] [data-iw-btn-state="disabled"]</code> host: <code>.compact-panel [aria-disabled="true"] button</code>	—	○ L35: The existing directional glyph remains in ::before.
8	52	—	<code>html[data-iw-zone-theme][data-iw-skill-card-design="new"] .compact-panel.fs-skill-panel[data-iw-skill-v2="1"][data-iw-skill-layout][data-iw-skills-ui-ready="1"] button[data-iw-skill-role="nav-button"][data-iw-nav-direction]:focus-visible</code>	(0,10,2)	2 / 2	<code>outline!, outline-offset!</code>	skin: <code>.fs-skill-panel [data-iw-zone-theme] [data-iw-skill-card-design="new"] [data-iw-skill-v2="1"] [data-iw-skill-layout] [data-iw-skills-ui-ready="1"] [data-iw-skill-role="nav-button"] [data-iw-nav-direction]</code> host: <code>.compact-panel button</code>	—	○ L35: The existing directional glyph remains in ::before.

HEADER.CSS — RULE INDEX

Generated by tools/css-inventory.mjs from src/styles/header.css at commit 059081671bf3. Do not edit by hand.

Injected as part of <style data-iw-style="header"> — stylesheet 5 of 7 in injection order(src/content.js injectPresentationStyles()).

1046 lines · 49,821 bytes · 81 rules · 98 selectors · 471 declarations · 400 !important · 6 @media · 0 @container · 0 @keyframes · 0 @font-face

Columns. *Line* is the rule's first line in the source file at the commit above. *Context* is the enclosing @media / @container / @supports chain. *Specificity* is the highest(id, class, type) of the rule's selector list, computed per Selectors Level 4 (:is()/:not()/:has() take their most specific argument, :where() counts zero). *Decl* is the declaration count; *!imp* the number marked !important. *Properties* lists every property the rule sets, with ! marking !important. *Hooks* separates skin-owned hooks(data-iw-*, data-fs-*, .fs-*, .iw-*, #iw-tip) from game/host hooks(classes, attributes, elements the extension does not own). *Fragility* flags selectors that depend on utility class names, attribute substrings, element position or sibling order. *Comment* is the nearest authored comment for the rule's block(its own when marked ●, otherwise the last one above it in the same block, marked ○).

RULES

#	Line	Context	Selector(s)	Specificity	Decl / !imp	Properties	Hooks	Fragility	Comment
1	34	—	[data-iw-header="root"] [data-iw-ui="main-nav"] [data-iw-header="announcement"] [data-iw-header="zone-shell"]	max(0,1,0)	8 / 0	—hd-bracket,—hd-bracket-dim,—hd-plate,—hd-rule,—hd-rule-soft,—hd-teal,—hd-teal-dim,—hd-gap	skin: [data-iw-header="root"] [data-iw-ui="main-nav"] [data-iw-header="announcement"] [data-iw-header="zone-shell"]	—	● L32: — §0 Local tokens
2	52	—	[data-iw-header="status-card"] [data-iw-header="utility-button"] [data-iw-ui="zone-action"]	max(0,1,0)	12 / 9	—b,—i,—bc, position!, border!, border-radius!, background-color!, background-repeat!, background-image!, background-size!, background-position!, box-shadow!	skin: [data-iw-header="status-card"] [data-iw-header="utility-button"] [data-iw-ui="zone-action"]	—	● L48: — §1 Corner-bracket plate Eight 1px gradients, two arms per corner.

#	Line	Context	Selector(s)	Specificity	Decl / !imp	Properties	Hooks	Fragility	Comment
3	82	—	<code>[data-iw-header="root"]</code>	(0,1,0)	17 / 17	position!, isolation!, display!, width!, min-width!, max-width!, contain!, min-height!, padding!, border!, border-radius!, overflow!, background-color!, background-image!, background-size!, background-position!, box-shadow!	skin: <code>[data-iw-header="root"]</code>	—	● L80: — §2 Header plate
4	109	—	<code>[data-iw-header="root"] &gt; *</code>	(0,1,0)	2 / 0	position, z-index	skin: <code>[data-iw-header="root"]</code>	—	● L86: Pin the bar to its parent's width so it never tracks its own content.
5	129	—	<code>[data-iw-header="root"] :: after</code>	(0,1,1)	9 / 0	content, position, inset, z-index, pointer-events, border-style, border-width, border-color, border-image	skin: <code>[data-iw-header="root"]</code>	—	● L111: The SAME corner filigree every other framed surface uses — Inventory, Quests, Skill Actions and the activity panels all draw assets/inventory/panel_corners.webp through the identi...
6	146	—	<code>[data-iw-header="layout"]</code>	(0,1,0)	8 / 8	display!, width!, min-width!, grid-template-columns!, align-items!, gap!, min-height!, padding!	skin: <code>[data-iw-header="layout"]</code>	—	● L135: Behind the content: the corners reach further in than the plate's 20px padding, so on top they painted across the status tiles.
7	168	—	<code>[data-iw-header="identity-region"]</code>	(0,1,0)	14 / 14	display!, isolation!, grid-template-columns!, grid-template-areas!, align-items!, justify-self!, align-self!, margin-left!, width!, max-width!, gap!, min-width!, padding!, background!	skin: <code>[data-iw-header="identity-region"]</code>	—	● L166: — §3 Identity region
8	208	—	<code>[data-iw-header="identity-region"] :: before</code>	(0,1,1)	13 / 13	content!, grid-column!, grid-row!, align-self!, z-index!, margin!, border!, border-radius!, background!, box-shadow!, backdrop-filter!, -webkit-backdrop-filter!, pointer-events!	skin: <code>[data-iw-header="identity-region"]</code>	—	● L200: The same smoked-glass panel the buff tiles wear on the right (<code>[data-iw-header="status-card"]</code> , §4b) — translucent dark fill + blur, gold outline + faint glow — drawn behind the cre...
9	230	—	<code>[data-iw-header="identity-region"] &gt; *</code>	(0,1,0)	2 / 2	position!, z-index!	skin: <code>[data-iw-header="identity-region"]</code>	—	● L219: 0.72, not the old 0.42: over the brighter per-zone art the translucent fill let the painting read through the type (Curtis, 2026-09).
10	232	—	<code>.fs-header-crest</code>	(0,1,0)	10 / 8	grid-area!, display!, width!, height!, background-image!, background-size!, background-position!, background-repeat!, filter, pointer-events	skin: <code>.fs-header-crest</code>	—	○ L219: 0.72, not the old 0.42: over the brighter per-zone art the translucent fill let the painting read through the type (Curtis, 2026-09).
11	245	—	<code>[data-iw-header="profile"]</code>	(0,1,0)	4 / 4	grid-area!, min-width!, padding!, background!	skin: <code>[data-iw-header="profile"]</code>	—	○ L219: 0.72, not the old 0.42: over the brighter per-zone art the translucent fill let the painting read through the type (Curtis, 2026-09).
12	252	—	<code>[data-iw-header="brand"]</code>	(0,1,0)	10 / 10	margin!, display!, align-items!, gap!, font-family!, font-size!, font-weight!, letter-spacing!, text-transform!, color!	skin: <code>[data-iw-header="brand"]</code>	—	○ L219: 0.72, not the old 0.42: over the brighter per-zone art the translucent fill let the painting read through the type (Curtis, 2026-09).
13	264	—	<code>[data-iw-header="brand"] :: before</code> <code>[data-iw-header="brand"] :: after</code>	max(0,1,1)	4 / 0	content, width, height, background	skin: <code>[data-iw-header="brand"]</code>	—	○ L219: 0.72, not the old 0.42: over the brighter per-zone art the translucent fill let the painting read through the type (Curtis, 2026-09).

#	Line	Context	Selector(s)	Specificity	Decl / !imp	Properties	Hooks	Fragility	Comment
14	270	—	<code>[data-iw-header="brand"]::after</code>	(0,1,1)	1 / 0	transform	skin: <code>[data-iw-header="brand"]</code>	—	○ L219: 0.72, not the old 0.42: over the brighter per-zone art the translucent fill let the painting read through the type (Curtis, 2026-09).
15	277	—	<code>[data-iw-header="profile-name"]</code>	(0,1,0)	9 / 9	margin!, font-family!, font-size!, font-weight!, line-height!, letter-spacing!, white-space!, overflow!, text-overflow!	skin: <code>[data-iw-header="profile-name"]</code>	—	● L272: Typography only. This used to paint a gold clip-text gradient built on <code>—iw-th-accent</code> , which meant the player's name RECOLOURED with the zone theme — the player's identity is not ...
16	306	—	<code>[data-iw-header="profile-name"] button</code>	(0,1,1)	8 / 8	display!, border!, margin!, padding!, background-color!, box-shadow!, font!, cursor!	skin: <code>[data-iw-header="profile-name"]</code> host: <code>button</code>	—	● L289: The visible "BustedCypher" text is not the h1's own text node — the game wraps it in a nested <code><button title="View your profile"></code> , and it is THAT button which carries the game's ...
17	317	—	<code>[data-iw-header="profile-title"]</code>	(0,1,0)	7 / 7	margin!, font-family!, font-size!, font-weight!, letter-spacing!, text-transform!, color!	skin: <code>[data-iw-header="profile-title"]</code>	—	○ L289: The visible "BustedCypher" text is not the h1's own text node — the game wraps it in a nested <code><button title="View your profile"></code> , and it is THAT button which carries the game's ...
18	327	—	<code>[data-iw-header="profile-meta"]</code>	(0,1,0)	7 / 7	margin-top!, font-size!, line-height!, color!, white-space!, overflow!, text-overflow!	skin: <code>[data-iw-header="profile-meta"]</code>	—	○ L289: The visible "BustedCypher" text is not the h1's own text node — the game wraps it in a nested <code><button title="View your profile"></code> , and it is THAT button which carries the game's ...
19	342	—	<code>[data-iw-header="profile-online"]</code>	(0,1,0)	19 / 19	margin-top!, padding!, border!, border-radius!, background!, background-image!, box-shadow!, text-align!, height!, min-height!, display!, align-items!, gap!, font-family!, font-size!, font-weight!, letter-spacing!, text-transform!, color!	skin: <code>[data-iw-header="profile-online"]</code>	—	● L339: This role lands on a real <code><button></code> in the live DOM, so it arrives wearing the game's (and <code>ui-system.css</code> 's) control chrome.
20	363	—	<code>[data-iw-header="profile-online"]::before</code>	(0,1,1)	7 / 0	content, width, height, border-radius, background, box-shadow, flex	skin: <code>[data-iw-header="profile-online"]</code>	—	○ L339: This role lands on a real <code><button></code> in the live DOM, so it arrives wearing the game's (and <code>ui-system.css</code> 's) control chrome.
21	380	—	<code>[data-iw-header="utilities"]</code>	(0,1,0)	8 / 8	grid-area!, align-self!, display!, align-items!, justify-content!, gap!, margin!, padding!	skin: <code>[data-iw-header="utilities"]</code>	—	● L373: The five header utility buttons form a rail on row 2 of the identity region, directly beneath the smoked-glass frame (§3).
22	391	—	<code>[data-iw-header="utility-button"]</code>	(0,1,0)	15 / 12	<code>—b</code> , <code>—i</code> , flex!, width!, min-width!, height!, min-height!, padding!, display!, place-items!, border-radius!, background-color!, box-shadow!, color!, transition	skin: <code>[data-iw-header="utility-button"]</code>	—	○ L373: The five header utility buttons form a rail on row 2 of the identity region, directly beneath the smoked-glass frame (§3).
23	427	—	<code>[data-iw-header="utility-button"] svg</code>	(0,1,1)	2 / 2	width!, height!	skin: <code>[data-iw-header="utility-button"]</code> host: <code>svg</code>	—	● L416: The tiles read as forged plates; bare bracket ticks on a void made these look unfinished beside them.

#	Line	Context	Selector(s)	Specificity	Decl / !imp	Properties	Hooks	Fragility	Comment
24	428	—	[data-iw-header="utility-button"]:hover	(0,2,0)	5 / 4	—bc, color!, border-color!, background-color!, box-shadow!	skin: [data-iw-header="utility-button"]	—	○ L416: The tiles read as forged plates; bare bracket ticks on a void made these look unfinished beside them.
25	484	—	[data-iw-header="utility-button"]	(0,1,0)	7 / 7	box-sizing!, border!, border-radius!, background!, box-shadow!, backdrop-filter!, -webkit-backdrop-filter!	skin: [data-iw-header="utility-button"]	—	● L479: Matched to the status tiles: the octagonal gold utility_frame plate is dropped for the same smoked-glass panel — translucent fill + blur, gold outline + faint glow, no corner fl...
26	496	—	[data-iw-header="utility-button"] svg	(0,1,1)	2 / 2	width!, height!	skin: [data-iw-header="utility-button"] host: svg	—	○ L479: Matched to the status tiles: the octagonal gold utility_frame plate is dropped for the same smoked-glass panel — translucent fill + blur, gold outline + faint glow, no corner fl...
27	502	—	[data-iw-header="utility-button"]:hover	(0,2,0)	4 / 4	background!, border-color!, box-shadow!, filter!	skin: [data-iw-header="utility-button"]	—	● L498: §4's hover is specificity (0,3,1) and this rule's base is (0,2,1), so the hover background-color and glow survived the plate and painted a dark SQUARE behind an octagonal plate.
28	510	—	[data-iw-header="utility-button"]	(0,1,0)	1 / 0	transition	skin: [data-iw-header="utility-button"]	—	○ L498: §4's hover is specificity (0,3,1) and this rule's base is (0,2,1), so the hover background-color and glow survived the plate and painted a dark SQUARE behind an octagonal plate.
29	518	—	[data-iw-header="status-card"]	(0,1,0)	8 / 8	box-sizing!, border!, border-image!, border-radius!, background!, box-shadow!, backdrop-filter!, -webkit-backdrop-filter!	skin: [data-iw-header="status-card"]	—	● L512: Low-profile status tiles.
30	545	—	[data-iw-header="status-grid"] [data-iw-header-stat="gold"]	(0,2,0)	1 / 1	grid-area!	skin: [data-iw-header="status-grid"] [data-iw-header-stat="gold"]	—	● L534: — §5a Vitals / timers split Six equal boxes gave the eye nothing to hold on to, and the widest value (" ⚡ <player> boosted (3/4) · 1d 8h left") never fit one of them.
31	551	—	[data-iw-header="status-grid"] [data-iw-header-stat="timer"] [data-iw-header="status-grid"] [data-iw-header-stat="other"]	max(0,2,0)	1 / 1	grid-column!	skin: [data-iw-header="status-grid"] [data-iw-header-stat="timer"] [data-iw-header-stat="other"]	—	● L549: Anything that is not a vital shares the buff column, so an unrecognised tile still appears rather than being dropped out of the layout.
32	556	—	[data-iw-header="status-grid"] [data-iw-header-stat="gold"]	(0,2,0)	2 / 2	font-family!, font-variant-numeric!	skin: [data-iw-header="status-grid"] [data-iw-header-stat="gold"]	—	○ L549: Anything that is not a vital shares the buff column, so an unrecognised tile still appears rather than being dropped out of the layout.
33	562	—	[data-iw-header="status-grid"] [data-iw-header-stat="timer"]	(0,2,0)	3 / 3	min-height!, font-size!, color!	skin: [data-iw-header="status-grid"] [data-iw-header-stat="timer"]	—	● L560: Buffs are secondary: smaller, quieter, and they get the room to stay on one line.

#	Line	Context	Selector(s)	Specificity	Decl / !imp	Properties	Hooks	Fragility	Comment
34	581	@media (min-width: 861px)	[data-iw-header="status-grid"] [data-iw-header-stat="gold"] [data-iw-header="status-grid"]:not(:has([data-iw-header-stat="boost"])) [data-iw-header-stat="combat"] [data-iw-header="status-grid"]:has([data-iw-header-stat="boost"]) [data-iw-header-stat="boost"]	max(0,3,0)	5 / 5	justify-content!, text-align!, font-size!, letter-spacing!, color!	skin: [data-iw-header="status-grid"] [data-iw-header-stat="gold"] [data-iw-header-stat="boost"] [data-iw-header-stat="combat"]	—	—
35	590	@media (min-width: 861px)	[data-iw-header="status-grid"]:not(:has([data-iw-header-stat="boost"])) [data-iw-header-stat="combat"] [data-iw-header="status-grid"]:has([data-iw-header-stat="boost"]) [data-iw-header-stat="boost"]	max(0,3,0)	1 / 1	grid-area!	skin: [data-iw-header="status-grid"] [data-iw-header-stat="boost"] [data-iw-header-stat="combat"]	—	—
36	596	@media (min-width: 861px)	[data-iw-header="status-grid"]:has([data-iw-header-stat="boost"]) [data-iw-header-stat="boost"]	(0,3,0)	2 / 2	padding!, line-height!	skin: [data-iw-header="status-grid"] [data-iw-header-stat="boost"]	—	● L594: The boost plaque: let the line breathe so the charge counter and countdown have room, and keep the leading ⚡ + name off the frame.
37	601	@media (min-width: 861px)	[data-iw-header="status-grid"]:has([data-iw-header-stat="boost"]) [data-iw-header-stat="combat"]	(0,3,0)	5 / 5	grid-area!, grid-column!, min-height!, font-size!, color!	skin: [data-iw-header="status-grid"] [data-iw-header-stat="boost"] [data-iw-header-stat="combat"]	—	● L600: ATK/DEF/HP as a buff row while the boost holds the plaque.

#	Line	Context	Selector(s)	Specificity	Decl / !imp	Properties	Hooks	Fragility	Comment
38	610	—	[data-iw-header="status-grid"]	(0,1,0)	10 / 10	display!, grid-template-columns!, grid-template-rows!, align-content!, gap!, justify-self!, width!, max-width!, min-width!, padding!	skin: [data-iw-header="status-grid"]	—	○ L560: Buffs are secondary: smaller, quieter, and they get the room to stay on one line.
39	633	—	[data-iw-header="status-card"]	(0,1,0)	16 / 16	min-width!, min-height!, display!, align-items!, justify-content!, gap!, padding!, text-align!, font-family!, font-size!, font-weight!, line-height!, color!, white-space!, overflow-wrap!, overflow!	skin: [data-iw-header="status-card"]	—	● L620: Minimum viable width at the right edge, NOT the whole 38fr track: a fixed 420px is just wide enough for the two single-line tiles ("ATK ... DEF ... HP ...", "XP .../task • ... left") with t...
40	657	—	[data-iw-header="status-card"] > *	(0,1,0)	1 / 0	min-width	skin: [data-iw-header="status-card"]	—	● L649: A tile can carry another player's name (" ⚡ Matthais64 boosted (3/4) · 1d 8h left" needed 267px inside a 225px box), so no font size guarantees a single line.
41	661	—	[data-iw-ui="main-nav-shell"]	(0,1,0)	5 / 5	margin-top!, padding!, border!, background!, box-shadow!	skin: [data-iw-ui="main-nav-shell"]	—	● L659: — §6 Navigation rail
42	669	—	[data-iw-ui="main-nav"]	(0,1,0)	12 / 12	position!, display!, align-items!, gap!, min-height!, padding!, overflow!, border!, border-radius!, background-color!, background-image!, box-shadow!	skin: [data-iw-ui="main-nav"]	—	○ L659: — §6 Navigation rail
43	684	—	[data-iw-ui="nav-tab"]	(0,1,0)	23 / 22	flex!, display!, align-items!, justify-content!, gap!, height!, min-height!, margin!, padding!, border!, border-right!, border-radius!, background!, box-shadow!, font-family!, font-size!, font-weight!, letter-spacing!, text-transform!, white-space!, color!, text-shadow!, transition	skin: [data-iw-ui="nav-tab"]	—	○ L659: — §6 Navigation rail
44	709	—	[data-iw-ui="nav-tab"]:hover	(0,2,0)	2 / 2	color!, background-color!	skin: [data-iw-ui="nav-tab"]	—	○ L659: — §6 Navigation rail
45	714	—	[data-iw-ui="nav-tab"] [data-iw-state="active"]	(0,2,0)	5 / 5	color!, border-left!, border-right!, background-image!, box-shadow!	skin: [data-iw-ui="nav-tab"] [data-iw-state="active"]	—	○ L659: — §6 Navigation rail
46	725	—	[data-iw-ui="nav-tab"]:first-child	(0,2,0)	1 / 1	border-left!	skin: [data-iw-ui="nav-tab"]	position-dependent :first-child	○ L659: — §6 Navigation rail
47	729	—	[data-iw-header="announcement"]	(0,1,0)	15 / 15	box-sizing!, display!, align-items!, gap!, height!, min-height!, margin!, padding!, border!, border-radius!, background-color!, background-image!, box-shadow!, font-size!, color!	skin: [data-iw-header="announcement"]	—	● L727: — §7 Announcement bar
48	756	—	[data-iw-header="announcement"]::before	(0,1,1)	7 / 1	content!, flex, width, height, background, clip-path, filter	skin: [data-iw-header="announcement"]	—	● L754: Four-point star, drawn rather than cropped out of a 2148px sheet — a fixed background-position into that sheet breaks on any re-export.

#	Line	Context	Selector(s)	Specificity	Decl / !imp	Properties	Hooks	Fragility	Comment
49	767	—	<code>[data-iw-header="zone-shell"]</code>	(0,1,0)	14 / 14	position!, isolation!, display!, align-items!, flex-wrap!, gap!, min-height!, padding!, border!, border-radius!, overflow!, background-color!, background-image!, box-shadow!	skin: <code>[data-iw-header="zone-shell"]</code>	—	● L765: — §8 Zone bar
50	783	—	<code>[data-iw-header="zone-shell"] &gt; *</code>	(0,1,0)	2 / 0	position, z-index	skin: <code>[data-iw-header="zone-shell"]</code>	—	○ L765: — §8 Zone bar
51	790	—	<code>[data-iw-header="zone-shell"] &gt; :has([data-iw-ui="zone-title"])</code>	(0,2,0)	8 / 8	display!, flex!, flex-wrap!, align-items!, column-gap!, row-gap!, min-width!, margin!	skin: <code>[data-iw-header="zone-shell"]</code> <code>[data-iw-ui="zone-title"]</code>	—	● L785: The title+target wrapper (whichever untagged node the game wraps them in) is pulled into one baseline row, with the target line only dropping to its own row when the shell is too ...
52	806	—	<code>[data-iw-ui="zone-title"]</code> <code>[data-iw-ui="zone-title"] ~ *</code>	max(0,1,0)	1 / 1	margin!	skin: <code>[data-iw-ui="zone-title"]</code>	sibling combinator	● L800: The title and the target line are the game's own <p>s, which carry a UA default block margin (~1em top/bottom).
53	818	—	<code>[data-iw-ui="zone-title"] ~ :not([data-iw-zone-link])</code>	(0,2,0)	4 / 4	position!, padding-left!, font-size!, color!	skin: <code>[data-iw-ui="zone-title"]</code> <code>[data-iw-zone-link]</code>	sibling combinator	● L815: <code>:not([data-iw-zone-link])</code> : "who's here?" can be the title's sibling too, and it is a text link in the game's own colour, not target copy to dim and divide (ui-system.css, [data...
54	824	—	<code>[data-iw-ui="zone-title"] ~ :not([data-iw-zone-link]) :: before</code>	(0,2,1)	8 / 8	content!, position!, left!, top!, transform!, width!, height!, background!	skin: <code>[data-iw-ui="zone-title"]</code> <code>[data-iw-zone-link]</code>	sibling combinator	○ L815: <code>:not([data-iw-zone-link])</code> : "who's here?" can be the title's sibling too, and it is a text link in the game's own colour, not target copy to dim and divide (ui-system.css, [data...
55	837	—	<code>[data-iw-header="zone-shell"] &gt; :not(:has([data-iw-ui="zone-title"])))</code>	(0,2,0)	4 / 4	margin-left!, display!, flex-wrap!, gap!	skin: <code>[data-iw-header="zone-shell"]</code> <code>[data-iw-ui="zone-title"]</code>	—	● L834: The action group sits at the shell's far end without needing its own wrapper role: everything that is NOT the title+target branch, in a shell that only ever holds those two branch...
56	846	—	<code>[data-iw-header="zone-shell"] :: before</code>	(0,1,1)	13 / 0	content, position, inset, z-index, background-image, background-size, background-position, opacity, pointer-events, -webkit-mask-image, -webkit-mask-composite, mask-image, mask-composite	skin: <code>[data-iw-header="zone-shell"]</code>	—	● L844: The moonlit scene sits behind the middle only and never under the text or the buttons: two masks intersected, so it fades on all four edges.
57	866	—	<code>[data-iw-ui="zone-title"]</code>	(0,1,0)	6 / 6	font-family!, font-size!, font-weight!, letter-spacing!, color!, text-shadow!	skin: <code>[data-iw-ui="zone-title"]</code>	—	○ L844: The moonlit scene sits behind the middle only and never under the text or the buttons: two masks intersected, so it fades on all four edges.
58	880	—	<code>[data-iw-ui="zone-action"]</code>	(0,1,0)	15 / 13	—b, display!, align-items!, justify-content!, gap!, min-width!, min-height!, height!, padding!, font-family!, font-weight!, letter-spacing!, text-transform!, color!, transition	skin: <code>[data-iw-ui="zone-action"]</code>	—	● L875: Sizing here is kept in step with ui-system.css's own <code>[data-iw-ui="zone-action"]</code> rule (min-height/padding/font-size/letter-spacing) — that sheet is injected LAST so it wins ties...

#	Line	Context	Selector(s)	Specificity	Decl / !imp	Properties	Hooks	Fragility	Comment
59	897	—	<code>[data-iw-ui="zone-action"]:hover</code>	(0,2,0)	1 / 0	filter	skin: <code>[data-iw-ui="zone-action"]</code>	—	○ L875: Sizing here is kept in step with ui-system.css's own <code>[data-iw-ui="zone-action"]</code> rule (min-height/padding/font-size/letter-spacing) — that sheet is injected LAST so it wins ties...
60	902	—	<code>[data-iw-ui="zone-action"][data-iw-zone-action="zones"]</code> <code>[data-iw-ui="zone-action"]:first-of-type</code>	max(0,2,0)	5 / 4	—bc, color!, border-color!, background-color!, box-shadow!	skin: <code>[data-iw-ui="zone-action"]</code> <code>[data-iw-zone-action="zones"]</code>	position-dependent :first-of-type	● L899: Tone. data-iw-zone-action is the robust hook (see the HeaderRenderer patch shipped alongside this file); the :first/:last fallbacks keep the tones correct if that patch is not app...
61	915	—	<code>[data-iw-ui="zone-action"][data-iw-zone-action="next"]</code> <code>[data-iw-ui="zone-action"]:last-of-type</code>	max(0,2,0)	8 / 8	color!, border!, background-color!, background-image!, background-size!, background-position!, box-shadow!, text-shadow!	skin: <code>[data-iw-ui="zone-action"]</code> <code>[data-iw-zone-action="next"]</code>	position-dependent :last-of-type	● L910: NEXT ZONE is the emphasised forward action.
62	941	<code>@media (max-width: 1280px)</code>	<code>[data-iw-header="layout"]</code>	(0,1,0)	2 / 2	grid-template-columns!, gap!	skin: <code>[data-iw-header="layout"]</code>	—	—
63	942	<code>@media (max-width: 1280px)</code>	<code>[data-iw-header="status-grid"]</code>	(0,1,0)	1 / 1	margin-top!	skin: <code>[data-iw-header="status-grid"]</code>	—	—
64	947	<code>@media (max-width: 1280px)</code>	<code>[data-iw-header="identity-region"]</code>	(0,1,0)	4 / 4	justify-self!, width!, max-width!, margin-left!	skin: <code>[data-iw-header="identity-region"]</code>	—	● L943: Single column now — let the framed identity block span it instead of hugging one edge above a full-width status grid.
65	948	<code>@media (max-width: 1280px)</code>	<code>[data-iw-header="utilities"]</code>	(0,1,0)	2 / 2	justify-content!, margin!	skin: <code>[data-iw-header="utilities"]</code>	—	○ L943: Single column now — let the framed identity block span it instead of hugging one edge above a full-width status grid.
66	955	<code>@media (max-width: 1280px)</code>	<code>[data-iw-header="utility-button"]</code>	(0,1,0)	3 / 3	width!, min-width!, flex!	skin: <code>[data-iw-header="utility-button"]</code>	—	● L949: The buttons themselves now flex-grow by default (§4 above) — restore the original fixed 42px square specifically for this band, or growing them across the now bar-wide identity-re...
67	959	<code>@media (max-width: 860px)</code>	<code>[data-iw-header="root"]</code>	(0,1,0)	1 / 1	padding!	skin: <code>[data-iw-header="root"]</code>	—	—
68	960	<code>@media (max-width: 860px)</code>	<code>[data-iw-header="identity-region"]</code>	(0,1,0)	3 / 3	grid-template-columns!, grid-template-areas!, gap!	skin: <code>[data-iw-header="identity-region"]</code>	—	—
69	965	<code>@media (max-width: 860px)</code>	<code>.fs-header-crest</code>	(0,1,0)	2 / 2	width!, height!	skin: <code>.fs-header-crest</code>	—	—

#	Line	Context	Selector(s)	Specificity	Decl / !imp	Properties	Hooks	Fragility	Comment
70	976	@media (max-width: 860px)	[data-iw-header="utilities"]	(0,1,0)	2 / 2	justify-content!, margin!	skin: [data-iw-header="utilities"]	—	● L966: Curtis(2026-09): flush to the frame's edges, buttons wide with only a slight gap — not clustered left with a bare gap on the right.
71	983	@media (max-width: 860px)	[data-iw-header="utility-button"]	(0,1,0)	3 / 3	flex!, width!, min-width!	skin: [data-iw-header="utility-button"]	—	● L977: §4's flex-grow default was explicitly turned back into a fixed 42px square for the 861-1280px band just above (its row is bar-wide there, and growing across it would produce overs...
72	999	@media (max-width: 860px)	[data-iw-header="status-grid"]	(0,1,0)	4 / 4	grid-template-columns!, grid-template-rows!, width!, justify-self!	skin: [data-iw-header="status-grid"]	—	● L988: Two equal columns, plain auto-flow in DOM order — matches the live game's own mobile header (Curtis, 2026-09: reference capture showed gold/XP, ATK-DEF-HP/no-ATK-potion, no-DEF-po...
73	1005	@media (max-width: 860px)	[data-iw-header="status-grid"] [data-iw-header-stat]	(0,2,0)	2 / 2	grid-area!, grid-column!	skin: [data-iw-header="status-grid"] [data-iw-header-stat]	—	○ L988: Two equal columns, plain auto-flow in DOM order — matches the live game's own mobile header (Curtis, 2026-09: reference capture showed gold/XP, ATK-DEF-HP/no-ATK-potion, no-DEF-po...
74	1009	@media (max-width: 860px)	[data-iw-header="status-grid"] [data-iw-header-stat="gold"] [data-iw-header="status-grid"] [data-iw-header-stat="combat"] [data-iw-header="status-grid"] [data-iw-header-stat="boost"]	max(0,2,0)	2 / 2	justify-content!, font-size!	skin: [data-iw-header="status-grid"] [data-iw-header-stat="gold"] [data-iw-header-stat="combat"] [data-iw-header-stat="boost"]	—	○ L988: Two equal columns, plain auto-flow in DOM order — matches the live game's own mobile header (Curtis, 2026-09: reference capture showed gold/XP, ATK-DEF-HP/no-ATK-potion, no-DEF-po...
75	1015	@media (max-width: 860px)	[data-iw-ui="nav-tab"]	(0,1,0)	3 / 3	padding!, font-size!, gap!	skin: [data-iw-ui="nav-tab"]	—	○ L988: Two equal columns, plain auto-flow in DOM order — matches the live game's own mobile header (Curtis, 2026-09: reference capture showed gold/XP, ATK-DEF-HP/no-ATK-potion, no-DEF-po...
76	1016	@media (max-width: 860px)	[data-iw-ui="zone-action"]	(0,1,0)	2 / 2	flex!, padding!	skin: [data-iw-ui="zone-action"]	—	○ L988: Two equal columns, plain auto-flow in DOM order — matches the live game's own mobile header (Curtis, 2026-09: reference capture showed gold/XP, ATK-DEF-HP/no-ATK-potion, no-DEF-po...
77	1028	@media (max-width: 768px)	[data-iw-header="root"]	(0,1,0)	1 / 1	background-image!	skin: [data-iw-header="root"]	—	—
78	1034	@media (max-width: 560px)	[data-iw-ui="main-nav"]	(0,1,0)	2 / 1	overflow-x!, scrollbar-width	skin: [data-iw-ui="main-nav"]	—	—

#	Line	Context	Selector(s)	Specificity	Decl / !imp	Properties	Hooks	Fragility	Comment
79	1035	@media (max-width: 560px)	[data-iw-ui="main-nav"]::-webkit-scrollbar	(0,1,1)	1 / 0	display	skin: [data-iw-ui="main-nav"]	—	—
80	1036	@media (max-width: 560px)	[data-iw-ui="nav-tab"]	(0,1,0)	1 / 1	flex!	skin: [data-iw-ui="nav-tab"]	—	—
81	1042	@media (prefers-reduced-motion: reduce)	[data-iw-header="utility-button"] [data-iw-ui="nav-tab"] [data-iw-ui="zone-action"]	max(0,1,0)	1 / 0	transition	skin: [data-iw-header="utility-button"] [data-iw-ui="nav-tab"] [data-iw-ui="zone-action"]	—	—

OVERLAY.CSS — RULE INDEX

Generated by tools/css-inventory.mjs from src/styles/overlay.css at commit 059081671bf3. Do not edit by hand.

Injected as part of <style data-iw-style="overlay"> — stylesheet 6 of 7 in injection order (src/content.js injectPresentationStyles()).

56 lines · 3,019 bytes · 2 rules · 2 selectors · 11 declarations · 11 !important · 0 @media · 0 @container · 0 @keyframes · 0 @font-face

Columns. *Line* is the rule's first line in the source file at the commit above. *Context* is the enclosing @media / @container / @supports chain. *Specificity* is the highest (id, class, type) of the rule's selector list, computed per Selectors Level 4 (:is()/:not()/:has() take their most specific argument, :where() counts zero). *Decl* is the declaration count; *!imp* the number marked !important. *Properties* lists every property the rule sets, with ! marking !important. *Hooks* separates skin-owned hooks (data-iw-*, data-fs-*, .fs-*, .iw-*, #iw-tip) from game/host hooks (classes, attributes, elements the extension does not own). *Fragility* flags selectors that depend on utility class names, attribute substrings, element position or sibling order. *Comment* is the nearest authored comment for the rule's block (its own when marked ●, otherwise the last one above it in the same block, marked ○).

RULES

#	Line	Context	Selector(s)	Specificity	Decl / !imp	Properties	Hooks	Fragility	Comment
1	21	—	[data-iw-overlay="scrim"]	(0,1,0)	3 / 3	background!, backdrop-filter!, -webkit-backdrop-filter!	skin: [data-iw-overlay="scrim"]	—	● L1: overlay.css — generic pop-up / modal chrome OverlayFramer.js tags the game's floating dialogs from structure (a viewport-covering position: fixed layer that reads as a backdrop...
2	30	—	[data-iw-overlay="panel"]	(0,1,0)	8 / 8	isolation!, border!, border-image!, border-radius!, background!, background-blend-mode!, background-attachment!, box-shadow!	skin: [data-iw-overlay="panel"]	—	● L22: The game already ships a dark translucent fill + blur here; deepen it a touch so it matches the skin's other smoked-glass chrome.

UI-SYSTEM.CSS — RULE INDEX

Generated by tools/css-inventory.mjs from src/styles/ui-system.css at commit 059081671bf3. Do not edit by hand.

Injected as part of <style data-iw-style="ui-system"> — stylesheet 7 of 7 in injection order, part 1 of 4 in that element's concatenation (src/modules/UIFoundation.js injectUIFoundationStyles()).

2461 lines · 115,101 bytes · 350 rules · 406 selectors · 1321 declarations · 720 !important · 17 @media · 0 @container · 8 @keyframes · 0 @font-face

Columns. *Line* is the rule's first line in the source file at the commit above. *Context* is the enclosing @media / @container / @supports chain. *Specificity* is the highest (id, class, type) of the rule's selector list, computed per Selectors Level 4 (:is() / :not() / :has() take their most specific argument, :where() counts zero). *Decl* is the declaration count; *!imp* the number marked !important. *Properties* lists every property the rule sets, with ! marking !important. *Hooks* separates skin-owned hooks (data-iw-*, data-fs-*, .fs-*, .iw-*, #iw-tip) from game/host hooks (classes, attributes, elements the extension does not own). *Fragility* flags selectors that depend on utility class names, attribute substrings, element position or sibling order. *Comment* is the nearest authored comment for the rule's block (its own when marked ●, otherwise the last one above it in the same block, marked ○).

④KEYFRAMES

Line	Name	Steps
1473	iw-quest-ready-settle	0% · 42% · 100%
1806	iw-control-resting-light	0%, 100% · 46%
1810	iw-control-captured-aura	0%, 100% · 47%
1814	iw-control-filament-red	0%, 12% · 24% · 36% · 49% · 65%, 100%
1821	iw-control-filament-blue	0%, 21% · 34% · 53% · 67% · 81%, 100%
1828	iw-control-crystal-flow	0%, 100% · 29% · 64%
1833	iw-control-crystal-undertow	0%, 100% · 41% · 73%
1838	iw-control-meter-current	0%, 17% · 39% · 76%, 100%

RULES

#	Line	Context	Selector(s)	Specificity	Decl / !imp	Properties	Hooks	Fragility	Comment
1	8	—	:root	(0,1,0)	11 / 0	—iw-space-1, —iw-space-2, —iw-space-3, —iw-space-4, —iw-space-5, —iw-control-h, —iw-control-h-lg, —iw-frame-title-size, —iw-frame-edge, —iw-frame-inner, —iw-steel	—	—	● L1: IdleWorlds Fantasy Skin — shared UI and navigation refinement The shared language is deliberately dense: forged rails, restrained brass, flat data, compact controls.
2	44	—	:is([data-iw-ui="section-frame"], [data-iw-inventory-root="1"], .fs-skills-section-frame[data-iw-skills-ui-ready="1"]):not(:has(:is([data-iw-ui="section-frame"], [data-iw-inventory-root="1"], .fs-skills-section-frame[data-iw-skills-ui-ready="1"]))) :not([data-iw-chrome="nav"])	(0,5,0)	8 / 8	position!, isolation!, border!, border-radius!, padding!, background!, background-blend-mode!, box-shadow!	skin: .fs-skills-section-frame [data-iw-ui="section-frame"] [data-iw-inventory-root="1"] [data-iw-skills-ui-ready="1"] [data-iw-chrome="nav"]	—	● L28:  Shared forged frame ONE treatment for every panel the skin frames, so Inventory, Quests, Market, Skill Actions and the rest read as the same object.
3	67	—	:is([data-iw-ui="section-frame"], [data-iw-inventory-root="1"], .fs-skills-section-frame[data-iw-skills-ui-ready="1"]):not(:has(:is([data-iw-ui="section-frame"], [data-iw-inventory-root="1"], .fs-skills-section-frame[data-iw-skills-ui-ready="1"]))) :not([data-iw-chrome="nav"]):before	(0,5,1)	10 / 10	content!, position!, z-index!, pointer-events!, left!, right!, top!, height!, background!, opacity!	skin: .fs-skills-section-frame [data-iw-ui="section-frame"] [data-iw-inventory-root="1"] [data-iw-skills-ui-ready="1"] [data-iw-chrome="nav"]	—	● L66: Gold hairline across the head of the frame.
4	100	—	:is([data-iw-ui="section-frame"], [data-iw-inventory-root="1"], .fs-skills-section-frame[data-iw-skills-ui-ready="1"]):not(:has(:is([data-iw-ui="section-frame"], [data-iw-inventory-root="1"], .fs-skills-section-frame[data-iw-skills-ui-ready="1"]))) :not([data-iw-collapsed="1"]):not(:has([data-iw-ui="nav-tab"])):after	(0,6,1)	9 / 9	content!, position!, inset!, z-index!, pointer-events!, border-style!, border-width!, border-color!, border-image!	skin: .fs-skills-section-frame [data-iw-ui="section-frame"] [data-iw-inventory-root="1"] [data-iw-skills-ui-ready="1"] [data-iw-collapsed="1"] [data-iw-ui="nav-tab"]	—	● L87: The main-nav rail is a .panel too (CLAUDE.md), so it is NOT excluded by ownedElsewhere and classifySectionFrames it just like Inventory or Quests — which is why it carr...

#	Line	Context	Selector(s)	Specificity	Decl / !imp	Properties	Hooks	Fragility	Comment
5	131	—	:is([data-iw-ui="section-frame"], [data-iw-inventory-root="1"], .fs-skills-section-frame[data-iw-skills-ui-ready="1"]):not(:has(:is([data-iw-ui="section-frame"], [data-iw-inventory-root="1"], .fs-skills-section-frame[data-iw-skills-ui-ready="1"]))) > *	(0,4,0)	2 / 0	position, z-index	skin: .fs-skills-section-frame [data-iw-ui="section-frame"] [data-iw-inventory-root="1"] [data-iw-skills-ui-ready="1"]	—	• L130: Panel content sits above both ornaments.
6	137	@media (max-width: 1024px)	:is([data-iw-ui="section-frame"], [data-iw-inventory-root="1"], .fs-skills-section-frame[data-iw-skills-ui-ready="1"]):not(:has(:is([data-iw-ui="section-frame"], [data-iw-inventory-root="1"], .fs-skills-section-frame[data-iw-skills-ui-ready="1"]))) :not([data-iw-chrome="nav"])	(0,5,0)	1 / 1	padding!	skin: .fs-skills-section-frame [data-iw-ui="section-frame"] [data-iw-inventory-root="1"] [data-iw-skills-ui-ready="1"] [data-iw-chrome="nav"]	—	—
7	140	@media (max-width: 1024px)	:is([data-iw-ui="section-frame"], [data-iw-inventory-root="1"], .fs-skills-section-frame[data-iw-skills-ui-ready="1"]):not(:has(:is([data-iw-ui="section-frame"], [data-iw-inventory-root="1"], .fs-skills-section-frame[data-iw-skills-ui-ready="1"]))) :not([data-iw-collapsed="1"]):not(:has([data-iw-ui="nav-tab"])) :: after	(0,6,1)	2 / 2	border-width!, border-image-width!	skin: .fs-skills-section-frame [data-iw-ui="section-frame"] [data-iw-inventory-root="1"] [data-iw-skills-ui-ready="1"] [data-iw-collapsed="1"] [data-iw-ui="nav-tab"]	—	—
8	151	—	:is([data-iw-ui="section-frame"], [data-iw-inventory-root="1"], .fs-skills-section-frame[data-iw-skills-ui-ready="1"]):not(:has(:is([data-iw-ui="section-frame"], [data-iw-inventory-root="1"], .fs-skills-section-frame[data-iw-skills-ui-ready="1"]))) :has([data-iw-ui="nav-tab"])	(0,5,0)	4 / 0	—iw-frame-pad-y, —iw-frame-pad-x, —iw-frame-pad-mobile-y, —iw-frame-pad-mobile-x	skin: .fs-skills-section-frame [data-iw-ui="section-frame"] [data-iw-inventory-root="1"] [data-iw-skills-ui-ready="1"] [data-iw-ui="nav-tab"]	—	• L146: The rail's own frame: padding sized for one row of 32px tabs rather than a paragraph of prose.
9	164	—	:is([data-iw-ui="section-frame"], [data-iw-inventory-root="1"], .fs-skills-section-frame[data-iw-skills-ui-ready="1"]):has(:is([data-iw-ui="section-frame"], [data-iw-inventory-root="1"], .fs-skills-section-frame[data-iw-skills-ui-ready="1"])))	(0,4,0)	6 / 6	border!, border-radius!, padding!, background!, box-shadow!, isolation!	skin: .fs-skills-section-frame [data-iw-ui="section-frame"] [data-iw-inventory-root="1"] [data-iw-skills-ui-ready="1"]	—	• L159: A framed element that CONTAINS another framed element is a layout column — the two-column grid, or the wrapper holding Inventory above Quests — not a panel.

#	Line	Context	Selector(s)	Specificity	Decl / !imp	Properties	Hooks	Fragility	Comment
10	172	—	:is([data-iw-ui="section-frame"], [data-iw-inventory-root="1"], .fs-skills-section-frame[data-iw-skills-ui-ready="1"]):has(:is([data-iw-ui="section-frame"], [data-iw-inventory-root="1"], .fs-skills-section-frame[data-iw-skills-ui-ready="1"]))::before :is([data-iw-ui="section-frame"], [data-iw-inventory-root="1"], .fs-skills-section-frame[data-iw-skills-ui-ready="1"]):has(:is([data-iw-ui="section-frame"], [data-iw-inventory-root="1"], .fs-skills-section-frame[data-iw-skills-ui-ready="1"]))::after	max(0,4,1)	4 / 4	content!, display!, border!, background!	skin: .fs-skills-section-frame [data-iw-ui="section-frame"] [data-iw-inventory-root="1"] [data-iw-skills-ui-ready="1"]	—	○ L159: A framed element that CONTAINS another framed element is a layout column — the two-column grid, or the wrapper holding Inventory above Quests — not a panel.
11	180	—	[data-iw-ui="section-title"]	(0,1,0)	5 / 5	font-family!, font-size!, letter-spacing!, color!, text-shadow!	skin: [data-iw-ui="section-title"]	—	○ L159: A framed element that CONTAINS another framed element is a layout column — the two-column grid, or the wrapper holding Inventory above Quests — not a panel.
12	192	—	[data-iw-skill-boost="1"]	(0,1,0)	10 / 10	display!, width!, max-width!, margin-block!, padding!, border!, border-left!, border-radius!, background!, color!	skin: [data-iw-skill-boost="1"]	—	● L188: The Skill Actions "Daily XP Boost ... +20% XP" line (UIFoundation .classifyDailyBoost), framed with the same recipe as a MET requirement cell on a skill card (skillcard-v2.css`.iw-...
13	204	—	[data-iw-skill-boost="1"] *	(0,1,0)	1 / 1	color!	skin: [data-iw-skill-boost="1"]	—	○ L188: The Skill Actions "Daily XP Boost ... +20% XP" line (UIFoundation .classifyDailyBoost), framed with the same recipe as a MET requirement cell on a skill card (skillcard-v2.css`.iw-...
14	210	—	[data-iw-panel]	(0,1,0)	10 / 6	-iw-frame-pad-y, -iw-frame-pad-x, -iw-frame-pad-mobile-y, -iw-frame-pad-mobile-x, display!, flex-direction!, gap!, min-width!, font-family!, color!	skin: [data-iw-panel]	—	● L206: — Activity surfaces Current Action, Action Log, and World Chat share the major forged frame, but stay denser than inventory/quest content.

#	Line	Context	Selector(s)	Specificity	Decl / !imp	Properties	Hooks	Fragility	Comment
15	223	—	[data-iw-panel] * [data-iw-panel] *::before [data-iw-panel] *::after	max(0,1,1)	1 / 0	box-sizing	skin: [data-iw-panel]	—	○ L206: — Activity surfaces Current Action, Action Log, and World Chat share the major forged frame, but stay denser than inventory/quest content.
16	227	—	[data-iw-panel][data-iw-panel-header="split"]	(0,2,0)	2 / 2	display!, grid-template-columns!	skin: [data-iw-panel] [data-iw-panel-header="split"]	—	○ L206: — Activity surfaces Current Action, Action Log, and World Chat share the major forged frame, but stay denser than inventory/quest content.
17	231	—	[data-iw-panel][data-iw-panel-header="split"] > *	(0,2,0)	1 / 0	grid-column	skin: [data-iw-panel] [data-iw-panel-header="split"]	—	○ L206: — Activity surfaces Current Action, Action Log, and World Chat share the major forged frame, but stay denser than inventory/quest content.
18	232	—	[data-iw-panel][data-iw-panel-header="split"] > [data-iw-panel-part="header-title"]	(0,3,0)	3 / 3	grid-column!, grid-row!, min-width!	skin: [data-iw-panel] [data-iw-panel-header="split"] [data-iw-panel-part="header-title"]	—	○ L206: — Activity surfaces Current Action, Action Log, and World Chat share the major forged frame, but stay denser than inventory/quest content.
19	237	—	[data-iw-panel][data-iw-panel-header="split"] > [data-iw-panel-part="header-tools"]	(0,3,0)	6 / 6	grid-column!, grid-row!, display!, align-items!, justify-content!, gap!	skin: [data-iw-panel] [data-iw-panel-header="split"] [data-iw-panel-part="header-tools"]	—	○ L206: — Activity surfaces Current Action, Action Log, and World Chat share the major forged frame, but stay denser than inventory/quest content.
20	246	—	[data-iw-panel] [data-iw-ui="section-title"]	(0,2,0)	4 / 4	margin!, font-size!, font-weight!, line-height!	skin: [data-iw-panel] [data-iw-ui="section-title"]	—	○ L206: — Activity surfaces Current Action, Action Log, and World Chat share the major forged frame, but stay denser than inventory/quest content.
21	253	—	[data-iw-panel-part="header"]	(0,1,0)	6 / 6	display!, align-items!, justify-content!, gap!, min-width!, margin!	skin: [data-iw-panel-part="header"]	—	○ L206: — Activity surfaces Current Action, Action Log, and World Chat share the major forged frame, but stay denser than inventory/quest content.
22	262	—	[data-iw-panel-part="header"] > *	(0,1,0)	1 / 0	min-width	skin: [data-iw-panel-part="header"]	—	○ L206: — Activity surfaces Current Action, Action Log, and World Chat share the major forged frame, but stay denser than inventory/quest content.
23	263	—	:is([data-iw-panel-part="header"], [data-iw-panel-part="header-title"]) p	(0,1,1)	4 / 4	margin!, color!, font-size!, line-height!	skin: [data-iw-panel-part="header"] [data-iw-panel-part="header-title"] host: p	—	○ L206: — Activity surfaces Current Action, Action Log, and World Chat share the major forged frame, but stay denser than inventory/quest content.

#	Line	Context	Selector(s)	Specificity	Decl / !imp	Properties	Hooks	Fragility	Comment
30	341	—	[data-iw-panel="action-log"][data-iw-ui="section-frame"] [data-iw-ui="section-title"]:hover > *	(0,4,0)	1 / 1	color!	skin: [data-iw-panel="action-log"] [data-iw-ui="section-frame"] [data-iw-ui="section-title"]	—	○ L305: Action Log's title is a <button> that wraps the label text node AND a nested "View All" span (see UIFoundation.activityPanelLabelNodes).
31	346	@media (min-width: 641px)	[data-iw-panel="action-log"] [data-iw-panel-part="header"] > :first-child	(0,3,0)	3 / 3	display!, align-items!, gap!	skin: [data-iw-panel="action-log"] [data-iw-panel-part="header"]	position-dependent :first-child	—
32	354	—	[data-iw-panel="current-action"] > div:not([data-iw-panel-part]) [data-iw-panel="current-action"] > strong	max(0,2,1)	3 / 3	font-size!, font-weight!, color!	skin: [data-iw-panel="current-action"] [data-iw-panel-part] host: div strong	—	● L353: Current action
33	361	—	[data-iw-panel="current-action"] > p	(0,1,1)	4 / 4	margin!, color!, font-size!, line-height!	skin: [data-iw-panel="current-action"] host: p	—	○ L353: Current action
34	368	—	[data-iw-panel-part="progress"]	(0,1,0)	9 / 9	position!, width!, height!, min-height!, overflow!, border!, border-radius!, background!, box-shadow!	skin: [data-iw-panel-part="progress"]	—	○ L353: Current action
35	380	—	[data-iw-panel-part="progress"]::before [data-iw-panel-part="progress"]::after	max(0,1,1)	5 / 0	content, position, inset, z-index, pointer-events	skin: [data-iw-panel-part="progress"]	—	○ L353: Current action
36	389	—	[data-iw-panel-part="progress"]::before	(0,1,1)	1 / 0	background	skin: [data-iw-panel-part="progress"]	—	○ L353: Current action
37	395	—	[data-iw-panel-part="progress"]::after	(0,1,1)	3 / 0	inset, height, background	skin: [data-iw-panel-part="progress"]	—	○ L353: Current action
38	401	—	[data-iw-panel-part="progress"] > *	(0,1,0)	9 / 9	position!, height!, min-height!, overflow!, border-radius!, background!, box-shadow!, transition!, will-change!	skin: [data-iw-panel-part="progress"]	—	○ L353: Current action

#	Line	Context	Selector(s)	Specificity	Decl / !imp	Properties	Hooks	Fragility	Comment
39	435	—	[data-iw-panel-part="progress"] > *::before	(0,1,1)	7 / 0	content, position, inset, width, background, animation, pointer-events	skin: [data-iw-panel-part="progress"]	—	● L412: The game writes this fill's width: N% once per tick, and the value it writes is the progress at the END of the tick that just started — so a bare render shows a staircase whose...
40	452	—	[data-iw-panel-part="progress"][data-iw-progress-reset] > *	(0,2,0)	1 / 1	transition!	skin: [data-iw-panel-part="progress"] [data-iw-progress-reset]	—	● L448: One update per action is NOT a tick: when the action completes the width drops back to the start of the next repetition.
41	460	@media (prefers-reduced-motion: reduce)	[data-iw-panel-part="progress"] > *	(0,1,0)	1 / 1	transition!	skin: [data-iw-panel-part="progress"]	—	—
42	461	@media (prefers-reduced-motion: reduce)	[data-iw-panel-part="progress"] > *::before	(0,1,1)	1 / 1	animation!	skin: [data-iw-panel-part="progress"]	—	—
43	464	—	[data-iw-panel-part="queue"]	(0,1,0)	10 / 10	display!, grid-template-columns!, align-items!, gap!, min-width!, padding!, border!, border-radius!, background!, box-shadow!	skin: [data-iw-panel-part="queue"]	—	○ L448: One update per action is NOT a tick: when the action completes the width drops back to the start of the next repetition.
44	479	—	[data-iw-panel-part="queue"] > :first-child	(0,2,0)	6 / 6	grid-column!, color!, font-size!, font-weight!, letter-spacing!, text-transform!	skin: [data-iw-panel-part="queue"]	position-dependent :first-child	○ L448: One update per action is NOT a tick: when the action completes the width drops back to the start of the next repetition.
45	488	—	[data-iw-panel-part="queue"] > button	(0,1,1)	11 / 11	grid-column!, grid-row!, width!, height!, min-width!, min-height!, padding!, border!, border-radius!, background!, color!	skin: [data-iw-panel-part="queue"] host: button	—	○ L448: One update per action is NOT a tick: when the action completes the width drops back to the start of the next repetition.

#	Line	Context	Selector(s)	Specificity	Decl / !imp	Properties	Hooks	Fragility	Comment
46	503	—	[data-iw-panel-part="feed"]	(0,1,0)	10 / 10	min-width!, overflow-x!, overflow-y!, border!, border-radius!, background-color!, background-image!, box-shadow!, scrollbar-color!, scrollbar-width!	skin: [data-iw-panel-part="feed"]	—	● L502: Dense feed language shared by log and chat.
47	516	—	[data-iw-panel="action-log"] [data-iw-panel-part="feed"]	(0,2,0)	1 / 1	max-height!	skin: [data-iw-panel="action-log"] [data-iw-panel-part="feed"]	—	○ L502: Dense feed language shared by log and chat.
48	517	—	[data-iw-panel="world-chat"] [data-iw-panel-part="feed"]	(0,2,0)	1 / 1	max-height!	skin: [data-iw-panel="world-chat"] [data-iw-panel-part="feed"]	—	○ L502: Dense feed language shared by log and chat.
49	524	—	[data-iw-panel-part="feed"] *:has([data-iw-panel-part="feed-row"])	(0,2,0)	2 / 2	background!, box-shadow!	skin: [data-iw-panel-part="feed"] [data-iw-panel-part="feed-row"]	—	● L519: Anything BETWEEN the feed and its rows (the game ships translucent wrappers around the scroll list, and chat's reads as a muddy brown over our dark ground) must not paint its own ...
50	538	—	[data-iw-panel="action-log"] [data-iw-panel-part="feed"]	(0,2,0)	2 / 2	background!, box-shadow!	skin: [data-iw-panel="action-log"] [data-iw-panel-part="feed"]	—	● L529: The log's ground is the FRAME's own ground, not a second copy of it.
51	543	—	[data-iw-panel-part="feed-row"]	(0,1,0)	10 / 10	display!, min-width!, margin!, padding!, border!, border-bottom!, border-radius!, background!, font-size!, line-height!	skin: [data-iw-panel-part="feed-row"]	—	○ L529: The log's ground is the FRAME's own ground, not a second copy of it.
52	556	—	[data-iw-panel-part="feed-row"]:last-child	(0,2,0)	1 / 1	border-bottom!	skin: [data-iw-panel-part="feed-row"]	position-dependent :last-child	○ L529: The log's ground is the FRAME's own ground, not a second copy of it.
53	557	—	[data-iw-panel-part="feed-row"] > *	(0,1,0)	1 / 1	margin!	skin: [data-iw-panel-part="feed-row"]	—	○ L529: The log's ground is the FRAME's own ground, not a second copy of it.
54	558	—	[data-iw-panel-part="feed-row"] > * + *	(0,1,0)	1 / 1	margin-top!	skin: [data-iw-panel-part="feed-row"]	sibling combinator	○ L529: The log's ground is the FRAME's own ground, not a second copy of it.

#	Line	Context	Selector(s)	Specificity	Decl / !imp	Properties	Hooks	Fragility	Comment
55	559	—	[data-iw-panel-part="feed-row"] > :first-child	(0,2,0)	4 / 4	display!, align-items!, justify-content!, gap!	skin: [data-iw-panel-part="feed-row"]	position-dependent :first-child	○ L529: The log's ground is the FRAME's own ground, not a second copy of it.
56	566	—	[data-iw-panel-part="feed-row"] time	(0,1,1)	4 / 4	flex!, color!, font-size!, font-variant-numeric!	skin: [data-iw-panel-part="feed-row"] host: time	—	○ L529: The log's ground is the FRAME's own ground, not a second copy of it.
57	573	—	[data-iw-panel="action-log"] [data-iw-panel-part="feed-row"] > :first-child > :first-child	(0,4,0)	5 / 5	color!, font-size!, font-weight!, letter-spacing!, text-transform!	skin: [data-iw-panel="action-log"] [data-iw-panel-part="feed-row"]	position-dependent :first-child	○ L529: The log's ground is the FRAME's own ground, not a second copy of it.
58	581	—	[data-iw-panel="action-log"] [data-iw-panel-part="feed-row"] > :last-child	(0,3,0)	2 / 2	color!, font-size!	skin: [data-iw-panel="action-log"] [data-iw-panel-part="feed-row"]	position-dependent :last-child	○ L529: The log's ground is the FRAME's own ground, not a second copy of it.
59	607	—	[data-iw-panel="world-chat"] .feed-panel	(0,2,0)	2 / 2	background!, border-color!	skin: [data-iw-panel="world-chat"] host: .feed-panel	—	● L586: The game's scroll box for chat / log is .feed-panel , painted var(--surface-bg) — which base.css sets to —iw-ink-700 (#1E1B15), a warm tone that reads as an ugly brown band a...
60	611	—	[data-iw-panel="action-log"] .feed-panel	(0,2,0)	2 / 2	background!, border-color!	skin: [data-iw-panel="action-log"] host: .feed-panel	—	○ L586: The game's scroll box for chat / log is .feed-panel , painted var(--surface-bg) — which base.css sets to —iw-ink-700 (#1E1B15), a warm tone that reads as an ugly brown band a...
61	616	—	[data-iw-panel="world-chat"] [data-iw-panel-part="feed-row"] strong	(0,2,1)	2 / 2	color!, font-weight!	skin: [data-iw-panel="world-chat"] [data-iw-panel-part="feed-row"] host: strong	—	○ L586: The game's scroll box for chat / log is .feed-panel , painted var(--surface-bg) — which base.css sets to —iw-ink-700 (#1E1B15), a warm tone that reads as an ugly brown band a...
62	621	—	[data-iw-panel="world-chat"] [data-iw-panel-part="feed-row"] b	(0,2,1)	2 / 2	color!, font-weight!	skin: [data-iw-panel="world-chat"] [data-iw-panel-part="feed-row"] host: b	—	○ L586: The game's scroll box for chat / log is .feed-panel , painted var(--surface-bg) — which base.css sets to —iw-ink-700 (#1E1B15), a warm tone that reads as an ugly brown band a...
63	626	—	[data-iw-panel-part="composer"]	(0,1,0)	6 / 6	display!, grid-template-columns!, gap!, width!, min-width!, margin!	skin: [data-iw-panel-part="composer"]	—	○ L586: The game's scroll box for chat / log is .feed-panel , painted var(--surface-bg) — which base.css sets to —iw-ink-700 (#1E1B15), a warm tone that reads as an ugly brown band a...

#	Line	Context	Selector(s)	Specificity	Decl / !imp	Properties	Hooks	Fragility	Comment
64	635	—	[data-iw-panel-part="chat-input"]	(0,1,0)	11 / 11	width!, min-width!, height!, padding!, border!, border-radius!, background!, color!, font-family!, font-size!, box-shadow!	skin: [data-iw-panel-part="chat-input"]	—	○ L586: The game's scroll box for chat / log is .feed-panel, painted var(--surface-bg) — which base.css sets to —iw-ink-700 (#1E1B15), a warm tone that reads as an ugly brown band a...
65	649	—	[data-iw-panel-part="chat-input"]::placeholder	(0,1,1)	1 / 1	color!	skin: [data-iw-panel-part="chat-input"]	—	○ L586: The game's scroll box for chat / log is .feed-panel, painted var(--surface-bg) — which base.css sets to —iw-ink-700 (#1E1B15), a warm tone that reads as an ugly brown band a...
66	650	—	[data-iw-panel-part="chat-input"]:focus	(0,2,0)	3 / 3	outline!, outline-offset!, border-color!	skin: [data-iw-panel-part="chat-input"]	—	○ L586: The game's scroll box for chat / log is .feed-panel, painted var(--surface-bg) — which base.css sets to —iw-ink-700 (#1E1B15), a warm tone that reads as an ugly brown band a...
67	656	—	[data-iw-panel-part="send"]	(0,1,0)	13 / 13	min-width!, height!, padding!, border!, border-radius!, background!, color!, font-family!, font-size!, font-weight!, letter-spacing!, text-shadow!, box-shadow!	skin: [data-iw-panel-part="send"]	—	○ L586: The game's scroll box for chat / log is .feed-panel, painted var(--surface-bg) — which base.css sets to —iw-ink-700 (#1E1B15), a warm tone that reads as an ugly brown band a...
68	672	—	[data-iw-panel-part="send"]:hover:not(:disabled)	(0,3,0)	1 / 0	filter	skin: [data-iw-panel-part="send"]	—	○ L586: The game's scroll box for chat / log is .feed-panel, painted var(--surface-bg) — which base.css sets to —iw-ink-700 (#1E1B15), a warm tone that reads as an ugly brown band a...
69	675	@media (max-width: 640px)	[data-iw-panel]	(0,1,0)	1 / 1	gap!	skin: [data-iw-panel]	—	—
70	678	@media (max-width: 640px)	[data-iw-panel-part="feed-row"]	(0,1,0)	2 / 2	padding!, font-size!	skin: [data-iw-panel-part="feed-row"]	—	—

#	Line	Context	Selector(s)	Specificity	Decl / !imp	Properties	Hooks	Fragility	Comment
71	687	@media (max-width: 430px)	[data-iw-panel-part="composer"]	(0,1,0)	2 / 2	grid-template-columns!, gap!	skin: [data-iw-panel-part="composer"]	—	—
72	688	@media (max-width: 430px)	[data-iw-panel-part="send"]	(0,1,0)	2 / 2	width!, min-width!	skin: [data-iw-panel-part="send"]	—	—
73	689	@media (max-width: 430px)	[data-iw-panel-part="feed-row"] > :first-child	(0,2,0)	2 / 2	flex-wrap!, gap!	skin: [data-iw-panel-part="feed-row"]	position-dependent :first-child	—
74	699	—	[data-iw-ui="main-nav-shell"]	(0,1,0)	6 / 6	margin!, padding!, border!, border-radius!, background!, box-shadow!	skin: [data-iw-ui="main-nav-shell"]	—	● L693: <code>main-nav-shell</code> is a role assigned by <code>classifyMainNav</code>; live, the same element is almost always ALSO a <code>.panel</code>, so <code>classifySectionFrames</code> (which runs after, in <code>discover()</code>) re-ta...
75	708	—	[data-iw-ui="main-nav"]	(0,1,0)	14 / 14	display!, align-items!, flex-wrap!, gap!, width!, max-width!, min-height!, margin!, padding!, border!, border-radius!, background!, box-shadow!, overflow!	skin: [data-iw-ui="main-nav"]	—	○ L693: <code>main-nav-shell</code> is a role assigned by <code>classifyMainNav</code>; live, the same element is almost always ALSO a <code>.panel</code>, so <code>classifySectionFrames</code> (which runs after, in <code>discover()</code>) re-ta...
76	725	—	[data-iw-ui="nav-tab"]	(0,1,0)	17 / 17	position!, min-height!, height!, margin!, padding!, border!, border-right!, border-radius!, background!, color!, box-shadow!, font-family!, font-size!, font-weight!, letter-spacing!, text-transform!, line-height!	skin: [data-iw-ui="nav-tab"]	—	○ L693: <code>main-nav-shell</code> is a role assigned by <code>classifyMainNav</code>; live, the same element is almost always ALSO a <code>.panel</code>, so <code>classifySectionFrames</code> (which runs after, in <code>discover()</code>) re-ta...

#	Line	Context	Selector(s)	Specificity	Decl / !imp	Properties	Hooks	Fragility	Comment
77	745	—	<code>[data-iw-ui="nav-tab"]:last-of-type</code>	(0,2,0)	1 / 1	border-right!	skin: <code>[data-iw-ui="nav-tab"]</code>	position-dependent :last-of-type	○ L693: <code>main-nav-shell</code> is a role assigned by <code>classifyMainNav</code> ; live, the same element is almost always ALSO a <code>.panel</code> , so <code>classifySectionFrames</code> (which runs after, in <code>discover()</code>) re-ta...
78	747	—	<code>[data-iw-ui="nav-tab"]:hover:not(:disabled)</code>	(0,3,0)	4 / 3	z-index, background!, color!, filter!	skin: <code>[data-iw-ui="nav-tab"]</code>	—	○ L693: <code>main-nav-shell</code> is a role assigned by <code>classifyMainNav</code> ; live, the same element is almost always ALSO a <code>.panel</code> , so <code>classifySectionFrames</code> (which runs after, in <code>discover()</code>) re-ta...
79	754	—	<code>[data-iw-ui="nav-tab"][data-iw-state="active"]</code>	(0,2,0)	4 / 3	z-index, color!, background!, box-shadow!	skin: <code>[data-iw-ui="nav-tab"]</code> <code>[data-iw-state="active"]</code>	—	○ L693: <code>main-nav-shell</code> is a role assigned by <code>classifyMainNav</code> ; live, the same element is almost always ALSO a <code>.panel</code> , so <code>classifySectionFrames</code> (which runs after, in <code>discover()</code>) re-ta...
80	765	—	<code>[data-iw-ui="nav-tab"][data-iw-state="active"]::after</code>	(0,2,1)	8 / 0	content, position, left, right, bottom, height, background, box-shadow	skin: <code>[data-iw-ui="nav-tab"]</code> <code>[data-iw-state="active"]</code>	—	○ L693: <code>main-nav-shell</code> is a role assigned by <code>classifyMainNav</code> ; live, the same element is almost always ALSO a <code>.panel</code> , so <code>classifySectionFrames</code> (which runs after, in <code>discover()</code>) re-ta...
81	785	—	<code>[data-iw-nav-link="toolkit"]</code>	(0,1,0)	12 / 11	box-sizing!, display!, align-items!, justify-content!, flex!, gap!, margin-left!, border!, border-radius!, color!, text-decoration!, cursor	skin: <code>[data-iw-nav-link="toolkit"]</code>	—	● L776: The skin's own outbound link (<code>UIFontFoundation.ensureToolkitLink</code>).
82	803	—	<code>[data-iw-nav-link="toolkit"]::after</code>	(0,1,1)	4 / 0	content, font-size, line-height, opacity	skin: <code>[data-iw-nav-link="toolkit"]</code>	—	● L786: The route tabs get their height from <code>nav-tab</code> with <code>border: 0</code> ; adding a border here made this box 2px taller than its neighbours until the sizing was pinned (measured in the fix...
83	810	—	<code>[data-iw-nav-link="toolkit"]:hover</code>	(0,2,0)	3 / 3	color!, border-color!, background!	skin: <code>[data-iw-nav-link="toolkit"]</code>	—	○ L786: The route tabs get their height from <code>nav-tab</code> with <code>border: 0</code> ; adding a border here made this box 2px taller than its neighbours until the sizing was pinned (measured in the fix...

#	Line	Context	Selector(s)	Specificity	Decl / !imp	Properties	Hooks	Fragility	Comment
84	821	—	<code>[data-iw-ui="zone-bar"]</code>	(0,1,0)	4 / 4	border-radius!, padding-top!, padding-bottom!, min-height!	skin: <code>[data-iw-ui="zone-bar"]</code>	—	● L817: Kept in step with header.css §8's own numbers for the same properties — this sheet is injected LAST, so a disagreement between the two resolves here regardless of which one a futu...
85	828	—	<code>[data-iw-ui="zone-title"]</code>	(0,1,0)	2 / 2	color!, font-weight!	skin: <code>[data-iw-ui="zone-title"]</code>	—	○ L817: Kept in step with header.css §8's own numbers for the same properties — this sheet is injected LAST, so a disagreement between the two resolves here regardless of which one a futu...
86	833	—	<code>[data-iw-ui="zone-action"]</code>	(0,1,0)	9 / 9	background!, border!, color!, height!, min-height!, min-width!, padding!, font-size!, letter-spacing!	skin: <code>[data-iw-ui="zone-action"]</code>	—	○ L817: Kept in step with header.css §8's own numbers for the same properties — this sheet is injected LAST, so a disagreement between the two resolves here regardless of which one a futu...
87	864	—	<code>[data-iw-chrome="shell"]</code>	(0,1,0)	4 / 3	display!, grid-template-columns, row-gap!, column-gap!	skin: <code>[data-iw-chrome="shell"]</code>	—	● L845: — Header chrome merge (nav rail + announcement + zone bar) Curtis(2026-09), from concept art: one framed box holding the zone title/target row and the game's announcement on top...
88	874	—	<code>[data-iw-chrome="shell"] &gt; header</code>	(0,1,1)	2 / 0	grid-row, margin-bottom	skin: <code>[data-iw-chrome="shell"]</code> host: <code>header</code>	—	● L870: Restore the game's own 12px rhythm OUTSIDE the merged frame: below the header, and below the frame's last row.
89	875	—	<code>[data-iw-chrome="shell"] &gt; *</code>	(0,1,0)	1 / 0	grid-column	skin: <code>[data-iw-chrome="shell"]</code>	—	○ L870: Restore the game's own 12px rhythm OUTSIDE the merged frame: below the header, and below the frame's last row.
90	876	—	<code>[data-iw-chrome="zone-bar"] ~ *</code>	(0,1,0)	1 / 0	margin-top	skin: <code>[data-iw-chrome="zone-bar"]</code>	sibling combinator	○ L870: Restore the game's own 12px rhythm OUTSIDE the merged frame: below the header, and below the frame's last row.
91	878	—	<code>[data-iw-chrome="zone-bar"]</code>	(0,1,0)	1 / 1	display!	skin: <code>[data-iw-chrome="zone-bar"]</code>	—	○ L870: Restore the game's own 12px rhythm OUTSIDE the merged frame: below the header, and below the frame's last row.
92	882	—	<code>[data-iw-chrome="zone-bar"]::before</code> <code>[data-iw-chrome="zone-bar"]::after</code>	max(0,1,1)	1 / 1	content!	skin: <code>[data-iw-chrome="zone-bar"]</code>	—	● L879: The per-zone moonlit scene assumed the bar was its own box; merged, a <code>display: contents</code> element's pseudo-elements would become stray grid items of the shell.

#	Line	Context	Selector(s)	Specificity	Decl / !imp	Properties	Hooks	Fragility	Comment
93	894	—	<code>[data-iw-chrome="shell"]</code>	(0,1,0)	1 / 0	<code>—iw-chrome-inset</code>	skin: <code>[data-iw-chrome="shell"]</code>	—	● L887: ONE left inset for both rows, so the zone title's leading emoji starts on the same vertical line as the first nav tab (Curtis, 2026-09).
94	895	—	<code>[data-iw-chrome="shell"] [data-iw-chrome="zone-text"]</code>	(0,2,0)	6 / 2	<code>grid-row, grid-column, align-self, margin!, padding!, min-width</code>	skin: <code>[data-iw-chrome="shell"] [data-iw-chrome="zone-text"]</code>	—	○ L887: ONE left inset for both rows, so the zone title's leading emoji starts on the same vertical line as the first nav tab (Curtis, 2026-09).
95	903	—	<code>[data-iw-chrome="notice"]</code>	(0,1,0)	6 / 0	<code>grid-row, grid-column, align-self, justify-self, margin, max-width</code>	skin: <code>[data-iw-chrome="notice"]</code>	—	○ L887: ONE left inset for both rows, so the zone title's leading emoji starts on the same vertical line as the first nav tab (Curtis, 2026-09).
96	915	—	<code>[data-iw-chrome="nav"]</code>	(0,1,0)	9 / 6	<code>grid-row, grid-column, align-self, margin!, padding!, border!, border-radius!, background!, box-shadow!</code>	skin: <code>[data-iw-chrome="nav"]</code>	—	● L911: The nav is still the game's <code>.panel</code> , which paints its own ground; opting it out of the shared frame (above) removes only the SKIN's paint, so the game's panel plate and padding w...
97	926	—	<code>[data-iw-chrome="zone-actions"]</code>	(0,1,0)	5 / 0	<code>grid-row, grid-column, align-self, justify-self, margin</code>	skin: <code>[data-iw-chrome="zone-actions"]</code>	—	○ L911: The nav is still the game's <code>.panel</code> , which paints its own ground; opting it out of the shared frame (above) removes only the SKIN's paint, so the game's panel plate and padding w...
98	938	—	<code>[data-iw-chrome="shell"] :: before</code>	(0,1,1)	7 / 0	<code>content, grid-row, grid-column, border, border-radius, background, box-shadow</code>	skin: <code>[data-iw-chrome="shell"]</code>	—	● L934: The frame itself: one border + the shared panel ground, spanning both content rows, painted BELOW every real child because a grid container's <code>:: before</code> is first in paint order.
99	955	—	<code>[data-iw-chrome="shell"] :: after</code>	(0,1,1)	6 / 0	<code>content, grid-row, grid-column, align-self, height, background</code>	skin: <code>[data-iw-chrome="shell"]</code>	—	● L952: The divider between the two rows: a 1px grid item pinned to the top of row 3.
100	968	@media (max-width: 860px)	<code>[data-iw-chrome="shell"]</code>	(0,1,0)	1 / 0	<code>grid-template-columns</code>	skin: <code>[data-iw-chrome="shell"]</code>	—	—

#	Line	Context	Selector(s)	Specificity	Decl / !imp	Properties	Hooks	Fragility	Comment
101	969	@media (max-width: 860px)	[data-iw-chrome="shell"] [data-iw-chrome="zone-text"]	(0,2,0)	3 / 1	grid-row, grid-column, margin!	skin: [data-iw-chrome="shell"] [data-iw-chrome="zone-text"]	—	—
102	975	@media (max-width: 860px)	[data-iw-chrome="notice"]	(0,1,0)	5 / 0	grid-row, grid-column, justify-self, max-width, margin	skin: [data-iw-chrome="notice"]	—	● L970: Stacked, every row spans the frame's inner width (mobile audit, 2026-09).
103	976	@media (max-width: 860px)	[data-iw-chrome="nav"]	(0,1,0)	3 / 1	grid-row, grid-column, margin!	skin: [data-iw-chrome="nav"]	—	○ L970: Stacked, every row spans the frame's inner width (mobile audit, 2026-09).
104	982	@media (max-width: 860px)	[data-iw-chrome="shell"] [data-iw-chrome="zone-actions"]	(0,2,0)	4 / 1	grid-row, grid-column, justify-self, margin!	skin: [data-iw-chrome="shell"] [data-iw-chrome="zone-actions"]	—	● L977: The margin is !important at (0,2,0) for the same reason as zone-text's above: header.css's [data-iw-header="zone-shell"] > :not(:has([data-iw-ui="zone-title"])) sets 'margin-...
105	983	@media (max-width: 860px)	[data-iw-chrome="shell"]::before	(0,1,1)	1 / 0	grid-row	skin: [data-iw-chrome="shell"]	—	○ L977: The margin is !important at (0,2,0) for the same reason as zone-text's above: header.css's [data-iw-header="zone-shell"] > :not(:has([data-iw-ui="zone-title"])) sets 'margin-...
106	984	@media (max-width: 860px)	[data-iw-chrome="shell"]::after	(0,1,1)	1 / 0	grid-row	skin: [data-iw-chrome="shell"]	—	○ L977: The margin is !important at (0,2,0) for the same reason as zone-text's above: header.css's [data-iw-header="zone-shell"] > :not(:has([data-iw-ui="zone-title"])) sets 'margin-...
107	995	—	[data-iw-zone-link]	(0,1,0)	7 / 6	background-color!, background-image!, border!, box-shadow!, padding!, border-radius!, cursor	skin: [data-iw-zone-link]	—	● L987: "who's here?" beside the zone title is a text link wearing a <button> tag (UIFoundation.classifyZoneBar tags it data-iw-zone-link).
108	1006	—	[data-iw-ui="zone-title"] [data-iw-zone-link]	(0,2,0)	1 / 1	margin-left!	skin: [data-iw-ui="zone-title"] [data-iw-zone-link]	—	● L1004: Nested INSIDE the title the plate's padding was the only thing between the two words; as the title's sibling the game's own flex gap spaces it.

#	Line	Context	Selector(s)	Specificity	Decl / !imp	Properties	Hooks	Fragility	Comment
109	1019	—	button:not(.iw-item-ref):not([data-iw-collapse]):not([data-iw-compact-button]):not([data-iw-inventory-control]):not([data-fs-preserved-action="control"]):not([data-iw-ui="nav-tab"]):not([class*="chat-name-"]):not([class*="hover:underline"]):not([data-iw-skill-role="level-progress"]):not([data-iw-skill-role="nav-button"]):not([data-iw-skill-role="action-button"]):not([data-iw-quest-role]):not([data-iw-boss-role]):not([data-iw-village-role]):not(.iw-boss-reward):not([data-iw-ui="section-title"]):not([data-iw-header="utility-button"]):not([data-iw-header="status-card"]):not([data-iw-header="profile-online"]):not([data-iw-ui="zone-action"]):not([data-iw-zone-link]):not([data-iw-panel-part="header-tools"] button):not([data-iw-panel-part="panel-control"]):not([data-iw-panel-part="queue"] > button):not([data-iw-panel-part="send"]):not([class*="decoration-dotted"]):not([data-iw-market]):not([data-iw-header="profile-name"] button):not([data-iw-order-handle])[role="button"]:not(.iw-item-ref):not([data-iw-collapse]):not([data-iw-compact-button]):not([data-iw-inventory-control]):not([data-fs-preserved-action="control"]):not([data-iw-ui="nav-tab"]):not([class*="chat-name-"]):not([class*="hover:underline"]):not([data-iw-skill-role="level-progress"]):not([data-iw-skill-role="nav-button"]):not([data-iw-skill-role="action-button"]):not([data-iw-quest-role]):not([data-iw-boss-role]):not([data-iw-village-role]):not(.iw-boss-reward):not([data-iw-ui="section-title"]):not([data-iw-header="utility-button"]):not([data-iw-	max (0,30,3)	3 / 3	border-color!, background-image!, box-shadow!	skin: .iw-item-ref .iw-boss-reward [data-iw-collapse] [data-iw-compact-button] [data-iw-inventory-control] [data-fs-preserved-action="control"] [data-iw-ui="nav-tab"] [data-iw-skill-role="level-progress"] [data-iw-skill-role="nav-button"] [data-iw-skill-role="action-button"] [data-iw-quest-role] [data-iw-boss-role] [data-iw-village-role] [data-iw-ui="section-title"] [data-iw-header="utility-button"] [data-iw-header="status-card"] [data-iw-header="profile-online"] [data-iw-ui="zone-action"] [data-iw-zone-link] [data-iw-panel-part="header-tools"] [data-iw-panel-part="panel-control"] [data-iw-panel-part="queue"] [data-iw-panel-part="send"] [data-iw-market] [data-iw-header="profile-name"] [data-iw-order-handle] host: [class*="chat-name-"] [class*="hover:underline"] [class*="decoration-dotted"] [role="button"] button	substring/attribute match [class*="chat-name-"]; substring/attribute match [class*="hover:underline"]; substring/attribute match [class*="decoration-dotted"]	• L1010: Surface treatment is safe to apply globally: it changes how a control is painted, never how much room it takes.

#	Line	Context	Selector(s)	Specificity	Decl / !imp	Properties	Hooks	Fragility	Comment
			header="status-card")):not([data-iw-header="profile-online"]):not([data-iw-ui="zone-action"]):not([data-iw-zone-link]):not([data-iw-panel-part="header-tools"] button):not([data-iw-panel-part="panel-control"]):not([data-iw-panel-part="queue"] > button):not([data-iw-panel-part="send"]):not([class*="decoration-dotted"]):not([data-iw-market]):not([data-iw-header="profile-name"] button):not([data-iw-order-handle])						

#	Line	Context	Selector(s)	Specificity	Decl / !imp	Properties	Hooks	Fragility	Comment
110	1033	—	button:not(.iw-item-ref):not([data-iw-collapse]):not([data-iw-compact-button]):not([data-iw-inventory-control]):not([data-fs-preserved-action="control"]):not([data-iw-ui="nav-tab"]):not([class*="chat-name-"]):not([class*="hover:underline"]):not([data-iw-skill-role="level-progress"]):not([data-iw-skill-role="nav-button"]):not([data-iw-skill-role="action-button"]):not([data-iw-quest-role]):not([data-iw-boss-role]):not([data-iw-village-role]):not(.iw-boss-reward):not([data-iw-ui="section-title"]):not([data-iw-header="utility-button"]):not([data-iw-header="status-card"]):not([data-iw-header="profile-online"]):not([data-iw-ui="zone-action"]):not([data-iw-zone-link]):not([data-iw-panel-part="header-tools"] button):not([data-iw-panel-part="panel-control"]):not([data-iw-panel-part="queue"] > button):not([data-iw-panel-part="send"]):not([class*="decoration-dotted"]):not([data-iw-market]):not([data-iw-order-handle]):hover [role="button"]:not(.iw-item-ref):not([data-iw-collapse]):not([data-iw-compact-button]):not([data-iw-inventory-control]):not([data-fs-preserved-action="control"]):not([data-iw-ui="nav-tab"]):not([class*="chat-name-"]):not([class*="hover:underline"]):not([data-iw-skill-role="level-progress"]):not([data-iw-skill-role="nav-button"]):not([data-iw-skill-role="action-button"]):not([data-iw-quest-role]):not([data-iw-boss-role]):not([data-iw-village-role]):not(.iw-boss-reward):not([data-iw-ui="section-title"]):not([data-iw-header="utility-button"]):not([data-iw-header="status-card"]):not([data-iw-	max (0,30,2)	2 / 2	border-color!, box-shadow!	skin: .iw-item-ref .iw-boss-reward [data-iw-collapse] [data-iw-compact-button] [data-iw-inventory-control] [data-fs-preserved-action="control"] [data-iw-ui="nav-tab"] [data-iw-skill-role="level-progress"] [data-iw-skill-role="nav-button"] [data-iw-skill-role="action-button"] [data-iw-quest-role] [data-iw-boss-role] [data-iw-village-role] [data-iw-ui="section-title"] [data-iw-header="utility-button"] [data-iw-header="status-card"] [data-iw-header="profile-online"] [data-iw-ui="zone-action"] [data-iw-zone-link] [data-iw-panel-part="header-tools"] [data-iw-panel-part="panel-control"] [data-iw-panel-part="queue"] [data-iw-panel-part="send"] [data-iw-market] [data-iw-order-handle] host: [class*="chat-name-"] [class*="hover:underline"] [class*="decoration-dotted"] [role="button"] button	substring/attribute match [class*="chat-name-"]; substring/attribute match [class*="hover:underline"]; substring/attribute match [class*="decoration-dotted"]	• L1028: Carved slate: at rest a control is recessed into the panel; hover lights the ember from INSIDE the plate rather than filling it.

#	Line	Context	Selector(s)	Specificity	Decl / !imp	Properties	Hooks	Fragility	Comment
			header="profile-online")):not([data-iw-ui="zone-action"]):not([data-iw-zone-link]):not([data-iw-panel-part="header-tools" button]):not([data-iw-panel-part="panel-control"]):not([data-iw-panel-part="queue"] > button):not([data-iw-panel-part="send"]):not([class*="decoration-dotted"]):not([data-iw-market]):not([data-iw-order-handle]):hover						
111	1051	—	[data-iw-ui="zone-action"] .compact-panel.fs-skill-panel button[data-iw-skill-role="action-button"] .compact-panel.fs-skill-panel button[data-iw-skill-role="nav-button"]	max(0,3,1)	1 / 0	min-height	skin: .fs-skill-panel [data-iw-ui="zone-action"] [data-iw-skill-role="action-button"] [data-iw-skill-role="nav-button"] host: .compact-panel button	—	● L1041: Geometry is NOT safe to apply globally.
112	1060	—	[data-iw-inventory-control="filter"] [data-iw-inventory-control="page"]	max(0,1,0)	1 / 0	min-height	skin: [data-iw-inventory-control="filter"] [data-iw-inventory-control="page"]	—	● L1057: The inventory filter/pager row sets its own 26px height in inventory.css.

#	Line	Context	Selector(s)	Specificity	Decl / !imp	Properties	Hooks	Fragility	Comment
113	1065	—	button:not(.iw-item-ref):not([data-iw-collapse]):not([data-iw-compact-button]):not([data-iw-inventory-control]):not([data-fs-preserved-action="control"]):not([data-iw-ui="nav-tab"]):not([class*="chat-name-"]):not([class*="hover:underline"]):not([data-iw-skill-role="level-progress"]):not([data-iw-skill-role="nav-button"]):not([data-iw-skill-role="action-button"]):not([data-iw-quest-role]):not([data-iw-boss-role]):not([data-iw-village-role]):not(.iw-boss-reward):not([data-iw-ui="section-title"]):not([data-iw-header="utility-button"]):not([data-iw-header="status-card"]):not([data-iw-header="profile-online"]):not([data-iw-ui="zone-action"]):not([data-iw-zone-link]):not([data-iw-panel-part="header-tools"] button):not([data-iw-panel-part="panel-control"]):not([data-iw-panel-part="queue"] > button):not([data-iw-panel-part="send"]):not([class*="decoration-dotted"]):not([data-iw-market]):not([data-iw-order-handle]):disabled [role="button"][aria-disabled="true"]:not(.iw-item-ref):not([data-iw-collapse]):not([data-iw-compact-button]):not([data-iw-inventory-control]):not([data-fs-preserved-action="control"]):not([class*="chat-name-"]):not([class*="hover:underline"]):not([data-iw-skill-role="level-progress"]):not([data-iw-skill-role="nav-button"]):not([data-iw-skill-role="action-button"]):not([data-iw-quest-role]):not([data-iw-boss-role]):not([data-iw-village-role]):not(.iw-boss-reward):not([data-iw-ui="section-title"]):not([data-iw-	max (0,29,3)	2 / 2	filter!, box-shadow!	skin: .iw-item-ref .iw-boss-reward [data-iw-collapse] [data-iw-compact-button] [data-iw-inventory-control] [data-fs-preserved-action="control"] [data-iw-ui="nav-tab"] [data-iw-skill-role="level-progress"] [data-iw-skill-role="nav-button"] [data-iw-skill-role="action-button"] [data-iw-quest-role] [data-iw-boss-role] [data-iw-village-role] [data-iw-ui="section-title"] [data-iw-header="utility-button"] [data-iw-header="status-card"] [data-iw-header="profile-online"] [data-iw-ui="zone-action"] [data-iw-zone-link] [data-iw-panel-part="header-tools"] [data-iw-panel-part="panel-control"] [data-iw-panel-part="queue"] [data-iw-panel-part="send"] [data-iw-market] [data-iw-order-handle] host: [class*="chat-name-"] [class*="hover:underline"] [class*="decoration-dotted"] [role="button"] [aria-disabled="true"] button	substring/attribute match [class*="chat-name-"]; substring/attribute match [class*="hover:underline"]; substring/attribute match [class*="decoration-dotted"]	○ L1057: The inventory filter/pager row sets its own 26px height in inventory.css.

#	Line	Context	Selector(s)	Specificity	Decl / !imp	Properties	Hooks	Fragility	Comment
			header="utility-button")):not([data-iw-header="status-card"]):not([data-iw-header="profile-onLine"]):not([data-iw-ui="zone-action"]):not([data-iw-zone-link]):not([data-iw-panel-part="header-tools"] button):not([data-iw-panel-part="panel-control"]):not([data-iw-panel-part="queue"] > button):not([data-iw-panel-part="send"]):not([class*="decoration-dotted"]):not([data-iw-market]):not([data-iw-order-handle])						
114	1071	—	input[type="search"] input[placeholder*="Search" i]	max(0,1,1)	5 / 5	border!, border-bottom-color!, border-radius!, background!, box-shadow!	host: [type="search"] [placeholder*="Search" i] input	—	○ L1057: The inventory filter/pager row sets its own 26px height in inventory.css.
115	1081	@media (max-width: 768px)	[data-iw-ui="main-nav"]	(0,1,0)	1 / 1	width!	skin: [data-iw-ui="main-nav"]	—	—
116	1082	@media (max-width: 768px)	[data-iw-ui="nav-tab"]	(0,1,0)	3 / 3	flex!, padding-inline!, font-size!	skin: [data-iw-ui="nav-tab"]	—	—
117	1090	@media (max-width: 768px)	[data-iw-nav-link="toolkit"]	(0,1,0)	2 / 2	flex!, margin-left!	skin: [data-iw-nav-link="toolkit"]	—	● L1087: The route tabs share the rail's width here; the appended link keeps its own compact box.
118	1113	@media (max-width: 1279px)	:is([data-iw-ui="main-nav"], [data-iw-ui="section-frame"]):has(> [data-iw-ui="nav-tab"])	(0,2,0)	7 / 2	—iw-nav-gap, —iw-nav-pad, —iw-nav-k, —iw-nav-fixed, container, flex-wrap!, column-gap!	skin: [data-iw-ui="main-nav"] [data-iw-ui="section-frame"] [data-iw-ui="nav-tab"]	—	—
119	1122	@media (max-width: 1279px)	[data-iw-ui="nav-tab"]	(0,1,0)	4 / 4	min-width!, padding-inline!, white-space!, font-size!	skin: [data-iw-ui="nav-tab"]	—	—

#	Line	Context	Selector(s)	Specificity	Decl / !imp	Properties	Hooks	Fragility	Comment
120	1134	@media (max-width: 767px)	[data-iw-nav-link="toolkit"]	(0,1,0)	1 / 1	display!	skin: [data-iw-nav-link="toolkit"]	—	—
121	1135	@media (max-width: 767px)	:is([data-iw-ui="main-nav"], [data-iw-ui="section-frame"]):has(> [data-iw-ui="nav-tab"])	(0,2,0)	4 / 0	—iw-nav-gap, —iw-nav-pad, —iw-nav-k, —iw-nav-fixed	skin: [data-iw-ui="main-nav"] [data-iw-ui="section-frame"] [data-iw-ui="nav-tab"]	—	—
122	1162	—	[data-iw-boss="card"]	(0,1,0)	6 / 6	position!, border!, border-radius!, background!, background-blend-mode!, box-shadow!	skin: [data-iw-boss="card"]	—	• L1149: — World Boss cards ----- ----- The boss list ships .compact-panel cards that carried the game's flat grey plate inside our forged frame,...
123	1181	—	[data-iw-boss="card"]::before	(0,1,1)	10 / 10	content!, position!, left!, right!, top!, height!, z-index!, pointer-events!, background!, opacity!	skin: [data-iw-boss="card"]	—	• L1179: Gold hairline across the head of each card — same as the Quest frame's, dimmer than the panel frame's so the frame still outranks the cards.
124	1197	—	[data-iw-boss="card"]::after	(0,1,1)	8 / 8	content!, position!, inset!, z-index!, pointer-events!, border!, border-radius!, box-shadow!	skin: [data-iw-boss="card"]	—	• L1196: Inset brass border a few px inside the edge — the Quest frame's ::after .
125	1211	—	[data-iw-boss="card"] > *:not(button):not(a):not([role="button"]):not([data-iw-boss-owned])	(0,3,2)	1 / 1	background!	skin: [data-iw-boss="card"] [data-iw-boss-owned] host: [role="button"] button a	—	• L1208: A wrapper inside the card must not re-plate what the card just made dark.
126	1223	—	[data-iw-boss="card"] button[class*="decoration-dotted"]	(0,2,1)	3 / 3	background-color!, border-color!, box-shadow!	skin: [data-iw-boss="card"] host: [class*="decoration-dotted"] button	substring/attribute match [class*="decoration-dotted"]	• L1215: The card's "World boss participation" / "Last battle participants" lines are real <button>s, but the game styles them as plain dotted-underline text links ('underline decoration-d...
127	1230	—	[data-iw-boss="card"] > *	(0,1,0)	2 / 0	position, z-index	skin: [data-iw-boss="card"]	—	• L1229: Card content sits above the hairline, the same lift the panel frames use.

#	Line	Context	Selector(s)	Specificity	Decl / !imp	Properties	Hooks	Fragility	Comment
128	1236	—	<code>.iw-boss-notice</code>	(0,1,0)	7 / 5	margin!, padding!, border-left, background, color!, font-size!, line-height!	skin: <code>.iw-boss-notice</code>	—	● L1235: Illustrated world encounters.
129	1245	—	<code>[data-iw-encounter]</code>	(0,1,0)	4 / 2	—iw-boss-accent, padding!, margin-bottom!, min-width	skin: <code>[data-iw-encounter]</code>	—	○ L1235: Illustrated world encounters.
130	1251	—	<code>[data-iw-encounter]:not([data-iw-encounter="zone"])</code>	(0,2,0)	5 / 1	display!, grid-template-columns, grid-template-rows, column-gap, row-gap	skin: <code>[data-iw-encounter]</code> <code>[data-iw-encounter="zone"]</code>	—	○ L1235: Illustrated world encounters.
131	1264	—	<code>[data-iw-encounter="abyssal_behemoth"]</code>	(0,1,0)	1 / 0	—iw-boss-accent	skin: <code>[data-iw-encounter="abyssal_behemoth"]</code>	—	● L1253: Three columns: art participation link status.
132	1265	—	<code>[data-iw-encounter="world_eater"]</code>	(0,1,0)	1 / 0	—iw-boss-accent	skin: <code>[data-iw-encounter="world_eater"]</code>	—	○ L1253: Three columns: art participation link status.
133	1266	—	<code>[data-iw-encounter]:not([data-iw-encounter="zone"])</code> & <code>[data-iw-boss-role="header"]</code>	(0,3,0)	6 / 2	grid-column, grid-row, min-height, padding-left, align-items!, gap!	skin: <code>[data-iw-encounter]</code> <code>[data-iw-encounter="zone"]</code> <code>[data-iw-boss-role="header"]</code>	—	○ L1253: Three columns: art participation link status.
134	1274	—	<code>[data-iw-encounter="zone"]</code> & <code>[data-iw-boss-role="header"]</code>	(0,2,0)	6 / 1	min-height, padding, flex-wrap, align-items, gap!, border-bottom	skin: <code>[data-iw-encounter="zone"]</code> <code>[data-iw-boss-role="header"]</code>	—	○ L1253: Three columns: art participation link status.
135	1282	—	<code>[data-iw-encounter="zone"]</code> & <code>[data-iw-boss-role="header"]</code> & <code>*:first-child:not([data-iw-boss-role="title"])</code>	(0,4,0)	6 / 1	display!, align-items, justify-content, flex-wrap, width, gap	skin: <code>[data-iw-encounter="zone"]</code> <code>[data-iw-boss-role="header"]</code> <code>[data-iw-boss-role="title"]</code>	position-dependent :first-child	○ L1253: Three columns: art participation link status.
136	1290	—	<code>[data-iw-encounter]</code> & <code>.iw-boss-art</code>	(0,2,0)	12 / 4	position!, top, left, width, height, background-image!, background-size!, background-position!, border, border-radius, box-shadow, pointer-events	skin: <code>.iw-boss-art</code> <code>[data-iw-encounter]</code>	—	○ L1253: Three columns: art participation link status.

#	Line	Context	Selector(s)	Specificity	Decl / !imp	Properties	Hooks	Fragility	Comment
137	1302	—	[data-iw-encounter]:not([data-iw-encounter="zone"]) > .iw-boss-art	(0,3,0)	4 / 2	position!, inset!, grid-column, grid-row	skin: .iw-boss-art [data-iw-encounter] [data-iw-encounter="zone"]	—	○ L1253: Three columns: art participation link status.
138	1308	—	[data-iw-encounter="abyssal_behemoth"] > .iw-boss-art	(0,2,0)	1 / 1	background-position!	skin: .iw-boss-art [data-iw-encounter="abyssal_behemoth"]	—	○ L1253: Three columns: art participation link status.
139	1309	—	[data-iw-encounter="world_eater"] > .iw-boss-art	(0,2,0)	1 / 1	background-position!	skin: .iw-boss-art [data-iw-encounter="world_eater"]	—	○ L1253: Three columns: art participation link status.
140	1310	—	[data-iw-encounter="zone"] > .iw-boss-art	(0,2,0)	1 / 1	display!	skin: .iw-boss-art [data-iw-encounter="zone"]	—	○ L1253: Three columns: art participation link status.
141	1311	—	[data-iw-encounter] [data-iw-boss-role="title"]	(0,2,0)	5 / 5	font-family!, font-size!, line-height!, color!, margin!	skin: [data-iw-encounter] [data-iw-boss-role="title"]	—	○ L1253: Three columns: art participation link status.
142	1318	—	[data-iw-encounter]:not([data-iw-encounter="zone"]) > [data-iw-boss-role="header"] > *:first-child	(0,4,0)	6 / 1	display!, grid-template-columns, grid-template-areas, align-items, column-gap, row-gap	skin: [data-iw-encounter] [data-iw-encounter="zone"] [data-iw-boss-role="header"]	position-dependent :first-child	○ L1253: Three columns: art participation link status.
143	1335	—	[data-iw-encounter]:not([data-iw-encounter="zone"]) [data-iw-boss-role="title"]	(0,3,0)	1 / 0	grid-area	skin: [data-iw-encounter] [data-iw-encounter="zone"] [data-iw-boss-role="title"]	—	● L1320: The tracks may SHRINK (mobile audit, 2026-09).
144	1336	—	[data-iw-encounter] [data-iw-boss-role="difficulty"]	(0,2,0)	8 / 4	display, color!, font-size!, letter-spacing, text-transform, border, padding!, margin!	skin: [data-iw-encounter] [data-iw-boss-role="difficulty"]	—	○ L1320: The tracks may SHRINK (mobile audit, 2026-09).
145	1346	—	[data-iw-encounter]:not([data-iw-encounter="zone"]) [data-iw-boss-role="difficulty"]	(0,3,0)	1 / 0	grid-area	skin: [data-iw-encounter] [data-iw-encounter="zone"] [data-iw-boss-role="difficulty"]	—	○ L1320: The tracks may SHRINK (mobile audit, 2026-09).
146	1347	—	[data-iw-encounter] [data-iw-boss-role="buff"]	(0,2,0)	3 / 2	color!, font-size!, line-height	skin: [data-iw-encounter] [data-iw-boss-role="buff"]	—	○ L1320: The tracks may SHRINK (mobile audit, 2026-09).
147	1348	—	[data-iw-encounter]:not([data-iw-encounter="zone"]) [data-iw-boss-role="buff"]	(0,3,0)	1 / 0	grid-area	skin: [data-iw-encounter] [data-iw-encounter="zone"] [data-iw-boss-role="buff"]	—	○ L1320: The tracks may SHRINK (mobile audit, 2026-09).
148	1349	—	[data-iw-encounter] [data-iw-boss-role="timer"]	(0,2,0)	3 / 2	color!, font-size!, font-variant-numeric	skin: [data-iw-encounter] [data-iw-boss-role="timer"]	—	○ L1320: The tracks may SHRINK (mobile audit, 2026-09).

#	Line	Context	Selector(s)	Specificity	Decl / !imp	Properties	Hooks	Fragility	Comment
149	1350	—	[data-iw-encounter]:not([data-iw-encounter="zone"]) > [data-iw-boss-role="progress"]	(0,3,0)	3 / 1	grid-column, grid-row, margin!	skin: [data-iw-encounter] [data-iw-encounter="zone"] [data-iw-boss-role="progress"]	—	○ L1320: The tracks may SHRINK (mobile audit, 2026-09).
150	1355	—	[data-iw-encounter]:not([data-iw-encounter="zone"]) > [data-iw-boss-role="participation"]	(0,3,0)	5 / 1	grid-column, grid-row, align-self, justify-self, margin!	skin: [data-iw-encounter] [data-iw-encounter="zone"] [data-iw-boss-role="participation"]	—	○ L1320: The tracks may SHRINK (mobile audit, 2026-09).
151	1368	—	[data-iw-encounter]:not([data-iw-encounter="zone"]) > [data-iw-boss-role="status"]	(0,3,0)	7 / 2	grid-column, grid-row, align-self, justify-self, min-width, margin!, gap!	skin: [data-iw-encounter] [data-iw-encounter="zone"] [data-iw-boss-role="status"]	—	● L1362: status has its OWN column now (see the grid above).
152	1377	—	[data-iw-encounter]:not([data-iw-encounter="zone"]) > [data-iw-boss-role="details"]	(0,3,0)	3 / 1	grid-column, grid-row, margin!	skin: [data-iw-encounter] [data-iw-encounter="zone"] [data-iw-boss-role="details"]	—	○ L1362: status has its OWN column now (see the grid above).
153	1382	—	[data-iw-encounter] [data-iw-boss-role="action"]	(0,2,0)	14 / 13	flex!, width!, min-width!, max-width!, height!, min-height!, padding!, font!, letter-spacing!, text-transform!, color!, text-shadow, background!, border!	skin: [data-iw-encounter] [data-iw-boss-role="action"]	—	○ L1362: status has its OWN column now (see the grid above).
154	1395	—	[data-iw-encounter] [data-iw-boss-role="action"] [data-iw-boss-art-ready]	(0,3,0)	9 / 8	border!, border-radius!, background-color!, background-image!, background-size!, background-position!, background-repeat!, box-shadow!, filter	skin: [data-iw-encounter] [data-iw-boss-role="action"] [data-iw-boss-art-ready]	—	○ L1362: status has its OWN column now (see the grid above).
155	1406	—	[data-iw-encounter] [data-iw-boss-role="action"]	(0,2,0)	1 / 1	outline!	skin: [data-iw-encounter] [data-iw-boss-role="action"]	—	○ L1362: status has its OWN column now (see the grid above).

#	Line	Context	Selector(s)	Specificity	Decl / !imp	Properties	Hooks	Fragility	Comment
156	1420	—	<code>[data-iw-encounter] [data-iw-boss-action-label]</code>	(0,2,0)	6 / 3	display!, align-items, justify-content, gap, color!, font-size!	skin: <code>[data-iw-encounter] [data-iw-boss-action-label]</code>	—	● L1407: The compact label is drawn with ::after; the game's own text ("Prejoin", " ⏳ Prejoined") stays in the button as the accessible copy at font-size 0.
157	1428	—	<code>[data-iw-encounter] [data-iw-boss-action-label]::after</code>	(0,2,1)	7 / 0	content, color, font, letter-spacing, margin-right, text-transform, text-shadow	skin: <code>[data-iw-encounter] [data-iw-boss-action-label]</code>	—	○ L1407: The compact label is drawn with ::after; the game's own text ("Prejoin", " ⏳ Prejoined") stays in the button as the accessible copy at font-size 0.
158	1439	—	<code>[data-iw-encounter] [data-iw-boss-role="action"]:hover:not(:disabled)</code>	(0,4,0)	1 / 0	filter	skin: <code>[data-iw-encounter] [data-iw-boss-role="action"]</code>	—	● L1433: letter-spacing puts its step AFTER the last letter too, so the ink sits half a step left of the box centre.
159	1440	—	<code>[data-iw-encounter] [data-iw-boss-role="action"]:disabled</code>	(0,3,0)	3 / 2	opacity!, filter, cursor!	skin: <code>[data-iw-encounter] [data-iw-boss-role="action"]</code>	—	○ L1433: letter-spacing puts its step AFTER the last letter too, so the ink sits half a step left of the box centre.
160	1441	—	<code>.iw-boss-rewards</code>	(0,1,0)	3 / 0	margin-top, padding-top, border-top	skin: <code>.iw-boss-rewards</code>	—	○ L1433: letter-spacing puts its step AFTER the last letter too, so the ink sits half a step left of the box centre.
161	1442	—	<code>[data-iw-encounter]:not([data-iw-encounter="zone"])</code> > <code>.iw-boss-rewards</code>	(0,3,0)	2 / 0	grid-column, grid-row	skin: <code>.iw-boss-rewards [data-iw-encounter] [data-iw-encounter="zone"]</code>	—	○ L1433: letter-spacing puts its step AFTER the last letter too, so the ink sits half a step left of the box centre.
162	1443	—	<code>[data-iw-encounter] .iw-boss-rewards-title</code>	(0,2,0)	5 / 3	font!, color!, letter-spacing, text-transform, margin!	skin: <code>.iw-boss-rewards-title [data-iw-encounter]</code>	—	○ L1433: letter-spacing puts its step AFTER the last letter too, so the ink sits half a step left of the box centre.
163	1444	—	<code>.iw-boss-reward-list</code>	(0,1,0)	3 / 0	display, grid-template-columns, gap	skin: <code>.iw-boss-reward-list</code>	—	○ L1433: letter-spacing puts its step AFTER the last letter too, so the ink sits half a step left of the box centre.
164	1445	—	<code>[data-iw-encounter] summary.iw-boss-rewards-title</code>	(0,2,1)	3 / 0	display, cursor, padding	skin: <code>.iw-boss-rewards-title [data-iw-encounter]</code> host: <code>summary</code>	—	○ L1433: letter-spacing puts its step AFTER the last letter too, so the ink sits half a step left of the box centre.
165	1446	—	<code>[data-iw-encounter] summary.iw-boss-rewards-title::marker</code>	(0,2,2)	1 / 0	color	skin: <code>.iw-boss-rewards-title [data-iw-encounter]</code> host: <code>summary</code>	—	○ L1433: letter-spacing puts its step AFTER the last letter too, so the ink sits half a step left of the box centre.
166	1447	—	<code>[data-iw-encounter] summary.iw-boss-rewards-title:focus-visible</code>	(0,3,1)	2 / 0	outline, outline-offset	skin: <code>.iw-boss-rewards-title [data-iw-encounter]</code> host: <code>summary</code>	—	○ L1433: letter-spacing puts its step AFTER the last letter too, so the ink sits half a step left of the box centre.

#	Line	Context	Selector(s)	Specificity	Decl / !imp	Properties	Hooks	Fragility	Comment
167	1448	—	[data-iw-encounter] .iw-boss-rewards:not([open]) > .iw-boss-reward-list	(0,4,0)	1 / 0	display	skin: .iw-boss-rewards .iw-boss-reward-list [data-iw-encounter] host: [open]	—	○ L1433: letter-spacing puts its step AFTER the last letter too, so the ink sits half a step left of the box centre.
168	1449	—	[data-iw-encounter] .iw-boss-rewards:not([open]) > summary	(0,3,1)	1 / 1	margin-bottom!	skin: .iw-boss-rewards [data-iw-encounter] host: [open] summary	—	○ L1433: letter-spacing puts its step AFTER the last letter too, so the ink sits half a step left of the box centre.
169	1450	—	[data-iw-encounter] button.iw-boss-reward	(0,2,1)	14 / 11	display!, flex-direction, align-items, width!, min-width!, min-height!, padding!, gap, background!, border!, border-radius!, box-shadow!, color!, cursor!	skin: .iw-boss-reward [data-iw-encounter] host: button	—	○ L1433: letter-spacing puts its step AFTER the last letter too, so the ink sits half a step left of the box centre.
170	1459	—	[data-iw-encounter] button.iw-boss-reward:hover [data-iw-encounter] button.iw-boss-reward:focus-visible	max(0,3,1)	4 / 2	border-color!, background-color!, outline, outline-offset	skin: .iw-boss-reward [data-iw-encounter] host: button	—	○ L1433: letter-spacing puts its step AFTER the last letter too, so the ink sits half a step left of the box centre.
171	1461	—	.iw-boss-reward-icon	(0,1,0)	4 / 0	display, width, height, flex	skin: .iw-boss-reward-icon	—	○ L1433: letter-spacing puts its step AFTER the last letter too, so the ink sits half a step left of the box centre.
172	1464	@media (prefers-reduced-motion: no-preference)	.iw-boss-reward-icon	(0,1,0)	1 / 0	transition	skin: .iw-boss-reward-icon	—	—
173	1465	@media (prefers-reduced-motion: no-preference)	.iw-boss-reward:focus-visible .iw-boss-reward-icon	(0,3,0)	1 / 0	transform	skin: .iw-boss-reward .iw-boss-reward-icon	—	—

#	Line	Context	Selector(s)	Specificity	Decl / !imp	Properties	Hooks	Fragility	Comment
174	1466	@media (prefers-reduced-motion: no-preference)	.compact-panel.fs-quest-panel[data-iw-quest-state="ready"] .fs-quest-sigil-icon	(0,4,0)	1 / 0	animation	skin: .fs-quest-panel .fs-quest-sigil-icon [data-iw-quest-state="ready"] host: .compact-panel	—	—
175	1471	@media (hover: hover) and (pointer: fine) and (prefers-reduced-motion: no-preference)	.iw-boss-reward:hover .iw-boss-reward-icon	(0,3,0)	1 / 0	transform	skin: .iw-boss-reward .iw-boss-reward-icon	—	—
176	1478	—	.iw-boss-reward-name	(0,1,0)	4 / 1	font!, text-align, white-space, overflow-wrap	skin: .iw-boss-reward-name	—	○ L1433: letter-spacing puts its step AFTER the last letter too, so the ink sits half a step left of the box centre.
177	1479	—	[data-iw-control="red"]	(0,1,0)	2 / 1	—iw-boss-accent, border-color!	skin: [data-iw-control="red"]	—	○ L1433: letter-spacing puts its step AFTER the last letter too, so the ink sits half a step left of the box centre.
178	1480	—	[data-iw-control="blue"]	(0,1,0)	2 / 1	—iw-boss-accent, border-color!	skin: [data-iw-control="blue"]	—	○ L1433: letter-spacing puts its step AFTER the last letter too, so the ink sits half a step left of the box centre.
179	1481	—	[data-iw-control="contested"]	(0,1,0)	2 / 1	—iw-boss-accent, border-color!	skin: [data-iw-control="contested"]	—	○ L1433: letter-spacing puts its step AFTER the last letter too, so the ink sits half a step left of the box centre.
180	1486	—	[data-iw-encounter="zone"]	(0,1,0)	5 / 3	display!, grid-template-columns, overflow, padding!, background!	skin: [data-iw-encounter="zone"]	—	● L1483: Zone Control is a magical siege ward rather than another boss portrait.
181	1497	—	[data-iw-encounter="zone"] > [data-iw-boss-role="header"]	(0,2,0)	2 / 0	grid-column, grid-row	skin: [data-iw-encounter="zone"] [data-iw-boss-role="header"]	—	○ L1483: Zone Control is a magical siege ward rather than another boss portrait.
182	1501	—	[data-iw-encounter="zone"] > [data-iw-boss-role="title"]	(0,2,0)	1 / 0	letter-spacing	skin: [data-iw-encounter="zone"] [data-iw-boss-role="title"]	—	○ L1483: Zone Control is a magical siege ward rather than another boss portrait.

#	Line	Context	Selector(s)	Specificity	Decl / !imp	Properties	Hooks	Fragility	Comment
183	1504	—	<code>.iw-control-dominion</code>	(0,1,0)	10 / 2	display!, grid-column, grid-row, grid-template-columns, grid-template-areas, width, column-gap, row-gap, min-height, padding!	skin: <code>.iw-control-dominion</code>	—	○ L1483: Zone Control is a magical siege ward rather than another boss portrait.
184	1521	—	<code>.iw-control-crest</code>	(0,1,0)	7 / 0	grid-area, position, align-self, width, aspect-ratio, isolation, pointer-events	skin: <code>.iw-control-crest</code>	—	● L1519: Keep all three layers resident so interrupted state changes still crossfade.
185	1530	—	<code>.iw-control-crest::before</code>	(0,1,1)	12 / 0	content, position, z-index, inset, border-radius, background, opacity, transform, animation, animation-play-state, transition, will-change	skin: <code>.iw-control-crest</code>	—	○ L1519: Keep all three layers resident so interrupted state changes still crossfade.
186	1548	—	<code>[data-iw-control="red"] .iw-control-crest</code>	(0,2,0)	1 / 0	<code>—iw-control-aura</code>	skin: <code>.iw-control-crest</code> <code>[data-iw-control="red"]</code>	—	○ L1519: Keep all three layers resident so interrupted state changes still crossfade.
187	1549	—	<code>[data-iw-control="blue"] .iw-control-crest</code>	(0,2,0)	1 / 0	<code>—iw-control-aura</code>	skin: <code>.iw-control-crest</code> <code>[data-iw-control="blue"]</code>	—	○ L1519: Keep all three layers resident so interrupted state changes still crossfade.
188	1550	—	<code>[data-iw-control="red"] .iw-control-crest::before</code> <code>[data-iw-control="blue"] .iw-control-crest::before</code>	max(0,2,1)	2 / 0	opacity, animation-play-state	skin: <code>.iw-control-crest</code> <code>[data-iw-control="red"]</code> <code>[data-iw-control="blue"]</code>	—	○ L1519: Keep all three layers resident so interrupted state changes still crossfade.
189	1555	—	<code>.iw-control-crest-art</code>	(0,1,0)	7 / 0	position, inset, opacity, background-repeat, background-size, background-position, transition	skin: <code>.iw-control-crest-art</code>	—	○ L1519: Keep all three layers resident so interrupted state changes still crossfade.
190	1564	—	<code>.iw-control-crest-art</code>	(0,1,0)	1 / 0	background-image	skin: <code>.iw-control-crest-art</code>	—	○ L1519: Keep all three layers resident so interrupted state changes still crossfade.
191	1565	—	<code>.iw-control-crest-art-red</code>	(0,1,0)	1 / 0	<code>—iw-crystal-light</code>	skin: <code>.iw-control-crest-art-red</code>	—	○ L1519: Keep all three layers resident so interrupted state changes still crossfade.

#	Line	Context	Selector(s)	Specificity	Decl / !imp	Properties	Hooks	Fragility	Comment
192	1566	—	<code>.iw-control-crest-art-blue</code>	(0,1,0)	1 / 0	<code>—iw-crystal-light</code>	skin: <code>.iw-control-crest-art-blue</code>	—	○ L1519: Keep all three layers resident so interrupted state changes still crossfade.
193	1567	—	<code>[data-iw-control="red"] .iw-control-crest-art-red</code> <code>[data-iw-control="blue"] .iw-control-crest-art-blue</code> <code>[data-iw-control="contested"] .iw-control-crest-art-contested</code>	max(0,2,0)	1 / 0	opacity	skin: <code>.iw-control-crest-art-red</code> <code>.iw-control-crest-art-blue</code> <code>.iw-control-crest-art-contested</code> <code>[data-iw-control="red"]</code> <code>[data-iw-control="blue"]</code> <code>[data-iw-control="contested"]</code>	—	○ L1519: Keep all three layers resident so interrupted state changes still crossfade.
194	1572	—	<code>.iw-control-crest-art:not(.iw-control-crest-art-contested)::after</code>	(0,2,1)	10 / 0	content, position, inset, clip-path, background, mix-blend-mode, filter, opacity, animation, animation-play-state	skin: <code>.iw-control-crest-art</code> <code>.iw-control-crest-art-contested</code>	—	● L1570: Captured states preserve the ward pixel-for-pixel and tint only the central crystal.
195	1584	—	<code>[data-iw-control="red"] .iw-control-crest-art-red::after</code> <code>[data-iw-control="blue"] .iw-control-crest-art-blue::after</code>	max(0,2,1)	1 / 0	animation-play-state	skin: <code>.iw-control-crest-art-red</code> <code>.iw-control-crest-art-blue</code> <code>[data-iw-control="red"]</code> <code>[data-iw-control="blue"]</code>	—	○ L1570: Captured states preserve the ward pixel-for-pixel and tint only the central crystal.
196	1589	—	<code>.iw-control-sword-energy</code> <code>.iw-control-crystal-core</code> <code>.iw-control-meter-currents</code>	max(0,1,0)	5 / 0	position, pointer-events, opacity, visibility, transition	skin: <code>.iw-control-sword-energy</code> <code>.iw-control-crystal-core</code> <code>.iw-control-meter-currents</code>	—	● L1587: Each fixed sword corridor clips its own travelling filament.
197	1598	—	<code>[data-iw-control="contested"] .iw-control-sword-energy</code> <code>[data-iw-control="contested"] .iw-control-crystal-core</code> <code>[data-iw-control="contested"] .iw-control-meter-currents</code>	max(0,2,0)	3 / 0	opacity, visibility, transition-delay	skin: <code>.iw-control-sword-energy</code> <code>.iw-control-crystal-core</code> <code>.iw-control-meter-currents</code> <code>[data-iw-control="contested"]</code>	—	○ L1587: Each fixed sword corridor clips its own travelling filament.
198	1605	—	<code>.iw-control-sword-energy</code>	(0,1,0)	9 / 0	z-index, top, left, width, height, overflow, mix-blend-mode, -webkit-mask, mask	skin: <code>.iw-control-sword-energy</code>	—	○ L1587: Each fixed sword corridor clips its own travelling filament.
199	1616	—	<code>.iw-control-sword-energy-red</code>	(0,1,0)	2 / 0	transform, —iw-energy-color	skin: <code>.iw-control-sword-energy-red</code>	—	○ L1587: Each fixed sword corridor clips its own travelling filament.
200	1617	—	<code>.iw-control-sword-energy-blue</code>	(0,1,0)	2 / 0	transform, —iw-energy-color	skin: <code>.iw-control-sword-energy-blue</code>	—	○ L1587: Each fixed sword corridor clips its own travelling filament.

#	Line	Context	Selector(s)	Specificity	Decl / !imp	Properties	Hooks	Fragility	Comment
201	1618	—	<code>.iw-control-sword-energy::before</code> <code>.iw-control-sword-energy::after</code> <code>.iw-control-impact</code>	<code>max(0,1,1)</code>	7 / 0	content, position, inset, width, background, filter, opacity	skin: <code>.iw-control-sword-energy</code> <code>.iw-control-impact</code>	—	○ L1587: Each fixed sword corridor clips its own travelling filament.
202	1630	—	<code>.iw-control-sword-energy-red::before</code>	<code>(0,1,1)</code>	1 / 0	animation	skin: <code>.iw-control-sword-energy-red</code>	—	○ L1587: Each fixed sword corridor clips its own travelling filament.
203	1631	—	<code>.iw-control-sword-energy-blue::before</code>	<code>(0,1,1)</code>	1 / 0	animation	skin: <code>.iw-control-sword-energy-blue</code>	—	○ L1587: Each fixed sword corridor clips its own travelling filament.
204	1632	—	<code>.iw-control-sword-energy-red::after</code>	<code>(0,1,1)</code>	1 / 0	animation	skin: <code>.iw-control-sword-energy-red</code>	—	○ L1587: Each fixed sword corridor clips its own travelling filament.
205	1633	—	<code>.iw-control-sword-energy-blue::after</code>	<code>(0,1,1)</code>	1 / 0	animation	skin: <code>.iw-control-sword-energy-blue</code>	—	○ L1587: Each fixed sword corridor clips its own travelling filament.
206	1634	—	<code>.iw-control-crystal-core</code>	<code>(0,1,0)</code>	6 / 0	z-index, inset, overflow, clip-path, background, mix-blend-mode	skin: <code>.iw-control-crystal-core</code>	—	○ L1587: Each fixed sword corridor clips its own travelling filament.
207	1644	—	<code>.iw-control-crystal-core::before</code> <code>.iw-control-crystal-core::after</code>	<code>max(0,1,1)</code>	5 / 0	content, position, inset, background, animation	skin: <code>.iw-control-crystal-core</code>	—	● L1642: Continuous overlapping light volumes drift inside the crystal silhouette.
208	1654	—	<code>.iw-control-crystal-core::after</code>	<code>(0,1,1)</code>	2 / 0	background, animation	skin: <code>.iw-control-crystal-core</code>	—	○ L1642: Continuous overlapping light volumes drift inside the crystal silhouette.
209	1658	—	<code>.iw-control-sword-energy::before</code> <code>.iw-control-sword-energy::after</code> <code>.iw-control-crystal-core::before</code> <code>.iw-control-crystal-core::after</code>	<code>max(0,1,1)</code>	1 / 0	animation-play-state	skin: <code>.iw-control-sword-energy</code> <code>.iw-control-crystal-core</code>	—	○ L1642: Continuous overlapping light volumes drift inside the crystal silhouette.
210	1662	—	<code>[data-iw-control="contested"] .iw-control-sword-energy::before</code> <code>[data-iw-control="contested"] .iw-control-sword-energy::after</code> <code>[data-iw-control="contested"] .iw-control-crystal-core::before</code> <code>[data-iw-control="contested"] .iw-control-crystal-core::after</code>	<code>max(0,2,1)</code>	1 / 0	animation-play-state	skin: <code>.iw-control-sword-energy</code> <code>.iw-control-crystal-core</code> <code>[data-iw-control="contested"]</code>	—	○ L1642: Continuous overlapping light volumes drift inside the crystal silhouette.
211	1666	—	<code>.iw-control-readout</code>	<code>(0,1,0)</code>	4 / 0	grid-area, align-self, min-width, padding-bottom	skin: <code>.iw-control-readout</code>	—	○ L1642: Continuous overlapping light volumes drift inside the crystal silhouette.

#	Line	Context	Selector(s)	Specificity	Decl / !imp	Properties	Hooks	Fragility	Comment
212	1672	—	<code>.iw-control-kicker</code>	(0,1,0)	5 / 3	margin!, color!, font!, letter-spacing, text-transform	skin: <code>.iw-control-kicker</code>	—	○ L1642: Continuous overlapping light volumes drift inside the crystal silhouette.
213	1679	—	<code>.iw-control-state</code>	(0,1,0)	5 / 3	margin!, color!, font!, letter-spacing, text-shadow	skin: <code>.iw-control-state</code>	—	○ L1642: Continuous overlapping light volumes drift inside the crystal silhouette.
214	1686	—	<code>.iw-control-meter</code>	(0,1,0)	3 / 0	grid-area, align-self, min-width	skin: <code>.iw-control-meter</code>	—	○ L1642: Continuous overlapping light volumes drift inside the crystal silhouette.
215	1691	—	<code>.iw-control-meter-head</code>	(0,1,0)	5 / 0	display, align-items, justify-content, gap, margin-bottom	skin: <code>.iw-control-meter-head</code>	—	○ L1642: Continuous overlapping light volumes drift inside the crystal silhouette.
216	1698	—	<code>.iw-control-meter-label</code> <code>.iw-control-meter-value</code>	max(0,1,0)	4 / 0	color, font, letter-spacing, text-transform	skin: <code>.iw-control-meter-label</code> <code>.iw-control-meter-value</code>	—	○ L1642: Continuous overlapping light volumes drift inside the crystal silhouette.
217	1705	—	<code>.iw-control-meter-value</code>	(0,1,0)	3 / 0	color, font-variant-numeric, white-space	skin: <code>.iw-control-meter-value</code>	—	○ L1642: Continuous overlapping light volumes drift inside the crystal silhouette.
218	1710	—	<code>.iw-control-meter-track</code>	(0,1,0)	7 / 1	position, height, overflow, border, border-radius, background!, box-shadow	skin: <code>.iw-control-meter-track</code>	—	○ L1642: Continuous overlapping light volumes drift inside the crystal silhouette.
219	1719	—	<code>.iw-control-meter-track::before</code> <code>.iw-control-meter-track::after</code>	max(0,1,1)	5 / 0	content, position, inset, z-index, pointer-events	skin: <code>.iw-control-meter-track</code>	—	○ L1642: Continuous overlapping light volumes drift inside the crystal silhouette.
220	1727	—	<code>.iw-control-meter-track::before</code>	(0,1,1)	1 / 0	background	skin: <code>.iw-control-meter-track</code>	—	○ L1642: Continuous overlapping light volumes drift inside the crystal silhouette.
221	1730	—	<code>.iw-control-meter-track::after</code>	(0,1,1)	3 / 0	inset, height, background	skin: <code>.iw-control-meter-track</code>	—	○ L1642: Continuous overlapping light volumes drift inside the crystal silhouette.
222	1735	—	<code>.iw-control-meter-fill</code>	(0,1,0)	7 / 1	position, display, height, min-width, overflow, background!, transition	skin: <code>.iw-control-meter-fill</code>	—	○ L1642: Continuous overlapping light volumes drift inside the crystal silhouette.

#	Line	Context	Selector(s)	Specificity	Decl / !imp	Properties	Hooks	Fragility	Comment
223	1744	—	<code>.iw-control-meter-fill::before</code>	(0,1,1)	6 / 0	content, position, inset, width, background, transition	skin: <code>.iw-control-meter-fill</code>	—	○ L1642: Continuous overlapping light volumes drift inside the crystal silhouette.
224	1752	—	<code>[data-iw-control="blue"] .iw-control-meter-fill::before</code>	(0,2,1)	1 / 0	width	skin: <code>.iw-control-meter-fill [data-iw-control="blue"]</code>	—	○ L1642: Continuous overlapping light volumes drift inside the crystal silhouette.
225	1753	—	<code>[data-iw-control="contested"] .iw-control-meter-fill::before</code>	(0,2,1)	1 / 0	width	skin: <code>.iw-control-meter-fill [data-iw-control="contested"]</code>	—	○ L1642: Continuous overlapping light volumes drift inside the crystal silhouette.
226	1754	—	<code>.iw-control-meter-currents</code>	(0,1,0)	1 / 0	inset	skin: <code>.iw-control-meter-currents</code>	—	○ L1642: Continuous overlapping light volumes drift inside the crystal silhouette.
227	1755	—	<code>.iw-control-current-red .iw-control-current-blue</code>	max(0,1,0)	4 / 0	position, top, bottom, overflow	skin: <code>.iw-control-current-red .iw-control-current-blue</code>	—	○ L1642: Continuous overlapping light volumes drift inside the crystal silhouette.
228	1757	—	<code>.iw-control-current-red</code>	(0,1,0)	2 / 0	left, width	skin: <code>.iw-control-current-red</code>	—	○ L1642: Continuous overlapping light volumes drift inside the crystal silhouette.
229	1758	—	<code>.iw-control-current-blue</code>	(0,1,0)	2 / 0	right, width	skin: <code>.iw-control-current-blue</code>	—	○ L1642: Continuous overlapping light volumes drift inside the crystal silhouette.
230	1759	—	<code>.iw-control-current-red::after .iw-control-current-blue::after</code>	max(0,1,1)	7 / 0	content, position, inset, width, background, animation, animation-play-state	skin: <code>.iw-control-current-red .iw-control-current-blue</code>	—	○ L1642: Continuous overlapping light volumes drift inside the crystal silhouette.
231	1769	—	<code>.iw-control-current-blue::after</code>	(0,1,1)	3 / 0	animation-duration, animation-delay, animation-direction	skin: <code>.iw-control-current-blue</code>	—	○ L1642: Continuous overlapping light volumes drift inside the crystal silhouette.
232	1770	—	<code>[data-iw-control="contested"] .iw-control-current-red::after [data-iw-control="contested"] .iw-control-current-blue::after</code>	max(0,2,1)	1 / 0	animation-play-state	skin: <code>.iw-control-current-red .iw-control-current-blue [data-iw-control="contested"]</code>	—	○ L1642: Continuous overlapping light volumes drift inside the crystal silhouette.
233	1772	—	<code>.iw-control-meter-fill::after</code>	(0,1,1)	10 / 0	content, position, top, bottom, left, width, transform, background, opacity, transition	skin: <code>.iw-control-meter-fill</code>	—	○ L1642: Continuous overlapping light volumes drift inside the crystal silhouette.

#	Line	Context	Selector(s)	Specificity	Decl / !imp	Properties	Hooks	Fragility	Comment
234	1784	—	[data-iw-control="contested"] .iw-control-meter-fill::after	(0,2,1)	1 / 0	opacity	skin: .iw-control-meter-fill [data-iw-control="contested"]	—	○ L1642: Continuous overlapping light volumes drift inside the crystal silhouette.
235	1785	—	.iw-control-factions	(0,1,0)	7 / 1	grid-area, display!, grid-template-columns, align-items, gap, padding-top, border-top	skin: .iw-control-factions	—	○ L1642: Continuous overlapping light volumes drift inside the crystal silhouette.
236	1794	—	.iw-control-faction	(0,1,0)	4 / 0	font, letter-spacing, text-transform, opacity	skin: .iw-control-faction	—	○ L1642: Continuous overlapping light volumes drift inside the crystal silhouette.
237	1800	—	.iw-control-faction-red	(0,1,0)	2 / 0	color, text-align	skin: .iw-control-faction-red	—	○ L1642: Continuous overlapping light volumes drift inside the crystal silhouette.
238	1801	—	.iw-control-faction-blue	(0,1,0)	2 / 0	color, text-align	skin: .iw-control-faction-blue	—	○ L1642: Continuous overlapping light volumes drift inside the crystal silhouette.
239	1802	—	.iw-control-versus	(0,1,0)	2 / 0	color, font-size	skin: .iw-control-versus	—	○ L1642: Continuous overlapping light volumes drift inside the crystal silhouette.
240	1803	—	[data-iw-control="red"] .iw-control-faction-red [data-iw-control="blue"] .iw-control-faction-blue [data-iw-control="contested"] .iw-control-faction	max(0,2,0)	2 / 0	opacity, text-shadow	skin: .iw-control-faction-red .iw-control-faction-blue .iw-control-faction [data-iw-control="red"] [data-iw-control="blue"] [data-iw-control="contested"]	—	○ L1642: Continuous overlapping light volumes drift inside the crystal silhouette.
241	1843	—	[data-iw-encounter="zone"] > [data-iw-boss-role="control-hp"] [data-iw-encounter="zone"] > [data-iw-boss-role="control-progress"] [data-iw-encounter="zone"] [data-iw-boss-role="control-strength"]	max(0,2,0)	1 / 1	display!	skin: [data-iw-encounter="zone"] [data-iw-boss-role="control-hp"] [data-iw-boss-role="control-progress"] [data-iw-boss-role="control-strength"]	—	○ L1642: Continuous overlapping light volumes drift inside the crystal silhouette.
242	1846	—	[data-iw-encounter="zone"] [data-iw-boss-role="timer"]	(0,2,0)	3 / 2	display, margin!, color!	skin: [data-iw-encounter="zone"] [data-iw-boss-role="timer"]	—	○ L1642: Continuous overlapping light volumes drift inside the crystal silhouette.
243	1851	—	[data-iw-encounter="zone"] [data-iw-boss-role="timer"] :: before	(0,2,1)	2 / 0	content, color	skin: [data-iw-encounter="zone"] [data-iw-boss-role="timer"]	—	○ L1642: Continuous overlapping light volumes drift inside the crystal silhouette.
244	1855	—	[data-iw-encounter="zone"] > [data-iw-boss-role="participation"]	(0,2,0)	7 / 4	grid-column, grid-row, justify-self, float!, margin!, color!, font-size!	skin: [data-iw-encounter="zone"] [data-iw-boss-role="participation"]	—	○ L1642: Continuous overlapping light volumes drift inside the crystal silhouette.

#	Line	Context	Selector(s)	Specificity	Decl / !imp	Properties	Hooks	Fragility	Comment
245	1865	@media (max-width: 760px)	[data-iw-encounter]	(0,1,0)	1 / 1	padding!	skin: [data-iw-encounter]	—	—
246	1866	@media (max-width: 760px)	[data-iw-encounter]:not([data-iw-encounter="zone"])	(0,2,0)	2 / 0	grid-template-columns, column-gap	skin: [data-iw-encounter] [data-iw-encounter="zone"]	—	—
247	1867	@media (max-width: 760px)	[data-iw-encounter] > .iw-boss-art	(0,2,0)	4 / 0	width, height, top, left	skin: .iw-boss-art [data-iw-encounter]	—	—
248	1868	@media (max-width: 760px)	[data-iw-encounter]:not([data-iw-encounter="zone"]) > .iw-boss-art	(0,3,0)	1 / 1	inset!	skin: .iw-boss-art [data-iw-encounter] [data-iw-encounter="zone"]	—	—
249	1869	@media (max-width: 760px)	[data-iw-encounter]:not([data-iw-encounter="zone"]) > [data-iw-boss-role="header"]	(0,3,0)	4 / 1	padding-left, min-height, flex-wrap, gap!	skin: [data-iw-encounter] [data-iw-encounter="zone"] [data-iw-boss-role="header"]	—	—
250	1870	@media (max-width: 760px)	[data-iw-encounter] [data-iw-boss-role="title"]	(0,2,0)	1 / 1	font-size!	skin: [data-iw-encounter] [data-iw-boss-role="title"]	—	—
251	1871	@media (max-width: 760px)	[data-iw-encounter]:not([data-iw-encounter="zone"]) > [data-iw-boss-role="status"]	(0,3,0)	3 / 0	grid-column, grid-row, padding-left	skin: [data-iw-encounter] [data-iw-encounter="zone"] [data-iw-boss-role="status"]	—	—
252	1872	@media (max-width: 760px)	[data-iw-encounter]:not([data-iw-encounter="zone"]) > [data-iw-boss-role="details"]	(0,3,0)	1 / 0	grid-row	skin: [data-iw-encounter] [data-iw-encounter="zone"] [data-iw-boss-role="details"]	—	—
253	1873	@media (max-width: 760px)	[data-iw-encounter]:not([data-iw-encounter="zone"]) > .iw-boss-rewards	(0,3,0)	1 / 0	grid-row	skin: .iw-boss-rewards [data-iw-encounter] [data-iw-encounter="zone"]	—	—
254	1874	@media (max-width: 760px)	[data-iw-encounter="zone"]	(0,1,0)	1 / 1	padding!	skin: [data-iw-encounter="zone"]	—	—

#	Line	Context	Selector(s)	Specificity	Decl / !imp	Properties	Hooks	Fragility	Comment
255	1875	@media (max-width: 760px)	.iw-control-dominion	(0,1,0)	4 / 1	grid-template-columns, column-gap, min-height, padding-inline!	skin: .iw-control-dominion	—	—
256	1876	@media (max-width: 760px)	.iw-control-crest	(0,1,0)	1 / 0	width	skin: .iw-control-crest	—	—
257	1877	@media (max-width: 760px)	.iw-control-crest::before	(0,1,1)	1 / 0	inset	skin: .iw-control-crest	—	—
258	1878	@media (max-width: 760px)	[data-iw-control="red"] .iw-control-crest::before [data-iw-control="blue"] .iw-control-crest::before	max(0,2,1)	1 / 0	opacity	skin: .iw-control-crest [data-iw-control="red"] [data-iw-control="blue"]	—	—
259	1880	@media (max-width: 760px)	.iw-control-sword-energy	(0,1,0)	1 / 0	height	skin: .iw-control-sword-energy	—	—
260	1881	@media (max-width: 760px)	[data-iw-control="contested"] .iw-control-sword-energy-red [data-iw-control="contested"] .iw-control-sword-energy-blue	max(0,2,0)	1 / 0	opacity	skin: .iw-control-sword-energy-red .iw-control-sword-energy-blue [data-iw-control="contested"]	—	—
261	1883	@media (max-width: 760px)	[data-iw-control="contested"] .iw-control-crystal-core	(0,2,0)	1 / 0	opacity	skin: .iw-control-crystal-core [data-iw-control="contested"]	—	—
262	1884	@media (max-width: 760px)	.iw-control-sword-energy::after .iw-control-crystal-core::after	max(0,1,1)	2 / 0	display, animation	skin: .iw-control-sword-energy .iw-control-crystal-core	—	—
263	1886	@media (max-width: 760px)	.iw-control-sword-energy-red::before	(0,1,1)	1 / 0	animation-duration	skin: .iw-control-sword-energy-red	—	—
264	1887	@media (max-width: 760px)	.iw-control-sword-energy-blue::before	(0,1,1)	1 / 0	animation-duration	skin: .iw-control-sword-energy-blue	—	—

#	Line	Context	Selector(s)	Specificity	Decl / !imp	Properties	Hooks	Fragility	Comment
265	1888	@media (max-width: 760px)	.iw-control-crystal-core::before	(0,1,1)	1 / 0	animation-duration	skin: .iw-control-crystal-core	—	—
266	1889	@media (max-width: 760px)	.iw-control-state	(0,1,0)	1 / 1	font-size!	skin: .iw-control-state	—	—
267	1890	@media (max-width: 760px)	.iw-control-meter-head	(0,1,0)	1 / 0	gap	skin: .iw-control-meter-head	—	—
268	1895	@media (max-width: 760px)	.iw-control-meter-label .iw-control-meter-value	max(0,1,0)	2 / 0	font-size, letter-spacing	skin: .iw-control-meter-label .iw-control-meter-value	—	● L1891: Floors, not fits (mobile audit, 2026-09): the faction names were 7px and the meter labels 8px here, against 9px and 10px on desktop - below what reads on a phone.
269	1896	@media (max-width: 760px)	.iw-control-meter-track	(0,1,0)	1 / 0	height	skin: .iw-control-meter-track	—	○ L1891: Floors, not fits (mobile audit, 2026-09): the faction names were 7px and the meter labels 8px here, against 9px and 10px on desktop - below what reads on a phone.
270	1897	@media (max-width: 760px)	.iw-control-factions	(0,1,0)	1 / 0	gap	skin: .iw-control-factions	—	○ L1891: Floors, not fits (mobile audit, 2026-09): the faction names were 7px and the meter labels 8px here, against 9px and 10px on desktop - below what reads on a phone.
271	1898	@media (max-width: 760px)	.iw-control-faction	(0,1,0)	3 / 0	font-size, letter-spacing, line-height	skin: .iw-control-faction	—	○ L1891: Floors, not fits (mobile audit, 2026-09): the faction names were 7px and the meter labels 8px here, against 9px and 10px on desktop - below what reads on a phone.
272	1899	@media (max-width: 760px)	.iw-boss-reward-list	(0,1,0)	2 / 0	grid-template-columns, gap	skin: .iw-boss-reward-list	—	○ L1891: Floors, not fits (mobile audit, 2026-09): the faction names were 7px and the meter labels 8px here, against 9px and 10px on desktop - below what reads on a phone.
273	1900	@media (max-width: 760px)	[data-iw-encounter] button.iw-boss-reward	(0,2,1)	2 / 2	width!, min-height!	skin: .iw-boss-reward [data-iw-encounter] host: button	—	○ L1891: Floors, not fits (mobile audit, 2026-09): the faction names were 7px and the meter labels 8px here, against 9px and 10px on desktop - below what reads on a phone.
274	1901	@media (max-width: 760px)	.iw-boss-reward-name	(0,1,0)	1 / 1	font-size!	skin: .iw-boss-reward-name	—	○ L1891: Floors, not fits (mobile audit, 2026-09): the faction names were 7px and the meter labels 8px here, against 9px and 10px on desktop - below what reads on a phone.

#	Line	Context	Selector(s)	Specificity	Decl / !imp	Properties	Hooks	Fragility	Comment
275	1904	@media (max-width: 380px)	[data-iw-encounter]:not([data-iw-encounter="zone"])	(0,2,0)	1 / 0	grid-template-columns	skin: [data-iw-encounter] [data-iw-encounter="zone"]	—	—
276	1905	@media (max-width: 380px)	[data-iw-encounter] > .iw-boss-art	(0,2,0)	2 / 0	width, height	skin: .iw-boss-art [data-iw-encounter]	—	—
277	1906	@media (max-width: 380px)	[data-iw-encounter] [data-iw-boss-role="action"]	(0,2,0)	3 / 3	width!, min-width!, max-width!	skin: [data-iw-encounter] [data-iw-boss-role="action"]	—	—
278	1907	@media (max-width: 380px)	.iw-control-dominion	(0,1,0)	1 / 0	grid-template-columns	skin: .iw-control-dominion	—	—
279	1908	@media (max-width: 380px)	.iw-control-crest	(0,1,0)	1 / 0	width	skin: .iw-control-crest	—	—
280	1909	@media (max-width: 380px)	.iw-control-state	(0,1,0)	1 / 1	font-size!	skin: .iw-control-state	—	—
281	1913	@media (prefers-reduced-motion: reduce)	.iw-control-dominion * .iw-control-dominion *::before .iw-control-dominion *::after	max(0,1,1)	2 / 2	animation!, transition!	skin: .iw-control-dominion	—	—
282	1919	@media (prefers-reduced-motion: reduce)	.iw-control-impact	(0,1,0)	1 / 1	visibility!	skin: .iw-control-impact	—	—
283	1935	—	[data-iw-market="row"]	(0,1,0)	6 / 6	border-radius!, border!, background!, backdrop-filter!, box-shadow!, transition!	skin: [data-iw-market="row"]	—	• L1922:  Market The Market page is a single framed .panel (classifySectionFrames gives it the shared forged frame).

#	Line	Context	Selector(s)	Specificity	Decl / !imp	Properties	Hooks	Fragility	Comment
284	1946	—	[data-iw-market="row"]:hover	(0,2,0)	2 / 2	border-color!, background!	skin: [data-iw-market="row"]	—	● L1938: Alpha is higher than the header chrome's ~.42 because the backdrop here is the frame's warm soft-light texture + top-left radial, not per-zone sky — a lighter tint let that warm...
285	1953	—	[data-iw-market="row"][class*="opacity-30"]	(0,2,0)	3 / 3	background!, backdrop-filter!, box-shadow!	skin: [data-iw-market="row"] host: [class*="opacity-30"]	substring/attribute match [class*="opacity-30"]	● L1951: Empty listing slots read as recessed, not as lifted cards.
286	1958	—	[data-iw-market="row"][class*="opacity-30"]:hover	(0,3,0)	2 / 2	border-color!, background!	skin: [data-iw-market="row"] host: [class*="opacity-30"]	substring/attribute match [class*="opacity-30"]	○ L1951: Empty listing slots read as recessed, not as lifted cards.
287	1971	—	[data-iw-market="namebtn"]	(0,1,0)	3 / 3	background!, border-color!, box-shadow!	skin: [data-iw-market="namebtn"]	—	● L1963: The row's name/detail area is a full-width bare left-aligned <button> — the game's click target for the item, not a plate.
288	1994	—	[data-iw-village]	(0,1,0)	1 / 0	—iw-village-accent	skin: [data-iw-village]	—	● L1977: == Village The Village route ships two .panel s that classifySectionFrames already frames — the Housing hero and the Village Add-on slots — and until now the contents of both ren...
289	1995	—	[data-iw-village="addons"] [data-iw-village-role="intro"]	(0,2,0)	4 / 4	margin!, color!, font-size!, line-height!	skin: [data-iw-village="addons"] [data-iw-village-role="intro"]	—	○ L1977: == Village The Village route ships two .panel s that classifySectionFrames already frames — the Housing hero and the Village Add-on slots — and until now the contents of both ren...
290	2001	—	[data-iw-village="addons"] [data-iw-village-role="note"]	(0,2,0)	9 / 6	margin!, padding!, border-left, background, color!, font-family!, font-size!, font-style, line-height!	skin: [data-iw-village="addons"] [data-iw-village-role="note"]	—	○ L1977: == Village The Village route ships two .panel s that classifySectionFrames already frames — the Housing hero and the Village Add-on slots — and until now the contents of both ren...
291	2027	—	[data-iw-village="slot"]	(0,1,0)	12 / 8	position!, display!, grid-template-columns, align-items, column-gap, row-gap, padding!, border!, border-radius!, background!, background-blend-mode!, box-shadow!	skin: [data-iw-village="slot"]	—	● L2013: — slot card ----- ----- TWO columns across the card: the appended art, then the game's own head row.

#	Line	Context	Selector(s)	Specificity	Decl / !imp	Properties	Hooks	Fragility	Comment
292	2051	—	<code>[data-iw-village="slot"]::before</code>	(0,1,1)	8 / 8	content!, position!, inset!, height!, z-index!, pointer-events!, background!, opacity!	skin: <code>[data-iw-village="slot"]</code>	—	● L2049: Gold hairline across the head of each card, dimmer than the panel frame's so the frame still outranks the cards — the Quest/boss card recipe.
293	2062	—	<code>[data-iw-village="slot"] &gt; *</code>	(0,1,0)	2 / 0	position, z-index	skin: <code>[data-iw-village="slot"]</code>	—	○ L2049: Gold hairline across the head of each card, dimmer than the panel frame's so the frame still outranks the cards — the Quest/boss card recipe.
294	2063	—	<code>[data-iw-village="slot"] &gt; [data-iw-village-role="head"]</code>	(0,2,0)	2 / 0	grid-column, min-width	skin: <code>[data-iw-village="slot"] [data-iw-village-role="head"]</code>	—	○ L2049: Gold hairline across the head of each card, dimmer than the panel frame's so the frame still outranks the cards — the Quest/boss card recipe.
295	2065	—	<code>[data-iw-village="slot"] [data-iw-village-role="copy"]</code> <code>[data-iw-village="slot"] [data-iw-village-role="actions"]</code>	max(0,2,0)	2 / 1	background!, min-width	skin: <code>[data-iw-village="slot"] [data-iw-village-role="copy"]</code> <code>[data-iw-village="slot"] [data-iw-village-role="actions"]</code>	—	● L2064: A wrapper inside the card must not re-plate what the card just made dark.
296	2071	—	<code>[data-iw-village="slot"] &gt; [data-iw-village-role="picker"]</code>	(0,2,0)	4 / 3	grid-column, margin-top!, border-top!, padding-top!	skin: <code>[data-iw-village="slot"] [data-iw-village-role="picker"]</code>	—	● L2070: The install picker spans the full card width under the head row.
297	2084	—	<code>[data-iw-village-art]</code>	(0,1,0)	11 / 0	grid-column, grid-row, align-self, position, width, height, border, border-radius, background, box-shadow, pointer-events	skin: <code>[data-iw-village-art]</code>	—	● L2078: — the art medallion ————— ————— contain -style sizing keeps each building's own aspect ratio inside the box (the import tool trimmed every...
298	2111	—	<code>[data-iw-village-art]::before</code>	(0,1,1)	9 / 0	content, position, inset, border-radius, background-image, background-repeat, background-position, background-size, filter	skin: <code>[data-iw-village-art]</code>	—	● L2103: The building itself, on ::before — NOT on the element.

#	Line	Context	Selector(s)	Specificity	Decl / !imp	Properties	Hooks	Fragility	Comment
299	2125	—	[data-iw-village-art="generic"]::after [data-iw-village="slot"][data-iw-village-state="vacant"] [data-iw-village-art]::after	max(0,3,1)	7 / 0	content, position, inset, border, border-radius, background, box-shadow	skin: [data-iw-village-art="generic"] [data-iw-village="slot"] [data-iw-village-state="vacant"] [data-iw-village-art]	—	● L2122: A building the name map could not resolve still gets a plot and a surveyor's mark rather than an empty box — see VillagePanels' note on why a rename upstream is a miss, and why th...
300	2142	—	[data-iw-village="slot"][data-iw-village-state="vacant"]	(0,2,0)	2 / 0	—iw-village-accent, opacity	skin: [data-iw-village="slot"] [data-iw-village-state="vacant"]	—	● L2141: An unclaimed plot is cold and quiet; an installed one is lit.
301	2146	—	[data-iw-village="slot"][data-iw-village-state="vacant"] [data-iw-village-art]	(0,3,0)	2 / 0	border-style, box-shadow	skin: [data-iw-village="slot"] [data-iw-village-state="vacant"] [data-iw-village-art]	—	○ L2141: An unclaimed plot is cold and quiet; an installed one is lit.
302	2150	—	[data-iw-village="slot"][data-iw-village-state="installed"]:hover [data-iw-village-art]	(0,4,0)	2 / 0	border-color, box-shadow	skin: [data-iw-village="slot"] [data-iw-village-state="installed"] [data-iw-village-art]	—	○ L2141: An unclaimed plot is cold and quiet; an installed one is lit.
303	2158	—	[data-iw-village-role="index"]	(0,1,0)	7 / 6	margin!, color!, font-family!, font-size!, font-weight!, letter-spacing!, text-transform	skin: [data-iw-village-role="index"]	—	● L2157: — slot copy ----- -----
304	2167	—	[data-iw-village-role="name"]	(0,1,0)	7 / 6	margin!, color!, font-family!, font-size!, font-weight!, line-height!, text-shadow	skin: [data-iw-village-role="name"]	—	○ L2157: — slot copy ----- -----
305	2179	—	[data-iw-village-role="vacant"]	(0,1,0)	5 / 4	margin!, color!, font-family!, font-size!, font-style	skin: [data-iw-village-role="vacant"]	—	● L2171: 15px, not 16: the card is ~340-900px wide depending on viewport (both Village panels live in the route's 0.42fr column), and 16px Cinzel wrapped a two-word building name at the na...
306	2189	—	[data-iw-village-role="effects"]	(0,1,0)	8 / 5	margin!, padding!, border-left, border-radius, background, color!, font-size!, line-height!	skin: [data-iw-village-role="effects"]	—	● L2186: The effect list is the reason to keep a building — give it its own inscribed strip instead of leaving it as a grey run-on line.

#	Line	Context	Selector(s)	Specificity	Decl / !imp	Properties	Hooks	Fragility	Comment
307	2204	—	<code>[data-iw-village-role="actions"]</code>	(0,1,0)	4 / 2	display!, flex-direction, flex-shrink, gap!	skin: <code>[data-iw-village-role="actions"]</code>	—	● L2200: — slot controls ————— These opt out of the generic control rule via its <code>:not([data-iw-village-role])</code> link(CLAUDE.md: add to th...
308	2210	—	<code>[data-iw-village-role="action"]</code>	(0,1,0)	13 / 11	min-width, padding!, border!, border-radius!, background!, color!, font-family!, font-size!, font-weight!, letter-spacing!, text-transform, box-shadow!, transition!	skin: <code>[data-iw-village-role="action"]</code>	—	○ L2200: — slot controls ————— These opt out of the generic control rule via its <code>:not([data-iw-village-role])</code> link(CLAUDE.md: add to th...
309	2225	—	<code>[data-iw-village-role="action"]:hover:not(:disabled)</code>	(0,3,0)	2 / 2	border-color!, color!	skin: <code>[data-iw-village-role="action"]</code>	—	○ L2200: — slot controls ————— These opt out of the generic control rule via its <code>:not([data-iw-village-role])</code> link(CLAUDE.md: add to th...
310	2229	—	<code>[data-iw-village-role="action"]:disabled</code>	(0,2,0)	1 / 1	opacity!	skin: <code>[data-iw-village-role="action"]</code>	—	○ L2200: — slot controls ————— These opt out of the generic control rule via its <code>:not([data-iw-village-role])</code> link(CLAUDE.md: add to th...
311	2234	—	<code>[data-iw-village-action="install"]</code> <code>[data-iw-village-action="upgrade"]</code>	max(0,1,0)	3 / 3	border-color!, background!, color!	skin: <code>[data-iw-village-action="install"]</code> <code>[data-iw-village-action="upgrade"]</code>	—	● L2230: Install and Upgrade Housing are the page's forward moves: ember CTA.
312	2240	—	<code>[data-iw-village-action="install"]:hover:not(:disabled)</code> <code>[data-iw-village-action="upgrade"]:hover:not(:disabled)</code>	max(0,3,0)	2 / 2	border-color!, color!	skin: <code>[data-iw-village-action="install"]</code> <code>[data-iw-village-action="upgrade"]</code>	—	○ L2230: Install and Upgrade Housing are the page's forward moves: ember CTA.
313	2245	—	<code>[data-iw-village-action="destroy"]:hover:not(:disabled)</code>	(0,3,0)	2 / 2	border-color!, color!	skin: <code>[data-iw-village-action="destroy"]</code>	—	○ L2230: Install and Upgrade Housing are the page's forward moves: ember CTA.
314	2255	—	<code>[data-iw-village-role="picker"]</code>	(0,1,0)	2 / 0	display, gap	skin: <code>[data-iw-village-role="picker"]</code>	—	● L2250: — install picker ————— The one screen where the player compares buildings, so the art matters most here.

#	Line	Context	Selector(s)	Specificity	Decl / !imp	Properties	Hooks	Fragility	Comment
315	2256	—	[data-iw-village-role="option"]	(0,1,0)	9 / 9	display!, width!, padding!, border!, border-radius!, background!, text-align!, font-size!, transition!	skin: [data-iw-village-role="option"]	—	○ L2250: — install picker ————— ————— The one screen where the player compares buildings, so the art matters most here.
316	2270	—	[data-iw-village-role="option"] > p:not([data-iw-village-role]) [data-iw-village-role="option-owned"] > p:not([data-iw-village-role])	max(0,2,1)	4 / 4	margin!, color!, font-size!, line-height!	skin: [data-iw-village-role="option"] [data-iw-village-role] [data-iw-village-role="option-owned"] host: p	—	● L2263: A <button> centres its text and takes the page control size; the game gives this one text-left and an 11-12px stack, and losing that is what made the picker read as a wall of ce...
317	2277	—	[data-iw-village-role="option-owned"] > p:not([data-iw-village-role])	(0,2,1)	2 / 1	color!, font-style	skin: [data-iw-village-role="option-owned"] [data-iw-village-role] host: p	—	○ L2263: A <button> centres its text and takes the page control size; the game gives this one text-left and an 11-12px stack, and losing that is what made the picker read as a wall of ce...
318	2281	—	[data-iw-village-role="option"]:hover:not(:disabled)	(0,3,0)	2 / 2	border-color!, background!	skin: [data-iw-village-role="option"]	—	○ L2263: A <button> centres its text and takes the page control size; the game gives this one text-left and an 11-12px stack, and losing that is what made the picker read as a wall of ce...
319	2285	—	[data-iw-village-role="option-owned"]	(0,1,0)	4 / 4	padding!, border!, border-radius!, background!	skin: [data-iw-village-role="option-owned"]	—	○ L2263: A <button> centres its text and takes the page control size; the game gives this one text-left and an 11-12px stack, and losing that is what made the picker read as a wall of ce...
320	2291	—	[data-iw-village-role="option-name"]	(0,1,0)	8 / 6	display!, align-items, gap, margin!, color!, font-family!, font-size!, line-height!	skin: [data-iw-village-role="option-name"]	—	○ L2263: A <button> centres its text and takes the page control size; the game gives this one text-left and an 11-12px stack, and losing that is what made the picker read as a wall of ce...
321	2301	—	[data-iw-village-role="option-name"] > span:not(.iw-village-option-art)	(0,2,1)	3 / 3	color!, font-family!, font-size!	skin: .iw-village-option-art [data-iw-village-role="option-name"] host: span	—	○ L2263: A <button> centres its text and takes the page control size; the game gives this one text-left and an 11-12px stack, and losing that is what made the picker read as a wall of ce...

#	Line	Context	Selector(s)	Specificity	Decl / !imp	Properties	Hooks	Fragility	Comment
322	2306	—	<code>.iw-village-option-art</code>	(0,1,0)	11 / 0	flex, width, height, border, border-radius, background-image, background-repeat, background-position, background-size, background-color, box-shadow	skin: <code>.iw-village-option-art</code>	—	○ L2263: A <button> centres its text and takes the page control size; the game gives this one <code>text-left</code> and an 11-12px stack, and losing that is what made the picker read as a wall of ce...
323	2327	—	<code>[data-iw-village="house"]</code>	(0,1,0)	11 / 8	position!, display!, grid-template-columns, column-gap, align-items, padding!, border!, border-radius!, background!, background-blend-mode!, box-shadow!	skin: <code>[data-iw-village="house"]</code>	—	● L2320: — housing hero ————— ————— Same grid trick, one box wider: this is the route's headline card and the house art is the largest single i...
324	2347	—	<code>[data-iw-village="house"] &gt; *</code>	(0,1,0)	3 / 0	grid-column, position, z-index	skin: <code>[data-iw-village="house"]</code>	—	○ L2320: — housing hero ————— ————— Same grid trick, one box wider: this is the route's headline card and the house art is the largest single i...
325	2348	—	<code>[data-iw-village="house"] &gt; [data-iw-village-art]</code>	(0,2,0)	4 / 0	grid-column, grid-row, width, height	skin: <code>[data-iw-village="house"] [data-iw-village-art]</code>	—	○ L2320: — housing hero ————— ————— Same grid trick, one box wider: this is the route's headline card and the house art is the largest single i...
326	2354	—	<code>[data-iw-village-role="house-name"]</code>	(0,1,0)	7 / 6	margin!, color!, font-family!, font-size!, font-weight!, line-height!, text-shadow	skin: <code>[data-iw-village-role="house-name"]</code>	—	○ L2320: — housing hero ————— ————— Same grid trick, one box wider: this is the route's headline card and the house art is the largest single i...
327	2363	—	<code>[data-iw-village-role="house-tier"]</code>	(0,1,0)	4 / 4	margin!, color!, font-size!, letter-spacing!	skin: <code>[data-iw-village-role="house-tier"]</code>	—	○ L2320: — housing hero ————— ————— Same grid trick, one box wider: this is the route's headline card and the house art is the largest single i...
328	2369	—	<code>[data-iw-village-role="house-note"]</code>	(0,1,0)	5 / 4	color!, font-family!, font-size!, font-style, line-height!	skin: <code>[data-iw-village-role="house-note"]</code>	—	○ L2320: — housing hero ————— ————— Same grid trick, one box wider: this is the route's headline card and the house art is the largest single i...

#	Line	Context	Selector(s)	Specificity	Decl / !imp	Properties	Hooks	Fragility	Comment
329	2376	—	[data-iw-village-role="house-salvage"]	(0,1,0)	2 / 2	color!, font-size!	skin: [data-iw-village-role="house-salvage"]	—	○ L2320: — housing hero ————— ————— Same grid trick, one box wider: this is the route's headline card and the house art is the largest single i...
330	2379	—	[data-iw-village="house"] > p	(0,1,1)	1 / 1	margin!	skin: [data-iw-village="house"] host: p	—	● L2377: Every line in this card is one of the game's <p>s.
331	2380	—	[data-iw-village="house"] > p:first-of-type	(0,2,1)	1 / 1	margin-top!	skin: [data-iw-village="house"] host: p	position-dependent :first-of-type	○ L2377: Every line in this card is one of the game's <p>s.
332	2384	—	[data-iw-village-role="house-next"]	(0,1,0)	7 / 4	margin-top!, padding!, border-left, border-radius, background, font-size!, line-height!	skin: [data-iw-village-role="house-next"]	—	● L2381: "Next upgrade: ..." is the card's call to action and the game colours it emerald — that colour is state and stays the game's (rule 5); only the size, the plate and the rhythm are ou...
333	2393	—	[data-iw-village-role="house-max"]	(0,1,0)	4 / 4	margin-top!, font-family!, font-size!, letter-spacing!	skin: [data-iw-village-role="house-max"]	—	○ L2381: "Next upgrade: ..." is the card's call to action and the game colours it emerald — that colour is state and stays the game's (rule 5); only the size, the plate and the rhythm are ou...
334	2399	—	[data-iw-village="house"] [data-iw-village-action="upgrade"]	(0,2,0)	2 / 1	margin-top!, width	skin: [data-iw-village="house"] [data-iw-village-action="upgrade"]	—	○ L2381: "Next upgrade: ..." is the card's call to action and the game colours it emerald — that colour is state and stays the game's (rule 5); only the size, the plate and the rhythm are ou...
335	2405	—	.iw-village-tiers	(0,1,0)	5 / 1	grid-column!, display, justify-content, gap, margin-top	skin: .iw-village-tiers	—	● L2403: A row of studs for the five housing tiers.
336	2412	—	.iw-village-tier-pip	(0,1,0)	4 / 0	width, height, border, transform	skin: .iw-village-tier-pip	—	○ L2403: A row of studs for the five housing tiers.
337	2418	—	.iw-village-tier-pip[data-iw-village-pip="held"]	(0,2,0)	3 / 0	border-color, background, box-shadow	skin: .iw-village-tier-pip [data-iw-village-pip="held"]	—	○ L2403: A row of studs for the five housing tiers.
338	2425	@media (max-width: 760px)	[data-iw-village="slot"]	(0,1,0)	3 / 1	—iw-village-art-w, column-gap, padding!	skin: [data-iw-village="slot"]	—	—

#	Line	Context	Selector(s)	Specificity	Decl / !imp	Properties	Hooks	Fragility	Comment
339	2435	@media (max-width: 760px)	[data-iw-village="slot"] > [data-iw-village-role="head"]	(0,2,0)	1 / 1	display!	skin: [data-iw-village="slot"] [data-iw-village-role="head"]	—	● L2430: On a phone the head row's fixed control stack leaves the copy column ~110px and the effect list breaks one word per line.
340	2436	@media (max-width: 760px)	[data-iw-village="slot"] [data-iw-village-role="copy"]	(0,2,0)	2 / 0	grid-column, grid-row	skin: [data-iw-village="slot"] [data-iw-village-role="copy"]	—	○ L2430: On a phone the head row's fixed control stack leaves the copy column ~110px and the effect list breaks one word per line.
341	2437	@media (max-width: 760px)	[data-iw-village="slot"] [data-iw-village-role="actions"] [data-iw-village="slot"] > [data-iw-village-role="head"] > [data-iw-village-role="action"]	max(0,3,0)	2 / 0	grid-column, grid-row	skin: [data-iw-village="slot"] [data-iw-village-role="actions"] [data-iw-village-role="head"] [data-iw-village-role="action"]	—	○ L2430: On a phone the head row's fixed control stack leaves the copy column ~110px and the effect list breaks one word per line.
342	2442	@media (max-width: 760px)	[data-iw-village-role="actions"]	(0,1,0)	1 / 1	flex-direction!	skin: [data-iw-village-role="actions"]	—	○ L2430: On a phone the head row's fixed control stack leaves the copy column ~110px and the effect list breaks one word per line.
343	2443	@media (max-width: 760px)	[data-iw-village-role="action"]	(0,1,0)	3 / 1	flex, min-width, padding!	skin: [data-iw-village-role="action"]	—	○ L2430: On a phone the head row's fixed control stack leaves the copy column ~110px and the effect list breaks one word per line.
344	2444	@media (max-width: 760px)	[data-iw-village="slot"] > [data-iw-village-role="picker"]	(0,2,0)	1 / 0	grid-row	skin: [data-iw-village="slot"] [data-iw-village-role="picker"]	—	○ L2430: On a phone the head row's fixed control stack leaves the copy column ~110px and the effect list breaks one word per line.
345	2445	@media (max-width: 760px)	[data-iw-village-role="name"]	(0,1,0)	1 / 1	font-size!	skin: [data-iw-village-role="name"]	—	○ L2430: On a phone the head row's fixed control stack leaves the copy column ~110px and the effect list breaks one word per line.
346	2446	@media (max-width: 760px)	[data-iw-village="house"]	(0,1,0)	2 / 1	—iw-village-house-w, padding!	skin: [data-iw-village="house"]	—	○ L2430: On a phone the head row's fixed control stack leaves the copy column ~110px and the effect list breaks one word per line.
347	2447	@media (max-width: 760px)	[data-iw-village-role="house-name"]	(0,1,0)	1 / 1	font-size!	skin: [data-iw-village-role="house-name"]	—	○ L2430: On a phone the head row's fixed control stack leaves the copy column ~110px and the effect list breaks one word per line.

#	Line	Context	Selector(s)	Specificity	Decl / !imp	Properties	Hooks	Fragility	Comment
348	2450	@media (max-width: 380px)	[data-iw-village="slot"]	(0,1,0)	1 / 0	—iw-village-art-w	skin: [data-iw-village="slot"]	—	—
349	2451	@media (max-width: 380px)	[data-iw-village="house"]	(0,1,0)	2 / 0	—iw-village-house-w, grid-template-columns	skin: [data-iw-village="house"]	—	—
350	2457	@media (prefers-reduced-motion: reduce)	[data-iw-village-role="action"] [data-iw-village-role="option"] [data-iw-village-art]	max(0,1,0)	1 / 1	transition!	skin: [data-iw-village-role="action"] [data-iw-village-role="option"] [data-iw-village-art]	—	—

COMPACT-BUTTONS.CSS — RULE INDEX

Generated by tools/css-inventory.mjs from src/styles/compact-buttons.css at commit 059081671bf3. Do not edit by hand.

Injected as part of <style data-iw-style="ui-system"> — stylesheet 7 of 7 in injection order, part 2 of 4 in that element's concatenation (src/modules/UIFoundation.js injectUIFontStyles()).

129 lines · 7,307 bytes · 27 rules · 32 selectors · 77 declarations · 54 !important · 1 @media · 0 @container · 0 @keyframes · 0 @font-face

Columns. *Line* is the rule's first line in the source file at the commit above. *Context* is the enclosing @media / @container / @supports chain. *Specificity* is the highest (id, class, type) of the rule's selector list, computed per Selectors Level 4 (:is() / :not() / :has() take their most specific argument, :where() counts zero). *Decl* is the declaration count; !imp the number marked !important. *Properties* lists every property the rule sets, with ! marking !important. *Hooks* separates skin-owned hooks (data-iw-*, data-fs-*, .fs-*, .iw-*, #iw-tip) from game/host hooks (classes, attributes, elements the extension does not own). *Fragility* flags selectors that depend on utility class names, attribute substrings, element position or sibling order. *Comment* is the nearest authored comment for the rule's block (its own when marked ●, otherwise the last one above it in the same block, marked ○).

RULES

#	Line	Context	Selector(s)	Specificity	Decl / !imp	Properties	Hooks	Fragility	Comment
1	4	—	[data-iw-compact-layer]	(0,1,0)	1 / 0	display	skin: [data-iw-compact-layer]	—	● L1: Dedicated compact-ghost-v3 atlas.
2	6	—	html[data-iw-compact-atlas="compact-ghost-v3"] [data-iw-compact-button] [data-iw-compact-button]	(0,3,1)	9 / 8	—iw-compact-cap, position!, isolation!, background!, border-color!, box-shadow!, filter!, transform!, transition!	skin: [data-iw-compact-atlas="compact-ghost-v3"] [data-iw-compact-button]	—	○ L1: Dedicated compact-ghost-v3 atlas.
3	17	—	html[data-iw-compact-atlas="compact-ghost-v3"] [data-iw-compact-button] [data-iw-ui="nav-tab"]	(0,3,1)	1 / 0	—iw-compact-cap	skin: [data-iw-compact-atlas="compact-ghost-v3"] [data-iw-compact-button] [data-iw-ui="nav-tab"]	—	○ L1: Dedicated compact-ghost-v3 atlas.
4	18	—	html[data-iw-compact-atlas="compact-ghost-v3"] [data-iw-compact-button] [data-iw-panel-part="send"]	(0,3,1)	1 / 0	—iw-compact-cap	skin: [data-iw-compact-atlas="compact-ghost-v3"] [data-iw-compact-button] [data-iw-panel-part="send"]	—	○ L1: Dedicated compact-ghost-v3 atlas.

#	Line	Context	Selector(s)	Specificity	Decl / !imp	Properties	Hooks	Fragility	Comment
5	22	—	html[data-iw-compact-atlas="compact-ghost-v3"]	(0,1,1)	7 / 0	—iw-compact-mid-size, —iw-compact-mid-x, —iw-compact-cap-size, —iw-compact-left-x, —iw-compact-right-x, —iw-compact-icon-size, —iw-compact-icon-x	skin: [data-iw-compact-atlas="compact-ghost-v3"]	—	● L21: COMPACT_GEOMETRY
6	31	—	html[data-iw-compact-atlas="compact-ghost-v3"] [data-iw-compact-layer="idle"]	(0,2,1)	1 / 0	—iw-compact-y	skin: [data-iw-compact-atlas="compact-ghost-v3"] [data-iw-compact-layer="idle"]	—	○ L21: COMPACT_GEOMETRY
7	32	—	html[data-iw-compact-atlas="compact-ghost-v3"] [data-iw-compact-layer="hover"]	(0,2,1)	1 / 0	—iw-compact-y	skin: [data-iw-compact-atlas="compact-ghost-v3"] [data-iw-compact-layer="hover"]	—	○ L21: COMPACT_GEOMETRY
8	33	—	html[data-iw-compact-atlas="compact-ghost-v3"] [data-iw-compact-layer="clicked"]	(0,2,1)	1 / 0	—iw-compact-y	skin: [data-iw-compact-atlas="compact-ghost-v3"] [data-iw-compact-layer="clicked"]	—	○ L21: COMPACT_GEOMETRY
9	35	—	html[data-iw-compact-atlas="compact-ghost-v3"] [data-iw-compact-button] > [data-iw-compact-layer]	(0,3,1)	19 / 17	display!, position!, inset!, box-sizing!, margin!, border!, border-radius!, width!, height!, padding!, pointer-events!, background-image!, background-size!, background-position!, background-repeat!, background-origin!, background-clip!, opacity, z-index	skin: [data-iw-compact-atlas="compact-ghost-v3"] [data-iw-compact-button] [data-iw-compact-layer]	—	○ L21: COMPACT_GEOMETRY
10	56	—	html[data-iw-compact-atlas="compact-ghost-v3"] [data-iw-compact-button] > [data-iw-compact-layer]::before html[data-iw-compact-atlas="compact-ghost-v3"] [data-iw-compact-button] > [data-iw-compact-layer]::after	max(0,3,2)	10 / 10	content!, position!, top!, bottom!, width!, background-image!, background-size!, background-position!, background-repeat!, pointer-events!	skin: [data-iw-compact-atlas="compact-ghost-v3"] [data-iw-compact-button] [data-iw-compact-layer]	—	○ L21: COMPACT_GEOMETRY
11	69	—	html[data-iw-compact-atlas="compact-ghost-v3"] [data-iw-compact-button] > [data-iw-compact-layer]::before	(0,3,2)	1 / 1	left!	skin: [data-iw-compact-atlas="compact-ghost-v3"] [data-iw-compact-button] [data-iw-compact-layer]	—	○ L21: COMPACT_GEOMETRY
12	70	—	html[data-iw-compact-atlas="compact-ghost-v3"] [data-iw-compact-button] > [data-iw-compact-layer]::after	(0,3,2)	2 / 2	right!, background-position!	skin: [data-iw-compact-atlas="compact-ghost-v3"] [data-iw-compact-button] [data-iw-compact-layer]	—	○ L21: COMPACT_GEOMETRY
13	74	—	html[data-iw-compact-atlas="compact-ghost-v3"] [data-iw-compact-button="icon"] > [data-iw-compact-layer]	(0,3,1)	3 / 3	padding!, background-size!, background-position!	skin: [data-iw-compact-atlas="compact-ghost-v3"] [data-iw-compact-button="icon"] [data-iw-compact-layer]	—	○ L21: COMPACT_GEOMETRY

#	Line	Context	Selector(s)	Specificity	Decl / !imp	Properties	Hooks	Fragility	Comment
14	79	—	html[data-iw-compact-atlas="compact-ghost-v3"] [data-iw-compact-button="icon"] > [data-iw-compact-layer]::before html[data-iw-compact-atlas="compact-ghost-v3"] [data-iw-compact-button="icon"] > [data-iw-compact-layer]::after	max(0,3,2)	1 / 1	content!	skin: [data-iw-compact-atlas="compact-ghost-v3"] [data-iw-compact-button="icon"] [data-iw-compact-layer]	—	○ L21: COMPACT_GEOMETRY
15	82	—	html[data-iw-compact-atlas="compact-ghost-v3"] [data-iw-compact-button] > [data-iw-compact-layer="hover"]	(0,3,1)	3 / 0	opacity, z-index, transition	skin: [data-iw-compact-atlas="compact-ghost-v3"] [data-iw-compact-button] [data-iw-compact-layer="hover"]	—	○ L21: COMPACT_GEOMETRY
16	87	—	html[data-iw-compact-atlas="compact-ghost-v3"] [data-iw-compact-button] > [data-iw-compact-layer="clicked"]	(0,3,1)	3 / 0	opacity, z-index, transition	skin: [data-iw-compact-atlas="compact-ghost-v3"] [data-iw-compact-button] [data-iw-compact-layer="clicked"]	—	○ L21: COMPACT_GEOMETRY
17	92	—	html[data-iw-compact-atlas="compact-ghost-v3"] [data-iw-compact-button]:not(:disabled):not([aria-disabled="true"]):is(:hover,:focus-visible,:active) > [data-iw-compact-layer="hover"] html[data-iw-compact-atlas="compact-ghost-v3"] [data-iw-compact-button]:not(:disabled):not([aria-disabled="true"]):active > [data-iw-compact-layer="clicked"]	max(0,6,1)	1 / 0	opacity	skin: [data-iw-compact-atlas="compact-ghost-v3"] [data-iw-compact-button] [data-iw-compact-layer="hover"] [data-iw-compact-layer="clicked"] host: [aria-disabled="true"]	—	○ L21: COMPACT_GEOMETRY
18	97	—	html[data-iw-compact-atlas="compact-ghost-v3"] [data-iw-compact-button]:is([data-iw-inventory-filter-state="active"], [data-iw-compact-selected="true"], [data-fs-action-kind="equipped"])	(0,3,1)	1 / 1	box-shadow!	skin: [data-iw-compact-atlas="compact-ghost-v3"] [data-iw-compact-button] [data-iw-inventory-filter-state="active"] [data-iw-compact-selected="true"] [data-fs-action-kind="equipped"]	—	● L95: Keep selection legible even at rest.
19	100	—	html[data-iw-compact-atlas="compact-ghost-v3"] [data-iw-compact-button] [data-fs-action-kind="equipped"]	(0,3,1)	1 / 1	box-shadow!	skin: [data-iw-compact-atlas="compact-ghost-v3"] [data-iw-compact-button] [data-fs-action-kind="equipped"]	—	○ L95: Keep selection legible even at rest.

#	Line	Context	Selector(s)	Specificity	Decl / !imp	Properties	Hooks	Fragility	Comment
20	101	—	html[data-iw-compact-atlas="compact-ghost-v3"] [data-iw-compact-button]:is([data-iw-inventory-filter-state="active"],[data-iw-compact-selected="true"]) > [data-iw-compact-layer]	(0,4,1)	1 / 1	box-shadow!	skin: [data-iw-compact-atlas="compact-ghost-v3"] [data-iw-compact-button] [data-iw-inventory-filter-state="active"] [data-iw-compact-selected="true"] [data-iw-compact-layer]	—	○ L95: Keep selection legible even at rest.
21	104	—	html[data-iw-compact-atlas="compact-ghost-v3"] [data-iw-compact-button] [data-fs-action-kind="equipped"] > [data-iw-compact-layer]	(0,4,1)	1 / 1	box-shadow!	skin: [data-iw-compact-atlas="compact-ghost-v3"] [data-iw-compact-button] [data-fs-action-kind="equipped"] [data-iw-compact-layer]	—	○ L95: Keep selection legible even at rest.
22	107	—	html[data-iw-compact-atlas="compact-ghost-v3"] [data-iw-compact-button] [data-iw-compact-selected="true"]	(0,3,1)	1 / 1	color!	skin: [data-iw-compact-atlas="compact-ghost-v3"] [data-iw-compact-button] [data-iw-compact-selected="true"]	—	○ L95: Keep selection legible even at rest.
23	111	—	html[data-iw-compact-atlas="compact-ghost-v3"] [data-iw-compact-button] [data-iw-ui="nav-tab"] [data-iw-state="active"] html[data-iw-compact-atlas="compact-ghost-v3"] [data-iw-compact-button] [data-iw-ui="nav-tab"] [data-iw-state="active"] :not([data-iw-compact-layer])	max(0,5,1)	1 / 1	color!	skin: [data-iw-compact-atlas="compact-ghost-v3"] [data-iw-compact-button] [data-iw-ui="nav-tab"] [data-iw-state="active"] [data-iw-compact-layer]	—	● L108: The live active route label is a native child with its own dark utility colour.
24	115	—	html[data-iw-compact-atlas="compact-ghost-v3"] [data-iw-compact-button]:focus-visible	(0,3,1)	2 / 2	outline!, outline-offset!	skin: [data-iw-compact-atlas="compact-ghost-v3"] [data-iw-compact-button]	—	○ L108: The live active route label is a native child with its own dark utility colour.
25	119	—	html[data-iw-compact-atlas="compact-ghost-v3"] [data-iw-compact-button]:is(:disabled,[aria-disabled="true"]) > [data-iw-compact-layer]:not([data-iw-compact-layer="idle"])	(0,5,1)	2 / 2	opacity!, transition!	skin: [data-iw-compact-atlas="compact-ghost-v3"] [data-iw-compact-button] [data-iw-compact-layer] [data-iw-compact-layer="idle"] host: [aria-disabled="true"]	—	○ L108: The live active route label is a native child with its own dark utility colour.
26	123	—	html[data-iw-compact-atlas="compact-ghost-v3"] [data-iw-compact-button]:is(:disabled,[aria-disabled="true"])	(0,3,1)	1 / 1	opacity!	skin: [data-iw-compact-atlas="compact-ghost-v3"] [data-iw-compact-button] host: [aria-disabled="true"]	—	○ L108: The live active route label is a native child with its own dark utility colour.

#	Line	Context	Selector(s)	Specificity	Decl / !imp	Properties	Hooks	Fragility	Comment
27	125	@media (prefers-reduced-motion: reduce)	html[data-iw-compact-atlas="compact-ghost-v3"] [data-iw-compact-button]html[data-iw-compact-atlas="compact-ghost-v3"] [data-iw-compact-button]> [data-iw-compact-layer]	max(0,3,1)	1 / 1	transition!	skin: [data-iw-compact-atlas="compact-ghost-v3"] [data-iw-compact-button] [data-iw-compact-layer]	—	—

VILLAGE-SCENE.CSS — RULE INDEX

Generated by tools/css-inventory.mjs from src/styles/village-scene.css at commit 059081671bf3. Do not edit by hand.

Injected as part of <style data-iw-style="ui-system"> — stylesheet 7 of 7 in injection order, part 3 of 4 in that element's concatenation (src/modules/UIFoundation.js injectUIFoundationStyles()).

193 lines · 14,803 bytes · 72 rules · 81 selectors · 251 declarations · 0 !important · 2 @media · 3 @container · 0 @keyframes · 0 @font-face

Columns. *Line* is the rule's first line in the source file at the commit above. *Context* is the enclosing @media / @container / @supports chain. *Specificity* is the highest (id, class, type) of the rule's selector list, computed per Selectors Level 4 (:is()/:not()/:has() take their most specific argument, :where() counts zero). *Decl* is the declaration count; *!imp* the number marked !important. *Properties* lists every property the rule sets, with ! marking !important. *Hooks* separates skin-owned hooks (data-iw-*, data-fs-*, .fs-*, .iw-*, #iw-tip) from game/host hooks (classes, attributes, elements the extension does not own). *Fragility* flags selectors that depend on utility class names, attribute substrings, element position or sibling order. *Comment* is the nearest authored comment for the rule's block (its own when marked ●, otherwise the last one above it in the same block, marked ○).

RULES

#	Line	Context	Selector(s)	Specificity	Decl / !imp	Properties	Hooks	Fragility	Comment
1	11	—	.iw-village-scene	(0,1,0)	4 / 0	min-width, width, box-sizing, margin-top	skin: .iw-village-scene	—	● L1: The Construction calculator's five-plot composition, scoped to our own frame.
2	12	—	.iw-village-scene *	(0,1,0)	1 / 0	box-sizing	skin: .iw-village-scene	—	○ L1: The Construction calculator's five-plot composition, scoped to our own frame.
3	13	—	.iw-vs-heading	(0,1,0)	6 / 0	display, align-items, justify-content, flex-wrap, gap, margin-bottom	skin: .iw-vs-heading	—	○ L1: The Construction calculator's five-plot composition, scoped to our own frame.
4	14	—	.iw-vs-title	(0,1,0)	4 / 0	font-family, color, font-size, font-weight	skin: .iw-vs-title	—	○ L1: The Construction calculator's five-plot composition, scoped to our own frame.
5	15	—	.iw-vs-count	(0,1,0)	2 / 0	color, font-size	skin: .iw-vs-count	—	○ L1: The Construction calculator's five-plot composition, scoped to our own frame.
6	22	—	.iw-vs-scene	(0,1,0)	13 / 0	position, width, container-type, container-name, isolation, height, max-width, margin, overflow, border, border-radius, background, box-shadow	skin: .iw-vs-scene	—	● L16: width:100% is load-bearing, not tidiness.

#	Line	Context	Selector(s)	Specificity	Decl / !imp	Properties	Hooks	Fragility	Comment
7	36	—	<code>.iw-vs-plot &gt; .iw-vs-name</code> <code>.iw-vs-plot &gt; .iw-vs-status</code>	max(0,2,0)	3 / 0	position, left, right	skin: <code>.iw-vs-plot .iw-vs-name .iw-vs-status</code>	—	● L33: The plot captions bleed 7px past their own box because a long building * name needs it; the HOUSE caption does not, and must not — its box shares an * edge with the top corner plo...
8	38	—	<code>.iw-vs-house &gt; strong .iw-vs-house &gt; .iw-vs-status</code>	max(0,2,0)	3 / 0	position, left, right	skin: <code>.iw-vs-house .iw-vs-status</code> host: <code>strong</code>	—	○ L33: The plot captions bleed 7px past their own box because a long building * name needs it; the HOUSE caption does not, and must not — its box shares an * edge with the top corner plo...
9	40	—	<code>.iw-vs-plot &gt; .iw-vs-name</code> <code>.iw-vs-house &gt; strong</code>	max(0,2,0)	1 / 0	bottom	skin: <code>.iw-vs-plot .iw-vs-name .iw-vs-house</code> host: <code>strong</code>	—	○ L33: The plot captions bleed 7px past their own box because a long building * name needs it; the HOUSE caption does not, and must not — its box shares an * edge with the top corner plo...
10	41	—	<code>.iw-vs-plot &gt; .iw-vs-status</code> <code>.iw-vs-house &gt; .iw-vs-status</code>	max(0,2,0)	1 / 0	bottom	skin: <code>.iw-vs-plot .iw-vs-status .iw-vs-house</code>	—	○ L33: The plot captions bleed 7px past their own box because a long building * name needs it; the HOUSE caption does not, and must not — its box shares an * edge with the top corner plo...
11	50	—	<code>.iw-vs-house</code>	(0,1,0)	8 / 0	position, z-index, left, top, width, height, transform, text-align	skin: <code>.iw-vs-house</code>	—	● L43: The house is the only element measured from the TOP edge: it and the * bottom-centre plot share the centre column, so anchoring both to the same * edge is what keeps them apart at...
12	51	—	<code>.iw-vs-sprite</code>	(0,1,0)	5 / 0	display, width, height, object-fit, filter	skin: <code>.iw-vs-sprite</code>	—	○ L43: The house is the only element measured from the TOP edge: it and the * bottom-centre plot share the centre column, so anchoring both to the same * edge is what keeps them apart at...
13	52	—	<code>.iw-vs-house &gt; .iw-vs-sprite</code> <code>.iw-vs-house &gt; .iw-vs-placeholder</code>	max(0,2,0)	3 / 0	width, height, margin	skin: <code>.iw-vs-house .iw-vs-sprite .iw-vs-placeholder</code>	—	○ L43: The house is the only element measured from the TOP edge: it and the * bottom-centre plot share the centre column, so anchoring both to the same * edge is what keeps them apart at...
14	53	—	<code>.iw-vs-house &gt; strong</code>	(0,1,1)	1 / 0	font-size	skin: <code>.iw-vs-house</code> host: <code>strong</code>	—	○ L43: The house is the only element measured from the TOP edge: it and the * bottom-centre plot share the centre column, so anchoring both to the same * edge is what keeps them apart at...
15	54	—	<code>.iw-vs-plot</code>	(0,1,0)	5 / 0	position, z-index, width, height, text-align	skin: <code>.iw-vs-plot</code>	—	○ L43: The house is the only element measured from the TOP edge: it and the * bottom-centre plot share the centre column, so anchoring both to the same * edge is what keeps them apart at...
16	55	—	<code>.iw-vs-plot[data-slot="1"]</code>	(0,2,0)	2 / 0	left, top	skin: <code>.iw-vs-plot</code> host: <code>[data-slot="1"]</code>	—	○ L43: The house is the only element measured from the TOP edge: it and the * bottom-centre plot share the centre column, so anchoring both to the same * edge is what keeps them apart at...

#	Line	Context	Selector(s)	Specificity	Decl / !imp	Properties	Hooks	Fragility	Comment
17	56	—	<code>.iw-vs-plot[data-slot="2"]</code>	(0,2,0)	2 / 0	right, top	skin: <code>.iw-vs-plot</code> host: <code>[data-slot="2"]</code>	—	○ L43: The house is the only element measured from the TOP edge: it and the * bottom-centre plot share the centre column, so anchoring both to the same * edge is what keeps them apart at...
18	57	—	<code>.iw-vs-plot[data-slot="3"]</code>	(0,2,0)	2 / 0	left, bottom	skin: <code>.iw-vs-plot</code> host: <code>[data-slot="3"]</code>	—	○ L43: The house is the only element measured from the TOP edge: it and the * bottom-centre plot share the centre column, so anchoring both to the same * edge is what keeps them apart at...
19	58	—	<code>.iw-vs-plot[data-slot="4"]</code>	(0,2,0)	2 / 0	right, bottom	skin: <code>.iw-vs-plot</code> host: <code>[data-slot="4"]</code>	—	○ L43: The house is the only element measured from the TOP edge: it and the * bottom-centre plot share the centre column, so anchoring both to the same * edge is what keeps them apart at...
20	59	—	<code>.iw-vs-plot[data-slot="5"]</code>	(0,2,0)	3 / 0	left, bottom, transform	skin: <code>.iw-vs-plot</code> host: <code>[data-slot="5"]</code>	—	○ L43: The house is the only element measured from the TOP edge: it and the * bottom-centre plot share the centre column, so anchoring both to the same * edge is what keeps them apart at...
21	60	—	<code>.iw-vs-plot &gt; .iw-vs-sprite</code> <code>.iw-vs-plot &gt; .iw-vs-placeholder</code>	max(0,2,0)	2 / 0	width, height	skin: <code>.iw-vs-plot</code> <code>.iw-vs-sprite</code> <code>.iw-vs-placeholder</code>	—	○ L43: The house is the only element measured from the TOP edge: it and the * bottom-centre plot share the centre column, so anchoring both to the same * edge is what keeps them apart at...
22	61	—	<code>.iw-vs-name</code>	(0,1,0)	3 / 0	font-size, line-height, overflow-wrap	skin: <code>.iw-vs-name</code>	—	○ L43: The house is the only element measured from the TOP edge: it and the * bottom-centre plot share the centre column, so anchoring both to the same * edge is what keeps them apart at...
23	62	—	<code>.iw-vs-status</code>	(0,1,0)	2 / 0	font-size, line-height	skin: <code>.iw-vs-status</code>	—	○ L43: The house is the only element measured from the TOP edge: it and the * bottom-centre plot share the centre column, so anchoring both to the same * edge is what keeps them apart at...
24	63	—	<code>.iw-vs-scene strong</code> <code>.iw-vs-scene .iw-vs-status</code>	max(0,2,0)	2 / 0	color, text-shadow	skin: <code>.iw-vs-scene</code> <code>.iw-vs-status</code> host: <code>strong</code>	—	○ L43: The house is the only element measured from the TOP edge: it and the * bottom-centre plot share the centre column, so anchoring both to the same * edge is what keeps them apart at...
25	67	—	<code>.iw-vs-placeholder</code>	(0,1,0)	6 / 0	display, place-items, padding-bottom, color, font-size, text-shadow	skin: <code>.iw-vs-placeholder</code>	—	● L64: The glyph stands in for a building, so it centres in the art area ABOVE * the overlaid caption rather than in the whole box — otherwise an empty * plot's mark floats a caption's h...
26	68	—	<code>.iw-vs-house &gt; .iw-vs-placeholder</code>	(0,2,0)	1 / 0	font-size	skin: <code>.iw-vs-house</code> <code>.iw-vs-placeholder</code>	—	○ L64: The glyph stands in for a building, so it centres in the art area ABOVE * the overlaid caption rather than in the whole box — otherwise an empty * plot's mark floats a caption's h...

#	Line	Context	Selector(s)	Specificity	Decl / !imp	Properties	Hooks	Fragility	Comment
27	69	—	<code>.iw-vs-plot[data-plot-state="locked"] .iw-vs-placeholder</code>	(0,3,0)	1 / 0	opacity	skin: <code>.iw-vs-plot</code> <code>.iw-vs-placeholder</code> host: <code>[data-plot-state="locked"]</code>	—	○ L64: The glyph stands in for a building, so it centres in the art area ABOVE * the overlaid caption rather than in the whole box — otherwise an empty * plot's mark floats a caption's h...
28	70	—	<code>.iw-vs-note</code>	(0,1,0)	4 / 0	margin, color, font-size, line-height	skin: <code>.iw-vs-note</code>	—	○ L64: The glyph stands in for a building, so it centres in the art area ABOVE * the overlaid caption rather than in the whole box — otherwise an empty * plot's mark floats a caption's h...
29	75	<code>@container iw-village (max-width: 470px)</code>	<code>.iw-vs-plot</code>	(0,1,0)	2 / 0	width, height	skin: <code>.iw-vs-plot</code>	—	—
30	76	<code>@container iw-village (max-width: 470px)</code>	<code>.iw-vs-name</code>	(0,1,0)	1 / 0	font-size	skin: <code>.iw-vs-name</code>	—	—
31	77	<code>@container iw-village (max-width: 470px)</code>	<code>.iw-vs-status</code>	(0,1,0)	1 / 0	font-size	skin: <code>.iw-vs-status</code>	—	—
32	78	<code>@container iw-village (max-width: 470px)</code>	<code>.iw-vs-house &gt; .iw-vs-placeholder</code>	(0,2,0)	1 / 0	font-size	skin: <code>.iw-vs-house</code> <code>.iw-vs-placeholder</code>	—	—
33	81	<code>@media (max-width: 480px)</code>	<code>.iw-village-scene</code>	(0,1,0)	1 / 0	<code>—iw-frame-pad-x</code>	skin: <code>.iw-village-scene</code>	—	—
34	100	—	<code>.iw-vs-body</code>	(0,1,0)	6 / 0	display, flex-wrap, align-items, gap, container-type, container-name	skin: <code>.iw-vs-body</code>	—	● L83: — The ledger: the picture and its reading, side by side ** The scene and the ledger are two flex items on a wrapping line, and the WRAP * is the whole responsive mechanism: 330 ...
35	110	—	<code>.iw-vs-stage</code>	(0,1,0)	4 / 0	flex, min-width, display, flex-direction	skin: <code>.iw-vs-stage</code>	—	● L101: A COLUMN FLEX box, deliberately — that is the environment <code>.iw-vs-scene's * width:100%</code> exists for.
36	111	—	<code>.iw-vs-ledger</code>	(0,1,0)	5 / 0	flex, min-width, display, flex-direction, gap	skin: <code>.iw-vs-ledger</code>	—	○ L101: A COLUMN FLEX box, deliberately — that is the environment <code>.iw-vs-scene's * width:100%</code> exists for.
37	112	<code>@container iw-village-frame (min-width: 592px)</code>	<code>.iw-vs-ledger</code>	(0,1,0)	1 / 0	max-width	skin: <code>.iw-vs-ledger</code>	—	—
38	114	—	<code>.iw-vs-ledger-title</code> <code>.iw-vs-totals-title</code>	max(0,1,0)	6 / 0	font-family, color, font-size, font-weight, letter-spacing, text-transform	skin: <code>.iw-vs-ledger-title</code> <code>.iw-vs-totals-title</code>	—	○ L101: A COLUMN FLEX box, deliberately — that is the environment <code>.iw-vs-scene's * width:100%</code> exists for.
39	122	—	<code>.iw-vs-ledger-head</code>	(0,1,0)	6 / 0	display, align-items, justify-content, gap, padding-bottom, border-bottom	skin: <code>.iw-vs-ledger-head</code>	—	● L115: The whole BUILDINGS list folds, leaving this header, the totals and the plot * scene.

#	Line	Context	Selector(s)	Specificity	Decl / !imp	Properties	Hooks	Fragility	Comment
40	123	—	<code>.iw-vs-ledger-toggle</code>	(0,1,0)	8 / 0	flex, width, height, display, place-items, padding, color, cursor	skin: <code>.iw-vs-ledger-toggle</code>	—	○ L115: The whole BUILDINGS list folds, leaving this header, the totals and the plot * scene.
41	124	—	<code>.iw-vs-ledger-list</code>	(0,1,0)	3 / 0	display, flex-direction, gap	skin: <code>.iw-vs-ledger-list</code>	—	○ L115: The whole BUILDINGS list folds, leaving this header, the totals and the plot * scene.
42	125	—	<code>[data-iw-village-ledger]</code> <code>[data-iw-vs-open="0"]</code> > <code>.iw-vs-ledger-list</code>	(0,3,0)	1 / 0	display	skin: <code>.iw-vs-ledger-list</code> <code>[data-iw-village-ledger]</code> <code>[data-iw-vs-open="0"]</code>	—	○ L115: The whole BUILDINGS list folds, leaving this header, the totals and the plot * scene.
43	132	—	<code>.iw-vs-entry</code>	(0,1,0)	2 / 0	display, flex-direction	skin: <code>.iw-vs-entry</code>	—	● L127: No box of its own: the HEAD is the plate and the body hangs off it under a * rule.
44	138	—	<code>.iw-vs-entry-head</code>	(0,1,0)	7 / 0	display, align-items, gap, width, padding, text-align, cursor	skin: <code>.iw-vs-entry-head</code>	—	● L133: The head takes the generic forged-plate treatment ui-system.css gives every * unclaimed control – plate, radius, hover and focus ring come free, so this * rule sets LAYOUT only an...
45	139	—	<code>.iw-vs-entry-icon</code>	(0,1,0)	6 / 0	flex, height, display, place-items, color, font-size	skin: <code>.iw-vs-entry-icon</code>	—	○ L133: The head takes the generic forged-plate treatment ui-system.css gives every * unclaimed control – plate, radius, hover and focus ring come free, so this * rule sets LAYOUT only an...
46	140	—	<code>.iw-vs-entry-sprite</code>	(0,1,0)	5 / 0	display, width, height, object-fit, filter	skin: <code>.iw-vs-entry-sprite</code>	—	○ L133: The head takes the generic forged-plate treatment ui-system.css gives every * unclaimed control – plate, radius, hover and focus ring come free, so this * rule sets LAYOUT only an...
47	141	—	<code>.iw-vs-entry-label</code>	(0,1,0)	5 / 0	flex, min-width, display, flex-direction, gap	skin: <code>.iw-vs-entry-label</code>	—	○ L133: The head takes the generic forged-plate treatment ui-system.css gives every * unclaimed control – plate, radius, hover and focus ring come free, so this * rule sets LAYOUT only an...
48	142	—	<code>.iw-vs-entry-name</code>	(0,1,0)	5 / 0	color, font-size, font-weight, line-height, overflow-wrap	skin: <code>.iw-vs-entry-name</code>	—	○ L133: The head takes the generic forged-plate treatment ui-system.css gives every * unclaimed control – plate, radius, hover and focus ring come free, so this * rule sets LAYOUT only an...
49	143	—	<code>.iw-vs-entry-meta</code>	(0,1,0)	3 / 0	color, font-size, line-height	skin: <code>.iw-vs-entry-meta</code>	—	○ L133: The head takes the generic forged-plate treatment ui-system.css gives every * unclaimed control – plate, radius, hover and focus ring come free, so this * rule sets LAYOUT only an...
50	148	—	<code>.iw-vs-chevron</code>	(0,1,0)	7 / 0	flex, width, height, border-right, border-bottom, transform, transition	skin: <code>.iw-vs-chevron</code>	—	● L144: The same rotated border corner CollapsibleFrames draws, so the two * disclosures on this panel point the same way: expanded points UP ("fold this * away"), collapsed points DOWN.

#	Line	Context	Selector(s)	Specificity	Decl / !imp	Properties	Hooks	Fragility	Comment
51	149	—	<code>.iw-vs-entry-head &gt;</code> <code>.iw-vs-chevron</code>	(0,2,0)	2 / 0	margin-right, color	skin: <code>.iw-vs-entry-head</code> <code>.iw-vs-chevron</code>	—	○ L144: The same rotated border corner CollapsibleFrames draws, so the two * disclosures on this panel point the same way: expanded points UP ("fold this * away"), collapsed points DOWN.
52	153	—	<code>.iw-vs-entry[data-iw-vs-open="0"] &gt;</code> <code>.iw-vs-entry-head &gt;</code> <code>.iw-vs-chevron</code> <code>[data-iw-village-ledger]</code> <code>[data-iw-vs-open="0"]</code> <code>&gt;</code> <code>.iw-vs-ledger-head</code> <code>.iw-vs-chevron</code>	max(0,4,0)	1 / 0	transform	skin: <code>.iw-vs-entry</code> <code>.iw-vs-entry-head</code> <code>.iw-vs-chevron</code> <code>.iw-vs-ledger-head</code> <code>[data-iw-vs-open="0"]</code> <code>[data-iw-village-ledger]</code>	—	● L150: Scoped through the TOGGLE, not through the ledger alone: a bare * <code>[data-iw-vs-open="0"]</code> <code>.iw-vs-chevron</code> would also turn every entry's chevron * inside a folded list, and they are...
53	155	—	<code>.iw-vs-entry[data-iw-vs-open="0"] &gt;</code> <code>.iw-vs-entry-body</code>	(0,3,0)	1 / 0	display	skin: <code>.iw-vs-entry</code> <code>.iw-vs-entry-body</code> <code>[data-iw-vs-open="0"]</code>	—	○ L150: Scoped through the TOGGLE, not through the ledger alone: a bare * <code>[data-iw-vs-open="0"]</code> <code>.iw-vs-chevron</code> would also turn every entry's chevron * inside a folded list, and they are...
54	156	—	<code>.iw-vs-entry-body</code>	(0,1,0)	3 / 0	margin, padding, border-left	skin: <code>.iw-vs-entry-body</code>	—	○ L150: Scoped through the TOGGLE, not through the ledger alone: a bare * <code>[data-iw-vs-open="0"]</code> <code>.iw-vs-chevron</code> would also turn every entry's chevron * inside a folded list, and they are...
55	157	—	<code>.iw-vs-entry-note</code>	(0,1,0)	4 / 0	margin, color, font-size, line-height	skin: <code>.iw-vs-entry-note</code>	—	○ L150: Scoped through the TOGGLE, not through the ledger alone: a bare * <code>[data-iw-vs-open="0"]</code> <code>.iw-vs-chevron</code> would also turn every entry's chevron * inside a folded list, and they are...
56	158	—	<code>.iw-vs-entry-body &gt;</code> <code>.iw-vs-stats</code> + <code>.iw-vs-entry-note</code>	(0,3,0)	1 / 0	margin-top	skin: <code>.iw-vs-entry-body</code> <code>.iw-vs-stats</code> <code>.iw-vs-entry-note</code>	sibling combinator	○ L150: Scoped through the TOGGLE, not through the ledger alone: a bare * <code>[data-iw-vs-open="0"]</code> <code>.iw-vs-chevron</code> would also turn every entry's chevron * inside a folded list, and they are...
57	160	—	<code>.iw-vs-stats</code>	(0,1,0)	3 / 0	margin, display, gap	skin: <code>.iw-vs-stats</code>	—	○ L150: Scoped through the TOGGLE, not through the ledger alone: a bare * <code>[data-iw-vs-open="0"]</code> <code>.iw-vs-chevron</code> would also turn every entry's chevron * inside a folded list, and they are...
58	161	—	<code>.iw-vs-stat</code>	(0,1,0)	6 / 0	display, align-items, justify-content, gap, font-size, line-height	skin: <code>.iw-vs-stat</code>	—	○ L150: Scoped through the TOGGLE, not through the ledger alone: a bare * <code>[data-iw-vs-open="0"]</code> <code>.iw-vs-chevron</code> would also turn every entry's chevron * inside a folded list, and they are...
59	162	—	<code>.iw-vs-stat dt</code>	(0,1,1)	3 / 0	color, min-width, overflow-wrap	skin: <code>.iw-vs-stat</code> host: <code>dt</code>	—	○ L150: Scoped through the TOGGLE, not through the ledger alone: a bare * <code>[data-iw-vs-open="0"]</code> <code>.iw-vs-chevron</code> would also turn every entry's chevron * inside a folded list, and they are...

#	Line	Context	Selector(s)	Specificity	Decl / !imp	Properties	Hooks	Fragility	Comment
60	165	—	.iw-vs-stat dd	(0,1,1)	4 / 0	margin, flex, color, font-variant-numeric	skin: .iw-vs-stat host: dd	—	● L163: dd carries a user-agent margin; the value is a number in a row, not a * block of prose.
61	170	—	.iw-vs-stat[data-iw-vs-stat-kind="skill-level"]	(0,2,0)	8 / 0	position, isolation, margin, padding, border, border-radius, background, box-shadow	skin: .iw-vs-stat [data-iw-vs-stat-kind="skill-level"]	—	● L167: Skill levels are the village's rarest gains, so they read as a mythic tier * in both a building's own list and the sum below it.
62	171	—	.iw-vs-stat[data-iw-vs-stat-kind="skill-level"]::before	(0,2,1)	9 / 0	content, position, left, top, width, height, background, box-shadow, transform	skin: .iw-vs-stat [data-iw-vs-stat-kind="skill-level"]	—	○ L167: Skill levels are the village's rarest gains, so they read as a mythic tier * in both a building's own list and the sum below it.
63	172	—	.iw-vs-stat[data-iw-vs-stat-kind="skill-level"] dt	(0,2,1)	2 / 0	color, text-shadow	skin: .iw-vs-stat [data-iw-vs-stat-kind="skill-level"] host: dt	—	○ L167: Skill levels are the village's rarest gains, so they read as a mythic tier * in both a building's own list and the sum below it.
64	173	—	.iw-vs-stat[data-iw-vs-stat-kind="skill-level"] dd	(0,2,1)	3 / 0	color, font-weight, text-shadow	skin: .iw-vs-stat [data-iw-vs-stat-kind="skill-level"] host: dd	—	○ L167: Skill levels are the village's rarest gains, so they read as a mythic tier * in both a building's own list and the sum below it.
65	175	—	.iw-vs-ledger-vacant	(0,1,0)	9 / 0	display, align-items, justify-content, gap, padding, border, border-radius, color, font-size	skin: .iw-vs-ledger-vacant	—	○ L167: Skill levels are the village's rarest gains, so they read as a mythic tier * in both a building's own list and the sum below it.
66	176	—	.iw-vs-ledger-vacant[data-iw-vs-slot-state="locked"]	(0,2,0)	1 / 0	opacity	skin: .iw-vs-ledger-vacant [data-iw-vs-slot-state="locked"]	—	○ L167: Skill levels are the village's rarest gains, so they read as a mythic tier * in both a building's own list and the sum below it.
67	180	—	.iw-vs-totals	(0,1,0)	5 / 0	margin-top, padding, border, border-radius, background	skin: .iw-vs-totals	—	● L178: The totals are the last thing in the ledger and the only block that is never * folded: they are the answer the entries above are the working for.
68	181	—	.iw-vs-totals-title	(0,1,0)	1 / 0	margin-bottom	skin: .iw-vs-totals-title	—	○ L178: The totals are the last thing in the ledger and the only block that is never * folded: they are the answer the entries above are the working for.
69	182	—	.iw-vs-totals-note	(0,1,0)	4 / 0	margin, color, font-size, line-height	skin: .iw-vs-totals-note	—	○ L178: The totals are the last thing in the ledger and the only block that is never * folded: they are the answer the entries above are the working for.
70	188	@container iw-village-frame (min-width:592px)	.iw-vs-ledger[data-iw-vs-open="0"]	(0,2,0)	1 / 0	align-self	skin: .iw-vs-ledger [data-iw-vs-open="0"]	—	—
71	189	@container iw-village-frame (min-width:592px)	.iw-vs-ledger[data-iw-vs-open="0"] > .iw-vs-totals	(0,3,0)	1 / 0	flex	skin: .iw-vs-ledger .iw-vs-totals [data-iw-vs-open="0"]	—	—

#	Line	Context	Selector(s)	Specificity	Decl / !imp	Properties	Hooks	Fragility	Comment
72	192	@media (prefers-reduced-motion: reduce)	.iw-vs-chevron	(0,1,0)	1 / 0	transition	skin: .iw-vs-chevron	—	—

COLLAPSIBLE.CSS — RULE INDEX

Generated by `tools/css-inventory.mjs` from `src/styles/collapsible.css` at commit `059081671bf3`. Do not edit by hand.

Injected as part of `<style data-iw-style="ui-system">` — stylesheet 7 of 7 in injection order, part 4 of 4 in that element's concatenation (`src/modules/UIFoundation.js injectUIFontStyles()`).

203 lines · 9,701 bytes · 15 rules · 15 selectors · 79 declarations · 75 `!important` · 2 `@media` · 0 `@container` · 0 `@keyframes` · 0 `@font-face`

Columns. *Line* is the rule's first line in the source file at the commit above. *Context* is the enclosing `@media` / `@container` / `@supports` chain. *Specificity* is the highest (id, class, type) of the rule's selector list, computed per Selectors Level 4 (`:is()` / `:not()` / `:has()` take their most specific argument, `:where()` counts zero). *Decl* is the declaration count; *!imp* the number marked `!important`. *Properties* lists every property the rule sets, with `!` marking `!important`. *Hooks* separates skin-owned hooks (`data-iw-*`, `data-fs-*`, `.fs-*`, `.iw-*`, `#iw-tip`) from game/host hooks (classes, attributes, elements the extension does not own). *Fragility* flags selectors that depend on utility class names, attribute substrings, element position or sibling order. *Comment* is the nearest authored comment for the rule's block (its own when marked ●, otherwise the last one above it in the same block, marked ○).

RULES

#	Line	Context	Selector(s)	Specificity	Decl / !imp	Properties	Hooks	Fragility	Comment
1	22	—	<code>[data-iw-collapse-head]</code>	(0,1,0)	2 / 2	position!, padding-right!	skin: <code>[data-iw-collapse-head]</code>	—	● L16: <code>relative</code> makes this row the toggle's containing block, which is the whole * point: heading rows here measure anywhere from 30px to 93px tall depending on * the frame family and ...
2	24	—	<code>[data-iw-collapse]</code>	(0,1,0)	20 / 20	position!, top!, right!, transform!, z-index!, display!, place-items!, width!, height!, padding!, margin!, border!, border-radius!, background!, box-shadow!, color!, cursor!, line-height!, -webkit-appearance!, appearance!	skin: <code>[data-iw-collapse]</code>	—	○ L16: <code>relative</code> makes this row the toggle's containing block, which is the whole * point: heading rows here measure anywhere from 30px to 93px tall depending on * the frame family and ...
3	49	—	<code>[data-iw-collapse]::after</code>	(0,1,1)	7 / 7	content!, width!, height!, border-right!, border-bottom!, transform!, transition!	skin: <code>[data-iw-collapse]</code>	—	● L47: A rotated border corner, the same chevron the skill pager draws — no glyph, * so it needs no font and cannot be picked up by a text-matching classifier.

#	Line	Context	Selector(s)	Specificity	Decl / !imp	Properties	Hooks	Fragility	Comment
4	61	—	<code>[data-iw-collapse][aria-expanded="false"]::after</code>	(0,2,1)	1 / 1	transform!	skin: <code>[data-iw-collapse]</code> host: <code>[aria-expanded="false"]</code>	—	● L55: Expanded points UP — "fold this away" — and collapsed points DOWN, the * accordion convention: the chevron shows what the click will do, not what * the panel is already doing.
5	72	<code>@media (pointer: coarse)</code>	<code>[data-iw-collapse]::before</code>	(0,1,1)	3 / 3	content!, position!, inset!	skin: <code>[data-iw-collapse]</code>	—	—
6	79	—	<code>[data-iw-collapse]:hover</code>	(0,2,0)	2 / 2	border-color!, box-shadow!	skin: <code>[data-iw-collapse]</code>	—	○ L55: Expanded points UP — "fold this away" — and collapsed points DOWN, the * accordion convention: the chevron shows what the click will do, not what * the panel is already doing.
7	83	—	<code>[data-iw-collapse]:focus-visible</code>	(0,2,0)	2 / 2	outline!, outline-offset!	skin: <code>[data-iw-collapse]</code>	—	○ L55: Expanded points UP — "fold this away" — and collapsed points DOWN, the * accordion convention: the chevron shows what the click will do, not what * the panel is already doing.
8	91	—	<code>[data-iw-collapsed="1"] &gt; *:not([data-iw-collapse]):not([data-iw-collapse-head])</code>	(0,3,0)	1 / 1	display!	skin: <code>[data-iw-collapsed="1"]</code> <code>[data-iw-collapse]</code> <code>[data-iw-collapse-head]</code>	—	● L88: The fold itself: every direct child goes except the heading row and the * control.
9	113	—	<code>[data-iw-collapsed="1"]</code>	(0,1,0)	4 / 0	<code>—iw-frame-pad-y</code> , <code>—iw-frame-pad-mobile-y</code> , <code>—iw-frame-pad-x</code> , <code>—iw-frame-pad-mobile-x</code>	skin: <code>[data-iw-collapsed="1"]</code>	—	● L109: Re-point the TOKEN rather than fight the padding declaration.
10	127	—	<code>[data-iw-collapsed="1"]</code> <code>[data-iw-collapse-head]</code>	(0,2,0)	6 / 6	min-height!, margin!, padding-top!, padding-bottom!, padding-left!, gap!	skin: <code>[data-iw-collapsed="1"]</code> <code>[data-iw-collapse-head]</code>	—	● L122: The surviving flourish reaches ~32px in from the frame's own left edge, * which is 10px past the frame's <code>--iw-frame-pad-x</code> — so the title needs its * own indent to sit clear of t...
11	139	—	<code>[data-iw-collapsed="1"]</code> <code>[data-iw-collapse-head]</code> <code>*:not([data-iw-collapse-spine]):not([data-iw-collapse])</code>	(0,4,0)	1 / 1	display!	skin: <code>[data-iw-collapsed="1"]</code> <code>[data-iw-collapse-head]</code> <code>[data-iw-collapse-spine]</code> <code>[data-iw-collapse]</code>	—	● L135: Keep the path to the title and the control; drop the rest of the row.
12	142	—	<code>[data-iw-collapsed="1"]</code> <code>[data-iw-collapse-spine]</code>	(0,2,0)	8 / 8	display!, min-width!, min-height!, margin!, padding!, border!, background!, box-shadow!	skin: <code>[data-iw-collapsed="1"]</code> <code>[data-iw-collapse-spine]</code>	—	○ L135: Keep the path to the title and the control; drop the rest of the row.
13	154	—	<code>[data-iw-collapsed="1"]</code> <code>[data-iw-collapse-title]</code>	(0,2,0)	12 / 12	font-family!, font-size!, font-weight!, line-height!, letter-spacing!, text-transform!, text-align!, color!, text-shadow!, white-space!, overflow!, text-overflow!	skin: <code>[data-iw-collapsed="1"]</code> <code>[data-iw-collapse-title]</code>	—	● L152: The one treatment. <code>line-height</code> is a fixed px, not a ratio, because it is what makes every collapsed bar exactly as tall as every other.
14	182	—	<code>[data-iw-collapsed="1"]::after</code>	(0,1,1)	9 / 9	content!, position!, inset!, z-index!, pointer-events!, border-style!, border-width!, border-color!, border-image!	skin: <code>[data-iw-collapsed="1"]</code>	—	● L169: One flourish, top left.

#	Line	Context	Selector(s)	Specificity	Decl / !imp	Properties	Hooks	Fragility	Comment
15	201	@media (prefers-reduced-motion: reduce)	[data-iw-collapse]::after	(0,1,1)	1 / 1	transition!	skin: [data-iw-collapse]	—	—

HEADER.CLAUDE.CSS — RULE INDEX (INACTIVE)

Generated by tools/css-inventory.mjs from src/styles/header.claude.css at commit 059081671bf3. Do not edit by hand.

Not shipped. Not imported by any module; esbuild never bundles it. Kept in the repository only.

561 lines · 22,226 bytes · 53 rules · 63 selectors · 348 declarations · 270 !important · 4 @media · 0 @container · 0 @keyframes · 0 @font-face

Columns. *Line* is the rule's first line in the source file at the commit above. *Context* is the enclosing @media / @container / @supports chain. *Specificity* is the highest (id, class, type) of the rule's selector list, computed per Selectors Level 4 (:is()/:not()/:has() take their most specific argument, :where() counts zero). *Decl* is the declaration count; *!imp* the number marked !important. *Properties* lists every property the rule sets, with ! marking !important. *Hooks* separates skin-owned hooks (data-iw-*, data-fs-*, .fs-*, .iw-*, #iw-tip) from game/host hooks (classes, attributes, elements the extension does not own). *Fragility* flags selectors that depend on utility class names, attribute substrings, element position or sibling order. *Comment* is the nearest authored comment for the rule's block (its own when marked ●, otherwise the last one above it in the same block, marked ○).

RULES

#	Line	Context	Selector(s)	Specificity	Decl / !imp	Properties	Hooks	Fragility	Comment
1	34	—	[data-iw-header="root"] [data-iw-ui="main-nav"] [data-iw-header="announcement"] [data-iw-header="zone-shell"]	max(0,1,0)	8 / 0	—hd-bracket, —hd-bracket-dim, —hd-plate, —hd-rule, —hd-rule-soft, —hd-teal, —hd-teal-dim, —hd-gap	skin: [data-iw-header="root"] [data-iw-ui="main-nav"] [data-iw-header="announcement"] [data-iw-header="zone-shell"]	—	● L32: — §0 Local tokens
2	52	—	[data-iw-header="status-card"] [data-iw-header="utility-button"] [data-iw-ui="zone-action"]	max(0,1,0)	12 / 9	—b, —i, —bc, position!, border!, border-radius!, background-color!, background-repeat!, background-image!, background-size!, background-position!, box-shadow!	skin: [data-iw-header="status-card"] [data-iw-header="utility-button"] [data-iw-ui="zone-action"]	—	● L48: — §1 Corner-bracket plate Eight 1px gradients, two arms per corner.

#	Line	Context	Selector(s)	Specificity	Decl / !imp	Properties	Hooks	Fragility	Comment
3	82	—	<code>[data-iw-header="root"]</code>	(0,1,0)	13 / 13	position!, isolation!, display!, min-height!, padding!, border!, border-radius!, overflow!, background-color!, background-image!, background-size!, background-position!, box-shadow!	skin: <code>[data-iw-header="root"]</code>	—	● L80: — §2 Header plate
4	97	—	<code>[data-iw-header="root"] &gt; *</code>	(0,1,0)	2 / 0	position, z-index	skin: <code>[data-iw-header="root"]</code>	—	○ L80: — §2 Header plate
5	102	—	<code>[data-iw-header="root"]::after</code>	(0,1,1)	17 / 0	content, position, inset, z-index, pointer-events, background-image, background-repeat, background-size, background-position, -webkit-mask-image, -webkit-mask-repeat, -webkit-mask-size, -webkit-mask-position, mask-image, mask-repeat, mask-size, mask-position	skin: <code>[data-iw-header="root"]</code>	—	● L99: Corner filigree from header_frame.webp, pinned at a FIXED 52x34 regardless of how wide or tall the header becomes.
6	128	—	<code>[data-iw-header="layout"]</code>	(0,1,0)	6 / 6	display!, grid-template-columns!, align-items!, gap!, min-height!, padding!	skin: <code>[data-iw-header="layout"]</code>	—	○ L99: Corner filigree from header_frame.webp, pinned at a FIXED 52x34 regardless of how wide or tall the header becomes.
7	139	—	<code>[data-iw-header="identity-region"]</code>	(0,1,0)	8 / 8	display!, grid-template-columns!, grid-template-areas!, align-items!, gap!, min-width!, padding!, background!	skin: <code>[data-iw-header="identity-region"]</code>	—	● L137: — §3 Identity region
8	150	—	<code>.fs-header-crest</code>	(0,1,0)	10 / 8	grid-area!, display!, width!, height!, background-image!, background-size!, background-position!, background-repeat!, filter, pointer-events	skin: <code>.fs-header-crest</code>	—	○ L137: — §3 Identity region
9	163	—	<code>[data-iw-header="profile"]</code>	(0,1,0)	4 / 4	grid-area!, min-width!, padding!, background!	skin: <code>[data-iw-header="profile"]</code>	—	○ L137: — §3 Identity region
10	170	—	<code>[data-iw-header="brand"]</code>	(0,1,0)	10 / 10	margin!, display!, align-items!, gap!, font-family!, font-size!, font-weight!, letter-spacing!, text-transform!, color!	skin: <code>[data-iw-header="brand"]</code>	—	○ L137: — §3 Identity region
11	182	—	<code>[data-iw-header="brand"]::before</code> <code>[data-iw-header="brand"]::after</code>	max(0,1,1)	4 / 0	content, width, height, background	skin: <code>[data-iw-header="brand"]</code>	—	○ L137: — §3 Identity region
12	188	—	<code>[data-iw-header="brand"]::after</code>	(0,1,1)	1 / 0	transform	skin: <code>[data-iw-header="brand"]</code>	—	○ L137: — §3 Identity region
13	190	—	<code>[data-iw-header="profile-name"]</code>	(0,1,0)	15 / 15	margin!, font-family!, font-size!, font-weight!, line-height!, letter-spacing!, white-space!, overflow!, text-overflow!, background!, -webkit-background-clip!, background-clip!, color!, -webkit-text-fill-color!, text-shadow!	skin: <code>[data-iw-header="profile-name"]</code>	—	○ L137: — §3 Identity region

#	Line	Context	Selector(s)	Specificity	Decl / !imp	Properties	Hooks	Fragility	Comment
14	208	—	<code>[data-iw-header="profile-title"]</code>	(0,1,0)	7 / 7	margin!, font-family!, font-size!, font-weight!, letter-spacing!, text-transform!, color!	skin: <code>[data-iw-header="profile-title"]</code>	—	○ L137: — §3 Identity region
15	218	—	<code>[data-iw-header="profile-meta"]</code>	(0,1,0)	7 / 7	margin-top!, font-size!, line-height!, color!, white-space!, overflow!, text-overflow!	skin: <code>[data-iw-header="profile-meta"]</code>	—	○ L137: — §3 Identity region
16	231	—	<code>[data-iw-header="profile-online"]</code>	(0,1,0)	19 / 19	margin-top!, padding!, border!, border-radius!, background!, background-image!, box-shadow!, text-align!, height!, min-height!, display!, align-items!, gap!, font-family!, font-size!, font-weight!, letter-spacing!, text-transform!, color!	skin: <code>[data-iw-header="profile-online"]</code>	—	● L228: This role lands on a real <button> in the live DOM, so it arrives wearing the game's (and ui-system.css's) control chrome.
17	252	—	<code>[data-iw-header="profile-online"]::before</code>	(0,1,1)	7 / 0	content, width, height, border-radius, background, box-shadow, flex	skin: <code>[data-iw-header="profile-online"]</code>	—	○ L228: This role lands on a real <button> in the live DOM, so it arrives wearing the game's (and ui-system.css's) control chrome.
18	262	—	<code>[data-iw-header="utilities"]</code>	(0,1,0)	7 / 7	grid-area!, align-self!, display!, align-items!, justify-content!, gap!, padding!	skin: <code>[data-iw-header="utilities"]</code>	—	● L260: — §4 Utility buttons
19	272	—	<code>[data-iw-header="utility-button"]</code>	(0,1,0)	10 / 8	—b, width!, min-width!, height!, min-height!, padding!, display!, place-items!, color!, transition	skin: <code>[data-iw-header="utility-button"]</code>	—	○ L260: — §4 Utility buttons
20	284	—	<code>[data-iw-header="utility-button"] svg</code>	(0,1,1)	2 / 2	width!, height!	skin: <code>[data-iw-header="utility-button"]</code> host: <code>svg</code>	—	○ L260: — §4 Utility buttons
21	285	—	<code>[data-iw-header="utility-button"]:hover</code>	(0,2,0)	3 / 2	—bc, color!, border-color!	skin: <code>[data-iw-header="utility-button"]</code>	—	○ L260: — §4 Utility buttons
22	293	—	<code>[data-iw-header="status-grid"]</code>	(0,1,0)	6 / 6	display!, grid-template-columns!, align-content!, gap!, min-width!, padding!	skin: <code>[data-iw-header="status-grid"]</code>	—	● L291: — §5 Status tiles
23	302	—	<code>[data-iw-header="status-card"]</code>	(0,1,0)	15 / 15	min-width!, min-height!, display!, align-items!, justify-content!, gap!, padding!, text-align!, font-family!, font-size!, font-weight!, line-height!, color!, white-space!, overflow!	skin: <code>[data-iw-header="status-card"]</code>	—	○ L291: — §5 Status tiles
24	321	—	<code>[data-iw-header="status-card"] &gt; *</code>	(0,1,0)	1 / 0	min-width	skin: <code>[data-iw-header="status-card"]</code>	—	● L311: Cinzel is capitals-only: setting it here renders every tile as forced small caps.
25	325	—	<code>[data-iw-ui="main-nav-shell"]</code>	(0,1,0)	5 / 5	margin-top!, padding!, border!, background!, box-shadow!	skin: <code>[data-iw-ui="main-nav-shell"]</code>	—	● L323: — §6 Navigation rail

#	Line	Context	Selector(s)	Specificity	Decl / !imp	Properties	Hooks	Fragility	Comment
26	333	—	<code>[data-iw-ui="main-nav"]</code>	(0,1,0)	12 / 12	position!, display!, align-items!, gap!, min-height!, padding!, overflow!, border!, border-radius!, background-color!, background-image!, box-shadow!	skin: <code>[data-iw-ui="main-nav"]</code>	—	○ L323: — §6 Navigation rail
27	348	—	<code>[data-iw-ui="nav-tab"]</code>	(0,1,0)	23 / 22	flex!, display!, align-items!, justify-content!, gap!, height!, min-height!, margin!, padding!, border!, border-right!, border-radius!, background!, box-shadow!, font-family!, font-size!, font-weight!, letter-spacing!, text-transform!, white-space!, color!, text-shadow!, transition	skin: <code>[data-iw-ui="nav-tab"]</code>	—	○ L323: — §6 Navigation rail
28	373	—	<code>[data-iw-ui="nav-tab"]:hover</code>	(0,2,0)	2 / 2	color!, background-color!	skin: <code>[data-iw-ui="nav-tab"]</code>	—	○ L323: — §6 Navigation rail
29	378	—	<code>[data-iw-ui="nav-tab"][data-iw-state="active"]</code>	(0,2,0)	5 / 5	color!, border-left!, border-right!, background-image!, box-shadow!	skin: <code>[data-iw-ui="nav-tab"]</code> <code>[data-iw-state="active"]</code>	—	○ L323: — §6 Navigation rail
30	389	—	<code>[data-iw-ui="nav-tab"]:first-child</code>	(0,2,0)	1 / 1	border-left!	skin: <code>[data-iw-ui="nav-tab"]</code>	position-dependent :first-child	○ L323: — §6 Navigation rail
31	393	—	<code>[data-iw-header="announcement"]</code>	(0,1,0)	14 / 14	display!, align-items!, gap!, height!, min-height!, margin!, padding!, border!, border-radius!, background-color!, background-image!, box-shadow!, font-size!, color!	skin: <code>[data-iw-header="announcement"]</code>	—	● L391: — §7 Announcement bar
32	412	—	<code>[data-iw-header="announcement"]::before</code>	(0,1,1)	7 / 1	content!, flex, width, height, background, clip-path, filter	skin: <code>[data-iw-header="announcement"]</code>	—	● L410: Four-point star, drawn rather than cropped out of a 2148px sheet — a fixed background-position into that sheet breaks on any re-export.
33	423	—	<code>[data-iw-header="zone-shell"]</code>	(0,1,0)	14 / 14	position!, isolation!, display!, align-items!, flex-wrap!, gap!, min-height!, padding!, border!, border-radius!, overflow!, background-color!, background-image!, box-shadow!	skin: <code>[data-iw-header="zone-shell"]</code>	—	● L421: — §8 Zone bar
34	439	—	<code>[data-iw-header="zone-shell"] &gt; *</code>	(0,1,0)	2 / 0	position, z-index	skin: <code>[data-iw-header="zone-shell"]</code>	—	○ L421: — §8 Zone bar
35	443	—	<code>[data-iw-header="zone-shell"]::before</code>	(0,1,1)	13 / 0	content, position, inset, z-index, background-image, background-size, background-position, opacity, pointer-events, -webkit-mask-image, -webkit-mask-composite, mask-image, mask-composite	skin: <code>[data-iw-header="zone-shell"]</code>	—	● L441: The moonlit scene sits behind the middle only and never under the text or the buttons: two masks intersected, so it fades on all four edges.
36	463	—	<code>[data-iw-ui="zone-title"]</code>	(0,1,0)	6 / 6	font-family!, font-size!, font-weight!, letter-spacing!, color!, text-shadow!	skin: <code>[data-iw-ui="zone-title"]</code>	—	○ L441: The moonlit scene sits behind the middle only and never under the text or the buttons: two masks intersected, so it fades on all four edges.
37	472	—	<code>[data-iw-ui="zone-action"]</code>	(0,1,0)	16 / 14	—b, display!, align-items!, justify-content!, gap!, min-width!, min-height!, height!, padding!, font-family!, font-size!, font-weight!, letter-spacing!, text-transform!, color!, transition	skin: <code>[data-iw-ui="zone-action"]</code>	—	○ L441: The moonlit scene sits behind the middle only and never under the text or the buttons: two masks intersected, so it fades on all four edges.

#	Line	Context	Selector(s)	Specificity	Decl / !imp	Properties	Hooks	Fragility	Comment
38	490	—	<code>[data-iw-ui="zone-action"]:hover</code>	(0,2,0)	1 / 0	filter	skin: <code>[data-iw-ui="zone-action"]</code>	—	○ L441: The moonlit scene sits behind the middle only and never under the text or the buttons: two masks intersected, so it fades on all four edges.
39	495	—	<code>[data-iw-ui="zone-action"]</code> <code>[data-iw-zone-action="zones"]</code> <code>[data-iw-ui="zone-action"]:first-of-type</code>	max(0,2,0)	5 / 4	—bc, color!, border-color!, background-color!, box-shadow!	skin: <code>[data-iw-ui="zone-action"]</code> <code>[data-iw-zone-action="zones"]</code>	position-dependent :first-of-type	● L492: Tone. data-iw-zone-action is the robust hook (see the HeaderRenderer patch shipped alongside this file); the :first/:last fallbacks keep the tones correct if that patch is not app...
40	503	—	<code>[data-iw-ui="zone-action"]</code> <code>[data-iw-zone-action="next"]</code> <code>[data-iw-ui="zone-action"]:last-of-type</code>	max(0,2,0)	6 / 5	—bc, color!, border-color!, background-image!, background-size!, background-position!	skin: <code>[data-iw-ui="zone-action"]</code> <code>[data-iw-zone-action="next"]</code>	position-dependent :last-of-type	○ L492: Tone. data-iw-zone-action is the robust hook (see the HeaderRenderer patch shipped alongside this file); the :first/:last fallbacks keep the tones correct if that patch is not app...
41	530	<code>@media (max-width: 1180px)</code>	<code>[data-iw-header="layout"]</code>	(0,1,0)	2 / 2	grid-template-columns!, gap!	skin: <code>[data-iw-header="layout"]</code>	—	—
42	531	<code>@media (max-width: 1180px)</code>	<code>[data-iw-header="status-grid"]</code>	(0,1,0)	1 / 1	margin-top!	skin: <code>[data-iw-header="status-grid"]</code>	—	—
43	535	<code>@media (max-width: 860px)</code>	<code>[data-iw-header="root"]</code>	(0,1,0)	1 / 1	padding!	skin: <code>[data-iw-header="root"]</code>	—	—
44	536	<code>@media (max-width: 860px)</code>	<code>[data-iw-header="identity-region"]</code>	(0,1,0)	3 / 3	grid-template-columns!, grid-template-areas!, gap!	skin: <code>[data-iw-header="identity-region"]</code>	—	—
45	541	<code>@media (max-width: 860px)</code>	<code>.fs-header-crest</code>	(0,1,0)	2 / 2	width!, height!	skin: <code>.fs-header-crest</code>	—	—
46	542	<code>@media (max-width: 860px)</code>	<code>[data-iw-header="utilities"]</code>	(0,1,0)	1 / 1	justify-content!	skin: <code>[data-iw-header="utilities"]</code>	—	—
47	543	<code>@media (max-width: 860px)</code>	<code>[data-iw-header="status-grid"]</code>	(0,1,0)	1 / 1	grid-template-columns!	skin: <code>[data-iw-header="status-grid"]</code>	—	—

#	Line	Context	Selector(s)	Specificity	Decl / !imp	Properties	Hooks	Fragility	Comment
48	544	@media (max-width: 860px)	[data-iw-ui="nav-tab"]	(0,1,0)	3 / 3	padding!, font-size!, gap!	skin: [data-iw-ui="nav-tab"]	—	—
49	545	@media (max-width: 860px)	[data-iw-ui="zone-action"]	(0,1,0)	3 / 3	flex!, padding!, font-size!	skin: [data-iw-ui="zone-action"]	—	—
50	549	@media (max-width: 560px)	[data-iw-ui="main-nav"]	(0,1,0)	2 / 1	overflow-x!, scrollbar-width	skin: [data-iw-ui="main-nav"]	—	—
51	550	@media (max-width: 560px)	[data-iw-ui="main-nav"]::-webkit-scrollbar	(0,1,1)	1 / 0	display	skin: [data-iw-ui="main-nav"]	—	—
52	551	@media (max-width: 560px)	[data-iw-ui="nav-tab"]	(0,1,0)	1 / 1	flex!	skin: [data-iw-ui="nav-tab"]	—	—
53	557	@media (prefers-reduced-motion: reduce)	[data-iw-header="utility-button"] [data-iw-ui="nav-tab"] [data-iw-ui="zone-action"]	max(0,1,0)	1 / 0	transition	skin: [data-iw-header="utility-button"] [data-iw-ui="nav-tab"] [data-iw-ui="zone-action"]	—	—

APPENDIX C — CSS DEPENDENCY SURFACE

Generated by `tools/css-inventory.mjs` at commit `059081671bf3af4490a025121f25f13ada142b7e`. Shipped stylesheets only (`header.claude.css` excluded). Counts are rules, not declarations, unless stated.

C.I HOST (GAME) HOOKS THE STYLESHEETS DEPEND ON

Every class, id, attribute selector and element name that the extension does NOT create. A change to any of these in the IdleWorlds markup can silently disable the rules listed. Ordered by rule count.

Hook	Rules	Where (file: count, first lines)
<code>.compact-panel</code>	561	base.css (1: L381); skillpanel.css (441: L42, L81, L100, L115, L122, L131, ...); skillcard-v2.css (108: L17, L73, L78, L86, L109, L110, ...); skillcard-v2-runtime-safe.css (1: L14); card-buttons.css (8: L4, L18, L25, L31, L37, L46, ...); ui-system.css (2: L1051, L1466)
<code>button</code>	170	base.css (8: L428, L452, L492, L508, L516, L521, ...); inventory.css (11: L732, L753, L770, L776, L782, L787, ...); skillpanel.css (109: L347, L352, L360, L375, L388, L399, ...); skillcard-v2.css (21: L256, L275, L276, L277, L278, L279, ...); card-buttons.css (8: L4, L18, L25, L31, L37, L46, ...); header.css (1: L306); ui-system.css (12: L275, L288, L488, L1019, L1033, L1051, ...)
<code>[aria-disabled="true"]</code>	22	inventory.css (1: L816); skillpanel.css (13: L3656, L3663, L3671, L3696, L3702, L3708, ...); skillcard-v2.css (1: L279); card-buttons.css (3: L31, L46, L49); ui-system.css (1: L1065); compact-buttons.css (3: L92, L119, L123)
<code>[role="button"]</code>	21	base.css (8: L428, L452, L492, L508, L516, L521, ...); inventory.css (9: L732, L753, L770, L776, L782, L787, ...); ui-system.css (4: L1019, L1033, L1065, L1211)
<code>[class*="hover:underline"]</code>	11	base.css (8: L428, L466, L492, L508, L516, L521, ...); ui-system.css (3: L1019, L1033, L1065)
<code>[class*="chat-name-"]</code>	10	base.css (7: L428, L492, L508, L516, L521, L549, ...); ui-system.css (3: L1019, L1033, L1065)
<code>[style*="width"]</code>	9	skillcard-v2.css (8: L275, L295, L301, L309, L310, L311, ...); card-buttons.css (1: L25)
<code>a</code>	9	inventory.css (8: L732, L753, L770, L776, L782, L787, ...); ui-system.css (1: L1211)
<code>span</code>	8	skillcard-v2.css (6: L295, L301, L309, L310, L311, L312); card-buttons.css (1: L25); ui-system.css (1: L2301)
<code>.compact-row</code>	7	base.css (1: L405); inventory.css (6: L390, L406, L414, L431, L841, L882)
<code>[class*="item-row"]</code>	7	base.css (1: L405); inventory.css (6: L390, L406, L414, L431, L841, L882)
<code>[class*="decoration-dotted"]</code>	6	base.css (2: L428, L508); ui-system.css (4: L1019, L1033, L1065, L1223)

Hook	Rules	Where (file: count, first lines)
p	6	ui-system.css (6: L263, L361, L2270, L2277, L2379, L2380)
strong	6	ui-system.css (2: L354, L616); village-scene.css (4: L38, L40, L53, L63)
input	5	base.css (4: L492, L521, L530, L542); ui-system.css (1: L1071)
summary	4	ui-system.css (4: L1445, L1446, L1447, L1449)
textarea	4	base.css (4: L492, L521, L530, L542)
.v	3	tooltip-engine.css (3: L316, L325, L326)
select	3	base.css (3: L492, L521, L530)
svg	3	inventory.css (1: L354); header.css (2: L427, L496)
.feed-panel	2	ui-system.css (2: L607, L611)
.has-details	2	inventory.css (2: L457, L459)
.has-requirements	2	inventory.css (2: L457, L459)
[class*="opacity-30"]	2	ui-system.css (2: L1953, L1958)
[class*="rounded-2xl"]	2	base.css (2: L420, L706)
[class*="rounded-3xl"]	2	base.css (2: L420, L706)
[class*="rounded-xl"]	2	base.css (2: L420, L706)
[open]	2	ui-system.css (2: L1448, L1449)
dd	2	village-scene.css (2: L165, L173)
dt	2	village-scene.css (2: L162, L172)
h1	2	base.css (2: L362, L366)
h2	2	base.css (2: L362, L366)
h3	2	base.css (2: L362, L366)
header	2	base.css (1: L549); ui-system.css (1: L874)
.amber	1	tooltip-engine.css (1: L325)
.good	1	tooltip-engine.css (1: L326)

Hook	Rules	Where (file: count, first lines)
<code>.is-equipped</code>	1	inventory.css (1: L544)
<code>.is-open</code>	1	tooltip-engine.css (1: L129)
<code>.is-stale</code>	1	tooltip-engine.css (1: L400)
<code>.is-unknown</code>	1	tooltip-engine.css (1: L358)
<code>.k</code>	1	tooltip-engine.css (1: L311)
<code>.req</code>	1	tooltip-engine.css (1: L251)
<code>.t</code>	1	tooltip-engine.css (1: L247)
<code>.tier-common</code>	1	base.css (1: L611)
<code>.tier-epic</code>	1	base.css (1: L614)
<code>.tier-legendary</code>	1	base.css (1: L615)
<code>.tier-mythic</code>	1	base.css (1: L616)
<code>.tier-rare</code>	1	base.css (1: L613)
<code>.tier-uncommon</code>	1	base.css (1: L612)
<code>[aria-expanded="false"]</code>	1	collapsible.css (1: L61)
<code>[aria-expanded="true"]</code>	1	skillcard-v2.css (1: L228)
<code>[class*="border"]</code>	1	base.css (1: L706)
<code>[class*="fs-skill"]</code>	1	skillcard-v2.css (1: L217)
<code>[class*="iw-skill-v2"]</code>	1	skillcard-v2.css (1: L217)
<code>[class*="px-"]</code>	1	base.css (1: L698)
<code>[class*="rounded-full"]</code>	1	base.css (1: L698)
<code>[class*="rounded-lg"]</code>	1	base.css (1: L420)

Hook	Rules	Where (file: count, first lines)
[class*="rounded-md"]	1	base.css (1: L420)
[class*="tab"]	1	base.css (1: L549)
[class~="compact-panel"]	1	base.css (1: L381)
[data-plot-state="locked"]	1	village-scene.css (1: L69)
[data-slot="1"]	1	village-scene.css (1: L55)
[data-slot="2"]	1	village-scene.css (1: L56)
[data-slot="3"]	1	village-scene.css (1: L57)
[data-slot="4"]	1	village-scene.css (1: L58)
[data-slot="5"]	1	village-scene.css (1: L59)
[placeholder*="Search" i]	1	ui-system.css (1: L1071)
[type="checkbox"]	1	base.css (1: L530)
[type="radio"]	1	base.css (1: L530)
[type="search"]	1	ui-system.css (1: L1071)
b	1	ui-system.css (1: L621)
div	1	ui-system.css (1: L354)
hr	1	base.css (1: L557)
nav	1	base.css (1: L549)
time	1	ui-system.css (1: L566)

C.2 SKIN-OWNED HOOKS

Hooks written by the extension's own JavaScript (attributes) or on its own elements (classes). A rename in JavaScript must be mirrored in these rules.

Hook	Rules	Where
<code>.fs-skill-panel</code>	471	skillpanel.css (353: L42, L81, L100, L115, L122, L131, ...); skillcard-v2.css (108: L17, L73, L78, L86, L109, L110, ...); skillcard-v2-runtime-safe.css (1: L14); card-buttons.css (8: L4, L18, L25, L31, L37, L46, ...); ui-system.css (1: L1051)
<code>[data-iw-skill-layout]</code>	402	skillpanel.css (286: L122, L131, L135, L139, L225, L463, ...); skillcard-v2.css (108: L17, L73, L78, L86, L109, L110, ...); card-buttons.css (8: L4, L18, L25, L31, L37, L46, ...)
<code>[data-iw-skill-role]</code>	291	base.css (5: L428, L492, L508, L516, L521); skillpanel.css (230: L146, L158, L169, L180, L205, L215, ...); skillcard-v2.css (37: L122, L153, L158, L164, L194, L197, ...); card-buttons.css (8: L4, L18, L25, L31, L37, L46, ...); ui-system.css (11: L1019, L1019, L1019, L1033, L1033, L1033, ...)
<code>[data-iw-skill-card-design]</code>	117	skillcard-v2.css (108: L17, L73, L78, L86, L109, L110, ...); skillcard-v2-runtime-safe.css (1: L14); card-buttons.css (8: L4, L18, L25, L31, L37, L46, ...)
<code>[data-iw-skill-v2]</code>	117	skillcard-v2.css (108: L17, L73, L78, L86, L109, L110, ...); skillcard-v2-runtime-safe.css (1: L14); card-buttons.css (8: L4, L18, L25, L31, L37, L46, ...)
<code>[data-iw-skill-zone]</code>	111	skillpanel.css (86: L131, L135, L139, L420, L426, L429, ...); skillcard-v2.css (25: L110, L114, L120, L122, L178, L189, ...)
<code>[data-iw-skills-ui-ready]</code>	106	skillpanel.css (89: L1156, L1164, L1184, L1188, L1204, L1228, ...); card-buttons.css (8: L4, L18, L25, L31, L37, L46, ...); ui-system.css (9: L44, L67, L100, L131, L137, L140, ...)
<code>[data-iw-quest-role]</code>	103	base.css (1: L508); skillpanel.css (99: L2820, L2829, L2838, L2845, L2857, L2866, ...); ui-system.css (3: L1019, L1033, L1065)
<code>.fs-quest-panel</code>	100	skillpanel.css (99: L2604, L2624, L2632, L2647, L2659, L2673, ...); ui-system.css (1: L1466)
<code>[data-iw-zone-theme]</code>	84	base.css (10: L230, L240, L250, L260, L270, L280, ...); skillpanel.css (57: L2709, L2712, L2715, L2718, L2721, L2724, ...); card-button-atlas.css (9: L2, L10, L18, L26, L34, L42, ...); card-buttons.css (8: L4, L18, L25, L31, L37, L46, ...)
<code>[data-iw-encounter]</code>	80	ui-system.css (80: L1245, L1251, L1251, L1264, L1265, L1266, ...)
<code>[data-iw-ui]</code>	80	base.css (1: L492); header.css (25: L34, L52, L661, L669, L684, L709, ...); ui-system.css (52: L44, L67, L100, L100, L131, L137, ...); compact-buttons.css (2: L17, L111)
<code>[data-iw-header]</code>	75	base.css (2: L366, L452); header.css (63: L34, L34, L34, L52, L52, L82, ...); ui-system.css (10: L1019, L1019, L1019, L1019, L1033, L1033, ...)
<code>[data-iw-panel-part]</code>	66	ui-system.css (65: L232, L237, L253, L262, L263, L263, ...); compact-buttons.css (1: L18)
<code>[data-iw-nav-direction]</code>	62	skillpanel.css (52: L1595, L1611, L1614, L1617, L1664, L1667, ...); skillcard-v2.css (6: L408, L409, L410, L411, L422, L431); card-buttons.css (4: L37, L46, L49, L52)
<code>[data-iw-village-role]</code>	47	base.css (1: L508); ui-system.css (46: L1019, L1033, L1065, L1995, L2001, L2063, ...)
<code>[data-iw-boss-role]</code>	38	base.css (1: L508); ui-system.css (37: L1019, L1033, L1065, L1266, L1274, L1282, ...)
<code>[data-iw-inventory-root]</code>	32	inventory.css (23: L31, L44, L63, L76, L87, L176, ...); ui-system.css (9: L44, L67, L100, L131, L137, L140, ...)
<code>[data-iw-skill-v2-type]</code>	30	skillcard-v2.css (30: L376, L377, L378, L379, L380, L381, ...)
<code>[data-iw-village]</code>	27	ui-system.css (27: L1994, L1995, L2001, L2027, L2051, L2062, ...)
<code>[data-iw-chrome]</code>	26	ui-system.css (26: L44, L67, L137, L864, L874, L875, ...)

Hook	Rules	Where
[data-iw-compact-atlas]	26	compact-buttons.css (26: L6, L17, L18, L22, L31, L32, ...)
.fs-inv-row	25	inventory.css (25: L390, L406, L414, L418, L431, L434, ...)
[data-iw-compact-button]	25	ui-system.css (3: L1019, L1033, L1065); compact-buttons.css (22: L6, L17, L18, L35, L56, L69, ...)
[data-iw-control]	25	ui-system.css (25: L1479, L1480, L1481, L1548, L1549, L1550, ...)
[data-iw-panel]	24	ui-system.css (24: L210, L223, L227, L231, L232, L237, ...)
.fs-skill-medallion-art	22	skillpanel.css (19: L966, L988, L994, L1005, L1016, L1106, ...); skillcard-v2.css (3: L122, L123, L130)
[data-iw-compact-layer]	20	compact-buttons.css (20: L4, L31, L32, L33, L35, L56, ...)
[data-iw-inventory-control]	19	inventory.css (14: L176, L176, L224, L238, L248, L248, ...); ui-system.css (5: L1019, L1033, L1060, L1060, L1065)
[data-iw-header-stat]	17	header.css (17: L545, L551, L551, L556, L562, L581, ...)
[data-fs-preserved-action]	16	inventory.css (13: L712, L732, L753, L770, L776, L782, ...); ui-system.css (3: L1019, L1033, L1065)
.iw-skill-v2-action-glyph	15	skillcard-v2.css (15: L325, L343, L360, L376, L377, L378, ...)
[data-iw-skill-layout-shell]	15	skillpanel.css (11: L1258, L1262, L1317, L1330, L1704, L1802, ...); skillcard-v2.css (4: L86, L325, L472, L493)
.iw-item-ref	14	base.css (5: L428, L492, L508, L516, L521); tooltip-engine.css (3: L27, L47, L52); inventory.css (2: L596, L597); skillpanel.css (1: L261); ui-system.css (3: L1019, L1033, L1065)
[data-iw-button-atlas]	14	skillpanel.css (14: L3783, L3792, L3799, L3806, L3818, L3825, ...)
[data-iw-collapse]	14	ui-system.css (5: L275, L288, L1019, L1033, L1065); collapsible.css (9: L24, L49, L61, L72, L79, L83, ...)
.fs-skill-identity-percent	13	skillpanel.css (13: L1536, L1550, L1744, L1749, L1845, L2227, ...)
[data-iw-btn-state]	13	skillpanel.css (10: L375, L388, L388, L404, L409, L796, ...); card-buttons.css (3: L31, L46, L49)
.iw-vs-plot	12	village-scene.css (12: L36, L40, L41, L54, L55, L56, ...)
[data-iw-quest-zone]	12	skillpanel.css (12: L2659, L2673, L2675, L2683, L2692, L2693, ...)
.fs-skill-base-exp	11	skillpanel.css (9: L1406, L1427, L1503, L1773, L1874, L2069, ...); skillcard-v2.css (2: L202, L505)

Hook	Rules	Where
.fs-skill-identity-progress	11	skillpanel.css (11: L1374, L1474, L1483, L1559, L1754, L1849, ...)
.fs-skills-section-frame	11	skillpanel.css (2: L1636, L1650); ui-system.css (9: L44, L67, L100, L131, L137, L140, ...)
.iw-control-crystal-core	10	ui-system.css (10: L1589, L1598, L1634, L1644, L1654, L1658, ...)
[data-fs-action-kind]	10	inventory.css (7: L770, L776, L782, L787, L792, L807, ...); compact-buttons.css (3: L97, L100, L104)
[data-iw-collapsed]	10	skillcard-v2.css (1: L109); ui-system.css (2: L100, L140); collapsible.css (7: L91, L113, L127, L139, L142, L154, ...)
.fs-quest-sigil	9	skillpanel.css (9: L2738, L2761, L2771, L2797, L3248, L3253, ...)
.iw-boss-reward	9	base.css (1: L508); ui-system.css (8: L1019, L1033, L1065, L1450, L1459, L1465, ...)
.iw-control-crest	9	ui-system.css (9: L1521, L1530, L1548, L1549, L1550, L1876, ...)
.iw-boss-art	8	ui-system.css (8: L1290, L1302, L1308, L1309, L1310, L1867, ...)
.iw-control-sword-energy	8	ui-system.css (8: L1589, L1598, L1605, L1618, L1658, L1662, ...)
.iw-vs-house	8	village-scene.css (8: L38, L40, L41, L50, L52, L53, ...)
[data-iw-market]	8	ui-system.css (8: L1019, L1033, L1065, L1935, L1946, L1953, ...)
[data-iw-order-handle]	8	base.css (5: L428, L492, L508, L516, L521); ui-system.css (3: L1019, L1033, L1065)
[data-iw-village-art]	8	ui-system.css (8: L2084, L2111, L2125, L2125, L2146, L2150, ...)
[data-iw-zone-link]	8	base.css (1: L508); header.css (2: L818, L824); ui-system.css (5: L995, L1006, L1019, L1033, L1065)
.iw-skill-v2-body-row	7	skillcard-v2.css (7: L452, L453, L454, L459, L462, L463, ...)
.iw-tip	7	tooltip-engine.css (7: L58, L99, L115, L127, L129, L130, ...)
.iw-vs-stat	7	village-scene.css (7: L161, L162, L165, L170, L171, L172, ...)
.fs-skill--locked	6	skillpanel.css (6: L20, L1519, L1522, L1525, L1528, L1531)
.iw-control-meter-fill	6	ui-system.css (6: L1735, L1744, L1752, L1753, L1772, L1784)
.iw-vs-placeholder	6	village-scene.css (6: L52, L60, L67, L68, L69, L78)
.iw-vs-status	6	village-scene.css (6: L36, L38, L41, L62, L63, L77)
[data-iw-boss]	6	ui-system.css (6: L1162, L1181, L1197, L1211, L1223, L1230)

Hook	Rules	Where
[data-iw-readout]	6	skillpanel.css (6: L293, L302, L325, L437, L489, L1098)
[data-iw-village-action]	6	ui-system.css (6: L2234, L2234, L2240, L2240, L2245, L2399)
.fs-inv-icon	5	inventory.css (5: L506, L533, L544, L832, L852)
.fs-inv-name	5	inventory.css (5: L562, L579, L587, L596, L597)
.fs-inv-requirement	5	inventory.css (5: L653, L663, L680, L681, L863)
.fs-inv-rule	5	inventory.css (5: L125, L131, L147, L171, L173)
.fs-skill-ingredient-item	5	skillpanel.css (4: L3963, L3977, L3985, L3998); skillcard-v2.css (1: L465)
.iw-boss-rewards	5	ui-system.css (5: L1441, L1442, L1448, L1449, L1873)
.iw-control-current-blue	5	ui-system.css (5: L1755, L1758, L1759, L1769, L1770)
.iw-control-meter-track	5	ui-system.css (5: L1710, L1719, L1727, L1730, L1896)
.iw-control-sword-energy-blue	5	ui-system.css (5: L1617, L1631, L1633, L1881, L1887)
.iw-control-sword-energy-red	5	ui-system.css (5: L1616, L1630, L1632, L1881, L1886)
.iw-skill-v2-body	5	skillcard-v2.css (5: L442, L451, L466, L513, L541)
.iw-skill-v2-controls	5	skillcard-v2.css (5: L437, L438, L439, L466, L542)
.iw-tip-stat	5	tooltip-engine.css (5: L302, L311, L316, L325, L326)
[data-iw-nav-link]	5	ui-system.css (5: L785, L803, L810, L1090, L1134)
[data-iw-vs-open]	5	village-scene.css (5: L125, L153, L155, L188, L189)
.fs-stat	4	inventory.css (4: L609, L624, L833, L854)
.iw-boss-reward-icon	4	ui-system.css (4: L1461, L1464, L1465, L1471)
.iw-boss-rewards-title	4	ui-system.css (4: L1443, L1445, L1446, L1447)
.iw-control-current-red	4	ui-system.css (4: L1755, L1757, L1759, L1770)
.iw-control-dominion	4	ui-system.css (4: L1504, L1875, L1907, L1913)

Hook	Rules	Where
<code>.iw-skill-v2-action-label</code>	4	skillcard-v2.css (4: L325, L327, L359, L539)
<code>.iw-skill-v2-expand</code>	4	skillcard-v2.css (4: L220, L227, L228, L229)
<code>.iw-vs-chevron</code>	4	village-scene.css (4: L148, L149, L153, L192)
<code>.iw-vs-ledger</code>	4	village-scene.css (4: L111, L112, L188, L189)
<code>.iw-vs-name</code>	4	village-scene.css (4: L36, L40, L61, L76)
<code>[data-iw-collapse-head]</code>	4	collapsible.css (4: L22, L91, L127, L139)
<code>[data-iw-inventory-filters]</code>	4	inventory.css (4: L215, L224, L234, L238)
<code>[data-iw-inventory-list]</code>	4	inventory.css (4: L44, L63, L76, L87)
<code>[data-iw-panel-header]</code>	4	ui-system.css (4: L227, L231, L232, L237)
<code>[data-iw-progress-display]</code>	4	skillpanel.css (4: L1563, L1581, L1769, L1866)
<code>[data-iw-skill-v2-body-state]</code>	4	skillcard-v2.css (4: L453, L454, L462, L464)
<code>[data-iw-skill-v2-long-action]</code>	4	skillcard-v2.css (4: L353, L356, L359, L360)
<code>[data-iw-state]</code>	4	header.css (1: L714); ui-system.css (2: L754, L765); compact-buttons.css (1: L111)
<code>[data-iw-village-state]</code>	4	ui-system.css (4: L2125, L2142, L2146, L2150)
<code>[data-iw-vs-stat-kind]</code>	4	village-scene.css (4: L170, L171, L172, L173)
<code>.fs-inv-detail</code>	3	inventory.css (3: L653, L663, L863)
<code>.fs-inv-details</code>	3	inventory.css (3: L638, L834, L855)
<code>.fs-inv-stats</code>	3	inventory.css (3: L601, L833, L854)
<code>.iw-boss-reward-list</code>	3	ui-system.css (3: L1444, L1448, L1899)
<code>.iw-btn</code>	3	base.css (3: L620, L638, L653)
<code>.iw-control-crest-art</code>	3	ui-system.css (3: L1555, L1564, L1572)

Hook	Rules	Where
.iw-control-crest-art-blue	3	ui-system.css (3: L1566, L1567, L1584)
.iw-control-crest-art-red	3	ui-system.css (3: L1565, L1567, L1584)
.iw-control-faction	3	ui-system.css (3: L1794, L1803, L1898)
.iw-control-meter-currents	3	ui-system.css (3: L1589, L1598, L1754)
.iw-control-meter-value	3	ui-system.css (3: L1698, L1705, L1895)
.iw-control-state	3	ui-system.css (3: L1679, L1889, L1909)
.iw-skill-v2-req-note	3	skillcard-v2.css (3: L439, L440, L441)
.iw-tip-acq	3	tooltip-engine.css (3: L334, L338, L358)
.iw-tip-badge	3	tooltip-engine.css (3: L235, L247, L251)
.iw-tip-link	3	tooltip-engine.css (3: L379, L386, L387)
.iw-tip-stats	3	tooltip-engine.css (3: L288, L298, L410)
.iw-village-scene	3	village-scene.css (3: L11, L12, L81)
.iw-vs-entry	3	village-scene.css (3: L132, L153, L155)
.iw-vs-entry-body	3	village-scene.css (3: L155, L156, L158)
.iw-vs-entry-head	3	village-scene.css (3: L138, L149, L153)
.iw-vs-sprite	3	village-scene.css (3: L51, L52, L60)
[data-iw-compact-selected]	3	compact-buttons.css (3: L97, L101, L107)
[data-iw-inventory-filter-state]	3	inventory.css (1: L267); compact-buttons.css (2: L97, L101)
[data-iw-skill-v2-body-kind]	3	skillcard-v2.css (3: L454, L459, L463)
.fs-header-crest	2	header.css (2: L232, L965)
.fs-inv-detail--effect	2	inventory.css (2: L675, L676)

Hook	Rules	Where
.fs-inv-detail--loadout	2	inventory.css (2: L671, L672)
.fs-inv-detail--socket	2	inventory.css (2: L673, L674)
.fs-inv-detail--status	2	inventory.css (2: L677, L678)
.fs-inv-qty	2	inventory.css (2: L688, L853)
.fs-inv-requirements	2	inventory.css (2: L638, L855)
.fs-quest-sigil-icon	2	skillpanel.css (1: L2790); ui-system.css (1: L1466)
.fs-quest-sigil-pct	2	skillpanel.css (2: L2800, L3254)
.fs-skill-ingredient-grid	2	skillpanel.css (2: L3945, L3993)
.iw-boss-reward-name	2	ui-system.css (2: L1478, L1901)
.iw-btn--primary	2	base.css (2: L643, L648)
.iw-control-crest-art-contested	2	ui-system.css (2: L1567, L1572)
.iw-control-faction-blue	2	ui-system.css (2: L1801, L1803)
.iw-control-faction-red	2	ui-system.css (2: L1800, L1803)
.iw-control-factions	2	ui-system.css (2: L1785, L1897)
.iw-control-impact	2	ui-system.css (2: L1618, L1919)
.iw-control-meter-head	2	ui-system.css (2: L1691, L1890)
.iw-control-meter-label	2	ui-system.css (2: L1698, L1895)
.iw-skill-v2-body-count	2	skillcard-v2.css (2: L461, L462)
.iw-skill-v2-summary	2	skillcard-v2.css (2: L209, L216)
.iw-tip-acq-main	2	tooltip-engine.css (2: L347, L358)
.iw-tip-art-fallback	2	tooltip-engine.css (2: L186, L200)

Hook	Rules	Where
.iw-tip-close	2	tooltip-engine.css (2: L206, L220)
.iw-tip-foot	2	tooltip-engine.css (2: L367, L378)
.iw-tip-sec	2	tooltip-engine.css (2: L265, L270)
.iw-tip-source	2	tooltip-engine.css (2: L392, L400)
.iw-village-option-art	2	ui-system.css (2: L2301, L2306)
.iw-village-tier-pip	2	ui-system.css (2: L2412, L2418)
.iw-vs-entry-note	2	village-scene.css (2: L157, L158)
.iw-vs-ledger-head	2	village-scene.css (2: L122, L153)
.iw-vs-ledger-list	2	village-scene.css (2: L124, L125)
.iw-vs-ledger-vacant	2	village-scene.css (2: L175, L176)
.iw-vs-scene	2	village-scene.css (2: L22, L63)
.iw-vs-stats	2	village-scene.css (2: L158, L160)
.iw-vs-totals	2	village-scene.css (2: L180, L189)
.iw-vs-totals-title	2	village-scene.css (2: L114, L181)
[data-iw-boss-action-label]	2	ui-system.css (2: L1420, L1428)
[data-iw-collapse-spine]	2	collapsible.css (2: L139, L142)
[data-iw-ingr]	2	skillpanel.css (2: L302, L446)
[data-iw-inventory-title]	2	inventory.css (2: L92, L837)
[data-iw-overlay]	2	overlay.css (2: L21, L30)
[data-iw-quest-state]	2	skillpanel.css (1: L3159); ui-system.css (1: L1466)
[data-iw-skill-boost]	2	ui-system.css (2: L192, L204)
[data-iw-skill-v2-section]	2	skillcard-v2.css (1: L217); skillcard-v2-runtime-safe.css (1: L14)
[data-iw-skill-v2-state]	2	skillcard-v2.css (2: L109, L466)

Hook	Rules	Where
[data-iw-tooltip-trigger]	2	skillpanel.css (2: L2866, L2871)
[data-iw-village-ledger]	2	village-scene.css (2: L125, L153)
[data-iw-zone-action]	2	header.css (2: L902, L915)
.fs-cat-cache	1	inventory.css (1: L477)
.fs-cat-consumable	1	inventory.css (1: L465)
.fs-cat-enchant	1	inventory.css (1: L475)
.fs-cat-gear	1	inventory.css (1: L464)
.fs-cat-potion	1	inventory.css (1: L474)
.fs-cat-processed	1	inventory.css (1: L466)
.fs-cat-resource	1	inventory.css (1: L467)
.fs-cat-trade	1	inventory.css (1: L468)
.fs-cat-unknown	1	inventory.css (1: L469)
.fs-cat-xpscroll	1	inventory.css (1: L476)
.fs-inv-body	1	inventory.css (1: L553)
.fs-inv-detail--set	1	inventory.css (1: L679)
.fs-inv-detail-count	1	inventory.css (1: L682)
.fs-inv-name-plain	1	inventory.css (1: L595)
.fs-inv-orb	1	inventory.css (1: L481)
.fs-inv-plus	1	inventory.css (1: L587)
.fs-inv-sub	1	inventory.css (1: L579)
.fs-skill--alchemy	1	skillpanel.css (1: L12)
.fs-skill--combat	1	skillpanel.css (1: L8)
.fs-skill--construction	1	skillpanel.css (1: L17)
.fs-skill--crafting	1	skillpanel.css (1: L18)
.fs-skill--fishing	1	skillpanel.css (1: L19)

Hook	Rules	Where
.fs-skill--gathering	1	skillpanel.css (1: L11)
.fs-skill--jewelcrafting	1	skillpanel.css (1: L13)
.fs-skill--mining	1	skillpanel.css (1: L9)
.fs-skill--smithing	1	skillpanel.css (1: L10)
.fs-skill--spellcrafting	1	skillpanel.css (1: L14)
.fs-skill--tailoring	1	skillpanel.css (1: L15)
.fs-skill--woodcutting	1	skillpanel.css (1: L16)
.fs-skill-header	1	skillpanel.css (1: L118)
.fs-skill-identity-progress-fill	1	skillpanel.css (1: L1385)
.fs-skill-wrapper	1	skillpanel.css (1: L117)
.fs-stat--pos	1	inventory.css (1: L633)
.fs-stat--tier	1	inventory.css (1: L634)
.iw-boss-notice	1	ui-system.css (1: L1236)
.iw-btn--disabled	1	base.css (1: L653)
.iw-control-kicker	1	ui-system.css (1: L1672)
.iw-control-meter	1	ui-system.css (1: L1686)
.iw-control-readout	1	ui-system.css (1: L1666)
.iw-control-versus	1	ui-system.css (1: L1802)
.iw-ico	1	base.css (1: L563)
.iw-icon-badge	1	base.css (1: L576)
.iw-icon-badge--sprite	1	base.css (1: L594)
.iw-item-info	1	tooltip-engine.css (1: L56)
.iw-skill-v2-body-name	1	skillcard-v2.css (1: L460)

Hook	Rules	Where
.iw-skill-v2-break	1	skillcard-v2.css (1: L164)
.iw-skill-v2-level	1	skillcard-v2.css (1: L151)
.iw-skill-v2-level-readout	1	skillcard-v2.css (1: L140)
.iw-skill-v2-percent	1	skillcard-v2.css (1: L152)
.iw-tip-acq-sub	1	tooltip-engine.css (1: L352)
.iw-tip-art	1	tooltip-engine.css (1: L168)
.iw-tip-art-host	1	tooltip-engine.css (1: L186)
.iw-tip-badges	1	tooltip-engine.css (1: L228)
.iw-tip-body	1	tooltip-engine.css (1: L256)
.iw-tip-effect	1	tooltip-engine.css (1: L282)
.iw-tip-flavour	1	tooltip-engine.css (1: L359)
.iw-tip-head	1	tooltip-engine.css (1: L143)
.iw-tip-name	1	tooltip-engine.css (1: L155)
.iw-tip-sec-title	1	tooltip-engine.css (1: L273)
.iw-tip-stat-block	1	tooltip-engine.css (1: L301)
.iw-tip-stat-note	1	tooltip-engine.css (1: L327)
.iw-tip-title-block	1	tooltip-engine.css (1: L154)
.iw-village-tiers	1	ui-system.css (1: L2405)
.iw-vs-body	1	village-scene.css (1: L100)
.iw-vs-count	1	village-scene.css (1: L15)
.iw-vs-entry-icon	1	village-scene.css (1: L139)
.iw-vs-entry-label	1	village-scene.css (1: L141)
.iw-vs-entry-meta	1	village-scene.css (1: L143)
.iw-vs-entry-name	1	village-scene.css (1: L142)
.iw-vs-entry-sprite	1	village-scene.css (1: L140)
.iw-vs-heading	1	village-scene.css (1: L13)
.iw-vs-ledger-title	1	village-scene.css (1: L114)

Hook	Rules	Where
.iw-vs-ledger-toggle	1	village-scene.css (1: L123)
.iw-vs-note	1	village-scene.css (1: L70)
.iw-vs-stage	1	village-scene.css (1: L110)
.iw-vs-title	1	village-scene.css (1: L14)
.iw-vs-totals-note	1	village-scene.css (1: L182)
.iw-xp	1	base.css (1: L664)
.iw-xp__fill	1	base.css (1: L682)
.iw-xp__fill--ready	1	base.css (1: L683)
.iw-xp__line	1	base.css (1: L665)
.iw-xp__pct	1	base.css (1: L672)
.iw-xp__togo	1	base.css (1: L673)
.iw-xp__track	1	base.css (1: L674)
[data-fs-action-host]	1	inventory.css (1: L704)
[data-fs-suppressed]	1	inventory.css (1: L710)
[data-iw-boss-art-ready]	1	ui-system.css (1: L1395)
[data-iw-boss-owned]	1	ui-system.css (1: L1211)
[data-iw-collapse-title]	1	collapsible.css (1: L154)
[data-iw-ingredient-list-source]	1	skillpanel.css (1: L3941)
[data-iw-ingredient-state]	1	skillpanel.css (1: L3977)
[data-iw-progress-reset]	1	ui-system.css (1: L452)
[data-iw-quest-icon]	1	skillpanel.css (1: L2797)
[data-iw-req-state]	1	skillpanel.css (1: L225)
[data-iw-skill-art-ready]	1	skillpanel.css (1: L1016)

Hook	Rules	Where
[data-iw-skill-v2-action-timer]	1	skillcard-v2.css (1: L360)
[data-iw-skill-v2-fill-reset]	1	skillcard-v2.css (1: L310)
[data-iw-skill-v2-level-readout]	1	skillcard-v2.css (1: L122)
[data-iw-skill-v2-summary-state]	1	skillcard-v2.css (1: L216)
[data-iw-village-pip]	1	ui-system.css (1: L2418)
[data-iw-vs-slot-state]	1	village-scene.css (1: L176)

C.3 FRAGILE SELECTOR PATTERNS

Pattern	Rules	Where
position-dependent :first-child	14	tooltip-engine.css (1: L270); inventory.css (1: L406); skillpanel.css (4: L1288, L1344, L1500, L1631); header.css (1: L725); ui-system.css (7: L346, L479, L559, L573, L689, L1282, ...)
substring/attribute match [class*="hover:underline"]	11	base.css (8: L428, L466, L492, L508, L516, L521, ...); ui-system.css (3: L1019, L1033, L1065)
substring/attribute match [class*="chat-name-"]	10	base.css (7: L428, L492, L508, L516, L521, L549, ...); ui-system.css (3: L1019, L1033, L1065)
substring/attribute match [style*="width"]	9	skillcard-v2.css (8: L275, L295, L301, L309, L310, L311, ...); card-buttons.css (1: L25)
substring/attribute match [class*="item-row"]	7	base.css (1: L405); inventory.css (6: L390, L406, L414, L431, L841, L882)
sibling combinator	6	header.css (3: L806, L818, L824); ui-system.css (2: L558, L876); village-scene.css (1: L158)
substring/attribute match [class*="decoration-dotted"]	6	base.css (2: L428, L508); ui-system.css (4: L1019, L1033, L1065, L1223)
position-dependent :last-child	3	inventory.css (1: L624); ui-system.css (2: L556, L581)
position-dependent :nth-child	3	tooltip-engine.css (1: L298); inventory.css (2: L833, L854)
position-dependent :first-of-type	2	header.css (1: L902); ui-system.css (1: L2380)
position-dependent :last-of-type	2	header.css (1: L915); ui-system.css (1: L745)
substring/attribute match [class*="opacity-30"]	2	ui-system.css (2: L1953, L1958)
substring/attribute match [class*="rounded-2xl"]	2	base.css (2: L420, L706)

Pattern	Rules	Where
substring/attribute match [class*="rounded-3xl"]	2	base.css (2: L420, L706)
substring/attribute match [class*="rounded-xl"]	2	base.css (2: L420, L706)
position-dependent :only-child	1	skillpanel.css (1: L3985)
substring/attribute match [class*="border"]	1	base.css (1: L706)
substring/attribute match [class*="fs-skill"]	1	skillcard-v2.css (1: L217)
substring/attribute match [class*="iw-skill-v2"]	1	skillcard-v2.css (1: L217)
substring/attribute match [class*="px-"]	1	base.css (1: L698)
substring/attribute match [class*="rounded-full"]	1	base.css (1: L698)
substring/attribute match [class*="rounded-lg"]	1	base.css (1: L420)
substring/attribute match [class*="rounded-md"]	1	base.css (1: L420)
substring/attribute match [class*="tab"]	1	base.css (1: L549)
substring/attribute match [class~="compact-panel"]	1	base.css (1: L381)

C.4 :has() RULES

:has() is a subject-invalidation selector: Chrome re-evaluates it when any descendant it names changes. These rules are the ones to profile first on a large page.

File	Line	Selector(s)
tooltip-engine.css	298	<code>.iw-tip-stats:not(:has(&gt; :nth-child(2)))</code>
inventory.css	390	<code>.compact-row:has(&gt; .fs-inv-row)</code> <code>[class*="item-row"]:has(&gt; .fs-inv-row)</code>
inventory.css	406	<code>.compact-row:has(&gt; .fs-inv-row):first-child</code> <code>[class*="item-row"]:has(&gt; .fs-inv-row):first-child</code>
inventory.css	414	<code>.compact-row:has(&gt; .fs-inv-row):hover</code> <code>[class*="item-row"]:has(&gt; .fs-inv-row):hover</code>
inventory.css	431	<code>.compact-row:has(&gt; .fs-inv-row):hover .fs-inv-row::after</code> <code>[class*="item-row"]:has(&gt; .fs-inv-row):hover .fs-inv-row::after</code>
inventory.css	841	<code>.compact-row:has(&gt; .fs-inv-row)</code> <code>[class*="item-row"]:has(&gt; .fs-inv-row)</code>

File	Line	Selector(s)
inventory.css	882	<code>.compact-row:has(&gt; .fs-inv-row)</code> <code>[class*="item-row"]:has(&gt; .fs-inv-row)</code>
skillpanel.css	1016	<code>.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-zone="identity"]:has(&gt; .fs-skill-medallion-art[data-iw-skill-art-ready="1"]) [data-iw-skill-role="identity-icon"]</code>
skillpanel.css	1258	<code>.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"]:has(&gt; [data-iw-skill-layout-shell="1"])</code>
skillpanel.css	3328	<code>.compact-panel.fs-quest-panel [data-iw-quest-zone="row"]:has([data-iw-quest-role="skip"]) [data-iw-quest-role="reward"]</code>
skillcard-v2.css	86	<code>html[data-iw-skill-card-design="new"] .compact-panel.fs-skill-panel[data-iw-skill-v2="1"][data-iw-skill-layout] &gt; [data-iw-skill-layout-shell="1"]</code> <code>html[data-iw-skill-card-design="new"] .compact-panel.fs-skill-panel[data-iw-skill-v2="1"][data-iw-skill-layout]:not(:has(&gt; [data-iw-skill-layout-shell="1"])))</code>
skillcard-v2.css	122	<code>html[data-iw-skill-card-design="new"] .compact-panel.fs-skill-panel[data-iw-skill-v2="1"][data-iw-skill-layout] [data-iw-skill-zone="identity"] *:not(.fs-skill-medallion-art):not([data-iw-skill-v2-level-readout]):not([data-iw-skill-role="identity"]):not(.fs-skill-medallion-art *):not([data-iw-skill-v2-level-readout *]):not([data-iw-skill-role="identity"] *):not(:has([data-iw-skill-role="identity"])))</code>
skillcard-v2.css	194	<code>html[data-iw-skill-card-design="new"] .compact-panel.fs-skill-panel[data-iw-skill-v2="1"][data-iw-skill-layout] [data-iw-skill-zone="content"] &gt; :is([data-iw-skill-role="action-title"], :has([data-iw-skill-role="action-title"])))</code>
skillcard-v2.css	248	<code>html[data-iw-skill-card-design="new"] .compact-panel.fs-skill-panel[data-iw-skill-v2="1"][data-iw-skill-layout]:has([data-iw-skill-role="nav-group"])</code>
skillcard-v2.css	312	<code>html[data-iw-skill-card-design="new"] .compact-panel.fs-skill-panel[data-iw-skill-v2="1"][data-iw-skill-layout] button[data-iw-skill-role="action-button"]:has(&gt; span[style*="width"])</code>
skillcard-v2.css	325	<code>html[data-iw-skill-card-design="new"] .compact-panel.fs-skill-panel[data-iw-skill-v2="1"][data-iw-skill-layout] &gt; [data-iw-skill-layout-shell="1"] &gt; :is(.iw-skill-v2-action-glyph,.iw-skill-v2-action-label)</code> <code>html[data-iw-skill-card-design="new"] .compact-panel.fs-skill-panel[data-iw-skill-v2="1"][data-iw-skill-layout]:not(:has(&gt; [data-iw-skill-layout-shell="1"]))) &gt; :is(.iw-skill-v2-action-glyph,.iw-skill-v2-action-label)</code>
skillcard-v2.css	397	<code>html[data-iw-skill-card-design="new"] .compact-panel.fs-skill-panel[data-iw-skill-v2="1"][data-iw-skill-layout] [data-iw-skill-zone="commands"] :has(button[data-iw-skill-role="action-button"])</code> <code>html[data-iw-skill-card-design="new"] .compact-panel.fs-skill-panel[data-iw-skill-v2="1"][data-iw-skill-layout] [data-iw-skill-zone] :has(&gt; [data-iw-skill-role="nav-group"]):not([data-iw-skill-zone])</code>
skillcard-v2.css	439	<code>html[data-iw-skill-card-design="new"] .compact-panel.fs-skill-panel[data-iw-skill-v2="1"][data-iw-skill-layout] .iw-skill-v2-controls:not(:has(.iw-skill-v2-req-note))</code>
skillcard-v2.css	519	<code>html[data-iw-skill-card-design="new"] .compact-panel.fs-skill-panel[data-iw-skill-v2="1"][data-iw-skill-layout] [data-iw-skill-zone="identity"] *:has([data-iw-skill-role="identity"])</code>
header.css	581	<code>[data-iw-header="status-grid"] [data-iw-header-stat="gold"]</code> <code>[data-iw-header="status-grid"]:not(:has([data-iw-header-stat="boost"])) [data-iw-header-stat="combat"]</code> <code>[data-iw-header="status-grid"]:has([data-iw-header-stat="boost"]) [data-iw-header-stat="boost"]</code>

File	Line	Selector(s)
header.css	590	[data-iw-header="status-grid"]:not(:has([data-iw-header-stat="boost"])) [data-iw-header-stat="combat"] [data-iw-header="status-grid"]:has([data-iw-header-stat="boost"]) [data-iw-header-stat="boost"]
header.css	596	[data-iw-header="status-grid"]:has([data-iw-header-stat="boost"]) [data-iw-header-stat="boost"]
header.css	601	[data-iw-header="status-grid"]:has([data-iw-header-stat="boost"]) [data-iw-header-stat="combat"]
header.css	790	[data-iw-header="zone-shell"] > :has([data-iw-ui="zone-title"])
header.css	837	[data-iw-header="zone-shell"] > :not(:has([data-iw-ui="zone-title"]))
ui-system.css	44	:is([data-iw-ui="section-frame"], [data-iw-inventory-root="1"], .fs-skills-section-frame[data-iw-skills-ui-ready="1"]):not(:has(:is([data-iw-ui="section-frame"], [data-iw-inventory-root="1"], .fs-skills-section-frame[data-iw-skills-ui-ready="1"]))) :not([data-iw-chrome="nav"])
ui-system.css	67	:is([data-iw-ui="section-frame"], [data-iw-inventory-root="1"], .fs-skills-section-frame[data-iw-skills-ui-ready="1"]):not(:has(:is([data-iw-ui="section-frame"], [data-iw-inventory-root="1"], .fs-skills-section-frame[data-iw-skills-ui-ready="1"]))) :not([data-iw-chrome="nav"]) :: before
ui-system.css	100	:is([data-iw-ui="section-frame"], [data-iw-inventory-root="1"], .fs-skills-section-frame[data-iw-skills-ui-ready="1"]):not(:has(:is([data-iw-ui="section-frame"], [data-iw-inventory-root="1"], .fs-skills-section-frame[data-iw-skills-ui-ready="1"]))) :not([data-iw-collapsed="1"]) :not(:has([data-iw-ui="nav-tab"])) :: after
ui-system.css	131	:is([data-iw-ui="section-frame"], [data-iw-inventory-root="1"], .fs-skills-section-frame[data-iw-skills-ui-ready="1"]):not(:has(:is([data-iw-ui="section-frame"], [data-iw-inventory-root="1"], .fs-skills-section-frame[data-iw-skills-ui-ready="1"]))) > *
ui-system.css	137	:is([data-iw-ui="section-frame"], [data-iw-inventory-root="1"], .fs-skills-section-frame[data-iw-skills-ui-ready="1"]):not(:has(:is([data-iw-ui="section-frame"], [data-iw-inventory-root="1"], .fs-skills-section-frame[data-iw-skills-ui-ready="1"]))) :not([data-iw-chrome="nav"])
ui-system.css	140	:is([data-iw-ui="section-frame"], [data-iw-inventory-root="1"], .fs-skills-section-frame[data-iw-skills-ui-ready="1"]):not(:has(:is([data-iw-ui="section-frame"], [data-iw-inventory-root="1"], .fs-skills-section-frame[data-iw-skills-ui-ready="1"]))) :not([data-iw-collapsed="1"]) :not(:has([data-iw-ui="nav-tab"])) :: after
ui-system.css	151	:is([data-iw-ui="section-frame"], [data-iw-inventory-root="1"], .fs-skills-section-frame[data-iw-skills-ui-ready="1"]):not(:has(:is([data-iw-ui="section-frame"], [data-iw-inventory-root="1"], .fs-skills-section-frame[data-iw-skills-ui-ready="1"]))) :has([data-iw-ui="nav-tab"])
ui-system.css	164	:is([data-iw-ui="section-frame"], [data-iw-inventory-root="1"], .fs-skills-section-frame[data-iw-skills-ui-ready="1"]):has(:is([data-iw-ui="section-frame"], [data-iw-inventory-root="1"], .fs-skills-section-frame[data-iw-skills-ui-ready="1"])))
ui-system.css	172	:is([data-iw-ui="section-frame"], [data-iw-inventory-root="1"], .fs-skills-section-frame[data-iw-skills-ui-ready="1"]):has(:is([data-iw-ui="section-frame"], [data-iw-inventory-root="1"], .fs-skills-section-frame[data-iw-skills-ui-ready="1"]))) :: before :is([data-iw-ui="section-frame"], [data-iw-inventory-root="1"], .fs-skills-section-frame[data-iw-skills-ui-ready="1"]):has(:is([data-iw-ui="section-frame"], [data-iw-inventory-root="1"], .fs-skills-section-frame[data-iw-skills-ui-ready="1"]))) :: after
ui-system.css	524	[data-iw-panel-part="feed"] *:has([data-iw-panel-part="feed-row"])
ui-system.css	1113	:is([data-iw-ui="main-nav"], [data-iw-ui="section-frame"]):has(> [data-iw-ui="nav-tab"])
ui-system.css	1135	:is([data-iw-ui="main-nav"], [data-iw-ui="section-frame"]):has(> [data-iw-ui="nav-tab"])

C.5 !important BY PROPERTY

Property	!important declarations
color	199
font-size	185
padding	165
display	163
background	160
width	146
box-shadow	142
border	116
height	114
margin	113
min-width	110
border-radius	106
min-height	105
position	92
gap	84
line-height	73
letter-spacing	69
font-family	68
align-items	65
font-weight	63
content	57
border-color	55
background-image	48
filter	48
justify-content	48
opacity	39

Property	!important declarations
margin-top	39
transform	38
grid-column	38
pointer-events	37
z-index	35
order	35
grid-template-columns	33
transition	32
text-transform	32
overflow	31
text-shadow	31
background-position	31
align-self	31
max-width	31
grid-area	31
background-color	29
top	28
grid-row	28
left	27
flex	27
background-size	24
text-align	23
inset	21
justify-self	21
flex-direction	21
white-space	20
border-left	18

Property	!important declarations
background-repeat	17
grid-template-areas	16
font-variant-numeric	16
box-sizing	15
outline	14
right	14
margin-bottom	13
margin-left	13
font	12
place-items	12
bottom	12
background-blend-mode	11
border-bottom	11
flex-wrap	11
cursor	11
isolation	10
column-gap	9
border-right	9
grid-template-rows	9
outline-offset	8
max-height	8
backdrop-filter	8
border-width	7
overflow-wrap	7
--fs-button-background	7
border-top	6
padding-inline	6

Property	!important declarations
padding-top	6
padding-left	6
border-image	6
--fs-button-border	6
padding-bottom	5
-webkit-backdrop-filter	5
align-content	5
border-left-color	5
row-gap	5
margin-right	5
padding-right	5
visibility	5
background-origin	5
--fs-button-shadow	5
animation	4
background-clip	4
text-overflow	4
--fs-motion-idle	4
--fs-motion-hover	4
border-bottom-color	3
clip-path	3
background-attachment	2
float	2
container	2
--fs-motion-pressed	2
contain	2
will-change	2

Property	!important declarations
overflow-x	2
border-style	2
text-decoration	2
--background	1
--foreground	1
--card	1
--card-foreground	1
--popover	1
--popover-foreground	1
--panel-bg	1
--panel-border	1
--surface-bg	1
--surface-border	1
--primary	1
--primary-foreground	1
--accent	1
--accent-foreground	1
--ring	1
--border	1
--input	1
--muted	1
--muted-foreground	1
--sidebar	1
--sidebar-foreground	1
--sidebar-border	1
--sidebar-accent	1
border-left-width	1

Property	!important declarations
word-break	1
text-indent	1
border-right-width	1
border-bottom-width	1
-webkit-mask-image	1
mask-image	1
font-style	1
transition-duration	1
-webkit-mask	1
mask	1
perspective	1
flex-flow	1
border-image-width	1
margin-block	1
text-underline-offset	1
overflow-y	1
scrollbar-color	1
scrollbar-width	1
-webkit-appearance	1
appearance	1

C.6 CUSTOM PROPERTIES

Defined = declared in a stylesheet rule. JS-set = written inline by a module (found by scanning `src/modules` for the name). Used = read through `var()`. A property that is used but neither defined nor JS-set always resolves to its `var()` fallback.

Custom property	Defined in CSS (rules)	Used via var()(rules)	Mentioned in JS modules
--accent	1(base.css:74)	—	—
--accent-foreground	1(base.css:74)	—	—

Custom property	Defined in CSS (rules)	Used via var()(rules)	Mentioned in JS modules
<code>--b</code>	3 (header.css:52, header.css:391, header.css:880)	1 (header.css:52)	—
<code>--background</code>	1 (base.css:74)	—	—
<code>--bc</code>	3 (header.css:52, header.css:428, header.css:902)	1 (header.css:52)	—
<code>--border</code>	1 (base.css:74)	—	—
<code>--card</code>	1 (base.css:74)	—	—
<code>--card-foreground</code>	1 (base.css:74)	—	—
<code>--foreground</code>	1 (base.css:74)	—	—
<code>--fs-action-cap</code>	1 (skillpanel.css:2997)	2 (skillpanel.css:3088, skillpanel.css:3103)	—
<code>--fs-action-h</code>	3 (skillpanel.css:2997, skillpanel.css:3287, skillpanel.css:3353)	1 (skillpanel.css:2997)	—
<code>--fs-button-art</code>	16 (skillpanel.css:3647, skillpanel.css:3656, skillpanel.css:3663, ...)	3 (skillpanel.css:3647, skillpanel.css:3678, skillpanel.css:3726)	—
<code>--fs-button-background</code>	10 (skillpanel.css:3647, skillpanel.css:3678, skillpanel.css:3726, ...)	3 (skillpanel.css:3647, skillpanel.css:3678, skillpanel.css:3726)	SkillPanelRenderer.js
<code>--fs-button-border</code>	7 (skillpanel.css:3799, skillcard-v2.css:256, skillcard-v2.css:312, ...)	—	SkillPanelRenderer.js
<code>--fs-button-paint</code>	16 (skillpanel.css:3647, skillpanel.css:3656, skillpanel.css:3663, ...)	3 (skillpanel.css:3647, skillpanel.css:3678, skillpanel.css:3726)	—
<code>--fs-button-shadow</code>	6 (skillpanel.css:3799, skillcard-v2.css:256, skillcard-v2.css:312, ...)	—	SkillPanelRenderer.js
<code>--fs-button-transition</code>	1 (skillpanel.css:3783)	—	SkillPanelRenderer.js
<code>--fs-chev-box</code>	1 (skillpanel.css:42)	2 (skillpanel.css:42, skillpanel.css:2525)	—
<code>--fs-chev-ink</code>	1 (skillpanel.css:42)	2 (skillpanel.css:2543, skillpanel.css:2547)	—
<code>--fs-chev-stroke</code>	1 (skillpanel.css:42)	2 (skillpanel.css:42, skillpanel.css:2525)	—
<code>--fs-forge-bg</code>	1 (skillpanel.css:42)	6 (skillpanel.css:388, skillpanel.css:409, skillpanel.css:759, ...)	—
<code>--fs-forge-hot-ink</code>	1 (skillpanel.css:42)	—	—
<code>--fs-forge-hot-line</code>	1 (skillpanel.css:42)	3 (skillpanel.css:399, skillpanel.css:1064, skillpanel.css:2557)	—

Custom property	Defined in CSS (rules)	Used via var()(rules)	Mentioned in JS modules
--fs-forge-hot-shadow	1(skillpanel.css:42)	3(skillpanel.css:399, skillpanel.css:1064, skillpanel.css:2557)	—
--fs-forge-ink	1(skillpanel.css:42)	1(skillpanel.css:388)	—
--fs-forge-line	1(skillpanel.css:42)	5(skillpanel.css:388, skillpanel.css:409, skillpanel.css:759, ...)	SkillPanelRenderer.js
--fs-forge-live-bg	1(skillpanel.css:42)	3(skillpanel.css:375, skillpanel.css:768, skillpanel.css:918)	—
--fs-forge-live-glow	1(skillpanel.css:42)	2(skillpanel.css:375, skillpanel.css:768)	—
--fs-forge-live-ink	1(skillpanel.css:42)	3(skillpanel.css:375, skillpanel.css:404, skillpanel.css:768)	—
--fs-forge-live-line	1(skillpanel.css:42)	4(skillpanel.css:375, skillpanel.css:768, skillpanel.css:918, ...)	SkillPanelRenderer.js
--fs-forge-live-shadow	1(skillpanel.css:42)	4(skillpanel.css:404, skillpanel.css:768, skillpanel.css:918, ...)	SkillPanelRenderer.js
--fs-forge-live-tint	1(skillpanel.css:42)	2(skillpanel.css:42, skillpanel.css:787)	—
--fs-forge-shadow	1(skillpanel.css:42)	3(skillpanel.css:409, skillpanel.css:1055, skillpanel.css:2475)	—
--fs-frame	1(inventory.css:434)	4(inventory.css:418, inventory.css:485, inventory.css:506, ...)	—
--fs-inv-command-w	1(inventory.css:31)	—	—
--fs-motion-hover	8(skillpanel.css:3818, skillpanel.css:3825, skillpanel.css:3830, ...)	1(skillpanel.css:3864)	—
--fs-motion-idle	8(skillpanel.css:3818, skillpanel.css:3825, skillpanel.css:3830, ...)	1(skillpanel.css:3818)	—
--fs-motion-pressed	6(skillpanel.css:3818, skillpanel.css:3825, skillpanel.css:3830, ...)	1(skillpanel.css:3867)	—
--fs-plaque-h	3(skillpanel.css:2902, skillpanel.css:3322, skillpanel.css:3365)	1(skillpanel.css:2902)	—
--fs-quest-accent	2(skillpanel.css:2604, skillpanel.css:3159)	11(skillpanel.css:2604, skillpanel.css:2632, skillpanel.css:2738, ...)	QuestPanelRenderer.js
--fs-quest-cmd-w	—	2(skillpanel.css:3304, skillpanel.css:3359)	QuestPanelRenderer.js
--fs-quest-frame-position	10(skillpanel.css:2706, skillpanel.css:2709, skillpanel.css:2712, ...)	1(skillpanel.css:2771)	—

Custom property	Defined in CSS (rules)	Used via var()(rules)	Mentioned in JS modules
--fs-quest-icon-scale	2 (skillpanel.css:2738, skillpanel.css:3248)	1 (skillpanel.css:2790)	—
--fs-quest-sigil-size	3 (skillpanel.css:2738, skillpanel.css:3248, skillpanel.css:3350)	2 (skillpanel.css:2738, skillpanel.css:2790)	—
--fs-skill-accent	13 (skillpanel.css:8, skillpanel.css:9, skillpanel.css:10, ...)	22 (skillpanel.css:42, skillpanel.css:81, skillpanel.css:158, ...)	SkillPanelRenderer.js
--fs-skill-command-h	1 (skillpanel.css:3411)	2 (skillpanel.css:3419, skillpanel.css:3527)	—
--fs-skill-command-w	10 (skillpanel.css:529, skillpanel.css:802, skillpanel.css:1698, ...)	5 (skillpanel.css:529, skillpanel.css:1262, skillpanel.css:1704, ...)	—
--fs-skill-identity-w	9 (skillpanel.css:529, skillpanel.css:802, skillpanel.css:1698, ...)	6 (skillpanel.css:529, skillpanel.css:1262, skillpanel.css:1704, ...)	—
--fs-skills-nav-next	—	3 (skillpanel.css:1614, skillpanel.css:1667, skillpanel.css:1906)	SkillsArtService.js
--fs-skills-nav-prev	—	3 (skillpanel.css:1611, skillpanel.css:1664, skillpanel.css:1903)	SkillsArtService.js
--fs-skills-panel-texture	—	3 (skillpanel.css:1156, skillpanel.css:1636, skillpanel.css:2624)	SkillsArtService.js
--fs-skills-ui-atlas	—	9 (skillpanel.css:1164, skillpanel.css:1188, skillpanel.css:1204, ...)	HeaderRenderer.js, SkillPanelRenderrer.js, SkillsArtService.js
--fs-tier	12 (inventory.css:434, inventory.css:464, inventory.css:465, ...)	2 (inventory.css:434, inventory.css:562)	—
--fs-tip-art	2 (tooltip-engine.css:58, tooltip-engine.css:403)	2 (tooltip-engine.css:168, tooltip-engine.css:186)	—
--fs-tip-art-inner	1 (tooltip-engine.css:186)	1 (tooltip-engine.css:186)	—
--fs-tip-corner-h	2 (tooltip-engine.css:58, tooltip-engine.css:403)	1 (tooltip-engine.css:115)	—
--fs-tip-corner-w	2 (tooltip-engine.css:58, tooltip-engine.css:403)	1 (tooltip-engine.css:115)	—
--fs-tip-pad-x	2 (tooltip-engine.css:58, tooltip-engine.css:403)	3 (tooltip-engine.css:143, tooltip-engine.css:256, tooltip-engine.css:367)	—
--fs-tip-w	2 (tooltip-engine.css:58, tooltip-engine.css:403)	1 (tooltip-engine.css:58)	—
--fs-ui-action-cap-ratio	—	1 (skillpanel.css:2997)	SkillsArtService.js
--fs-ui-action-disabled-cap-l-position	—	2 (skillpanel.css:3153, skillpanel.css:3204)	—

Custom property	Defined in CSS (rules)	Used via var()(rules)	Mentioned in JS modules
--fs-ui-action-disabled-cap-r-position	—	2 (skillpanel.css:3156, skillpanel.css:3207)	—
--fs-ui-action-disabled-cap-size	—	2 (skillpanel.css:3148, skillpanel.css:3200)	—
--fs-ui-action-disabled-mid-position	—	2 (skillpanel.css:3144, skillpanel.css:3192)	—
--fs-ui-action-disabled-mid-size	—	2 (skillpanel.css:3144, skillpanel.css:3192)	—
--fs-ui-action-idle-cap-l-position	—	1 (skillpanel.css:3135)	—
--fs-ui-action-idle-cap-r-position	—	1 (skillpanel.css:3138)	—
--fs-ui-action-idle-cap-size	—	1 (skillpanel.css:3130)	—
--fs-ui-action-idle-mid-position	—	1 (skillpanel.css:3126)	—
--fs-ui-action-idle-mid-size	—	1 (skillpanel.css:3126)	—
--fs-ui-action-idle-position	—	1 (ui-system.css:1395)	SkillPanelRenderer.js
--fs-ui-action-idle-size	—	1 (ui-system.css:1395)	SkillPanelRenderer.js
--fs-ui-corner-position	—	1 (skillpanel.css:1188)	—
--fs-ui-corner-size	—	1 (skillpanel.css:1188)	—
--fs-ui-medallion-frame-position	—	1 (skillpanel.css:1164)	—
--fs-ui-medallion-frame-size	—	1 (skillpanel.css:1164)	—
--fs-ui-separator-position	—	1 (skillpanel.css:1204)	—

Custom property	Defined in CSS (rules)	Used via var()(rules)	Mentioned in JS modules
--fs-ui-separator-size	—	1(skillpanel.css:1204)	—
--fs-ui-xp-plaque-position	—	2(skillpanel.css:1232, skillpanel.css:1427)	—
--fs-ui-xp-plaque-size	—	2(skillpanel.css:1232, skillpanel.css:1427)	—
--hd-bracket	1(header.css:34)	1(header.css:714)	—
--hd-bracket-dim	1(header.css:34)	1(header.css:52)	—
--hd-gap	1(header.css:34)	1(header.css:380)	—
--hd-plate	1(header.css:34)	1(header.css:52)	—
--hd-rule	1(header.css:34)	4(header.css:82, header.css:428, header.css:669, ...)	—
--hd-rule-soft	1(header.css:34)	2(header.css:52, header.css:684)	—
--hd-teal	1(header.css:34)	1(header.css:902)	—
--hd-teal-dim	1(header.css:34)	2(header.css:729, header.css:902)	—
--i	2(header.css:52, header.css:391)	1(header.css:52)	HeaderRenderer.js, SkillCardDesignController.js, SkillPanelRenderer.js, SkillsArtService.js, UIFoundation.js, VillagePanels.js, WorldBossPanels.js
--input	1(base.css:74)	—	—
--iw-action-clicked	—	2(skillpanel.css:3663, skillpanel.css:3756)	—
--iw-action-clicked-paint	—	3(skillpanel.css:3663, skillpanel.css:3756, skillpanel.css:3818)	—
--iw-action-hover	—	2(skillpanel.css:3656, skillpanel.css:3744)	—
--iw-action-hover-paint	—	3(skillpanel.css:3656, skillpanel.css:3744, skillpanel.css:3818)	—
--iw-action-idle	—	2(skillpanel.css:3647, skillpanel.css:3734)	HeaderRenderer.js
--iw-action-idle-paint	—	3(skillpanel.css:3647, skillpanel.css:3734, skillpanel.css:3818)	—
--iw-action-secondary-clicked	—	1(skillpanel.css:3763)	—

Custom property	Defined in CSS (rules)	Used via var()(rules)	Mentioned in JS modules
--iw-action-secondary-clicked-paint	—	2 (skillpanel.css:3763, skillpanel.css:3835)	—
--iw-action-secondary-hover	—	1 (skillpanel.css:3750)	—
--iw-action-secondary-hover-paint	—	2 (skillpanel.css:3750, skillpanel.css:3835)	—
--iw-action-secondary-idle	—	2 (skillpanel.css:3671, skillpanel.css:3739)	—
--iw-action-secondary-idle-paint	—	3 (skillpanel.css:3671, skillpanel.css:3739, skillpanel.css:3835)	—
--iw-action-tick	1 (base.css:74)	1 (ui-system.css:401)	—
--iw-bad	1 (base.css:74)	—	—
--iw-boss-accent	6 (ui-system.css:1245, ui-system.css:1264, ui-system.css:1265, ...)	9 (ui-system.css:1274, ui-system.css:1290, ui-system.css:1336, ...)	—
--iw-card-action-clicked	9 (card-button-atlas.css:2, card-button-atlas.css:10, card-button-atlas.css:18, ...)	1 (card-buttons.css:4)	—
--iw-card-action-hover	9 (card-button-atlas.css:2, card-button-atlas.css:10, card-button-atlas.css:18, ...)	1 (card-buttons.css:4)	—
--iw-card-action-idle	9 (card-button-atlas.css:2, card-button-atlas.css:10, card-button-atlas.css:18, ...)	1 (card-buttons.css:4)	—
--iw-card-nav-clicked	9 (card-button-atlas.css:2, card-button-atlas.css:10, card-button-atlas.css:18, ...)	1 (card-buttons.css:49)	—
--iw-card-nav-hover	9 (card-button-atlas.css:2, card-button-atlas.css:10, card-button-atlas.css:18, ...)	1 (card-buttons.css:46)	—
--iw-card-nav-idle	9 (card-button-atlas.css:2, card-button-atlas.css:10, card-button-atlas.css:18, ...)	1 (card-buttons.css:37)	—
--iw-chevron-next-clicked	—	1 (skillpanel.css:3715)	—
--iw-chevron-next-clicked-paint	—	2 (skillpanel.css:3715, skillpanel.css:3830)	—
--iw-chevron-next-hover	—	1 (skillpanel.css:3702)	—

Custom property	Defined in CSS (rules)	Used via var()(rules)	Mentioned in JS modules
--iw-chevron-next-hover-paint	—	2 (skillpanel.css:3702, skillpanel.css:3830)	—
--iw-chevron-next-idle	—	1 (skillpanel.css:3690)	—
--iw-chevron-next-idle-paint	—	2 (skillpanel.css:3690, skillpanel.css:3830)	—
--iw-chevron-prev-clicked	—	1 (skillpanel.css:3708)	—
--iw-chevron-prev-clicked-paint	—	2 (skillpanel.css:3708, skillpanel.css:3825)	—
--iw-chevron-prev-hover	—	1 (skillpanel.css:3696)	—
--iw-chevron-prev-hover-paint	—	2 (skillpanel.css:3696, skillpanel.css:3825)	—
--iw-chevron-prev-idle	—	1 (skillpanel.css:3684)	—
--iw-chevron-prev-idle-paint	—	2 (skillpanel.css:3684, skillpanel.css:3825)	—
--iw-chrome-inset	1 (ui-system.css:894)	6 (ui-system.css:895, ui-system.css:915, ui-system.css:969, ...)	—
--iw-compact-atlas	—	2 (compact-buttons.css:35, compact-buttons.css:56)	SkillsArtService.js
--iw-compact-cap	3 (compact-buttons.css:6, compact-buttons.css:17, compact-buttons.css:18)	2 (compact-buttons.css:35, compact-buttons.css:56)	—
--iw-compact-cap-size	1 (compact-buttons.css:22)	1 (compact-buttons.css:56)	—
--iw-compact-icon-size	1 (compact-buttons.css:22)	1 (compact-buttons.css:74)	—
--iw-compact-icon-x	1 (compact-buttons.css:22)	1 (compact-buttons.css:74)	—
--iw-compact-left-x	1 (compact-buttons.css:22)	1 (compact-buttons.css:56)	—
--iw-compact-mid-size	1 (compact-buttons.css:22)	1 (compact-buttons.css:35)	—
--iw-compact-mid-x	1 (compact-buttons.css:22)	1 (compact-buttons.css:35)	—
--iw-compact-right-x	1 (compact-buttons.css:22)	1 (compact-buttons.css:70)	—

Custom property	Defined in CSS (rules)	Used via var()(rules)	Mentioned in JS modules
--iw-compact-y	3(compact-buttons.css:31, compact-buttons.css:32, compact-buttons.css:33)	4(compact-buttons.css:35, compact-buttons.css:56, compact-buttons.css:70, ...)	—
--iw-control-aura	2(ui-system.css:1548, ui-system.css:1549)	1(ui-system.css:1530)	—
--iw-control-h	1(ui-system.css:8)	1(ui-system.css:725)	—
--iw-control-h-lg	1(ui-system.css:8)	—	—
--iw-control-split	—	4(ui-system.css:1753, ui-system.css:1757, ui-system.css:1758, ...)	WorldBossPanels.js
--iw-corner-filigree	1(base.css:210)	6(tooltip-engine.css:115, skillcard-v2.css:78, header.css:129, ...)	HeaderRenderer.js
--iw-crystal-light	2(ui-system.css:1565, ui-system.css:1566)	1(ui-system.css:1572)	—
--iw-dim	1(base.css:74)	14(base.css:74, inventory.css:176, inventory.css:634, ...)	—
--iw-ember	1(base.css:74)	3(base.css:74, base.css:576, base.css:682)	—
--iw-ember-hi	1(base.css:74)	3(base.css:648, skillpanel.css:3170, ui-system.css:765)	—
--iw-energy-color	2(ui-system.css:1616, ui-system.css:1617)	1(ui-system.css:1618)	—
--iw-faint	1(base.css:74)	18(base.css:542, base.css:653, base.css:673, ...)	SkillPanelRenderer.js
--iw-filter-fixed	1(inventory.css:215)	1(inventory.css:224)	—
--iw-filter-gap	1(inventory.css:215)	1(inventory.css:215)	—
--iw-filter-k	2(inventory.css:215, inventory.css:234)	1(inventory.css:224)	—
--iw-filter-pad	2(inventory.css:215, inventory.css:234)	2(inventory.css:215, inventory.css:224)	—
--iw-font-body	—	2(ui-system.css:1478, ui-system.css:1698)	—
--iw-font-display	—	2(village-scene.css:14, village-scene.css:114)	—
--iw-font-flav	1(base.css:74)	4(tooltip-engine.css:359, ui-system.css:2001, ui-system.css:2179, ...)	—
--iw-font-flavour	—	1(skillpanel.css:2838)	—
--iw-font-head	1(base.css:74)	44(base.css:362, tooltip-engine.css:155, tooltip-engine.css:273, ...)	—
--iw-font-ui	1(base.css:74)	44(base.css:344, base.css:492, base.css:576, ...)	—
--iw-frame-edge	1(ui-system.css:8)	—	—

Custom property	Defined in CSS (rules)	Used via var()(rules)	Mentioned in JS modules
--iw-frame-inner	1(ui-system.css:8)	—	—
--iw-frame-pad-mobile-x	3(ui-system.css:151, ui-system.css:210, collapsible.css:113)	1(ui-system.css:137)	—
--iw-frame-pad-mobile-y	3(ui-system.css:151, ui-system.css:210, collapsible.css:113)	1(ui-system.css:137)	—
--iw-frame-pad-x	4(ui-system.css:151, ui-system.css:210, village-scene.css:81, ...)	2(ui-system.css:44, ui-system.css:137)	—
--iw-frame-pad-y	3(ui-system.css:151, ui-system.css:210, collapsible.css:113)	2(ui-system.css:44, ui-system.css:137)	—
--iw-frame-title-size	1(ui-system.css:8)	4(inventory.css:92, ui-system.css:180, ui-system.css:246, ...)	—
--iw-gold	1(base.css:74)	14(base.css:521, base.css:576, base.css:638, ...)	SkillPanelRenderer.js
--iw-gold-dim	1(base.css:74)	12(base.css:74, base.css:638, tooltip-engine.css:47, ...)	SkillPanelRenderer.js
--iw-good	1(base.css:74)	6(tooltip-engine.css:326, inventory.css:633, inventory.css:770, ...)	—
--iw-header-crest	—	1(header.css:232)	HeaderRenderer.js
--iw-header-surface	—	2(header.css:82, header.css:1028)	HeaderRenderer.js
--iw-header-surface-mobile	—	1(header.css:1028)	HeaderRenderer.js
--iw-info	1(base.css:74)	—	—
--iw-ink-600	1(base.css:74)	—	—
--iw-ink-700	1(base.css:74)	1(base.css:74)	—
--iw-ink-750	1(base.css:74)	1(base.css:452)	—
--iw-ink-800	1(base.css:74)	1(base.css:74)	—
--iw-ink-850	1(base.css:74)	2(base.css:74, base.css:336)	—
--iw-ink-900	1(base.css:74)	2(base.css:74, base.css:344)	—
--iw-ink-950	1(base.css:74)	2(base.css:576, base.css:688)	—
--iw-line	2(base.css:74, base.css:336)	7(base.css:74, base.css:530, base.css:557, ...)	—
--iw-line-hi	2(base.css:74, base.css:336)	8(base.css:563, base.css:620, base.css:690, ...)	—

Custom property	Defined in CSS (rules)	Used via var()(rules)	Mentioned in JS modules
--iw-line-hot	1(base.css:74)	6(inventory.css:131, inventory.css:248, inventory.css:753, ...)	—
--iw-nav-fixed	2(ui-system.css:1113, ui-system.css:1135)	1(ui-system.css:1122)	—
--iw-nav-gap	2(ui-system.css:1113, ui-system.css:1135)	2(ui-system.css:1113, ui-system.css:1135)	—
--iw-nav-k	2(ui-system.css:1113, ui-system.css:1135)	1(ui-system.css:1122)	—
--iw-nav-pad	2(ui-system.css:1113, ui-system.css:1135)	3(ui-system.css:1113, ui-system.css:1122, ui-system.css:1135)	—
--iw-progress-duration	—	1(ui-system.css:401)	UIFoundation.js
--iw-r	1(base.css:74)	—	—
--iw-r-control	1(base.css:74)	11(base.css:74, base.css:428, base.css:530, ...)	—
--iw-r-panel	1(base.css:74)	11(base.css:381, base.css:420, header.css:52, ...)	—
--iw-r-slot	1(base.css:74)	3(base.css:74, base.css:563, tooltip-engine.css:168)	—
--iw-r-sm	1(base.css:74)	—	—
--iw-skill-v2-action-label-font	1(skillcard-v2.css:17)	1(skillcard-v2.css:327)	SkillCardDesignController.js
--iw-skill-v2-action-label-gap	1(skillcard-v2.css:17)	1(skillcard-v2.css:17)	—
--iw-skill-v2-btn-border	1(skillcard-v2.css:17)	4(skillcard-v2.css:256, skillcard-v2.css:312, card-buttons.css:4, ...)	—
--iw-skill-v2-btn-font	1(skillcard-v2.css:17)	—	SkillCardDesignController.js, SkillPanelRenderer.js
--iw-skill-v2-btn-h	1(skillcard-v2.css:17)	5(skillcard-v2.css:17, skillcard-v2.css:245, skillcard-v2.css:248, ...)	SkillPanelRenderer.js
--iw-skill-v2-btn-offset	1(skillcard-v2.css:17)	6(skillcard-v2.css:17, skillcard-v2.css:245, skillcard-v2.css:248, ...)	—
--iw-skill-v2-btn-pad	2(skillcard-v2.css:17, skillcard-v2.css:386)	—	SkillPanelRenderer.js
--iw-skill-v2-btn-tracking	1(skillcard-v2.css:17)	1(skillcard-v2.css:327)	SkillPanelRenderer.js
--iw-skill-v2-btn-w	2(skillcard-v2.css:17, skillcard-v2.css:472)	5(skillcard-v2.css:17, skillcard-v2.css:256, skillcard-v2.css:327, ...)	SkillPanelRenderer.js

Custom property	Defined in CSS (rules)	Used via var()(rules)	Mentioned in JS modules
--iw-skill-v2-cell-gap	1(skillcard-v2.css:451)	1(skillcard-v2.css:451)	—
--iw-skill-v2-cell-min	1(skillcard-v2.css:451)	1(skillcard-v2.css:451)	—
--iw-skill-v2-cmd-buffer	1(skillcard-v2.css:17)	2(skillcard-v2.css:248, skillcard-v2.css:390)	—
--iw-skill-v2-cmd-stack	3(skillcard-v2.css:17, skillcard-v2.css:245, skillcard-v2.css:248)	8(skillcard-v2.css:86, skillcard-v2.css:256, skillcard-v2.css:327, ...)	—
--iw-skill-v2-command-w	3(skillcard-v2.css:17, skillcard-v2.css:472, skillcard-v2.css:493)	3(skillcard-v2.css:86, skillcard-v2.css:390, skillcard-v2.css:511)	—
--iw-skill-v2-edge	1(skillcard-v2.css:17)	1(skillcard-v2.css:17)	—
--iw-skill-v2-edge-soft	1(skillcard-v2.css:17)	2(skillcard-v2.css:114, skillcard-v2.css:251)	—
--iw-skill-v2-fill-duration	—	1(skillcard-v2.css:309)	SkillCardDesignController.js
--iw-skill-v2-glyph	1(skillcard-v2.css:17)	2(skillcard-v2.css:17, skillcard-v2.css:343)	—
--iw-skill-v2-glyph-inset	1(skillcard-v2.css:17)	1(skillcard-v2.css:343)	—
--iw-skill-v2-glyph-safe-inset	1(skillcard-v2.css:17)	1(skillcard-v2.css:17)	—
--iw-skill-v2-gutter	2(skillcard-v2.css:17, skillcard-v2.css:472)	6(skillcard-v2.css:178, skillcard-v2.css:437, skillcard-v2.css:451, ...)	—
--iw-skill-v2-icon	1(skillcard-v2.css:17)	1(skillcard-v2.css:123)	—
--iw-skill-v2-identity-w	3(skillcard-v2.css:17, skillcard-v2.css:472, skillcard-v2.css:493)	1(skillcard-v2.css:86)	—
--iw-skill-v2-label-buffer	1(skillcard-v2.css:17)	1(skillcard-v2.css:327)	—
--iw-skill-v2-label-h	1(skillcard-v2.css:17)	3(skillcard-v2.css:17, skillcard-v2.css:256, skillcard-v2.css:327)	—
--iw-skill-v2-nav-h	2(skillcard-v2.css:17, skillcard-v2.css:528)	2(skillcard-v2.css:248, skillcard-v2.css:390)	SkillPanelRenderer.js
--iw-skill-v2-nav-radius	1(skillcard-v2.css:17)	—	SkillPanelRenderer.js

Custom property	Defined in CSS (rules)	Used via var()(rules)	Mentioned in JS modules
--iw-skill-v2-nav-w	2 (skillcard-v2.css:17, skillcard-v2.css:472)	—	SkillPanelRenderer.js
--iw-skill-v2-progress	—	1 (skillcard-v2.css:130)	SkillCardDesignController.js
--iw-skill-v2-rail-bottom	1 (skillcard-v2.css:17)	1 (skillcard-v2.css:437)	—
--iw-skill-v2-ring-gap	1 (skillcard-v2.css:17)	1 (skillcard-v2.css:130)	—
--iw-skill-v2-ring-weight	1 (skillcard-v2.css:17)	1 (skillcard-v2.css:130)	—
--iw-space-1	1 (ui-system.css:8)	—	—
--iw-space-2	1 (ui-system.css:8)	—	—
--iw-space-3	1 (ui-system.css:8)	—	—
--iw-space-4	1 (ui-system.css:8)	—	—
--iw-space-5	1 (ui-system.css:8)	—	—
--iw-steel	1 (ui-system.css:8)	—	—
--iw-t-common	1 (base.css:74)	1 (base.css:611)	—
--iw-t-epic	1 (base.css:74)	1 (base.css:614)	—
--iw-t-legendary	1 (base.css:74)	1 (base.css:615)	—
--iw-t-mythic	1 (base.css:74)	1 (base.css:616)	—
--iw-t-rare	1 (base.css:74)	1 (base.css:613)	—
--iw-t-uncommon	1 (base.css:74)	1 (base.css:612)	—
--iw-text	1 (base.css:74)	19 (base.css:74, base.css:344, base.css:381, ...)	SkillPanelRenderer.js
--iw-text-hi	1 (base.css:74)	20 (base.css:74, base.css:366, tooltip-engine.css:220, ...)	—
--iw-th-accent	10 (base.css:74, base.css:230, base.css:240, ...)	26 (base.css:74, skillpanel.css:547, skillpanel.css:2632, ...)	—
--iw-th-accent-dim	10 (base.css:74, base.css:230, base.css:240, ...)	8 (base.css:74, skillcard-v2.css:256, skillcard-v2.css:312, ...)	—
--iw-th-bracket	10 (base.css:74, base.css:230, base.css:240, ...)	2 (header.css:34, header.css:428)	—
--iw-th-bracket-dim	10 (base.css:74, base.css:230, base.css:240, ...)	1 (header.css:34)	—

Custom property	Defined in CSS (rules)	Used via var()(rules)	Mentioned in JS modules
--iw-th-brass	10 (base.css:74, base.css:230, base.css:240, ...)	11 (inventory.css:776, skillpanel.css:42, skillpanel.css:574, ...)	SkillPanelRenderer.js
--iw-th-cta	10 (base.css:74, base.css:230, base.css:240, ...)	11 (base.css:74, base.css:643, base.css:648, ...)	—
--iw-th-cta-hi	10 (base.css:74, base.css:230, base.css:240, ...)	9 (base.css:74, base.css:643, base.css:648, ...)	—
--iw-th-edge	10 (base.css:74, base.css:230, base.css:240, ...)	32 (base.css:336, base.css:381, base.css:405, ...)	SkillPanelRenderer.js
--iw-th-edge-faint	2 (base.css:74, base.css:336)	21 (base.css:653, base.css:674, inventory.css:176, ...)	SkillPanelRenderer.js
--iw-th-edge-mid	2 (base.css:74, base.css:336)	17 (tooltip-engine.css:168, tooltip-engine.css:206, skillpanel.css:1033, ...)	—
--iw-th-edge-soft	2 (base.css:74, base.css:336)	34 (base.css:336, tooltip-engine.css:143, tooltip-engine.css:235, ...)	—
--iw-th-glow	10 (base.css:74, base.css:230, base.css:240, ...)	7 (base.css:381, tooltip-engine.css:58, inventory.css:44, ...)	—
--iw-th-ground-a	10 (base.css:74, base.css:230, base.css:240, ...)	19 (base.css:381, base.css:405, tooltip-engine.css:58, ...)	—
--iw-th-ground-b	10 (base.css:74, base.css:230, base.css:240, ...)	17 (base.css:381, base.css:405, tooltip-engine.css:58, ...)	—
--iw-th-ground-wash	10 (base.css:74, base.css:230, base.css:240, ...)	10 (base.css:381, base.css:405, tooltip-engine.css:58, ...)	—
--iw-th-hairline	10 (base.css:74, base.css:230, base.css:240, ...)	7 (tooltip-engine.css:99, inventory.css:63, skillpanel.css:1550, ...)	—
--iw-th-hairline-hi	10 (base.css:74, base.css:230, base.css:240, ...)	12 (tooltip-engine.css:99, inventory.css:63, inventory.css:811, ...)	—
--iw-th-plate	10 (base.css:74, base.css:230, base.css:240, ...)	12 (skillcard-v2.css:17, skillcard-v2.css:114, skillcard-v2.css:123, ...)	—
--iw-th-rule	10 (base.css:74, base.css:230, base.css:240, ...)	5 (base.css:74, skillpanel.css:3178, ui-system.css:288, ...)	—
--iw-th-rule-soft	10 (base.css:74, base.css:230, base.css:240, ...)	1 (header.css:34)	—
--iw-village-accent	2 (ui-system.css:1994, ui-system.css:2142)	4 (ui-system.css:2084, ui-system.css:2125, ui-system.css:2150, ...)	—
--iw-village-art-w	2 (ui-system.css:2425, ui-system.css:2450)	2 (ui-system.css:2027, ui-system.css:2084)	—
--iw-village-house-w	2 (ui-system.css:2446, ui-system.css:2451)	3 (ui-system.css:2327, ui-system.css:2348, ui-system.css:2451)	—

Custom property	Defined in CSS (rules)	Used via var()(rules)	Mentioned in JS modules
--iw-village-sprite	—	2 (ui-system.css:2111, ui-system.css:2306)	VillagePanels.js
--iw-zone-atlas	1 (base.css:210)	1 (inventory.css:329)	HeaderRendererer.js, SkillsArtService.js
--iw-zone-scene	—	1 (header.css:846)	HeaderRendererer.js
--iw-zone-separator	1 (base.css:210)	1 (inventory.css:147)	HeaderRendererer.js
--muted	1 (base.css:74)	—	—
--muted-foreground	1 (base.css:74)	—	—
--panel-bg	1 (base.css:74)	—	—
--panel-border	1 (base.css:74)	—	—
--popover	1 (base.css:74)	—	—
--popover-foreground	1 (base.css:74)	—	—
--primary	1 (base.css:74)	—	—
--primary-foreground	1 (base.css:74)	—	—
--ring	1 (base.css:74)	—	—
--sidebar	1 (base.css:74)	—	—
--sidebar-accent	1 (base.css:74)	—	—
--sidebar-border	1 (base.css:74)	—	—
--sidebar-foreground	1 (base.css:74)	—	—
--surface-bg	1 (base.css:74)	—	—
--surface-border	1 (base.css:74)	—	—

C.7 MEDIA AND CONTAINER QUERIES

File	Line	Query	Rules inside
base.css	692	@media (prefers-reduced-motion: reduce)	1
tooltip-engine.css	402	@media (max-width: 420px)	2
inventory.css	170	@media (max-width: 560px)	2
inventory.css	214	@media (max-width: 1279px)	2
inventory.css	233	@media (max-width: 767px)	2

File	Line	Query	Rules inside
inventory.css	825	@media (max-width: 1024px)	7
inventory.css	840	@media (max-width: 768px)	11
inventory.css	881	@media (prefers-reduced-motion: reduce)	1
skillpanel.css	462	@media (max-width: 768px)	3
skillpanel.css	502	@media (max-width: 520px)	3
skillpanel.css	801	@media (max-width: 1024px)	5
skillpanel.css	818	@media (max-width: 640px)	74
skillpanel.css	849	@media (max-width: 420px)	10
skillpanel.css	899	@media (max-width: 420px)	0
skillpanel.css	1105	@media (max-width: 1024px)	0
skillpanel.css	1114	@media (max-width: 640px)	0
skillpanel.css	1128	@media (max-width: 420px)	0
skillpanel.css	1246	@media (max-width: 640px)	0
skillpanel.css	1316	@media (max-width: 640px)	0
skillpanel.css	1473	@media (max-width: 1024px)	0
skillpanel.css	1478	@media (max-width: 640px)	0
skillpanel.css	1796	@media (max-width: 1024px) and (min-width: 641px)	6
skillpanel.css	1808	@media (max-width: 640px)	0
skillpanel.css	2241	@media (max-width: 1024px) and (min-width: 641px)	0
skillpanel.css	2262	@media (max-width: 640px)	0
skillpanel.css	2429	@media (max-width: 1024px) and (min-width: 641px)	0
skillpanel.css	2450	@media (min-width: 641px)	1
skillpanel.css	2574	@media (max-width: 640px)	0
skillpanel.css	3236	@media (max-width: 640px)	0
skillpanel.css	3343	@media (max-width: 400px)	8
skillpanel.css	3553	@media (max-width: 640px)	0
skillpanel.css	3606	@media (max-width: 430px)	11
skillpanel.css	3880	@media (prefers-reduced-motion: reduce)	1

File	Line	Query	Rules inside
skillpanel.css	3900	@media (max-width: 384px)	7
skillpanel.css	3992	@media (max-width: 430px)	0
skillcard-v2.css	311	@media (prefers-reduced-motion: reduce)	2
skillcard-v2.css	515	@media (prefers-reduced-motion: reduce)	0
skillcard-v2.css	527	@media (pointer: coarse)	1
header.css	580	@media (min-width: 861px)	4
header.css	940	@media (max-width: 1280px)	5
header.css	958	@media (max-width: 860px)	10
header.css	1027	@media (max-width: 768px)	1
header.css	1033	@media (max-width: 560px)	3
header.css	1041	@media (prefers-reduced-motion: reduce)	1
ui-system.css	136	@media (max-width: 1024px)	2
ui-system.css	345	@media (min-width: 641px)	1
ui-system.css	459	@media (prefers-reduced-motion: reduce)	5
ui-system.css	674	@media (max-width: 640px)	2
ui-system.css	686	@media (max-width: 430px)	3
ui-system.css	967	@media (max-width: 860px)	7
ui-system.css	1080	@media (max-width: 768px)	3
ui-system.css	1112	@media (max-width: 1279px)	2
ui-system.css	1133	@media (max-width: 767px)	2
ui-system.css	1463	@media (prefers-reduced-motion: no-preference)	3
ui-system.css	1470	@media (hover: hover) and (pointer: fine) and (prefers-reduced-motion: no-preference)	1
ui-system.css	1864	@media (max-width: 760px)	40
ui-system.css	1903	@media (max-width: 380px)	8
ui-system.css	1912	@media (prefers-reduced-motion: reduce)	0
ui-system.css	2424	@media (max-width: 760px)	0
ui-system.css	2449	@media (max-width: 380px)	0
ui-system.css	2456	@media (prefers-reduced-motion: reduce)	0

File	Line	Query	Rules inside
compact-buttons.css	124	@media (prefers-reduced-motion: reduce)	1
village-scene.css	81	@media (max-width:480px)	1
village-scene.css	192	@media (prefers-reduced-motion: reduce)	1
collapsible.css	71	@media (pointer: coarse)	1
collapsible.css	200	@media (prefers-reduced-motion: reduce)	1
skillcard-v2.css	471	@container iw-skill-card (max-width: 580px)	—
skillcard-v2.css	492	@container iw-skill-card (max-width: 480px)	—
skillcard-v2.css	536	@container iw-skill-card (max-width: 480px)	—
village-scene.css	74	@container iw-village (max-width: 470px)	—
village-scene.css	112	@container iw-village-frame (min-width:592px)	—
village-scene.css	187	@container iw-village-frame (min-width:592px)	—

Distinct @media conditions:

Condition	Blocks
(prefers-reduced-motion: reduce)	12
(max-width: 640px)	11
(max-width: 1024px)	5
(max-width: 420px)	4
(max-width: 768px)	4
(max-width: 1024px) and (min-width: 641px)	3
(max-width: 430px)	3
(max-width: 560px)	2
(max-width: 1279px)	2
(max-width: 767px)	2
(min-width: 641px)	2
(pointer: coarse)	2
(max-width: 860px)	2
(max-width: 760px)	2

Condition	Blocks
(max-width: 380px)	2
(max-width: 520px)	1
(max-width: 400px)	1
(max-width: 384px)	1
(min-width: 861px)	1
(max-width: 1280px)	1
(prefers-reduced-motion: no-preference)	1
(hover: hover) and (pointer: fine) and (prefers-reduced-motion: no-preference)	1
(max-width:480px)	1

C.8 ANIMATIONS AND TRANSITIONS

Keyframes	File:Line	Referenced by (file:line)
iw-quest-ready-settle	ui-system.css:1473	ui-system.css:1466
iw-control-resting-light	ui-system.css:1806	ui-system.css:1572
iw-control-captured-aura	ui-system.css:1810	ui-system.css:1530
iw-control-filament-red	ui-system.css:1814	ui-system.css:1630, ui-system.css:1633
iw-control-filament-blue	ui-system.css:1821	ui-system.css:1631, ui-system.css:1632
iw-control-crystal-flow	ui-system.css:1828	ui-system.css:1644
iw-control-crystal-undertow	ui-system.css:1833	ui-system.css:1654
iw-control-meter-current	ui-system.css:1838	ui-system.css:435, ui-system.css:1759

55 rules declare a `transition`. 16 rules declare an `animation`.

File	Line	Selector(s)	Transition / animation
base.css	508	<code>button:not(.iw-item-ref):not([class*="chat-name-"]):not([class*="hover:underline"]):not([data-iw-skill-role="level-progress"]):not([class*="decoration-dotted"]):not([data-iw-quest-role]):not([data-iw-boss-role]):not([data-iw-village-role]):not(.iw-boss-reward):not([data-iw-order-handle]):not([data-iw-zone-link])[role="button"]:not(.iw-item-ref):not([class*="chat-name-"]):not([class*="hover:underline"]):not([data-iw-skill-role="level-progress"]):not([class*="decoration-dotted"]):not([data-iw-quest-role]):not([data-iw-boss-role]):not([data-iw-village-role]):not(.iw-boss-reward):not([data-iw-order-handle]):not([data-iw-zone-link])</code>	<code>transition: color .12s ease, border-color .12s ease, background-color .12s ease, filter .12s ease</code>

File	Line	Selector(s)	Transition / animation
base.css	620	<code>.iw-btn</code>	transition: background .13s, border-color .13s, color .13s
base.css	682	<code>.iw-xp__fill</code>	transition: width .3s ease
base.css	693	<code>*</code>	transition: none · animation: none
tooltip-engine.css	27	<code>.iw-item-ref</code>	transition: border-color .12s, color .12s
tooltip-engine.css	58	<code>.iw-tip</code>	transition: none
inventory.css	390	<code>.compact-row:has(&gt; .fs-inv-row)</code> <code>[class*="item-row"]:has(&gt; .fs-inv-row)</code>	transition: background-color .12s
inventory.css	418	<code>.fs-inv-row::after</code>	transition: opacity .12s
inventory.css	882	<code>.compact-row:has(&gt; .fs-inv-row)</code> <code>[class*="item-row"]:has(&gt; .fs-inv-row)</code>	transition: none
skillpanel.css	2117	<code>.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] button[data-iw-skill-role="nav-button"][data-iw-nav-direction]</code>	transition: filter .12s
skillpanel.css	2475	<code>html .compact-panel.fs-skill-panel[data-iw-skills-ui-ready="1"][data-iw-skill-layout="three-zone"] button[data-iw-skill-role="nav-button"][data-iw-nav-direction]</code> <code>.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] button[data-iw-skill-role="nav-button"][data-iw-nav-direction]</code>	transition: border-color .12s, box-shadow .12s
skillpanel.css	2525	<code>html .compact-panel.fs-skill-panel[data-iw-skills-ui-ready="1"][data-iw-skill-layout="three-zone"] button[data-iw-skill-role="nav-button"][data-iw-nav-direction]::before</code> <code>.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] button[data-iw-skill-role="nav-button"][data-iw-nav-direction]::before</code>	transition: border-color .12s
skillpanel.css	2866	<code>.compact-panel.fs-quest-panel [data-iw-quest-role="objective"][data-iw-tooltip-trigger]</code>	transition: color .12s, background .12s
skillpanel.css	2997	<code>.compact-panel.fs-quest-panel [data-iw-quest-role="turn-in"]</code> <code>.compact-panel.fs-quest-panel [data-iw-quest-role="skip"]</code>	transition: filter .12s, border-color .12s, color .12s
skillpanel.css	3783	<code>html[data-iw-button-atlas="revised-v5"] .compact-panel.fs-skill-panel[data-iw-skills-ui-ready="1"] button:is([data-iw-skill-role="action-button"], [data-iw-skill-role="nav-button"])</code> <code>html[data-iw-button-atlas="revised-v5"] .compact-panel.fs-quest-panel[data-iw-skills-ui-ready="1"] :is([data-iw-quest-role="turn-in"], [data-iw-quest-role="skip"])</code>	transition: color .12s

File	Line	Selector(s)	Transition / animation
skillpanel.css	3840	html[data-iw-button-atlas="revised-v5"][data-iw-zone-theme] .compact-panel:is(.fs-skill-panel, .fs-quest-panel)[data-iw-skills-ui-ready="1"] :is(button[data-iw-skill-role="action-button"], button[data-iw-skill-role="nav-button"][data-iw-nav-direction], button[data-iw-quest-role="turn-in"], button[data-iw-quest-role="skip"]))::before html[data-iw-button-atlas="revised-v5"][data-iw-zone-theme] .compact-panel:is(.fs-skill-panel, .fs-quest-panel)[data-iw-skills-ui-ready="1"] :is(button[data-iw-skill-role="action-button"], button[data-iw-skill-role="nav-button"][data-iw-nav-direction], button[data-iw-quest-role="turn-in"], button[data-iw-quest-role="skip"]))::after	transition: opacity 180ms ease-out
skillpanel.css	3867	html[data-iw-button-atlas="revised-v5"][data-iw-zone-theme] .compact-panel:is(.fs-skill-panel, .fs-quest-panel)[data-iw-skills-ui-ready="1"] :is(button[data-iw-skill-role="action-button"], button[data-iw-skill-role="nav-button"][data-iw-nav-direction], button[data-iw-quest-role="turn-in"], button[data-iw-quest-role="skip"]))::after	transition-duration: 70ms
skillpanel.css	3875	html[data-iw-button-atlas="revised-v5"][data-iw-zone-theme] .compact-panel:is(.fs-skill-panel, .fs-quest-panel)[data-iw-skills-ui-ready="1"] :is(button[data-iw-skill-role="action-button"], button[data-iw-skill-role="nav-button"][data-iw-nav-direction], button[data-iw-quest-role="turn-in"], button[data-iw-quest-role="skip"])):is(:disabled, [aria-disabled="true"], [data-iw-btn-state="disabled"]):before html[data-iw-button-atlas="revised-v5"][data-iw-zone-theme] .compact-panel:is(.fs-skill-panel, .fs-quest-panel)[data-iw-skills-ui-ready="1"] :is(button[data-iw-skill-role="action-button"], button[data-iw-skill-role="nav-button"][data-iw-nav-direction], button[data-iw-quest-role="turn-in"], button[data-iw-quest-role="skip"])):is(:disabled, [aria-disabled="true"], [data-iw-btn-state="disabled"]):after	transition: none
skillpanel.css	3881	html[data-iw-button-atlas="revised-v5"][data-iw-zone-theme] .compact-panel:is(.fs-skill-panel, .fs-quest-panel)[data-iw-skills-ui-ready="1"] :is(button[data-iw-skill-role="action-button"], button[data-iw-skill-role="nav-button"][data-iw-nav-direction], button[data-iw-quest-role="turn-in"], button[data-iw-quest-role="skip"]))::before html[data-iw-button-atlas="revised-v5"][data-iw-zone-theme] .compact-panel:is(.fs-skill-panel, .fs-quest-panel)[data-iw-skills-ui-ready="1"] :is(button[data-iw-skill-role="action-button"], button[data-iw-skill-role="nav-button"][data-iw-nav-direction], button[data-iw-quest-role="turn-in"], button[data-iw-quest-role="skip"]))::after	transition: none
skillcard-v2.css	256	html[data-iw-skill-card-design="new"] .compact-panel.fs-skill-panel[data-iw-skill-v2="1"][data-iw-skill-layout] button[data-iw-skill-role="action-button"]	transition: filter .15s ease
skillcard-v2.css	309	html[data-iw-skill-card-design="new"] .compact-panel.fs-skill-panel[data-iw-skill-v2="1"][data-iw-skill-layout] button[data-iw-skill-role="action-button"] > span[style*="width"]	transition: width var(--iw-skill-v2-fill-duration, .28s)linear
skillcard-v2.css	310	html[data-iw-skill-card-design="new"] .compact-panel.fs-skill-panel[data-iw-skill-v2="1"][data-iw-skill-layout][data-iw-skill-v2-fill-reset] button[data-iw-skill-role="action-button"] > span[style*="width"]	transition: none
skillcard-v2.css	311	html[data-iw-skill-card-design="new"] .compact-panel.fs-skill-panel[data-iw-skill-v2="1"][data-iw-skill-layout] button[data-iw-skill-role="action-button"][data-iw-skill-role] > span[style*="width"]	transition: none
skillcard-v2.css	515	html[data-iw-skill-card-design="new"] .compact-panel.fs-skill-panel[data-iw-skill-v2="1"][data-iw-skill-layout] *	transition: none
card-buttons.css	4	html[data-iw-zone-theme][data-iw-skill-card-design="new"] .compact-panel.fs-skill-panel[data-iw-skill-v2="1"][data-iw-skill-layout][data-iw-skills-ui-ready="1"] button[data-iw-skill-role="action-button"]	transition: none

File	Line	Selector(s)	Transition / animation
card-buttons.css	25	html[data-iw-zone-theme][data-iw-skill-card-design="new"] .compact-panel.fs-skill-panel[data-iw-skill-v2="1"][data-iw-skill-layout][data-iw-skills-ui-ready="1"] button[data-iw-skill-role="action-button"] > span[style*="width"]	animation: none
header.css	391	[data-iw-header="utility-button"]	transition: color 120ms ease, border-color 120ms ease, background-color 120ms ease, box-shadow 120ms ease
header.css	510	[data-iw-header="utility-button"]	transition: color 120ms ease, filter 120ms ease
header.css	684	[data-iw-ui="nav-tab"]	transition: color 120ms ease, background-color 120ms ease
header.css	880	[data-iw-ui="zone-action"]	transition: filter 120ms ease
header.css	1042	[data-iw-header="utility-button"] [data-iw-ui="nav-tab"] [data-iw-ui="zone-action"]	transition: none
ui-system.css	401	[data-iw-panel-part="progress"] > *	transition: width var(--iw-progress-duration, var(--iw-action-tick, 1s)) linear
ui-system.css	435	[data-iw-panel-part="progress"] > *::before	animation: iw-control-meter-current 5.7s ease-in-out -2s infinite
ui-system.css	452	[data-iw-panel-part="progress"][data-iw-progress-reset] > *	transition: none
ui-system.css	460	[data-iw-panel-part="progress"] > *	transition: none
ui-system.css	461	[data-iw-panel-part="progress"] > *::before	animation: none
ui-system.css	1464	.iw-boss-reward-icon	transition: transform .24s cubic-bezier(.22,.61,.36,1)
ui-system.css	1466	.compact-panel.fs-quest-panel[data-iw-quest-state="ready"] .fs-quest-sigil-icon	animation: iw-quest-ready-settle .85s cubic-bezier(.22,.61,.36,1) both
ui-system.css	1530	.iw-control-crest::before	transition: opacity 1.2s ease-out · animation: iw-control-captured-aura 7.4s ease-in-out infinite
ui-system.css	1555	.iw-control-crest-art	transition: opacity 1.2s cubic-bezier(.22,.61,.36,1)
ui-system.css	1572	.iw-control-crest-art:not(.iw-control-crest-art-contested)::after	animation: iw-control-resting-light 7.7s ease-in-out infinite
ui-system.css	1589	.iw-control-sword-energy .iw-control-crystal-core .iw-control-meter-currents	transition: opacity .85s ease-out, visibility 0s .85s

File	Line	Selector(s)	Transition / animation
ui-system.css	1598	[data-iw-control="contested"] .iw-control-sword-energy [data-iw-control="contested"] .iw-control-crystal-core [data-iw-control="contested"] .iw-control-meter-currents	transition-delay: 0s
ui-system.css	1630	.iw-control-sword-energy-red::before	animation: iw-control-filament-red 7.3s cubic-bezier(.35,0,.45,1) -2.1s infinite
ui-system.css	1631	.iw-control-sword-energy-blue::before	animation: iw-control-filament-blue 10.9s cubic-bezier(.3,0,.6,1) -5.3s infinite
ui-system.css	1632	.iw-control-sword-energy-red::after	animation: iw-control-filament-blue 13.7s ease-in-out -8.4s infinite
ui-system.css	1633	.iw-control-sword-energy-blue::after	animation: iw-control-filament-red 17.3s ease-in-out -1.6s infinite
ui-system.css	1644	.iw-control-crystal-core::before .iw-control-crystal-core::after	animation: iw-control-crystal-flow 8.3s cubic-bezier(.37,0,.63,1) -3.7s infinite
ui-system.css	1654	.iw-control-crystal-core::after	animation: iw-control-crystal-undertow 11.7s ease-in-out -7.2s infinite
ui-system.css	1735	.iw-control-meter-fill	transition: width .6s ease
ui-system.css	1744	.iw-control-meter-fill::before	transition: width .7s cubic-bezier(.22,.61,.36,1)
ui-system.css	1759	.iw-control-current-red::after .iw-control-current-blue::after	animation: iw-control-meter-current 5.7s ease-in-out -2s infinite
ui-system.css	1772	.iw-control-meter-fill::after	transition: opacity .85s ease, left .7s ease
ui-system.css	1884	.iw-control-sword-energy::after .iw-control-crystal-core::after	animation: none
ui-system.css	1913	.iw-control-dominion * .iw-control-dominion *::before .iw-control-dominion *::after	transition: none · animation: none
ui-system.css	1935	[data-iw-market="row"]	transition: border-color .12s, background-color .12s
ui-system.css	2210	[data-iw-village-role="action"]	transition: border-color .12s, background-color .12s, color .12s
ui-system.css	2256	[data-iw-village-role="option"]	transition: border-color .12s, background-color .12s

File	Line	Selector(s)	Transition / animation
ui-system.css	2457	[data-iw-village-role="action"] [data-iw-village-role="option"] [data-iw-village-art]	transition: none
compact-buttons.css	6	html[data-iw-compact-atlas="compact-ghost-v3"] [data-iw-compact-button][data-iw-compact-button]	transition: color 180ms ease-out
compact-buttons.css	82	html[data-iw-compact-atlas="compact-ghost-v3"] [data-iw-compact-button] > [data-iw-compact-layer="hover"]	transition: opacity 180ms ease-out
compact-buttons.css	87	html[data-iw-compact-atlas="compact-ghost-v3"] [data-iw-compact-button] > [data-iw-compact-layer="clicked"]	transition: opacity 70ms ease-out
compact-buttons.css	119	html[data-iw-compact-atlas="compact-ghost-v3"] [data-iw-compact-button]:is(:disabled,[aria-disabled="true"]) > [data-iw-compact-layer]:not([data-iw-compact-layer="idle"])	transition: none
compact-buttons.css	125	html[data-iw-compact-atlas="compact-ghost-v3"] [data-iw-compact-button] html[data-iw-compact-atlas="compact-ghost-v3"] [data-iw-compact-button] > [data-iw-compact-layer]	transition: none
village-scene.css	148	.iw-vs-chevron	transition: transform .16s ease
village-scene.css	192	.iw-vs-chevron	transition: none
collapsible.css	49	[data-iw-collapse]::after	transition: transform .16s ease
collapsible.css	201	[data-iw-collapse]::after	transition: none

C.9 PSEUDO-ELEMENTS

Pseudo-element	Rules	Where
::before	140	tooltip-engine.css (2: L99, L338); inventory.css (10: L63, L131, L171, L485, L663, L672, ...); skillpanel.css (69: L100, L293, L547, L691, L988, L994, ...); skillcard-v2.css (14: L73, L120, L158, L197, L227, L228, ...); card-buttons.css (1: L18); header.css (6: L208, L264, L363, L756, L824, L846); ui-system.css (33: L67, L172, L223, L380, L389, L435, ...); compact-buttons.css (3: L56, L69, L79); village-scene.css (1: L171); collapsible.css (1: L72)
::after	100	tooltip-engine.css (1: L115); inventory.css (10: L76, L147, L171, L173, L418, L431, ...); skillpanel.css (42: L115, L158, L293, L610, L908, L942, ...); skillcard-v2.css (4: L78, L120, L130, L422); card-buttons.css (1: L18); header.css (3: L129, L264, L270); ui-system.css (32: L100, L140, L172, L223, L380, L395, ...); compact-buttons.css (3: L56, L70, L79); collapsible.css (4: L49, L61, L182, L201)
::-webkit-scrollbar	2	base.css (1: L687); header.css (1: L1035)

Pseudo-element	Rules	Where
<code>::-webkit-scrollbar-thumb</code>	2	base.css (2: L689, L690)
<code>::placeholder</code>	2	base.css (1: L542); ui-system.css (1: L649)
<code>::-webkit-scrollbar-track</code>	1	base.css (1: L688)
<code>::highlight()</code>	1	skillpanel.css (1: L458)
<code>::marker</code>	1	ui-system.css (1: L1446)

C.10 PSEUDO-CLASSES

Pseudo-class	Rules	Where
<code>:not</code>	130	base.css (10: L366, L428, L452, L492, L508, L516, ...); tooltip-engine.css (1: L298); inventory.css (4: L624, L753, L807, L811); skillpanel.css (42: L347, L399, L787, L1064, L1617, L1631, ...); skillcard-v2.css (14: L86, L122, L217, L275, L301, L325, ...); card-buttons.css (2: L46, L49); header.css (5: L581, L590, L818, L824, L837); ui-system.css (47: L44, L67, L100, L131, L137, L140, ...); compact-buttons.css (3: L92, L111, L119); collapsible.css (2: L91, L139)
<code>:hover</code>	62	base.css (4: L516, L638, L648, L690); tooltip-engine.css (3: L47, L220, L386); inventory.css (10: L248, L257, L358, L414, L431, L533, ...); skillpanel.css (19: L399, L787, L1064, L1617, L2048, L2150, ...); skillcard-v2.css (2: L276, L409); card-buttons.css (1: L46); header.css (4: L428, L502, L709, L897); ui-system.css (17: L288, L326, L341, L672, L747, L810, ...); compact-buttons.css (1: L92); collapsible.css (1: L79)
<code>:disabled</code>	57	base.css (2: L516, L653); inventory.css (6: L257, L280, L753, L807, L811, L816); skillpanel.css (32: L399, L787, L1064, L1617, L2048, L2150, ...); skillcard-v2.css (1: L279); card-buttons.css (3: L31, L46, L49); ui-system.css (10: L672, L747, L1065, L1439, L1440, L2225, ...); compact-buttons.css (3: L92, L119, L123)
<code>:is</code>	39	skillpanel.css (13: L3671, L3770, L3783, L3818, L3825, L3830, ...); skillcard-v2.css (5: L194, L325, L386, L387, L539); card-buttons.css (2: L31, L46); ui-system.css (14: L44, L67, L100, L131, L137, L140, ...); compact-buttons.css (5: L92, L97, L101, L119, L123)
<code>:has</code>	37	tooltip-engine.css (1: L298); inventory.css (6: L390, L406, L414, L431, L841, L882); skillpanel.css (3: L1016, L1258, L3328); skillcard-v2.css (9: L86, L122, L194, L248, L312, L325, ...); header.css (6: L581, L590, L596, L601, L790, L837); ui-system.css (12: L44, L67, L100, L131, L137, L140, ...)
<code>:root</code>	23	base.css (12: L74, L210, L230, L240, L250, L260, ...); skillpanel.css (10: L2706, L2709, L2712, L2715, L2718, L2721, ...); ui-system.css (1: L8)
<code>:focus-visible</code>	20	base.css (1: L521); tooltip-engine.css (5: L47, L52, L130, L220, L387); inventory.css (2: L533, L597); skillpanel.css (2: L2871, L3871); skillcard-v2.css (2: L229, L278); card-buttons.css (2: L46, L52); ui-system.css (3: L1447, L1459, L1465); compact-buttons.css (2: L92, L115); collapsible.css (1: L83)
<code>:first-child</code>	14	tooltip-engine.css (1: L270); inventory.css (1: L406); skillpanel.css (4: L1288, L1344, L1500, L1631); header.css (1: L725); ui-system.css (7: L346, L479, L559, L573, L689, L1282, ...)
<code>:active</code>	9	skillpanel.css (6: L3663, L3708, L3715, L3756, L3763, L3871); skillcard-v2.css (1: L277); card-buttons.css (1: L49); compact-buttons.css (1: L92)

Pseudo-class	Rules	Where
:last-child	3	inventory.css (1: L624); ui-system.css (2: L556, L581)
:nth-child	3	tooltip-engine.css (1: L298); inventory.css (2: L833, L854)
:empty	2	tooltip-engine.css (1: L378); skillcard-v2.css (1: L442)
:first-of-type	2	header.css (1: L902); ui-system.css (1: L2380)
:last-of-type	2	header.css (1: L915); ui-system.css (1: L745)
:where	2	base.css (2: L366, L452)
:focus	1	ui-system.css (1: L650)
:only-child	1	skillpanel.css (1: L3985)

SUPERSEDED DECLARATIONS (IDENTICAL SELECTOR, LATER RULE WINS)

Generated by `tools/css-superseded.mjs` from `tools/css-inventory.json` (commit `059081671bf3af4490a025121f25f13ada142b7e`). A conservative lower bound: see the script header for what is not counted. Each row is one declaration that never applies.

350 superseded declarations (341 of them `!important`).

File	Superseded declarations			
skillpanel.css	302			
header.css	46			
skillcard-v2.css	2			

Declaration (file:line)	Property	Overridden by	Context	Selector
skillpanel.css:123	<code>display</code> <code>!important</code>	skillpanel.css:529	—	<code>.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"]</code>
skillpanel.css:124	<code>grid-template-columns</code> <code>!important</code>	skillpanel.css:529	—	<code>.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"]</code>
skillpanel.css:125	<code>grid-template-areas</code> <code>!important</code>	skillpanel.css:529	—	<code>.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"]</code>
skillpanel.css:126	<code>gap</code> <code>!important</code>	skillpanel.css:529	—	<code>.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"]</code>
skillpanel.css:127	<code>align-items</code> <code>!important</code>	skillpanel.css:529	—	<code>.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"]</code>
skillpanel.css:128	<code>padding</code> <code>!important</code>	skillpanel.css:529	—	<code>.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"]</code>
skillpanel.css:132	<code>grid-area</code> <code>!important</code>	skillpanel.css:558	—	<code>.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"]</code> <code>[data-iw-skill-zone="identity"]</code>

Declaration (file:line)	Property	Overridden by	Context	Selector
skillpanel.css:133	min-width !important	skillpanel.css:558	—	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-zone="identity"]
skillpanel.css:136	grid-area !important	skillpanel.css:627	—	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-zone="content"]
skillpanel.css:137	min-width !important	skillpanel.css:627	—	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-zone="content"]
skillpanel.css:140	grid-area !important	skillpanel.css:738	—	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-zone="commands"]
skillpanel.css:141	min-width !important	skillpanel.css:738	—	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-zone="commands"]
skillpanel.css:326	color !important	skillpanel.css:437	—	.compact-panel.fs-skill-panel [data-iw-readout]
skillpanel.css:327	font-family !important	skillpanel.css:437	—	.compact-panel.fs-skill-panel [data-iw-readout]
skillpanel.css:328	font-size !important	skillpanel.css:437	—	.compact-panel.fs-skill-panel [data-iw-readout]
skillpanel.css:329	line-height !important	skillpanel.css:437	—	.compact-panel.fs-skill-panel [data-iw-readout]
skillpanel.css:330	font-weight !important	skillpanel.css:437	—	.compact-panel.fs-skill-panel [data-iw-readout]
skillpanel.css:331	letter-spacing !important	skillpanel.css:437	—	.compact-panel.fs-skill-panel [data-iw-readout]
skillpanel.css:332	text-transform !important	skillpanel.css:437	—	.compact-panel.fs-skill-panel [data-iw-readout]
skillpanel.css:366	letter-spacing !important	skillpanel.css:375	—	.compact-panel.fs-skill-panel button[data-iw-skill-role="action-button"]

Declaration (file:line)	Property	Overridden by	Context	Selector
skillpanel.css:530	--fs-skill-identity-w	skillpanel.css:1698	—	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"]
skillpanel.css:531	--fs-skill-command-w	skillpanel.css:1698	—	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"]
skillpanel.css:537	min-height !important	skillpanel.css:1698	—	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"]
skillpanel.css:540	border !important	skillpanel.css:928	—	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"]
skillpanel.css:543	background !important	skillpanel.css:928	—	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"]
skillpanel.css:544	box-shadow !important	skillpanel.css:928	—	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"]
skillpanel.css:560	min-width !important	skillpanel.css:1272	—	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-zone="identity"]
skillpanel.css:565	gap !important	skillpanel.css:1710	—	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-zone="identity"]
skillpanel.css:566	padding !important	skillpanel.css:1710	—	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-zone="identity"]
skillpanel.css:568	background !important	skillpanel.css:960	—	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-zone="identity"]
skillpanel.css:603	font-size !important	skillpanel.css:1349	—	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-role="identity"]
skillpanel.css:619	font-size !important	skillpanel.css:1740	—	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-role="identity-level"]
skillpanel.css:622	letter-spacing !important	skillpanel.css:2222	—	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-role="identity-level"]
skillpanel.css:629	min-width !important	skillpanel.css:1278	—	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-zone="content"]
skillpanel.css:630	display !important	skillpanel.css:1278	—	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-zone="content"]

Declaration (file:line)	Property	Overridden by	Context	Selector
skillpanel.css:631	grid-template-columns !important	skillpanel.css:876	—	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-zone="content"]
skillpanel.css:635	padding !important	skillpanel.css:1278	—	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-zone="content"]
skillpanel.css:636	overflow !important	skillpanel.css:1333	—	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-zone="content"]
skillpanel.css:644	color !important	skillpanel.css:1043	—	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-role="action-title"]
skillpanel.css:646	font-size !important	skillpanel.css:1349	—	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-role="action-title"]
skillpanel.css:651	text-shadow !important	skillpanel.css:1043	—	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-role="action-title"]
skillpanel.css:655	grid-column !important	skillpanel.css:880	—	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-role="level-progress"]
skillpanel.css:669	width !important	skillpanel.css:1394	—	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-role="progress-track"]
skillpanel.css:670	height !important	skillpanel.css:1394	—	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-role="progress-track"]
skillpanel.css:671	min-height !important	skillpanel.css:1394	—	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-role="progress-track"]
skillpanel.css:672	max-height !important	skillpanel.css:2162	—	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-role="progress-track"]
skillpanel.css:673	margin !important	skillpanel.css:1394	—	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-role="progress-track"]
skillpanel.css:674	border !important	skillpanel.css:2162	—	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-role="progress-track"]
skillpanel.css:675	background !important	skillpanel.css:1048	—	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-role="progress-track"]

Declaration (file:line)	Property	Overridden by	Context	Selector
skillpanel.css:676	box-shadow !important	skillpanel.css:1048	—	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-role="progress-track"]
skillpanel.css:682	align-self !important	skillpanel.css:1446	—	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-role="ingredient"]
skillpanel.css:686	font-size !important	skillpanel.css:1782	—	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-role="ingredient"]
skillpanel.css:688	line-height !important	skillpanel.css:1782	—	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-role="ingredient"]
skillpanel.css:692	content	skillpanel.css:1464	—	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-role="ingredient"]::before
skillpanel.css:703	padding-top !important	skillpanel.css:1460	—	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-role="requirement"]
skillpanel.css:704	border-top !important	skillpanel.css:1460	—	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-role="requirement"]
skillpanel.css:711	margin !important	skillpanel.css:1435	—	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-role="reward"]
skillpanel.css:712	padding !important	skillpanel.css:1435	—	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-role="reward"]
skillpanel.css:721	grid-column !important	skillpanel.css:884	—	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-role="xp-gain"]
skillpanel.css:722	grid-row !important	skillpanel.css:884	—	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-role="xp-gain"]
skillpanel.css:723	justify-self !important	skillpanel.css:884	—	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-role="xp-gain"]
skillpanel.css:724	align-self !important	skillpanel.css:884	—	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-role="xp-gain"]
skillpanel.css:725	margin !important	skillpanel.css:884	—	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-role="xp-gain"]
skillpanel.css:734	font-size !important	skillpanel.css:1782	—	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-role="action-detail"]

Declaration (file:line)	Property	Overridden by	Context	Selector
skillpanel.css:735	line-height !important	skillpanel.css:1782	—	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-role="action-detail"]
skillpanel.css:746	padding !important	skillpanel.css:1790	—	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-zone="commands"]
skillpanel.css:747	border-left !important	skillpanel.css:1033	—	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-zone="commands"]
skillpanel.css:748	background !important	skillpanel.css:1033	—	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-zone="commands"]
skillpanel.css:752	display !important	skillpanel.css:1944	—	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-role="nav-group"]
skillpanel.css:753	align-items !important	skillpanel.css:1944	—	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-role="nav-group"]
skillpanel.css:754	justify-content !important	skillpanel.css:1944	—	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-role="nav-group"]
skillpanel.css:755	gap !important	skillpanel.css:1591	—	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-role="nav-group"]
skillpanel.css:756	width !important	skillpanel.css:1312	—	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-role="nav-group"]
skillpanel.css:765	background !important	skillpanel.css:1055	—	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] button[data-iw-skill-role="nav-button"]
skillpanel.css:769	width !important	skillpanel.css:1989	—	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] button[data-iw-skill-role="action-button"]
skillpanel.css:770	min-width !important	skillpanel.css:1989	—	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] button[data-iw-skill-role="action-button"]
skillpanel.css:771	height !important	skillpanel.css:1989	—	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] button[data-iw-skill-role="action-button"]
skillpanel.css:772	min-height !important	skillpanel.css:1989	—	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] button[data-iw-skill-role="action-button"]

Declaration (file:line)	Property	Overridden by	Context	Selector
skillpanel.css:773	padding !important	skillpanel.css:1989	—	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] button[data-iw-skill-role="action-button"]
skillpanel.css:775	border-radius !important	skillpanel.css:1070	—	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] button[data-iw-skill-role="action-button"]
skillpanel.css:776	background !important	skillpanel.css:918	—	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] button[data-iw-skill-role="action-button"]
skillpanel.css:779	font-size !important	skillpanel.css:1989	—	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] button[data-iw-skill-role="action-button"]
skillpanel.css:781	letter-spacing !important	skillpanel.css:1989	—	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] button[data-iw-skill-role="action-button"]
skillpanel.css:784	box-shadow !important	skillpanel.css:918	—	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] button[data-iw-skill-role="action-button"]
skillpanel.css:827	min-height !important	skillpanel.css:1823	@media (max-width: 640px)	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-zone="identity"]
skillpanel.css:828	padding !important	skillpanel.css:1823	@media (max-width: 640px)	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-zone="identity"]
skillpanel.css:830	border-bottom !important	skillpanel.css:1823	@media (max-width: 640px)	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-zone="identity"]
skillpanel.css:839	padding !important	skillpanel.css:1479	@media (max-width: 640px)	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-zone="content"]
skillpanel.css:851	grid-template-columns !important	skillpanel.css:1129	@media (max-width: 420px)	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-zone="content"]
skillpanel.css:852	grid-template-rows !important	skillpanel.css:1129	@media (max-width: 420px)	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-zone="content"]
skillpanel.css:863	grid-column !important	skillpanel.css:1133, skillpanel.css:900	@media (max-width: 420px)	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-role="reward"], .compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-role="xp-gain"]

Declaration (file:line)	Property	Overridden by	Context	Selector
skillpanel.css:864	grid-row !important	skillpanel.css:1133, skillpanel.css:900	@media (max-width: 420px)	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-role="reward"], .compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-role="xp-gain"]
skillpanel.css:870	grid-column !important	skillpanel.css:1146	@media (max-width: 420px)	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-role="action-detail"]
skillpanel.css:871	grid-row !important	skillpanel.css:1146	@media (max-width: 420px)	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-role="action-detail"]
skillpanel.css:889	margin !important	skillpanel.css:1435	—	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-role="xp-gain"]
skillpanel.css:893	order !important	skillpanel.css:1944	—	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-role="nav-group"]
skillpanel.css:901	grid-column !important	skillpanel.css:1139	@media (max-width: 420px)	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-role="xp-gain"]
skillpanel.css:902	grid-row !important	skillpanel.css:1139	@media (max-width: 420px)	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-role="xp-gain"]
skillpanel.css:903	justify-self !important	skillpanel.css:1139	@media (max-width: 420px)	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-role="xp-gain"]
skillpanel.css:910	display !important	skillpanel.css:1371	—	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-role="identity-level"]::after
skillpanel.css:921	box-shadow !important	skillpanel.css:1070	—	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] button[data-iw-skill-role="action-button"]
skillpanel.css:970	width !important	skillpanel.css:1715	—	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] .fs-skill-medallion-art
skillpanel.css:971	min-width !important	skillpanel.css:1715	—	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] .fs-skill-medallion-art
skillpanel.css:972	height !important	skillpanel.css:1715	—	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] .fs-skill-medallion-art
skillpanel.css:973	min-height !important	skillpanel.css:1715	—	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] .fs-skill-medallion-art
skillpanel.css:974	margin !important	skillpanel.css:1715	—	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] .fs-skill-medallion-art

Declaration (file:line)	Property	Overridden by	Context	Selector
skillpanel.css:978	box-shadow !important	skillpanel.css:1715	—	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] .fs-skill-medallion-art
skillpanel.css:995	width !important	skillpanel.css:1730	—	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] .fs-skill-medallion-art::before
skillpanel.css:996	height !important	skillpanel.css:1730	—	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] .fs-skill-medallion-art::before
skillpanel.css:1006	width !important	skillpanel.css:1730	—	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] .fs-skill-medallion-art::after
skillpanel.css:1007	height !important	skillpanel.css:1730	—	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] .fs-skill-medallion-art::after
skillpanel.css:1050	background !important	skillpanel.css:2162	—	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-role="progress-track"]
skillpanel.css:1051	box-shadow !important	skillpanel.css:2162	—	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-role="progress-track"]
skillpanel.css:1082	width !important	skillpanel.css:2010	—	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] button[data-iw-skill-role="action-button"]::before, .compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] button[data-iw-skill-role="action-button"]::after
skillpanel.css:1083	height !important	skillpanel.css:2010	—	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] button[data-iw-skill-role="action-button"]::before, .compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] button[data-iw-skill-role="action-button"]::after
skillpanel.css:1092	top !important	skillpanel.css:2015	—	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] button[data-iw-skill-role="action-button"]::before
skillpanel.css:1095	bottom !important	skillpanel.css:2018	—	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] button[data-iw-skill-role="action-button"]::after
skillpanel.css:1116	width !important	skillpanel.css:1829	@media (max-width: 640px)	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] .fs-skill-medallion-art
skillpanel.css:1117	min-width !important	skillpanel.css:1829	@media (max-width: 640px)	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] .fs-skill-medallion-art
skillpanel.css:1118	height !important	skillpanel.css:1829	@media (max-width: 640px)	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] .fs-skill-medallion-art
skillpanel.css:1119	min-height !important	skillpanel.css:1829	@media (max-width: 640px)	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] .fs-skill-medallion-art

Declaration (file:line)	Property	Overridden by	Context	Selector
skillpanel.css:1120	margin-bottom !important	skillpanel.css:1829	@media (max-width: 640px)	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] .fs-skill-medallion-art
skillpanel.css:1264	grid-template-columns !important	skillpanel.css:1704	—	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] > [data-iw-skill-layout-shell="1"]
skillpanel.css:1265	grid-template-areas !important	skillpanel.css:1704	—	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] > [data-iw-skill-layout-shell="1"]
skillpanel.css:1266	align-items !important	skillpanel.css:2180	—	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] > [data-iw-skill-layout-shell="1"]
skillpanel.css:1269	min-height !important	skillpanel.css:1704	—	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] > [data-iw-skill-layout-shell="1"]
skillpanel.css:1279	display !important	skillpanel.css:1333	—	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-zone="content"]
skillpanel.css:1280	flex-direction !important	skillpanel.css:1333	—	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-zone="content"]
skillpanel.css:1281	justify-content !important	skillpanel.css:1333	—	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-zone="content"]
skillpanel.css:1285	padding !important	skillpanel.css:1333	—	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-zone="content"]
skillpanel.css:1289	width !important	skillpanel.css:1344	—	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-zone="content"] > :first-child
skillpanel.css:1290	min-width !important	skillpanel.css:1344	—	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-zone="content"] > :first-child
skillpanel.css:1303	justify-self !important	skillpanel.css:1974	—	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] button[data-iw-skill-zone="commands"]

Declaration (file:line)	Property	Overridden by	Context	Selector
skillpanel.css:1304	align-self !important	skillpanel.css:1974	—	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] button[data-iw-skill-zone="commands"]
skillpanel.css:1306	padding !important	skillpanel.css:1989	—	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] button[data-iw-skill-zone="commands"]
skillpanel.css:1307	width !important	skillpanel.css:1989	—	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] button[data-iw-skill-zone="commands"]
skillpanel.css:1308	min-width !important	skillpanel.css:1989	—	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] button[data-iw-skill-zone="commands"]
skillpanel.css:1309	height !important	skillpanel.css:1989	—	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] button[data-iw-skill-zone="commands"]
skillpanel.css:1310	min-height !important	skillpanel.css:1989	—	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] button[data-iw-skill-zone="commands"]
skillpanel.css:1313	flex !important	skillpanel.css:1944	—	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-role="nav-group"]
skillpanel.css:1314	width !important	skillpanel.css:1591	—	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-role="nav-group"]
skillpanel.css:1318	grid-template-columns !important	skillpanel.css:1814	@media (max-width: 640px)	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] > [data-iw-skill-layout-shell="1"]
skillpanel.css:1319	grid-template-areas !important	skillpanel.css:1814	@media (max-width: 640px)	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] > [data-iw-skill-layout-shell="1"]
skillpanel.css:1322	min-height !important	skillpanel.css:1814	@media (max-width: 640px)	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] > [data-iw-skill-layout-shell="1"]
skillpanel.css:1334	position !important	skillpanel.css:2104	—	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-zone="content"]
skillpanel.css:1339	gap !important	skillpanel.css:1760	—	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-zone="content"]
skillpanel.css:1340	padding !important	skillpanel.css:1760	—	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-zone="content"]

Declaration (file:line)	Property	Overridden by	Context	Selector
skillpanel.css:1356	font-size !important	skillpanel.css:1736	—	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-role="identity"]::before
skillpanel.css:1359	letter-spacing !important	skillpanel.css:2217	—	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-role="identity"]::before
skillpanel.css:1365	font-size !important	skillpanel.css:1765	—	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-role="action-title"]::before
skillpanel.css:1367	line-height !important	skillpanel.css:2190	—	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-role="action-title"]::before
skillpanel.css:1375	order !important	skillpanel.css:1559	—	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] .fs-skill-identity-progress
skillpanel.css:1377	width !important	skillpanel.css:1754	—	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] .fs-skill-identity-progress
skillpanel.css:1378	height !important	skillpanel.css:1754	—	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] .fs-skill-identity-progress
skillpanel.css:1379	margin-top !important	skillpanel.css:1559	—	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] .fs-skill-identity-progress
skillpanel.css:1399	min-height !important	skillpanel.css:2162	—	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-role="progress-track"], .compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-role="progress-fill"]
skillpanel.css:1400	margin !important	skillpanel.css:2162	—	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-role="progress-track"], .compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-role="progress-fill"]
skillpanel.css:1401	padding !important	skillpanel.css:2162	—	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-role="progress-track"], .compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-role="progress-fill"]
skillpanel.css:1407	display !important	skillpanel.css:2362	—	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] .fs-skill-base-exp
skillpanel.css:1408	place-items !important	skillpanel.css:2362	—	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] .fs-skill-base-exp
skillpanel.css:1409	width !important	skillpanel.css:1773	—	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] .fs-skill-base-exp
skillpanel.css:1410	min-width !important	skillpanel.css:1773	—	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] .fs-skill-base-exp

Declaration (file:line)	Property	Overridden by	Context	Selector
skillpanel.css:1411	max-width !important	skillpanel.css:2362	—	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] .fs-skill-base-exp
skillpanel.css:1412	min-height !important	skillpanel.css:1773	—	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] .fs-skill-base-exp
skillpanel.css:1413	margin !important	skillpanel.css:1773	—	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] .fs-skill-base-exp
skillpanel.css:1415	padding !important	skillpanel.css:1773	—	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] .fs-skill-base-exp
skillpanel.css:1417	white-space !important	skillpanel.css:2362	—	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] .fs-skill-base-exp
skillpanel.css:1418	color !important	skillpanel.css:2362	—	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] .fs-skill-base-exp
skillpanel.css:1419	font-family !important	skillpanel.css:2362	—	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] .fs-skill-base-exp
skillpanel.css:1420	font-size !important	skillpanel.css:1773	—	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] .fs-skill-base-exp
skillpanel.css:1421	font-weight !important	skillpanel.css:2362	—	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] .fs-skill-base-exp
skillpanel.css:1422	letter-spacing !important	skillpanel.css:2069	—	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] .fs-skill-base-exp
skillpanel.css:1423	text-shadow !important	skillpanel.css:2362	—	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] .fs-skill-base-exp
skillpanel.css:1424	border !important	skillpanel.css:2362	—	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] .fs-skill-base-exp
skillpanel.css:1428	border !important	skillpanel.css:2362	—	.compact-panel.fs-skill-panel[data-iw-skills-ui-ready="1"] .fs-skill-base-exp

Declaration (file:line)	Property	Overridden by	Context	Selector
skillpanel.css:1429	background-color !important	skillpanel.css:2362	—	.compact-panel.fs-skill-panel[data-iw-skills-ui-ready="1"] .fs-skill-base-exp
skillpanel.css:1430	background-image !important	skillpanel.css:2362	—	.compact-panel.fs-skill-panel[data-iw-skills-ui-ready="1"] .fs-skill-base-exp
skillpanel.css:1440	margin !important	skillpanel.css:2162	—	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-role="xp-gain"], .compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-role="reward"]
skillpanel.css:1441	padding !important	skillpanel.css:2162	—	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-role="xp-gain"], .compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-role="reward"]
skillpanel.css:1480	position !important	skillpanel.css:1855	@media (max-width: 640px)	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-zone="content"]
skillpanel.css:1481	padding !important	skillpanel.css:1855	@media (max-width: 640px)	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-zone="content"]
skillpanel.css:1484	width !important	skillpanel.css:1849	@media (max-width: 640px)	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] .fs-skill-identity-progress
skillpanel.css:1485	height !important	skillpanel.css:1849	@media (max-width: 640px)	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] .fs-skill-identity-progress
skillpanel.css:1488	font-size !important	skillpanel.css:1862	@media (max-width: 640px)	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-role="action-title"]::before
skillpanel.css:1541	margin-top !important	skillpanel.css:1744	—	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] .fs-skill-identity-percent
skillpanel.css:1544	font-size !important	skillpanel.css:1744	—	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] .fs-skill-identity-percent
skillpanel.css:1547	letter-spacing !important	skillpanel.css:2227	—	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] .fs-skill-identity-percent
skillpanel.css:1553	width !important	skillpanel.css:1749	—	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] .fs-skill-identity-percent::before
skillpanel.css:1561	margin-top !important	skillpanel.css:1754	—	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] .fs-skill-identity-progress
skillpanel.css:1585	font-size !important	skillpanel.css:1769	—	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-role="level-progress"][data-iw-progress-display]::before

Declaration (file:line)	Property	Overridden by	Context	Selector
skillpanel.css:1592	width !important	skillpanel.css:1944	—	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-role="nav-group"]
skillpanel.css:1593	gap !important	skillpanel.css:1944	—	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-role="nav-group"]
skillpanel.css:1596	width !important	skillpanel.css:2002	—	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] button[data-iw-skill-role="nav-button"] [data-iw-nav-direction]
skillpanel.css:1597	min-width !important	skillpanel.css:2002	—	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] button[data-iw-skill-role="nav-button"] [data-iw-nav-direction]
skillpanel.css:1598	height !important	skillpanel.css:2002	—	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] button[data-iw-skill-role="nav-button"] [data-iw-nav-direction]
skillpanel.css:1599	min-height !important	skillpanel.css:2002	—	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] button[data-iw-skill-role="nav-button"] [data-iw-nav-direction]
skillpanel.css:1600	padding !important	skillpanel.css:2117	—	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] button[data-iw-skill-role="nav-button"] [data-iw-nav-direction]
skillpanel.css:1601	border !important	skillpanel.css:2117	—	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] button[data-iw-skill-role="nav-button"] [data-iw-nav-direction]
skillpanel.css:1602	border-radius !important	skillpanel.css:2117	—	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] button[data-iw-skill-role="nav-button"] [data-iw-nav-direction]
skillpanel.css:1603	box-shadow !important	skillpanel.css:2117	—	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] button[data-iw-skill-role="nav-button"] [data-iw-nav-direction]
skillpanel.css:1604	color !important	skillpanel.css:2117	—	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] button[data-iw-skill-role="nav-button"] [data-iw-nav-direction]
skillpanel.css:1605	font-size !important	skillpanel.css:2117	—	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] button[data-iw-skill-role="nav-button"] [data-iw-nav-direction]
skillpanel.css:1606	background-color !important	skillpanel.css:2117	—	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] button[data-iw-skill-role="nav-button"] [data-iw-nav-direction]
skillpanel.css:1700	--fs-skill-command-w	skillpanel.css:1985	—	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"]
skillpanel.css:1707	min-height !important	skillpanel.css:2180	—	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] > [data-iw-skill-layout-shell="1"]

Declaration (file:line)	Property	Overridden by	Context	Selector
skillpanel.css:1711	gap !important	skillpanel.css:2204	—	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-zone="identity"]
skillpanel.css:1712	padding !important	skillpanel.css:2204	—	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-zone="identity"]
skillpanel.css:1716	width !important	skillpanel.css:2209	—	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] .fs-skill-medallion-art
skillpanel.css:1717	min-width !important	skillpanel.css:2209	—	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] .fs-skill-medallion-art
skillpanel.css:1718	height !important	skillpanel.css:2209	—	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] .fs-skill-medallion-art
skillpanel.css:1719	min-height !important	skillpanel.css:2209	—	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] .fs-skill-medallion-art
skillpanel.css:1720	margin !important	skillpanel.css:2209	—	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] .fs-skill-medallion-art
skillpanel.css:1737	font-size !important	skillpanel.css:2217	—	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-role="identity"]::before
skillpanel.css:1741	font-size !important	skillpanel.css:2222	—	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-role="identity-level"]
skillpanel.css:1745	margin-top !important	skillpanel.css:2227	—	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] .fs-skill-identity-percent
skillpanel.css:1746	font-size !important	skillpanel.css:2227	—	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] .fs-skill-identity-percent
skillpanel.css:1755	width !important	skillpanel.css:2233	—	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] .fs-skill-identity-progress
skillpanel.css:1756	height !important	skillpanel.css:2233	—	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] .fs-skill-identity-progress
skillpanel.css:1757	margin-top !important	skillpanel.css:2233	—	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] .fs-skill-identity-progress
skillpanel.css:1761	gap !important	skillpanel.css:2185	—	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-zone="content"]
skillpanel.css:1762	padding !important	skillpanel.css:2185	—	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-zone="content"]

Declaration (file:line)	Property	Overridden by	Context	Selector
skillpanel.css:1766	font-size !important	skillpanel.css:2190	—	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-role="action-title"]::before
skillpanel.css:1774	width !important	skillpanel.css:2069	—	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] .fs-skill-base-exp
skillpanel.css:1775	min-width !important	skillpanel.css:2069	—	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] .fs-skill-base-exp
skillpanel.css:1776	min-height !important	skillpanel.css:2069	—	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] .fs-skill-base-exp
skillpanel.css:1777	margin !important	skillpanel.css:2069	—	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] .fs-skill-base-exp
skillpanel.css:1778	padding !important	skillpanel.css:2069	—	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] .fs-skill-base-exp
skillpanel.css:1779	font-size !important	skillpanel.css:2069	—	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] .fs-skill-base-exp
skillpanel.css:1785	margin-top !important	skillpanel.css:2195	—	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-role="ingredient"], .compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-role="requirement"], .compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-role="action-detail"]
skillpanel.css:1786	font-size !important	skillpanel.css:2195	—	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-role="ingredient"], .compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-role="requirement"], .compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-role="action-detail"]
skillpanel.css:1787	line-height !important	skillpanel.css:2195	—	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-role="ingredient"], .compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-role="requirement"], .compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-role="action-detail"]
skillpanel.css:1799	--fs-skill-command-w	skillpanel.css:2242	@media (max-width: 1024px) and (min-width: 641px)	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"]
skillpanel.css:1825	padding !important	skillpanel.css:2309	@media (max-width: 640px)	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-zone="identity"]
skillpanel.css:1830	width !important	skillpanel.css:2342	@media (max-width: 640px)	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] .fs-skill-medallion-art
skillpanel.css:1831	min-width !important	skillpanel.css:2342	@media (max-width: 640px)	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] .fs-skill-medallion-art

Declaration (file:line)	Property	Overridden by	Context	Selector
skillpanel.css:1832	height !important	skillpanel.css:2342	@media (max-width: 640px)	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] .fs-skill-medallion-art
skillpanel.css:1833	min-height !important	skillpanel.css:2342	@media (max-width: 640px)	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] .fs-skill-medallion-art
skillpanel.css:1834	margin-bottom !important	skillpanel.css:2342	@media (max-width: 640px)	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] .fs-skill-medallion-art
skillpanel.css:1838	font-size !important	skillpanel.css:2324	@media (max-width: 640px)	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-role="identity"]::before
skillpanel.css:1842	font-size !important	skillpanel.css:2327	@media (max-width: 640px)	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-role="identity-level"]
skillpanel.css:1846	font-size !important	skillpanel.css:2330	@media (max-width: 640px)	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] .fs-skill-identity-percent
skillpanel.css:1857	gap !important	skillpanel.css:2305	@media (max-width: 640px)	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-zone="content"]
skillpanel.css:1858	padding !important	skillpanel.css:2305	@media (max-width: 640px)	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-zone="content"]
skillpanel.css:1863	font-size !important	skillpanel.css:2314	@media (max-width: 640px)	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-role="action-title"]::before
skillpanel.css:1875	width !important	skillpanel.css:2334	@media (max-width: 640px)	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] .fs-skill-base-exp
skillpanel.css:1876	min-width !important	skillpanel.css:2334	@media (max-width: 640px)	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] .fs-skill-base-exp
skillpanel.css:1877	min-height !important	skillpanel.css:2334	@media (max-width: 640px)	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] .fs-skill-base-exp
skillpanel.css:1880	font-size !important	skillpanel.css:2334	@media (max-width: 640px)	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] .fs-skill-base-exp
skillpanel.css:1884	justify-self !important	skillpanel.css:2276	@media (max-width: 640px)	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] button[data-iw-skill-zone="commands"]
skillpanel.css:1886	width !important	skillpanel.css:2295	@media (max-width: 640px)	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] button[data-iw-skill-zone="commands"]

Declaration (file:line)	Property	Overridden by	Context	Selector
skillpanel.css:1887	min-width !important	skillpanel.css:2295	@media (max-width: 640px)	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] button[data-iw-skill-zone="commands"]
skillpanel.css:1888	height !important	skillpanel.css:2295	@media (max-width: 640px)	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] button[data-iw-skill-zone="commands"]
skillpanel.css:1889	min-height !important	skillpanel.css:2295	@media (max-width: 640px)	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] button[data-iw-skill-zone="commands"]
skillpanel.css:1890	margin-left !important	skillpanel.css:2276	@media (max-width: 640px)	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] button[data-iw-skill-zone="commands"]
skillpanel.css:1986	--fs-skill-command-w	skillpanel.css:2426	—	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"]
skillpanel.css:2003	width !important	skillpanel.css:2117	—	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] button[data-iw-skill-role="nav-button"] [data-iw-nav-direction]
skillpanel.css:2004	min-width !important	skillpanel.css:2117	—	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] button[data-iw-skill-role="nav-button"] [data-iw-nav-direction]
skillpanel.css:2005	height !important	skillpanel.css:2117	—	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] button[data-iw-skill-role="nav-button"] [data-iw-nav-direction]
skillpanel.css:2006	min-height !important	skillpanel.css:2117	—	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] button[data-iw-skill-role="nav-button"] [data-iw-nav-direction]
skillpanel.css:2070	width !important	skillpanel.css:2362	—	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] .fs-skill-base-exp
skillpanel.css:2071	min-width !important	skillpanel.css:2362	—	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] .fs-skill-base-exp
skillpanel.css:2072	height !important	skillpanel.css:2362	—	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] .fs-skill-base-exp
skillpanel.css:2073	min-height !important	skillpanel.css:2362	—	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] .fs-skill-base-exp
skillpanel.css:2078	padding !important	skillpanel.css:2362	—	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] .fs-skill-base-exp
skillpanel.css:2079	margin !important	skillpanel.css:2362	—	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] .fs-skill-base-exp

Declaration (file:line)	Property	Overridden by	Context	Selector
skillpanel.css:2080	font-size !important	skillpanel.css:2362	—	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] .fs-skill-base-exp
skillpanel.css:2081	letter-spacing !important	skillpanel.css:2362	—	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] .fs-skill-base-exp
skillpanel.css:2118	display !important	skillpanel.css:2475	—	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] button[data-iw-skill-role="nav-button"] [data-iw-nav-direction]
skillpanel.css:2119	place-items !important	skillpanel.css:2475	—	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] button[data-iw-skill-role="nav-button"] [data-iw-nav-direction]
skillpanel.css:2120	width !important	skillpanel.css:2475	—	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] button[data-iw-skill-role="nav-button"] [data-iw-nav-direction]
skillpanel.css:2121	min-width !important	skillpanel.css:2475	—	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] button[data-iw-skill-role="nav-button"] [data-iw-nav-direction]
skillpanel.css:2122	height !important	skillpanel.css:2475	—	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] button[data-iw-skill-role="nav-button"] [data-iw-nav-direction]
skillpanel.css:2123	min-height !important	skillpanel.css:2475	—	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] button[data-iw-skill-role="nav-button"] [data-iw-nav-direction]
skillpanel.css:2124	padding !important	skillpanel.css:2475	—	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] button[data-iw-skill-role="nav-button"] [data-iw-nav-direction]
skillpanel.css:2125	border !important	skillpanel.css:2475	—	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] button[data-iw-skill-role="nav-button"] [data-iw-nav-direction]
skillpanel.css:2126	border-radius !important	skillpanel.css:2475	—	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] button[data-iw-skill-role="nav-button"] [data-iw-nav-direction]
skillpanel.css:2128	box-shadow !important	skillpanel.css:2475	—	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] button[data-iw-skill-role="nav-button"] [data-iw-nav-direction]
skillpanel.css:2129	filter !important	skillpanel.css:2475	—	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] button[data-iw-skill-role="nav-button"] [data-iw-nav-direction]
skillpanel.css:2130	color !important	skillpanel.css:2475	—	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] button[data-iw-skill-role="nav-button"] [data-iw-nav-direction]
skillpanel.css:2131	font-size !important	skillpanel.css:2475	—	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] button[data-iw-skill-role="nav-button"] [data-iw-nav-direction]

Declaration (file:line)	Property	Overridden by	Context	Selector
skillpanel.css:2132	transition !important	skillpanel.css:2475	—	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] button[data-iw-skill-role="nav-button"] [data-iw-nav-direction]
skillpanel.css:2142	content !important	skillpanel.css:2525, skillpanel.css:2551	—	html .compact-panel.fs-skill-panel[data-iw-skills-ui-ready="1"][data-iw-skill-layout="three-zone"] button[data-iw-skill-role="nav-button"][data-iw-nav-direction]::before, html .compact-panel.fs-skill- panel[data-iw-skills-ui-ready="1"][data-iw-skill-layout="three-zone"] button[data-iw-skill-role="nav-button"] [data-iw-nav-direction]::after, .compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] button[data- iw-skill-role="nav-button"][data-iw-nav-direction]::before, .compact-panel.fs-skill-panel[data-iw-skill- layout="three-zone"] button[data-iw-skill-role="nav-button"][data-iw-nav-direction]::after
skillpanel.css:2143	display !important	skillpanel.css:2525, skillpanel.css:2551	—	html .compact-panel.fs-skill-panel[data-iw-skills-ui-ready="1"][data-iw-skill-layout="three-zone"] button[data-iw-skill-role="nav-button"][data-iw-nav-direction]::before, html .compact-panel.fs-skill- panel[data-iw-skills-ui-ready="1"][data-iw-skill-layout="three-zone"] button[data-iw-skill-role="nav-button"] [data-iw-nav-direction]::after, .compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] button[data- iw-skill-role="nav-button"][data-iw-nav-direction]::before, .compact-panel.fs-skill-panel[data-iw-skill- layout="three-zone"] button[data-iw-skill-role="nav-button"][data-iw-nav-direction]::after
skillpanel.css:2146	visibility !important	skillpanel.css:2496	—	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] button[data-iw-skill-role="nav-button"] [data-iw-nav-direction] > *
skillpanel.css:2147	opacity !important	skillpanel.css:2496	—	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] button[data-iw-skill-role="nav-button"] [data-iw-nav-direction] > *
skillpanel.css:2152	transform !important	skillpanel.css:2557	—	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] button[data-iw-skill-role="nav-button"] [data-iw-nav-direction]:hover:not(:disabled)
skillpanel.css:2153	filter !important	skillpanel.css:2557	—	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] button[data-iw-skill-role="nav-button"] [data-iw-nav-direction]:hover:not(:disabled)
skillpanel.css:2243	--fs-skill- command-w	skillpanel.css:2430	@media (max- width: 1024px) and (min- width: 641px)	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"]
skillpanel.css:2264	flex- direction !important	skillpanel.css:2575	@media (max- width: 640px)	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-zone="commands"]:not(button)
skillpanel.css:2266	justify- content !important	skillpanel.css:2575	@media (max- width: 640px)	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-zone="commands"]:not(button)
skillpanel.css:2267	gap !important	skillpanel.css:2575	@media (max- width: 640px)	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-zone="commands"]:not(button)

Declaration (file:line)	Property	Overridden by	Context	Selector
skillpanel.css:2274	order !important	skillpanel.css:2583	@media (max-width: 640px)	.compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-zone="commands"] button[data-iw-skill-role="action-button"]
skillpanel.css:2415	flex-direction !important	skillpanel.css:3486	—	html .compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-zone="commands"]:not(button)
skillpanel.css:2416	flex-wrap !important	skillpanel.css:3486	—	html .compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-zone="commands"]:not(button)
skillpanel.css:2417	align-items !important	skillpanel.css:3486	—	html .compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-zone="commands"]:not(button)
skillpanel.css:2418	justify-content !important	skillpanel.css:3486	—	html .compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-zone="commands"]:not(button)
skillpanel.css:2419	gap !important	skillpanel.css:3486	—	html .compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-zone="commands"]:not(button)
skillpanel.css:2420	padding !important	skillpanel.css:3486	—	html .compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-zone="commands"]:not(button)
skillpanel.css:2437	display !important	skillpanel.css:3508	—	html .compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-zone="commands"] [data-iw-skill-role="nav-group"]
skillpanel.css:2440	order !important	skillpanel.css:3511	—	html .compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-zone="commands"] button[data-iw-skill-role="nav-button"][data-iw-nav-direction="prev"]
skillpanel.css:2443	order !important	skillpanel.css:3514	—	html .compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-zone="commands"] button[data-iw-skill-role="action-button"]
skillpanel.css:2446	order !important	skillpanel.css:3522	—	html .compact-panel.fs-skill-panel[data-iw-skill-layout="three-zone"] [data-iw-skill-zone="commands"] button[data-iw-skill-role="nav-button"][data-iw-nav-direction="next"]
skillcard-v2.css:48	--iw-skill-v2-cmd-stack	skillcard-v2.css:245	—	html[data-iw-skill-card-design="new"] .compact-panel.fs-skill-panel[data-iw-skill-v2="1"][data-iw-skill-layout]
skillcard-v2.css:437	justify-content !important	skillcard-v2.css:438	—	html[data-iw-skill-card-design="new"] .compact-panel.fs-skill-panel[data-iw-skill-v2="1"][data-iw-skill-layout] .iw-skill-v2-controls

Declaration (file:line)	Property	Overridden by	Context	Selector
header.css:59	<code>border</code> <code>!important</code>	header.css:518, header.css:484, ui- system.css:833	—	<code>[data-iw-header="status-card"], [data-iw-header="utility-button"], [data-iw-ui="zone-action"]</code>
header.css:415	<code>border-radius</code> <code>!important</code>	header.css:484	—	<code>[data-iw-header="utility-button"]</code>
header.css:419	<code>box-shadow</code> <code>!important</code>	header.css:484	—	<code>[data-iw-header="utility-button"]</code>
header.css:424	<code>transition</code>	header.css:510	—	<code>[data-iw-header="utility-button"]</code>
header.css:427	<code>width</code> <code>!important</code>	header.css:496	—	<code>[data-iw-header="utility-button"]</code> svg
header.css:427	<code>height</code> <code>!important</code>	header.css:496	—	<code>[data-iw-header="utility-button"]</code> svg
header.css:431	<code>border-color</code> <code>!important</code>	header.css:502	—	<code>[data-iw-header="utility-button"]:hover</code>
header.css:433	<code>box-shadow</code> <code>!important</code>	header.css:502	—	<code>[data-iw-header="utility-button"]:hover</code>
header.css:663	<code>padding</code> <code>!important</code>	ui-system.css:699	—	<code>[data-iw-ui="main-nav-shell"]</code>
header.css:664	<code>border</code> <code>!important</code>	ui-system.css:699	—	<code>[data-iw-ui="main-nav-shell"]</code>
header.css:665	<code>background</code> <code>!important</code>	ui-system.css:699	—	<code>[data-iw-ui="main-nav-shell"]</code>
header.css:666	<code>box-shadow</code> <code>!important</code>	ui-system.css:699	—	<code>[data-iw-ui="main-nav-shell"]</code>
header.css:671	<code>display</code> <code>!important</code>	ui-system.css:708	—	<code>[data-iw-ui="main-nav"]</code>
header.css:672	<code>align-items</code> <code>!important</code>	ui-system.css:708	—	<code>[data-iw-ui="main-nav"]</code>
header.css:673	<code>gap</code> <code>!important</code>	ui-system.css:708	—	<code>[data-iw-ui="main-nav"]</code>

Declaration (file:line)	Property	Overridden by	Context	Selector
header.css:674	min-height !important	ui-system.css:708	—	[data-iw-ui="main-nav"]
header.css:675	padding !important	ui-system.css:708	—	[data-iw-ui="main-nav"]
header.css:676	overflow !important	ui-system.css:708	—	[data-iw-ui="main-nav"]
header.css:677	border !important	ui-system.css:708	—	[data-iw-ui="main-nav"]
header.css:678	border-radius !important	ui-system.css:708	—	[data-iw-ui="main-nav"]
header.css:681	box-shadow !important	ui-system.css:708	—	[data-iw-ui="main-nav"]
header.css:690	height !important	ui-system.css:725	—	[data-iw-ui="nav-tab"]
header.css:691	min-height !important	ui-system.css:725	—	[data-iw-ui="nav-tab"]
header.css:692	margin !important	ui-system.css:725	—	[data-iw-ui="nav-tab"]
header.css:693	padding !important	ui-system.css:725	—	[data-iw-ui="nav-tab"]
header.css:694	border !important	ui-system.css:725	—	[data-iw-ui="nav-tab"]
header.css:695	border-right !important	ui-system.css:725	—	[data-iw-ui="nav-tab"]
header.css:696	border-radius !important	ui-system.css:725	—	[data-iw-ui="nav-tab"]
header.css:697	background !important	ui-system.css:725	—	[data-iw-ui="nav-tab"]
header.css:698	box-shadow !important	ui-system.css:725	—	[data-iw-ui="nav-tab"]

Declaration (file:line)	Property	Overridden by	Context	Selector
header.css:699	font-family !important	ui-system.css:725	—	[data-iw-ui="nav-tab"]
header.css:700	font-size !important	ui-system.css:725	—	[data-iw-ui="nav-tab"]
header.css:701	font-weight !important	ui-system.css:725	—	[data-iw-ui="nav-tab"]
header.css:702	letter-spacing !important	ui-system.css:725	—	[data-iw-ui="nav-tab"]
header.css:703	text-transform !important	ui-system.css:725	—	[data-iw-ui="nav-tab"]
header.css:705	color !important	ui-system.css:725	—	[data-iw-ui="nav-tab"]
header.css:715	color !important	ui-system.css:754	—	[data-iw-ui="nav-tab"][data-iw-state="active"]
header.css:720	box-shadow !important	ui-system.css:754	—	[data-iw-ui="nav-tab"][data-iw-state="active"]
header.css:869	font-weight !important	ui-system.css:828	—	[data-iw-ui="zone-title"]
header.css:871	color !important	ui-system.css:828	—	[data-iw-ui="zone-title"]
header.css:886	min-width !important	ui-system.css:833	—	[data-iw-ui="zone-action"]
header.css:887	min-height !important	ui-system.css:833	—	[data-iw-ui="zone-action"]
header.css:888	height !important	ui-system.css:833	—	[data-iw-ui="zone-action"]
header.css:889	padding !important	ui-system.css:833	—	[data-iw-ui="zone-action"]

Declaration (file:line)	Property	Overridden by	Context	Selector
header.css:892	letter-spacing !important	ui-system.css:833	—	[data-iw-ui="zone-action"]
header.css:894	color !important	ui-system.css:833	—	[data-iw-ui="zone-action"]

Attribute	JavaScript files that mention it	Stylesheets that select on it
data-fs-action-host	InventoryRenderer.js	inventory.css
data-fs-action-kind	CompactButtons.js, InventoryRenderer.js	compact-buttons.css, inventory.css
data-fs-hidden	InventoryRenderer.js	– (JS only)
data-fs-inv	InventoryRenderer.js	– (JS only)
data-fs-preserved-action	CompactButtons.js, InventoryRenderer.js	inventory.css, ui-system.css
data-fs-quest	QuestPanelRenderer.js	– (JS only)
data-fs-skill	SkillPanelRenderer.js	– (JS only)
data-fs-skill-flavour	SkillPanelRenderer.js	– (JS only)
data-fs-skill-label	SkillPanelRenderer.js	– (JS only)
data-fs-skill-rune	SkillPanelRenderer.js	– (JS only)
data-fs-suppressed	InventoryRenderer.js	inventory.css
data-iw-atlas	AtlasService.js	– (JS only)
data-iw-badge	AtlasService.js	– (JS only)
data-iw-base-exp	SkillPanelRenderer.js	– (JS only)
data-iw-boss	OverlayFramer.js, UIFoundation.js	ui-system.css
data-iw-boss-action-label	WorldBossPanels.js	ui-system.css
data-iw-boss-action-state	WorldBossPanels.js	– (JS only)
data-iw-boss-art-ready	WorldBossPanels.js	ui-system.css
data-iw-boss-owned	WorldBossPanels.js	ui-system.css
data-iw-boss-role	WorldBossPanels.js	base.css, ui-system.css
data-iw-btn-state	SkillPanelRenderer.js	card-buttons.css, skillpanel.css
data-iw-button-atlas	SkillsArtService.js	skillpanel.css
data-iw-chrome	HeaderChrome.js	ui-system.css
data-iw-clean-text	SkillPanelRenderer.js	– (JS only)
data-iw-collapse	CollapsibleFrames.js, CompactButtons.js, InventoryRenderer.js, UIFoundation.js	collapsible.css, ui-system.css

Attribute	JavaScript files that mention it	Stylesheets that select on it
data-iw-collapse-head	CollapsibleFrames.js	collapsible.css
data-iw-collapse-spine	CollapsibleFrames.js	collapsible.css
data-iw-collapse-title	CollapsibleFrames.js	collapsible.css
data-iw-collapsed	CollapsibleFrames.js	collapsible.css, skillcard-v2.css, ui-system.css
data-iw-compact-atlas	SkillsArtService.js	compact-buttons.css
data-iw-compact-button	CompactButtons.js, DOMWatcher.js	compact-buttons.css, ui-system.css
data-iw-compact-layer	CompactButtons.js	compact-buttons.css
data-iw-compact-selected	CompactButtons.js	compact-buttons.css
data-iw-control	WorldBossPanels.js	ui-system.css
data-iw-control-crest	WorldBossPanels.js	— (JS only)
data-iw-control-source	WorldBossPanels.js	— (JS only)
data-iw-encounter	WorldBossPanels.js	ui-system.css
data-iw-header	HeaderRenderer.js, OverlayFramer.js	base.css, header.css, ui-system.css
data-iw-header-card	HeaderRenderer.js	— (JS only)
data-iw-header-stat	HeaderRenderer.js	header.css
data-iw-ingr	SkillPanelRenderer.js	skillpanel.css
data-iw-ingredient-list-source	SkillPanelRenderer.js	skillpanel.css
data-iw-ingredient-signature	SkillPanelRenderer.js	— (JS only)
data-iw-ingredient-state	SkillCardDesignController.js, SkillPanelRenderer.js	skillpanel.css
data-iw-inventory-control	CompactButtons.js, InventoryRenderer.js	inventory.css, ui-system.css
data-iw-inventory-filter-state	InventoryRenderer.js	compact-buttons.css, inventory.css
data-iw-inventory-filters	InventoryRenderer.js	inventory.css
data-iw-inventory-list	InventoryRenderer.js	inventory.css
data-iw-inventory-root	CollapsibleFrames.js, InventoryRenderer.js, OverlayFramer.js	inventory.css, ui-system.css

Attribute	JavaScript files that mention it	Stylesheets that select on it
data-iw-inventory-title	InventoryRenderer.js	inventory.css
data-iw-item	InventoryRenderer.js, QuestPanelRenderer.js, TooltipEngine.js, VillagePanels.js, WorldBossPanels.js	— (JS only)
data-iw-item-name	InventoryRenderer.js, QuestPanelRenderer.js, TooltipEngine.js, VillagePanels.js, WorldBossPanels.js	— (JS only)
data-iw-market	UIFoundation.js	ui-system.css
data-iw-nav-direction	SkillPanelRenderer.js	card-buttons.css, skillcard-v2.css, skillpanel.css
data-iw-nav-link	UIFoundation.js	ui-system.css
data-iw-order-handle	— (CSS only)	base.css, ui-system.css
data-iw-overlay	OverlayFramer.js, UIFoundation.js, VillageScene.js	overlay.css
data-iw-page-hydrated	HydrationGate.js, hydration-signal.js	— (JS only)
data-iw-painted	BackgroundPainter.js	— (JS only)
data-iw-panel	CollapsibleFrames.js, SkillCardDesignController.js, UIFoundation.js, VillageScene.js	ui-system.css
data-iw-panel-header	UIFoundation.js	ui-system.css
data-iw-panel-part	CompactButtons.js, SkillCardDesignController.js, UIFoundation.js	compact-buttons.css, ui-system.css
data-iw-progress-display	SkillPanelRenderer.js	skillpanel.css
data-iw-progress-reset	UIFoundation.js	ui-system.css
data-iw-quest-art-pending	QuestPanelRenderer.js	— (JS only)
data-iw-quest-glyph	QuestPanelRenderer.js	— (JS only)
data-iw-quest-icon	QuestPanelRenderer.js	skillpanel.css
data-iw-quest-icon-pending	QuestPanelRenderer.js	— (JS only)
data-iw-quest-percent	QuestPanelRenderer.js	— (JS only)
data-iw-quest-reward	QuestPanelRenderer.js	— (JS only)
data-iw-quest-role	OverlayFramer.js, QuestPanelRenderer.js	base.css, skillpanel.css, ui-system.css
data-iw-quest-state	QuestPanelRenderer.js	skillpanel.css, ui-system.css
data-iw-quest-zone	QuestPanelRenderer.js	skillpanel.css
data-iw-readout	SkillPanelRenderer.js	skillpanel.css
data-iw-req-state	SkillCardDesignController.js, SkillPanelRenderer.js	skillpanel.css

Attribute	JavaScript files that mention it	Stylesheets that select on it
data-iw-skill	SkillPanelRenderer.js	– (JS only)
data-iw-skill-art	SkillPanelRenderer.js	– (JS only)
data-iw-skill-art-pending	SkillPanelRenderer.js	– (JS only)
data-iw-skill-art-ready	SkillPanelRenderer.js	skillpanel.css
data-iw-skill-boost	UIFoundation.js	ui-system.css
data-iw-skill-card-design	SkillCardDesignController.js, SkillPanelRenderer.js	card-buttons.css, skillcard-v2-runtime-safe.css, skillcard-v2.css
data-iw-skill-design-toggle	SkillCardDesignController.js	– (JS only)
data-iw-skill-glyph	SkillPanelRenderer.js	– (JS only)
data-iw-skill-ingredient-list	SkillCardDesignController.js, SkillPanelRenderer.js	– (JS only)
data-iw-skill-layout	SkillCardDesignController.js, SkillPanelRenderer.js	card-buttons.css, skillcard-v2.css, skillpanel.css
data-iw-skill-layout-shell	SkillCardDesignController.js, SkillPanelRenderer.js	skillcard-v2.css, skillpanel.css
data-iw-skill-role	OverlayFramer.js, SkillCardDesignController.js, SkillPanelRenderer.js	base.css, card-buttons.css, skillcard-v2.css, skillpanel.css, ui-system.css
data-iw-skill-v2	SkillCardDesignController.js, SkillPanelRenderer.js	card-buttons.css, skillcard-v2-runtime-safe.css, skillcard-v2.css
data-iw-skill-v2-action-glyph	SkillCardDesignController.js, SkillPanelRenderer.js	– (JS only)
data-iw-skill-v2-action-label	SkillCardDesignController.js, SkillPanelRenderer.js	– (JS only)
data-iw-skill-v2-action-timer	SkillCardDesignController.js	skillcard-v2.css
data-iw-skill-v2-body	SkillCardDesignController.js, SkillPanelRenderer.js	– (JS only)
data-iw-skill-v2-body-kind	SkillCardDesignController.js	skillcard-v2.css
data-iw-skill-v2-body-signature	SkillCardDesignController.js	– (JS only)

Attribute	JavaScript files that mention it	Stylesheets that select on it
data-iw-skill-v2-body-state	SkillCardDesignController.js	skillcard-v2.css
data-iw-skill-v2-break	SkillCardDesignController.js	— (JS only)
data-iw-skill-v2-controls	SkillCardDesignController.js, SkillPanelRenderrer.js	— (JS only)
data-iw-skill-v2-expand	SkillCardDesignController.js	— (JS only)
data-iw-skill-v2-fill-reset	SkillCardDesignController.js	skillcard-v2.css
data-iw-skill-v2-label-fit	SkillCardDesignController.js	— (JS only)
data-iw-skill-v2-level-readout	SkillCardDesignController.js	skillcard-v2.css
data-iw-skill-v2-long-action	SkillCardDesignController.js	skillcard-v2.css
data-iw-skill-v2-req-note	SkillCardDesignController.js	— (JS only)
data-iw-skill-v2-row	SkillCardDesignController.js, SkillPanelRenderrer.js	— (JS only)
data-iw-skill-v2-section	SkillCardDesignController.js	skillcard-v2-runtime-safe.css, skillcard-v2.css
data-iw-skill-v2-state	SkillCardDesignController.js	skillcard-v2.css
data-iw-skill-v2-summary	SkillCardDesignController.js, SkillPanelRenderrer.js	— (JS only)
data-iw-skill-v2-summary-state	— (CSS only)	skillcard-v2.css
data-iw-skill-v2-tab	SkillCardDesignController.js	— (JS only)
data-iw-skill-v2-tabs	SkillCardDesignController.js	— (JS only)
data-iw-skill-v2-type	SkillCardDesignController.js	skillcard-v2.css
data-iw-skill-zone	SkillCardDesignController.js, SkillPanelRenderrer.js	skillcard-v2.css, skillpanel.css
data-iw-skills-atlas	SkillsArtService.js	— (JS only)
data-iw-skills-atlas-index	SkillsArtService.js	— (JS only)
data-iw-skills-ui-ready	CollapsibleFrames.js, SkillPanelRenderrer.js, SkillsArtService.js	card-buttons.css, skillpanel.css, ui-system.css

Attribute	JavaScript files that mention it	Stylesheets that select on it
data-iw-state	UIFoundation.js	compact-buttons.css, header.css, ui-system.css
data-iw-style	StyleInjector.js	– (JS only)
data-iw-tab	UIFoundation.js	– (JS only)
data-iw-tooltip-trigger	InventoryRenderer.js, NameScanner.js, QuestPanelRenderer.js, TooltipEngine.js, VillagePanels.js, WorldBossPanels.js	skillpanel.css
data-iw-ui	CollapsibleFrames.js, CompactButtons.js, HeaderChrome.js, HeaderRenderer.js, OverlayFramer.js, SkillPanelRenderer.js, UIFoundation.js, VillageScene.js	base.css, compact-buttons.css, header.css, ui-system.css
data-iw-village	VillagePanels.js, VillageScene.js	ui-system.css
data-iw-village-action	VillagePanels.js	ui-system.css
data-iw-village-art	VillagePanels.js	ui-system.css
data-iw-village-ledger	VillageLedger.js	village-scene.css
data-iw-village-owned	VillagePanels.js	– (JS only)
data-iw-village-pip	VillagePanels.js	ui-system.css
data-iw-village-role	VillagePanels.js, VillageScene.js	base.css, ui-system.css
data-iw-village-scene	VillageScene.js	– (JS only)
data-iw-village-scene-owned	VillageScene.js	– (JS only)
data-iw-village-state	VillagePanels.js, VillageScene.js	ui-system.css
data-iw-village-tier	VillagePanels.js	– (JS only)
data-iw-village-totals	VillageLedger.js	– (JS only)
data-iw-vs-entry	VillageLedger.js	– (JS only)
data-iw-vs-open	VillageLedger.js	village-scene.css
data-iw-vs-slot-state	VillageLedger.js	village-scene.css
data-iw-vs-stat-kind	VillageLedger.js	village-scene.css
data-iw-vs-toggle	VillageLedger.js	– (JS only)
data-iw-zone	HeaderRenderer.js	– (JS only)
data-iw-zone-action	UIFoundation.js	header.css
data-iw-zone-link	UIFoundation.js	base.css, header.css, ui-system.css
data-iw-zone-theme	HeaderRenderer.js	base.css, card-button-atlas.css, card-buttons.css, skillpanel.css

JAVASCRIPT API CENSUS

Generated by `tools/js-api-census.mjs` from `src/content.js`, `src/page/*.js` and `src/modules/*.js`. Comment-only lines are skipped. **"none"** means the API does not appear anywhere in the shipped source.

Category	API	Call sites
Network	<code>fetch()</code>	<code>AtlasService.js:256</code> , <code>AtlasService.js:286</code> , <code>ItemDatabase.js:165</code> , <code>SkillsArtService.js:93</code> , <code>VillageScene.js:312</code>
	<code>XMLHttpRequest</code>	none
	<code>WebSocket</code> / <code>EventSource</code>	none
	<code>navigator.sendBeacon</code>	none
	<code>AbortController</code>	<code>VillageScene.js:307</code>
Storage	<code>chrome.storage</code>	<code>Runtime.js:60</code> , <code>Runtime.js:62</code> , <code>Runtime.js:77</code> , <code>Runtime.js:79</code> , <code>Runtime.js:91</code> , <code>Runtime.js:93</code> , <code>Runtime.js:109</code> , <code>Runtime.js:120</code> , <code>Runtime.js:121</code>
	<code>localStorage</code>	<code>ItemDatabase.js:42</code> , <code>ItemDatabase.js:43</code> , <code>ItemDatabase.js:44</code>
	<code>sessionStorage</code>	none
	<code>indexedDB</code>	none
	<code>document.cookie</code>	none
Extension	<code>chrome.runtime</code>	<code>Runtime.js:20</code> , <code>Runtime.js:44</code> , <code>Runtime.js:45</code>
	<code>chrome.tabs</code> / <code>scripting</code> / other <code>chrome.*</code>	none
Messaging	<code>postMessage</code> / <code>onmessage</code>	none
HTML sinks	<code>innerHTML</code> <code>write</code>	<code>InventoryRenderer.js:699</code> , <code>SkillPanelRenderer.js:1421</code> , <code>TooltipEngine.js:353</code>
	<code>outerHTML</code> <code>write</code>	none
	<code>insertAdjacentHTML</code>	none
	<code>document.write</code>	none
	<code>DOMParser</code> / <code>createContextualFragment</code>	none
Dynamic code	<code>eval</code> / <code>new Function</code>	none
	<code>setTimeout</code> / <code>setInterval</code> with <code>string</code>	none

Category	API	Call sites
	dynamic import()	none
	script element creation	none
Navigation	window.open	none
	location write	none
	element.href / .src / target assignment	UIFoundation.js:296, UIFoundation.js:299, VillageLedger.js:148, VillageScene.js:115
Game interaction	.click() (synthetic)	none
	dispatchEvent	AtlasService.js:225, DOMWatcher.js:45, ItemDatabase.js:224
	preventDefault	CollapsibleFrames.js:218, TooltipEngine.js:553, VillageLedger.js:190
	stopPropagation	CollapsibleFrames.js:219
	.focus()	TooltipEngine.js:374, TooltipEngine.js:375, TooltipEngine.js:464, TooltipEngine.js:542, TooltipEngine.js:559
Observers & timers	MutationObserver	DOMWatcher.js:358
	IntersectionObserver / ResizeObserver	none
	setTimeout	hydration-signal.js:58, HydrationGate.js:47, ItemDatabase.js:114, Runtime.js:177, TooltipEngine.js:402, TooltipEngine.js:585, VillageScene.js:310
	setInterval	none
	requestAnimationFrame / raf()	DOMWatcher.js:264, HeaderRenderer.js:439, InventoryRenderer.js:532, NameScanner.js:171, NameScanner.js:362, Runtime.js:175, Runtime.js:176, SkillCardDesignController.js:230, TooltipEngine.js:585, TooltipEngine.js:586, UIFoundation.js:964, UIFoundation.js:1365
	queueMicrotask	AtlasService.js:88, InventoryRenderer.js:319
	matchMedia	NameScanner.js:324, TooltipEngine.js:56, Viewport.js:92, WorldBossPanels.js:125, WorldBossPanels.js:133
Listeners	addEventListener	content.js:114, CollapsibleFrames.js:217, DOMWatcher.js:479, InventoryRenderer.js:758, InventoryRenderer.js:759, NameScanner.js:357, NameScanner.js:368, NameScanner.js:380, TooltipEngine.js:434, TooltipEngine.js:437, TooltipEngine.js:453, TooltipEngine.js:459, TooltipEngine.js:467, TooltipEngine.js:481, TooltipEngine.js:501, TooltipEngine.js:513, TooltipEngine.js:537, TooltipEngine.js:577, TooltipEngine.js:578, TooltipEngine.js:579, TooltipEngine.js:583, TooltipEngine.js:606, TooltipEngine.js:607, Viewport.js:96, VillageLedger.js:189, VillageScene.js:251, WorldBossPanels.js:31
	removeEventListener	DOMWatcher.js:483, Viewport.js:104
Globals	window/globalThis property write	none
Diagnostics	console output	content.js:138, content.js:143, content.js:152, content.js:188, content.js:209, AtlasService.js:240, AtlasService.js:249, AtlasService.js:377, ItemDatabase.js:44, ItemDatabase.js:119, ItemDatabase.js:140, ItemDatabase.js:152, ItemDatabase.js:202, Runtime.js:136

Category	API	Call sites
Layout reads	getComputedStyle	AtlasService.js:94, BackgroundPainter.js:93, OverlayFramer.js:58, OverlayFramer.js:71, SkillCardDesignController.js:342, SkillPanelRenderer.js:830, SkillPanelRenderer.js:1238, UIFoundation.js:135, UIFoundation.js:482
	getBoundingClientRect / getClientRects	NameScanner.js:277, OverlayFramer.js:60, OverlayFramer.js:65, OverlayFramer.js:77, OverlayFramer.js:112, QuestPanelRenderer.js:392, TooltipEngine.js:235, TooltipEngine.js:308, TooltipEngine.js:621
	checkVisibility	SkillCardDesignController.js:292, Viewport.js:38
	elementFromPoint / caret*FromPoint	NameScanner.js:256, NameScanner.js:260, NameScanner.js:285, NameScanner.js:319, TooltipEngine.js:325
Rendering	CSS.highlights / Highlight	NameScanner.js:161, NameScanner.js:227, NameScanner.js:229, NameScanner.js:230, NameScanner.js:451, SkillPanelRenderer.js:663, SkillPanelRenderer.js:664, SkillPanelRenderer.js:681
	Element.animate	WorldBossPanels.js:137
	document.fonts	SkillCardDesignController.js:531
Memory	WeakRef / FinalizationRegistry	InlineStyleOwner.js:28, InlineStyleOwner.js:29, InlineStyleOwner.js:32

IMPORT GRAPH

35 runtime files; **0 import cycle(s)**.

PER-FILE IMPORTS, EVENTS AND LISTENERS

File	Lines	Local imports	iw:* emitted	iw:* consumed	DOM listeners registered
src/content.js	217	StyleInjector.js, HydrationGate.js, DOMWatcher.js, AtlasService.js, ItemDatabase.js, TooltipEngine.js, NameScanner.js, InventoryRenderer.js, SkillPanelRenderer.js, SkillCardDesignController.js, QuestPanelRenderer.js, UIFoundation.js, HeaderRenderer.js, BackgroundPainter.js, OverlayFramer.js, Runtime.js, base.css, tooltip-engine.css, inventory.css, skillpanel.css, skillcard-v2.css, skillcard-v2-runtime-safe.css, card-button-atlas.css, card-buttons.css, header.css, overlay.css	—	iw:dom-flush, iw:name-scan-flush, iw:item-db-updated	iw:item-db-updated on document (L114)
src/page/hydration-signal.js	64	—	—	—	—
src/modules/aliases.js	52	—	—	—	—
src/modules/AtlasService.js	466	aliases.js, normaliseItemName.js, Runtime.js	iw:atlas-updated	—	—

File	Lines	Local imports	iw:* emitted	iw:* consumed	DOM listeners registered
src/modules/BackgroundPainter.js	142	Runtime.js, InlineStyleOwner.js	—	—	—
src/modules/CollapsibleFrames.js	295	Runtime.js	—	—	click on button (L217)
src/modules/CompactButtons.js	77	—	—	—	—
src/modules/DOMWatcher.js	484	Runtime.js, Viewport.js	iw:inventory-row, iw:skill-panel, iw:dom-flush, iw:name-scan-flush	—	—
src/modules/HeaderChrome.js	144	Viewport.js	—	—	—
src/modules/HeaderRenderer.js	465	DOMWatcher.js, StyleInjector.js, Runtime.js, zoneThemes.js, SkillsArtService.js, header.css	—	iw:dom-flush	—
src/modules/HydrationGate.js	56	—	—	—	—
src/modules/InlineStyleOwner.js	144	—	—	—	—
src/modules/InventoryModel.js	260	—	—	—	—
src/modules/InventoryRenderer.js	760	DOMWatcher.js, AtlasService.js, ItemDatabase.js, TooltipEngine.js, StyleInjector.js, itemDisplay.js, InventoryModel.js, Runtime.js, InlineStyleOwner.js, inventory.css	—	iw:inventory-row, iw:item-db-updated, iw:atlas-updated	iw:item-db-updated on document (L758); iw:atlas-updated on document (L759)
src/modules/ItemDatabase.js	287	normaliseItemName.js, Runtime.js	iw:item-db-updated	—	—
src/modules/itemDisplay.js	185	—	—	—	—
src/modules/NameScanner.js	456	ItemDatabase.js, TooltipEngine.js, Runtime.js	—	—	mousemove on document (L357); click on document (L368); scroll on window (L380)
src/modules/normaliseItemName.js	20	—	—	—	—
src/modules/OverlayFramer.js	188	Runtime.js	—	—	—
src/modules/ProgressCadence.js	115	—	—	—	—
src/modules/QuestPanelRenderer.js	466	DOMWatcher.js, StyleInjector.js, Runtime.js, SkillsArtService.js, AtlasService.js, ItemDatabase.js, skillpanel.css	—	iw:skill-panel	—
src/modules/Runtime.js	177	—	—	—	—
src/modules/SkillCardDesignController.js	548	DOMWatcher.js, Runtime.js, ProgressCadence.js, Viewport.js	—	iw:skill-panel	—
src/modules/SkillPanelRenderer.js	1577	DOMWatcher.js, StyleInjector.js, Runtime.js, InlineStyleOwner.js, SkillsArtService.js, skillpanel.css	—	iw:skill-panel	—
src/modules/SkillsArtService.js	289	Runtime.js, index.json	—	—	—

File	Lines	Local imports	iw:* emitted	iw:* consumed	DOM listeners registered
src/modules/StyleInjector.js	42	Runtime.js	—	—	—
src/modules/TooltipEngine.js	688	ItemDatabase.js, AtlasService.js, itemDisplay.js, StyleInjector.js, tooltip-engine.css	—	iw:dom-flush, iw:atlas-updated, iw:item-db-updated	mouseenter on STATE.el (L434); mouseleave on STATE.el (L437); focusout on STATE.el (L453); click on STATE.el (L459); mouseover on document (L467); mouseout on document (L481); mousemove on document (L501); click on document (L513); keydown on document (L537); scroll on window (L577); resize on window (L578); blur on window (L579); iw:dom-flush on document (L583); iw:atlas-updated on document (L606); iw:item-db-updated on document (L607)
src/modules/UIFoundation.js	1468	DOMWatcher.js, StyleInjector.js, Runtime.js, ProgressCadence.js, Viewport.js, WorldBossPanels.js, VillagePanels.js, VillageScene.js, CollapsibleFrames.js, HeaderChrome.js, ui-system.css, village-scene.css, collapsible.css, compact-buttons.css, CompactButtons.js	—	iw:dom-flush, iw:skill-panel	—
src/modules/Viewport.js	107	—	—	—	change on mq (L96)
src/modules/villageBuildings.js	63	—	—	—	—
src/modules/VillageLedger.js	415	ItemDatabase.js, itemDisplay.js, Runtime.js	—	—	click on button (L189)
src/modules/VillagePanels.js	380	ItemDatabase.js, Runtime.js, villageBuildings.js	—	—	—
src/modules/VillageScene.js	346	Runtime.js, Viewport.js, villageBuildings.js, ItemDatabase.js, VillageLedger.js	—	iw:item-db-updated	iw:item-db-updated on document (L251)
src/modules/WorldBossPanels.js	364	AtlasService.js, ItemDatabase.js, SkillsArtService.js, TooltipEngine.js, Runtime.js, rewards.json	—	—	toggle on section (L31)
src/modules/zoneThemes.js	62	—	—	—	—