

Part 1:

1. <https://swapi.dev/api/people/4/>
2. <https://swapi.dev/api/planets/2/>
3. <https://swapi.dev/api/starships/10/>
4. <https://swapi.dev/api/people> & <https://swapi.dev/api/species/2/>
5. Kenobi: <https://swapi.dev/api/people/10/>
 - a. <https://swapi.dev/api/films/1/>
 - b. <https://swapi.dev/api/films/2/>
 - c. <https://swapi.dev/api/films/3/>
 - d. <https://swapi.dev/api/films/4/>
 - e. <https://swapi.dev/api/films/5/>
 - f. <https://swapi.dev/api/films/6/>
6. <https://swapi.dev/api/starships/?search=Millennium+Falcon>

Part 2:

1. Takes in text as a parameter
2. GET returns an array of JSON objects
3. DELETE `practiceapi.devmountain.com/api/posts/?id=555`
4. Will return 200 if correct or 409 if wrong
5. POST `practiceapi.devmountain.com/api/posts` { "text": "kroydon" }
6. PUT `practiceapi.devmountain.com/api/posts/?id=785`
7. GET `practiceapi.devmountain.com/api/posts?text=Blue`
8. `application/json; charset=utf-8`
9. Request was missing `req.query.id` or `req.body.text`
10. Just returns the whole array because it isn't set up to accept queries.