

Online-only Table 1. Reference sources used for the construction of the European butterfly trait database. Numbers are used within the database to identify individual sources of data for each of the 507 taxa included in the database.

1. Aguiar, A.M.F., Wakeham-Dawson, A. & Jesus, J.G.F. The life cycle of the little known and endangered endemic Madeiran Brimstone Butterfly *Gonepteryx maderensis* Felder, 1862 (Pieridae). *Nota Lep.* **32**, 145-157 (2009).
2. Aussem, B. & Hesselbarth, G. Die Praeimaginalstadien von *Pseudochazara cingovskii* (Gross, 1973) (Satyridae). *Nota Lep.* **3**, 17-23 (1980).
3. Back, W. Die Praimaginalstadien von *Euchloe charlonia* (Donzel, 1842) im Vergleich zu *Euchloe penia* (FREYER, 1852) und *Euchloe transcaspica* ssp. *amseli* (Gross & Ebert, 1975). *Atalanta* **22**, 357-363 (1991).
4. Balletto E., Barbero F., Bonelli S., Casacci L.P., Dapporto L. *Butterflies (LEPIDOPTERA: PAPILIONOIDEA) VOL I.* (Calderini, Verona, In Press).
5. Bartonova, A., Benes, J. & Konvicka, M., 2014. Generalist-specialist continuum and life history traits of Central European butterflies (Lepidoptera)-are we missing a part of the picture? *Eur. J. Entomol.* **111**, p.543 (2014).
6. Beneš, J., Konvička, M., Dvořák, J., Fric, Z., Havelda, Z., Pavlíčko, A., Vrabec, V. & Weidenhoffer, Z. *Butterflies Of The Czech Republic: Distribution and Conservation I & II.* (SOM, Praha, 2002).
7. Bink, F.A. *Ecologische Atlas Van De Dagvlinders an Noordwest-Europa.* (Schuyt 1992).
8. Bitzer, R.J. & Shaw, K.C. Territorial behavior of *Nymphalis antiopa* and *Polygonia comma* (Nymphalidae). *J. Lepid. Soc.* **37** 1-13 (1983).
9. Bonelli, S., Barbero, F., Casacci, L.P. & Balletto, E., 2015. Habitat preferences of *Papilio alexanor* Esper,[1800]: implications for habitat management in the Italian Maritime Alps. *Zoosystema*, 37.169-177 (2015).
10. Camerini, G., Groppali, R. & Minerbi, T. Observations on the ecology of the endangered butterfly *Zerynthia cassandra* in a protected area of Northern Italy. *J. Insect Conserv.* **22**, 41-49 (2018).
11. Celik, T. Adult demography, spatial distribution and movements of *Zerynthia polyxena* (Lepidoptera: Papilionidae) in a dense network of permanent habitats. *Eur. J. Entomol.* **109**, 217-227 (2013).
12. Cho, Y., Choi, D.S., Han, Y.G. & Nam, S.H. Conservation of *Hipparchia autonoe* (Esper) (Lepidoptera: Nymphalidae), Natural Monument in South Korea. *Entomol. Res.* **41**, 269-274 (2011)
13. Corbera, G., Escrivà, À. & Corbera, J. Hilltopping de les papallones diürnes al turó d'Onofre Arnau (Mataró, Maresme) *L'Atzavarza* **20**, 59-68 (2011).
14. Courtney, S. Notes on the biology of *Zegris eupheme* (Pieridae). *J. Lepid. Soc.* **36**, 132-135. (1982).

15. Dapporto, L. & Casnati, O. *Le farfalle dell'arcipelago toscano* (Parco Nazionale Arcipelago Toscano, 2008).
16. Dennis, R.L. *A Resource-based Habitat View For Conservation: Butterflies In The British Landscape* (John Wiley & Sons, 2010).
17. Dennis, R.L. & Shreeve, T.G. Does the Marbled White butterfly *Melanargia galathea* (L.) (Papilionoidea: Satyrinae) behave like a white'? *Antenna* **28**, 139-194 (2014).
18. Dincă, V., Cuvelier, S., Zakharov, E.V., Hebert, P.D. & Vila, R. Biogeography, ecology and conservation of *Erebia oeme* (Hübner) in the Carpathians (Lepidoptera: Nymphalidae: Satyrinae). In *Ann. Soc. Entomol. Fr.* **46**, 486-498 (2010)
19. Dincă, V., Kolev, Z. & Verovnik, R. The distribution, ecology and conservation status of the Spinose Skipper *Muschampia cribrellum* (Eversmann, 1841) at the western limit of its range in Europe (Hesperiidae) *Nota Lep.* **33**, 39-57 (2010).
20. Diringier, Y. Chronique d'élevage 3: L'élevage des coridon espagnols: *Polyommatus* (*Lysandra*) *albicans* (HERRICH-SCHÄFFER, 1852) et *Polyommatus* (*Lysandra*) *caelestissima* (VERITY, 1921) (Lepidoptera: Lycaenidae) *Lépidoptères* **19**, 50-59 (2010)
21. Eeles, P. *UK Butterflies* <http://www.ukbutterflies.co.uk> (2016).
22. Eichel, S. & Fartmann, T., 2008. Management of calcareous grasslands for Nickerl's fritillary (*Melitaea aurelia*) has to consider habitat requirements of the immature stages, isolation, and patch area. *J. Insect Conserv.* **12**, 677-688 (2008).
23. Fiedler, K. European and North West African Lycaenidae (Lepidoptera) and their associations with ants. *J. Res. Lepid.* **28**, 239-257 (1991)
24. Fernández-Rubio, F. *Guía De Mariposas Diurnas De La Península Ibérica, Baleares, Canarias, Azores y Madeira* (Pirámide, Madrid, 1991).
25. Fric, Z. Adult population structure and behaviour of two seasonal generations of the European Map Butterfly, *Araschnia levana*, species with seasonal polyphenism (Nymphalidae). *Nota Lep.* **23**, 2-25 (2000)
26. Friedrich E. (1971). Zur Biologie von *Limenitis populi* L. (Lep., Nymphalidae) *Entomol. Z.* **81**, 266-269 (1971).
27. García-Barros, E. Comparative data on the adult biology, ecology and behaviour of species belonging to the genera *Hipparchia*, *Chazara* and *Kanetisa* in central Spain (Nymphalidae: Satyrinae). *Nota Lep.* **23**, 119-140 (2000).
28. García-Barros, E., Munguira, M.L., Stefanescu, C. & Vives, A. *Fauna Iberica, Lepidoptera: Papilionoidea*. Vol. 37 (Museo Nacional de Ciencias Naturales, CSIC, 2013).
29. García-Barros, E., unpublished data from García-Barros et al., (2013)
30. García-Villanueva, V., Moreno Tamaurejo, J.A., Vazquez Prado, F. M., Nieto Manzano, M.A. & Novoa Pérez, J.M. *Melitaea aetherie* (Hübner [1826]) en la provincia de Badajoz: nuevos

datos sobre su biología y distribución (Lepidoptera: Nymphalidae). Bol. Soc. Entomol. Aragonesa **42**, 279-288 (2008).

31. Gascoigne-Pees, M., Trew, D., Pateman, J. & Verovnik, R., 2008. The distribution, life cycle, ecology and present status of *Leptidea morsei* (Fenton 1882) in Slovenia with additional observations from Romania (Lepidoptera: Pieridae) *Nachr. Entomol. Ver. Apollo N. F.* **29**, 113-121 (2008).
32. Gascoigne-Pees, M., Verovnik, R., Wiskin, C., Luckens, C. & Đurić, M. Notes on the lifecycle of *Melitaea arduinna* (Esper, 1783) ("Freyer's Fritillary") (Lepidoptera: Nymphalidae) with further records from SE Serbia *Nachr. Entomol. Ver. Apollo, N. F.* **3**, 9-14 (2012).
33. Gascoigne-Pees, M., Verovnik, R., Franeta, F. & Popović, M. The lifecycle and ecology of *Pseudochazara amymone* (Brown, 1976), (Lepidoptera: Nymphalidae, Satyrinae) *Nachr. Entomol. Ver. Apollo, N. F.* **35**, 129-138 (2014).
34. Gascoigne-Pees, M., Wiskin, C., Đurić, M. & Trew, D. The lifecycle of *Nymphalis vaualbum* ([Denis & Schiffermüller], 1775) in Serbia including new records and a review of its present status in Europe (Lepidoptera: Nymphalidae) *Nachr. Entomol. Ver. Apollo, N. F.* **35**, 77-96 (2014).
35. Gibbons, R. *Butterflies of France* <https://www.butterfliesoffrance.com/> (2019).
36. Grill, A., Schtickzelle, N., Cleary, D.F., Neve, G. & Menken, S.B. Ecological differentiation between the Sardinian endemic *Maniola nurag* and the pan-European *M. jurtina* *Biol. J. Linn. Soc.* **89**, 561-574 (2006).
37. Hernández-Roldán, J.L., Vicente, J.C., Vila, R. and Munguira, M.L., 2018. Natural history and immature stage morphology of *Spialia Swinhoe*, 1912 in the Iberian Peninsula (Lepidoptera, Hesperidae). *Nota Lepidopterologica*, **41**, p.1.
38. Hernández-Roldán, J.L., Munguira, M.L. & Martin, J., 2009. Ecology of a relict population of the vulnerable butterfly *Pyrgus sidae* on the Iberian Peninsula (Lepidoptera: Hesperidae). *Eur. J. Entomol.* **106**, 611-618 (2009).
39. Henriksen, H.J. & Kreutzer, I.B. (1982). The Butterflies Of Scandinavia In Nature. (Skandinavisk Bogforlag, 1982)
40. Hesselbarth, G., Van Oorschot, H. & Wagener, S., 1995. *Die Tagfalter Der Türkei: Unter Berücksichtigung Der Angrenzenden Länder. Bd. 2. Spezieller Teil: Nymphalidae. Fundortverzeichnis, Sammlerverzeichnis, Literaturverzeichnis, Indices* (Wagener, 1995).
41. IUCN. *IUCN Red List of Threatened Species* <https://www.iucnredlist.org/> (2019).
42. John, E. & Parker, R. Dispersal of *Hipparchia cypriensis* (Holik, 1949) (Lep.: Satyridae) in Cyprus, with notes on its ecology and life-history. *Ent. Gaz.* **53**, 3-18. (2002).
43. John, E., Gascoigne-Pees, M. & Larsen, T.B. *Ypthima asterope* (Klug, 1832) (Lepidoptera: Nymphalidae, Satyrinae): its biogeography, lifecycle, ecology and present status in Cyprus, with additional notes from Rhodes and the eastern Mediterranean *Ent. Gaz.* **61**, 1-22 (2010).
44. Jutzeler, D., 1994. Ökologie und erste Stände des italienischen Schachbrettes *Melanargia arge* (Sulzer, 1776) (Lepidoptera: Satyridae) *Nota Lep.* **16**, 213-232 (1994).

45. Jutzeler, D. & Grillo, N. Une visite a l'île de Vulcano (dans les îles Eoliennes, Sicile) pour *Hipparchia leighebi* (Kudrna, 1976) (Lepidoptera: Nymphalidae, Satyrinae). *Linn. Belg.* **15**, 119-126 (1995).
46. Jutzeler, D. & De Bros, E. Observations dans la nature et élevage de *Pseudochazara hippolyte williamsi* (Romei, 1927) et *Erebia hiapania* (Butler, 1868) de la Sierra Nevada (Andalousie, Espagne méridionale) (Lepidoptera: Nymphalida, Satyrinae). *Linn. Belg.* **15**, 173-181 (1995).
47. Jutzeler, D., Biermann, H. & De Bros, E. Élevage de *Coenonympha corinna elbana* (Staudinger, 1901) du Monte Argentario (Toscane, Italie) avec explication géologique de l'aire de répartition du complexe corinna (Lepidoptera: Nymphalidae, Satyrinae). *Linn. Belg.* **15**, 332-347 (1996).
48. Jutzeler, D. & de Bros, E. Écologie, élevage et statut taxinomique de *Coenonympha corinna trettaui* (GROSS, 1970) de l'Isola di Capraia (Toscane, Italie) (Lepidoptera: Nymphalidae, Satyrinae). *Linn. Belg.* **16**, 70-78 (1997).
49. Jutzeler, D., Biermann, H., Hesselbarth, G., Russo, L., Sala, G. & Bros, E.D. Study on the biology, morphology and etiology of *Hipparchia sbordonii* Kudrna, 1984 from Isola di Ponza (Latium, Italy) and *Hipparchia neapolitana* (Stauder, 1921) from the Monte Faito (Campanie, Italy) and data on the biology of *Hipparchia leighebi* (Kudrna, 1976) (Lepidoptera: Nymphalidae, Satyrinae). *Linn. Belg.* **16**, 105-132 (1997).
50. Jutzeler, D., Biermann, H., Grillo, N. & Volpe, G. On the taxonomical status of *Hipparchia blachieri* (Fruhstorfer, 1908) from Sicilia (Lepidoptera: Nymphalidae, Satyrinae). *Linn. Belg.* **17**, 69-83 (1999).
51. Jutzeler, D., Embacher, G., Hesselbarth, G., Malicky, M., Stangelmaier, G. & Cameron-Curry, V. Breeding experiments with *Erebia claudina* (Borkhausen, 1779) from the Radstaedter Tauern (Salzburg, Austria) (Lepidoptera: Nymphalidae, Satyrinae). *Linn. Belg.* **17**, 11-21 (1999).
52. Jutzeler, D., Russel, P. & Volpe, G., 2007. Nouveaux points de vue sur la position taxonomique des cinq populations insulaires du complexe d' *Hipparchia wyssii* Christ (1889) se basant sur la connaissance de leurs états pré-imaginaux (Lepidoptera: Nymphalidae, Satyrinae). *Linn. Belg.* **20**, 9-44 (2007).
53. Kalivoda, H. *Lepidoptera.sk* <https://lepidoptera.sk/> (2019).
54. Kleckova, I., Konvicka, M. & Klecka, J. Thermoregulation and microhabitat use in mountain butterflies of the genus *Erebia*: importance of fine-scale habitat heterogeneity. *J. Therm. Biol.* **41**, 50-58 (2014).
55. Koestler, W. The preimaginal stages of *Hipparchia mersina* Staudinger, 1871 - biology, ecology, phenology and breeding Lepidoptera Nymphalidae. *Entomol. Z.* **1152**, 85-90 (2005).
56. Kolev, Z.. New data on the taxonomic status and distribution of *Polyommatus andronicus* Coutsis & Ghalvalas, 1995 (Lycaenidae). *Nota Lep.* **28**, 35-48 (2005).
57. Konvicka, M., Nedved, O. & Fric, Z., 2002. Early-spring floods decrease the survival of hibernating larvae of a wetland-inhabiting population of *Neptis rivularis* (Lepidoptera: Nymphalidae). *Acta Zool. Acad. Sci. Hungar.* **48**, 79-88 (2002).

58. Kudrna, O. *A revision of the genus Hipparchia* (Classey, London, 1977).
59. Kuras, T., Beneš, J. & Konvička, M. Behaviour and within-habitat distribution of adult *Erebia sudetica sudetica*, endemic of the Hrubý Jeseník Mts., Czech Republic (Nymphalidae, Satyrinae). *Nota Lep.* **24**, 69-83 (2001).
60. Lafranchis, T. Biologie, écologie et répartition de *Carcharodus orientalis* (Reverdin, 1913) en Grèce. Comparaison avec *Carcharodus flocciferus* (Zeller, 1847) (Lepidoptera, HesperIIDae). *Linn. Belg.* **19**, 140-146 (2003).
61. Lafranchis T. *Butterflies of Europe: new field guide and key.* (Diatheo, Paris, 2004).
62. Lafranchis, T. & Geniez, P. *Les Papillons De Jour De France, Belgique et Luxembourg Et Leurs Chenilles* (Biotope Editions, Mèze, 2000)
63. Layberry, R.A., Hall, P.W. & Lafontaine, J.D. *The Butterflies of Canada* (University of Toronto Press, 1998).
64. Lehmuskallio, E. & Lehmuskallio, J. *NatureGate* <http://www.luontoportti.com/suomi/en> (2016).
65. Leigheb, G., Jutzeler, D. and Cameron Curry, V. The breeding of *Pseudophilotes barbagiae* De Prins & Van Der Poorten, 1970, an endemic species of the Gennargentu massif, Sardinia, Italy (Lepidoptera: Lycaenidae). *Linn. Belg.* **17**, 239-246 (2000).
66. Lopez-Villalta, J.S. Ecological trends in endemic Mediterranean butterflies. *Bull. Insectol.* **63**, 161-170 (2010).
67. Leigheb, G. & Cameron-Curry, V., 1998. Observations on the biology and distribution of *Pseudophilotes barbagiae* (Lycaenidae, Polyommadini) *Nota Lep.* **21**, 66-73 (1998).
68. Leigheb, G., Jutzeler, D. & Cameron Curry, V. The breeding of *Pseudophilotes barbagiae* De Prins & Van Der Poorten, 1970, an endemic species of the Gennargentu massif, Sardinia, Italy (Lepidoptera: Lycaenidae) *Linn. Belg.* **17**, 239-246 (2000).
69. LSPN. *Les Papillons De Jour Et Leurs Biotopes* (Pro Natura, Basel 1987).
70. Luquet, G. C. and Demerges, D. *Papillons de l'annexe IV de la Directive 92/43/CEE. Papilio hospiton* (Ministère de l'écologie du développement et de l'aménagement durables, France, 2007).
71. Manino, Z., Leigheb, G., Cameron-Curry, P. & Cameron-Curry, V., 1987. Descrizione degli stadi preimarginali di *Agrodiaetus humedasmae* Toso & Balletto, 1976 (Lepidoptera, Lycaenidae). *Boll. Mus. Reg. Sci. Nat. Torino* **5**, 97-101 (1987).
72. Maravalhas, E. (Ed.). *As Borboletas De Portugal / The Butterflies of Portugal.* (Apollo Books, 2003).
73. Mazzei, P., Morel D. & Panfili, R. *Moths and Butterflies of Europe and North Africa* <http://www.leps.it> (2019)

74. Möllenbeck, V., Hermann, G. & Fartmann, T. Does prescribed burning mean a threat to the rare satyrine butterfly *Hipparchia fagi*? Larval-habitat preferences give the answer. *J. Insect Conserv.* **13**, 77-87 (2009).
75. Munguira, ML, Barea-Azcón, JM, Castro, S., Olivares, J. & Miteva, S. Species recovery plan for the Zullichí's blue (*Agriades zullichii*) (Butterfly Conservation Europe, 2015).
76. Munguira, ML, Castro, S, Barea-Azcón, JM, Olivares, J. & Miteva, S. Species Recovery Plan for the Sierra Nevada Blue *Polyommatus (Plebicula) golgus*. (Butterfly Conservation Europe, 2015).
77. Munguira, ML, Barea-Azcón, JM, Castro, S., Olivares, J. & Miteva, S. Species Recovery Plan for the Andalusian Anomalous Blue (*Polyommatus violetae*) (Butterfly Conservation Europe, 2015).
78. Munguira, ML, Olivares, J, Castro, S, Barea-Azcón, JM, Romo, H. & Miteva, S. Species Recovery Plan for the Spanish Greenish Black-tip (*Euchloe bazae*). (Butterfly Conservation Europe, 2015).
79. Muñoz Sariat, M.G., *Biología y ecología de los licénidos españoles*. (Muñoz Sariat, Granada, 2011).
80. Nardelli, U., Olivares, J. & Jutzeler, D. 1998. Etudes sur l'ecologie et le developpement de *Melanargia ines* (Hoffmannsegg, 1804) en Andalousie et comparaison avec les especes les plus proches (Lepidoptera: Nymphalidae, Satyrinae). *Linn. Belg.* **16**, 183-191 (1998).
81. Newland, D., Still, R., Swash, A. & Tomlinson, D. *Britain's Butterflies: A Field Guide to the Butterflies of Britain and Ireland-Fully Revised and Updated .3rd Edition*. Princeton University Press, 2015).
82. Ômura, H. & Honda, K. Feeding responses of adult butterflies, *Nymphalis xanthomelas*, *Kaniska canace* and *Vanessa indica*, to components in tree sap and rotting fruits: synergistic effects of ethanol and acetic acid on sugar responsiveness. *J. Insect Physiol.* **49**, 1031-1038 (2003)
83. Özden, Ö. & Hodgson, D.J. Butterflies (Lepidoptera) highlight the ecological value of shrubland and grassland mosaics in Cypriot garrigue ecosystems. *Eur. J. Entomol.* **108**, 43-437 (2011).
84. Page, R. J. C. Perching and patrolling continuum at favoured hilltop sites on a ridge: A mate location strategy by the Purple Emperor butterfly *Apatura iris* *Entomol. Rec. J. Var.* **22**, 61-70 (2010).
85. Pamperis, L.N. *The Butterflies of Greece* (Bastas-Plessas Graphic Arts, 1997).
86. Paolucci, P. *Butterflies And Burnets Of The Alps And Their Larvae, Pupae and Cocoons* (WBA-Books, 2013).
87. Pennekamp, F., Monteiro, E. & Schmitt, T. The larval ecology of the butterfly *Euphydryas desfontainii* (Lepidoptera: Nymphalidae) in SW-Portugal: food plant quantity and quality as main predictors of habitat quality. *J. Insect Conserv.* **17**, 195-206 (2013).

88. Pinzari, M. A comparative analysis of mating recognition signals in graylings: *Hipparchia statilinus* vs. *H. semele* (Lepidoptera: Nymphalidae, Satyrinae) *J. Insect Behav.* **22**, 227-244 (2009).
89. Pinzari, M. & Sbordoni, V. Species and mate recognition in two sympatric Grayling butterflies: *Hipparchia fagi* and *H. hermione genava* (Lepidoptera) *Ethol. Ecol. Evol.* **25**, 28-51 (2013).
90. Pittaway, A.R., Larsen, T.B., Clarke, C.A., Smith, C.R., Crnjar, R. & Clarke, F.M.M. *Papilio saharae* Oberthür, 1879, specifically distinct from *Papilio machaon* Linnaeus, 1758 (Lepidoptera: Papilionidae). *Ent. Gaz.* **45**, 223-249 (1994).
91. Polcyn, D.M. & Chappell, M.A. Analysis of heat transfer in Vanessa butterflies: effects of wing position and orientation to wind and light. *Physiol. Zool.* **59**, 706-716 (1986).
92. Radchuk, V., Turlure, C. & Schtickzelle, N. Each life stage matters: the importance of assessing the response to climate change over the complete life cycle in butterflies. *J Anim. Ecol.* **82**, 275-285 (2013).
93. Rodeland, J. *Lepiforum* <http://www.lepiforum.de> (2009).
94. Rowlings, M. *EuroButterflies by Matt Rowlings*, <http://www.eurobutterflies.com> (2019).
95. Rutowski, R.L. Variation of eye size in butterflies: inter-and intraspecific patterns *J. Zool.* **252**, 187-195 (2000).
96. Sariat, M.M. Ciclo biológico, morfología de los estadios preimaginales y nuevos datos sobre la distribución de *Borbo borbonica zelleri* (Lederer, 1855) (Lepidoptera: Hesperidae) en la provincia de Cádiz, España. *Rev. Gaditana Entomol.* **4**, 137-158 (2013).
97. Scott, J.A., 1974. Population biology and adult behavior of the circumpolar butterfly, *Parnassius phoebus* F.(Papilionidae). *Insect Syst. Evol.* **4**, iii-168 (1974).
98. Schurian, K. Beobachtungen zur Biologie und Ökologie von *Azanus ubaldus* (Cramer, 1782) auf den Kanarischen Inseln (Lepidoptera: Lycaenidae)- *Nachr. Entomol. Ver. Apollo, N.F.* **37**, 41-46 (2016).
99. Settele, J., Kudrna, O., Harpke, A., Kühn, I., Van Swaay, C., Verovnik, R., Warren, M., Wiemers, M., Hanspach, J., Hickler, T. and Kühn, E., van Halder I, Veling K, Vliegthart A, Wynhoff I, & Schweiger O. *Climatic Risk Atlas Of European Butterflies* (Pensoft, 2008).
100. Settele, J., Steiner, R., Reinhardt, R., Feldmann, R. & Hermann, G. *Schmetterlinge: Die Tagfalter Deutschlands* (Ulmer, 2015)
101. Slamova, I., Klecka, J. & Konvicka, M., 2011. Diurnal behavior and habitat preferences of *Erebia aethiops*, an aberrant lowland species of a mountain butterfly clade. *J. Insect Behav.* **24**, 230-246 (2011).
102. Slancarova, J., Garcia-Pereira, P., Fric, Z.F., Romo, H. & Garcia-Barros, E. Butterflies in Portuguese 'montados': relationships between climate, land use and life-history traits *J. Insect Conserv.* **19**, 823-836 (2015).

103. Slancarova, J., Vrba, P., Platek, M., Zapletal, M., Spitzer, L. & Konvicka, M. Co-occurrence of three Aristolochia-feeding Papilionids (*Archon apollinus*, *Zerynthia polyxena* and *Zerynthia cerisyi*) in Greek Thrace. *J. Nat. Hist.* **49**, 1825-1848 (2015).
104. Stefanescu, C., Pintureau, B., Tschorsnig, H.P. & Pujade-Villar, J., 2003. The parasitoid complex of the butterfly *Iphiclides podalirius feisthamelii* (Lepidoptera: Papilionidae) in north-east Spain. *J. Nat. Hist.* **7**, 379-396 (2003).
105. Stoch, F., *CKmap 5.3. Ministero dell'Ambiente e della Tutela del Territorio, Dir. Prot. Nat.* http://www.minambiente.it/index.php?id_sezione=1930 (2000-2005).
106. Stuhldreher, G. & Fartmann, T. Oviposition-site preferences of a declining butterfly *Erebia medusa* (Lepidoptera: Satyrinae) in nutrient-poor grasslands. *Eur. J. Entomol.* **112**, doi: 10.14411/eje.2015.067 (2015).
107. Szentirmai, I., Mesterházy, A., Varga, I., Schubert, Z., Sándor, L.C., Ábrahám, L. & Kőrösi, Á., 2014. Habitat use and population biology of the Danube Clouded Yellow butterfly *Colias myrmidone* (Lepidoptera: Pieridae) in Romania. *J. Insect Conserv.* **18**, 417-425 (2014).
108. Thompson, R. and Nelson, B. *The Butterflies And Moths of Northern Ireland*. (Blackstaff Press, 2006).
109. Tarrier, M. *Les papillons, memoire vive du Maroc* <https://www.micheltarrier.com/micheltarrier-com/rhopalocera> (2019).
110. Templado, J., 1976. Datos biológicos sobre **Melitaea deione** (Geyer)(Lep., Nymphalidae). *Boletín de la Estación Central de Ecología* **5**, 97-102.
111. Tikhonov V. V., Stradomsky B. V., Kuznetsov G. V. & Andreev S. A. *Butterflies of the Caucasus and Southern Russia* <http://www.babochki-kavkaza.ru> (2019).
112. Tolman, T. & Lewington, R. *Collins Butterfly Guide: The Most Complete Guide To The Butterflies Of Britain and Europe* (Collins, 2008).
113. Toso G. G., Balletto E. Una nuova specie del genere *Agrodiaetus* Hübn. (Lepidoptera, Lycaenidae) *Annali Mus. Civico Storia Nat. G. Doria* **81**, 124-130 (1977).
114. Tóth, J.P. and Varga, Z., Morphometric study on the genitalia of sibling species *Melitaea phoebe* and *M. telona* (Lepidoptera: Nymphalidae) *Acta Zool. Hung.* **56**, 273-282 (2010).
115. Tshikolovets, V.V. *Butterflies of Europe & The Mediterranean Area*. (Tshikolovets Publications, 2011).
116. Tutin, T., Burges, N., Chater, A., Edmondson, J., Heywood, V., Moore, D., Valentine, D., Walters, S. & Webb D. *Flora Europaea; Vol. 1-5* (Cambridge University Press, Cambridge, 1964-1980).
117. Tvrtkovic, N., Mihoci, I. & Sasic, M. *Colias caucasica balcanica* Rebel, 1901 (Pieridae) in Croatia-the most western distribution point. *Natura Croatica*, **20**, 375-385 (2011).

118. Väisänen, R., Kuussaari, M., Nieminen, M. & Somerha, P. Biology and conservation of *Pseudophilotes baton* in Finland (Lepidoptera, Lycaenidae). *Ann. Zool. Fenn.* **31**, 145-156 (1994).
119. Verovnik, R. Micevski, B. Maes, D. Wynhoff, I. Van Swaay, C. & Warren M. (2013), 'Conserving Europe's Most Endangered Butterfly: the Macedonian Grayling (*Pseudochazara cingovskii*)' *J. Insect Conserv.* **17**, 941-947 (2013).
120. Verovnik, R., Franeta, F., Popović, M. & Gascoigne-Pees, M. The discovery of *Polyommatus aroaniensis* (Brown, 1976) in Bosnia and Herzegovina (Lepidoptera: Lycaenidae). *Nachr. Entomol. Ver. Apollo, N.F.* **36**, 177-180 (2015).
121. Vieira, V. Lepidopteran fauna from the Sal Island, Cape Verde (Insecta: Lepidoptera). *SHILAP-Rev. Lepidopt.* **6**, 243-252 (2008).
122. Vila, R., 2012. Comparative analysis and taxonomic use of the morphology of immature stages and natural history traits in European species of *Pyrgus* Hübner (Lepidoptera: Hesperidae, Pyrginae). *Zootaxa* **3470**, 1-71 (2012).
123. Vovlas, A., Balletto, E., Altini, E., Clemente, D. & Bonelli, S. Mobility and oviposition site-selection in *Zerynthia cassandra* (Lepidoptera, Papilionidae): implications for its conservation. *J. Insect Conserv.* **1**, 58, 87-97 (2014).
124. Wagner W. *Lepidoptera and their ecology* <http://www.pyrgus.de> (2019).
125. Wahlberg, N. The life history and ecology of *Melitaea diamina* (Nymphalidae) in Finland. *Nota Lep.* **20**, 70-81 (1997).
126. Wahlberg, N. Comparative descriptions of the immature stages and ecology of five Finnish Melitaeine butterfly species (Lepidoptera: Nymphalidae) *Entomol. Fennica* **11**, 167-174 (2000).
127. Wahlberg, N. On the status of the scarce fritillary *Euphydryas maturna* (Lepidoptera: Nymphalidae) in Finland. *Entomol. Fennica* **12**, 244-250 (2001).
128. Watts, B., European Butterflies: A portrait in photographs www.butterflyeurope.co.uk (2009).
129. Wiemers, M. The butterflies of the Canary Islands. A survey on their distribution, biology and ecology (Lepidoptera: Papilionoidea and Hesperioidea). *Linn. Belg.* **15**, 63-84 (1995).
130. Gilbert, F. and Zalot, S. *Butterflies of Egypt: atlas, red data listing and conservation* (BioMAP, EEAA, 2007).
131. Ziegler, H. *Lepiforum* http://www.lepiforum.de/lepiwiki.pl?Euchloe_Penia (2019).
132. Franeta, F., Kogovšek, N. & Verovnik, R. On the presence of *Pontia chloridice* (Lepidoptera: Pieridae) in the Republic of Macedonia. *Phegea* **40**, 17-20 (2012).
133. Franeta, F. & Đurić, M. On the distribution of *Colias caucasica balcanica* Rebel, 1901, with two new records for Serbia (Lepidoptera: Pieridae) *Nachr. Entomol. Ver. Apollo, N.F.* **32**, 31-37 (2011).

