

RayoMD Test Report

1. Unicode And Typography

This section checks UTF-8 text, diacritics, and mixed writing systems: resume, naive, cafe, facade, Krakow, Lodz, Tokyo, Москва, Δοκιμή, and Zażółć gęślą jaźń.

Inline formatting should stay readable: **bold text**, *italic text*, ***bold italic text***, ~~strikethrough text~~, and `inline_code()`.

2. Technical Section

The fenced code block should preserve indentation and use a monospaced style.

```
package main

import "fmt"

func main() {
    // Indentation should be preserved.
    fmt.Println("System Ready")
}
```

3. Math And Formula Boxes

Inline math markers should be cleaned up: $E = mc^2$.

A block formula should render as a formula box:

$$\int_{-\infty}^{\infty} e^{-x^2} dx = \sqrt{\pi}$$

4. Tables And Lists

Service	Status	Latency
API Gateway	:) Online	45 ms
Database	:warning: Warning	120 ms
Auth Service	Offline	Timeout

- First bullet item
 - Second bullet item
 - Nested item A
 - Nested item B
1. First numbered item

2. Second numbered item

This is a block quote. It should be indented and visually distinct from the surrounding paragraph text.

5. Explicit Page Break

This section should start on a new page after the `\pagebreak` marker.

6. Links And Images





Remote image fallback

Local image fallback

[OpenAI](#)