



Current Data Parameters
NAME Tadalafil
EXPNO 20
PROCNO 1

F2 - Acquisition Parameters

Date_ 20260505
Time 11.56 h
INSTRUM Avance
PROBHD Z181905_0001 (
PULPROG hsqcetgpg
TD 2048
SOLVENT DMSO
NS 16
DS 8
SWH 9090.909 Hz
FIDRES 8.877841 Hz
AQ 0.1126400 sec
RG 101
DW 55.000 usec
DE 22.00 usec
TE 298.0 K
CNST2 90.000000
D0 0.0000300 sec
D1 1.00000000 sec
D4 0.00277779 sec
D11 0.03000000 sec
D16 0.00010000 sec
IN0 0.00002056 sec

SPARSELI 0
TDav 1
ZGPTNS
SFO1 600.0539003 MHz
NUC1 1H
P1 12.00 usec
P2 24.00 usec
PLW1 10.78600025 W
SFO2 60.8146990 MHz
NUC2 15N
CPDPRG[2] garp4
P3 35.00 usec
P4 70.00 usec
PCPD2 120.00 usec
PLW2 35.79899979 W
PLW12 3.06682396 W
GPNAM[1] SMSQ10.100
GPZ1 80.00 %
GPNAM[2] SMSQ10.100
GPZ2 8.10 %
P16 1000.00 usec

===== F1 INDIRECT DIMENSION =====

td1 128
sw_F1 399.960022

F1 - Acquisition parameters

TD 64
SFO1 60.8147 MHz
FIDRES 760.107727 Hz
SW 399.960 ppm
FnMODE Echo-Antiecho

F2 - Processing parameters

SI 2048
SF 600.0500000 MHz
WDW QSINE
SSB 2
LB 0 Hz
GB 0
PC 1.40

F1 - Processing parameters

SI 1024
MC2 echo-antiecho
SF 60.8025385 MHz
WDW SINE
SSB 2
LB 0 Hz
GB 0

