O: Available with Knox Suite license or Knox Platform for Enterprise license

				Android Enterprise			Enterprise	Samsun	: Available with Kn		Android L		Enterprise II	cense			
				Android Enterprise		- Android M	anagement API	Android	Enterprise			Container					Unsupported C
Type	Category	Feature	Device controls	Work profile controls	Android Go Device controls	Device controls	Work profile controls	Device controls	Work profile control	Device Android		side Samsung	iOS	Windows	Chrome	Wear OS	version as AP deprecation
evice Mgmt.	System	Camera	(Supported in work profile - C)	(Supported in work profile - C)	0	(Supported in work profile - C)	(Supported in work profile - C)	(Supported in work profile - C)	(Supported in work profile - C)	0	0	C Knox	0	0			non-Samsung leg enrollment device OS or higher.
		Certificate Setting	0	(Supported in work profile - C)	0	0	0	0	(Supported in work profile - C)								
		Screen capture	(Supported in work profile - C)	(Supported in work profile - C)	0	(Supported in work profile - C)		0	0	0	0		0				
			0	(Supported in work profile - C)	0			0	(Supported in work profile - C)					0			
		Account modification	(Supported in work profile - C)	(Supported in work profile - C)	0	(Supported in work profile - C)					(mobile only)						
		Allow account in Google Play	(Supported in work profile - C)	(Supported in work profile - C)				(Supported in work profile - C)	(Supported in work profile - C)								
		Account blocklist/allowlist	(Supported in work profile - C)	(Supported in work profile - C)	0	(Supported in work profile - C)	(Supported in work profile - C)	(Supported in work profile - C)	(Supported in work profile - C)								
		System update	(Supported in work profile - C)	. ,		(Supported in work profile - C)	, 5)	(Supported in work profile - C)	, 6)							0	
		Delete user	0					0									
		Safe mode	(Supported in work profile - C)		0			(Supported in work profile - C)			0						
		Change wallpaper Custom wallpaper	0		0			0			0		(Supervised)				
		External SD card	(Supported in work profile - C)		0			(Supported in work profile - C)			0						
		Factory reset	0		0			0			0		(Supervised)	(mobile only)		0	
		Factory reset via firmware recovery mode  S beam	0					0			0					0	
		Create Windows	0		0			0			0						
		Easter egg	0		0			0									
		Brightness setting	0		0			0								0	
		Brightness level Adaptive brightness														0	
		AOD	0					0									
		System error screen	0		0			0									
		Action of compromised OS is detected Set notifications from an event to On	0		0			0		0 0	0						
		Set notifications from an event to Off	0		0			0		0							
		Fix event notification	0		0			0		0	0						
		Encryption for storage	0		_			0		0	0			_			
		Automatic date and time	0		0			0			0		(Supervised)	0			
		Enforce time zone	(Supported in work profile - C)		0			(Supported in work profile - C)						0		0	
		Language setting	0		0			0						0		U	
		Location setting  Backup	(Supported in work profile - C)		0			(Supported in work profile - C)			0						
		Set a message for blocked settings	0		0			0				-					
		Mount physical media				(Supported in work profile - C)											
		Set a message for lock screen	0			(Supported in work profile - C)		0									
		Domain blocklist settings						(Supported in work profile - C)		0	0						
		NTP settings						(Supported in work profile - C)		0	0						
		Power off						(Supported in work profile - C)			0						
		OTA upgrade						(Supported in work profile - C)			0					0	
		Settings						(Supported in work profile - C)			0						
		Expand status bar						(Supported in work profile - C)			0						
		Clipboard						0			0	0					
		Share via apps						(Supported in work profile - C)			0	0					

Smart Select Developer mode 0 (Supported in (Supported in work profile - C) work profile - C 0 Reboot banner (Supported in work profile - C) Control power saving mode 0 0 work profile - C) 0 0 work profile - C) Samsung keyboard settings control (Supported in 0 work profile - C) Sound mode Key remapping settings System app close App crash report to Google Unauthorized SD card Device administrators to install and activate apps Data saver mode
Google account synchronization
Trusted boot verification Add email account Domain allowlist settings Force on device only dictation (Siri) Force on device only translation (Siri) Submission of diagnosis and usage details Passbook on lock scree 0 Control center on lock screen Display notification on lock screen Display today view on lock screen 0 Manual installation for profile ○(Supervisi Control editing account information Automatic updates of certificate trust settings Delay OS update Encryption for iTunes backup iTunes pairing (Supervised) Apple Watch paring Wrist detection on an Apple Watch Limit Ad tracking Apple personalized advertising Result of web search with spotlight Block configuration Change device name ○(Supervi Allow Bluetooth modification (Supervised Notifications modification ○(Supervise New device proximity setup ○(Supervised Unpaired external boot to recovery Keyboard shortcuts Predictive keyboard Sign in options Power and Sleep Region Account Windows tips Windows sync DVR & Game Broadcasting Auto correction for keyboard ○(Supervisi Definition lookup for keyboard ○(Supervi ○(Supervise Spell-check for keyboard ○(Supervise Interface 0 (Supported in 0 0 (Supported in work profile - C) work profile - C) Autofill service 0 (Supported in 0 (Supported in 0 work profile - C) work profile - C) Bluetooth share (Supported in (Supported in 0 (Supported in (Supported in work profile - C) work profile - C) work profile - C) work profile - C) Network reset (Supported in Mobile networks setting (Supported in 0 (Supported in 0 work profile - C) work profile - C) work profile - C) Allow Wi-Fi change (Supported in 0 (Supported in (Supported in 0 work profile - C) work profile - C) work profile - C) non-Samsung legacy enrollment device Q Wi-Fi control (including Wi-Fi direct) (Supported in (Supported in 0 0 0 work profile - C) work profile - C) OS or higher. (Supported in 0 (Supported in (Supported in Tethering setting work profile - C) work profile - C) work profile - C)

(Supported in (Supported in Bluetooth control (Supported in 0 (Supported in 0 0 0 0 work profile - C) work profile - C) work profile - C) work profile - C (Supported in (Supported in (Supported in Bluetooth setting 0 0 work profile - C) work profile - C) work profile - C) (Supported in (Supported in PC connection 0 0 work profile - C) work profile - C) (Supported in USB debugging (Supported in (Supported in 0 work profile - C) work profile - C) work profile - C) ○(Supervised) ○ (mobile only) USB host storage(OTG) (Supported in 0 0 (mobile only) work profile - C) USB exception allowed (Supported in 0 work profile - C) Outgoing Beam (Supported in work profile - C) (Supported in Always On VPN work profile - C) Wi-Fi hotspot (Supported in 0 0 work profile - C) Wi-Fi SSID allowlist setting (Supported in 0 0 work profile - C) Wi-Fi SSID blocklist setting (Supported in 0 0 work profile - C) Wi-Fi auto connection (Supported in 0 work profile - C) Wi-Fi minimum security level setting (Supported in 0 work profile - C) (Supported in USB tethering 0 work profile - C) (Supported in Bluetooth tethering 0 0 work profile - C) (Supported in Bluetooth UUID allowlist setting 0 0 work profile - C) (Supported in Bluetooth UUID blocklist setting 0 0 work profile - C) Allow USB devices for default access by all 0 (Supported in work profile - C) 0 (It can be set in Android Enterprise > Interface > Wi-Fi (Supported in menu in MDM profile) work profile - C) Desktop PC connection with Bluetooth (Supported in 0 (It can be set in Android Enterprise > Interface > Bluetooth menu in MDM profile) work profile - C) Data transfer with Bluetooth (It can be set in Android Enterprise > Interface > (Supported in 0 Bluetooth menu in MDM profile)
Search mode on Bluetooth work profile - C) (Supported in 0 (It can be set in Android Enterprise > Interface > Bluetooth menu in MDM profile)
Wearable equipment policy inheritance work profile - C) Add a new Wi-Fi network Wi-Fi proxy setting Connect Wi-Fi to allowed networks only Network device access Personal hotspot modification Removable Storage Cortana Bluetooth advertising IME logging Play Integrity(SafetyNet Attestation) 0 (Supported in 0 0 0 0 (Supported in work profile - C) work profile - C) Enforce multi factor authentication Screen timeout 0 0 0 0 0 Maximum screen timeout 0 0 (Supported in work profile - C) 0 Lock screen (Supported in work profile - C) Secure startup
Google Android security update policy
Connection attempt between server and device

Security

	Smartcard browser authentication								1	0	0				
	Certification deletion									0					
	Certificate verification during installation									0					
	Attestation									0					
	Password visibility settings	1	1		-			ļ	-		0	<b>——</b>		+	
	Pattern lock visibility settings		-						-		0			<del>                                     </del>	
	Unlock with fingerprint Unlock with iris	+	-						-		0			+	
		+	-						+		0			1	
	Auto unlock Developer unlock	1	+		1				1			0	0	<del>                                     </del>	
Password	Developer unlock	0	0		0	0	0	^					0		non-Samsung legacy
rassword	Password policies	(Supported in	(Supported in	0	(Supported in	(Supported in	(Supported in	(Supported in	0	0	0	0	0		enrollment device Q
	rasmora policies	work profile - C)	work profile - C)	0	work profile - C)	work profile - C)	work profile - C)	work profile - C)	0	0	0	0	0		OS or higher.
		()	()		O O	()	()	()							non-Samsung legacy
	KeyGuard(Block function setting on lock screen)	(Supported in	(Supported in	0	(Supported in	(Supported in	(Supported in	(Supported in			0				enrollment device Q
	,,	work profile - C)	work profile - C)		work profile - C)	work profile - C)	work profile - C)	work profile - C)							OS or higher.
	Passcode modification											(Supervised)			
	Screen unlock with biometric ID											0			
	Password proximity requests											(Supervised)			
	Password autofill											(Supervised)			
	Authentication before password autofill											(Supervised)			
	Password sharing											○(Supervised)			
Kiosk	Single app mode	0		0	0		0					(Supervised)	0	0	
	Multi app mode	0	1	0	0		0		-	0			0		
	Web mode	0	-	0			0		0	0			0	1	
	Screen saver on Kiosk mode	0	1	0			0		0	0				<del>                                     </del>	
	Utilities setting	0		0	0		0		1	_				+	
	Delete kiosk app when policy is removed	0		0	_		0		1	0				+	
	Setting plugged In screen on	U	+	U	0		0		1					+ + + + + + + + + + + + + + + + + + + +	
	Prohibit hardware key		1						0	0					
	Fromoit naroware key		1				(Supported in work profile - C)		0	U					
	Task manager	1			1		work profile - C)		<del>                                     </del>	0		_		<del>                                     </del>	
		1			1		0		<del>                                     </del>	J		_		<del>                                     </del>	
	System bar						(Supported in			0					
			1				work profile - C)		1						
		1	1		1		O O		1					<del>                                     </del>	
	Multiple windows		1				(Supported in		1	0					
	-		1				work profile - C)		1						
	Air command						0			0					
	Air view						0			0					
							0								
	Edge screen						(Supported in			0					
							work profile - C)								
	Power													0	
	System error warning													0	
	Quick panel & Notification													0	
	Widget tile	1												0	
	Recent apps		-						L					٥	
A P **	Device settings				_				-					0	
Application			0		0	0		0							
	Installation of application from untrusted sources	0	(Supported in	0	(Supported in	(Supported in	0	(Supported in		0	0		0		
			work profile - C)		work profile - C)	work profile - C)		work profile - C)							
	Skin ann tutorial	0	(Supported in			(Supported in	0	(Supported in							
	Skip app tutorial	0	(Supported in			(Supported in	0	(Supported in							
	Skip app tutorial	0	work profile - C)			(Supported in work profile - C)	0	work profile - C)							
	Skip app tutorial  App control		work profile - C)	0		(Supported in work profile - C)		work profile - C)							
		0	work profile - C)  (Supported in	0		(Supported in work profile - C)	0	work profile - C)  (Supported in							
			work profile - C)	0		(Supported in work profile - C)		work profile - C)							
	App control	0	work profile - C)  (Supported in work profile - C)			work profile - C)	0	work profile - C)  (Supported in work profile - C)				○(Supervised)			
			work profile - C)  (Supported in work profile - C)  (Supported in	0		work profile - C)  (Supported in		work profile - C)  (Supported in work profile - C)  (Supported in				○(Supervised)			
	App control	0	work profile - C)  (Supported in work profile - C)			work profile - C)	0	work profile - C)  (Supported in work profile - C)				○(Supervised)			
	App control	0	work profile - C)  (Supported in			work profile - C)  (Supported in work profile - C)	0	work profile - C)  (Supported in				(Supervised)			
	App control  App installation	0	work profile - C)  (Supported in	0		O (Supported in work profile - C)  (Supported in Work profile - C)  (Supported in	0	work profile - C)  (Supported in							
	App control  App installation  App uninstallation	0 0	work profile - C)  (Supported in work profile - C)	0		(Supported in work profile - C)  (Supported in work profile - C)  (Supported in work profile - C)	0	work profile - C)  (Supported in work profile - C)							
	App control  App installation	0	work profile - C)  (Supported in C)	0		(Supported in work profile - C)  (Supported in work profile - C)  (Supported in work profile - C)  (Supported in County profile - C)	0	work profile - C)  (Supported in C)							
	App control  App installation  App uninstallation	0 0	work profile - C)  (Supported in work profile - C)	0		(Supported in work profile - C)	0	work profile - C)  (Supported in work profile - C)							
	App control  App installation  App uninstallation  App verification	0 0	work profile - C)  (Supported in work profile - C)	0	0	(Supported in work profile - C)	0 0	work profile - C)  (Supported in work profile - C)							
	App control  App installation  App uninstallation	0 0	work profile - C)    Cisupported in work profile - C)   Cisupported in work profile - C)   Cisupported in work profile - C)   Cisupported in work profile - C)   Cisupported in work profile - C)   Cisupported in work profile - C)   Cisupported in Supported in Suppor	0	O (Supported in	Supported in work profile - C)  (Supported in Supported in work profile - C)	0	work profile - C)  (Supported in Supported in S						0	
	App control  App installation  App uninstallation  App verification	0 0 0	work profile - C)  Supported in work profile - C)	0	Supported in work profile - C)	(Supported in work profile - C)	0 0	work profile - Q   Supported in work profile - C   Supported i						0	
	App control  App installation  App uninstallation  App verification  App permission	0 0 0	work profile - C)  Supported in work profile - C)  (Supported in work profile - C)  (Supported in work profile - C)  Supported in work profile - C)  (Supported in work profile - C)  Supported in work profile - C)	0 0	(Supported in work profile - C)	Supported in work profile - C)  (Supported in Supported in work profile - C)	0 0 0	work profile - C)  Supported in work profile - C)  (Supported in work profile - C)  Supported in work profile - C)  (Supported in work profile - C)  (Supported in work profile - C)							
	App control  App installation  App uninstallation  App verification	O O (Supported in	work profile - C)  Gupported in work profile - C)	0	Supported in work profile - C)	Supported in work profile - C)  (Supported in Supported in work profile - C)		work profile - C)  Supported in work profile - C)  (Supported in work profile - C)	0	0	0		0	0	
	App control  App installation  App uninstallation  App verification  App permission  App permission	0 0 0	work profile - C)  Supported in work profile - C)  (Supported in work profile - C)  (Supported in work profile - C)  Supported in work profile - C)  (Supported in work profile - C)  Supported in work profile - C)	0 0	(Supported in work profile - C)	Supported in work profile - C)  (Supported in Supported in work profile - C)	0 0 0	work profile - C)  Supported in work profile - C)  (Supported in work profile - C)  Supported in work profile - C)  (Supported in work profile - C)  (Supported in work profile - C)	0	0	0		0	0	
	App control  App installation  App uninstallation  App verification  App permission	O O (Supported in	work profile - C)  (Supported in work profile - C)	0 0	Supported in work profile - C)	Supported in work profile - C)  (Supported in Supported in work profile - C)		work profile - C)  (Supported in work profile - C)	0	0	0		0		
	App control  App installation  App uninstallation  App verification  App permission  App permission  App execution blocklist setting  Hide apps	(Supported in work profile - C)	work profile - C)  (Supported in work profile - C)	0 0	Supported in work profile - C)	Supported in work profile - C)  (Supported in Supported in work profile - C)	(Supported in work profile - C)	work profile - C)  (Supported in work profile - C)						0	
	App control  App installation  App uninstallation  App verification  App permission  App permission	O O (Supported in	work profile - C)  (Supported in work profile - C)	0 0	Supported in work profile - C)	Supported in work profile - C)  (Supported in Supported in work profile - C)		work profile - C)  (Supported in work profile - C)	0	0	0		0	0	
	App control  App installation  App uninstallation  App verification  App permission  App permission  App execution blocklist setting  Hide apps	(Supported in work profile - C)	work profile - C)  (Supported in work profile - C)	0 0	Supported in work profile - C)	Supported in work profile - C)  (Supported in Supported in work profile - C)	(Supported in work profile - C)	work profile - C)  (Supported in work profile - C)						0	
	App control  App installation  App uninstallation  App verification  App permission  App permission  App execution blocklist setting  Hide apps	(Supported in work profile - C)	work profile - C)  (Supported in work profile - C)	0 0	(Supported in work profile - C)	Supported in work profile - C)  (Supported in Supported in work profile - C)	(Supported in work profile - C)	work profile - Q  (Supported in work profile - Q)						0	
	App control  App installation  App uninstallation  App verification  App permission  App execution blocklist setting  Hide apps  App uninstallation prevention list setting	Supported in work profile - C	work profile - C)  Gupported in work profile - C)	0 0 0	(Supported in work profile - C)	Supported in work profile - C)  (Supported in Supported in work profile - C)	Supported in work profile - C)	work profile - Q  (Supported in work profile - Q)						0	
	App control  App installation  App uninstallation  App verification  App permission  App execution blocklist setting  Hide apps  App uninstallation prevention list setting	Supported in work profile - C	work profile - C)  (Supported in work profile - C)	0 0 0	Supported in work profile - C)	Supported in work profile - C)  (Supported in Supported in work profile - C)	Supported in work profile - C)	work profile - C)  (Supported in work profile - C)						0	
	App control  App installation  App uninstallation  App verification  App permission  App execution blocklist setting  Hide apps  App uninstallation prevention list setting  System app activation setting	(Supported in work profile - C)	work profile - C)  (Supported in work profile - C)	0 0 0	work profile - C)	work profile - C)  (Supported in work profile - C)	O O O O O O O O O O O O O O O O O O O	work profile - Q  (Supported in work profile - Q)						0	
	App control  App installation  App uninstallation  App verification  App permission  App execution blocklist setting  Hide apps  App uninstallation prevention list setting	Supported in work profile - C	work profile - C)  (Supported in work profile - C)	0 0 0	work profile - C)	work profile - ()  (Supported in work profile - ()	Supported in work profile - C)	work profile - C)  (Supported in work profile - C)						0	
	App control  App installation  App installation  App verification  App verification  App execution blocklist setting  Hide apps  App uninstallation prevention list setting  System app activation setting  App delegation scope management	O O Supported in work profile - C)	work profile - C)  (Supported in work profile - C)	0 0 0	work profile - C)  O  (Supported in	work profile - O  (Supported in work profile - C)	Gupported in work profile - C)	work profile - Q  (Supported in work profile - Q)						0	
	App control  App installation  App uninstallation  App verification  App permission  App execution blocklist setting  Hide apps  App uninstallation prevention list setting  System app activation setting	(Supported in work profile - C)	work profile - C)  (Supported in work profile - C)	0 0 0	work profile - C)  O  (Supported in	work profile - O  (Supported in work profile - C)	O O O O O O O O O O O O O O O O O O O	work profile - C)  (Supported in work profile - C)						0	
	App control  App installation  App installation  App verification  App verification  App execution blocklist setting  Hide apps  App uninstallation prevention list setting  System app activation setting  App delegation scope management	O O O Supported in work profile - O O O O O O O O O O O O O O O O O O	work profile - C)  (Supported in work profile - C)	0 0 0	work profile - C)  O  (Supported in	work profile - O  (Supported in work profile - C)	Gupported in work profile - C)	work profile - C)  (Supported in work profile - C)						0	
	App control  App installation  App uninstallation  App verification  App verification  App execution blocklist setting  Hide apps  App uninstallation prevention list setting  System app activation setting  App delegation scope management  App prevented from using mobile data setting	O O O O O O O O O O O O O O O O O O O	work profile - C)  (Supported in work profile - C)	0 0 0	work profile - C)  O  (Supported in	work profile - O  (Supported in work profile - C)	Supported in work profile - C	work profile - Q  (Supported in work profile - Q)						0	
	App control  App installation  App installation  App verification  App verification  App execution blocklist setting  Hide apps  App uninstallation prevention list setting  System app activation setting  App delegation scope management	©  ©  ©  (Supported in work profile - C)  ©  (Supported in ©  ©  (Supported in ©	work profile - C)  (Supported in work profile - C)	0 0 0	work profile - C)  O  (Supported in	work profile - O  (Supported in work profile - C)	Gupported in work profile - C)	work profile - C)  (Supported in work profile - C)						0	
	App control  App installation  App uninstallation  App verification  App verification  App execution blocklist setting  Hide apps  App uninstallation prevention list setting  System app activation setting  App delegation scope management  App prevented from using mobile data setting	O O O O O O O O O O O O O O O O O O O	work profile - C)  (Supported in work profile - C)	0 0 0	work profile - C)  O  (Supported in	work profile - O  (Supported in work profile - C)	Supported in work profile - C	work profile - Q  (Supported in work profile - Q						0	
	App control  App installation  App installation  App verification  App verification  App permission  App execution blocklist setting  Hide apps  App uninstallation prevention list setting  System app activation setting  App delegation scope management  App prevented from using mobile data setting  App download block/allowlist setting	(Supported in work profile - C)	work profile - C)  (Supported in work profile - C)	0 0 0	work profile - C)  O  (Supported in	work profile - O  (Supported in work profile - C)	Supported in work profile - C	work profile - C)  (Supported in work profile - C)	0	0	0		0	0	
	App control  App installation  App uninstallation  App verification  App verification  App execution blocklist setting  Hide apps  App uninstallation prevention list setting  System app activation setting  App delegation scope management  App prevented from using mobile data setting	(Supported in work profile - C)	work profile - C)  (Supported in work profile - C)	0 0 0	work profile - C)  O  (Supported in	work profile - O  (Supported in work profile - C)	Supported in work profile - C	work profile - Q  (Supported in work profile - Q						0	

T.			1											1	
	Work and personal apps connection setting		(Supported in			(Supported in									
			work profile - C)		0	work profile - C)									
	Play store				(Supported in work profile - C)	(Supported in work profile - C)				0					
	Battery optimization exceptions App component blocklist						0	0	0	0	0				
	YouTube						0	0		0		0			
	App installation block/allowlist setting Application force stop prohibition list setting								0	0	0	0	0		
	Application execution prevention list setting								0	0					
	Action when apps are compromised Show progress bar when installing apps								0	0	0				
	App installation authority allowlisting settings										Ō				
	GMS application TIMA CCM profile allowlist										0				
	TIMA CCM profile app access restriction exception list se	ettings									0				
	Set general area app installation list App data deletion control setting										0				
	iTunes store											(Supervised)			
	Game center iBook store											○(Supervised) ○(Supervised)			
	inappropriate contents download on iBook store											0			
	iMessage Apple news											○(Supervised) ○(Supervised)			
	Apple music radio											○(Supervised)			
	Apple music Apple podcasts											○(Supervised) ○(Supervised)			
	Find friends											○(Supervised)			
	Find my device Find friends modification											○(Supervised) ○(Supervised)			
	In-app purchase											0			
	To trust company app App Clips											○ ○(Supervised)			
	System app removal											(Supervised)			
	Managed apps to write contacts to unmanaged contacts Unmanaged apps to read contacts from managed conta	cts accounts										0			
	Automatic app download Autonomous single app mode											○(Supervised) ○(Supervised)			
	Windows app store access control											(Supervised)	(mobile only)		
	Restrict App Data to System Volume App Store Auto Updates												0		
	Share App Data between Users												0 0		
Location	Watch face customization	0	0				0	0							0
	Location Settings	(Supported in work profile - C)	(Supported in work profile - C)	0			(Supported in work profile - C)	(Supported in work profile - C)		0			0		
	Report device location	0	(Supported in work profile - C)	0			0	(Supported in work profile - C)	0	0					
	Location Accuracy	0	(Supported in work profile - C)	0			0	(Supported in work profile - C)	0	0					
	Location Mode					(Supported in work profile - C)									0
Phone	Airplane mode	○ (Supported in work profile - C)		0			○ (Supported in work profile - C)			0					0
	Call broadcasting setting	(Supported in work profile - C)			(Supported in work profile - C)		(Supported in work profile - C)								
	Volume adjustment	0		0	0		0								0
	Microphone	(Supported in work profile - C)		0	(Supported in work profile - C)		(Supported in work profile - C)		0	0	0				0
	Voice call control(except Samsung Device)	(Supported in work profile - C)		0			(Supported in work profile - C)		0	0					
	SMS control(except Samsung Device)	(Supported in work profile - C)		0			(Supported in work profile - C)			0					
	Data connection during roaming	(Supported in work profile - C)		0	(Supported in work profile - C)		(Supported in work profile - C)			0			0		0
	Prohibit voice call(Incoming/Outgoing)				○ (Outgoing) (Supported in work profile - C)		○ (Supported in work profile - C)			0					
	SMS/MMS(Incoming/Outgoing)				(Supported in work profile - C)		(Supported in work profile - C)		0	0					
	WAP push during roaming						(Supported in work profile - C)			0					
	Data sync during roaming						(Supported in work profile - C)			0					
	Voice calls during roaming						(Supported in work profile - C)			0					
	Use SIM card locking Cellular data connection						0			0					
												1		1	

	Incoming/Outgoing Call/SMS blocklist								0						
	Data usage limit									0					
	Data usage restriction									0					
	Set app voice recording allowlist									0					
	Modification of cellular data settings for each application											(Supervised)			
	FaceTime											(Supervised)			
	Voice dialing											(Supervised)		<u> </u>	<del>                                     </del>
1	Professional food for annual control of the control								-			0		-	
	Background fetch for roaming											0			
	eSIM modification											○(Supervised)			
1	Cellular plan modification											(Supervised)			
1	Contact management							<u></u>					·		0
	Auto call answer	,													0
Container			0			0		0							
	Copy and paste clipboard per profile		(Supported in work profile - C)			(Supported in work profile - C)		(Supported in work profile - C)			0				
			0		,	work profile - C)		0							
	Phone Book Access Profile(PBAP) via Bluetooth		(Supported in work profile - C)					(Supported in work profile - C)							
	Set a message for profile wipe		(Supported in			(Supported in		(Supported in							
			work profile - C)		,	work profile - C)		work profile - C)							
	Set a maximum period for profile turn off		(Supported in work profile - C)		l .	(Supported in work profile - C)		(Supported in work profile - C)							
	Moving an application to container		p C)			p. c.mc - c)		p. Jine ()			0				
	Moving a file to Knox area								-		0			-	
	Moving a file to General area								-		0			<b> </b>	
	Calendar sync setting										0				
	Contacts sync setting										0				
Factory Reset Protection		0	0		0	0									
	Allow factory reset protection	(Supported in work profile - C)	(Supported in work profile - C)	0	(Supported in work profile - C)	(Supported in work profile - C)	0								
Knox Browser			0					0							
	Homepage URL	0	(Supported in work profile - C)	0			0	(Supported in work profile - C)							
			0					0							
	App auto update	0	(Supported in work profile - C)	0			0	(Supported in work profile - C)							
	1		Work profile - C)					work profile - C)						<u> </u>	
	Hide URL	0	(Supported in	0			0	(Supported in							
			work profile - C)					work profile - C)							
	URL block/allowlist control	0	(Supported in	0			0	(Supported in							
			work profile - C)					work profile - C)							
	Link URL to other apps	0	(Supported in work profile - C)	0			0	(Supported in work profile - C)							
	Cookies	0	(Supported in	0			0	(Supported in							
		*	work profile - C)				*	work profile - C)							
	File download	0	(Supported in	0			0	(Supported in							
			work profile - C)					work profile - C)							
	File upload	0	(Supported in work profile - C)	0			0	(Supported in work profile - C)							
			©					0							
	Text copy	0	(Supported in	0			0	(Supported in							
		0	work profile - C)	0			0	work profile - C)							
	Screen capture	O	(Supported in work profile - C)	U			0	(Supported in work profile - C)							
	Bookmark	0	(Supported in	0			0	(Supported in				1			
		~	work profile - C)				<b>Y</b>	work profile - C)							
	Text scaling	0	(Supported in				0	(Supported in							
	-		work profile - C)					work profile - C)							
	Force enable zoom	0	(Supported in				0	(Supported in							
Scheduler	Della condete estadola leco.		work profile - C)				_	work profile - C)	_						
scrieduler	Policy update schedule by weekday	0		0	0		0		0	0					
	Policy update schedule by time zone	0		0	0		0		0	0					
	Policy update schedule by start time	0		0	0		0		0	0					
Browser	Cookies						0			0	0	0			
	JavaScript						0			0	0	0			
	Auto fill						0			0	0	(Supervised)			
	Pop-up block						Ö			0	0	0			
	Browser proxy URL						0			0	0				
	Safari								<del>                                     </del>	J		Osun			<del>                                     </del>
1									<b>-</b>			○(Supervised)			
	Untrusted TLS certificate											0			
	Web forgery warning											0			
Custom Animation	Booting animation					-	(Supported in								
							work profile - C)								
	Shutdown animation						(Supported in work profile - C)								
Firewall	Firewall permitted by IP per app						(Supported in			0	0				
	newan permitted by ir per app						(Supported in work profile - C)			U	U				

	0
Firewall prohibited by IP per app (Supp	orted in O O O rofile - C)
work p	O O
Firewall permitted by domain per app (Supp	orted in
	rofile - C)
	O orted in O O
	oried in
DNS setting (Supp	orted in OOO
Firewall permitted to all packages	rofile - C)
Firewall prohibited to all packages	
Dex	0
Allow DeX mode (Supp	orted in O
	ofile - C)
Application execution blocklist	
Knox Service Plugin Provide the same feature set by KSP dynamic UI and KSP premium features are available with Knox Suite license of Knox Platform for Enterprise I  Please refer to samsungknox.com for the KSP feature list	cense
rease reer to samplighous com for the Ksh reature list https://docs.samsungknox.com/de/kynox-service-plugik/n/dex.htm	
Logging Save logs	0 0
Set log level	0 0
Set maximum log size(M8) Set maximum dips for storage(Day)	0 0
Share(OS) Allow open from unmanaged to managed apps	
Allow open from managed to unmanaged apps	0
Managed pasteboard	0
AirDrop Consider AirDrop not managed	O(Supervised) O(Supervised)
AirPrint	O(Supervised)
AirPrint credentials storage	O(Supervised)
Force AirPrint trusted TLS requirement AirPrint iBeacon discovery	O(Supervised) O(Supervised)
iCloud(iOS) Backup	Compared Com
Document synchronization	○(Supervised)
icloud photo library	0
Photo stream Photo sharing	0 0
Keychain synchronization	
Managed app synchronization	0
Handoff Enterprise book backup	0 0
Enterprise books, notes and highlights sync	0
Media(iOS) Set level of media contents for country	0
MMM dient unenrollment  Settings Wi-Fi	
MOM client unenrollment  Settings Wi-Fi	
MOM diest unervollment	
MOM client unenrollment	
MOM client unenrollment	
MOM client unenrollment  Wi-Fi  Bookmark / Web Clip  Wi-Fi  Wi-Fi	
Settings	
MCM client unenrollment  Wi-FI  VPH(clerice wide / per App)  Bookmark / Web Clip  Home Screen Layout  Certificate  Exchange  Knox VPN  APP / Cellular  Email account  Email account  SSO  AirPrint  Font	
MDM client unenrollment	
MOM Giest unenrollment	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
MDM client unenrollment	O O O O O O O O O O O O O O O O O O O
MCM client unenrollment	O O O O O O O O O O O O O O O O O O O
MOM client unenrollment	
Settings Wi-Fi O O O O O O O O O O O O O O O O O O O	O O O O O O O O O O O O O O O O O O O
MDM client unenrollment  Wi-Fi  Bookmark / Web Clip  Whom Soven Layout  Certificate  Certificate  Certificate  Certificate  Co  Wi-Fi  Certificate  Certificate  Co  APP / Cellular  Exhange  APP / Cellular  Cinal account  Cinal account  Cinal account  APP Lock  Wi-Fi  Global HTTP proxy  APP (Co) or above)  Web content filter (GO 7 or above)  Meanaged domains (GO 8 or above)  Network usage rules (GO 5 or above)  Metwork usage rules (GO 5 or above)  Network usage rules (GO 5 or above)  Windows Hello  Luston Setting	
Settings Wi-Fi Wi-	O
MDM client unenrollment  Wi-Fi  Wi-Fi	O O O O O O O O O O O O O O O O O O O
MOM client unenrollment  Wi-Fi  Bookmark / Web Clip  Windows Cereb Layout  Certificate  Exchange  Knox VPN  APAN / Cellular  Email account  Email account  SSO  AirPrint  Font  App Lock  App Locke  App Locke  App Locke  App Locke  App Locke  App Lock  App Locke  App Locke  Monte of the Fi  Mon	O
MOM client unenrollment  Wi-FI  Wi  Wi  Wi  Wi  Wi  Wi  Wi  Wi  Wi  W	O
MOM client unenrollment  Wi-Fi  Wi-Fi	O O O O O O O O O O O O O O O O O O O
MOM client unenrollment  Wi-FI  Wi-FI	O
MOM client unenrollment  Wi-Fi  Wi-Fi	O
MCM client unenrollment  Wi-FI  Wi-FI	O
MOM. Glent unenrollment  Wi-FI  Bookmark / Web Clip  Wi-FI  Wi-FI  Certificate  Certificate	O O O O O O O O O O O O O O O O O O O
MCM client unenrollment  Wi-FI  Bookmark / Web Clip  Lentificate  Exchange  Knox VPN  APN / Cellular  Email account  SSO  AIPPent  Email account  SSO  AIPPent  Font  App Locke  Wido content filter (GS 7 or above)  Wido content filter (GS 7 or above)  Web content filter (GS 7 or above)  Managed domains (GS 8 or above)  Network usage rules (GS 9 or above)  Windows Hello  Custom Setting  Ethernet  General settings (Chrome)  Ethernet  General settings (Chrome book only)  Luses & browsers - General (Chrome)  Windows password buttom  Users & browsers - Sign-in settings (Chrome)  Users & browsers - Sign-in settings (Chrome)  Users & browsers - Sign-in settings (Chrome)  Windows password buttom  Managed account as secondary account  Windows password buttom  Windows password butto	C
MOM client unenrollment  Wi-FI  Bookmark / Web Clip  Wi-FI  Certificate  Exchange  Knox VPN  APN / Cellular  Email account  SSO  AI/Print  Font  App Lock  Wi-FI  Clotab HTTP proxy  AirPilay (GS7 or above)  Wib content filter (GS 7 or above)  Wib content filter (GS 6 or above)  Network usage rules (GS 9 or above)  Windows Helio  Custom Setting  Ethernet  Custom Setting  Ethernet  General settings (Chrome book only)  Wiser & browsers - Sign-in settings (Chrome)  Wiser & browsers - Sign-in settings (Chrome)  Users & browsers - Sign-in settings (Chrome)  Display password button  Managed account as secondary account  Password manager  Users & browsers - Sign in settings (Chrome)  Password manager  Users & browsers - Sign in settings (Chrome)  Password manager  Users & browsers - Sign in settings (Chrome)  Password manager  Users & browsers - Sign in settings (Chrome)  Password manager  Users & browsers - Sign in settings (Chrome)  Password manager  Users & browsers - Sign in settings (Chrome)  Password manager  Users & browsers - Sign in settings (Chrome)  Password manager  Users & bro	O
MDM client unernoliment  Vi-Fit  Socianari, // Web Cip  I-Fit  Exchange  Knox VPN  API  API  API  API  API  API  API  A	O O O O O O O O O O O O O O O O O O O
MOVM Client unervollment    Note   Proceedings   Note   Proceedings   Note   Procedings   Note   Procedings   Procedings   Note   Procedings   Proce	O
MOM client unervollment  Wi-F.  Wi-F.  Wi-F.  Wi-F.  Wi-Nicrose vick / per App)  Socimate / Web Citp  Nome Screen Lupout  Certificate	O
MOM client unenrollment  WF. F. O O O  WYNErecke wide / per App)  Bookmark / Web City  Home Screen Lapout  Grifficate  Griffic	O O O O O O O O O O O O O O O O O O O
MOM client unercollement  Wi-Fi  Wi-Fi  Wi-Fi  Wi-Fi  Wi-Fi  Wi-Fi  Wi-Fi  Boshmark / Web Cip  Boshmark /	O
MOM client unenrollment  WF. F. O O O  WYNErecke wide / per App)  Bookmark / Web City  Home Screen Lapout  Grifficate  Griffic	O O O O O O O O O O O O O O O O O O O

	Single sign-on									0		
1	SAMI single sign-on login frequency	<b> </b>				<del>                                     </del>				0	<b> </b>	
	SAML single sign-on login frequency	<b>+</b>	-		1			+		0		
	Allowed certificate transparency URLs							1				
	Certificate transparency CA allowlist									0		
	Certificate transparency legacy CA allowlist									0		
	User management of installed CA certificates									0		
	User management of installed client cortificator	<b>†</b>				<del>                                     </del>	_	1		0		
	User management of installed client certificates CPU task scheduler	<del>                                     </del>			1	<del>                                     </del>		+	<del>                                     </del>		<del>                                     </del>	
										0		
	Enable leak detection for entered credentials									0		
	Ambient authentication									0		
	Unsupported system warning									0		
	Advanced protection program									0		
	Override insecure origin restrictions									0		
	Popup interactions									0		
	Security token removal									0		
	Screen brightness											
	3DES cipher suites in TLS											
	SDES CIPITER SUITES ITI TES											
	Allow remote debugging											
	Insecure media capture											
	WebAuthn											
	SAML single sign-on password synchronization flows											
	CANAL single sign on password synchronization nows											
	SAML single sign-on password synchronization											
	WebSQL in non-secure contexts											
	Compromised password alerts											
	Auto-select for multi screen captures	1							1			
	TLS encrypted ClientHello	1				<del>                                     </del>		1				
Users & browsers - Remote access (Chrome)	Daniela access disease	<b>+</b>	-		1			+		_		
users & prowsers - Remote access (Unrome)	Remote access clients	1				+ + + + + + + + + + + + + + + + + + + +		+		U		
	Remote access hosts							1		0		
	Firewall traversal	 1								0		
Users & browsers - Session settings (Chrome)	Show logout button in tray									0		
	Kerberos tickets	1	l	<del>                                     </del>	<del>                                     </del>		_	+		0		
oscis a proviscis - kerberos (cilioffe)		1	l	<del>                                     </del>	-	+		+				
	Remember Kerberos passwords	1						1		0		
	Kerberos accounts	 <u> </u>	<u></u>			<u> </u>			L	0	L	
Users & browsers - Network (Chrome)	Proxy mode	1							1	0		
	Ignore proxy on captive portals	1	l					1		0		
	Supported authentication schemes	t		<del>                                     </del>		+ + +		+				
		1	l	<del>                                     </del>	-	+		+		0		
	Allow basic authentication for HTTP	1						1		0		
	NTLMv2 authentication									0		
	Minimum SSL version enabled									0		
	SSL error override									0		
	SSL error override allowed domains											
	SSL error override allowed domains									0		
	WebRTC UDP ports									0		
	WebRTC ICE candidate URLs for local lps		1	1				1		0		
	QUIC protocol									0		
	DNS-over-HTTPS						1			0		
		t		<del>                                     </del>		+ + +		+		0		
	Built-in DNS client	<del>                                     </del>			1	<del>                                     </del>		+	<del>                                     </del>		<del>                                     </del>	
	Integrated authentication servers	1						1		0		
	Kerberos delegation servers	 1	l	I I		1 7		1 -		0		
	Kerberos ticket delegation									0		
	Kerberos service principal name						1			Ö		
		t		<del>                                     </del>		+ + +		+		0		
	Kerberos SPN port	1				+ + + + + + + + + + + + + + + + + + + +		+				
	Cross-origin authentication							1		0		
	SharedArrayBuffer	 I								0		
					t		1	1				
I .	User agent client hints									0		
	User agent client hints					<del>                                     </del>				0 0		
	Signed HTTP exchange(SXG) support									0		
	Signed HTTP exchange(SXG) support Globally scoped HTTP authentication cache									0		
	Signed HTTP exchange(SXG) support Globally scoped HTTP authentication cache Require online OCSP/CRL checks for local trust anchors									0		
	Signed HTTP exchange(SXG) support Globally scoped HTTP authentication cache Require online OCSP/CRL checks for local trust anchors									0		
	Signed HTTP exchange(SXG) support Globally scoped HTTP authentication cache Require online OCSP/CRL checks for local trust anchors HSTS policy bypass list									0 0 0		
	Signed HTTP exchange(SXG) support Globally scoped HTTP authentication cache Require online OCSP/CRL checks for local trust anchors HSTS policy bypass list CNS interception checks enabled									0 0 0 0		
	Signed HTTP exchange(SXG) support Globally scoped HTTP authentication cache Require online OCSP/RCL thecks for local trust anchors HSTS policy bypass list CNS interception checks enabled Intranet redirection behavior									0 0 0 0 0 0		
	Signed HTTP exchange(SXQ) support Globally scoped HTTP authentication cache Reguie online OCSP/CRL checks for local trust anchors HSTS policy bypass list USS interception checks enabled intranet redirection behavior Leagen TS/DTS downgrade in WebRTC									0 0 0 0 0		
	Signed HTTP exchange(SXG) support Globally scoped HTTP authentication cache Require online OCSP/CRL checks for local trust anchors HSTs policy bypass list CNS interception checks enabled Intranet redirection behavior Legacy TLS/DTLS downgrade in WebRTC WPAD optimization									0 0 0 0 0 0		
	Signed HTTP exchange(SXQ) support Globally scoped HTTP authentication cache Reguie online OCSP/CRL checks for local trust anchors HSTS policy bypass list USS interception checks enabled intranet redirection behavior Leagen TS/DTS downgrade in WebRTC									0 0 0 0 0		
	Signed HTTP exchange/SXIS support Globally scroped HTTP authentication cache Require online OCSP/CRL checks for local trust anchors HSTs policy bypass (int CNS interception checks enabled intranet redirection behavior Legacy TLS/OTIS downgrade in WebRTC WPAD optimization Logic redentals for network authentication									0 0 0 0 0 0		
	Signed HTP exchange(SXG) support Globally scoped HTTP authentication cache Require online OCSP/CRL checks for local trust anchors HSTS policy bypass list CNS interception checks enabled Intranet redirection behavior Legacy TLS/DTLS downgrade in WebRTC WPAD optimization Login credentials for network authentication Allowed network ports									0 0 0 0 0 0		
	Signed HTTP exchange(SXIS) support Globally scoped HTTP authentication cache Require online OCSP/CRI, checks for local trust anchors IESTS policy bypass list CNS interception checks enabled Intranet redirection behavior Legacy TIS/DTIS downgrade in WebRTC WPAD optimization Login credentials for network authentication Allowed network ports CECPO2 post-equatum key-agreement for TLS									0 0 0 0 0 0		
	Signed HTTP exchange(SXG) support Globally scoped HTTP authentication cache Require online OCSP/CRI. checks for local trust anchors HSTS policy bypass list ONS interception checks enabled Intranet redirection behavior Leagen TI_S/DTIS downgrade in WebRTC WPAD optimization Login credentials for network authentication Allowed network ports CECPQ2 post=quantum key-agreement for TLS Freeze User-Aquest string version									0 0 0 0 0 0 0		
Users & browsers - Android applications (Chrome)	Signed HTTP exchange/SXIS support Globally scoped HTTP authentication cache Require online OCSP/CRI, checks for local trust anchors IEST policy bypass list OXS interception checks enabled Intranet redirection behavior Legacy TIS/OTIS downgrade in WebRTC WPAD optimization Login cradentials for network authentication Allowed network ports CECP/Q2 post-equaturu key-agreement for TLS Freeze User-Agent string version Control Android backup and restore service									0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		
	Signed HTTP exchange(SXG) support Globally scoped HTTP authentication cache Require online OCSP/CRI. checks for local trust anchors HSTS policy bypass list ONS interception checks enabled Intranet redirection behavior Leagen TI_S/DTIS downgrade in WebRTC WPAD optimization Login credentials for network authentication Allowed network ports CECPQ2 post=quantum key-agreement for TLS Freeze User-Aquest string version									0 0 0 0 0 0 0		
	Signed HTTP exchange(SXG) support Gobilly scoped HTTP eathernication cache Require online OCSP/CRL checks for local trust anchors HSTS policy bypass list OKS interception checks enabled Intranet redirection behavior Legay TIS/DTIS downgrade in WebRTC WAPA Optimization Login credentials for network authentication Allowed network ports CECPQ2 post-quantum key-agreement for TLS Freeze Dex-Repert string version Control Android backup and restore service Google location services									0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		
Users & browsers - Android applications (Chrome)	Signed HTTP exchange(SXIS) support Globally scoped HTTP authentication cache Require online OCSF/CRL hecks for local trust anchors HSTS policy bypass list CSS interception checks enabled interact redirection behavior Legacy TLS/OTLS downgrade in WebRTC WPALD optimization Logic redentials for network authentication Allowed network ports CECPC2 post-quantum key-agreement for TLS Freeze User-Agent string version Control Android backup and restore service Google location services Certificate synchronization									0 0 0 0 0 0 0 0 0 0		
	Signed HTTP exchanges/SXIS support Globally scroped HTTP authentication cache Require online OCSP/CRL checks for local trust anchors HSTS policy bypass list CNS interception checks enabled Intranet redirection behavior Legay TIS/DTIS downgrade in WebRTC WPAD optimization Login credentials for network authentication Allowed network ports GCFQI2 post-quantum key-agreement for TLS Freeze User-Agent string version Control Android backup and restore service Google location services Certificate synchronization Home button									0 0 0 0 0 0 0 0 0 0		
Users & browsers - Android applications (Chrome)	Signed HTTP exchange(SXIS) support Globally scoped HTTP authentication cache Require online OCSF/CRL hecks for local trust anchors HSTS policy bypass list CNS interception checks enabled interest redirection behavior Legacy TLS/DTLS downgrade in WebRTC WPALD optimization Logic redentials for network authentication Allowed network ports CECPQ2 post-quantum key-agreement for TLS Freeze User-Agent string version Control Android backup and restore service Google location services Certificate synchronization Home button									0 0 0 0 0 0 0 0 0 0 0		
Users & browsers - Android applications (Chrome)	Signed HTTP exchangerSXIS support Globally scroped HTTP authentication cache Bequire online OCSP/CRL checks for local trust anchors HSTS policy bypass list HSTS policy bypass list Intranet redirection behavior Legay TIS/DTIS downgrade in WeBRTC WPAD optimization Login credentials for network authentication Allowed network ports CECPQ2 post-quantum key-agreement for TLS Frezer Lister-Agent string version Control Android backup and restore service Google location services Certificate synchronization Home button Home button Home page											
Users & browsers - Android applications (Chrome)	Signed HTTP exchangerSXIS support Globally scroped HTTP authentication cache Bequire online OCSP/CRL checks for local trust anchors HSTS policy bypass list HSTS policy bypass list Intranet redirection behavior Legay TIS/DTIS downgrade in WeBRTC WPAD optimization Login credentials for network authentication Allowed network ports CECPQ2 post-quantum key-agreement for TLS Frezer Lister-Agent string version Control Android backup and restore service Google location services Certificate synchronization Home button Home button Home page									0 0 0 0 0 0 0 0 0 0 0		
Users & browsers - Android applications (Chrome)	Signed HTTP exchange/SKIS support Globally scoped HTTP authentication cache Require online OCSP/CRL checks for local trust anchors HSTS policy bypass list CSS interception checks enabled Internet reference he behavior Legacy 115,0T1S downgrade in WebRTC WPPAC optimisation Login condentials for network authentication Allowed network ports CECPQ2 post-quantum lay-agreement for TLS Freeze beer Agent string version Control Android backup and restore service Google location services Certificate synchronization Home button Homepage New tab page New tab page											
Users & browsers - Android applications (Chrome)	Signed HTTP exchangerSXDS support Globally scoped HTTP authentication cache Beguire online OCSP/CRL checks for local trust anchors 16STs policy bysass list CNS interception checks enabled intranet redirection behavior Legay TIS/DTIS downgrade in WeBRTC WPAD optimization Logic redentials for network authentication Allowed network ports CECPQ2 post-equatum key-agreement for TLS Freeze User-Agent string version Control Android backup and restore service Google location services Certificate synchronization Home button Home page New tab page New tab page bockground Paged to load on startup											
Users & browsers - Android applications (Chrome)  Users & browsers - Startup (Chrome)	Signed HTTP exchange(SKS) support Globally scoped HTTP authentication cache Require online OCSP/CRL checks for local trust anchors HSTS policy bypass list CNS interception checks enabled Intranet referencies behavior Legacy TLSOTILS downgrade in WebRTC WPAD optimization Logic condentials for network authentication Allowed network ports ECPCQ2 post-quantum lay-agreement for TLS Freeze User-Agent string version Control Android backup and restore service Google location services Certificate synchronization Homepage New tab page Revet tab Profile picker availability on profile picker availability on profile picker availability on browser startup Paged to load on startup Profile picker availability on browser startup											
Users & browsers - Android applications (Chrome)  Users & browsers - Startup (Chrome)	Signed HTTP exchange(SXIS) support Globally screed HTTP authentication cache Bequire online OCSP/CRI checks for local trust anchors HSTS policy bypass list:  CNS interception checks enabled intranet redirection behavior Legay TIS/OTIS downgrade in WeBRTC WARAD optimization Logic creditatis for network authentication Allowed network ports CECPQ2 post-quantum key-agreement for TIS Freeze User-Agent string version Control Android backup and restore service Google location services Certificate synchronization Homepage New tab page background Paged to local on startup Profile picker availability on browser startup Safesearch and restored to Safesearch and restored more saf											
Users & browsers - Android applications (Chrome)  Users & browsers - Startup (Chrome)	Signed HTTP exchange(SKD) support Globally scoped HTTP authentication cache Require online OCSP/CRL checks for local trust anchors HSTS policy bypass list CNS interception checks enabled Intranet referencies helawior Legacy ITSO/ITS downgrade in WebRTC WPAD optimisation Login condentials for network authentication Allowed network ports CCP/CQ post-quantum lay-agreement for TLS Freeze beer Agent string version Control Android backup and restore service Google location services Certificate synchronization Homepage New tab page Services of the Control Profile picker availability on browser startup Self-Search and restricted mode Screenshot											
Users & browsers - Android applications (Chrome)  Users & browsers - Startup (Chrome)	Signed HTTP exchange(SKD) support Globally scoped HTTP authentication cache Require online OCSP/CRL checks for local trust anchors HSTS policy bypass list CNS interception checks enabled Intranet referencies helawior Legacy ITSO/ITS downgrade in WebRTC WPAD optimisation Login condentials for network authentication Allowed network ports CCP/CQ post-quantum lay-agreement for TLS Freeze beer Agent string version Control Android backup and restore service Google location services Certificate synchronization Homepage New tab page Services of the Control Profile picker availability on browser startup Self-Search and restricted mode Screenshot											
Users & browsers - Android applications (Chrome)  Users & browsers - Startup (Chrome)	Signed HTP exchange(SXIS) support Globally screed HTP authentication cache Require online OCSP/CRI, beeks for local trust anchors IEST policy bypass list CAIS interception checks enabled intranet redirection behavior Legacy TIS/DTIS downgrade in WebRTC WWAD optimization Logis credentials for network authentication Allowed network ports CECPG2 post-equantum key-agreement for TIS Freeze User-Agent string version Control Android backup and restore service Google location services Centrificate synchronization Homes button Homes button Homes button Homes page New tab page Rose and Paged to load on startup Profile picker availability on browser startup SadeSearch and restricted mode Screenshot Screen video capture											
Users & browsers - Android applications (Chrome)  Users & browsers - Startup (Chrome)	Signed HTTP exchange(SKD) support Globally scoped HTTP authentication cache Require online OCSP/CRL checks for local trust anchors HSTS policy bypass list CSS interception checks enabled Intranet redirection behavior Lagaey ISSONIS downgrade in WebRTC WAPAC optimization Logic redientials for network authentication Allowed network ports CECPO2 post-quantum key-agreement for TLS Freeze User-Agent string version Control Android backup and restore service Google location services Certificate syndronization Home button Home button Homepage New tab page Section of the service of the serv											
Users & browsers - Android applications (Chrome)  Users & browsers - Startup (Chrome)	Signed HTTP exchange(SXIS) support Globally scoped HTTP authentication cache Require online OCSP/CRI, herks for local trust anchors IESTS policy bypass list CAS interception checks enabled Intranet redirection behavior Legay TIS/DTIS downgrade in WebRTC WWAD optimization Login credentials for network authentication Allowed network ports CECPG2 post-equaturu key-agreement for TIS Freeze User-Agent string version Control Android backup and restore service Google location services Certificate synchronization Home button Home button Homepage New tab page See tab Goodle on startup Profile picker availability on browser startup Sadésaarch and restricted mode Screen/MG Screen/MG Cient certificates Generiticates Generi											
Users & browsers - Android applications (Chrome)  Users & browsers - Startup (Chrome)	Signed HTTP exchange(SKD) support Globally scoped HTTP authentication cache Require online OCSP/CRL checks for local trust anchors HSTS policy bypass list CNS interception checks enabled Intranet redirection behavior Legacy TLS/OTIS downgrade in WebRTC WAPAC optimization Logic redentials for network authentication Allowed network ports CECPQ2 post-quantum key-agreement for TLS Freeze User-Agent string version Control Android backup and restore service Google location services Certificate syndromization Home button Homepage New tab page New tab page New tab page Profile picker availability on browser startup SafeSearch and restricted mode Screenshot Screen video capture Genetic Certificates Genetic Marchine Control Certificates Genetic Marchine Certificates syndromization Home button Homepage New tab page New tab page New tab page Certificate syndromization Sufficient and Certificates Screenshot Screen video capture Genetic certificates Security key attestation 30 content											
Users & browsers - Android applications (Chrome)  Users & browsers - Startup (Chrome)	Signed HTP exchange(SXIS) support Globally scoped HTP authentication cache Require online OCSP/CRI, becks for local trust anchors IESTS policy bypass list CNS interception checks enabled Intranet redirection behavior Legay TIS/DTIS downgrade in WebRTC WPAD optimization Login credentials for network authentication Allowed network ports CECPG2 post-equaturut key-agreement for TIS. Freeze User-Agent string version Control Android backup and restore service Google location services Certificate synchronization Home button Home button Homepage New tab page New tab page New tab page New tab page bekground Paged to load on startup Profile picker availability on browser startup Satéssarch and restricted mode Screen/NdC Screen/NdC Certificates Conciles Cookies											
Users & browsers - Android applications (Chrome)  Users & browsers - Startup (Chrome)	Signed HTP exchange(SXIS) support Globally scoped HTP authentication cache Require online OCSP/CRI, becks for local trust anchors IESTS policy bypass list CNS interception checks enabled Intranet redirection behavior Legay TIS/DTIS downgrade in WebRTC WPAD optimization Login credentials for network authentication Allowed network ports CECPG2 post-equaturut key-agreement for TIS. Freeze User-Agent string version Control Android backup and restore service Google location services Certificate synchronization Home button Home button Homepage New tab page New tab page New tab page New tab page bekground Paged to load on startup Profile picker availability on browser startup Satéssarch and restricted mode Screen/NdC Screen/NdC Certificates Conciles Cookies											
Users & browsers - Android applications (Chrome)  Users & browsers - Startup (Chrome)	Signed HTTP exchange(SKD) support Globally scoped HTTP authentication cache Require online OCSP/CRL checks for local trust anchors HSTS policy bypass list CNS interception checks enabled intranet redirection behavior Legacy TLS/OTIS downgrade in WebRTC WAPAC optimization Logic redentials for network authentication Allowed network ports CECPQ2 post-quantum key-agreement for TLS Freeze User-Agent string version Control Android backup and restore service Google location services Certificate syndromization Home button Homepage New tab page New tab page New tab page Profile picker availability on browser startup SafeSearch and restricted mode Screenshot Screen video capture Genetic Conference Genetic Certificates Genet											
Users & browsers - Android applications (Chrome)  Users & browsers - Startup (Chrome)	Signed HTTP exchange(SXIS) support Globally scoped HTTP authentication cache Require online OCSP/CRI, hecks for local trust anchors IESTS policy bypass list OXS interception checks enabled Intranet redirection behavior Legay TIS/OTIS downgrade in WebRTC WWAD optimization Login credentials for network authentication Allowed network ports CECYC2 post-equaturum key-agreement for TLS Freeze User-Agent string version Control Android backup and restore service Google location services Certificate synchronization Home button Homepage New tab page New tab page New tab page New tab page Rever tab page Rever tab page Service availability on browser startup Sadésearch and restricted mode Screenhold Screenhold Cinet certificates Cercerificates Cercerificates Cercerificates Concein de Control Control Downer of the Control Downer of the Control Control Downer of the Control Con											
Users & browsers - Android applications (Chrome)  Users & browsers - Startup (Chrome)	Signed HTTP exchangerSXDS support Globally scoped HTTP authentication cache Beguire online OCSP/CRL checks for local trust anchors HSTS policy bysass list: CNS interception checks enabled intranet redirection behavior Legay TLS/OTLS downgrade in WeBRTC WWAD optimization Login credentials for network authentication Allowed network ports CECPQ2 post-quantum key-agreement for TLS Freeze User-Agent string version Control Android backup and restore service Google location services Cortificates synchronization Homes button Homespage New tab page background Paged to load on startup Profile picker availability on browser startup SafeSearch and restricted mode Screenshot Screen video capture Client certificates Cockies Countly key attestation 30 content Cockies Cockies Third-party codele blocking Default legapy same site cookle behavior Per-site legaps; some site cookle behavior											
Users & browsers - Android applications (Chrome)  Users & browsers - Startup (Chrome)	Signed HTTP exchange(SXIS) support Globally scoped HTTP authentication cache Require online OCSF/CRL hecks for local trust anchors HSTS policy bypass list CNS interception checks enabled interact redirection behavior Legacy TLS/DTLS downgrade in WebRTC WPALD optimization Logic redentials for network authentication Allowed network ports CECPQ2 post-quantum key-agreement for TLS Freeze User-Agent string version Control Android backup and restore service Google location services Certificate synchronization Home button Homepage New tab page See to load on startup Profile picker availability on broweer startup Sefsearch and restricted mode Serventhot Screen video capture Client certificates Securily key attestation 30 content Cookles Third party cookle blocking Default legacy same site cookle behavior Per-site legacy same site cookle behavior Per-site legacy same site cookle behavior											
Users & browsers - Android applications (Chrome)  Users & browsers - Startup (Chrome)	Signed HTTP eichangerSXDS support Globally screed HTTP authentication cache Beguire online OCSP/CRL checks for local trust anchors HSTS policy bypass list: CNS interception checks enabled intranet redirection behavior Legay TLS/OTLS downgrade in WebRTC WRAD optimization Login credentials for network authentication Allowed network ports CECPQ2 post-equatum key-agreement for TLS Freeze User-Agent string version Control Android backup and restore service Google location services Control Android backup and restore service Google location services Certificate synchronization Homepage New tab page background Paged to load on startup Profile picker availability on browser startup SafeSearch and restricted mode Screenshot Screen video capture Client certificates Screutify key attestation 30 content Cookies They service services cookie behavior Pre-site legacy same site cookie behavior Images Javascript											
Users & browsers - Android applications (Chrome)  Users & browsers - Startup (Chrome)	Signed HTTP eichangerSXDS support Globally screed HTTP authentication cache Beguire online OCSP/CRL checks for local trust anchors HSTS policy bypass list: CNS interception checks enabled intranet redirection behavior Legay TLS/OTLS downgrade in WebRTC WRAD optimization Login credentials for network authentication Allowed network ports CECPQ2 post-equatum key-agreement for TLS Freeze User-Agent string version Control Android backup and restore service Google location services Control Android backup and restore service Google location services Certificate synchronization Homepage New tab page background Paged to load on startup Profile picker availability on browser startup SafeSearch and restricted mode Screenshot Screen video capture Client certificates Screutify key attestation 30 content Cookies They service services cookie behavior Pre-site legacy same site cookie behavior Images Javascript											
Users & browsers - Android applications (Chrome)  Users & browsers - Startup (Chrome)	Signed HTTP eichangerSKDS support Globally scoped HTTP authentication cache Require online OCSF/CRL hecks for local trust anchors HSTS policy bypass list CNS interception checks enabled interact redirection behavior Legacy TLS/DTLS downgrade in WebRTC WPALD optimization Logic redentials for network authentication Allowed network ports CECPC2 post-quantum key-agreement for TLS Freeze User-Agent string version Control Android backup and restore service Google location services Certificate synchronization Homebage New tab page See to load on startup Profile picker availability on broweer startup Suffscent and restricted mode Sersenthot Screen video capture Client certificates Generic Security key attestation 30 content Conokes Third parry cookie blocking Default legacy same site cookie behavior Per-site legacy same site cookie behavior Pen-site legacy same site cookie behavior Pen-site legacy same site cookie behavior Images JawaScript Intertent-WakeUp throttling											
Users & browsers - Android applications (Chrome)  Users & browsers - Startup (Chrome)	Signed HTP exchange(SXIS) support Globally screed hilf authentication cache Beguire online OCSP/CRI checks for local trust anchors HSTS policy bypass list CNS interception checks enabled intranet redirection behavior Legay TIS/DTIS downgrade in WebRTC WPAD optimization Login credentials for network authentication Allowed network ports CECPQ2 post-aquatum key-agreement for TLS Freeze User-Agent string version Control Android backup and restore service Google location services Centrificate synchronization Homepage New tab page background Homepage New tab page background Paged to load on startup Profile picker availability on browser startup SafeSearch and restricted mode Screenshot Screen video capture Client certificates Security key attestation 30 combent Cookles Third party cookle blocking Default legacy same site cookle behavior Images JavaScript interetiveWakeUp throttling JavaScript interetiveWakeUp throttling JavaScript interetiveWakeUp throttling											
Users & browsers - Android applications (Chrome)  Users & browsers - Startup (Chrome)	Signed HTTP eichangel SKIQS support Globally scoped HTTP authentication cache Require online OCSF/CRL hecks for local trust anchors HSTS policy bypass list CNS interception checks enabled Intranet rederication behavior Legacy TLS/DTLS downgrade in WebBTC WPAC optimization Logic condentals for network authentication Allowed network ports CECPQ2 post-separation key-agreement for TLS Freeze User-Agent string version Control Android backup and restore service Google location services Certificate synchronization Home button Homepage New tab page Certificate synchronization Jernole page to load on startup Profile picker availability on browser startup Saffsearch and restricted mode Screenshot Screen wideo capture Client certificates Scrutify key attestation JO Content Cookies That payr cookie blocking Default legacy same site cookie behavior Per-site ligacy same site cookie behavior Images JansScript IntentiveWakeUp throttling Notifications Autoplay video											
Users & browsers - Android applications (Chrome)  Users & browsers - Startup (Chrome)	Signed HTP exchange(SXIS) support Globally screed HTP authentication cache Require online OCSP/CRI, beeks for local trust anchors Instruction on the Cost of the C											
Users & browsers - Android applications (Chrome)  Users & browsers - Startup (Chrome)	Signed HTTP eichangel SKIQS support Globally scoped HTTP authentication cache Require online OCSF/CRL hecks for local trust anchors HSTS policy bypass list CNS interception checks enabled Intranet rederication behavior Legacy TLS/DTLS downgrade in WebBTC WPAC optimization Logic condentals for network authentication Allowed network ports CECPQ2 post-separation key-agreement for TLS Freeze User-Agent string version Control Android backup and restore service Google location services Certificate synchronization Home button Homepage New tab page Certificate synchronization Jernole page to load on startup Profile picker availability on browser startup Saffsearch and restricted mode Screenshot Screen wideo capture Client certificates Scrutify key attestation JO Content Cookies That payr cookie blocking Default legacy same site cookie behavior Per-site ligacy same site cookie behavior Images JansScript IntentiveWakeUp throttling Notifications Autoplay video											
Users & browsers - Android applications (Chrome)  Users & browsers - Startup (Chrome)	Signed HTP exchange(SXIS) support Globally screed HTP authentication cache Require online OCSP/CRI, beeks for local trust anchors Instruction on the Cost of the C											

					1						
1	URL blocking				1				0		
	Google Drive syncing								0		
	Google Drive syncing over cellular					1			0		
	Cast								0		
	Control use of insecure content exceptions								0		
	all								0		
	Allow insecure content on these sites										
	Block insecure content on these sites								0		
	Insecure forms								0		
	Network file shared								0		
	Scroll to text fragment								0		
	Enable URL-keyed anonymized data collection								0		
	triable orc-keyed anonymized data collection										
	AppCache								0		
	Web Bluetooth API								0		
	PDF annotations								0		
	File handling API								0		
	3D content										
	JavaScript setTimeout() clamping										
	Clipboard										
	Custom Protocol Handlers										
	Re-enable window.webkitStorageInfo API										
	Re-enable the Event.path API until Chrome 115										
Users & browsers - Printing (Chrome)	Enable/Disable Printing								0		
	Deprecated privet printing								0		
	Print preview default								0		
	Printer management								0		
	Default color printing mode								0		
	Restrict color printing mode								0		
	Default page sides					<b> </b>		-	0		
		-			<b> </b>	<b>-</b>					
	Restrict page sides								0		
	Background graphics printing default								0		
	Background graphics printing restriction		 	 					0		
	CUPS print job information	-		-		1			0		
	Print job history retention period								0		
	Print job history deletion					<b>-</b>					
		l			-	<b>-</b>	<del>                                     </del>		0		
	Restrict PIN printing mode								0		
	Default PIN printing mode								0		
	Maximum sheets								0		
	Default printing page size								0		
	Print headers and footers								0		
									0		
	Blocked printer types								0		
	Print PDF as image										
Users & browsers - User experience (Chrome)	Managed bookmarks								0		
	Bookmark bar								0		
	Shelf position								0		
	Shelf auto-hiding								0		
	Bookmark editing								0		
	Download location								0		
	Download location prompt								0		
									0		
	Spell check										
	Spell check service								0		
	Google translate								0		
	Alternate error pages								0		
1	Developer tools								0		
	Form auto-fill								0		
	Form auto-fill Payment methods								0		
	Form auto-fill Payment methods Emoji suggestions								0 0		
	Form auto-fill Payment methods Emoji suggestions								0 0		
	Form auto-fill Payment methods Emoji suggestions Multiple sign-in access								0 0 0 0		
	Form auto-fill Payment methods Emoji suggestions Multiple sign-in access Sign-in to secondary accounts								0 0 0 0		
	Form auto-fill Payment methods Emoji suggestions Multiple sign-in access Sign-in to secondary accounts Unified Deskto(BETA)								0 0 0 0 0		
	Form auto-fill Payment methods Emoji suggestions Multiple sign-in access Sign-in to secondary accounts Unified Desktop(BETA) WebRTC event log collection								0 0 0 0 0		
	Form auto-fill Payment methods Emoji suggestions Multiple sign-in access Sign-in to secondary accounts Unified Desktop(BETA) WebRIC event log collection Disabled System features								0 0 0 0 0 0		
	Form auto-fill Payment methods Emoji suggestions Multiple sigh-in access Sign-in to secondary accounts Unified Deathor(BETA) WeithETC event log collection Disabled system features Disosour game								0 0 0 0 0 0		
	Form auto-fill Payment methods Emoji suggestions Multiple sign-in access Sign-in to secondary accounts Lunified Destrop(RETA) WebRTC event log collection Disabled system features Dinosaur game Previously installed app recommendations								0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		
	Form auto-fill Payment methods Emoji suggestions Multiple sign-in access Sign-in to secondary accounts Lunified Destrop(RETA) WebRTC event log collection Disabled system features Dinosaur game Previously installed app recommendations								0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		
	Form auto-fill Payment methods Enoji suggestions Multiple sign-in access Sign-in to secondary accounts Unified Deadrop(BETA) WeBPITC event log collection Disabled system features Dinosaur game Previously installed app recommendations Suggested contents								0 0 0 0 0 0 0 0		
	Form auto-fill Payment methods Emoil suggestions Multiple sign-in access Sign-in to secondary accounts Unified Deaktop(BETA) WebRTC event log collection Deabled system features Onionaur game Previously installed app recommendations Suggested content URLs in the address bar								0 0 0 0 0 0 0 0 0		
	Form auto-fill Payment methods Enoji suggestions Multiple sign in access Sign-in access Sign-in access Sign-in b secondary accounts Lunified Desktop(BETA) WerkfitC event log collection Disabled system features Unisable grame Previously installed app recommendations Suggested content URLs in the address bar Shared dipboard								0 0 0 0 0 0 0 0 0 0		
	Form auto-fill Foyment methods Emoji suggestions Multiple sign-in access Sign-in to secondary accounts Unified Desktop(BETA) WebBTC event log collection Disabled system features Disnosaur game Previously installed app recommendations Suggested content URLs in the address bar Shared dipboard Full screen mode								0 0 0 0 0 0 0 0 0 0		
	Form auto-fill Payment methods Engil suggestions Multiple sign in access Sign-in access Sign-in to secondary accounts Unified Destop(BETA) WeeRfTC event log collection Disabled system features Disabled system features Disabled system features Disabled system features Unisial grame Previously installed app recommendations Suggested content URLs in the address bar Shared dipboard Full screen mode Full screen mode Full screen mode Full screen mode								0 0 0 0 0 0 0 0 0 0		
	Form auto-fill Foyment methods Emoji suggestions Multiple sign-in access Sign-in to secondary accounts Unified Desktop(BETA) WebBTC event log collection Disabled system feature Disabled system features Disabled system features Disabled system features Units in the address bar Shared didness bar Shared diffeomode Full screen alert Fow cards on the new tab page								0 0 0 0 0 0 0 0 0 0 0		
	Form auto-fill Payment methods Enoig suggestions Multiple sign-in access Sign-in to secondary accounts Unified Desktop(BETA) WebSTIC event log collection Disabled system features Disabled fill street Fill streen mode Full screen soler Show cards on the new tab page Maksimize window on first run								0 0 0 0 0 0 0 0 0 0		
	Form auto-fill Payment methods Enoig suggestions Multiple sign-in access Sign-in to secondary accounts Unified Desktop(BETA) WebSTIC event log collection Disabled system features Disabled fill street Fill streen mode Full screen soler Show cards on the new tab page Maksimize window on first run								0 0 0 0 0 0 0 0 0 0 0		
	Form auto-fill Formet methods Emoji suggestions Multiple sign-in access Sign-in to secondary accounts Unified Deaktop(BETA) WebBTC event log collection Disabled system features Disosaur game Previously installed app recommendations Suggested content URIS in the address bar Shared clipboard Full screen mode Full screen alert Show cards on the new tab page Maskinize window on first tun Allow user feedback										
	Form auto-fill Payment methods Enoji sugpestions Multiple sign-in access Sign-in to secondary accounts Unified Desktop(BETA) WelfiftC event tog collection Disabled system features Dirocaur game Previously installed app recommendations Suggested content URLs in the address bar Shared dipboard Full screen mode Full screen mode Full screen mode Full screen side Show cards on the new tab page Maksimize window on first run Allow user feedback Media recommendations								0 0 0 0 0 0 0 0 0 0 0 0 0		
	Form auto-fill Fymment methods Emoji suggestions Multiple sigh-in access Sign-in to secondary accounts Unified Deaktop(BETA) Weight Cevent log collection Disabled system features Dinosaur game Previously installed app recommendations Suggested content URLs in the address bar Shared diplosed Full screen mode Full screen aiert Snow cards on the new tab page Musimize window on first run Allow user feedback Media recommendations Quick Answers										
	Form auto-fill Payment methods Enoji suggestions Multiple sign-in access Sign-in to secondary accounts Unified Desktop(BETA) Werkfift event log collection Disabled system features Dinoslaur game Previously installed app recommendations Suggested content URLs in the address bar Shared dipboard Full screen mode Full screen mode Full screen mode Full screen mode Allow user feedback Medial recommendations Claude on the new tab page Maximize window on first run Allow user feedback Medial recommendations Ouick Answers Goode Lens resign search										
	Form auto-fill Fymment methods Emoji suggestions Multiple sigh-in access Sign-in to secondary accounts Unified Deaktop(BETA) Weight Cevent log collection Disabled system features Freedows in the address bar Shared diphosurd Fall screen mode Gall screen mode										
	Form auto-fill Fymment methods Emoji suggestions Multiple sigh-in access Sign-in to secondary accounts Unified Deaktop(BETA) Weight Cevent log collection Disabled system features Freedows in the address bar Shared diphosurd Fall screen mode Gall screen mode										
	Form auto-fill Payment methods Enoig suggestions Multiple sign-in access Sign-in to secondary accounts Unified Deaktop(BETA) WeeRTC event to g collection Disabled system features Discousary game Previously installed app recommendations Suggested content URLs in the address bar Shared dipboard Full screen mode Full screen mode Full screen mode Full screen mode Australia screen for the screen of the screen										
	Form auto-fill Fymmett methods Emoji suggestions Multiple sign-in access Sign-in to secondary accounts Umfield Deaktor(BETA) WebBTIC event log collection Disabled system features URLs in the address bar Shared dipboard Full screen mode Galdwourser feedback Madia recommendation Guick Answers Google lear region search Smart lock Instant tethering Messages										
	Form auto-fill Payment methods Enoig suggestions Multiple sign-in access Sign-in to secondary accounts Lainfed Deathogs (EL) Multiple sign-in access Sign-in to secondary accounts Lainfed Deathogs (EL) MuebRIC event log collection Disabiled system features Show cards on the new tab page Maximize window on first run Allow user feedback Media recommendations Quick Answers Google Lens region search Smart lock Instant tethering Messages Click to call										
	Form auto-fill Payment methods Emoji suggestions Moltiple sign-in access Sign-in to secondary accounts Umified Destrop(BETA) WebPITC event log collection Disabled system features Dinosaur game Previously installed app recommendations Suggested content URLs in the address bar Shared dipboard Full screen mode Full screen mode Full screen mode Full screen mode Guster on the new tab page Maximize windown on first run Allow user feedback Media recommendations Quack Answers Google lears region search Smart lock Instant tehering Messages Click to call Phone hub										
Users & browsers - Connected devices (Chrome)	Form auto-fill Payment methods Enoig suggestions Multiple sign-in access Sign-in to secondary accounts Lainfed Deathogs (EL) Multiple sign-in access Sign-in to secondary accounts Lainfed Deathogs (EL) MuebRIC event log collection Disabiled system features Show cards on the new tab page Maximize window on first run Allow user feedback Media recommendations Quick Answers Google Lens region search Smart lock Instant tethering Messages Click to call										
Users & browsers - Connected devices (Chrome)	Form auto-fill Formet methods Emoji suggestions Multiple sign-in access Sign-in to secondary accounts Unified Deaston/BETA) WebBTC event log collection Disabled system features Dinosaur game Previously installed app recommendations Suggested content URLs in the address bar Shared dipboard Full screen nider Shared some signal sign										
Users & browsers - Connected devices (Chrome)	Form auto-fill Payment methods Emoji suggestions Moltiple sign-in access Sign-in to secondary accounts Umified Desktop(BETA) WebPITC event log collection Disabled system features Dinosaur game Previously installed app recommendations Suggested content URLs in the address bar Shared dipboard Full screen mode Full screen mode Full screen mode Full screen mode Guide for the screen features Desktop for the screen features Cooke learn region search Show cards on the new tab page Maximize window on first run Allow user feedback Media recommendations Quick Antowers Google learn region search Smart lock Instant tethering Messages Click to call Phone hub Nearby share Spoken feedback										
Users & browsers - Connected devices (Chrome)	Form auto-fill Payment methods Enoig suggestions Multiple sign-in access Sign-in to secondary accounts Lainfed Deathorgate Multiple sign-in access Sign-in to secondary accounts Lainfed Deathorgate Multiple sign-in access S										
Users & browsers - Connected devices (Chrome)  Users & browsers - Accessibility (Chrome)	Form auto-fill Payment methods Engil suggestions Multiple sign-in access Sign-in to secondary accounts Lunified Desktop(BETA) WebFITC event log collection Disabled system features Dinosaur game Previously installed app recommendations Suggested content URLs in the address bar Shared dipboard Full screen mode Full screen mode Full screen mode Full screen mode Stands on the new tab page Maximize window on first run Allow user feedback Media recommendations Cuick Answers Cuick Tensees Coogle Lens region search Smart lock Instant tethering Messages Click to call Phone hub Nearby share Spoken feedback Select to speak Hybro contents Select to speak Hybro contents Select to speak Hybro contents Hybro contents Select to speak Hybro contents										
Users & browsers - Connected devices (Chrome)  Users & browsers - Accessibility (Chrome)	Form auto-fill Former methods Emoji suggestions Multiple sigh-in access Sign-in to secondary accounts Unified Deaktop(BETA) Weight Cevent opinion of the process Disabled system features Dinosaur game Previously installed app recommendations Suggested content URLs in the address bar Shared diplosard Full screen mode Full screen mode Full screen aiert Show cards on the new tab page Musimize window on first run Allow user feedback Media recommendations Quick Answers Google leans region search Smart lock Instant tethering Messages Cirk to call Phone hub Nearby share Spoken teeback Speken teeback Spoken magnifier										
Users & browsers - Connected devices (Chrome)  Users & browsers - Accessibility (Chrome)	Form auto-fill Payment methods Engil suggestions Multiple sign-in access Sign-in to secondary accounts Lunified Desktop(BETA) WebFITC event log collection Disabled system features Dinosaur game Previously installed app recommendations Suggested content URLs in the address bar Shared dipboard Full screen mode Full screen mode Full screen mode Full screen mode Stands on the new tab page Maximize window on first run Allow user feedback Media recommendations Cuick Answers Cuick Tensees Coogle Lens region search Smart lock Instant tethering Messages Click to call Phone hub Nearby share Spoken feedback Select to speak Hybro contents Select to speak Hybro contents Select to speak Hybro contents Hybro contents Select to speak Hybro contents										
Users & browsers - Connected devices (Chrome)  Users & browsers - Accessibility (Chrome)	Form auto-fill Payment methods Enoig suggestions Multiple sign in access Sign-in access Sign-in b secondary accounts Unified Destop(BETA) WebfifC event log collection Disabled system features Freevolum features Disabled system features Freevolum features Singested content URLs in the address bar Shaved disploadr Full screen mode Guist Answers Google Lene region search Sonar lock Instant tethering Messages Gick to call Phone hub Nearby starte Sieven feedback Select to call Nearby starte Sieven feedback Select to speak Helpt to speak Helpt company										
Users & browsers - Connected devices (Chrome)  Users & browsers - Accessibility (Chrome)	Form auto-fill Fymment methods Emoji suggestions Multiple sigh-in access Sign-in to secondary accounts Unified Deaktop(BETA) Weight Cevent log collection Disabled system features Dinosaur game Previously installed app recommendations Suggested content URLs in the address bar Shared diplosed Fall screen mode Fall screen mode Fall screen mode Fall screen alert Snow cards on the new tab page Musimize window on first run Allow user feedback Media recommendations Quick Answers Google leans region search Smart lock Instant tethering Messages Click to call Phone hub Nearby share Spoken feedback Select to speak High contrast Screen magnifer Sticky keys On-screen helphoard										
Users & browsers - Connected devices (Chrome)  Users & browsers - Accessibility (Chrome)	Form auto-fill Formyment methods Enoigi suggestions Multiple sign-in access Sign-in access Sign-in to secondary accounts Unified Destop(BETA) WerkfifC event log collection Disabled system features Suggested content URLs in the address bar Shaved dispbard Full screen mode Guist Answers Google Lene region search Sonar look Disabled system features Google Lene region search Sonar look Disabled Signed Signed Signed Messages Guick to call Phone hub Nearby share Socken feedback Select to call Florione fluid Nearby share Socken feedback Select to speak Helpt contrast Screen magnifier Screen magnifier Screen nagplifier Screen nagplifier Screen nagplifier										
Users & browsers - Connected devices (Chrome)  Users & browsers - Accessibility (Chrome)	Form auto-fill Former methods Enopi suggestions Multiple sign-in access Sign-in to secondary accounts Unified Deaktop(BETA) WebBTC event log collection Disabled system features URLS in the address bar Shared diphoard Fall screen mode Gall screen mode Gall screen mode Gall screen mode Fall screen mod										
Users & browsers - Connected devices (Chrome)  Users & browsers - Accessibility (Chrome)	Form auto-fill Formyment methods Enoigi suggestions Multiple sign-in access Sign-in access Sign-in b secondary accounts Unified Desktop(BETA) WerkfifC event log collection Disabled system features Freedom Freedom features Singested Content URLs in the address bar Shaved disploard Full screen mode Google tens region search Show cards on the new tab page Massimize window on first run Allow user feedback Media recommendations Quick Answers Google Lens region search Smart lock Instant tethering Messages Gick to call Phone hub Nearby sures Socken feedback Select to call Fronce hub Nearby sures Socken feedback Select to speak Helpt to orprast Socreen nappfiler Socreen nappfiler Socreen nappfiler Socreen nappfiler Socreen nappfiler Messages On-screen kepboard On-screen kepboard On-screen kepboard On-screen kepboard Caret highlighting Caret highlighting										
Users & browsers - Connected devices (Chrome)  Users & browsers - Accessibility (Chrome)	Form auto-fill Formyment methods Enoigi suggestions Multiple sign-in access Sign-in access Sign-in b secondary accounts Unified Desktop(BETA) WerkfifC event log collection Disabled system features Freedom Freedom features Singested Content URLs in the address bar Shaved disploard Full screen mode Google tens region search Show cards on the new tab page Massimize window on first run Allow user feedback Media recommendations Quick Answers Google Lens region search Smart lock Instant tethering Messages Gick to call Phone hub Nearby sures Socken feedback Select to call Fronce hub Nearby sures Socken feedback Select to speak Helpt to orprast Socreen nappfiler Socreen nappfiler Socreen nappfiler Socreen nappfiler Socreen nappfiler Messages On-screen kepboard On-screen kepboard On-screen kepboard On-screen kepboard Caret highlighting Caret highlighting										
Users & browsers - Connected devices (Chrome)  Users & browsers - Accessibility (Chrome)	Form auto-fill Former methods Enopi suggestions Multiple sign-in access Sign-in to secondary accounts Unified Deaktop(8ETA) WebBTIC event log collection Disabled system features URLS in the address bar Shared dipboard Full screen mode Guide system features Show cards on the new tab page Maskinize window on first run Allow user feedback Media recommendations Guick Answers Google Lens region search Smart lock Instant tethering Messages Click to call Phone hub Nearby stare Socker feedback Select to speak High contrast Socker magnifier Sticky Reys On-screen keyboard Dictation Con-screen keyboard Dictation Caret highlight Caret highlight Caret highlight										
Users & browsers - Connected devices (Chrome)  Users & browsers - Accessibility (Chrome)	Form auto-fill Formyment methods Enoigi suggestions Multiple sign-in access Sign-in to secondary accounts Unified Desixtopilit TA) White Sign-in access Sign-in to secondary accounts Unified Desixtopilit TA) White Sign-in access Sign-in to secondary accounts Unified Desixtopilit TA) White Sign-in access Disabled system features White Sign-in access Sign-in acc										
Users & browsers - Connected devices (Chrome)  Users & browsers - Accessibility (Chrome)	Form auto-fill Former methods Enroji suggestions Moltiple sign-in access Sign-in to secondary accounts Umified Desdrop(BETA) WebPITC event log collection Disabled system features Dinosaur game Previously installed app recommendations Suggested content URLs in the address bar Shared diphosaur Full screen mode Full screen mode Full screen mode Full screen mode Guide for the screen										
Users & browsers - Connected devices (Chrome)  Users & browsers - Accessibility (Chrome)	Form auto-fill Formyment methods Enoigi suggestions Multiple sign-in access Sign-in to secondary accounts Unified Desixtopilit TA) White Sign-in access Sign-in to secondary accounts Unified Desixtopilit TA) White Sign-in access Sign-in to secondary accounts Unified Desixtopilit TA) White Sign-in access Disabled system features White Sign-in access Sign-in acc										

	Mono audio						0	
	Accessibility shortcuts						0	
	Accessibility options in the system tray menu						0	
	Image descriptions						0	
Users & browsers - Power and shutdown (Chrome)	Wake locks						0	
Jsers & browsers - Omnibox search provider (Chrome	Search suggest						0	
Users & browsers - Hardware (Chrome)	External storage devices					l	0	
	WebUSB API						0	
	Audio input (microphone)						0	
	Audio input allowed URLs							
	Audio output						0	
	Video input (camera)						0	
	Video input allowed URLs						0	
	Keyboard						0	
	Serial port API						0	
	Privacy screen						0	
	File system read access						0	
	File system write access						0	
	Sensors						0	
	Enterprise hardware platform API						0	
	WebUSB API allowed devices							
Users & browsers - User verification (Chrome)	Verified mode						0	
Users & browsers - User reporting (Chrome)	Managed browser reporting upload frequency						0	
Users & browsers - Chrome safe browsing (Chrome)	Safe browsing						0	
	Help improve safe browsing						0	
	Safe browsing allowed domains						0	
	Download restrictions						0	
	Disable bypassing safe browsing warnings						0	
	Password alert						0	
	Safe Sites URL filter						0	
	Suppress lookalike domain warnings on domains					l	0	
	Sites with intrusive ads						0	
	Abusive experience intervention						0	
	Safe Browsing Protection Level				-	-	U	
Users & browsers - Chrome updates (Chrome)	Component updates				-	-	0	
	Relaunch notification						U	
Users & browsers - Virtual machines (VMs) and	Relaunch notification							
developers (Chrome)	Command line access					1	0	
	Linux virtual machines(BETA)						0	
	Port forwarding						0	
	Android apps from untrusted sources						0	
Users & browsers - Parallels Desktop (Chrome)	Allow/Disallow to use Parallels Desktop						0	
	Parallels Desktop windows image						0	
	Required disk space				1		0	
	Diagnostic information						0	
Setting source	Policy merge list							
Users & browsers - Other settings (Chrome)	Policy fetch delay						0	
	Wi-Fi network configurations sync						0	
	Persistent quota for webkitRequestFileSystem							
	Forced re-enrollment						0	
	Powerwash						0	
	Verified access						0	
	Verified mode						0	· · · · · · · · · · · · · · · · · · ·
	Disabled device return instructions						0	· · · · · · · · · · · · · · · · · · ·
	Integrated FIDO second factor						0	
	Autofill username on SAML IdP login page							
Device - Sign-in settings (Chrome)	Guest mode						0	
	Sign-in restriction						0	
	Autocomplete domain						0	
	Sign-in screen						0	
	Device off hours						0	
	Device wallpaper image						0	
	User data						0	
	Single sign-on IdP redirection						0	
	Single sign-on cookie behavior						Ö	
	Single sign-on camera permissions			İ			0	
	Single sign-on client certificates			İ			Ö	
	Accessibility control						0	
	Sign-in language						0	
	Sign-in keyboard						0	
	gy					l	0 0	
1	Single sign-on verified access					1	)	
	Single sign-on verified access							
	Single sign-on verified access System info on sign-in screen						0	
	Single sign-on verified access System info on sign-in screen Privacy screen on sign-in screen						0	
	Single sign-on verified access System info on sign-in screen Privacy screen on sign-in screen Show numeric keyboard for password						0 0	
Device - Sign-in screen accessibility (Chrome)	Single sign-on verified access System info on sign-in screen Privacy screen on sign-in screen Show numeric keyboard for password Spoken feedback						0 0	
Device - Sign-in screen accessibility (Chrome)	Single sign-on verified access System info on sign-in screen Privacy screen on sign-in screen Show numeric keyboard for password Spoken feedback Select to speak						0 0 0	
Device - Sign-in screen accessibility (Chrome)	Single sign-on verified access System into on sign-in screen Privacy screen on sign-in screen Show numeric keyboard for password Spoken feedback Select to speak High contrast						0 0 0	
Device - Sign-in screen accessibility (Chrome)	Single sign-on verified access System info on sign-in screen Privacy screen on sign-in screen Show numeric keyboard for password Spoken feedback Select to speak High contrast Screen magnifier						0 0 0 0 0 0 0	
Device - Sign-in screen accessibility (Chrome)	Single sign-on verified access System into on sign-in screen Privacy screen on sign-in screen Show numeric keyboard for password Spoken feedback Select to speak High contrast Screen magnifier Screen magnifier						0 0 0 0 0	
Device - Sign-in screen accessibility (Chrome)	Single sign-on verified access System into on sign-in screen Privacy screen on sign-in screen Show numeric keyboard for password Spoken feedback Select to speak High contrast Screen magnifier Sticky keys On-screen keyboard						0 0 0 0 0	
Device - Sign-in screen accessibility (Chrome)	Single sign-on verified access System into on sign-in screen Privacy screen on sign-in screen Privacy screen on sign-in screen Spoken feedback Spoken feedback Spoken feedback Select to speak High contrast Screen magnifier Screen magnifier Screen keyboard On-screen keyboard Doctation						0 0 0 0 0 0	
Device - Sign-in screen accessibility (Chrome)	Single sign-on verified access System into on sign-in-screen Privacy screen on sign-in-screen Privacy screen on sign-in-screen Spoken feedback Select to speak High contrast Screen magnifier Sickly keys On-screen keyboard Dictation (Reyboard focus highlighting						0 0 0 0 0 0	
Device - Sign-in screen accessibility (Chrome)	Single sign-on verified access System into on sign-in screen Phixacy screen on sign-in screen Phixacy screen on sign-in screen Show numeric keyboard for password Spoken feedback Select to speak High contrast Screen magnifier Screen magnifier Screen keyboard On-screen keyboard On-screen keyboard Dictation Keyboard focus highlighting Caret highlight						0 0 0 0 0 0 0	
Device - Sign-in screen accessibility (Chrome)	Single sign-on verified access System into on sign-in screen Privacy screen on sign-in screen Privacy screen on sign-in screen Show numeric keyboard for password Spoken feedback Select to speak High contrast Screen magnifier Stickly keys On-screen keyboard Dictation Keyboard focus highlighting Caret highlight Auto-click enabled						0 0 0 0 0 0 0 0	
Device - Sign-in screen accessibility (Chrome)	Single sign-on verified access System into on sign-in screen Phixacy screen on sign-in screen Phixacy screen on sign-in screen Show numeric keyboard for password Spoken feedback Select to speak High contrast Screen magnifier Screen magnifier Screen keyboard On-screen keyboard On-screen keyboard Dictation Keyboard focus highlighting Caret highlight						0 0 0 0 0 0 0	
Device - Sign-in screen accessibility (Chrome)	Single sign-on verified access System into on sign-in screen Privacy screen on sign-in screen Privacy screen on sign-in screen Show numeric keyboard for password Spoken feedback Select to speak High contrast Soreen magnifier Sictly keys On-screen keyboard Detation Keyboard focus highlighting Caret highlight Auto-click enabled Large cursor Cursor highlight						0 0 0 0 0 0 0 0 0	
Device - Sign-in screen accessibility (Chrome)	Single sign-on verified access System into on sign-in screen Phixou screen on sign-in screen Phixou preserved of the sign-in screen Spoken feedback Select to speak High contrast Screen magnifier Sickly keys On-screen keyboard Dication Keyboard focus highlighting Caret highlight Auto-click enabled Large cursor Cursor highlight Phixay mouse button						0 0 0 0 0 0 0 0 0	
Device - Sign-in screen accessibility (Chrome)	Single sign-on verified access System into on sign-in screen Privacy screen on sign-in screen Privacy screen on sign-in screen Show numeric keyboard for password Spoken feedback Select to speak High contrast Soreen magnifier Sictly keys On-screen keyboard Detation Keyboard focus highlighting Caret highlight Auto-click enabled Large cursor Cursor highlight						0 0 0 0 0 0 0 0 0	
Device - Sign-in screen accessibility (Chrome)	Single sign-on verified access System into on sign-in screen Phixou screen on sign-in screen Phixou preserved of the sign-in screen Spoken feedback Select to speak High contrast Screen magnifier Sickly keys On-screen keyboard Dication Keyboard focus highlighting Caret highlight Auto-click enabled Large cursor Cursor highlight Phixay mouse button						0 0 0 0 0 0 0 0 0 0	
Device - Sign-in screen accessibility (Chrome)	Single sign-on verified access System into on sign-in screen Phiway screen on sign-in screen Phiway screen on sign-in screen Shoken tendence Spoken feedback Select to spaid High contrast Screen magnifier Sicky keys On-screen keyboard On-screen keyboard On-screen keyboard On-screen heyboard Auto-click enabled Lange cursor Cursor highlight Phimary mouse button Mono audio Accessibility shortusts						0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	
Device - Sign-in screen accessibility (Chrome)  Device - Device update settings (Chrome)	Single sign-on verified access System into on sign-in screen Phixary screen on sign-in screen Phixary screen on sign-in screen Show numeric keyboard for password Spoken feedback Select to speak Hejh contract Screen magnifier Stocky keys On-screen keyboard Dictation Keyboard focus highlighting Caret highlight Auto-click emabled Lairge cursor Curson highlight Primary mouse button Mono audio Accessibility shortcuts Auto-opdate settings						0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	
Device - Sign-in screen accessibility (Chrome)  Device - Device update settings (Chrome)	Single sign-on verified access System into on sign-in screen Privacy screen on sign-in screen Privacy screen on sign-in screen Show numeric keyboard for password Spoken feedback Select to speak High contrast Screen magnifier Sticky keys On-screen keyboard Occation Keyboard focus highlighting Caret highlight Auto-click enabled Lange cursor Cursor highlight Primary mouse button Mono audio Accessibility shortcuts Auto-cytodate settings Auto-clock despendence Auto-cytodate settings Auto-cytodate settings Auto-cytodate settings Auto-cytodate settings Auto-cytodate settings Auto-cytodate settings						0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	
Device - Sign-in screen accessibility (Chrome)  Device - Device update settings (Chrome)	Single sign-on verified access System into on sign-in screen Phixary screen on sign-in screen Phixary screen on sign-in screen Show numeric keyboard for password Spoken feedback Select to speak Hejh contract Screen magnifier Stocky keys On-screen keyboard Dictation Keyboard focus highlighting Caret highlight Auto-click emabled Lairge cursor Curson highlight Primary mouse button Mono audio Accessibility shortcuts Auto-opdate settings						0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	

					r						
1	Variations									0	l
	Update downloads									0	
Device - User and device reporting	Report device OS information			 		1				0	
	Report device hardware information						1			0	
II.	Report device relemetry	<del></del>					<b> </b>			0	<del>                                     </del>
	Report kiosk session status									0	
	Report the running kiosk app									0	
	Report device print jobs									0	
										0	
	Report status report upload frequency										
	Inactive device notifications									0	
	Anonymous metric reporting									0	
	Device system log upload									0	
Device - Display settings (Chrome)	Screen settings									0	
Device - Power and shutdown (Chrome)	Power management									0	
	Scheduled reboot									0	
	Allow shutdown									0	
	Reboot on sign-out										
Device - Virtual machines (Chrome)	Linux virtual machines for unaffiliated users (BETA)									0	
	Android apps from untrusted sources									0	
Device - Other settings (Chrome)	Device network hostname template									0	
	Timezone									0	
	Mobile data roaming									0	
	Mobile data roaming									U	
	USB access									0	
	Bluetooth									0	
	Bluetooth services allowed									0	
		<del> </del>			<b>-</b>	+	<b>!</b>	<b>-</b>	l	0	<del>                                     </del>
II.	Throttle device bandwidth		l			ļ				)	l
	TPM firmware update			 L	Ш.			<u> </u>	<u></u>	0	
II.	Authenticated Proxy Traffic			1		1	1	1		0	
II.	System clock format	<del></del>				t	t			0	<del>                                     </del>
II.	system CIUCK TOTTIAL			-	-	-	L	<b>-</b>			<b>—</b>
II.	Apps and extensions cache size			 L	Ш.			<u> </u>	<u></u>	0	
	Hardware profiles			1		1	1	1		0	
						<b>+</b>	t	l		0	
	Low disk space notification			-	-	-	L	<b>-</b>			<del>                                     </del>
	Redeem offers through Chrome OS registration	[ ]		1		1	1	l	1	0	l I
Device - Imprivata	Imprivata login screen integration									0	
Managed guest sessions - General	Managed guest session	<del></del>				t	t			0	l
manageu guest sessions - General			l			ļ					l
	Maximum user session length		<u>                                     </u>		Щ.					0	<u> </u>
	Custom terms of service									0	
	Custom avatar									0	
	Custom wallpaper									0	
	WebSQL in non-secure contexts										
	Auto-select for multi screen captures										
	TLS encrypted ClientHello										
Managed guest sessions - Apps and extensions	Task manager									0	
Managed guest sessions - Security	Idle settings									0	
	ide settings									U	
	Incognito mode									0	
	Browser history									0	
	Browsing data lifetime									0	
	CPU task scheduler										
										0	
	Unsupported system warning									0	
	Override insecure origin restrictions									0	
										0	
	Pop-ups interactions									0	
	Security token removal										
										0	
1	Screen brightness										
	Screen brightness									0	
	Allow remote debugging									0	
										0	
	Allow remote debugging Insecure media capture									0 0	
Managed quest corridor - Remote access	Allow remote debugging Insecure media capture WebSQL in third-party context									0 0 0	
Managed guest sessions - Remote access	Allow remote debugging Insecure media capture WebSQL in third-party context Remote access clients									0 0 0	
Managed guest sessions - Remote access	Allow remote debugging Insecure media capture WebSQL in third-party context									0 0 0	
Managed guest sessions - Remote access	Allow remote debugging Insecure media capture WebSQL in third-party context Remote access clients									0 0 0	
	Allow remote debugging Insecure media capture WebSQL in third-party context Remote access clients Remote access hosts Firewall traversal									0 0 0 0 0 0 0 0	
Managed guest sessions - Remote access  Managed guest sessions - Session settings	Allow remote debugging Insecure mode against Insecure media capture WebSQL in third-party context Remote access clients Remote access hosts Firewall traversal Show logout button in tray									0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	
Managed guest sessions - Session settings	Allow remote debugging Insecure media capture WeBSQL in third-party context Remote access clients Remote access bods: Frewall traversal Show logout button in tray Display the logout confirmation dialog									0 0 0 0 0	
Managed guest sessions - Session settings  Managed guest sessions - Kerberos	Allow remote debugging Insecure media capture WeBSQL in third-party context Remote access clients Remote access bods: Frewall traversal Show logout button in tray Display the logout confirmation dialog									0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	
Managed guest sessions - Session settings  Managed guest sessions - Kerberos	Allow renote debugging to tosecure media capture WebSQL in third-party context Remote access hosts Firewall traversal Show logout button in tray Display the logout confirmation dialog Kerberos tickets									0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	
Managed guest sessions - Session settings	Allow remote debugging Insucure media capture WebSQL in third-parry context Remote access clients Remote access bots Firewall traversal Show logout button in tray Display the logout confirmation dialog Korberos tickets Proxy mode									0 0 0 0 0 0	
Managed guest sessions - Session settings  Managed guest sessions - Kerberos	Allow remote debugging Insecure media capture WebSQL in third-party context Remote access clients Remote access clients Remote access boats Freewall traversal Sow logout button in tray Display the logout confirmation dialog Kerberos tickets Proxy mode Ignone proxy on captive portals									0 0 0 0 0 0	
Managed guest sessions - Session settings  Managed guest sessions - Kerberos	Allow remote debugging  basecure media capture  We65QL in third-party context  Remote access clients  Remote access botss  Firewall traversal  Show logout button in tray  Display the logout confirmation dialog  Korberos tickets  Proxy mode  Ignore proxy on captive portals  Minimum SSL version enabled									0 0 0 0 0 0	
Managed guest sessions - Session settings  Managed guest sessions - Kerberos	Allow remote debugging  basecure media capture  We65QL in third-party context  Remote access clients  Remote access botss  Firewall traversal  Show logout button in tray  Display the logout confirmation dialog  Korberos tickets  Proxy mode  Ignore proxy on captive portals  Minimum SSL version enabled									0 0 0 0 0 0	
Managed guest sessions - Session settings  Managed guest sessions - Kerberos	Allow remote debugging treacure media capture WebSQL in third-party context Bemote access clients Remote access hosts Frewall traversal Sow logout button in tray Display the logout confirmation dialog Kerberos tickets Proxy mode Ignone proxy on captive portals Minimum SSL version enabled SSL error override									0 0 0 0 0 0 0	
Managed guest sessions - Session settings  Managed guest sessions - Kerberos	Allow remote debugging to because media capture WedSQL in third-party context Remote access clients Remote access bots Firewall traversal Show logout button in tray Display the logout confirmation dialog Karberos tickets Proxy mode Ignore proxy on captive portals Minimum SSL version enabled SSL error override SSL error override SSL error override allowed domains									0 0 0 0 0 0 0 0	
Managed guest sessions - Session settings  Managed guest sessions - Kerberos	Allow remote debugging  Insecure media capture  WeSQSL in third-party context  Remote across Line in the Control  Remote across Line in the Control  Remote across Line in the  Remote State  Remote  Remote State  Remote  R									0 0 0 0 0 0 0 0 0 0	
Managed guest sessions - Session settings  Managed guest sessions - Kerberos	Allow renote debugging to the common of the									0 0 0 0 0 0 0 0	
Managed guest sessions - Session settings  Managed guest sessions - Kerberos	Allow remote debugging  Insecure media capture  WeSQSL in third-party context  Remote across Line in the Control  Remote across Line in the Control  Remote across Line in the  Remote State  Remote  Remote State  Remote  R									0 0 0 0 0 0 0 0 0 0	
Managed guest sessions - Session settings  Managed guest sessions - Kerberos	Allow remote debugging  Insecure media capture  WebSQL in third-party context  Remote a cross lick in third-party context  Remote a cross lick in third-party context  Remote a cross lick in the second li									0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	
Managed guest sessions - Session settings  Managed guest sessions - Kerberos	Allow renote debugging to traceure medicapture WebSQL in third-party context Remote access clients Remote access hosts Firewall traversal Show logout button in tray Display the logout confirmation dialog Kerberos tickets Proxy mode Igoner proxy on captive portals Minimum SSL version enabled SSL error override allowed domains QUIC protocol WebRCL (P handling DNS-over-HTIP'S Buttins DNS-Scient T was a possible to the control of the control										
Managed guest sessions - Session settings  Managed guest sessions - Kerberos	Allow remote debugging  Insecure media capture  WebSQL in third-party context  Remote across licit. In third-party context  Remote across loss:  Stow logout button in tray  Display the logout confirmation dialog  Kenthero sickets  Proxy mode  Ignone proxy on captive portals  Minimum SSL version enabled  SSL error override allowed domains  QUIC protocol  WebSRC (P handling  DNS-over-HTIPS  Built- in DNS-client  Integrated authentication servers										
Managed guest sessions - Session settings  Managed guest sessions - Kerberos	Allow remote debugging  Insecure media capture  WebSQL in third-party context  Remote across licit. In third-party context  Remote across loss:  Stow logout button in tray  Display the logout confirmation dialog  Kenthero sickets  Proxy mode  Ignone proxy on captive portals  Minimum SSL version enabled  SSL error override allowed domains  QUIC protocol  WebSRC (P handling  DNS-over-HTIPS  Built- in DNS-client  Integrated authentication servers										
Managed guest sessions - Session settings  Managed guest sessions - Kerberos	Allow renote debugging to the control of the contro										
Managed guest sessions - Session settings  Managed guest sessions - Kerberos	Allow remote debugging  Insecure media capture  WebSQL in third-party context  Remote a coss icknots  Stown logout button in tray  Display the logout confirmation dialog  Kerberos icknot  Prouy mode  Ignore proxy or captive portals  Minimum SSL version enabled  SSL error overide allowed domains  GUIC protocol  WebBTC (P handling  DNS-over-HTIDS  Bulli-in DNS client  Integrated authentication servers  Shared/kary@Uffer  User-Agent Guett hins  Integrated authentication servers										
Managed guest sessions - Session settings  Managed guest sessions - Kerberos	Allow renote debugging to traceure media capture WebSQL in third party context Remote access clients Remote access clients Remote access clients Remote access bots Firewall traversal Show logout button in tray Display the logout confirmation dialog Kerberos tickets Proxy mode Ignore proxy on captive portals Minimum SSL version enabled SSL error override SSL error override SSL error override UNIC protocol WebSRC (P handling DNS-over-HTTPS Bull-in DNS client indigenated authentication servers Strandford State Proxy and Sta										
Managed guest sessions - Session settings  Managed guest sessions - Kerberos	Allow remote debugging  Insecure media capture  WebSQL in third-party context  Remote access closes  Remote access  Remote  Remote access  Remote  Remote access  Remote  R										
Managed guest sessions - Session settings  Managed guest sessions - Kerberos	Allow remote debugging  Insecure media capture  WebSQL in third-party context  Remote access closes  Remote access  Remote  Remote access  Remote  Remote access  Remote  R										
Managed guest sessions - Session settings  Managed guest sessions - Kerberos	Allow renote debugging Insecure medicapture WebSQL in third-party context Remote access clients Remote access clients Remote access hosts Frewall traversal Sow logout button in tray Display the logout confirmation dialog Kerberos tickets Proxy mode Igonore proxy on captive portals Minimum SSL version enabled SSL error override SSL error override SSL error override Medicaption of the Common SSL version enabled SSL error override SSL error override SSL error override INSL error overr										
Managed guest sessions - Session settings  Managed guest sessions - Kerberos	Allow remote debugging  Insecure media capture  WebSQL in third-party context  Remote a coses lick in the departy context  Remote a coses lick  Remote lick  Remote lick  Remote lick  Remote lick  Remote lick  Remote lick  Remote lick  Remote lick  Remote lick  Remote lick  Remote lick  Remote lick  Remote lick  Remote lick  Remote lick  Remote lick  Remote lick  Remote lick  Remote  Remote lick  Remote  Remote lick  Remote  Remote lick  R										
Managed guest sessions - Session settings  Managed guest sessions - Kerberos	Allow renote debugging Insecure medicapture WebSCI, in third-party context Remote access clients.  Remote access clients.  Remote access clients.  Remote access boats Firewall traversal Show logout button in tray Display the logout confirmation dialog Kerberos icketts Proxy mode Ignone proxy on captive portals Minimum SSL version enabled SSL error override SSL error overr										
Managed guest sessions - Session settings  Managed guest sessions - Kerberos	Allow renote debugging Insecure medicapture WebSCI, in third-party context Remote access clients.  Remote access clients.  Remote access clients.  Remote access boats Firewall traversal Show logout button in tray Display the logout confirmation dialog Kerberos icketts Proxy mode Ignone proxy on captive portals Minimum SSL version enabled SSL error override SSL error overr										
Managed guest sessions - Session settings  Managed guest sessions - Kerberos	Allow remote debugging  Insecure media capture  WebSQL in third-party context  Remote access Lost  Remote access  Remote										
Managed guest sessions - Session settings  Managed guest sessions - Kerberos	Allow remote debugging Insecure medicapture WebSCI, in third-party context Remote access clients Remote access clients Remote access clients Remote access hosts Freewall traversal Sow logout button in tray Display the logout confirmation dialog Kerberos tickets Proxy mode Ignore proxy on captive portals Minimum SSL version enabled SSL error override allowed domains QUIC protocol QUIC protocol QUIC protocol WebBCI (P handling DNS-over-HTIPS Built-in DNS-client DNS-client Control of the Control of										
Managed guest sessions - Session settings  Managed guest sessions - Kerberos	Allow remote debugging  Insecure media capture  WebSQL in third-party context  Remote access located  Remote access hosts  Frewall Turescal  Store logout button in tray  Displey the logout confirmation dialog  Aurheren tickets  Group mode  Group										
Managed guest sessions - Session settings  Managed guest sessions - Kerberos	Allow remote debugging  Insecure media capture  WebSQL in third-party context  Remote access located  Remote access hosts  Frewall Turescal  Store logout button in tray  Displey the logout confirmation dialog  Aurheren tickets  Group mode  Group										
Managed guest sessions - Session settings  Managed guest sessions - Kerberos	Allow remote debugging  Insecure media capture  WebSQL in third-party context  Remote access closets  Remote access hosts  Remote access  Remote  Remot										
Managed guest sessions - Session settings  Managed guest sessions - Kerberos	Allow remote debugging Insecure media capture WebSQL in third-party context Remote access Losts Remote access Losts Remote access Losts Remote access Losts Remote access Losts Remote access Losts Remote access Losts Remote access Losts Remote access Losts Remote access Losts Remote access Losts Remote access Losts Remote access Losts Remote access Losts Remote access Remote acc										
Managed guest sessions - Session settings  Managed guest sessions - Kerberos	Allow remote debugging  Insecure media capture  WebSQL in third-party context  Remote access clients.  Remote access clients.  Remote access hosts  Frewall traversal  Sove logout button in tray  Display the logout confirmation dialog  Korteros tickets  Proxy mode  Ignore proxy on captive portals  Minimum SSL version enabled  SSL error override  SSL error override  SSL error override  SSL error override  INDEX control (F) button  SSL error override  INDEX control (F) button  Integrated authentication servers  Shared/ArryBuffer  Built- in DSS client  Integrated authentication servers  Shared/ArryBuffer  Shared/ArryBuffer  Shared/ArryBuffer  Deer Agent client hints  Signed HITP enchange/SIQS support  Gobbilly scoped HITP authentication cache  Require online OCSP/CSL checks for local trust anchors  HSTS policy bypass list  DNS interception checks enabled  Intranet redirection behavior  Lagoy ITS/DTIS downgade in WebRTC  WPAD optimization  Allowed network ports  CECPQ2 post-quantum key-agreement for TLS  NS queries for acciditional DNS record types										
Managed guest sessions - Session settings  Managed guest sessions - Kerberos	Allow remote debugging Insecure media capture WebSQL in third-party context Remote access Losts Remote access Losts Remote access Losts Remote access Losts Remote access Losts Remote access Losts Remote access Losts Remote access Losts Remote access Losts Remote access Losts Remote access Losts Remote access Losts Remote access Losts Remote access Losts Remote access Remote acc										
Managed guest sessions - Session settings  Managed guest sessions - Kerberos	Allow remote debugging to the control of the contro										
Managed guest sessions - Session settings  Managed guest sessions - Kerberos  Managed guest sessions - Network	Allow remote debugging  Insecure media capture  WebSQL in third-party context  Remote access cleants  Remote access hosts  Frewall traversal  Stow topput button in tray  Display the lispout confirmation dialog  Kortheros tickets  Proxy mode  Ignore proxy on captive portals  Minimum SSL version enabled  SSL error override  SSL error override  SSL error override  Ignore proxy on captive portals  Minimum SSL version enabled  SSL error override  SSL error override  Ignore proxy on captive portals  Minimum SSL version enabled  SSL error override  Ignore proxy on captive portals  Minimum SSL version enabled  SSL error override  Ignore proxy on captive portals  SSL error override  Ignore proxy on captive portals  SSL error override  SSL error override  Interpart advantage  Interpart  Interparted authentication  Interparted authentication servers  Shared/Arra/Buffer  User-Agent Gient hints  Signed HTTP eschangel/SQL support  Goobally scoped HTP authentication cache  Require online OCSP/CRL checks for local trust anchors  IESTS policy bysess list  ONS interception checks enabled  Intraver tendenction behavior  Legacy ITI-S/DTLS downgrade in WebRTC  WPAD optimization  Allowed network ports  CECPQ2 post-equantum key-agreement for TLS  ONS queries for additional INSI record types  User-Agent client hints  Freeze User-Agent dirent hints  Freeze User-Agent string version  Freeze User-Agent firent hints  Freeze User-Agent string version  Freeze User-Agent firent hints  Freeze User-Agent firen										
Managed guest sessions - Session settings  Managed guest sessions - Kerberos	Allow renote debugging Insecure media capture WebSQL in third party context Remote access clients Remote access botss Firewall traversal Stown Jopus button in tray Display the logout confirmation dialog Kernberos tickets Proxy mode Ignore proxy on captive portals Minimum SSL version enabled SSL error override allowed domains QUIC protocol QUIC protocol QUIC protocol WebRTC IP handling DNS-over-HTIP'S Bull-tin DNS client Integrated authentication servers SharedArrayBuffer User-Agent client hints Singed HTTP exchange(SKG) support Globally scoped HTTP authentication cache Require online COSP(RIC thecks for local trust anchors HSTS policy bypass list DNS interception checks enabled Intanet redirection behavior Legacy TLS/DTLS downgrade in WebRTC WARD optimization Allowed network ports CECPQ2 post-quantum key-agreement for TLS DNS Queries for additional ToNS record types User-Agent client hints Freeze User-Agent string version										
Managed guest sessions - Session settings  Managed guest sessions - Kerberos  Managed guest sessions - Network	Allow renote debugging Insecure media capture WebSQL in third party context Remote access clients Remote access botss Firewall traversal Stown Jopus button in tray Display the logout confirmation dialog Kernberos tickets Proxy mode Ignore proxy on captive portals Minimum SSL version enabled SSL error override allowed domains QUIC protocol QUIC protocol QUIC protocol WebRTC IP handling DNS-over-HTIP'S Bull-tin DNS client Integrated authentication servers SharedArrayBuffer User-Agent client hints Singed HTTP exchange(SKG) support Globally scoped HTTP authentication cache Require online COSP(RIC thecks for local trust anchors HSTS policy bypass list DNS interception checks enabled Intanet redirection behavior Legacy TLS/DTLS downgrade in WebRTC WARD optimization Allowed network ports CECPQ2 post-quantum key-agreement for TLS DNS Queries for additional TNS record types User-Agent client hints Freeze User-Agent string version										
Managed guest sessions - Session settings  Managed guest sessions - Kerberos  Managed guest sessions - Network	Allow remote debugging  Insecure media capture  WebSQL in third-party context  Remote access clearls.  Remote access clearls.  Remote access hosts.  Frewall traversal  Show logout button in tray  Display the lispout confirmation dialog  Kortheros tickets  Proxy mode  Ignore proxy on captive portals.  Minimum SSL version enabled  SSL error override  SSL error override  SSL error override  SSL error override  Interpretable  SSL error override  SSL error override  Interpretable  SSL error override  Interpretable  SSL error override  SSL error										
Managed guest sessions - Session settings  Managed guest sessions - Kerberos  Managed guest sessions - Network	Allow renote debugging to the control of the contro										
Managed guest sessions - Session settings  Managed guest sessions - Kerberos  Managed guest sessions - Network	Allow remote debugging  Insecure media capture  WebSQL in third-party context  Remote access clearly  Remote access hosts  Frewall traversal  Stow logour button in tray  Display the logout confirmation dialog  Kerberos ixches  Proxy mode  Ignore proxy on captive portals  Minimum SSL version enabled  SSL error override allowed domains  QUIC protocol  QUIC protocol  QUIC protocol  WebSRC (P handling  DNS-over-HTIPS  Built-in DNS-client  Integrated authentication servers  Shared/Arra/Buffer  Der-Agent client hints  Signed HTIP exchange(SVQ) support  Globally scoped HTIP authentication cache  Require online OCSP/CRL checks for local trust anchors  HSTS policy bypass list  DNS intercoption checks enabled  Interest redirection behavior  Legacy ILS/DTLS downgrade in WebRTC  WPAD optimization  UNFA queries for short  DNS intercoption checks enabled  Interest redirection behavior  Legacy ILS/DTLS downgrade in WebRTC  WPAD optimization  Microwal house  Legacy ILS/DTLS downgrade in WebRTC  WPAD optimization  Microwal heaving  New Lab page  Pages to load on startup										
Managed guest sessions - Session settings  Managed guest sessions - Kerberos  Managed guest sessions - Network  Managed guest sessions - Startup	Allow renote debugging to the control of the contro										
Managed guest sessions - Session settings  Managed guest sessions - Kerberos  Managed guest sessions - Network	Allow remote debugging  Insecure media capture  WebSQL in third-party context  Remote access clearly  Remote access hosts  Frewall traversal  Stow logour button in tray  Display the logout confirmation dialog  Kerberos ixches  Proxy mode  Ignore proxy on captive portals  Minimum SSL version enabled  SSL error override allowed domains  QUIC protocol  QUIC protocol  QUIC protocol  WebSRC (P handling  DNS-over-HTIPS  Built-in DNS-client  Integrated authentication servers  Shared/Arra/Buffer  Der-Agent client hints  Signed HTIP exchange(SVQ) support  Globally scoped HTIP authentication cache  Require online OCSP/CRL checks for local trust anchors  HSTS policy bypass list  DNS intercoption checks enabled  Interest redirection behavior  Legacy ILS/DTLS downgrade in WebRTC  WPAD optimization  UNFA queries for short  DNS intercoption checks enabled  Interest redirection behavior  Legacy ILS/DTLS downgrade in WebRTC  WPAD optimization  Microwal house  Legacy ILS/DTLS downgrade in WebRTC  WPAD optimization  Microwal heaving  New Lab page  Pages to load on startup										

1	-	1		T T	1							
	Screenshot									0		
	Screen video capture allowed by sites									0		
	JavaScript setTimeout() clamping											
	Clipboard											
	Re-enable window.webkitStorageInfo API											
	Re-enable the Event.path API until Chrome 115											
Managed guest sessions - Printing	Printing									0		
	Deprecated privet printing									0		
	Print preview default									0		
	Printer management									0		
	Default color printing mode									0		
	Restrict color printing mode									0		
	Restrict color printing mode											
	Default page sides									0		
	Restrict page sides									0		
	Background graphics printing default									0		
	Background graphics printing restriction									0		
	Print job history retention period									0		
	Print job history deletion									0		
	Restrict PIN printing mode									0		
	Default PIN printing mode									Ö		
	Maximum sheets									0		
	Maximum sneets											
	Default printing page size									0		
	Print headers and footers									0		
	Blocked printer types									0		
	Print PDF as image											
Managed guest sessions - User experience	Managed bookmarks	-			-					0	1	
1	Bookmark bar									0		
1	Shelf position									0		
1	Download location prompt						-			0		
1	Download bubble	l			l	+		-		0		
1				<del>                                     </del>		<del>                                     </del>						
1	Spell check									0	1	
	Spell check service									0		
1	Allowed ChromOS languages		1							0		
	Allowed input methods									0		
	Google translate									0		
	Developer tools									0		
	Payment methods									0		
	Session locale									0		
	Emoji suggestions									0		
	Unified Desktop(BETA)									0		
	Disabled system features visibility									0		
	Disabled system features									0		
	Dinosaur game									0		
	Previously installed app recommendations									0		
	Suggested content									0		
	URLs in the address bar									0		
	Fullscreen mode									0		
	Fullscreen after unlock									0		
	Maximize window on first run									0		
	Allow user feedback									0		
	Persist display settings									0		
	Lock icon in the omnibus for secure connections									0		
	URL parameter filtering									0		
	ChromOS color mode									0		
	Quick Answers									_		
	Google Lens region search											
Managed guest sessions - Accessibility	Spoken feedback									0		
ivianaged guest sessions - Accessibility												
	Select to speak					-				0	1	
	High contrast					-				0	1	
1	Screen magnifier									0		
	Sticky keys									0		
	On-screen keyboard							T		0		
1	On-screen keyboard in tabled mode									0		
1	Dictation									0		
	Keyboard focus highlighting									0		
	Caret highlight									0		
1	Auto-click enabled					1 1				0		
1	Large cursor	l			l	+		-		0		
											<del> </del>	
1	Cursor highlight			<del>                                     </del>		<del>                                     </del>				0		
1	Primary mouse button					+				0		
	Mono audio									0		
1	Accessibility shortcuts									0		
	Accessibility options in the system tray menu					1 1 1		٦	_	0		
1	Image descriptions	-			-					0	1	
Managed guest sessions - Power and shutdown	Wake locks									0		
Managed guest sessions - Omnibox search provider	Search suggest									0		
Managed guest sessions - Hardware	External storage devices					1 1				0		
go go Juddoro Tracamale	WebUSB API	l			l	<del>                                     </del>		-		0		
1				<del>                                     </del>		<del>                                     </del>						
1	Audio input (microphone)									0	1	
	Audio input allowed URLs									0		
1	Audio output									0		
	Video input(camera)									0		
	Video input allowed URLs					1 1 1		٦	_	0		
	Keyboard									0		
	Serial Port API									0		
	Privacy screen	1			1					0		
	File system read access						-			0		
		l			l					0	<del> </del>	<b> </b>
	File system write access										1	
	Sensors					-				0	1	
	Enterprise hardware platform API									0		
	WebUSB API allowed devices											
	Download restrictions							T		0		
Managed guest sessions - Chrome safe browsing												
Managed guest sessions - Chrome sare browsing	Disable bypassing safe browsing warnings						- 1	1		0		

i	1	1				,	,	,	,						,	,	, ,
		SafeSites URL filter													0		
		Suppress lookalike domain warnings on domains													0		
		Sites with intrusive ads													0		
		Abusive experience intervention													0		
		Safe Browsing Protection Level															
	Managed guest sessions - Other settings	Policy fetch delay													0		
		Fast pair(fast Bluetooth pairing)													0		
	Kiosk settings (Chrome)	Managed guest session													0		
		Kiosk device status alerting delivery													0		
		Kiosk device status alerting contact info													0		
		URL blocking													0		
	Kiosk power settings (Chrome)	Action on lid close													0		
		AC kiosk power settings													0		
		Battery kiosk power settings													0		
	Kiosk accessibility (Chrome)	Kiosk floating accessibility menu													0		
		Kiosk spoken feedback													0		
		Kiosk select to speak													0		
		Kiosk high contrast													0		
		Kiosk sticky keys													0		
		Kiosk on-screen keyboard													0		
		Kiosk dictation													0		
		Kiosk keyboard focus highlighting													0		
		Kiosk caret highlight													0		
		Kiosk auto-click enabled													0		
		Kiosk large cursor													0		
1		Kiosk cursor highlight													0		
		Kiosk primary mouse button													0		
		Kiosk mono audio													0		
		Kiosk accessibility shortcuts				l									0		
		Kiosk screen magnifier								$\perp \!\!\! \perp$	╙		Ш		0		
	Apps & extensions - Additional settings (Chrome)	Allow/block mode (Play Store, Chrome Web Store)				l									0		
		Android applications on Chrome devices													0		
		Allowed types of apps and extensions													0		
		App and extension install sources													0		
		Allow insecure extension packaging								$\perp \!\!\! \perp$	╙		Ш		0		
		External extensions													0		
		Permissions and URLs													0		
		Chrome Web Store app icon													0		
		Chrome Web Store homepage													0		
		Chrome Web Store permissions													0		
		Android reporting for users and devices													0		
		Full restore													0		
		Android ghost windows													0		
	Chrome management - partner access (Chrome)	Allow EMM partners access to device management													0		
App mgmt.	Application	Automatic installation	0	0	0			0	0	0	0	0	0	0	0		
		Manual installation	0	0	0			0	0	0		0	0	0			
		Set app deploy area  Mandatory installation	0	0	0			0	0	0	0	0					
		Permission management								U	0	0					
		Create a shortcut during app installation									0						
		Run the app after the installation	0	0	0			0	0	0	0	0					
	EMM Client	Maximum failed login attempts	0	0	0			0	0	0	0	0	0	(mobile only)			
		Action when allowed login attempts are failed	0	0	Ö			ő	Ö	0	0	0	0	(modile diny)			
		Lock device after (second)	0	0	0			0	0	0	0	0	0				
		Lock Knox container after (second)	0	0	0			0	0	0	0	0					
		Allow deactivation request	0	0	0			Ö	Ö	0	0	0	0				
		Availability for Android version control	0	0	0			0	Ö	0	0	0					
		Show all policies applied	0	0	0			ŏ	Ö	0	0	0	0				
		Limitation of the external application in the download sc	0	0				0	0	0	0	0	0				
		Availability for iOS version control						Ŭ	Ü		- 0		0				
		Windows 10 desktop data distribution												0			
		Windows 10 desktop data distribution				1			1					0	1	1	1
Content	Content Library	Deploy to device / Organization / User	0		Ω			0		0	0			0			
		Deploy area	0	0	0	1		Ö	0	- C	0	0		0	1	1	
		View contents on Agent	0	_	0			Ö	_	0	0			0			
General	Profile	Supporting multiple profile	0	0		İ		0	0	0	0	0	0	0	İ		
	Application	Application execution count	-			1		Ö	Ö		0	0		_	1		
E-FOTA mgmt.	F/W update	Force update(silent)						0			0						
	control	Selective OS version						0			0						
		Scheduled update						0			0						
Device Command	Device	Apply latest profiles	0	0	0	0	0	0	0	0	0	0	0	0		0	
		Lock/Unlock device	0		0	1	-	0	1	0	0		0	(mobile only)	0	0	
		Lock screen	0	0	0	0	0	0	0	0	0			0			
		Reset screen password	0	0	0	0	0	0	0	0	0		0		L	0	
		Factory reset + Initialize SD card	0		0			0		0	0						
		Factory reset	0		0	0		0		0	0		○(Supervised)	0	0	0	
		Enterprise wipe												0			
		Power off device	0					0		0	0						
		Reboot device	0		0	0		0		0	0			0		0	
		Reset SD card	0					0		0	0						
		Reset data usage	0		<u> </u>			0		0	0						
		Reset number of calls	0		N/A			0		0	0						
		Remove unauthorized container								0	0						
		Enable/Disable EAS(Samsung Email App Only)				1			1	0	0				1	1	1
		Delete jailbreak			1	1			1	$\vdash$			0		1	1	1
		Initialize blocked information (Supervised)		-	<del>                                     </del>	1			1	+-			0	-	0	+	-
		Clear user profile		-	<del>                                     </del>					$\vdash$	$\vdash$				0	-	<del>                                     </del>
	Ann	Update the eSIM cellular plan		_	_				_		0	_	0	_		-	<del>                                     </del>
	App mgmt.	Install or Update App Uninstall	0	0	0			0	0	0		0	0	0		-	
			0	0	U			0	0	0	0	0	U	U		0	
	1	Run App Stop App		0	<del> </del>					0	0	0	-				+
					1	<del></del>							<del>                                     </del>	<del>                                     </del>			
		Delete app data	0	0		()				0	0	0				0	

		Enable/Disable app running							0 0					
		Apply latest internal app info	0	0	0		0	0	0 0		0	(mobile only)		
	Knox Manage	Unenroll service	0	0	0	0 0	0	0	0 0		0	0	0	0
		Push notification	0	0	0		0	0	0 0	0	0	0		
		Unlock/Unlock screen of Knox Manage Agent	0	0	0		0	0	0 0	0	0	0		
		Delete account	0	0	0		0	0	0 0	0	0	0		
		Exit kiosk	0		0		0		0 0					0
		Collect audit logs	0	0	0		0	0	0 0	0	0			0
		Collect logs	0	0	0		0	0	0 0	0	0			0
		Collect diagnosis information	0	Ö	0		Ö	0	0 0		0			
		Update user information	0	0	0		0	0	0 0	0	0	0		
		Update license	0	Ö	0		0	0	0 0			Ü		
		Update Knox Manage	Ö	0	0		Ö	- 0	0 0					0
		Collect Bug Report	0		0		0		0 0					0
		Sync app auto-removal property when service is deact			0		0				0			0
		Reset push token	O	0			0	0			0			0
	Device info Sync	Sync device information	0	0	0		0	0	0 0		0	0	0	0
	Device into sync	Sync device information Sync Installed app list		0	0		0				0	0	U	0
			0					0						U
		Collect current location Authenticate SIM card	0	0	0		0		0 0		0	0		
			0		0		0		0 0					
		Authenticate SD card	0		0		0		0 0					
		Attestation	0		0		0		0 0					
		SafetyNet Attestation	0	0	0		0	0						
		Status report									0			
	Container	Lock/Unlock container								0				
	mgmt.(legacy)	Reset container password								0				
		Uninstall container								0				
	Custom Control	Select										0		
Mobile Admin	Device	Apply latest Device/App mgmt. profiles	0	0			0	0	0 0	0	0	0		
	command	Lock/Unlock device	0				0		0 0	0	0	(mobile only)		
														non-Samsung legacy
		Reset screen password	0	0			0	0	0 0		0			enrollment device Q
														OS or higher.
		Deactivate service	0	0			0	0	0 0		0	0		
		Send message	0	0			0	0	0 0	0	0			
		Collect logs	0	0			0	0	0 0	0	0			
		Update license	0	0			0	0	0 0					
		Locate the current position	0	0			0	0	0 0		0	0		
		Factory reset	0				0		0		0	0		
		Power off device	0				0		0					
		Reboot device	Ö		1		Ö		0				İ	
		Reset Knox container password	_							0				
	Remote Support	Remote control - Swipe screen					0	0	0	0				
	** *	Remote control - HW key input					Ö	0	0	0				
		Screen sharing	0	0	0		Ö	ő	0 0	0				
		Unattended access	0	0	0		0	0	0 0	0	l			
		File sharing	0	0	0		0	0	0 0	0	<del>                                     </del>			
		Screen capture	0	0	0		0	0	0 0	0	<del>                                     </del>			
		Video recording	0		0	<del>                                     </del>	0		0 0	0				
				0	0		0	0		0				
		Logging of connection time	0	0	0									
1		DeX mode support	0	0	U		0	0	0 0	0	-	-	<b> </b>	
	Staging device	Shared device	-	0	1			0	+		-	-	<b> </b>	
1		Non-shared device	0	1	1	<u> </u>	0							