Ton Column				Android Enterprise		Android Enterprise - Android Management API		Samsun Android i	: Available with I g Knox / Enterprise		Android L	egacy				Unsupported
Туре	Category	Feature	Device controls	Work profile controls	Android Go Device controls		Work profile controls		Work profile control:	Devices S Android	e side Samsung	Container side Samsung Knox	de IOS	Windows	Chrome	Unsupported OS version as API deprecation
ce Mgmt.	System	User credentials config.		O (Supported in	0			0	O (Supported in	Android	Knox	Knex				
			-	work profile - C)		0	0	0	work profile - C)							non-Samsung le enrollment devic
		Camera	(Supported in work profile - C)	(Supported in work profile - C)	0	(Supported in work profile - C)	(Supported in work profile - C)	(Supported in work profile - C)	(Supported in work profile - C)	0	0	0	0	0		enrollment devic or higher.
		Screen capture	(Supported in work profile - C)	(Supported in work profile - C)	0	(Supported in work profile - C)	(Supported in work profile - C)	(Supported in work profile - C)	(Supported in work profile - C)		0	0	0	0		
		VPN setting	0	○ (Supported in	0			0	(Supported in					0		
		Account modification	O (Supported in	work profile - C)  O  (Supported in	0	○ (Supported in	O (Supported in	O (Supported in	work profile - C)  O (Supported in					O (mobile only)		
		account mountation	work profile - C)	work profile - C)	0	work profile - C)	work profile - C)	work profile - C)	work profile - C)					O (illouite only)		
		Allow account in Google Play	(Supported in work profile - C)	(Supported in work profile - C)				(Supported in work profile - C)	(Supported in work profile - C)							
		Account blocklist/allowlist	(Supported in	(Supported in	0	(Supported in	O (Supported in	(Supported in work profile - C)	(Supported in							
		System update	work profile - C)  O  (Supported in	work profile - C)		work profile - C)  O  (Supported in	work profile - C)	(Supported in	work profile - C)							
		Delete user	work profile - C)			work profile - C)		work profile - C)		-						-
		Safe mode	O (Supported in		0			O (Supported in			0					
		Change wallpaper	work profile - C)		0			work profile - C)			0		O (Superv ised)			
		Custom wallpaper  External SD card	O (Supported in		0			O (Supported in			0					
		Factory reset	work profile - C)		0			work profile - C)			0		O (Supervised)	O (mobile only)		
		S beam Create Windows	0		0			0			ō			O (mount only)		
		Easter egg Brightness setting	0		0			0								
		AOD	0		0			0								
		System error screen Action of compromised OS is detected Set notifications from an event to On	0		0			0		0	0					
		Set notifications from an event to Off Fix event notification	0		0			0		0	0					1
		Encryption for storage Automatic date and time	0		0			0		0	0		O (Supervised)	0		
		Enforce time zone	O (Supported in		0			O (Supported in					(Mayery Ised)			
		Language setting	work profile - C)		0			work profile - C)		$\vdash$		<u> </u>		0	<u> </u>	_
		Location setting	(Supported in		0			(Supported in								
		Backup	work profile - C)		0			work profile - C)			0					
		Set a message for blocked settings	0		0	O (Supported in		0		$\vdash$						
		Mount physical media				work profile - C)				$\perp$			-			-
		Set a message for lock screen	0			(Supported in work profile - C)		0								
		Domain blocklist settings						(Supported in		0	0					
		NTP settings						work profile - C) O (Supported in		0	0					
		refrectings						work profile - C)		l -	-					
		Power off						(Supported in work profile - C)			0					
		OTA upgrade						(Supported in			0					
		Settings						work profile - C)  O (Supported in			0					
								work profile - C)								
		Expand status bar						(Supported in work profile - C)			0					
		Clipboard						0			0 -	0				
		Share via apps Smart Select						(Supported in work profile - C)			0	0				
		Developer mode				O (Supported in		0			0					
						(Supported in work profile - C)		(Supported in work profile - C)								
		Reboot banner						(Supported in work profile - C)			0					
		Control power saving mode						(Supported in work profile - C)			0					
		Firmware download mode control						(Supported in			0					
								work profile - C)								
		Samsung keyboard settings control						(Supported in work profile - C)			0	0				
		System app close App crash report to Google Multiple users									0	0				
		Unauthorized SD card  Device administrators to install and activate apps								0	0					
		Data saver mode  Google account synchronization								0	0					
		Trusted boot verification										0				
		Third part keyboard Add email account										0				
		Domain allowlist settings Siri										0	0			
		Force on device only dictation (Siri) Force on device only translation (Siri)											0			
		Submission of diagnosis and usage details Passbook on lock scree Control center on lock screen											0			
		Control center on lock screen Display notification on lock screen											0			
		Display today view on lock screen Manual installation for profile Control editing account information											O (Supervised)			
		Automatic updates of certificate trust settings											O (Supervised)			
		Delay OS update Encryption for iTunes backup											O (Supervised)			
		iTunes pairing Apple Watch paring Wrist detection on an Apple Watch											O (Supervised) O (Supervised) O			
		Wrist detection on an Apple Watch Limit Ad tracking Apple personalized advertising											0			
		Apple personalized advertising Result of web search with spotlight Block configuration											O O O			
		Block configuration Change device name											O (Supervised) O (Supervised)			
		Allow bluetooth modification VPN creation											O (Supervised) O (Supervised)			
		Notifications modification  New device proximity setup  Unpaired external boot to recovery											O (Supervised) O (Supervised)			
		Unpaired external boot to recovery  Keyboard shortcuts											O (Supervised) O (Supervised)			
		Predictive keyboard Sign in option											O (Supervised)	0		
		Windows tips Windows sync												0		
		Account Workplace												0		
	lorf	Region Power and Steep		0					0					0		
	Interface	Printing	0	(Supported in work profile - C)	0			0	(Supported in work profile - C)							
		Autofill service	0	(Supported in	0			0	(Supported in							
			O (Supported in	work profile - C)		-		O (Supported in	work profile - C)	$\vdash$			-	-		+
		Bluetooth share	work profile - C)	(Supported in work profile - C)	0			work profile - C)	(Supported in work profile - C)							
		Network reset	- 0		0	0		0		H						
		Mobile networks setting	(Supported in work profile - C)		0	(Supported in work profile - C)		(Supported in work profile - C)								1
		Allow Wi-Fi change	(Supported in work profile - C)		0	(Supported in work profile - C)		(Supported in								
		Wi-Fi control (including Wi-Fi direct)	(Supported in					work profile - C)  O  (Supported in		0	0		O (Superv ised)	0		non-Samsun enrollment de
			work profile - C)			0		work profile - C)		1			1			or high
		Tethering setting	(Supported in work profile - C)		0	(Supported in work profile - C)		(Supported in work profile - C)								
- 1		Bluetooth control	(Supported in		0	(Supported in work profile - C)		(Supported in work profile - C)	(Supported in work profile - C)	0	0			0		
			work profile - C)													

1		0					0		_			_		 
	PC connection	(Supported in work profile - C)		0			(Supported in work profile - C)			0				
	USB debugging	work profile - C)	O (Supported in				(Supported in	O (Supported in		0				
			work profile - C)				work profile - C)	work profile - C)						
	NFC control				. 0		0			0	0	O (Supervised)		
	USB host storage(OTG)				(Supported in work profile - C)		(Supported in work profile - C)			0	0	O (Supervised)	O (mobile only)	
	USB exception allowed						O (Supported in			0				
							work profile - C) O (Supported in							
	Wi-Fi hotspot						work profile - C)		0	0				
	Wi-Fi SSID allowist setting						O (Supported in		0	0				
							work profile - C)							
	Wi-Fi SSID blocklist setting						(Supported in work profile - C)		0	0				
	Wi-Fi auto connection						(Supported in			0				
							work profile - C)							
	Wi-Fi minimum security level setting						(Supported in work profile - C)			0				
	USB tethering						(Supported in			0				
	Bluetooth tethering						work profile - C)  O  (Supported in		0	0				
	Bibetooth tethering						work profile - C)		0	0				
	Bluetooth UUID allowlist setting						(Supported in		0	0				
	Bluetooth UUID blockList setting						work profile - C) O (Supported in		0	0				
	Sidecootii oolo biockelsi settiiig						work profile - C)	•	Ŭ	Ü				
	Allow USB devices for default access by all						0	(Supported in work profile - C)						
	Wi-Fi direct (It can be set in Android Enterprise > Interface > Wi-Fi						O (Supported in	work prome cy		0				
	menu in MDM profile) Desktop PC connection with bluetooth						work profile - C)							
	(It can be set in Android Enterprise > Interface > Bluetooth						(Supported in			0				
	menu in MDM profile)  Data transfer with bluetooth (It can be set in Android Enterprise > Interface > Bluetooth						work profile - C) O (Supported in			0				
	menu in MDM profile) Search mode on bluetooth						work profile - C)		-			-		
	(It can be set in Android Enterprise > Interface > Bluetooth menu in MDM profile)						(Supported in work profile - C)			0				
	Wearable equipment policy ingeritance						pronte - C)			0	0			
	Add a new Wi-Fi network Wi-Fi proxy setting									0	J			
	USB drive access Connect wi-fi to allowed networks only											O (Supervised) O (Supervised)		
	Network deive access Personal hotspot modification									$\vdash$		O (Supervised) O (Supervised)		
	Removable Storage												0	
	Cortana Device bluetooth advertising												0	
	IME logging IME network access												0	
Security	SafetyNet Attestation	0	O (Supported in	0			0	O (Supported in						
	Enforce multi factor authentication		work profile - C)		<u> </u>		0	work profile - C)	$\vdash$		0			
	Screen timeout	0		0	0		0							
	Maximum screen timeout	0		0	(Supported in work profile - C)		0		0	0	0			
	Lock screen						O (Supported in			0				
	Secure startup						work profile - C)			0				
	Google Android security update policy Connection attempt between server and device						0		_	0				
	Smartcard browser authentication								- 0	0	0			
	Certification deletion Certificate verification during installation									0				
	Attestation Password visibility settings									0	0			
	Pattern lock visibility settings Unlock with fingerprint										0			
	Unlock with iris										0			
1	Andrew Leaf								_			-		
Password	Auto unlock	0	0		0	0	0	0				0		non-Samsung legacy
Password	Auto unlock Password policies	(Supported in work profile - C)	(Supported in work profile - C)	0	(Supported in work profile - C)	(Supported in work profile - C)	(Supported in	(Supported in work profile - C)	0	0	0	0	0	non-Samsung legacy enrollment device Q OS or higher.
Password	Auto unlock	(Supported in work profile - C) O (Supported in	(Supported in work profile - C) O (Supported in	0	(Supported in	(Supported in work profile - C) O (Supported in	(Supported in work profile - C) O (Supported in	(Supported in work profile - C) O (Supported in	0	0			0	or higher. non-Samsung legacy enrollment device Q OS
Password	Auto unlock Password policies  KeyGuard(Block function setting on lock screen)  Passcode modification	(Supported in work profile - C)	(Supported in work profile - C)		(Supported in	(Supported in work profile - C)	(Supported in work profile - C)	(Supported in work profile - C)	0	0	0	O (Supervised)	Ō	or higher. non-Samsung legacy
Password	Auto unlock Password policies  Key Guard (Block function setting on lock screen)  Passcode modification Screen unlock with biometric ID Password proximity requests	(Supported in work profile - C) O (Supported in	(Supported in work profile - C) O (Supported in		(Supported in	(Supported in work profile - C) O (Supported in	(Supported in work profile - C) O (Supported in	(Supported in work profile - C) O (Supported in	0	0	0	0	0	or higher. non-Samsung legacy enrollment device Q OS
Password	Auto unlock  Password policies  KeyGuard(Block function setting on lock screen)  Passcode modification Screen unlock with biometric ID Password prodmity requests  Password surful!	(Supported in work profile - C) O (Supported in	(Supported in work profile - C) O (Supported in		(Supported in	(Supported in work profile - C) O (Supported in	(Supported in work profile - C) O (Supported in	(Supported in work profile - C) O (Supported in	0	0	0	O (Supervised) O (Supervised) O (Supervised) O (Supervised)	0	or higher. non-Samsung legacy enrollment device Q OS
	Auto unick  Assword policies  Assword policies  Assword policies  Assword policies  Assword policies  Assword promitic till  Assword policies  Assword policies  Assword autofili  Assword aut	(Supported in work profile - C) (Supported in work profile - C)	(Supported in work profile - C) O (Supported in	0	(Supported in	(Supported in work profile - C) O (Supported in	(Supported in work profile - C)  (Supported in work profile - C)	(Supported in work profile - C) O (Supported in	0	0	0	O (Superv ised)	0	or higher. non-Samsung legacy enrollment device Q OS
Password  Klosk	Auto unick Password policies Acçuardiliock function setting on lock screen) Passcode modification Screen unicks with biometric ID Passcod promitive treatest Password aufoffili Lauthentication before password autoffil Screen unicks with biometric ID Password autoffili Script his password autoffil Script his password autoffil Script his password autoffil Whitelit Host agree Single Kosk agoffer Android Enterprise Dedicated Device) Multi Kloka Agree	(Supported in work profile - C)  O  (Supported in work profile - C)	(Supported in work profile - C) O (Supported in	0	(Supported in	(Supported in work profile - C) O (Supported in	(Supported in work profile - C) (Supported in work profile - C) (Supported in work profile - C)	(Supported in work profile - C) O (Supported in		0	0	O (Supervised) O (Supervised) O (Supervised) O (Supervised) O (Supervised)	0	or higher. non-Samsung legacy enrollment device Q OS
	Auto unick  Password policies  KeyGuard (Block function setting on lock screen)  Dascode modification  Screen unicks with biometric ID  Password promiting requests  Password autofili  Password subfili  Password	(Supported in work profile - C)  O  (Supported in work profile - C)	(Supported in work profile - C) O (Supported in	0	(Supported in	(Supported in work profile - C) O (Supported in	(Supported in work profile - C)  O (Supported in work profile - C)	(Supported in work profile - C) O (Supported in	0		0	O (Superv ised)	0	or higher. non-Samsung legacy enrollment device Q OS
	Auto unick  Password policies  KeyGard(Block function setting on lock screen)  Sascode modification  Screen unicks with biometric ID  Password proximity requests  Password autoffill  Password sharing  Fassword	(Supported in work profile - C)  O (Supported in work profile - C)  (Supported in work profile - C)	(Supported in work profile - C) O (Supported in	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	(Supported in	(Supported in work profile - C) O (Supported in	(Supported in work profile - C)  (Supported in work profile - C)  (Supported in work profile - C)	(Supported in work profile - C) O (Supported in	0	0 0 0	0	O (Superv ised)	0	or higher. non-Samsung legacy enrollment device Q OS
	Auto unick Password policies  KeyGuardfillock function setting on lock screen) Passcode modification Certeen unicks with hibmetric ID Certeen unicks with hibmetric ID Password autoffil Password autoffil Password sharing Sanghe looks apport autoffil Password sharing Sanghe looks apport autoffil Screen surer on Kogik mode Littlikes browser Certeen surer on Kogik mode Littlikes the Littlikes th	(Supported in work profile - C)  On (Supported in work profile - C)  On (Supported in work profile - C)	(Supported in work profile - C) O (Supported in	0 0 0 0 0	(Supported in	(Supported in work profile - C) O (Supported in	(Supported in work profile - C)  (Supported in work profile - C)  (Supported in work profile - C)	(Supported in work profile - C) O (Supported in	0	0 0 0	0	O (Superv ised)	0	or higher. non-Samsung legacy enrollment device Q OS
	Auto unick  Password policies  KeyGard(Block function setting on lock screen)  Sascode modification  Screen unicks with biometric ID  Password proximity requests  Password autoffill  Password sharing  Fassword	(Supported in work profile - C)  O (Supported in work profile - C)  (Supported in work profile - C)	(Supported in work profile - C) O (Supported in	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	(Supported in	(Supported in work profile - C) O (Supported in	(Supported in work profile - C)  (Supported in work profile - C)  (Supported in work profile - C)	(Supported in work profile - C) O (Supported in	0	0 0 0	0	O (Superv ised)	0	or higher. non-Samsung legacy enrollment device Q OS
	Auto unick Password policies  KeyGuardfillock function setting on lock screen) Passcode modification Certeen unicks with hibmetric ID Certeen unicks with hibmetric ID Password autoffil Password autoffil Password sharing Sanghe looks apport autoffil Password sharing Sanghe looks apport autoffil Screen surer on Kogik mode Littlikes browser Certeen surer on Kogik mode Littlikes the Littlikes th	(Supported in work profile - C)  O (Supported in work profile - C)  (Supported in work profile - C)	(Supported in work profile - C) O (Supported in	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	(Supported in	(Supported in work profile - C) O (Supported in	(Supported in work profile - C)  (Supported in work profile - C)  (Supported in work profile - C)	(Supported in work profile - C) O (Supported in	0	0 0 0	0	O (Superv ised)	0	or higher. non-Samsung legacy enrollment device Q OS
	Auto unick  Assword policies  AsyGuard(Block function setting on lock screen)  Passcode modification  Screen unick, with biometric ID  Passcode promitive requests  Authentication before password autofili  Sange kook applier Android Enterprise Dedicated Device)  Multi Viola ago  Linki Viola ago	(Supported in work profile - C)  O (Supported in work profile - C)  (Supported in work profile - C)	(Supported in work profile - C) O (Supported in	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	(Supported in	(Supported in work profile - C) O (Supported in	(Supported in work profile - C)  Supported in work profile - C)  Supported in work profile - C)  O  O  O  Supported in work profile - C)  O  Supported in work profile - C)  Supported in work profile - C)	(Supported in work profile - C) O (Supported in	0	0 0 0	0	O (Superv ised)	0	or higher. non-Samsung legacy enrollment device Q OS
	Auto unick  Password policies  Aug Guar d'Illiock function setting on lock screen)  Passcode modification  Screen unicks with biometric ID  Passcode modification  Password promitive requests  Password auforfili  Authoritication before password autofili  Simple looks agorfor Android Enterprise Dedicated Device)  Multi Nicks agorfor Android Enterprise Dedicated Device on Multi Nicks agorfor Android Enterprise Dedicated Device on Committee on Com	(Supported in work profile - C)  O (Supported in work profile - C)  (Supported in work profile - C)	(Supported in work profile - C) O (Supported in	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	(Supported in	(Supported in work profile - C) O (Supported in	(Supported in work profile - C)  (Supported in Supported in S	(Supported in work profile - C) O (Supported in	0	0 0 0	0	O (Superv ised)	0	or higher. non-Samsung legacy enrollment device Q OS
	Auto unick  Assword policies  Assword promitte (ID  Assword policies)  Assword policies  Assword policie	(Supported in work profile - C)  O (Supported in work profile - C)  (Supported in work profile - C)	(Supported in work profile - C) O (Supported in	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	(Supported in	(Supported in work profile - C) O (Supported in	Gsupported in work profile - C)	(Supported in work profile - C) O (Supported in	0	0 0 0	0	O (Superv ised)	0	or higher. non-Samsung legacy enrollment device Q OS
	Auto unick Password policies Aug-Guar diBlock function setting on lock screen) Passcode modification Screen unicks with biometric ID Passcode modification Screen unicks with biometric ID Passcode promitive requests Passcode autofili Lautheritication before password autofili Autheritication before password autofili Multiperitication before password autofili Control of the password autofili Lautheritication before password autofili Autheritication before password autofili Lautheritication	(Supported in work profile - C)  O (Supported in work profile - C)  (Supported in work profile - C)	(Supported in work profile - C) O (Supported in	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	(Supported in	(Supported in work profile - C) O (Supported in	Supported in work profile -	(Supported in work profile - C) O (Supported in	0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0	O (Superv ised)	0	or higher. non-Samsung legacy enrollment device Q OS
Klosk	Auto unick  Assword policies  Assword promitte (ID  Assword policies)  Assword policies  Assword policie	(Supported in work profile - C)  O (Supported in work profile - C)  (Supported in work profile - C)	(Supported in work profile - C) O (Supported in	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	(Supported in	(Supported in work profile - C) O (Supported in	Supported in work profile - C)  Supported in work profile - C)  O  O  Supported in work profile - C)	(Supported in work profile - C) O (Supported in	0	0 0 0	0	O (Superv ised)	0	or higher. non-Samsung legacy enrollment device Q OS
	Auto unick  - Assword policies  - Assword autofili  - Assword auto	Supported in work perifier O	Supported in work profile - O	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	(Supported in	Supported in work profile - O	Supported in work profile -	Supported in work profile - C)	0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0	O (Superv ised)	0	or higher. non-Samsung legacy enrollment device Q OS
Klosk	Auto unick  Assonord policies  Assonord autofili  A	Supported in work profile - O	Supported in work profile - C)	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	(Supported in	Supported in work profile - O Supported in su	Sisported in work profile - O Sisported in work profile - O O O O O O Sisported in work profile - O O O O O Sisported in work profile - O O Sisported in work profile - O O O Sisported in work profile - O O O Sisported in work profile - O O O O O O O O O O O O O O O O O O O	Supported in work profile - C)	0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0	O (Superv ised)	0	or higher. non-Samsung legacy enrollment device Q OS
Klosk	Auto unick  - Assword policies  - Assword autofili  - Assword auto	Supported in work perifier O	Supported in work profile - O Supported in work profile - O Supported in work profile - O Supported in work profile - O Supported in work profile - O Supported in work profile - O	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	(Supported in	Supported in work profile - C)  Supported in work profile - C)  Supported in work profile - C)	Sisported in work profile - ()  Sisported in work profile - ()  O O O O O O O O O O O O O O O O O O O	Supported in work profile - C)  Supported in work profile - C)  Supported in work profile - C)	0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0	O (Superv ised)	0	or higher. non-Samsung legacy enrollment device Q OS
Klosk	Auto unick  Assonord policies  Assonord autofili  A	Supported in work profile - O	Supported in work profile - C)	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	(Supported in	Supported in work profile - O Supported in Support	Sisported in work profile - O Sisported in work profile - O O O O O O Sisported in work profile - O O O O O Sisported in work profile - O O Sisported in work profile - O O O Sisported in work profile - O O O Sisported in work profile - O O O O O O O O O O O O O O O O O O O	Supported in work profile - C)  (Supported in work profile - C)	0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0	O (Superv ised)	0	or higher. non-Samsung legacy enrollment device Q OS
Klosk	Auto unick  Assword policies  AsyGuard(Block function setting on lock screen)  Password policies  AsyGuard(Block function setting on lock screen)  Password promitter (ID  Password promitter (ID  Password promitter requests)  Password sharing  Single lock applier Android Enterprise Dedicated Device)  Multi Violak applier Android Enterprise Dedicated Device)  Multiple with a state of the Android Enterprise Dedicated Device)  Multiple windows  Aut roommand  Aut roommand  Aut roommand  App control	Supported in work profile - O	Supported in work profile - Cl.	0	(Supported in	Supported in work profile - O	Supported in work profile - C)	Supported in work profile - C)	0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0	O Dispersion of the control of the c	0	or higher. non-Samsung legacy enrollment device Q OS
Klosk	Auto unick  Assword policies  AsyGuard(Ribork function setting on lock screen)  Password policies  AsyGuard(Ribork function setting on lock screen)  Password showing registers  Password sharing  Sangak look apprior Android Enterprise Dedicated Device)  Multi Violak ago  Password sharing  Solicia Setting  Solicia Setting	Supported in work profile - C)  Supported in work profile - C)  O  O  O  O  O  O  O  O  O  O  O  O  O	Supported in work profile - C) Supported in work profile - C) Supported in work profile - C) Supported in supported in supported in work profile - C) Supported in supported in work profile - C)	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	(Supported in	Supported in work profile - O	Supported in work profile - C)  O  O  O  O  O  O  Supported in work profile - C)  O  O  O  O  O  O  O  O  O  O  O  O  O	Supported in work profile - C)	0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0	O (Superv ised)	0	or higher. non-Samsung legacy enrollment device Q OS
Klosk	Auto unick  Assword policies  AsyGuard(Block function setting on lock screen)  Password policies  AsyGuard(Block function setting on lock screen)  Password promitter (ID  Password promitter (ID  Password promitter requests)  Password sharing  Single lock applier Android Enterprise Dedicated Device)  Multi Violak applier Android Enterprise Dedicated Device)  Multiple with a state of the Android Enterprise Dedicated Device)  Multiple windows  Aut roommand  Aut roommand  Aut roommand  App control	Supported in work profile - O	Supported in work profile - C) Supported in Supported in Supported in Work profile - C) Supported in Suppo	0	(Supported in	Supported in work profile - O O Supported in work profile - O Supp	Supported in work profile - C)	Supported in work profile - C)  Supported in Supported in Supported in Work profile - C)  Supported in Sup	0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0	O Dispersion of the control of the c	0	or higher. non-Samsung legacy enrollment device Q OS
Klosk	Auto unick  Assessed policies  AsyGuard(Block function setting on lock screen)  Passood profile function setting on lock screen)  Passood promiting to the screen control of the	Supported in work profile - O	Supported in work profile - O Suppor	0	(Supported in	Supported in work profile - O	Supported in work profile - ()  O  O  O  O  O  O  O  O  O  O  O  O  O	Supported in work profile - C)	0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0	O Dispervised O D Dispervised O D D D D D D D D D D D D D D D D D D	0	or higher. non-Samsung legacy enrollment device Q OS
Klosk	Auto unick  Assessed policies  AsyGuard(Block function setting on lock screen)  Passood profile function setting on lock screen)  Passood promiting to the screen unick with biometric ID  Passood promiting requests  Authentication before passoord autofili  Storge kook applier Android Enterprise Dedicated Device)  Multi Violan application of Storge Android Enterprise Dedicated Device)  Task manager  Storge Kook applier Android Enterprise Dedicated Device)  Multi Violan application of Storge Android Enterprise Dedicated Device)  Multiple windows  Air command  Air view  Edge screen  stallation of application from untrusted sources  Skip app functial  App installation	Supported in work profile - C)  Sing order in work profile - C)  O  O  O  O  O  O  O  O  O  O  O  O  O	Supported in work profile - O Suppor	0	(Supported in	Supported in work profile - O Suppor	Supported in work profile - Cl	Supported in work profile - O Suppor	0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0	O Dispervised O D Dispervised O D D D D D D D D D D D D D D D D D D	0	or higher. non-Samsung legacy enrollment device Q OS
Klosk	Auto unick  Assessed policies  AsyGuard(Block function setting on lock screen)  Passood profile function setting on lock screen)  Passood promiting to the screen control of the	Supported in work profile - O	Supported in work profile - O Supported in Supported in work profile - O Supported in Supported in work profile - O Supported in Supported in Supported in work profile - O Supported in Supporte	0	(Supported in	Supported in work profile - O Supported in work profile - O Supported in work profile - O Supported in supported in supported in work profile - O Supported	Supported in work profile - ()  O  O  O  O  O  O  O  O  O  O  O  O  O	Supported in work profile - O Supported in work profile - O Supported in work profile - O Supported in work profile - O Supported in Supported in work profile - O Supported in Supported in Supported in work profile - O Supported in Supported i	0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0	O Dispervised O D Dispervised O D D D D D D D D D D D D D D D D D D	0	or higher. non-Samsung legacy enrollment device Q OS
Klosk	Auto unick Password policies Ae,Guar d'Illiock function setting on lock screen) Passonde modification Screen unicks with biometric ID Passonde promitive requests Passonde autofili Lautheriteitation before password autofili Lautheriteitation before password autofili Lautheriteitation before password autofili Single köck autofile Autofilia Single köck autofile Autofilia Single köck autofile Cartery rese Dedicated Device) Klosk browser Screen saver on Good mode Liftities stoks autofile Cartery in Cartery Forens saver on Good mode Liftities köck autofile Cartery Forens saver on Good mode Liftities köck autofile Cartery Forens saver on Food mode Politik tard ware key Forens saver on Food mode Autofile Stoke autofile Cartery Forens saver on Food mode Autofile Stoke autofile Cartery Forens saver on Food mode Autofile Stoke autofile Cartery Forens saver on Food mode Autofile Stoke autofile Cartery Forens saver on Food mode Autofile Stoke autofile Cartery Forens saver on Food mode Autofile Stoke autofile Cartery Forens saver on Food mode Autofile Stoke autofile Cartery Forens saver on Food mode Autofile Stoke autofile Cartery Forens saver on Food mode Autofile Stoke autofile Cartery Forens saver on Food mode Autofile Stoke autofile Cartery Forens saver on Food mode Autofile Stoke autofile Cartery Forens saver on Food mode Autofile Stoke autofile Cartery Forens saver on Food mode Autofile Stoke autofile Autof	Supported in work profile - O	Supported in work profile - Cl.	0	(Supported in	Supported in work profile - O Suppor	Supported in work profile - ()  O  O  Supported in work profile - ()  O  O  O  Supported in work profile - ()  O  Supported in work profile - ()  O  O  O  O  O  O  O  O  O  O  O  O  O	Supported in work profile - C)	0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0	O Dispervised O D Dispervised O D D D D D D D D D D D D D D D D D D		or higher. non-Samsung legacy enrollment device Q OS
Klosk	Auto unick Password policies Asp, Guard (Block function setting on lock screen) Password policies Screen unicks with biometric (D Password promitty requests Password autofili	Supported in work profile - C) Supported in work profile - C) Supported in work profile - C)  O O O O O O O O O O O O O O O O O O	Supported in work profile - Cl	0	(Supported in	Supported in work profile - O Supported in work profile - O Supported in work profile - O Supported in supported in supported in work profile - O Supported	Supported in work profile - Cl  Supported in work profile - Cl  O  O  O  O  Supported in work profile - Cl  O  O  O  Supported in work profile - Cl  O  Supported in work profile - Cl  O  O  O  O  O  O  O  O  O  O  O  O  O	Supported in work profile - C)	0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0	O Dispervised O D Dispervised O D D D D D D D D D D D D D D D D D D	0	or higher. non-Samsung legacy enrollment device Q OS
Klosk	Auto unick Password policies Ae,Guar d'Illiock function setting on lock screen) Passonde modification Screen unicks with biometric ID Passonde promitive requests Passonde autofili Lautheriteitation before password autofili Lautheriteitation before password autofili Lautheriteitation before password autofili Single köck autofile Autofilia Single köck autofile Autofilia Single köck autofile Cartery rese Dedicated Device) Klosk browser Screen saver on Good mode Liftities stoks autofile Cartery in Cartery Forens saver on Good mode Liftities köck autofile Cartery Forens saver on Good mode Liftities köck autofile Cartery Forens saver on Food mode Politik tard ware key Forens saver on Food mode Autofile Stoke autofile Cartery Forens saver on Food mode Autofile Stoke autofile Cartery Forens saver on Food mode Autofile Stoke autofile Cartery Forens saver on Food mode Autofile Stoke autofile Cartery Forens saver on Food mode Autofile Stoke autofile Cartery Forens saver on Food mode Autofile Stoke autofile Cartery Forens saver on Food mode Autofile Stoke autofile Cartery Forens saver on Food mode Autofile Stoke autofile Cartery Forens saver on Food mode Autofile Stoke autofile Cartery Forens saver on Food mode Autofile Stoke autofile Cartery Forens saver on Food mode Autofile Stoke autofile Cartery Forens saver on Food mode Autofile Stoke autofile Cartery Forens saver on Food mode Autofile Stoke autofile Autof	Supported in work perifies - O	Supported in work profile - O Suppor	0	(Supported in	Supported in work profile - O Supported in work profile - O Supported in work profile - O Supported in supported in supported in work profile - O Supported	Sispported in work profile - ()  Sispported in work profile - ()  O  O  Sispported in work profile - ()  O  Sispported in work profile - ()  O  Sispported in work profile - ()	Supported in work profile - O Suppor	0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0	O Dispervised O D Dispervised O D D D D D D D D D D D D D D D D D D		or higher. non-Samsung legacy enrollment device Q OS
Klosk	Auto unick Password policies Acquardifileof kinction setting on lock screen) Password policies Screen unick with biometric ID Password promitive requests Password autofili Password public password autofili Single koks agoffer Android Enterprise Dedicated Device) Molit Kidok agoffer Android Enterprise Dedicated Device) Molit Kidok agoffer Android Enterprise Dedicated Device) Molit Kidok agoffer Android Enterprise Dedicated Device Password	Supported in work profile - C)  Supported in work profile - C)  O  O  O  O  O  O  O  O  O  O  O  O  O	Supported in work profile - C)		(Supported in	Supported in work profile - O Supported in work profile - O Supported in work profile - O Supported in supported in supported in work profile - O Supported	Supported in work profile - ()  Supported in work profile - ()  O  O  O  Supported in work profile - ()  O  Supported in work profile - ()  O  Supported in work profile - ()	Supported in work profile - C)	0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0	O Dispervised O D Dispervised O D D D D D D D D D D D D D D D D D D	0	or higher. non-Samsung legacy enrollment device Q OS
Klosk	Auto unick Password policies Acçuar (Ililock function setting on lock screen) Password policies Screen unick with biometric ID Password promitive requests Password autofili Lauthentication between biometric ID Password autofili Password promitive requests Password autofili Password promitive requests Password autofili Response of the password a	Supported in work perifier - O  Guptoported in o  Gupt	Supported in work profile - O Suppor		(Supported in	Supported in work profile - O	Supported in work profile - ()  (Supported in work profile - ()	Supported in work profile - C)	0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0	O Dispervised O D Dispervised O D D D D D D D D D D D D D D D D D D	0	or higher. non-Samsung legacy enrollment device Q OS
Klosk	Auto unick Password policies Acquardifileof kinction setting on lock screen) Password policies Screen unick with biometric ID Password promitive requests Password autofili Password public password autofili Single koks agoffer Android Enterprise Dedicated Device) Molit Kidok agoffer Android Enterprise Dedicated Device) Molit Kidok agoffer Android Enterprise Dedicated Device) Molit Kidok agoffer Android Enterprise Dedicated Device Password	Supported in work profile - C)  Supported in work profile - C)  O  O  O  O  O  O  O  O  O  O  O  O  O	Supported in work profile - O Suppor		(Supported in	Supported in work profile - Q	Supported in work profile - ()  Supported in work profile - ()  O  O  O  Supported in work profile - ()  O  Supported in work profile - ()  O  Supported in work profile - ()	Supported in work profile - C)	0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0	O Dispervised O D Dispervised O D D D D D D D D D D D D D D D D D D	0	or higher. non-Samsung legacy enrollment device Q OS
Klosk	Auto unick  Associate (Riskot function setting on lock screen)  Passociate (Riskot function setting on lock screen)  Passociate motion with biometric ID  Passociate motion with biometric ID  Passociate motion with biometric ID  Passociate passociate passociate passociate autofili  Passociate pass	Supported in work profile - C)  Supported in work profile - C)  O  O  O  O  O  O  O  O  O  O  O  O  O	Supported in work profile - O Suppor		(Supported in	Supported in work profile - O	Sisported in work profile - ()	Supported in work profile - O Suppor	0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0	O Dispervised O D Dispervised O D D D D D D D D D D D D D D D D D D	0	or higher. non-Samsung legacy enrollment device Q OS
Klosk	Auto unick Password policies Acquardifilect function setting on lock screen) Password policies Screen unick with biometric ID Password promitive requests Password autofili Password policy password autofili Password promitive requests Single looks agoffer Android Enterprise Dedicated Device) Molit Note Ago Ricks browser Screen saver on Ricki mode Putting setting Password promitive requests Pass	Supported in work profile - C)  Supported in work profile - C)  O  O  O  O  O  O  O  O  O  O  O  O  O	Supported in work profile - C)		(Supported in	Supported in work profile - Q	Supported in work profile - ()  (Supported in work profile - ()	Supported in work profile - C)	0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0	O Dispervised O D Dispervised O D D D D D D D D D D D D D D D D D D	0	or higher. non-Samsung legacy enrollment device Q OS
Klosk	Auto unick  Assessed policies  Asposard (Block function setting on lock screen)  Passood policies  Asposard (Block function setting on lock screen)  Passood promiting to the screen control of the sc	Supported in work profile - C)  Supported in work profile - C)  O  O  O  O  O  O  O  O  O  O  O  O  O	Supported in work profile - C)		(Supported in	Supported in work profile - Q	Sisported in work profile - ()	Supported in work profile - C)	0		0	O Dispervised O D Dispervised O D D D D D D D D D D D D D D D D D D	0	or higher. non-Samsung legacy enrollment device Q OS
Klosk	Auto unick Password policies Acquardifilect function setting on lock screen) Password policies Screen unick with biometric ID Password promitive requests Password autofili Password policy password autofili Password promitive requests Single looks agoffer Android Enterprise Dedicated Device) Molit Note Ago Ricks browser Screen saver on Ricki mode Putting setting Password promitive requests Pass	Supported in work profile - C)  Supported in work profile - C)  O  O  O  O  O  O  O  O  O  O  O  O  O	Supported in work profile - O Suppor		(Supported in	Supported in work profile - Q	Supported in work profile - ()  (Supported in work profile - ()	Supported in work profile - O Suppor	0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0	O Dispervised O D Dispervised O D D D D D D D D D D D D D D D D D D	0	or higher. non-Samsung legacy enrollment device Q OS
Klosk	Auto unick  Assessed policies  Asposard (Block function setting on lock screen)  Passood policies  Asposard (Block function setting on lock screen)  Passood promiting to the screen of	Supported in work profile - C)  Supported in work profile - C)  O  O  O  O  O  O  O  O  O  O  O  O  O	Supported in work profile - O Suppor		(Supported in	Supported in work profile - Q  Supported in Supported in work profile - Q  Supported in work profile - Q	Supported in work profile - ()  (Supported in work profile - ()	Supported in work profile - O Suppor	0		0	O Dispervised O D Dispervised O D D D D D D D D D D D D D D D D D D	0	or higher. non-Samsung legacy enrollment device Q OS
Klosk	Auto unick  Assessed policies  Asposard (Block function setting on lock screen)  Descode modification  Screen unick with biometric ID  Descode modification  Screen unick with biometric ID  Descode promitive requests  Authentication before password autoffili  Songe kook applier Android Enterprise Dedicated Device)  Multi Vision applier  Sonk browner  Cook browner	Supported in work profile - C)  Supported in work profile - C)  O  O  O  O  O  O  O  O  O  O  O  O  O	Supported in work profile - Cl		Supported in work profile - O	Supported in work profile - Q	Supported in work profile - ()  (Supported in work profile - ()	Supported in work profile - O Suppor	0		0	O Dispervised O D Dispervised O D D D D D D D D D D D D D D D D D D	0	or higher. non-Samsung legacy enrollment device Q OS
Klosk	Auto unick  Assessord policies  Aspoare/fillock function setting on lock screen)  Passood policies  Aspoare/fillock function setting on lock screen)  Passood promiting the state of the st	Supported in work profile - C)  Supported in work profile - C)  O  O  O  O  O  O  O  O  O  O  O  O  O	Supported in work profile - Cl		Supported in work profile - O	Supported in work profile - O	Scapported in work profile - O  Supported in work profile - O  O  O  Supported in work profile - O  O  Supported in work profile - O  O  O  Supported in work profile - O  O  O  O  O  O  O  O  O  O  O  O  O	Supported in work profile - O Suppor	0		0	O Dispervised O D Dispervised O D D D D D D D D D D D D D D D D D D	0	or higher. non-Samsung legacy enrollment device Q OS
Klosk	Auto unick  Assessord policies  Assessord policies  Associate (Riblock function setting on lock screen)  Seasocide modification  Screen unicks with biometric ID  Seasocide modification  Screen unicks with biometric ID  Seasow of pointing requests  2-sovered autoffil  Seasow of sharing  Single looks apprior adorded Enterprise Dedicated Device)  Multi klook app  Closs browser  Closs browser  Closs browser  Closs browser  Closs apprior Andorde Enterprise Dedicated Device)  Multi klook app  Close the seasow of Closk mode  Creen saver on Closk mode  Analytic saver on Closk mode  All command  Ali view  Ali command  Ali view  App control  App installation  App control  App installation  App execution blocklist setting  App uninstallation prevention list setting  System app activation setting  App developation scope management  App prevented from using mobile data setting  App developation scope management  Nork and personal apps connection setting  Sattery optimization exceptions  Ray store  Flay sto	Supported in work profile - C)  Supported in work profile - C)  O  O  O  O  O  O  O  O  O  O  O  O  O	Supported in work profile - Cl		Supported in work profile - O	Supported in work profile - Q	Scapported in work profile - O  Supported in work profile - O  O  O  Supported in work profile - O  O  Supported in work profile - O  O  O  Supported in work profile - O  O  O  O  O  O  O  O  O  O  O  O  O	Supported in work profile - O Suppor	0		0	O Disservised O Secretary of the Control of the Con	0 0	or higher. non-Samsung legacy enrollment device Q OS
Klosk	Auto unick  Password policies  Ago Guard(Block function setting on lock screen)  Password policies  Screen unick with biometric ID  Password promitty requests  Password promitty requests  Password paramitty removed  Paramitty removed  Password paramitty removed  Passw	Supported in work profile - C)  Supported in work profile - C)  O  O  O  O  O  O  O  O  O  O  O  O  O	Supported in work profile - Cl		Supported in work profile - O	Supported in work profile - O	Scapported in work profile - O  Supported in work profile - O  O  O  Supported in work profile - O  O  Supported in work profile - O  O  O  Supported in work profile - O  O  O  O  O  O  O  O  O  O  O  O  O	Supported in work profile - O Suppor	0 0 0		0	O Disservised Disservised O D Disservised O D Disservised O D D D D D D D D D D D D D D D D D D	0	or higher. non-Samsung legacy enrollment device Q OS
Klosk	Auto unick  - Bassword policies  - Ago Guar d'Illiock function setting on lock screen)  - Bassond prolicies  - Sereen unicks with biometric ID  - Bassond promitte to the service of the s	Supported in work profile - C)  Supported in work profile - C)  O  O  O  O  O  O  O  O  O  O  O  O  O	Supported in work profile - Cl		Supported in work profile - O	Supported in work profile - O	Scapported in work profile - O  Supported in work profile - O  O  O  Supported in work profile - O  O  Supported in work profile - O  O  O  Supported in work profile - O  O  O  O  O  O  O  O  O  O  O  O  O	Supported in work profile - O Suppor	0 0 0		0	O Disservised O Secretary of the Control of the Con	0 0	or higher. non-Samsung legacy enrollment device Q OS
Klosk	Auto unick  Assessord policies  Aspoare/filosick function setting on lock screen)  Passood policies  Aspoare/filosick function setting on lock screen)  Passood promition to the state of t	Supported in work profile - C)  Supported in work profile - C)  O  O  O  O  O  O  O  O  O  O  O  O  O	Supported in work profile - Cl		Supported in work profile - O	Supported in work profile - O	Scapported in work profile - O  Supported in work profile - O  O  O  Supported in work profile - O  O  Supported in work profile - O  O  O  Supported in work profile - O  O  O  O  O  O  O  O  O  O  O  O  O	Supported in work profile - O Suppor	0 0 0		0	O Disservised O Secretary of the Control of the Con	0 0	or higher. non-Samsung legacy enrollment device Q OS
Klosk	Auto unick  Assessord policies  Associate (Ricide Kinction setting on lock screen)  Seasocide modification  Screen unick with biometric ID  Seasocide modification  Screen unick with biometric ID  Seasocide modification  Screen unick with biometric ID  Seasocide promitive requests  2-second autoffili  Seasocide promitive requests  Screen unick with biometric ID  Seasocide promitive requests  Seasocide sharing  Single looks approfice Andoxid Enterprise Dedicated Device)  Multi Notal Aga  Screen area on Clock mode  Creen server on Clock mode  Creen server on Clock mode  Creen server on Clock mode  Test in a Clock mode  Alir command  Alir view  Alir command  Alir view  Alir command  Alir view  App installation of application from untrusted sources  Skip app function  App execution blocklist setting  App control  App installation  App execution blocklist setting  App developed block-Alirovist setting  App developed block-Alirovist setting  System app activation secting  Sattery optimization exceptions  Ray tone  Test setting  App installation block/alirovist setting  App installation block/alirovist setting  App developed block-Alirovist setting  App installation in secution prevention is setting  Application for real prohibition is setting  Application for real compromised  Application for real prohibition is setting  Application for real compromised  Application for real prohibition is setting  Application for real prohib	Supported in work profile - C)  Supported in work profile - C)  O  O  O  O  O  O  O  O  O  O  O  O  O	Supported in work profile - Cl		Supported in work profile - O	Supported in work profile - O	Scapported in work profile - O  Supported in work profile - O  O  O  Supported in work profile - O  O  Supported in work profile - O  O  O  Supported in work profile - O  O  O  O  O  O  O  O  O  O  O  O  O	Supported in work profile - O Suppor	0 0 0		0	O Disservised O Secretary of the Control of the Con	0 0	or higher. non-Samsung legacy enrollment device Q OS
Klosk	Auto unick  Password policies  Ago Guardilideck function setting on lock screen)  Password policies  Screen unicks with biometric ID  Password promitty requests  Password promitty requests  Password paramitty removed  Password pass	Supported in work profile - C) Supported in work profile - C)  O O O O O O O O O O O O O O O O O O O	Supported in work profile - Cl		Supported in work profile - O	Supported in work profile - O	Scapported in work profile - O  Supported in work profile - O  O  O  Supported in work profile - O  O  Supported in work profile - O  O  O  Supported in work profile - O  O  O  O  O  O  O  O  O  O  O  O  O	Supported in work profile - O Suppor	0 0 0			O Disservised O Secretary of the Control of the Con	0 0	or higher. non-Samsung legacy enrollment device Q OS
Klosk	Auto unick  App Countrill Block function setting on lock screen)  Passood policies  App Guard (Block function setting on lock screen)  Passood promiting the street of the	Supported in work profile - C) Supported in work profile - C)  O O O O O O O O O O O O O O O O O O O	Supported in work profile - Cl		Supported in work profile - O	Supported in work profile - O	Scapported in work profile - O  Supported in work profile - O  O  O  Supported in work profile - O  O  Supported in work profile - O  O  O  Supported in work profile - O  O  O  O  O  O  O  O  O  O  O  O  O	Supported in work profile - O Suppor	0 0 0			O Disservised O Secretary of the Control of the Con	0 0	or higher. non-Samsung legacy enrollment device Q OS

1	Tunes store											O (Supervised)		
	Game center iBookstore											O (Supervised) O (Supervised)		
	inappropriate contents download on iBookstore iMessage											O O (Supervised)		
	Apple news Apple music radio											O (Supervised) O (Supervised)		
	Apple music Apple podcasts											O (Supervised) O (Supervised)		
	Find friends											O (Supervised)		
	Find my device Find friends modification											O (Supervised) O (Supervised)		
	In-app purchase To trust company app											0		
	App Clips System app removal											O (Supervised) O (Supervised)		
	Managed apps to write contacts to unmanaged contacts ac Unmanaged apps to read contacts from managed contacts	counts accounts										0		
	Automatic app download Autonomous single app mode											O (Supervised) O (Supervised)		
Location	Windows app store access control	0	0				0	0				C (Magain Vision)	O (mobile only)	
Location	GPS (Location)	(Supported in work profile - C)	(Supported in work profile - C)	0			(Supported in work profile - C)	(Supported in work profile - C)		0			0	
	Report device location	0	(Supported in	0			0	(Supported in	0	0				
			work profile - C)					work profile - C)						
	High accuracy mode	0	(Supported in work profile - C)	0			0	(Supported in work profile - C)	0	0				
	Location Mode					O (Supported in								
Phone		0				work profile - C)	0							
	Airplane mode	(Supported in work profile - C)		0			(Supported in work profile - C)			0				
	Call broadcasting setting	(Supported in			O (Supported in		(Supported in							
	Volume adjustment	work profile - C)		0	work profile - C)		work profile - C)							
	Microphone	(Supported in		0	(Supported in		(Supported in		0	0	0			
	Voice call control(except Samsung Device)	work profile - C) O (Supported in		0	work profile - C)		work profile - C) O (Supported in		0	0				
	voice can control(except sumsuing bevec)	(Supported in work profile - C)					(Supported in work profile - C)							
	SMS control(except Samsung Device)	(Supported in work profile - C)		0			(Supported in work profile - C)			0				
	Data connection during roaming	(Supported in work profile - C)		0	(Supported in work profile - C)		(Supported in			0			0	
		work profile - C)			O (Outgoing)		work profile - C)							
	Prohibit voice call(Incoming/Outgoing)				(Supported in work profile - C)		(Supported in work profile - C)			0				
	SMS/MMS(Incoming/Outgoing)				(Supported in work profile - C)		(Supported in work profile - C)		0	0				
					work profile - C)		work profile - C)  O  (Supported in			0				
	WAP push during roaming						work profile - C)			·				
	Data sync during roaming						(Supported in work profile - C)			0				
	Voice calls during roaming						O (Supported in			0				
	Use SIM card locking						work profile - C)			0				
	Celluar data connection Incomming/Outgoing Call/SMS blocklist								^	0				
	Data usage limit								0	0				
	Data usage restriction Set app voice recording allowlist									0				
	Modification of cellular data settings for each application FaceTime											O (Supervised) O (Supervised)		
	Voice dialing Background fetch for roaming											0		
	eSIM modification Celluar plan modification											O (Supervised) O (Supervised)		
Container	Copy and paste clipboard per profile		O (Supported in			O (Supported in		O (Supported in			0	C (Magain Visito)		
	copy and passe enpode a per prome		work profile - C)			work profile - C)		work profile - C)						
	Phone Book Access Profile(PBAP) via Bluetooth		(Supported in work profile - C)					(Supported in work profile - C)						
	Set a message for profile wipe		(Supported in					(Supported in						
			work profile - C)			0		work profile - C)						
	Set a maximum period for profile turn off		(Supported in work profile - C)			(Supported in work profile - C)		(Supported in work profile - C)						
	Moving an application to container		(Supported in			(Supported in work profile - C)		(Supported in			0			
			(Supported in			(Supported in work profile - C)		(Supported in			0			
Factory Reset Protection	Moving an application to container Moving a file to Knox area Moving a file to General area	0	(Supported in		0	work profile - C)		(Supported in			0			
Factory Reset Protection	Moving an application to container Moving a file to Knox area Moving a file to General area Calendar sync setting	(Supported in	(Supported in work profile - C)  O (Supported in	0	O (Supported in work profile - C)	work profile - C)  O (Supported in	0	(Supported in			0			
Factory Reset Protection  Knox Browser	Moving an application to container Moving a file to Knox area Moving a file to General area Calendar sync setting Contacts sync setting Contacts sync setting Allow factory reset protection	(Supported in work profile - C)	(Supported in work profile - C)  O (Supported in work profile - C)		(Supported in work profile - C)	work profile - C)	0	(Supported in work profile - C)			0			
	Moving an application to container Moving a file to Knox area Moving a file to General area Calendar sync setting Contacts sync setting	(Supported in	(Supported in work profile - C)  (Supported in work profile - C)  (Supported in work profile - C)	0	(Supported in work profile - C)	work profile - C)  O (Supported in	0	(Supported in work profile - C)  (Supported in work profile - C)			0			
	Moving an application to container Moving a file to Knox area Moving a file to General area Calendar sync setting Contacts sync setting Contacts sync setting Allow factory reset protection	(Supported in work profile - C)	(Supported in work profile - C)		○ (Supported in work profile - C)	work profile - C)  O (Supported in	•	(Supported in work profile - C)  (Supported in work profile - C)			0			
	Moving an application to container Moving a life to Xinox area Moving a life to Xinox area Moving a life to General area Calender spr. exterior Candicts spric acting Allow factory reset protection  Nomepage URL App auto update	(Supported in work profile - C)	(Supported in work profile - C)	0	(Supported in wark profile - C)	work profile - C)  O (Supported in	•	(Supported in work profile - C)  (Supported in work profile - C)  (Supported in work profile - C)			0			
	Moving an application to container Moving a file to know area Moving a file to general area Calendar sync setting Cantacts sync setting Cantacts sync setting Allow factory reset protection Homepage URL	(Supported in work profile - C)	(Supported in work profile - C)  O (Supported in work profile - C)	0	(Supported in work profile - C)	work profile - C)  O (Supported in	•	(Supported in work profile - C)			0			
	Moving an application to container Moving a life to Xinox area Moving a life to Xinox area Moving a life to General area Calender spr. exterior Candicts spric acting Allow factory reset protection  Nomepage URL App auto update	(Supported in work profile - C)	(Supported in work profile - C)  O (Supported in work profile - C)	0	(Supported in work profile - C)	work profile - C)  O (Supported in	•	(Supported in work profile - C)			0			
	Moving an application to container Moving a lie la Ninoa area Moving a lie la Ninoa area Moving a lie la Ninoa area Calendar your cettings Contacts synt cetting Allow factory reset protection Homepage LIRL App auto update Hide URL LIRL block/Whiltelist control	(Supported in work profile - C)	(Supported in work profile - C)  (Supported in Supported in	0	(Supported in work profile - C)	work profile - C)  O (Supported in	•	Supported in work profile - C)  Supported in Supporte			0			
	Moving an application to container Moving an line to Krious elec- Moving an line to Krious elec- Moving an line to Krious elec- Moving and line to Krious elec- Moving and line to Krious elec- Contacts sync setting Allow factory reset protection  Homepage URL  App auto update  Holde URL  LIST, block-Whiltelist control  Link URL to other apps	(Supported in work profile – C)	Supported in work profile - C)	0 0 0	(Supported in work profile - C)	work profile - C)  O (Supported in	•	(Supported in work profile - C)			0			
	Moving an application to container Moving a lie la Ninoa area Moving a lie la Ninoa area Moving a lie la Ninoa area Calendar your cettings Contacts synt cetting Allow factory reset protection Homepage LIRL App auto update Hide URL LIRL block/Whiltelist control	(Supported in work profile - C)	Supported in work profile - C)	0 0	Supported in work profile - C)	work profile - C)  O (Supported in	•	(Supported in work profile - C)			0			
	Moving an application to container Moving an line to Krious elec- Moving an line to Krious elec- Moving an line to Krious elec- Moving and line to Krious elec- Moving and line to Krious elec- Contacts sync setting Allow factory reset protection  Homepage URL  App auto update  Holde URL  LIST, block-Whiltelist control  Link URL to other apps	(Supported in work profile – C)	Supported in work profile - C)  (Supported in work profile - C)	0 0 0	Supported in work profile - C)	work profile - C)  O (Supported in	•	(Supported in work profile - C)			0			
	Moning an application to container  Moning an application to container  Moning at IRI IRI General area  Cantacts you cetting  Cantacts you cetting  Allow factory reset protection  Homepage URL  App auto update  Hide URL  URL block/Whitelist control  Link URL to other apps  Conkies  Conkies  Tile download	(Supported in work profile - C)	Supported in work profile - C	0 0 0 0 0 0 0 0	(Supported in work profile- C)	work profile - C)  O (Supported in	•	Supported in work profile - C   Supported in work profile - C			0			
	Moving an application to container Moving an line to force area Moving and Moving Moving and Moving Moving Moving and Moving	(Supported in work profile - C)	Supported in work profile - C  Supported in Supported in Supported in Supported in Supported in Month Profile - C  Supported i	0 0 0 0 0 0	Supported in work profile - C)	work profile - C)  O (Supported in	•	Supported in work profile - C			0			
	Moning an application to container  Moning an application to container  Moning at IRI IRI General area  Cantacts you cetting  Cantacts you cetting  Allow factory reset protection  Homepage URL  App auto update  Hide URL  URL block/Whitelist control  Link URL to other apps  Conkies  Conkies  Tile download	(Supported in work profile - C)	Supported in work profile - C  Supported in Supported in work profile - C  Supported in work	0 0 0 0 0 0 0 0	(Supported in work profile - C)	work profile - C)  O (Supported in	•	Supported in work profile - C  (Supported in work profile - C)  (Supported in work profile - C)  Supported in work profile - C)			0			
	Souring application to container  souring miles (above as a section)  Moring at lieu to deement area calender upon extering  Contacts sync setting  Allow factory reset protection  Morepage URL  App auto update  Mide URL  URL block/Whiltelist control  Link URL to other apps  Cookies  File download  File upload	(Supported in work profile - C)	Supported in work profile - C  Suported in work profile - C  Suported in work profile - C  Supported in		Supported in work profile - C)	work profile - C)  O (Supported in	•	Supported in work profile - C			0			
	Souring application to container souring file for born as Nowing affect for the same Nowing affect for the same Nowing affect for central area Candadar sync setting Contacts sync setting Allow factory reset protection Nomepage URL App auto update Node URL URL to other apps Cookies Cookies File download File upload Text copy Screen capture	Supported in work profile - C)	Supported in work profile - C  Suported in work profile - C		Supported in work profile - C)	work profile - C)  O (Supported in	•	Supported in work profile - C			0			
	Souring application to container  souring miles (above as a section)  Moring at lieu to deement area calender upon extering  Contacts sync setting  Allow factory reset protection  Morepage URL  App auto update  Mide URL  URL block/Whiltelist control  Link URL to other apps  Cookies  File download  File upload	(Supported in work profile - C)	Supported in work profile - C  Sing or the supported in work profile		Supported in work profile - C)	work profile - C)  O (Supported in	•	Supported in work profile - C   Supported in work profile - C			0			
	Souring application to container souring file for born as Nowing affect for the same Nowing affect for the same Nowing affect for central area Candadar sync setting Contacts sync setting Allow factory reset protection Nomepage URL App auto update Node URL URL to other apps Cookies Cookies File download File upload Text copy Screen capture	Supported in work profile - C)	Supported in work profile - C  Supported in		Supported in work profile - C)	work profile - C)  O (Supported in	•	Supported in work profile - C			0			
	Sending application to container  sometimes and policities are container  Serving at little to General area  Gandear sprice setting  Contacts grow, setting  Allow factory reset protection  Homepage URL  App auto update  Holde URL  URL to other apps  Cookies  File download  File upload  Text Copy  Screen capture  Bookmark  Text scalling	Supported in work profile - C)	Supported in work profile - C		(Supported in work profile - C)	work profile - C)  O (Supported in	•	Supported in work profile - C  Supported in work profile - C  Supported in Suppor			0			
Knox Browser	Souring anglication to container  souring anglication to container  souring anglication to container  Souring anglication and  Souring anglication and  Souring anglication  Sour	Supported in work profile - O)	Supported in work profile - C  Sisported in work profile - C		(Supported in work profile - C)	work profile - C)  O (Supported in	•	Supported in work profile - C   Supported in work profile - C			0			
	Souring an Begilderion to container  Souring an Begilderion to container  Souring are lie to General area  General server  Contacts sync setting  Allow factory reset protection  Nomepage URL  App auto update  Nide URL  URL to other apps  Cookies  File download  Fire upload  Force capture  Bookmark  Text scaling  Force enable acom  Policy update schedule by weekday  Policy update schedule by livine zone	Supported in work profile - O)	Supported in work profile - C		Supported in work profile - C)	work profile - C)  O (Supported in		Supported in work profile - C   Supported in work profile - C	0 0	0 0	0			
Khox Browser	Souring an application to container  Souring an application to container  Souring an ille to General area  Gentacts sync setting  Contacts sync setting  Allow factory reset protection  Homepage URL  App auto update  Side URL  URL block/Whittelist control  Link URL to other apps  Cookies  File download  File upload  Fest copy  Screen capture  Bookmark  Fest scalling  Force enable arom  Force on application of the protection of	Supported in work profile - O	Supported in work profile - C		Supported in work profile - C)	work profile - C)  O (Supported in		Supported in work profile - C   Supported in work profile - C	0 0 0	0	0 0 0	0		
Kitox Browser	Section application to container  storing application to container  Section and the section and sectio	Supported in work profile - O)	Supported in work profile - C		Supported in work profile - C)	work profile - C)  O (Supported in		Supported in work profile - C   Supported in work profile - C	0	0 0 0	0 0 0	0		
Kitox Browser	Shoring application to container  storing an Ego Even as a section as a section and a section as a section and a section as a section a	Supported in work profile - O)	Supported in work profile - C		(Supported in work profile - C)	work profile - C)  O (Supported in		Supported in work profile - C   Supported in work profile - C	0	0	0 0 0	O O Described		
Kitox Browser	Souring an application to container  Souring and application to container  Souring an	Supported in work profile - O)	Supported in work profile - C		Supported in work profile - C)	work profile - C)  O (Supported in		Supported in work profile - C   Supported in work profile - C	0 0 0	0 0 0 0	0 0 0	O (Supervised) O (Supervised)		
Knox Browser  Scheduler  Browser	Section as application to container  section as a sequenciary and a sequency as a sequ	Supported in work profile - O)	Supported in work profile - C		Supported in work profile - C)	work profile - C)  O (Supported in		Supported in work profile - C   Supported in work profile - C	0 0	0 0 0 0	0 0 0	O (Supervised)		
Knox Browser	Souring application to container  souring affect for the man  Souring affect for  Souring Souring  Souring Souring  Souring Souring  Souring Souring  So	Supported in work profile - O)	Supported in work profile - C		Supported in work profile - C)	work profile - C)  O (Supported in	• • • • • • • • • • • • • • • • • • •	Supported in work profile - C   Supported in work profile - C	0 0 0	0 0 0 0	0 0 0	O (Supervised) O (Supervised) O (Supervised)		
Knox Browser  Scheduler  Browser	Storing anglication to container  storing anglication to container  Storing are lies to General area  Candacts your cetting  Contacts cytor, resetting  Contacts your cetting  Allow factor, reset protection  Younepage URL  App auto update  Side URL  URL block/Whiltelist control  Link URL to other apps  Cookies  File download  File update  File update Schedule by Start time  Bookmark  Force enable soon  Palicy update schedule by start time  Link URL to self-listed  Link Link Cookies  Force enable soon  Palicy pudate schedule by Start time  Link Link Link Link Link Link Link Link	Supported in work profile - O)	Supported in work profile - C		(Supported in work profile - C)	work profile - C)  O (Supported in	O  O  O  O  O  O  O  O  O  O  O  O  Supported in work arother.	Supported in work profile - C   Supported in work profile - C	0 0	0 0 0 0	0 0 0	O (Supervised) O (Supervised) O (Supervised)		
Scheduler  Scheduler  Browser  Custom Animation	Secondary application to container  storying affect for the secondary  S	Supported in work profile - O)	Supported in work profile - C		Supported in work profile - C)	work profile - C)  O (Supported in	O O O O O O O O O O O O O O O O O O O	Supported in work profile - C   Supported in work profile - C	0 0	0 0 0 0 0	© 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	O (Supervised) O (Supervised) O (Supervised)		
Knox Browser  Scheduler  Browser	Storing anglication to container  storing anglication to container  Storing are lies to General area  Candacts your cetting  Contacts cytor, resetting  Contacts your cetting  Allow factor, reset protection  Younepage URL  App auto update  Side URL  URL block/Whiltelist control  Link URL to other apps  Cookies  File download  File update  File update Schedule by Start time  Bookmark  Force enable soon  Palicy update schedule by start time  Link URL to self-listed  Link Link Cookies  Force enable soon  Palicy pudate schedule by Start time  Link Link Link Link Link Link Link Link	Supported in work profile - O)	Supported in work profile - C		Supported in work profile - C)	work profile - C)  O (Supported in	Supported in work profile - C)  Supported in work profile - C)	Supported in work profile - C   Supported in work profile - C	0 0 0	0 0 0 0	0 0 0	O (Supervised) O (Supervised) O (Supervised)		
Scheduler Scheduler Browser  Custom Animation	Storing application to container  storing angle for the sea serving  Storing angle for the sea serving  Contacts yor, certify  Allow factory reset protection  Homepage URL  App auto update  Hole URL  SIRL black/Whitelest control  Link URL to other apps  Cookies  File download  File upload  Text copy  Screen capture  Backmark  Firet scaling  Force enable assom  Policy update schedule by weekday  Policy update schedule by schedule by schedule schedule by sched	Supported in work profile - O)	Supported in work profile - C		Supported in work profile - C)	work profile - C)  O (Supported in	Solution of the control of the con	Supported in work profile - C   Supported in work profile - C	0 0 0	0 0 0 0 0	© 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	O (Supervised) O (Supervised) O (Supervised)		
Scheduler  Scheduler  Browser  Custom Animation	Section application to container  section and the law of the section and secti	Supported in work profile - O)	Supported in work profile - C		Supported in work profile - C)	work profile - C)  O (Supported in	Supported in work profile - ()	Supported in work profile - C   Supported in work profile - C	0 0	0 0 0 0	0 0 0 0	O (Supervised) O (Supervised) O (Supervised)		
Scheduler Scheduler Browser  Custom Animation	Storing application to container  storing angle for the sea serving  Storing angle for the sea serving  Contacts yor, certify  Allow factory reset protection  Homepage URL  App auto update  Hole URL  SIRL black/Whitelest control  Link URL to other apps  Cookies  File download  File upload  Text copy  Screen capture  Backmark  Firet scaling  Force enable assom  Policy update schedule by weekday  Policy update schedule by schedule by schedule schedule by sched	Supported in work profile - O)	Supported in work profile - C		Supported in work profile - C)	work profile - C)  O (Supported in	Guarante la monte de la monte del monte de la monte de la monte de la monte del monte de la monte del monte de la monte del monte de la monte del monte dela monte del monte del monte del monte del monte del monte del mon	Supported in work profile - C   Supported in work profile - C	0 0 0	0 0 0 0	0 0 0 0 0 0 0 0 0	O (Supervised) O (Supervised) O (Supervised)		
Scheduler Scheduler Browser  Custom Animation	Section application to container  section and the law of the section and secti	Supported in work profile - O)	Supported in work profile - C		Supported in work profile - C)	work profile - C)  O (Supported in	Gupported in work profile - O work prof	Supported in work profile - C   Supported in work profile - C	0 0 0	0 0 0 0	0 0 0 0	O (Supervised) O (Supervised) O (Supervised)		
Scheduler Scheduler Browser  Custom Animation	Southers application to container  southway application to container  southway application to container  Southers are setting  Contacts you certify  Contacts you certify  Contacts you certify  Allow factory reset protection  Homepage URL  App auto update  Hole URL  URL block/Whitelest controd  Link URL to other apps  Caokies  File download  File update  Fire centale accom  Force entaile accom  Force entai	Supported in work profile - O)	Supported in work profile - C		Supported in work profile - C)	work profile - C)  O (Supported in	Supported in Work profile - G. Supported in	Supported in work profile - C   Supported in work profile - C	0 0 0 0	0 0 0 0 0		O (Supervised) O (Supervised) O (Supervised)		
Scheduler Scheduler Browser  Custom Animation	Storing application to container  storing angle pick was as some and a second area a	Supported in work profile - O)	Supported in work profile - O		Supported in work profile - C)	work profile - C)  O (Supported in	Gupported in work profile - O work prof	Supported in work profile - C   Supported in work profile - C	0 0 0	0 0 0 0 0		O (Supervised) O (Supervised) O (Supervised)		
Scheduler  Scheduler  Browser  Custom Animation	Southers application to container  southway application to container  southway application to container  Southers are setting  Contacts you certify  Contacts you certify  Contacts you certify  Allow factory reset protection  Homepage URL  App auto update  Hole URL  URL block/Whitelest controd  Link URL to other apps  Caokies  File download  File update  Fire centale accom  Force entaile accom  Force entai	Supported in work profile - O)	Supported in work profile - O		Supported in work profile - C)	work profile - C)  O (Supported in	Supported in work parties of Supported in wo	Supported in work profile - C   Supported in work profile - C	0 0 0	0 0 0 0 0		O (Supervised) O (Supervised) O (Supervised)		
Scheduler Scheduler Browser  Custom Animation	sending an application to container sourcing after to two as a sending after to two as a sending after to two as a sending after the sendi	Supported in work profile - O)	Supported in work profile - O		Supported in work profile - C)	work profile - C)  O (Supported in	Guported in work profile - O Supported in work profile - O  Supported in work profile - O	Supported in work profile - C   Supported in work profile - C	0 0 0	0 0 0 0 0		O (Supervised) O (Supervised) O (Supervised)		
Scheduler  Scheduler  Browser  Custom Animation	Society as population to container  Society as population to container  Society as the society as a society a	Supported in work profile - O)	Supported in work profile - O		Supported in work profile - C)	work profile - C)  O (Supported in	Supported in work profile - O Suppo	Supported in work profile - C   Supported in work profile - C	0 0 0	0 0 0		O (Supervised) O (Supervised) O (Supervised)		
Scheduler  Scheduler  Browser  Custom Animation	Secondary and application to container  Secondary and application to container  Secondary and application to container  Secondary and application to application and application application and application application application application and application application application and application and application and application application and application application and application application and application application application and application application and application application and application and application and application application and application application and application application application and application and application application application application application and application appli	Supported in work profile - C)	Supported in work profile - C  Suported in work profile - C		work profile - C)	work profile - O	Supported in work pardia- Cl	Supported in work profile - C   Supported in work profile - C	0 0 0	0 0 0		O (Supervised) O (Supervised) O (Supervised)		
Scheduler Scheduler Browser  Custom Animation  Firewalt	Secondary and application to container  Secondary and application to container  Secondary and application to container  Secondary and application to application and application application and application application application application and application application application and application and application and application application and application application and application application and application application application and application application and application application and application and application and application application and application application and application application application and application and application application application application application and application appli	Supported in work profile - C)	Supported in work profile - C  Suported in work profile - C		work profile - C)	work profile - O	Supported in work pardia- Cl	Supported in work profile - C   Supported in work profile - C	0 0 0	0 0 0		O (Supervised) O (Supervised) O (Supervised)		
Scheduler  Browser  Custom Animation  Firewalt	Society as population to container  Society as population to container  Society as the society as a society a	Supported in work profile - C)	Supported in work profile - C  Suported in work profile - C		work profile - C)	work profile - O	Supported in work pardia- Cl	Supported in work profile - C   Supported in work profile - C	0 0 0	0 0 0		O (Supervised) O (Supervised) O (Supervised)		

I	Set maximum log size(MB)				1		0	0					
Share(iOS)	Set maximum days for storage(Day) Allow open from unmanaged to managed apps						ō	ō		0			
Silale(iO3)	Allow open from managed to unmanaged apps									0			
	Managed posteboard AirDrop									O (Supervised)			
	Consider AirDrop not managed									O (Supervised)			
	AirPrint AirPrint credentials storage									O (Supervised) O (Supervised)			
	Force AirPrint trusted TLS requirement AirPrint iBeacon discovery									O (Supervised) O (Supervised)			
iCloud(iOS)	Backup									0			
	Document synchronization iClous photo library									O (Supervised)			
	Photo stream									0			
	Photo sharing Keychain synchronization									0			-
	Managed app synchronization Handoff									0			
	Enterprise book backup									0			
Media(iOS)	Enterprise books, notes and highlights sync Set level of media contents for country									0			
etc(Windows)	Delete PPKG										0		
Settings	MDM client unenrollment			0									
	Wi-Fi	0	0	(Supported in work profile - C)	0	0		0		0	0		
	VPN	0		work profile - C)  O  (Supported in	0	0		0	0	0	0		
				work profile - C)									
	Bookmark / WebClip	0	0	(Supported in	0			0	0	0			
				work profile - C)									
	Certificate	0	0	(Supported in work profile - C)	0	0		0	0	0	0		
	Exchange Knox VPN							0	0	0	0		
				0						_			+
	APN / Cellular	0		(Supported in work profile - C)	0			0		0			
	Email account SSO							0	0	0			-
	AirPrint									0			
	Font App Lock							L		O O (Supervised)			
	App Locker										0		
	Global HTTP proxy AirPlay (iOS7 or above)									O (Supervised)			
	Web content filter (iOS 7 or above)									O (Supervised)			+ = = = = = = = = = = = = = = = = = = =
	Managed domains (iOS 8 or above) Network usage rules (iOS 9 or above)									0			
General (Chrome)	Parallels desktop Parallels desktop windows imange											0	+
	Required disk space											0	
Sign-in settings (Chrome)	Diagnostic information Display password button								<u> </u>			0	
Enrollment controls (Chrome)	Device enrollment Asset identifier during enrollment											0	+ = = = = = = = = = = = = = = = = = = =
	Enrollment permissions											0	
Apps and extentions (Chrome) Site isolation (Chrome)	Task manager Site isolation							H-		<u> </u>		0	+-
Security (Chrome)	Password manager											0	
	Lock screen Quick unlock											0	+
	PIN auto-submit Lock screen media playback											0	==
	Idle settings											0	
	Incognito mode Browser history											0	
	Clear browser history											0	
	Online revocation checks Giolocation											0	
	Single sign-on											0	
	SAML single sign-on login frequency Allowed certificate transparency URLs											0	+
	Certificate transparency CA allowlist											0	
	Certificate transparency legacy CA allowlist User management of installed CA certificates											0	
	User management of installed client certificates CPU task scheduler											0	
	Enable leak detection for entered credentials											0	
	Ambient authentication Unsupported system warning											0	+
	Advanced protection program  Override insecure origin restrictions											0	
	Popip interactions											0	
Remote access (Chrome)	Security token removal Remote access clients											0	
, , , , , , , , , , , , , , , , , , , ,	Remote access hosts											0	
Sesstion settings (Chrome)	Firewall traversal Show logout button in tray											0	
Kerberos (Chrome)	Kerberos tickets											0	
	Remember Kerberos passwords Kerberos accounts											0	
Network (Chrome)	Proxy mode Ignore proxy on captive portals											0	
	Supported authentication schemes											0	
	Allow basic authentication for HTTP NTLMv2 authentication											0	
	Minimum SSL version enabled SSL error override											0	
	SSL error override allowed domains											0	
	WebRTC UDP ports WebRTC ICE candidate URLs for local Ips											0	
	QUIC protocol											0	
	DNS-over-HTTPS Built-in DNS client											0	+
	Integrated authentication servers Kerberos delegation servers											0	+==
	Kerberos ticket delegation											0	
	Kerberos service principal name Kerberos SPN port											0	+
	Cross-origin authentication											0	
	SharedArrayBuffer User agent client hints											0	
	Signed HTTP exchange(SXG) support Blobally scoped HTTP authentication cache											0	+ = = =
	Require online OCSP/CRL checks for local trust anchors											0	
	HSTS policy bypass list CNS interception checks enabled											0	
	Intrandt redirection behavior Lagacy TLS/DTLS downgrade in WebRTC											0	+ = = =
	WPAD optimiation											0	
	Login credentials for network authentication Allowed network ports											0	+
Android poplication - (Character	CECPQ2 post=quantum key-agreement for TLS											0	
Android applications (Chrome)	Control Android backup and restore service Google location services											0	
Startup (Chrome)	Certificate synchronization Home button											0	+ = = =
carrap (cirionie)	Homepage											0	
	New tab page New tab page background					-		<u> </u>	<u> </u>	<u> </u>		0	+
Cartest (Ch.	Paged to load on startup											0	
Content (Chrome)	SafeSearch and restricted mode Screenshot				 		<u> </u>			L_		0	
	Screen video capture Client certificates											0	+ = = = = = = = = = = = = = = = = = = =
	Security key attestation											0	
	3D content Cookies							H-		<u> </u>		0	+-
	Third-party cookie blockiing											0	
	Default legacy samesite cookie behavior Per-site legacy amesite cookie behavior											0	
	Images											0	
	Javascript Javascript intentiveWakeUp throttling											0	
	Notifications Autoplay video											0	
	Auto open download files											0	
	Pop-ups Cross-origin JavaScript dialogs											0	+
	URL blocking											0	
	Google Drive syncing Google Drive syncing over cellular							<u> </u>	_			0	<del>                                     </del>
	Cast Control use of insecure content exceptions											0	
	Allow insecure content on these sites						L-					0	
	Block insecure content on these sites Insecure forms											0	
	Network file shared											0	
	Scroll to text fragment Enable URL-keyed anonymized data collection											0	+ = = =
	AppCache											0	
	Web bluetooth API PDF annocations							<u> </u>	<u> </u>			0	<del>                                     </del>
	File handling API											0	
Barrier Con													
Printing (Chrome)	Enable/Disable Printing Deprecated privet printing											0	

Total Control Contro
### Company of the co
### CANADA PARTICIPATION
Transport of products
### Company of the Co
### CANADA PARTICIPATION
Total Contents
March   Marc
March 1975
March 1998
Marchester
March   Marc
### CAMPACHES
Controlled   Con
Company
Market Print Pri
Marie   Mari
March 1997   Mar
March 1985
Company   Comp
March
Miles of teaching and the control of
Career   C
Section of the processing
Part of the content
Part
Company
March   Marc
Amount of the content of the conte
Street for the rights
March 1999   Mar
Control Annual Cont
March
Manufair (1997)  Annual for the control of the cont
Anadolfy Clark  Anadolfy Clark  First 12 and 1
March   Marc
Martin
Section 1997   Section 2007   Sect
Proceedings
Control of State   Control of
Act
Septiment
Part of 19   19   19   19   19   19   19   19
Part of the Charter   Ch
Pass period deligned (Company) (Co
Person and purpose (person)
Owner and price Character
Neclose (Onzell)   Profession (Control of Control of
Mode page for control and
Part of claser of life.
Montpot fame
Internal place of this set   Internal place of the set
Paging 10   Pagi
Paging Debtg Chronol   Chronology Chronol   Chronology Chronolog
File of the rest o
Uner entition (Chronic Memory application AP)  Uner entition (Chronic Me
Does with four first and section of the control of
Help improve and to treating the content of the con
Met transing ristanced formation
Seguence of the receiving control of the control of
Particular and control and c
Signers totalized channels wantings on delivation (Service) in Entiropie 28.
Chrone equidate Chronel  Vista ana. Associat (Vista) and chrone years and chrone decreases decreased and chrone years and years an
Once guidest (Chrone)
Comment Line Acces  Description Line Acces  Exercise Dealtop (Chroma)  Finalisis Dealtop (Chroma)  Allow Towards (Application settings)  Other settings (Chroma)  All Comments (Application to set Prailed Pealting)  Papilise Dealtop (Chroma)  Allow Towards (Application settings)  Allow Towards (Application settings)  Allow Indication Settings (Chroma)  A
Parallels Desiting (Chromot Action again from unfracted sources Action actio
Parallels Destroy (Chromol Allow Distribution Survivales associated Survivales Agriculture Survivales Survival
Parallels Desktop (Chromol) Parallels Desktop (Chromol) Parallels Desktop (Desktop windows inspage Dispersal Ends on Ends
Regalard disk space
Dispositic information  Other settings (Chrome)  Dispositic information  And other settings (Chrome)  Dispositic information  Dispositic informatio
Miniferent and policiation settings (Tromonal Configurations sync decises and Configurations settings (Tromonal Configurations settings (Tromonal Configurations Synchronic Sync
distrional Application settings (Chrome)  All model applications on Chrome devices  All model point of applications on Chrome devices  Errorillment and access (Chrome)  Errorillment and access (Chrome)  Force of end of applications on Chrome devices  All model registring for users and devices  All model registring for users and devices  Force of end of applications on Chrome devices  All model registring for users and devices  All model registring for users and devices  Force of end of applications on Chrome devices  All model registring for users and devices  Force of end of applications on Chrome devices  All model registring for users and devices  All model registring for users and devices  Force of end of applications on Chrome devices on Chrome de
Again detention install sources Allow inscrear extension packaging Extend extensions Extend extend extend extensions Extend extend extend extensions Extend
External acterisories   Permisories and URL's
Permissions and URLS
Chrone Web Store homespage
Errollment and access (Chroma)  Android reporting for users and devices  Android reporting for users and devices  Pores de re-enrollment  Werfind mode  Disable device return instructions  Integrated FIOP Second factor  Sign-in settings (Chroma)  Sign-in settings (Chroma)  Sign-in settings (Chroma)  Disable device return instructions  Integrated FIOP Second factor  Sign-in settings (Chroma)  Sign-in settings (Chroma)  Disable device return instructions  Integrated FIOP Second factor  Sign-in restrictions  Sign-in restrictio
Enrollment and access (Chrome)   Force of re-enrollment
Power wash
Verified mode   Disabled device return instructions   Disabled Second Sector   Disabled
Integrated FIDD second factor
Sign-in settings (Cronnel)   Sign-in retriction   Sign-in retriction   Sign-in retriction   Sign-in retriction   Sign-in retriction   Sign-in retriction   Sign-in screen   Sign-in retriction   Sign-in screen
Autocomplete domain
Device off hours   Device wallpaper Intage   Device wallpaper   D
Device wallpaper image   Device wallpaper   D
Single sign-on Cookin Perdirection
Storgie sign-on coates behavior
Single sign-on camera permissions   O
Accessibility control  Sign- in larguage  Sign- sign- in larguage  Sign- sign- in larguage  Sign- sign- in larguage  Sign- sign- in sign- in screen  Sign- sign- sign- in screen  Sign- sign- sign- in screen  Sign- sign- sign- sign- in screen  Sign- sign
Sign in keyboard
Single-sign-on-verified access
Privacy screen on sign-in screen O Show numeric keyboard for password O O
Show numeric keyboard for password
Select to speak
Vigit contrast
Sticky keys
Dn-screen keyboard O O O O O O O O O O O O O O O O O O O
Keybasar discuss halphighting  Laver Halphightit  Care training to the control of
Auto-click enabled
Large cursor Cursor highlight
Primary mouse button O
Mono audio 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
Device update settings (Chrome) Auto-update settings
App-controlled updates Kissk-controlled updates Kissk-controlled updates
Refere channel Variations  O O
Update downloads O
Kissk settings (Chome) Managed guest session O O O O O O O O O O O O O O O O O O O
Kinosk settings (Chrome) Managed guest session O O Kinosk settings (Chrome) O O Kinosk device status alterting delivery O O O Kinosk device status alterting delivery O O O O O O O O O O O O O O O O O O O

	Kiosk power settings (Chrome)	Action on lid close AC klosk power settings													0	
	Kiosk accessibility (Chrome)	Battery kiosk power settings Kiosk floating accessibility menu													0	
		Kiosk spoken feedback Kiosk select to speak													0	
		Kiosk high contrast													0	
		Kiosk sticky keys Kiosk on-screen keyboard													0	
		Kiosk dictation Kiosk keyboard focus highlighting													0	
		Kiosk caret highlight Kiosk auto-click enabled													0	
		Kiosk large cursor Kiosk cursor highlight													0	
		Kiosk primary mouse button Kiosk mono audio													0	
		Kiosk accessibility shortcuts													0	
	Display settings (Chrome)	Kiosk screen magnifier Screen settings													0	
	Power and shutdown (Chrome)	Power management Scheduled reboot													0	
	Virtual machines (Chrome)	Allow shutdown Linux virtual machines for unaffiliated users (BETA)													0	
	Other settings (Chrome)	Android apps from untrusted sources Device network hostname template													0	
	Other settings (Cilibrile)	Timezone													0	
		Mobile data roaming USB access													0	
		Bluetooth Bluetooth services allowed													0	
		Throttle device bandwidth TPM firmware update													0	
		Authenticated Proxy Traffic													0	
		Imprivata login screen integration System clock format Apps and extensions cache size													0	
		Hardware profiles													0	
		Low disk space notification Redeem offers through Chrome OS registration													0	
App mgmt.	me management - partner access (C Application	hr Allow EMM partners access to device management Automatic installation	0	0	0			0	0	0	0	0	0	0	0	
'		Manaul installation Set app deploy area	0	0	0			0	0	0	0	0	0	0		
		Mandatory installation Permission management			_			_		0	0	0				
		Create a shortcut during app installation									00					
	EMM Client	Run the app after the installation Maxium failed login attempts	0	0	0			0	0	0	0	0	0	O (mobile only)		
		Action when allowed login attenpts are failed Lock device after (second)	0	0	0			0	0	0	0 0	0	0			
		Lock Knox container after (second) Allow deactivation request	0	0	0			0	0	0	0 0	0	0			
		Availability for Android version conrtol Show all policies applied	0	0	0			0	0	0	0	0	0			
		Limitation of the external application in the download scre	0	0	U			0	0	0	0	0	0			
		Availability for iOS version conrtol Windows 10 desktop data distribution											0	0		
Content	Content Library	Windows 10 mobile data distribution Deploy to device / Organization / User	0		0			0		0	0			0		
	,	Deploy area View contents on Agent	0	0	0			0	0	0	0 0	0				
General	Profile	Supporting multiple profile	ő	0	Ü			0	0	0	0	0	0	0		
E-FOTA mgmt	Application F/W update	Application execution count Force update(silent)						0	0		0 0	0				
	control	Selective OS version Scheduled update						0			00					
Device Command	Device	Apply latest profiles Lock/Unlock device	0	0	0	0	0	0	0	0	0	0	0	O (mobile only)	0	
		Lock screen	0	0	0	0	0			-	-		<u> </u>	O (modite only)		
								0	0	0	0 0		_			
		Reset screen password Factory reset + Initialize SD card	0	0	0	0	0	0	0	0	0		0			
		Reset screen password Factory reset + Initialize SD card Factory reset Power off device	0 0		0	0		0 0		0 0	0 0		O (Supervised	0 0	0	
		Reset screen password Factory reset + Initialize SD card Factory reset Power off device Reboot device	0 0		0			0		0 0 0	0 0 0				0	
		Reset screen password Factory reset hinklaire SD card Factory reset Power off device Reboot device Reset SD card Reset data usage	0 0 0 0 0		0 0 0	0		0 0 0 0 0 0 0 0		0 0 0 0 0	0 0 0 0 0			0 0	0	
		Rest streen password Factory rest inhibite SD card Factory rest inhibite SD card Factory rest Powe of device Rest SD card Rest SD card Rest data usage Rest multiper of calls Rest Remove unauthorized container	0 0 0 0 0 0		0	0		0 0 0 0 0 0 0		0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0			0 0	0	
		Reest screen password Factory reest Hintiblize SD card Factory reest Hintiblize SD card Factory reest Hintiblize SD card Factory reset Dewer off device Reboot device Reboot device Reset SD card Reest SD card Rees	0 0 0 0 0		0 0 0	0		0 0 0 0 0 0 0 0		0 0 0 0 0	0 0 0 0 0 0 0 0		O (Supervised	0 0	0	
		Reest screen password Factory reest Hintibilize SD card Factory reest Reboot device Reboot device Reset SD card Reest SD car	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0	O O O N/A	0		0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		O (Supervised	0	0	
	App mgmt.	Reed creen password Factory reed thinsible SO card Reed SO card Reed SO card Reed data usage Beset number of calls Reed thinsible SO card Reed SO card	0 0 0 0 0		0 0 0	0		0 0 0 0 0 0 0 0		0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0	O (Supervised	0 0		
	App mgmt.	Reest creen password Factory reest Hintibilize SC card Factory reest Hintibilize SC card Factory reest Fower off Revice Reset State Language Reest Control Revice Reest Gala usage Reest cala usa	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0	O O O O O O O O O O O O O O O O O O O	0		0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0	O (Supervised	0		
	Арр mgmt.	Reest screen password Factory reest Hintibilize SD card Factory reest Hintibilize SD card Factory reest Hintibilize SD card Factory reest Power off device Reboot device Reboot device Reboot device Reset states usage Reset	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0	O O O O O O O O O O O O O O O O O O O	0		0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0	O (Supervised	0		
		Reed streen password Factory reed Hintibilize SD card Reboot device Reboot device Reeds SD card Reeds SD car	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0	O O O O O O O O O O O O O O O O O O O	0	0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0	O (Supervised	o O	0	
	App mgmt. Knox Manage	Reed creen password  Factory reed: ThisBlack Scard  Reed: T	0 0 0 0 0 0 0 0 0	0 0 0	0 0 0 0 0 0	0		0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0	O (Supervised	O (mobile only)		
		Reed creen password Factory reed Thislible SD card Reed SD card Reed SD card Reed Galla Reed Card Reed	0 0 0 0 0 0 0 0 0 0	0 0	0 0 0 0 0 0 0	0	0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0	O (Supervised	O (mobile only)	0	
		Reest screen password Factory reest Hintibilize SC card Factory reest Hintibilize SC card Factory reest Hintibilize SC card Factory reest Favore off device school device school device Reest statu stage Reest stage Re	0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	O O O O O O O O O O O O O O O O O O O	0	0	0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0	O (Supervised	O (mobile only)	0	
		Reest screen password Factory reest Hintibilize SD card Factory reest Factory reest Factory Reest Hintibilize Reest State stage Reest stage Reest stage Reest State State State State State State State State State Reest State State State State State State Reest State State State State State State State Reest State		0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0	0	0		0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0	O (Supervised	O (mobile only)	0	
		Reed creen password  Factory reed: This This Des Surd  Sactory reed: This Des Surd  Reed Surd  Reed Surd  Reed Could be Reed Surd  Reed Could be Reed Surd  Reed Could be Reed Surd  Reed Su	0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0	0	0	0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0			0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	O (Supervised)  O (O O O O O O O O O O O O O O O O O O	O (mobile only)	0	
		Reed creen password Factory reed: This Tibilities Discard Reed Stat usage Reed data usage Reed data usage Reed data usage Reed data usage Reed container R		0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0	0		0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	O (Bupervised	O (mobile only)	0	
	Kriox Manage	Reest creen password Factory reest Thislities SC card Reest SC card Reest SC card Reest Gata usage Reest anumber of calls Reest data usage Reest anumber of calls Reenove unsurbring container Trabler Disabler LACKSamoung Fanal App Only) Trabler Disabler LACKSamoung Fanal App Trabler Disabler Disabler LACKSamoung Fanal App Trabler Disabler	0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0	0		0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	O (Bupervised	O (mobile only)	0	
		Reed creen password  Factory reed: This Tribilities Discard  Jactory reed: This Tribilities Discard  Jactory reed: This Tribilities Discard  Jactory reed: This Tribilities Discard  Reed of Warde  Reed		0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0	0		0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	O (Supervised)  O (O O O O O O O O O O O O O O O O O O	O (mobile only)	0	
	Kriox Manage	Reed screen password Factory reed: This libration Scrad Reed Stat surple Reed data suage Reed data suage Reed data suage Reed scrad Ree		0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0	0		0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	O (Expery ised	O (mobile only)	0	
	Kriox Manage	Reed circene password Factory reed Thistilles SC card Reed Card Reed SC card Reed Card		0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0	0		0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0			0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	O (Supervised	O (mobile only) O (o O O O O O O O O O O O O O O O O O O	0	
	Kriox Manage	Reest creen password Factory reest Thistilize SC card Reest Gata usage Reest anumber of calls Reest data usage Reest card card Reest Gata usage Reest card usage Reest card usage Reest or card Trabler Disabler EACISEmmung Fanal App Only) Trabler Disabler EACISEmmung Fanal App Only) Trabler Disabler EACISEmmung Fanal App Trabler Disabler Factis Thistilize Bockers Trabler Disabler Pacific Morental Trabler Disabler Pacific Trabler Pacific Tr		0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0	0		0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0			0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	O. (1) (1) (1) (1) (1) (1) (1) (1) (1) (1)	O (mobile only) O (o O O O O O O O O O O O O O O O O O O	0	
	Kriox Manage  Device Info Sync  Container	Reed creen password  Factory reed: This Tribilities Discard  Jactory reed: This Tribilities Discard  Jactory reed: This Tribilities Discard  Jactory reed: This Tribilities Discard  Reed of Advice  Reed of Loan Care  Reed o		0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0	0		0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0			0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	O (Supervised	O (mobile only) O (o O O O O O O O O O O O O O O O O O O	0	
	Knox Manage  Device info Sync	Reed circene password Factory reed this This Die Scraft Factory reed this Die Scraft Reed Container		0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0	0		0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0				O. (1) (1) (1) (1) (1) (1) (1) (1) (1) (1)	O (mobile only) O (o O O O O O O O O O O O O O O O O O O	0	
	Knox Manage  Device info Sync  Container  mgmt(legacy)  Custom Control	Reed circene password Factory reed Thislighe SC and Reed Country of the SC and Reed Country of the SC and Reed Country of the SC and Thislighe SC and Reed Country of the SC and Thislighe SC and T		0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0	0		0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0			0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	O (tiger) ised (in the control of th	O (mobile only) O O O O O O O O O O O O O O O O O O O	0	
Mobile Admin	Kriox Manage  Device Info Sync  Container mgmt(legacy)	Reest creen password Factory reest Thistilize SC card Reest Gata usage Reest data usage Reest card Factor Card Facto		0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0	0		0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0				O. (1) (1) (1) (1) (1) (1) (1) (1) (1) (1)	O (mobile only) O 0 O 0 O 0 O 0 O 0 O 0 O 0 O 0 O 0 O 0	0	
Mobile Admin	Knox Manage  Device info Sync  Container mgmt(legacy)  Custom Control  Custom Control	Reed circene password  Factory reed: Thiolities Si card  Reed Si card  Reed Si card  Reed Collidaries  Reed Co		0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0	0		0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	O     O     O     O   O   O   O   O		0	ron-Samsung legacy ron-Gramsung legacy
Mobile Admin	Knox Manage  Device info Sync  Container mgmt(legacy)  Custom Control  Custom Control	Reed circene password Factory reed this file Scard Reed County Factor Reed County Reed Count			0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0	0					0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0			0	non-Samsung legacy enrollment device Q of or higher.
Mobile Admin	Knox Manage  Device info Sync  Container mgmt(legacy)  Custom Control  Custom Control	Reed screen password Factory reed Thislighe SC pard Reed SC par			0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0	0					0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		O (mobile only)	0	non-Samsung Jegacy errollment device Q OS or higher.
Mobile Admin	Knox Manage  Device info Sync  Container mgmt(legacy)  Custom Control  Custom Control	Reest creen password Factory reest Thistilize SC card Reest Gata usage Reest data usage Reest data usage Reest data usage Reest of a card Reest Gata usage Reest of a card Factory Complete Container Fatalize Chable EACKSemung Fanal App Only) Deterla pilitizest Fatalize Chable EACKSemung Fanal App Only) Deterla pilitizest Bun App Fatalize Chable Fatalize Fatalize Chable App Jinistali Bun App Fatalize Chable Fatalize Fata			0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0	0					0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	O (mobile only)  O (mobile only)  O (mobile only)	0	non-Samsung legacy or higher.
Mobile Admin	Knox Manage  Device info Sync  Container mgmt(legacy)  Custom Control  Custom Control	Reed circene password  Factory reed: Thiolize SC card  Reed SC card  Reed Control  R			0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0	0					0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		O (mobile only)	0	ron-Samsung legacy ron-Gliment device Q US or higher.
Mobile Admin	Knox Manage  Device info Sync  Container mgmt(legacy)  Custom Control  Custom Control	Reed circene password Factory reed this file Scard Reed County Factor Reed County Reed County Factor Reed County Factor Reed County Reed Cou			0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0	0					0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		O (mobile only)  O (mobile only)	0	non-Samsung legacy enrollment device Q OS or higher.
Mobile Admin	Knox Manage  Device info Sync  Container mgmt(legacy)  Custom Control  Custom Control	Reed circene password Factory reed Thiolize SC card Reed SC card Reed SC card Reed SC card Reed Card Reed SC card Reed Card Re			0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0	0							O (mobile only)  O (mobile only)	0	ron-Samsung Jegacy errollment device Q OS or higher.
Mobile Admin	Knox Manage  Device info Sync  Container mgmt(legacy)  Custom Control  Custom Control	Reed circene password  Factory reed: Thiolibe SD card  Jactory reed: Thiolibe SD card  Reed of whice  Reed SD card  Reed control  Reed to card			0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0	0							O (mobile only)  O (mobile only)	0	non-Samsung legacy root-Samsung legacy or higher.
	Knox Manage  Device info Sync  Container mgmt(legacy)  Custom Control  Custom Control	Reed circene password  Factory reed: Thiolibe SD card  Reed SD card  Reed card contained  Reed contained  Reed card  Reed contained  Reed contai			0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0	0							O (mobile only)  O (mobile only)	0	ron-Samsung legacy ron-Siment device Q US or higher.
	Knox Manage  Device info Sync  Container mgmt(legacy)  Custom Control  Device commend	Reed circene password Factory reed this This Disc Scrad Factory reed this Disc Scrad Reed County Factor County Reed County			0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0	0							O (mobile only)  O (mobile only)	0	non-Samsung legacy enrollment device Q OS or higher.
	Knox Manage  Device info Sync  Container mgmt(legacy)  Custom Control  Device commend	Reed screen password Factory reed Thislight SC pard Reed S			0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0	0							O (mobile only)  O (mobile only)	0	ron-Samurung Jengary enrollment device Q OS or higher.

		Android Enterprise (Recommanded)
	Fully Managed	O (Android 6+)
Android Enterprise type	Fully Managed with work profile	O (Android 11+)
	Work profile	O (Android 6+)
	System	32
	Interface	11
	Security	3
	Password	2
	Kiosk	7
Number of policies	Application	14
	Location	3
	Phone	7
	Container	4
	Factory Reset Protection	1
	Configuration	5
Number o	f device commands	32
Agent in	stalled on device	Knox Manage Agent

Android Enterprise - Android Management API	Note
Х	AMAPI will be supported in the second half of the '22
O (Android 8+)	
O (Android 5.1+)	
8	
6	
1	
2	
0	AMAPI will be supported in the second half of the '22
9	
1	
5	
2	
1	
1	
5	
Android Device Policy	