				Android Enterprise		Android	Enterprise anagement API		: Available with Kn g Knox / Enterprise	ox Suite li			Enterprise I	icense		
Туре	Category	Feature	Device controls	Work profile controls	Android Go Device controls		Work profile controls	Android Device controls	T .	Devic	Android L	Container side	ios	Windows	Chrome	Unsupported OS version as API deprecation
Device Mgmt.	System	User credentials config.	o o	(Supported in	Device controls	Device controls	work prome controls	o o	O (Supported in	Android	Samsung Knox	Samsung Knox				
		Camera	(Supported in	work profile - C) O (Supported in		O (Supported in	O (Supported in	O (Supported in	work profile - C) O (Supported in	0	0			0		non-Samsung legacy enrollment device Q OS
		Screen capture	work profile - C) O (Supported in	work profile - C) O (Supported in		work profile - C) O (Supported in	work profile - C) O (Supported in work profile - C)	o (Supported in	o (Supported in		0					or higher.
		VPN setting	work profile - C)	work profile - C) O (Supported in	0	work profile - C)	work profile - C)	work profile - C)	o (Supported in					0		
		Account modification	(Supported in work profile - C)	work profile - C) O (Supported in work profile - C)	0	O (Supported in work profile - C)	(Supported in work profile - C)	(Supported in work profile - C)	(Supported in work profile - C)					o (mobile only)		
		Allow account in Google Play	(Supported in work profile - C)	(Supported in work profile - C)		work prome - cy	noix prome - cy	(Supported in work profile - C)	(Supported in work profile - C)							
		Account blocklist/allowlist	(Supported in work profile - C)	(Supported in work profile - C)	۰	(Supported in work profile - C)	(Supported in work profile - C)	(Supported in work profile - C)	(Supported in work profile - C)							
		System update	(Supported in work profile - C)			(Supported in work profile - C)		(Supported in work profile - C)								
		Delete user Safe mode	O (Supported in		0			O (Supported in			0					
		Change wallpaper Custom wallpaper	work profile - C)		0			work profile - C)			0		O(Supervised)			
		External SD card	(Supported in work profile - C)		۰			(Supported in work profile - C)			0					
		Factory reset S beam	0		0			0			0		O (Supervised)	o (mobile only)		
		Create Windows Easter egg Brightness setting	0		0			0								
		AOD System error screen	0		0			0								
		Action of compromised OS is detected Set notifications from an event to On Set notifications from an event to Off	0		0			0		0	0 0					
		Fix event notification Encryption for storage	0		۰			0		0	0					
		Automatic date and time Enforce time zone	(Supported in		0			(Supported in			0		O (Supervised)			
		Language setting	work profile - C)		۰			work profile - C)								
		Location setting Backup	(Supported in work profile - C)		0			(Supported in work profile - C)			0					
		Set a message for blocked settings Mount physical media	۰		۰	O (Supported in		۰								
		Set a message for lock screen	0			work profile - C) O (Supported in work profile - C)										
		Domain blocklist settings				work profile - C)		(Supported in work profile - C)		0	۰					
		NTP settings						(Supported in work profile - C)		0	0					
		Power off						(Supported in work profile - C)			0					
		OTA upgrade						(Supported in work profile - C)			0					
		Settings						(Supported in work profile - C)			۰					
		Expand status bar Clipboard						(Supported in work profile - C)			0	0				
		Share via apps						(Supported in work profile - C)			0					
		Smart Select Developer mode				O (Supported in		0			0					
		Reboot banner				(Supported in work profile - C)		(Supported in work profile - C) O (Supported in								
		Control power saving mode						work profile - C) O (Supported in			0					
		Firmware download mode control						work profile - C) (Supported in								
		Samsung keyboard settings control						work profile - C) O (Supported in work profile - C)								
		System app close App crash report to Google Multiple users									0	0				
		Multiple users Unauthorized SD card Device administrators to install and activate apps								0	0					
		Data saver mode Google account synchronization								0	0					
		Trusted boot verification Third part keyboard										0				
		Add email account Domain allowlist settings Siri										·				
		Force on device only dictation (Siri) Force on device only translation (Siri)											0			
		Submission of diagnosis and usage details Passbook on lock scree Control center on lock screen											0			
		Display notification on lock screen Display today view on lock screen Manual installation for profile											0			
		Manual installation for profile Control editing account information Automatic updates of certificate trust settings											O(Supervised) O(Supervised) O			
		Encryption for iTunes backup											O (Supervised)			
		Apple Watch paring Wrist detection on an Apple Watch											O (Supervised)			
		Limit Ad tracking Apple personalized advertising Result of web search with spotlight											O O(Supervised)			
		Block configuration Change device name											O(Supervised) O(Supervised)			
		Allow bluetooth modification VPN creation Notifications modification											O(Supervised) O(Supervised) O(Supervised)			
		New device proximity setup Unpaired external boot to recovery											O(Supervised) O(Supervised)			
	Interface	Sign in option Printing	0	O (Supported in work profile - C)	0				O (Supported in work profile - C)					0		
		Autofill service	۰	(Supported in work profile - C)					(Supported in work profile - C)							
		Bluetooth share	(Supported in work profile - C)	(Supported in work profile - C)	0			(Supported in work profile - C)	(Supported in work profile - C)							
		Network reset Mobile networks setting	o (Supported in		0	(Supported in work profile - C)		O (Supported in								
		Allow Wi-Fi change	work profile - C) O (Supported in			(Supported in		work profile - C) O (Supported in								
		Wi-Fi control (including Wi-Fi direct)	work profile - C) O (Supported in work profile - C)			work profile - C)		(Supported in		0	0		O (Supervised)	0		non-Samsung legacy enrollment device Q OS
		Tethering setting	(Supported in work profile - C)		۰	O (Supported in work profile - C)		work profile - C) O (Supported in work profile - C)								or higher.
		Bluetooth control	(Supported in work profile - C)		0	(Supported in work profile - C)		(Supported in work profile - C)	(Supported in work profile - C)	0	0			0		
		Bluetooth setting	(Supported in work profile - C)		۰	(Supported in work profile - C)		(Supported in work profile - C)								
		PC connection	(Supported in work profile - C)		0			(Supported in work profile - C)			۰					
		USB debugging NFC control		(Supported in work profile - C)				(Supported in work profile - C)	(Supported in work profile - C)		0	0	O(Supervisor *	o (mobile only)		
		USB host storage(OTG)				O (Supported in work profile - C)		(Supported in work profile - C)					O(Supervised)	o (mobile only)		
		USB exception allowed				provide - CJ		(Supported in work profile - C)			0					
		Wi-Fi hotspot						(Supported in work profile - C)		0	0					
		Wi-Fi SSID allowist setting						(Supported in work profile - C)		۰	۰					
		Wi-Fi SSID blocklist setting						(Supported in work profile - C)		0	۰					
		Wi-Fi auto connection						(Supported in work profile - C)			0					
		WI-Fi minimum security level setting						(Supported in work profile - C) O (Supported in								
		USB tethering Bluetooth tethering						work profile - C)	-	0	0					
		Bluetooth tethering Bluetooth UUID allowlist setting						(Supported in work profile - C) O (Supported in		0						
1 1			1		l	l	L	(Supported in work profile - C)								L

The second content of the content											_					
The content of the	I .	Bluetooth UUID blockList setting						(Supported in work profile - C)		0	0					
Column C								0	(Supported in work profile - C)							
Second Continue		WI-Fi direct It can be set in Android Enterprise > Interface > WI-Fi menu in						(Supported in			۰					
Second Continue		Desktop PC connection with bluetooth Ilt can be set in Android Enterprise > Interface > Bluetooth														
Second Continue		menu in MDM profile) Data transfer with bluetooth						work profile - C)							-	
Column		it can be set in Android Enterprise > Interface > Bluetooth menu in MDM profile) Search mode on bluetooth						work profile - C)								
Column		(It can be set in Android Enterprise > Interface > Bluetooth menu in MDM profile)						(Supported in work profile - C)								
March Marc		Add a new Wi-Fi network										0				
Column C		Network deive access									0					
March Marc		Connect wi-fi to allowed networks only Network delve access											O(Supervised) O(Supervised)			
The second column	Security			O (Supported in	0				O (Supported in							
Property		Enforce multi factor authentication		work profile - C)				0	work profile - C)			0				
Section Sect						. 0										
Column		Maximum screen timeout	•		۰	(Supported in work profile - C)				۰	۰	۰				
March Marc		Lock screen						(Supported in work profile - C)			۰					
The control of the		Google Android security update policy						0								
Part		Connection attempt between server and device								0	0	0				
Marie		Certification deletion									0					
Column		Attestation														
March Marc		Pattern lock visibility settings										0				
March Marc		Unlock with iris													-	
March Marc	Password		0	0		0	0	0	0				0			non-Samsung legacy
March Marc		Password policies	(Supported in work profile - C)		0	(Supported in work profile - C)	(Supported in work profile - C)	(Supported in work profile - C)	(Supported in work profile - C)	0	۰	0	۰			enrollment device Q OS or higher.
March Marc			(Supported in work profile - C)	(Supported in work profile - C)	0		(Supported in work profile - C)	(Supported in work profile - C)	(Supported in work profile - C)			0	L_			enrollment device Q OS or higher.
Property		Passcode modification Screen unlock with biometric ID								_			O(Supervised)			
Table 1		Password proximity requests											O(Supervised)			
March Marc		Authentication before password autofill											O(Supervised)			
March Marc	Klosk	Single klosk app(for Android Enterprise Dedicated Device)	0		0			0								
March Marc		Kiosk browser	0		0			0			0					
Part		Itilities cetting			0			0		0	0				=	
Total Control to 1 Control Control to 1		Delete kiosk app when policy is removed Setting plugged in screen on			0						0					
Marie								O (Supported in		0						
March Marc		1						۰								
March 1999 1								(Supported in								
Section Column		Multiple windows						O (Supported in								
Months		Air command						work profile - C)			0					
Company Comp								0							-	
Professor professor source from Professor professor professor Professor professo	Application	Edge screen						(Supported in work profile - C)	0							
No.	Approxim	Installation of application from untrusted sources	•	(Supported in work profile - C)	0		(Supported in work profile - C)	0	(Supported in work profile - C)		0	0				
Part		Skip app tutorial	0	(Supported in			(Supported in	0	O (Supported in							
Part		App control					work prome - C)		O (Supported in							
Company Comp							. 0		work profile - C)							
Part				(Supported in work profile - C)			(Supported in work profile - C)		work profile - C)							
Part		App uninstallation	۰	(Supported in work profile - C)	0		(Supported in work profile - C)	۰	(Supported in work profile - C)				O(Supervised)			
Approximate Property Proper		App verification	0	(Supported in	0		(Supported in	0	(Supported in							
Note		App permission		O (Supported in			(Supported in	0	(Supported in							
No. Control of the Control of				work profile - C)			work profile - C)		work profile - C)		_			-		
West part Column									work profile - C)							
The content of the		App uninstallation prevention list setting	۰	(Supported in work profile - C)	۰			0	(Supported in work profile - C)	0	۰	۰		۰		
March Company Compan		System app activation setting	۰	(Supported in	0			0	(Supported in							
March of the control of the contro		App delegation scope management		(Supported in			(Supported in	0	(Supported in							
March Marc		App download block/allowlist setting	0				work profile - C)	0								
Manual Agricultural Control		Settings for allowlisting apps allowing external SD card		(Supported in work profile - C)					(Supported in work profile - C)	0	0	0				
March Marc		Work and personal apps connection setting		O (Supported in			(Supported in									
March Marc		Battery optimization exceptions					work profile - C)	0		0	0	0				
Page 1		Play store		(Supported in work profile - C)		(Supported in work profile - C)	(Supported in work profile - C)				0					
Paper of the composition or any option and any option of the composition of the composi		Youtube App installation block/allowlist setting								0	0		0			
March Marc		Application force stop prohibition list setting												0		
Part		Action when apps are compromised									0					
MacCompany and extended the strings		App installation authority allowlisting settings														
Properties of the control of the c		TIMA CCM profile whiltelist	1								•					
Agriculture Company		TIMA CCM profile app access restriction exception list settings									0	0				
Flow Section of the content of t	1	Set general area app installation list									•	0				
Experience content devotation and bolisters		App data deletion control setting									0	0 0	O (Supervi sed)			
Process Proc		App data deletion control setting Tunes store Game center									0	0 0	O(Supervised)			
The first company age		App data deletion control setting Trunes store Game center Bookstore Inappropriate contents download on IBookstore									0	0 0	O(Supervised) O(Supervised) O(Supervised)			
Process Proc		App data deletion control setting Tunes store Same center Bookstore Bookstore Inappropriate contents download on iBookstore Message Fine friends									0	0 0	O (Supervised) O (Supervised) O (Supervised) O (Supervised)			
Managed gap to swift contents to unemarged contents to secure according to the content of the content to unemarged contents according to the content of the		Ago data deletion control setting Titues store Same center Bookstore Inappropriate contents download on Bookstore Message Files friends In app purchase In app purchase									0	0 0	O (Supervi sed) O			
Modern segretaries control		App data deletion control setting Taxes store Game center Game center Glockstore Inappropriate contents download on Blockstore Inappropriate contents download on Blockstore Inappropriate To T									0	0 0	O (Supervised) O (Supervised) O (Supervised) O (Supervised) O (Supervised) O O O O O O O O (Supervised)			
Prove Application control (Responded in the		Age data soletions control setting Three store Lines uses Lane tenda L	ts ants								0	0 0	O(Supervised) O(Supervised) O(Supervised) O(Supervised) O(Supervised) O(Supervised) O O(Supervised) O O(Supervised) O			
Support de la control control no la graphe et la control fraction de la graphe et la control fraction	Location	Ago data distrition control satting Tames store Canne caster Canne Canne Canne Canne Canne		0				0	9			0 0	O(Supervised) O(Supervised) O(Supervised) O(Supervised) O(Supervised) O(Supervised) O O(Supervised) O O(Supervised) O			
Supported in	Location	Ago data distrition control satting Tames store Canne caster Canne Canne Canne Canne Canne		O (Supported in work profile - C)	0			Supported in work profile - C)	(Supported in work profile - C)			0 0	O(Supervi sed) O(Supervi sed) O(Supervi sed) O(Supervi sed) O(Supervi sed) O O(Supervi sed) O O(Supervi sed) O O(Supervi sed)			
Austrant Model Finale Austrant mode Austrant mod	Location	Ago data oleration control satting Tunes done Game conten Game Game Game Game Game Game Game Game Game	O (Supported in work profile - C)	(Supported in				(Supported in work profile - C)	(Supported in work profile - C) O (Supported in	0	0	0 0	O(Supervi sed) O(Supervi sed) O(Supervi sed) O(Supervi sed) O(Supervi sed) O O(Supervi sed) O O(Supervi sed) O O(Supervi sed)			
Application mode Glosported in Glosporte	Location	Ago data oleration control satting Tames store Canne contre Canne contre Canne contre Canne contre Massage The State of the Canne contre Massage The State of the Canne Canne The State of the Canne Canne The State of the Canne The Canne Canne The Canne The Canne Canne The Canne	(Supported in work profile - C)	(Supported in work profile - C)	0			(Supported in work profile - C)	(Supported in work profile - C) (Supported in work profile - C) (Supported in		0	0 0	O(Supervi sed) O(Supervi sed) O(Supervi sed) O(Supervi sed) O(Supervi sed) O O(Supervi sed) O O(Supervi sed) O O(Supervi sed)			
Applicate mode Chapteride is Chapt	Location .	Ago data oleration control satting Tames stone Canne control Canne contr	(Supported in work profile - C)	(Supported in work profile - C)	0		Supposed to	(Supported in work profile - C)	(Supported in work profile - C) (Supported in work profile - C) (Supported in		0	0 0	O(Supervi sed) O(Supervi sed) O(Supervi sed) O(Supervi sed) O(Supervi sed) O O(Supervi sed) O O(Supervi sed) O O(Supervi sed)			
Call broadcastrate getting (Exported in the Voltage Age of Call Call Call Call Call Call Call Cal		Age data deletino control setting Tunes store Tunes store Socializario	O (Supported in work profile - C)	(Supported in work profile - C)	0		C (Supported in work profile : c)	(Supported in work profile - C)	(Supported in work profile - C) (Supported in work profile - C) (Supported in		0	0 0	O(Supervi sed) O(Supervi sed) O(Supervi sed) O(Supervi sed) O(Supervi sed) O O(Supervi sed) O O(Supervi sed) O O(Supervi sed)			
Without adjustment O O O O O O O O O O O O O O O O O O O		Age data adentino control setting These store Lines under Lines to the	(Supported in work profile - C)	(Supported in work profile - C)	0		(Supported in work profile - C)	(Supported in work profile - C) o (Supported in work profile - C)	(Supported in work profile - C) (Supported in work profile - C) (Supported in		0	0 0	O(Supervi sed) O(Supervi sed) O(Supervi sed) O(Supervi sed) O(Supervi sed) O O(Supervi sed) O O(Supervi sed) O O(Supervi sed)			
Micropine (Supported in Copported in Copport		Age data adentino control satting Times store Garne carter Times store Garne carter Times store Garne carter Times store Times	(Supported in work profile - C)	(Supported in work profile - C)	•	Supported in Suppo	(Supported in worst profile: C)	(Supported in work profile - C) o (Supported in work profile - C)	(Supported in work profile - C) (Supported in work profile - C) (Supported in		0	0 0	O(Supervi sed) O(Supervi sed) O(Supervi sed) O(Supervi sed) O(Supervi sed) O O(Supervi sed) O O(Supervi sed) O O(Supervi sed)			
work profiles C) Miss control(peccyst Samurag Devicts) (Expoported in Not profiles C) (Expo		Ago data eletimo control satting Tunes done Canne caster Tunes done Canne caster Tunes done Canne caster Tunes done Canne caster Tunes done Tun	(Supported in work profile - C) O (Supported in work profile - C) (Supported in work profile - C) (Supported in work profile - C)	(Supported in work profile - C)	0	0	Supposed in work profile - Cl	(Supported in work profile - C) O (Supported in work profile - C) (Supported in work profile - C) (Supported in work profile - C)	(Supported in work profile - C) (Supported in work profile - C) (Supported in	0	0 0	0 0 0 0	O(Supervi sed) O(Supervi sed) O(Supervi sed) O(Supervi sed) O(Supervi sed) O O(Supervi sed) O O(Supervi sed) O O(Supervi sed)			
Mile Control (Incope Samburing Charloss) Geoporate in work graftle - C. C. C. C. C. C. C. C.		Age data deletion control setting Times store Times st	Supported in work profile - C Gupported in work profile - C	(Supported in work profile - C)	0	0	Supported in work graffer. CI	(Supported in work profile - C) O (Supported in work profile - C)	(Supported in work profile - C) (Supported in work profile - C) (Supported in	0	0 0	0 0 0 0	O(Supervi sed) O(Supervi sed) O(Supervi sed) O(Supervi sed) O(Supervi sed) O O(Supervi sed) O O(Supervi sed) O O(Supervi sed)			
Data connection during coanning Copported in		Age data deletion control setting Times store Times st	(Supported in work profile - C) O (Supported in work profile - C) O (Supported in work profile - C)	(Supported in work profile - C)	0	0	Gapored in sect and a cold a c	(Supported in work profile - C) O (Supported in work profile - C) (Supported in work profile - C) (Supported in work profile - C) O Supported in work profile - C) Supported in work profile - C) Supported in work profile - C)	(Supported in work profile - C) (Supported in work profile - C) (Supported in	0	0 0	0 0 0 0	O(Supervi sed) O(Supervi sed) O(Supervi sed) O(Supervi sed) O(Supervi sed) O O(Supervi sed) O O(Supervi sed) O O(Supervi sed)			
work profile - C) Open or of it work profile - C) Ast/AMS(Incoming/Dutgoing) May push during reaming Open or of it work profile - C) Open or of it Open or of i		Age data deletino control setting Three store Libraria curre Libra	(Supported in work profile - C) (Supported in Supported in work profile - C) (Supported in Supported in	(Supported in work profile - C)	0	0	(Supported in worst profile: C)	(Supported in work profile c) O (Supported in work profile c) (Supported in work profile c) O (Supported in work profile c) O Supported in work profile c) O Supported in work profile c) Supported in Suppo	(Supported in work profile - C) (Supported in work profile - C) (Supported in	0	0 0 0	0 0 0 0	O(Supervi sed) O(Supervi sed) O(Supervi sed) O(Supervi sed) O(Supervi sed) O O(Supervi sed) O O(Supervi sed) O O(Supervi sed)			
Description		Age data advision control satting Three stone Lame uniter Lame uni	(Supported in work profile - C) Gupported in work profile - C) Gupported in work profile - C) (Supported in work profile - C) Gupported in work profile - C) (Supported in Supported in work profile - C) (Supported in Supported in S	(Supported in work profile - C)	0 0 0 0 0 0 0 0	(Supported in work profile - C)	(Supported in word profile - C)	(Supported in work profile c) O (Supported in work profile c) (Supported in work profile c) (Supported in work profile c) O (Supported in work profile c) O (Supported in work profile c) O (Supported in work profile c) Supported in work profile c) Supported in work profile c) (Supported in work profile c) (Supported in work profile c) (Supported in work profile c)	(Supported in work profile - C) (Supported in work profile - C) (Supported in	0	0 0 0	0 0 0 0	O(Supervi sed) O(Supervi sed) O(Supervi sed) O(Supervi sed) O(Supervi sed) O O(Supervi sed) O O O(Supervi sed) O O(Supervi sed)	o (mobile only)		
WAP point during rearning Was profit of the		Age data advantage carriers Limes store Carrier scrience Carrier scrience Carrier scrience Carrier scrience Carrier scrience Manage Ma	(Supported in work profile - C) Gupported in work profile - C) Gupported in work profile - C) (Supported in work profile - C) Gupported in work profile - C) (Supported in Supported in work profile - C) (Supported in Supported in S	(Supported in work profile - C)	0 0 0 0 0 0 0 0	(Supported in work profile - C) (Supported in work profile - C) (Supported in work profile - C) (Outgoing)	Supposed in words profile i G	(Supported in work profile c) O Supported in work profile c) (Supported in work profile c)	(Supported in work profile - C) (Supported in work profile - C) (Supported in	0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0	O(Supervi sed) O(Supervi sed) O(Supervi sed) O(Supervi sed) O(Supervi sed) O O(Supervi sed) O O O(Supervi sed) O O(Supervi sed)	o (mobile only)		
WAP putch during reasoning Chipported in Wall proported in Chipported i		Age data advision control satting Times store Clare satting Clare sattin	(Supported in work profile - C) Gupported in work profile - C) Gupported in work profile - C) (Supported in work profile - C) Gupported in work profile - C) (Supported in Supported in work profile - C) (Supported in Supported in S	(Supported in work profile - C)	0 0 0 0 0 0 0 0	O (Supported in work profile - C) (Supported in work profile - C) (Supported in work profile - C) O (Outgoing) (Supported in work profile - C)	Gupported in work profile - CJ	(Supported in work profile c) O Supported in work profile c) Supported in work profile c) Supported in work profile c) Supported in Supported in Supported in work profile c) Supported in Supported in Supported in work profile c) Supported in Supporte	(Supported in work profile - C) (Supported in work profile - C) (Supported in	0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0	O(Supervi sed) O(Supervi sed) O(Supervi sed) O(Supervi sed) O(Supervi sed) O O(Supervi sed) O O O(Supervi sed) O O(Supervi sed)	o (mobile only)		
Data spric during reasoning (Cupported in Management of M		Age data advision control satting Times store Clare satting Clare sattin	(Supported in work profile - C) Gupported in work profile - C) Gupported in work profile - C) (Supported in work profile - C) Gupported in work profile - C) (Supported in Supported in work profile - C) (Supported in Supported in S	(Supported in work profile - C)	0 0 0 0 0 0 0 0	(Supported in work profile - C)	(Supported in words profile C)	(Supported in work profile - C) O Supported in work profile - C) Supported in Supported in work profile - C) Supported in Suppor	(Supported in work profile - C) (Supported in work profile - C) (Supported in	0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0	O(Supervi sed) O(Supervi sed) O(Supervi sed) O(Supervi sed) O(Supervi sed) O O(Supervi sed) O O O(Supervi sed) O O(Supervi sed)	o (mobile only)		
Work paties (C) Voice calls during rearning (Expos to te in work paties (C) Use SMX care booking (Cilipate that connections (Cilipate that connections) (Cilipate that connections (Cilipate that connections) (Cilipate that connect		Age data a destinan control satting Times store Clare scatter Clare scat	(Supported in work profile - C) Gupported in work profile - C) Gupported in work profile - C) (Supported in work profile - C) Gupported in work profile - C) (Supported in Supported in work profile - C) (Supported in Supported in S	(Supported in work profile - C)	0 0 0 0 0 0 0 0	(Supported in work profile - C)	Supposed in work profile . CD	Gupperted in O Gupterted in Gupterted in Gupterted in Gupterted in work profile c. C. Gupperted in Gupperted in Work profile c. C. Gupperted in	(Supported in work profile - C) (Supported in work profile - C) (Supported in	0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0	O(Supervi sed) O(Supervi sed) O(Supervi sed) O(Supervi sed) O(Supervi sed) O O(Supervi sed) O O O(Supervi sed) O O(Supervi sed)	o (mobile only)		
Lies Mit card looking Comparison Compari		Age data deletion control setting Times store Times st	(Supported in work profile - C) Gupported in work profile - C) Gupported in work profile - C) (Supported in work profile - C) Gupported in work profile - C) (Supported in Supported in work profile - C) (Supported in Supported in S	(Supported in work profile - C)	0 0 0 0 0 0 0 0	(Supported in work profile - C)	Gapored in sect and a sect a section - Q	Gupported in good specific control of the control o	(Supported in work profile - C) (Supported in work profile - C) (Supported in	0 0		0 0 0 0	O(Supervi sed) O(Supervi sed) O(Supervi sed) O(Supervi sed) O(Supervi sed) O O(Supervi sed) O O O(Supervi sed) O O(Supervi sed)	o (mobile only)		
Celluar data connection Incommunication of cellular data settings for each application Medification of cellular data settings for each application Factor of the cellular data settings for each application of the cellular data settings for each applicatio		Age data deletion control setting Times store To trust company age Age Digs Tyriten age removal To trust company age Age Digs Tyriten age removal Tyriten age removal Tyriten age removal Tyriten age removal Times store to summarged contents according to the store to the store to the store to summarged contents according to the store to the st	(Supported in work profile - C) Gupported in work profile - C) Gupported in work profile - C) (Supported in work profile - C) Gupported in work profile - C) (Supported in Supported in work profile - C) (Supported in Supported in S	(Supported in work profile - C)	0 0 0 0 0 0 0 0	(Supported in work profile - C)	Gupported in work profile - C)	Gupported in Guptorted in Gupto	(Supported in work profile - C) (Supported in work profile - C) (Supported in	0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0	O(Supervi sed) O(Supervi sed) O(Supervi sed) O(Supervi sed) O(Supervi sed) O O(Supervi sed) O O O(Supervi sed) O O(Supervi sed)	o (mobile only)		
Data usage front. Data usage refrontion Data usage refrontion Out age worse recording allewards. O	Proce	Age data advertises control setting Three stone Carrier curies Car	(Supported in work profile - C) Gupported in work profile - C) Gupported in work profile - C) (Supported in work profile - C) Gupported in work profile - C) (Supported in Supported in work profile - C) (Supported in Supported in S	(Supported in work profile - C)	0 0 0 0 0 0 0 0	(Supported in work profile - C)	(Supported in work groffs - C)	Guopporte in out of profile c)	(Supported in work profile - C) (Supported in work profile - C) (Supported in	0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0	O(Supervi sed) O(Supervi sed) O(Supervi sed) O(Supervi sed) O(Supervi sed) O O(Supervi sed) O O O(Supervi sed) O O(Supervi sed)	o (mobile only)		
Set ago rotic recording allowlet: Modification of collular data settings for each application Fixed time Observined Observined Observined	Proce	Age data electron control setting Times store Carne setting Times store Carne setting Times store Carne setting Carne setting Carne setting Carne setting Carne setting Times store Message Times store Times setting Times settin	(Supported in work profile - C) Gupported in work profile - C) Gupported in work profile - C) (Supported in work profile - C) Gupported in work profile - C) (Supported in Supported in work profile - C) (Supported in Supported in S	(Supported in work profile - C)	0 0 0 0 0 0 0 0	(Supported in work profile - C)	Supposed in send profile ()	Guopporte in out of profile c)	(Supported in work profile - C) (Supported in work profile - C) (Supported in	0 0		0 0 0 0	Objective (Inc.)	o (mobile only)		
Modefutions of cellular data settings for each application Other visual	Frond	Age data deletion control setting Times store Times st	(Supported in work profile - C) Gupported in work profile - C) Gupported in work profile - C) (Supported in work profile - C) Gupported in work profile - C) (Supported in Supported in work profile - C) (Supported in Supported in S	(Supported in work profile - C)	0 0 0 0 0 0 0 0	(Supported in work profile - C)	Gupponda in work sentire -G	Guopporte in out of profile c)	(Supported in work profile - C) (Supported in work profile - C) (Supported in	0 0		0 0 0 0	Objective (Inc.)	o (mobile only)		
	Frond	Age data deletion control setting Times store Libraria data Libraria Libr	(Supported in work profile - C) Gupported in work profile - C) Gupported in work profile - C) (Supported in work profile - C) Gupported in work profile - C) (Supported in Supported in work profile - C) (Supported in Supported in S	(Supported in work profile - C)	0 0 0 0 0 0 0 0	(Supported in work profile - C)	(Supported in work profile - C)	Guopporte in out of profile c)	(Supported in work profile - C) (Supported in work profile - C) (Supported in	0 0		0 0 0 0	Odbervised Observised	o (mobile entry)		
	Frond	Age data electrion control satting Times store Carne satter Carne satt	(Supported in work profile - C) Gupported in work profile - C) Gupported in work profile - C) (Supported in work profile - C) Gupported in work profile - C) (Supported in Supported in work profile - C) (Supported in Supported in S	(Supported in work profile - C)	0 0 0 0 0 0 0 0	(Supported in work profile - C)	Supporter in send craffe - CI	Guopporte in out of profile c)	(Supported in work profile - C) (Supported in work profile - C) (Supported in	0 0		0 0 0 0	Objerviseli	o (mobile entry)		

·	Background fetch for roaming											0			
	Background fetch for roaming eSIM modification											O (Supervised)			
Container	Celluar plan modification Copy and paste clipboard per profile		O (Supported in			O (Supported in		O (Supported in				O (Supervised)			
			work profile - C)			work profile - C)		work profile - C)			,				
	Phone Book Access Profile(PBAP) via Bluetooth		(Supported in work profile - C)					(Supported in work profile - C)							
	Set a message for profile wipe		(Supported in					(Supported in							
	Set a maximum period for profile turn off		work profile - C) O (Supported in			O (Supported in work profile - C)		work profile - C) O (Supported in							
	Moving an application to container		work profile - C)			work profile - C)		work profile - C)			0				
	Moving a file to Knox area										0				
	Moving a file to General area Calendar sync setting										0				
Factory Reset Protection	Contacts sync setting		. •		. • .	. • .					0				
Knox Browser	Allow factory reset protection	(Supported in work profile - C)	(Supported in work profile - C)	۰	(Supported in work profile - C)	(Supported in work profile - C)	0								
KIIOX BIOWSEI	Homepage URL	0	(Supported in work profile - C)	0			0	(Supported in work profile - C)							
								- 0							
	App auto update	0	(Supported in work profile - C)	۰			0	(Supported in work profile - C)							
	Hide URL	0	(Supported in work profile - C)	0			0	(Supported in work profile - C)							
	URL block/Whiltelist control	0	(Supported in work profile - C)	0			0	(Supported in work profile - C)							
			work profile - C)					work profile - C)							
	Link URL to other apps	0	(Supported in work profile - C)	۰			0	work profile - C)							
	Cookies	0	(Supported in work profile - C)	0			0	(Supported in work profile - C)							
	File download	0	(Supported in work profile - C)	۰			0	(Supported in work profile - C)							
	File upload	0		۰			0								
			(Supported in work profile - C)					(Supported in work profile - C)							
	Text copy	0	(Supported in work profile - C)	۰			0	(Supported in work profile - C)							
	Screen capture	0	(Supported in work profile - C)	0			0	(Supported in							
	Bookmark	0	(Supported in work profile - C)	0			0	(Supported in work profile - C)							
			work profile - C)					work profile - C)							
	Text scaling	0	(Supported in work profile - C)				0	(Supported in work profile - C)		-					
	Force enable zoom	0	(Supported in work profile - C)				0	(Supported in work profile - C)	L	L	<u></u>	L			
Scheduler	Policy update schedule by weekday Policy update schedule by time zone	0		0			0		0	0	-				
	Policy update schedule by start time	·					0		0	0	_				
Browser	Cookies Javascript						0			0	0	0			
	Auto fill Pop-up block						0		H-	0	0	O(Supervised) O			
	Browser proxy URL Safari Untrusted TLS certificate						•			0		O (Supervised)			
	Untrusted TLS certificate											0			
Custom Animation	Web forgery warning Booting animation						0					0			
							(Supported in work profile - C)								
	Shutdown animation	<u></u>	<u></u>		<u></u>		(Supported in work profile - C) (Supported in work profile - C)		L	L			<u></u>		<u></u>
Firewall	Firewall permitted by IP per app						(Supported in work profile - C)								
	Firewall prohibited by IP per app						work profile - C) O (Supported in								
							work profile - C)			_					
	Firewall permitted by domain per app						(Supported in work profile - C)			۰	۰				
	Firewall prohibited by domain per app						(Supported in								
	DNS setting						(Supported in work profile - C)								
	Firewall permitted to all packages						work profile - C)			-					
DeX	Firewall prohibited to all packages										0				
July 1	Allow DeX mode						(Supported in work profile - C)			۰					
	Allow ethernet only Application execution blocklist						0			0					
Knox Service Plugin		SP dynamic UI and KSP	premium features are	available with Knox	Suite license of I	Gnox Platform for En	terprise license								
	Provide the same feature set by KS	https://	e refer to samsungkn docs.samsungknox.com	ox.com for the KSP f s/dev/knox-service-p	eature list lugin/index.htm				l						
Logging															
	Save logs Set log level								0	0					
	Set log level Set maximum log size(MR)								0	0					
	Set log level Set maximum log size(MB) Set maximum days for storage(Day) Allow open from unmanaged to managed apps								0	0		0			
	Set log level Set maximum log size(MR)								0	0		0 0			
	Set log level Set maximum log size(MB) Set maximum days for storage(Day) Allow open from unmanaged to managed apps Allow open from managed to unmanaged apps Managed posteboard								0	0		O O (Supervised)			
	Set tog level Set maximum (ags size(MB) Set maximum (ags for storage(Day) Allow open from uneranged to unmanged apps Allow open from uneranged to unmanged apps Managed postebored Author Consider Alfrom on transged Backup								0	0		O O(Supervised) O(Supervised)			
Share(iOS)	for log level for maximum log septidilly for maximum log septidilly for maximum days for storage(Day) for maximum days for storage(Day) for maximum days for storage(Days) follow open from unranged to maximum days for maximum da								0	0		O (Supervised) O(Supervised) O(Supervised) O(Supervised) O			
Share(iOS)	Set leg level are automoting (septidal) and are automoting (septidal) and maximum leg set for automoting level automoting (septidal) and are automoting (septidal) and are automoting (septidal) and are also appeared appeared and are also appeared appeared appeared and are also appeared appeared and are also appeared and are also appeared appeared and are also appeared and								0	0		O (Supervised) O (Supervised) O (Supervised) O (Supervised) O (Supervised) O			
Share(OS) (Cloud(OS)	for tige (treed continued								0	0		O (Supervised) O (Supervised) O (Supervised) O (Supervised) O			
Share(OS) (Cloud(OS)	Set log level Extra de manimum leg ungell/B) Set manimum leg vor storage(Day) Set manimum leg vor storage(Day) Set manimum leg vor storage(Day) Service und storage de managed apps Service und storage de managed Service Document of vortrop not managed Service Document of portrop states Service Document operatorisation Choice potential legan Service Ser								0	0		O (Supervised) O (Supervised) O (Supervised) O (Supervised) O (Supervised) O O (Supervised) O O O O O O O O O O O O O O O O O O O			
Share(OS) (Cloud(OS)	Set leg towel For maximum leg useful(s) For useful(s) For maximum leg useful(s) For useful(s)								0	0		O (Supervised) O (Supervised) O (Supervised) O (Supervised) O (Supervised) O O (O (Supervised) O O (O	0		
Share(CS) (Goud(CS) (Goud(CS)	for log level for log level for maximum log price storage(Day) Set maximum logs for storage(Day) Set maximum days for storage(Day) Set maximum days for storage(Day) Set maximum logs for storage(Day) Managed postellowed Authorize Consider Anthrop nor managed Set of the storage Authorize Consider Anthrop nor managed Set of the storage Photo Savaria Photo Savaria Photo Savaria Photo Savaria Set of the storage Set of the storag								0	0		O O (Supervi sed) O (Supervi sed) O (Supervi sed) O O (Supervi sed) O O O O O O O O O O O O O O O O O O O			
Share(IOS) (Cloud(IOS) (Cloud(IOS) Medic(IOS) et(Windows)	for log level for log level for maximum log price storage(Day) are maximum logs for storage(Day) are maximum days for storage(Day) are maximum days for storage(Day) are maximum logs for storage(Day) Amenged sportstored Amenged sportstored Amenged sportstored Amenged sportstored Amenged sportstored Chose pitter for storage Chose pitter (Days) Photo storage Photo storage Photo storage Photo storage Photo storage Photo storage Storage of sportstored Amenged appreciation Maximum log sportstored Maximum log sportsto	0		0	(Supported in work profile - C)		0	0	0	0		O O O Supervi sedi	0		
Share(IOS) (Cloud(IOS) (Cloud(IOS) Medic(IOS) et(Windows)	for log level for log level for maximum log price storage(Day) Set maximum logs for storage(Day) Set maximum days for storage(Day) Set maximum days for storage(Day) Set maximum logs for storage(Day) Managed postellowed Authorize Consider Anthrop nor managed Set of the storage Authorize Consider Anthrop nor managed Set of the storage Photo Savaria Photo Savaria Photo Savaria Photo Savaria Set of the storage Set of the storag	0		0	(Supported in work profile - C) O (Supported in work profile - C)			0	0	0	0	O O (Supervi sed) O (Supervi sed) O (Supervi sed) O O (Supervi sed) O O O O O O O O O O O O O O O O O O O	0		
Share(IOS) (Cloud(IOS) (Cloud(IOS) Medic(IOS) et(Windows)	for log level for log level for maximum log price storage(Day) are maximum logs for storage(Day) are maximum days for storage(Day) are maximum days for storage(Day) are maximum logs for storage(Day) Amenged sportstored Amenged sportstored Amenged sportstored Amenged sportstored Amenged sportstored Chose pitter for storage Chose pitter (Days) Photo storage Photo storage Photo storage Photo storage Photo storage Photo storage Storage of sportstored Amenged appreciation Maximum log sportstored Maximum log sportsto			0	(Supported in work profile - C) O (Supported in work profile - C)		0		0	0	0	O O O Supervi sedi	0		
Share(IOS) (Cloud(IOS) (Cloud(IOS) Medic(IOS) et(Windows)	Sort leg towel Sort leg towel An assummin sig significially Allow agent from remneraged to managed agen Allow agent from remneraged to managed agen Almanged positioned Almanged positioned Almanged positioned Consult price of the managed agen Almanged positioned Consult price of the managed Backup	0		0	(Supported in work profile - C) (Supported in Supported in Su		9	0	0	0	۰	O O Supervised) O Supervised) O O Supervised) O O O O O O O O O O O O O O O O O O O	0		
Share(IOS) I Cloud(IOS) Medial (IOS) etc (Windows) Settings	for log level for maximum log copic/life) for maximum log copic/life) for maximum log vice stooge(life) for maximum l	۰			(Supported in work profile - C) O (Supported in work profile - C)		0		0	0 0 0		O O Supervised O Supervised O O Supervised O O Supervised O O O O O O O O O O O O O O O O O O O	0		
Share(IOS) I Cloud(IOS) Medial (IOS) etc (Windows) Settings	Set leg level For maximum leg significially Set maximum leg significially Set maximum leg significially Set maximum legs for sizologic@sys Set maximum legs for sizologic@sys Set maximum legs for sizologic@sys Set legs sizologic@sys Set l	0		0	(Supported in work profile - C)		0 0 0	0	0	0 0 0	0	O O O O O O O O O O O O O O O O O O O	0		
Sture(CS) I Coud(CS) Media(CS) etc(Windows) Settings	for log level for log level for maximum log production for maximum logs for storage(Days) ser logs for sto	0		0	(Supported in work profile - C) O (Supported in work profile - C)		9	0	0	0 0 0 0 0 0 0 0 0 0	0 0	O O O O O O O O O O O O O O O O O O O	0		
Sturre(CS) IC Rout(CS) Medic(CS) etc(Wisdows) Settings	Sort leg towel Sort leg towel Sort leg towel Sort maximum leg uspfall(s) Sort maximum leg uspfall(s) Sort segment from remnenged to managed appe Managed positioned Managed positioned Managed positioned Managed positioned Managed positioned Managed positioned Colour plotted positioned Colour plotted leg tower leg to	0		0	(Supported in work profile - C)		0 0 0	0	0	0 0 0	0	O O O O O O O O O O O O O O O O O O O	0		
Sturre(CS) IC Rout(CS) Medic(CS) etc(Wisdows) Settings	Set leg level Set leg level Set mannen leg septemble Set mannen leg septemble Set mannen leg septemble Set mannen leg septemble Set mannen leg set be somegel Set mannen leg set be somegel Set mannen leg set	0		0	(Supported in work profile - C)		0 0 0	0	0	0 0 0 0 0 0 0 0 0 0	0 0	O Caperri sed O Caperri sed O Caperri sed O Caperri sed O O Caperri sed O O Caperri sed O O O Caperri sed O O O O O O O O O O O O O O O O O O O	0		
Share(OS) (Goud(OS) Media(OS) eti(Viridow) Settings	for log level community (continued to the continued to th	0		0	(Supported in work profile - C)		0 0 0	0	0	0 0 0 0 0 0 0 0 0 0	0 0	O Supervi sedi	0 0		
Share(OS) (Goud(OS) Media(OS) eti(Viridow) Settings	Sort leg towel Sort leg towel An annum leg signification Allow open from remneraged to managed appe Allow open from remneraged to managed appe Almanged opinitional Almanged opinitional Almanged opinitional Almanged opinitional Chose plotted from annumerated Backup Ba	0		0	(Supported in work profile - C)		0 0 0	0	0	0 0 0 0 0 0 0 0 0 0	0 0	O Caperri and O	0 0		
Share(OS) (Goud(OS) Media(OS) eti(Viridow) Settings	Set leg towl for maximum leg useful(s) of maximum legs (set) of	0		0	(Supported in work profile - C)		0 0 0	0	0	0 0 0 0 0 0 0 0 0 0	0 0	0 00/00erriseft 00/00erriseft 00/00erriseft 00 00 00 00 00 00 00 00 00 00 00 00 00	0 0		
Share(OS) (Goud(OS) Media(OS) eti(Viridow) Settings	Set lag level Set maximum lag ingel/MB) Set maximum lag ingel/MB) Set maximum lag ingel/MB) Set maximum lags for studiege(Days) Set lags set la set	0		0	(Supported in work profile - C)		0 0 0	0	0	0 0 0 0 0 0 0 0 0 0	0 0	0	0 0		
Sture(CS) (Goud(CS) Media(CS) etic(Window) Settings	Set log level Set maximum log specifielly Set log specifielly Maximaged posterioused Authority Counterf specifielly Set log specifielly	0		0	(Supported in work profile - C)		0 0 0	0	0	0 0 0 0 0 0 0 0 0 0	0 0	0 00/00erriseft 00/00erriseft 00/00erriseft 00 00 00 00 00 00 00 00 00 00 00 00 00	0 0	0	
Sturre(CK) IC out(CK) Medic(CK) etc(Windows) settings	Set leg towel Set leg towel Set maximum leg signification Set maximum leg signification Set maximum leg signification Set maximum legs be storage(Day) Set maximum legs leg signification Set maximum legs leg signification Set leg signification	0		0	(Supported in work profile - C)		0 0 0	0	0	0 0 0 0 0 0 0 0 0 0	0 0	0 00/00erriseft 00/00erriseft 00/00erriseft 00 00 00 00 00 00 00 00 00 00 00 00 00	0 0	0 0	
Sturre(COS) IC Gould(COS) Medial COS) et (Qinicipies) Settings Gentral (Chrome)	Set lag level of continuents of the continuents of	0		0	(Supported in work profile - C)		0 0 0	0	0	0 0 0 0 0 0 0 0 0 0	0 0	0 00/00erriseft 00/00erriseft 00/00erriseft 00 00 00 00 00 00 00 00 00 00 00 00 00	0 0	0	
Sture(CS) (Goud(CS) Media(CS) etic(Window) Settings General (Circone) Excellent Control (Circone)	Set leg towel Set leg towel Set maximum leg signification Anne agent from moneyage for managed agent Anne agent from moneyage for managed agent Anne agent from moneyage for managed agent Anneyage Anneyage Anneyage Anneyage Anneyage Anneyage Anneyage Anneyage Anneyage	0		0	(Supported in work profile - C)		0 0 0	0	0	0 0 0 0 0 0 0 0 0 0	0 0	0 00/00erriseft 00/00erriseft 00/00erriseft 00 00 00 00 00 00 00 00 00 00 00 00 00	0 0	0 0 0 0 0	
Sturre(CK) IC out(CK) AnedicCK) AnedicCK) etc(Windowe) Settings General (Chrome) Sign in settings (Chrome) Excellence Control (Chrome) Excellence Control (Chrome)	Set lig fixed of Set maximum lig signification of Set maximum lig signification of Set maximum light for storage(Day) Set maximum days for storage(Day) Set maximum days for storage(Day) Set maximum days for storage(Days) Set of Set o	0		0	(Supported in work profile - C)		0 0 0	0	0	0 0 0 0 0 0 0 0 0 0	0 0	0 00/00erriseft 00/00erriseft 00/00erriseft 00 00 00 00 00 00 00 00 00 00 00 00 00	0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	
Sturre(COS) I Coud(COS) Medial (COS) et (Qinidora) Settings Settings General (Chroma) Excellent control (Chroma)	Set lag level of contamination (see (1997)) and contamination	0		0	(Supported in work profile - C)		0 0 0	0	0	0 0 0 0 0 0 0 0 0 0	0 0	0 00/00erriseft 00/00erriseft 00/00erriseft 00 00 00 00 00 00 00 00 00 00 00 00 00	0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	
Share(CS) ICloud(CS) MedialCS) etic(Viridous) Settings General (Chrome) Sign in settings (Chrome) Errollment controls (Chrome) Asspand estertions (Chrome) Asspand estertions (Chrome)	Scri leg invest de Kern annum leg ingelfell) Allow open from nemmenget to managed appe. Allow open from nemmenget to managed appe. Allow open from nemmenget to managed appe. Almanged open de Almanged open de Almanged open de Almanged open de Almanged open de Almanged open de Almanged open de Almanged open de Almanged open de Almanged open de Almanged open de Almanged open de Almanged open de Almanged open de Almanged open de Almanged open de Almanged open de Almanged open de Almanged open de Almanged open de	0		0	(Supported in work profile - C)		0 0 0	0	0	0 0 0 0 0 0 0 0 0 0	0 0	0 00/00erriseft 00/00erriseft 00/00erriseft 00 00 00 00 00 00 00 00 00 00 00 00 00	0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	
Share(CS) ICloud(CS) MedialCS) etic(Viridous) Settings General (Chrome) Sign in settings (Chrome) Errollment controls (Chrome) Asspand estertions (Chrome) Asspand estertions (Chrome)	Set leg towel Set maximum leg signification of The maximum leg signification of Set leg significant Set leg	0		0	(Supported in work profile - C)		0 0 0	0	0	0 0 0 0 0 0 0 0 0 0	0 0	0 00/00erriseft 00/00erriseft 00/00erriseft 00 00 00 00 00 00 00 00 00 00 00 00 00	0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	
Share(CS) ICloud(CS) MedialCS) etic(Viridous) Settings General (Chrome) Sign in settings (Chrome) Errollment controls (Chrome) Asspand estertions (Chrome) Asspand estertions (Chrome)	Scri leg invest de Kern annum leg ingelhells Ger mannum leg ingelhells Aller eigen from enveneget in managed apps Aller eigen from enveneget in managed Backey Back	0		0	(Supported in work profile - C)		0 0 0	0	0	0 0 0 0 0 0 0 0 0 0	0 0	0 00/00erriseft 00/00erriseft 00/00erriseft 00 00 00 00 00 00 00 00 00 00 00 00 00	0 0		
Share(CS) ICloud(CS) MedialCS) etic(Viridous) Settings General (Chrome) Sign in settings (Chrome) Errollment controls (Chrome) Asspand estertions (Chrome) Asspand estertions (Chrome)	Set leg towel Set maximum leg signification of The maximum leg signification of Set leg significant Set leg	0		0	(Supported in work profile - C)		0 0 0	0	0	0 0 0 0 0 0 0 0 0 0	0 0	0 00/00erriseft 00/00erriseft 00/00erriseft 00 00 00 00 00 00 00 00 00 00 00 00 00	0 0		
Share(CS) ICloud(CS) MedialCS) etic(Viridous) Settings General (Chrome) Sign in settings (Chrome) Errollment controls (Chrome) Asspand estertions (Chrome) Asspand estertions (Chrome)	Set lag level Community (septidal) For maximum lag specifically community for an analysis (septidal) For maximum lags for stockep(Days) For maximum days for stockep(Days) For maximum days for stockep(Days) For maximum lags for stockep(Days) For maximum lags for stockep(Days) For maximum lags for maximum	0		0	(Supported in work profile - C)		0 0 0	0	0	0 0 0 0 0 0 0 0 0 0	0 0	0 00/00erriseft 00/00erriseft 00/00erriseft 00 00 00 00 00 00 00 00 00 00 00 00 00	0 0		
Share(CS) ICloud(CS) Media(CS) etic(Windows) Settings Settings General (Chrome) Sign in settings (Chrome) Exposit settings (Chrome) Aspan at settings (Chrome) Aspan at electricins (Chrome) Aspan at electricins (Chrome) Aspan at electricins (Chrome) Aspan at electricins (Chrome)	Set lag level of contamination (see level)	0		0	(Supported in work profile - C)		0 0 0	0	0	0 0 0 0 0 0 0 0 0 0	0 0	0 00/00erriseft 00/00erriseft 00/00erriseft 00 00 00 00 00 00 00 00 00 00 00 00 00	0 0		
Share(CS) ICloud(CS) Media(CS) etic(Windows) Settings Settings General (Chrome) Sign in settings (Chrome) Exposit settings (Chrome) Aspan at settings (Chrome) Aspan at electricins (Chrome) Aspan at electricins (Chrome) Aspan at electricins (Chrome) Aspan at electricins (Chrome)	Set leg towel Set maximum leg (sign) (sign) (sign) Set maximum leg (sign) (sign) Set maximum leg (sign) (sign) Set maximum leg (sign) (sign) Set were from remneraged or managed apps Managed positioned Managed positioned Set leg (sign) (sign) (sign) Set leg (sign) (sign) (sign) Set leg (sign) (sign) Set (sign) (sign) (sign)	0		0	(Supported in work profile - C)		0 0 0	0	0	0 0 0 0 0 0 0 0 0 0	0 0	0 00/00erriseft 00/00erriseft 00/00erriseft 00 00 00 00 00 00 00 00 00 00 00 00 00	0 0		
Share(CS) ICloud(CS) Media(CS) etic(Windows) Settings Settings General (Chrome) Sign in settings (Chrome) Exposit settings (Chrome) Aspan at settings (Chrome) Aspan at electricins (Chrome) Aspan at electricins (Chrome) Aspan at electricins (Chrome) Aspan at electricins (Chrome)	Seri leg invest de comment of personne de control de co	0		0	(Supported in work profile - C)		0 0 0	0	0	0 0 0 0 0 0 0 0 0 0	0 0	0 00/00erriseft 00/00erriseft 00/00erriseft 00 00 00 00 00 00 00 00 00 00 00 00 00	0 0		
Share(CS) ICloud(CS) Media(CS) etic(Windows) Settings Settings General (Chrome) Sign in settings (Chrome) Exposit settings (Chrome) Aspan at settings (Chrome) Aspan at electricins (Chrome) Aspan at electricins (Chrome) Aspan at electricins (Chrome) Aspan at electricins (Chrome)	Scri leg invest de Kern annum ing ingelfell) Allow open from nemenaget de managed appe. Allow open from the from t	0		0	(Supported in work profile - C)		0 0 0	0	0	0 0 0 0 0 0 0 0 0 0	0 0	0 00/00erriseft 00/00erriseft 00/00erriseft 00 00 00 00 00 00 00 00 00 00 00 00 00	0 0		
Share(CS) ICloud(CS) Media(CS) etic(Windows) Settings Settings General (Chrome) Sign in settings (Chrome) Exposit settings (Chrome) Aspan at settings (Chrome) Aspan at electricins (Chrome) Aspan at electricins (Chrome) Aspan at electricins (Chrome) Aspan at electricins (Chrome)	Set leg towel Set maximum leg signification of Set significa	0		0	(Supported in work profile - C)		0 0 0	0	0	0 0 0 0 0 0 0 0 0 0	0 0	0 00/00erriseft 00/00erriseft 00/00erriseft 00 00 00 00 00 00 00 00 00 00 00 00 00	0 0		
Share(CS) ICloud(CS) Index(CS) Media(CS) eti(Window) Settings Settings General (Chrome) Sign in settings (Chrome) Errollment controls (Chrome) Are part eterotions (Chrome) Are part eterotions (Chrome)	Set lag level of contamination (see page 1998) For maximum lag signification (see page 1999) For maximum lags for statistical (see page 1999) For maximum lags for maximum lags for statistical (see page 1999) For maximum lags f	0		0	(Supported in work profile - C)		0 0 0	0	0	0 0 0 0 0 0 0 0 0 0	0 0	0 00/00erriseft 00/00erriseft 00/00erriseft 00 00 00 00 00 00 00 00 00 00 00 00 00	0 0		
Share(CS) ICloud(CS) Media(CS) etic(Windows) Settings Settings General (Chrome) Sign in settings (Chrome) Exposit settings (Chrome) Aspan at settings (Chrome)	Scri leg invest de Ser manum in giu gelpfel) Allow open from annenged to managed appe. Allow open from a person from a	0		0	(Supported in work profile - C)		0 0 0	0	0	0 0 0 0 0 0 0 0 0 0	0 0	0 00/00erriseft 00/00erriseft 00/00erriseft 00 00 00 00 00 00 00 00 00 00 00 00 00	0 0		
Share(CS) ICloud(CS) Media(CS) etic(Windows) Settings Settings General (Chrome) Sign in settings (Chrome) Exposit settings (Chrome) Aspan at settings (Chrome)	Scri leg invest de ser mannum leg ingelhells s	0		0	(Supported in work profile - C)		0 0 0	0	0	0 0 0 0 0 0 0 0 0 0	0 0	0 00/00erriseft 00/00erriseft 00/00erriseft 00 00 00 00 00 00 00 00 00 00 00 00 00	0 0	9 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	
Share(CS) ICloud(CS) Media(CS) etic(Windows) Settings Settings General (Chrome) Sign in settings (Chrome) Exposit settings (Chrome) Aspan at settings (Chrome)	Set lag loved Cert maximum lag signification of Cert maximum lag significant lag signif	0		0	(Supported in work profile - C)		0 0 0	0	0	0 0 0 0 0 0 0 0 0 0	0 0	0 00/00erriseft 00/00erriseft 00/00erriseft 00 00 00 00 00 00 00 00 00 00 00 00 00	0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	
Share(CS) ICloud(CS) Media(CS) etic(Windows) Settings Setting	Scri leg invest de Kernamenn ing signéfalls Allow agent from annenged to managed agen Allow agent from annenged to managed agen Allow agent from annenged to managed agen Allowaged constituent Consept from annenged to managed agen Allowaged constituent Consept from annenged to managed agen Allowaged agent Allowaged agent Allowaged	0		0	(Supported in work profile - C)		0 0 0	0	0	0 0 0 0 0 0 0 0 0 0	0 0	0 00/00erriseft 00/00erriseft 00/00erriseft 00 00 00 00 00 00 00 00 00 00 00 00 00	0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	
Share(CS) ICloud(CS) Media(CS) etic(Windows) Settings Settings General (Chrome) Sign in settings (Chrome) Exposit settings (Chrome) Aspan at settings (Chrome)	Scri leg invest de manum in graphique de man	0		0	(Supported in work profile - C)		0 0 0	0	0	0 0 0 0 0 0 0 0 0 0	0 0	0 00/00erriseft 00/00erriseft 00/00erriseft 00 00 00 00 00 00 00 00 00 00 00 00 00	0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	
Share(CR) ICloud(CR) Medic(CR) Reficions Reficions Reficions Settings Settings Settings Appa and extentions (Chrome) Security (Chrome) Security (Chrome) Security (Chrome)	Scri leg invest de manuma in gracifel (1) der open in manuged appe. Manuged approximation Chose protein (1) der productions der produc	0		0	(Supported in work profile - C)		0 0 0	0	0	0 0 0 0 0 0 0 0 0 0	0 0	0 00/00erriseft 00/00erriseft 00/00erriseft 00 00 00 00 00 00 00 00 00 00 00 00 00	0 0		
Share (Cit) Share (Cit) (Cloud(Cit)) Media(Cit) etc)(Windows) Settings	Scri leg invest de Kernamenn in geliget (19) Allow open from nerveneget to managed appe. Allow open from the control open f	0		0	(Supported in work profile - C)		0 0 0	0	0	0 0 0 0 0 0 0 0 0 0	0 0	0 00/00erriseft 00/00erriseft 00/00erriseft 00 00 00 00 00 00 00 00 00 00 00 00 00	0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	

	Kerberos accounts Proxy mode									D	
	Ignore proxy on captive portals Supported authentication schemes									0	
	Allow basic authentication for HTTP									0	
	NTLMv2 authentication Minimum SSL version enabled								-	0	
	SSL error override									0	
	SSL error override allowed domains WebRTC UDP ports								-	0	
	WebRTC ICE candidate URLs for local lps									0	
	QUIC protocol DNS-over-HTTPS						\blacksquare				
	Built-in DNS client									0	
	Integrated authentication servers Kerberos delegation servers									0	
	Kerberos ticket delegation										
	Kerberos service principal name Kerberos SPN port				1						
	Cross-origin authentication										
	SharedArrayBuffer User agent client hints										
	Signed HTTP exchange(SXG) support Blobally scoped HTTP authentication cache										
	Biobally scoped HTTP authentication cache Require online OCSP/CRL checks for local trust anchors									0	
	HSTS policy bypass list CNS interception checks enabled										
										D	
	Lagacy TLS/DTLS downgrade in WebRTC WPAD optimiation									0	
	WPAD optimisation Login credentials for network authentication									D	
	Allowed network ports									D	
Android applications (Chrome)	CECPQ2 post=quantum key-agreement for TLS Control Android backup and restore service									D	
	Google location services									0	
Startup (Chrome)	Certificate synchronization Home button								-		
	Homepage New tab page								-	0	
	New tab page New tab page background								-	0	
	Paged to load on startup									0	
Content (Chrome)	SafeSearch and restricted mode Screenshot								-		
	Screen video capture									0	
	Client certificates Security key attestation						$+\exists$			0	
	3D content									0	
	Cookies Third-party cookie blocking						$+\exists$			0	
	Third-party cookie blockling Default legacy samesite cookie behavior									0	
	Per-site legacy amesite cookie behavior Images									0	
	lavascript								-	0	
	Javascript intentiveWakeUp throttling Notifications						\vdash			0	
	Autoplay video								-	0	
	Auto open download files Pop-ups						\vdash		-		
	Cross-origin JavaScript dialogs									0	
	URL blocking Google Drive syncing				1					0	
	Google Drive syncing over cellular								-	0	
	Cast Control use of insecure content exceptions					L-				0	
	Allow insecure content on these sites Block insecure content on these sites									0	
	Insecure forms									0	
	Network file shared Scroll to text fragment										
	Enable URL-keyed anonymized data collection								-	0	
	AppCache Web bluetooth API									0	
	PDF annocations								-	0	
Printing (Chrome)	File handling API Enable/Disable Printing									D	
	Deprecated privet printing								-	0	
	Print preview default Printer management										
	Default color printing mode Restrict color printing mode									0	
	Default page sides									0	
	Restric page sides Background praghincs printing default										
	Background praghincs printing default Background praghincs printing restriction CUPS print job information								9	D D	
	Print job history retention period									0	
					1		1 1			0	
	Print job history deletion Restric PIN printing mode									0	
	Restric PIN printing mode Default PIN printing mode									0	
	Restric PIN printing mode Default PIN printing mode Maximum sheets									0	
	Restric PIN printing mode Default PIN printing mode Maximum sheets Default printing page size Print headers and footers								0	0	
User experience (Chrome)	Restric Plus printing mode Default Plus printing mode Maximum sheets Default printing page size Print headers and footers Blocked printer types Managed bookmarks								0	0	
User experience (Chrome)	Restric PIN printing mode Default PIN printing mode Maximum sheets Default printing page size Print headers and footers Blocked printer types								C C C C C C C C C C C C C C C C C C C	0	
User experience (Chrome)	Reactic Filty prieting mode Default Filty printing mode Maximum sheets Default printing page size Front headers and footers Blocked printer types Managed bookmarks Bookmark bar Shelf position Shelf position								C C C C C C C C C C C C C C C C C C C	0	
User experience (Chrome)	Reatic FIR printing mode Debut FIR printing mode Maximum breats Status printing ages date Status printing ages date Stocked print								C C C C C C C C C C C C C C C C C C C		
User experience (Chrome)	Reactic TM priming mode Abushum Priming mode Abushum Priming mode Abushum Priming mode Abushum Priming Priming Priming page size Priming page size Priming based sometimes Booked primer types Managed bookman's Bookman's North Mining Bookman's Managed Bookman's Sometimes Abushum Sometimes Abushum Sometimes Abushum Downwald Gostrine Downwald Gostrine Downwald Gostrine Downwald Gostrine										
User experience (Chrome)	Reatic FIR printing mode Debut FIR printing mode Maximum breats Status printing ages date Status printing ages date Stocked print										
User experience (Chrome)	Rearic FM priming mode Debuta FM priming mode Maximum breets Debuta priming mode Maximum breets Debut priming age size First backers and boolers Managed bookmanks Bookmank bar Bookmank ba										
User experience (Chrome)	Restric FIR yarming mode Ochulur FIR printing mode Masimum Meets Masimum										
	Reatin FM priming mode Debut APR priming mode Abanisms breats Debut APR priming mode Abanisms breats Debut priming ages dee Self-but priming ages de										
	Reatin FM priming mode Debut APR priming mode Abanisms breats Debut APR priming mode Abanisms breats Debut priming ages dee When breathing ages dee Debut and breathing Debut and breathing Debut and breathing Debut debut Debut and Debut and Debut Debut and Debut De										
	Restric FIR printing mode Debutuh FIR printing mode Masimum Meets Masimu										
	Reatic FIR printing mode Debutuh FIR printing mode Masimum beets Masimum beets Masimum beets Debutuh FIR printing mode Masimum beets Blocked printer upper Debutuh Blocked printer upper Debutuh Blocked printer upper Debutuh Blocked printer upper Debutuh Blocked printer Debutuh Blocked										
	Restric FIR printing mode Debutuh FIR printing mode Manimum Meets Manimu										
	Restric FIR printing mode Debutuh FIR printing mode Masimum Meets Masimu										
	Restric FIR printing mode Debutual FIR printing mode Manimum heets Schuld FIR printing mode Manimum heets Schuld printing ages date Schuld printing ages Schuld										
	Restric FIR yorking mode Declutur FIR printing mode Maximum Meets Maximu										
	Restric FIR yelling mode Debut PR printing PR print										
	Restric FIR yorking mode Octubut PR printing mode Maximum Meets Maximum										
	Restrict PRI primting mode Declutur PRI primting mode Maximum Meets Maxi										
	Restric FIF printing mode Debutuh FIF printing mode Mainimum Meets										
	Restrict PRI primting mode Debutuh PRI primting mode Masimum Meets Masimum Meets Masimum Meets Masimum Meets Masimum Meets Masimum Masimum Meets Masimum Masim										
Connected divides (Chrome)	Restric FIR y primting mode Doubtur FIP prim										
Connected divides (Chrome)	Restrict PRI primting mode Doubut PRI primting mode Allaminum Meets Allaminum Meets Allaminum Meets Allaminum Meets Booked primting primting and										
Connected devices (Cironne)	Restric FIF printing mode Debutuh FIF printing mode Mainimum Meets										
Connected devices (Chrome) Accessibility (Chrome)	Restrict PRI primting mode Doubut PRI primting mode Allaminum breats Allaminum breats Allaminum breats Allaminum breats Allaminum breats Blocked primter types Blocked primter types Blocked primter types Blocked primter types Allaminum breats South and Allaminum South and South Allaminum South Allaminu										
Connected devices (Oronae) Accessibility (Chronae)	Restrict PRI primting mode Declutur PRI primting mode Maximum Meets Maxi										
Connected devices (Oronae) Accessibility (Chronae)	Restrict PRI primiting mode Debutture Primiting Pri										
Connected devices (Oronae) Accessibility (Chronae)	Restrict PRI primting mode Doublard PRI primting mode Allaminam Meets Allaminam Meets Allaminam Meets Allaminam Meets Booked primting and an annual and annual and annual										
Connected devices (Oronae) Accessibility (Chronae)	Restrict PRI primting mode Declutur PRI primting mode Maximum Meets Maximum Meets Maximum Meets Maximum Meets Maximum Meets Maximum Meets Maximum Maximum Meets Maximum Maximum Meets Maximum Maximum Meets Maximum										
Connected devices (Chrome) Accouplinity (Chrome)	Restrict PRI primiting mode Doubtur PRI PRIMITING PRIMITI										
Connected devices (Chrome) Accouplinity (Chrome)	Restrict PRI primting mode Declutur PRI primting mode Advantum Meets Mannina Meets										
Connected devices (Chrome) Accouplinity (Chrome)	Restrict PRI primting mode Debture PRI primting mode Debture PRI primting mode Debture PRI primting mode Debture PRIM primting mode Debture PRIM primting mode Debture PRIM primting P										
Connected devices (Chrome) Accouplinity (Chrome)	Restrict PRI primting mode Doubut PRI primting mode Allaminam Meets Allaminam Meets Allaminam Meets Allaminam Meets Allaminam Meets Booked primter types Allaminam Definition Defini										
Connected devices (Chrome) Accordibitity (Chrome)	Restrict PRI primting mode Declutur PRI primting mode Maximum Meets Maxi										
Connected devices (Circone) Accessibility (Circone)	Restrict PRI primting mode Debture PRI primting mode Debture PRI primting mode Debture PRI primting mode Debture PRIM primting mode Debture PRIM primting mode Debture PRIM primting PRI										
Connected devices (Chrome) Accordibility (Chrome)	Restrict PRI primiting mode Advantum Primiting mode Advantum Meets Advantum Meets Advantum Primiting mode Advantum Meets Bookers primiting p										
Connected devices (Chrome) Accessibility (Chrome) Accessibility (Chrome) Rower and shubdows (Chrome) Contribute search provider (Chrome)	Restrict PRI primting mode Debture PRI primting mode Debture PRI primting mode Debture PRI primting mode Debture PRIM primting mode Debture PRIM primting mode Debture PRIM primting PRIMTING PRIMTING PRIMTING PRIMTING PRIMTING PRIMTING PRIMT										
Connected devices (Chrome) Accessibility (Chrome) Accessibility (Chrome) Never and shubdows (Chrome) Omnibus search provide (Chrome)	Restrict PRI primting mode Adminism Meets Adminism Admini										
Connected devices (Chrome) Accessibility (Chrome) Accessibility (Chrome) Never and shubdows (Chrome) Omnibus search provide (Chrome)	Restrict PRI primting mode Administration modes Blocked printer types Blocked blocked printer Blocked Bloc										
Connected devices (Orome) Accessibility (Chrome) Power and shutdown (Chrome) Dimition search provider (Chrome) state and (Chrome)	Restrict PRI primiting mode Debtation Primiting Primiting Debtation Primitin										
Connected devices (Orome) Accessibility (Chrome) Power and shutdown (Chrome) Dimition search provider (Chrome) state and (Chrome)	Restrict PRI primiting mode Debtation Primiting Primiting Debtation Primitin										
Connected devices (Orome) Accessibility (Chrome) Power and shutdown (Chrome) Dimition search provider (Chrome) state and (Chrome)	Restrict PRI primiting mode Albasimum Weeks Albasimum Weeks Albasimum Weeks Albasimum Weeks Albasimum Weeks Booked primit primiting mode Managed bookmum Booked primiting weeks Booked primiting Booked weeks Booked primiting Booked and briding Booked and brid										
Connected devices (Orome) Accessibility (Chrome) Power and shutdown (Chrome) Dimition search provider (Chrome) state and (Chrome)	Restrict PRI primiting mode Adminism Meets Booked prince proper Booked prince proper Booked prince trypes Booked prince trypes Booked prince trypes Booked prince trypes Adminism Booked and Booked Book										
Connected devices (Orome) Accessibility (Chrome) Power and shutdown (Chrome) Dimition search provider (Chrome) state and (Chrome)	Restrict PRI primting mode Advantum Primting Primting Bocker primting Primting Bocker primting Primting Bocker primt										
Connected devices (Chrome) Accessibility (Chrome) Power and shutdown (Chrome) Demilion search provider (Chrome) Studies and Chromel	Restrict PRI primiting mode Debture PRI primiting mode Debture PRI primiting mode Debture PRI primiting mode Debture PRIMITING Debture PR										
Contected devices (Chrome) Accessibility (Chrome) Rower and shaddown (Chrome) Devices was character (Content) Standard (Content)	Restrict PRI primiting mode Debture PRI primiting mode Debture PRI primiting mode Debture PRI primiting mode Debture PRIMITING Debture PR										
Connected devices (Chrome) Accessibility (Chrome) Power and shutdown (Chrome) Devices search privater (Connec) Tendework (Chrome)	Restrict PRI primiting mode Advantum Primiting Primiting Bockers primiting Primiting Bockers primiting Primiting Bockers										
Connected devices (Chrome) Accessibility (Chrome) Power and shutdown (Chrome) Devices search privater (Connec) Tendework (Chrome)	Restrict PRI primiting mode Advantum Weeks Advantum Weeks Advantum Weeks Advantum Weeks Advantum Weeks Booked printer types Advantum Weeks Booked printer types Booked and types Advantum Weeks Booked and types Booked and type										
Connected devices (Chrome) Accessibility (Chrome) Frower and shaddown (Chrome) Ornolloss search provider (Chrome) Teachesia (Chrome) User sentiation (Chrome) Ornolloss self-browning (Chrome)	Restrict PRI primiting mode Advantum Primiting Primiting Bockers primiting Primiting Bockers primiting Primiting Bockers										

Part																	
Part																0	
100 100	ŀ	Chrome updates (Chrome)	Abusive experience intervention Component updates													0	
Part		Virtual machines (VMs) and developers (Chrome)	Command line access													0	
Marche M			Port forwarding													0	
Part		Parallels Desktop (Chrome)	Android apps from untrusted sources														
14 15 15 15 15 15 15 15			Paralles Desktop windows image													0	
Part		Other settings (Chrome)	Diagnostic information													0	
Part			Wi-Fi network configurations sync													0	
Part		Additional Application settings (Chrome)	Allowed types of apps and extensions													0	
Part			Allow insecure extension packaging													0	
Part			External extensions														
Part			Chrome Web Store homepage														
Part			Chrome Web Store permissions Android reporting for users and devices														
Part	İ	Enrollment and access (Chrome)	Forced re-enrollment Powerwash														
Part			Verified access														
Part			Disabled device return instructions													0	
1.00 1.00	İ	Sign-in settings (Chrome)	Guest mode													0	
Part			Autocomplete domain													0	
1.00			Device off hours													0	
1864 1865			User data													0	
1864 1865			Single sign-on IdP redirection Single sign-on cookie behavior													0	
1864 1865 1866			Single sign-on camera permissions													0	
Part			Accessibility control														
Part			Sign-in keyboard													0	
Part			System info on sign-in screen													0	
Part		Fire to see the second	Show numeric keyboard for password													0	
Part			Select to speak													0	
Part			Screen magnifier													0	
Part			Sticky keys													0	
Part			Dictation Keyboard focus highlighting								Ħ	_				0	
Marches Marc			Caret highlight Auto-click enabled								E						
Part			Large cursor Cursor highlight													0	
Part			Primary mouse button													0	
Part		Device update settings (Chromo)	Accessibility shortcuts													0	
Part		Device spane secings (Circuite)	App-controlled updates													0	
			Release channel													0	
			Update downloads														
Part		Kiosk settings (Chrome)	Klosk device status alerting delivery														
Marchelly Marc			URL blocking														
Part		Klosk accessibility (Chrome)	Kinsk floating accessibility menu Kinsk snoken feedback														
Part			Klosk select to speak														
Part			Klosk sticky keys														
Marche M			Klosk dictation														
Part			Klosk caret highlight														
Mathematical part			Klosk large cursor														
Part			Klosk primary mouse button														
Part Part			Kiosk accessibility shortcuts														
Part	-	User and device reporting (Chrome)															
Page Page																	
Part Part			Device system log upload System-wide performance trace collection														
Maria nation Mari		Display settings (Chrome) Power and shutdown (Chrome)															
Marie			Allow shutdown													0	
Marie	İ	Virtual machines (Chrome)	Linux virtual machines for unaffiliated users (BETA)													0	
Part		Other settings (Chrome)	Device network hostname template													0	
Second			Mobile data roaming													0	
Marie And London 1			Bluetooth													0	
Marchested Professor Marchested Professor			Throttle device bandwidth														
Manual parties Manu			TPM firmware update Authenticated Proxy Traffic													0	
Part Part			pystem clock format									_				0	
Marie Mari			Apps and extensions cache size Hardware profiles													0	
Age up not not not not not not not not not not			Low disk space notification Redeem offers through Chrome OS registration													0	
More Intention	App memt	ome management - partner access (Chroi Application	Allow EMM partners access to device management	0	0							0				0	
Persistent interpretation	,, ,		Manaul installation	0	0	0			0	0	0	0	0	ő			
Separate products during agg installation			Permission management			Ť			Ť	Ů		0					
Purpose			Create a shortcut during app installation Run the app after the installation	0	0	0						0					
Mode of a fee feecond 0	ŀ	EMM Client	Maxium failed login attempts	0					0		0	0	0		o (mobile only)		
Publiship for funded version correct			Lock device after (second)	0	0				0		0	0	0	0			
Public billion for Antibular			Allow deactivation request	0	0				0	0	0	0	0				
Autoballs for Control Services control			Availability for Android version conrtol Show all policies applied	0		۰			0		0	0	0	0			
Content Content Carrier Ca			Limitation of the external application in the download screen Availability for iOS version conrtol	•	•					•	0	0		0			
Content Cont			Windows 10 desktop data distribution Windows 10 mobile data distribution														
Profile Prof	Content		Deploy to device / Organization / User		0				0			0	0				
Application in Application records count of the Control of the Con	General	Profile	View contents on Agent Supporting multiple profile	0					0		0	0					
Professor Command Prof		Application	Application execution count						0	۰		0	0				
Device D		control	Selective OS version						0			0					
Description Description	evice Command	Device	Apply latest profiles		0	0		0	0			0	0				
Rest creen paraword			Lock screen	0	۰	0		۰	0		0	0			o (mobile only)	0	
Flore of device 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0			Factory reset + Initialize SD card	0		۰		°	0		0	0					
Reset Stocker			Factory reset Power off device	0					0		0	0		O (Supervised)		0	
Rest data variety 0 NA 0 0 0 0 0 0 0 0 0			Reboot device Reset SD card	0		0			0		0	0				-	
Remote unauthorized container			Reset data usage	0		N/A			0		0	0					
State pullbreak			Remove unauthorized container	- v		n/A					0	0					
Class user profiles			Delete jailbreak								_	,		0			
	[A	Clear user profile													0	
Run App		App mgmt.	Install or Update App Uninstall								0	0	0	0			
Decision points			Run App Stop App								0	0	0				
Apply latest internal applinfo			Delete app data								0	0					
Push notification 0 0 0 0 0 0 0 0		Knox Manage	Apply latest internal app info				0				0			0	o (mobile only)		
Unlock/Unlock screen of Knox Manage Agent 0 0 0 0 0 0 0 0			Push notification	0	0	0	Ĭ		0		0	0		0			
			Delete account	0	0	0					0	0	0	0	0		

1		Exit kiosk	0		0		0		0	0					
		Collect audit logs	0	0	0		0	0	0	0	0	0			
		Collect logs	0	0	0		0	0	0	0	0	0			
		Collect diagnosis information	0	0	0		0	0	0	0		0			
		Update user information	0	0	0		0	0	0	0	0	0	0		
		Update license	0	0	0		0	0	0	0					
		Update Knox Manage	0		0		0		0	0					
		Collect Bug Report	0		0		0								
		Sync app auto-removal preperty when service is deactivated										0			
	Device info Sync	Sync device information	0	0	0		0	0	0	0		0	0	0	
		Sync Installed app list	0	0	0		0	0	0	0		0	0		
		Collect current location	0		0		0		0	0		0			
		Authenticate SIM card	0		0		0		0	0					
		Authenticate SD card	0		0		0		0	0					
		Attestation	0		0		0		0	0					
		SafetyNet Attestation	0	0	0		0	0							
		Status report										0			
	Container	Lock/Unlock container									0				
	mgmt(legacy)	Reset container password									0				
		Uninstall container									0				
Mobile Admin	Device	Apply latest Device/App mgmt profiles	0				0		0		0				
	command	Lock/Unlock device	0					-	0			0	o (mobile only)		
		Reset screen password	0	0			0	0	0						non-Samsung legacy enrollment device Q OS or higher.
		Deactivate service	0	0			0		0			0			
		Send message	0	0			0	0	0	0	0	0			
		Collect logs	0	0			0		0	0	0	0			
		Update license	0	0			0		0						
		Locate the current position	0	0			0	0	0	0		0	0		
		Factory reset	0				0			0		0	0		
		Power off device	0				0			0					
		Reboot device	0				0			0					
		Reset Knox container password									0				
		Remote control - Swipe screen					0	0		0	0				
1		Remote control - HW key input					0	0		0	0				
1		Screen sharing	0	0	0		0	0	0	0	0				
		Unattended access	0	0	0		0	0	0	0	0				
1	Remote Support	File sharing	0	0	0		0	0	0	0	0				
1		Screen capture	0	0	0		0	0	0	0	0				
		Video recording	0	0	0		0	0	0	0	0				
1															