



Jittor /
jittor



<> Code

Issues 236

Pull requests 18

Projects

Security

Insights

New issue



conda环境中使用pip安装出现无法找到glibcxx错误 #298

Closed



sleeplessai opened on Mar 21, 2022



错误

新建了一个conda环境后使用pip安装，测试安装，出现以下错误：

```
(jt) suse@localhost:~$ log_v=1 python -m jittor.test.test_example
[0321 21:49:36.602019 36 v1 _init_.py:137] Run cmd: "g++ --version
[0321 21:49:36.604986 36 v1 _init_.py:137] Run cmd: "/usr/bin/g++" --version
[0321 21:49:36.642807 36 v1 _init_.py:337] cache_name: default
[0321 21:49:36.643784 36 v1 lock.py:22] OPEN LOCK path: /home/suse/.cache/jittor/jt1.3.1/g++11.2.1/py3.8.12/Linux-5.16.15-x41/IntelCoreTMi7x/ff/default/jit_utils_core.cpython-38-x86_64-linux-gnu.so)
/home/suse/miniconda3/envs/jt/bin/./lib/libstdc++.so.6: version 'GLIBCXX_3.4.29' not found (required by /home/suse/.cache/jittor/jt1.3.1/g++11.2.1/py3.8.12/Linux-5.16.15-x41/IntelCoreTMi7x/ff/default/jit_utils_core.cpython-38-x86_64-linux-gnu.so)
[0321 21:49:36.654537 36 compiler.py:949] jittor(1.3.1.49) src: /home/suse/miniconda3/envs/jt/lib/python3.8/site-packages/jittor
[0321 21:49:36.654635 36 v1 _init_.py:137] Run cmd: "/usr/bin/g++" --version
[0321 21:49:36.656966 36 compiler.py:950] g++ at /usr/bin/g++(11.2.1)
[0321 21:49:36.657053 36 compiler.py:951] cache_path: /home/suse/.cache/jittor/jt1.3.1/g++11.2.1/py3.8.12/Linux-5.16.15-x41/IntelCoreTMi7x/ff/default
/home/suse/miniconda3/envs/jt/bin/./lib/libstdc++.so.6: version 'GLIBCXX_3.4.29' not found (required by /home/suse/.cache/jittor/jt1.3.1/g++11.2.1/py3.8.12/Linux-5.16.15-x41/IntelCoreTMi7x/ff/default/jit_utils_core.cpython-38-x86_64-linux-gnu.so)
[0321 21:49:36.657566 36 v1 compiler.py:902] nvcc not found.
[0321 21:49:36.657662 36 v1 _init_.py:137] Run cmd: "/usr/local/cuda/bin/nvcc" --version
[0321 21:49:36.659679 36 _init_.py:377] Found /usr/local/cuda/bin/nvcc(11.6.112) at /usr/local/cuda/bin/nvcc.
[0321 21:49:36.659805 36 v1 _init_.py:137] Run cmd: "gdb" --version
[0321 21:49:36.703773 36 _init_.py:377] Found gdb(11.1) at /usr/bin/gdb.
[0321 21:49:36.703919 36 v1 _init_.py:137] Run cmd: "addr2line" --version
[0321 21:49:36.706295 36 _init_.py:377] Found addr2line(2.38.20220304) at /usr/bin/addr2line.
[0321 21:49:36.706358 36 v1 _init_.py:137] Run cmd: "/usr/local/cuda/bin/nvcc" --version
[0321 21:49:36.807815 36 compiler.py:1004] cuda key:cu11.6.112_sm_75
[0321 21:49:36.807974 36 v1 _init_.py:137] Run cmd: /home/suse/miniconda3/envs/jt/bin/python3.8-config --includes
[0321 21:49:36.818543 36 v1 compiler.py:1040] py_include: -I/home/suse/miniconda3/envs/jt/include/python3.8 -I/home/suse/miniconda3/envs/jt/include/python3.8
[0321 21:49:36.818688 36 v1 _init_.py:137] Run cmd: /home/suse/miniconda3/envs/jt/bin/python3.8-config --extension-suffix
[0321 21:49:36.828456 36 v1 compiler.py:1043] extension_suffix: .cpython-38-x86_64-linux-gnu.so
[0321 21:49:36.828646 36 v1 _init_.py:137] Run cmd: "/usr/bin/g++" -I/home/suse/miniconda3/envs/jt/lib/python3.8/site-packages/jittor/src/utils/cache_compile.cc" "/home/suse/miniconda3/envs/jt/lib/python3.8/site-packages/jittor/src/utils/log.cc" "/home/suse/miniconda3/envs/jt/lib/python3.8/site-packages/jittor/src/utils/tracer.cc" "/home/suse/miniconda3/envs/jt/lib/python3.8/site-packages/jittor/src/utils/jit_utils.cc" "/home/suse/miniconda3/envs/jt/lib/python3.8/site-packages/jittor/src/utils/str_utils.cc" -Wall -Wno-unknown-pragmas -std=c++14 -fPIC -march=native -fiagnostics-color=always -lstdc++ -ldl -shared -L/home/suse/miniconda3/envs/jt/lib/python3.8/site-packages/jittor/src" -I/home/suse/miniconda3/envs/jt/include/python3.8 -I/home/suse/miniconda3/envs/jt/include/python3.8 -O2 -o "/home/suse/.cache/jittor/jt1.3.1/g++11.2.1/py3.8.12/Linux-5.16.15-x41/IntelCoreTMi7x/ff/default/jit_utils_core.cpython-38-x86_64-linux-g
v.so"
/home/suse/miniconda3/envs/jt/bin/./lib/libstdc++.so.6: version 'GLIBCXX_3.4.29' not found (required by /home/suse/.cache/jittor/jt1.3.1/g++11.2.1/py3.8.12/Linux-5.16.15-x41/IntelCoreTMi7x/ff/default/jit_utils_core.cpython-38-x86_64-linux-gnu.so)
Traceback (most recent call last):
  File "/home/suse/miniconda3/envs/jt/lib/python3.8/runpy.py", line 185, in _run_module_as_main
    mod_name, mod_spec, code = _get_module_details(mod_name, _Error)
    mod_name, mod_spec, code = _get_module_details(mod_name, _Error)
  File "/home/suse/miniconda3/envs/jt/lib/python3.8/runpy.py", line 111, in _get_module_details
    __import__(pkg_name)
  File "/home/suse/miniconda3/envs/jt/lib/python3.8/site-packages/jittor/_init_.py", line 18, in <module>
    from _import_compiler
  File "/home/suse/miniconda3/envs/jt/lib/python3.8/site-packages/jittor/compiler.py", line 1169, in <module>
    check_cache_compile()
  File "/home/suse/miniconda3/envs/jt/lib/python3.8/site-packages/jittor/compiler.py", line 885, in check_cache_compile
    assert jit_utils.cc
AssertionError
```

暂时解决

如果使用系统自带的python和pip安装就没有问题，据悉是conda环境中修改了LD_LIBRARY_PATH导致无法找到glibcxx。

由于对自环境有刚需，所以请教解决方法，或加入conda install支持。

环境

system: openSUSE Tumbleweed (latest 5.16)

compiler: gcc/g++11.2.1

cuda/nvcc: 11.6 with update 1

python: 3.8.12

conda 4.11.0/4.8.3



cjld on Mar 22, 2022

Collaborator



感谢您的反馈，这个主要原因是，jittor会去使用系统自带的g++，系统自带的g++编译出来的jittor同理也需要依赖系统自带的动态链接库，比如libstdc++.so，但是，conda会尝试重载这些系统库，这些系统库和系统的g++不匹配，所以出问题了，解决这个问题可能有几种方法：

1. 不要让conda重载这些库，或者在LD_LIBRARY_PATH中的系统库的优先级提高
2. 让jittor用conda提供的g++来编译，这样c++库就能正确匹配了



sleeplessai on Mar 23, 2022

Author



@cjld

感谢回复。请问：

1. 如何“不要让conda重载这些库”？
2. 如何“让jittor用conda提供的g++来编译”？



Jittor on Mar 23, 2022 via email

Owner



1. 您可以调换LD_LIBRARY_PATH中的库路径搜索优先级，或者删除conda里的libc++库。
2. 在conda里面安装一个g++

...

---原始邮件---

发件人: ***@***.***>

发送时间: 2022年3月23日(周三) 下午5:38

收件人: ***@***.***>;

抄送: ***@***.***>;

主题: Re: [Jittor/jittor] conda环境中使用pip安装出现无法找到glibcxx错误 (Issue [#298](#))

@cjld

感谢回复。请问：

如何“不要让conda重载这些库”？

如何“让jittor用conda提供的g++来编译”？

—

Reply to this email directly, view it on GitHub, or unsubscribe.

You are receiving this because you are subscribed to this thread.Message ID: ***@****.***>



sleeplessai on Mar 23, 2022

Author ...

@Jittor @cjld

建议将jittor团队将jittor加入conda包库中，手工配置子环境太过复杂。

使用内置gcc和nvcc后出现新的错误，
可能又需要从cudnn的库文件拷贝过去才能解决。
然后使用系统的python3.8建立了venv，结果也出现问题。

```
[1 0323 18:33:31.226139 28 __init__.py:227] Total mem: 15.40GB, using 5 procs for compiling.
/usr/include/c++/11/bits/std_function.h:435:145: error: parameter packs not expanded with '...':
 435 |         function(_Functor&& __f)
      |         ^
      |
/usr/include/c++/11/bits/std_function.h:435:145: note:         '_ArgTypes'
/usr/include/c++/11/bits/std_function.h:530:146: error: parameter packs not expanded with '...':
 530 |         operator=(_Functor&& __f)
      |         ^
      |
/usr/include/c++/11/bits/std_function.h:530:146: note:         '_ArgTypes'
multiprocessing.pool.RemoteTraceback:
"""
Traceback (most recent call last):
  File "/usr/lib64/python3.8/multiprocessing/pool.py", line 125, in worker
    result = (True, func(*args, **kws))
  File "/home/suse/jt/lib64/python3.8/site-packages/jittor_utils/__init__.py", line 197, in do_compile
    return cc.cache_compile(cmd, cache_path, jittor_path)
RuntimeError: [f 0323 18:33:44.235463 28 log.cc:608] Check failed ret(256) == 0(0) Run cmd failed: "/usr/local/cuda/bin/nvcc"
"/home/suse/jt/lib64/python3.8/site-packages/jittor/src/misc/nan_checker.cu" -std=c++14 -Xcompiler -fPIC -Xcompiler -m
arch=native -Xcompiler -fdiagnostics-color=always -I"/home/suse/jt/lib64/python3.8/site-packages/jittor/src" -I/usr/includ
e/python3.8 -I/usr/include/python3.8 -DHAS_CUDA -DIS_CUDA -I"/usr/local/cuda/include" -I"/home/suse/jt/lib64/python3.8/site-p
ackages/jittor/extern/cuda/inc" -I"/home/suse/.cache/jittor/jt1.3.1/g++11.2.1/py3.8.12/Linux-5.16.15-xf2/IntelCoreTMi7x
ff/default/cu11.5.119_sm_75" -O2 -c -o "/home/suse/.cache/jittor/jt1.3.1/g++11.2.1/py3.8.12/Linux-5.16.15-xf2/IntelCoreTMi7
xff/default/cu11.5.119_sm_75/obj_files/nan_checker.cu.o" -x cu --cudart=shared -ccbin="/usr/bin/g++" -W -I"/home/suse/jt/l
ib64/python3.8/site-packages/jittor/extern/cuda/inc"
"""

The above exception was the direct cause of the following exception:

Traceback (most recent call last):
  File "<stdin>", line 1, in <module>
  File "/home/suse/jt/lib64/python3.8/site-packages/jittor/__init__.py", line 18, in <module>
    from . import compiler
  File "/home/suse/jt/lib64/python3.8/site-packages/jittor/compiler.py", line 1321, in <module>
    compile(cc_path, cc_flags+opt_flags, files, 'jittor_core'+extension_suffix)
  File "/home/suse/jt/lib64/python3.8/site-packages/jittor/compiler.py", line 147, in compile
    jit_utils.run_cmds(cmds, cache_path, jittor_path, "Compiling "+base_output)
  File "/home/suse/jt/lib64/python3.8/site-packages/jittor_utils/__init__.py", line 251, in run_cmds
    for i, _ in enumerate(p.imap_unordered(do_compile, cmds)):
  File "/usr/lib64/python3.8/multiprocessing/pool.py", line 868, in next
    raise value
RuntimeError: [f 0323 18:33:44.235463 28 log.cc:608] Check failed ret(256) == 0(0) Run cmd failed: "/usr/local/cuda/bin/nvcc"
"/home/suse/jt/lib64/python3.8/site-packages/jittor/src/misc/nan_checker.cu" -std=c++14 -Xcompiler -fPIC -Xcompiler -m
arch=native -Xcompiler -fdiagnostics-color=always -I"/home/suse/jt/lib64/python3.8/site-packages/jittor/src" -I/usr/includ
e/python3.8 -I/usr/include/python3.8 -DHAS_CUDA -DIS_CUDA -I"/usr/local/cuda/include" -I"/home/suse/jt/lib64/python3.8/site-p
ackages/jittor/extern/cuda/inc" -I"/home/suse/.cache/jittor/jt1.3.1/g++11.2.1/py3.8.12/Linux-5.16.15-xf2/IntelCoreTMi7x
ff/default/cu11.5.119_sm_75" -O2 -c -o "/home/suse/.cache/jittor/jt1.3.1/g++11.2.1/py3.8.12/Linux-5.16.15-xf2/IntelCoreTMi7
xff/default/cu11.5.119_sm_75/obj_files/nan_checker.cu.o" -x cu --cudart=shared -ccbin="/usr/bin/g++" -W -I"/home/suse/jt/l
ib64/python3.8/site-packages/jittor/extern/cuda/inc"
>>> 
```

1. 您可以调换LD_LIBRARY_PATH中的库路径搜索优先级，或者删除conda里的libc++库。
2. 在conda里面安装一个g++

...

---原始邮件--- 发件人: @.> 发送时间: 2022年3月23日(周三) 下午5:38 收件人: @.>; 抄送: @.>; 主题: Re: [Jittor/jittor] conda环境中使用pip安装出现无法找到glibcxx错误 (Issue [conda环境中使用pip安装出现无法找到glibcxx错误 #298](#)) @cjld 感谢回复。请问: 如何“不要让conda重载这些库”? 如何“让jittor用conda提供的g++来编译”? — Reply to this email directly, view it on GitHub, or unsubscribe. You are receiving this because you are subscribed to this thread.Message ID: @.>



cjld on Mar 23, 2022

Collaborator

...

感谢您的反馈，这些问题其实是和目前已经安装conda环境有关，以及和openSUSE这个操作系统的g++版本有关，比如是conda这个包管理工具内部的so版本控制比较混乱，conda安装cuda和nvcc，经常会安装出不一样的版本，又比如nvcc和gcc之间的版本也不匹配，我建议按照如下流程安装：

1. 启动一个干净的conda环境，装好python（可选：装好g++，版本不要太高，确保nvcc是支持的，比如g++-7）
2. pip install jittor
3. python -m jittor_utils.install_cuda, 让jittor安装匹配驱动版本的cuda和cudnn
4. python -m jittor.test.test_cuda

需要注意的点：g++版本太高，nvcc版本可能不支持，cudnn也要和cuda版本匹配，cuda版本不能高于驱动版本



cjld on Mar 23, 2022

Collaborator



您如果后续有任何问题，欢迎随时联系，或者加我微信：randonlang，openSUSE这个操作系统的支持还需要测试一下



sleeplessai on Apr 10, 2022 · edited by sleeplessai

Edits ▾

Author



现在已经可以在openSUSE Tumbleweed上使用conda子环境使用jittor。
配置方案有两套，现分享如下：

1. 如果使用了nvidia官方仓库x11-video-nvidiaG05 (470.x) 驱动，这个版本下最高可以支持CUDA 11.3，因此需要使用gcc 7.5，可以使用zypper in gcc7 gcc7-c++直接安装，如有多个版本需要update-alternatives管理。
2. （本人当前配置）使用官方local run手动安装了nvidia 510驱动，这个版本下最高可以支持到 CUDA 11.6，可以使用Tumbleweed滚动仓库下的最新的gcc 11.2，默认zypper in gcc gcc-c++即可。

对应了正确版本后，正常conda create子环境，然后pip install安装jittor即可正常使用。



3



sleeplessai closed this as completed on Apr 11, 2022



MenghaoGuo mentioned this on Apr 14, 2022



[assert_jit_utils.cc AssertionError #310](#)



Add a comment

H B I | ≡ <> 🔗 | ≡ ≡ ≡ | @ ↗ ↶ ↷

Write

Preview

Use Markdown to format your comment

 Paste, drop, or click to add files

 Reopen Issue



Comment

Metadata

Assignees

No one assigned

Labels

No labels

Projects

No projects

Milestone

No milestone

Relationships

None yet

Development

No branches or pull requests

Notifications

Customize

 Subscribe

You're not receiving notifications from this thread.

Participants

