USER GUIDE · VERSION 1.1

SizaniConnect

How to use the food relief system of Sizani Community Food Network NPC: for site coordinators, volunteers, operations managers, donors and administrators.

Live system	https://sizaniconnect-bb7315.azurewebsites.net
Software release	v1.1.0
Client	Sizani Community Food Network NPC (case-study client)
Prepared by	Team Ubunye (Group 13): Byron Bousfield (ST10445541)
Module	INSY7315 Information Systems 3E (WIL), Task 3
Date	October 2026

Every person, household and donor shown in this guide is synthetic demonstration data.

Contents

1. About this guide....4
1.1 How to read the instructions....4
2. Getting started....5
2.1 What you need....5
2.2 Opening SizaniConnect....5
2.3 Activating your account....5
2.4 Signing in and out....6
2.5 Finding your way around....7
2.6 My account: your password and recovery codes....8
2.7 If you forget your password....9
3. Site coordinators....12
3.1 Your overview....12
3.2 Registering a household....12
3.3 After registering....14
3.4 Printing a household card....15
3.5 Finding a household....16
3.6 Running a distribution day....17
3.7 Approving a second parcel....20
3.8 Volunteer shifts at your site....21
4. The event desk....22
4.1 Opening the desk....22
4.2 Recording a collection....22
4.3 Scanning a card with the camera....23
4.4 When a card cannot be used....24
4.5 When the signal drops....26
5. Volunteers....29
5.1 Signing up for a shift....29
5.2 Checking in....29
5.3 Your shifts, and withdrawing....29
6. Operations managers....31
6.1 Your overview....31
6.2 Verifying households....31
6.3 Suspending, reinstating and archiving....32
6.4 Scheduling a distribution event....33
6.5 Donations and receipts....34
6.6 Stock....36
6.7 The monthly report....38
7. Donors....40
8. Administrators....41
8.1 Adding a user....41
8.2 Helping someone who is locked out....42
8.3 When someone leaves....42
8.4 Data retention: removing personal data for good....43
8.5 Distribution sites....45

8.6 The audit log.....46

9. When something goes wrong.....48

9.1 Messages and what to do.....48

9.2 Frequently asked questions.....49

10. Glossary.....51

Appendix A. Technical setup (for IT support).....52

A.1 Requirements.....52

A.2 Running it with Docker (quickest).....52

A.3 Running it without Docker.....52

A.4 Configuration settings.....53

A.5 Deploying to Azure.....53

A.6 Checking that it works.....53

A.7 Emergency administrator access.....54

A.8 Backups, failures and rollback.....54

Appendix B. Event desk quick card.....55

1. About this guide

SizaniConnect replaces the paper registers, WhatsApp shift lists and delivery-note spreadsheets that Sizani Community Food Network used to run food relief from its six distribution sites. It keeps one record of who is registered, what was handed to whom, which stock it came from and who was on duty.

This guide explains every screen, one role at a time. You only need to read the chapters for your own role, plus chapter 2 (getting started) and chapter 9 (when something goes wrong).

Table 1. Which chapters to read

If you are a...	You use SizaniConnect to...	Read
Site coordinator	Register households, run distribution days at your site, approve exceptional second parcels	Chapters 2, 3, 4 and 9
Volunteer	Sign up for shifts, check in, and record collections at the event desk	Chapters 2, 4, 5 and 9; Appendix B
Operations manager	Verify households, schedule events, capture donations, manage stock, produce the monthly report	Chapters 2, 6 and 9 (and 3 and 4, which you can also do)
Donor	See where your donations went and print receipts	Chapters 2 and 7
Administrator	Manage accounts, sites, the audit trail and the removal of personal data	Chapters 2, 8 and 9; Appendix A
IT support	Install, configure, deploy and recover the system	Appendix A

1.1 How to read the instructions

- Words in **bold** are exactly what you see on the screen: a button, a link, a field or a menu item.
- Numbered steps are done in order. The numbered yellow markers on a screenshot match the numbered list under it.
- Screenshots come from a laptop unless the caption says phone. On a phone the same screen is stacked in one column and the menu is behind the **Menu** button.
- Boxes marked **Tip**, **Important** or **Warning** point out shortcuts, rules the system enforces, and actions that cannot be undone.

2. Getting started

2.1 What you need

Table 2. Equipment

Item	What works	Notes
Phone	Android phone with Chrome (screen at least 360 pixels wide), or an iPhone with Safari	For the event desk and shifts. Low-cost phones are fine: the desk was tested with the processor slowed six times.
Laptop or desktop	Current or previous version of Chrome, Edge, Firefox or Safari	For registration, reports, stock and administration.
Internet	Mobile data or Wi-Fi	Pages are small. When the connection drops, the screen says so (section 4.6).
Camera (optional)	The phone's back camera	To scan household cards. A USB or Bluetooth barcode scanner also works: it types into the code box.
Printer (optional)	Any printer	For household cards, receipts and the monthly report.

There is nothing to install. SizaniConnect runs in the web browser.

2.2 Opening SizaniConnect

1. Open your browser and go to **https://sizaniconnect-bb7315.azurewebsites.net**.
2. Bookmark the page. On a phone, use the browser menu and choose **Add to Home screen** so it opens like an app.

> **Note.** For evaluation, the live system holds synthetic demonstration data and five demonstration accounts (Appendix A.2). Real staff accounts are created by an administrator (section 8.1).

2.3 Activating your account

An administrator creates your account. You then receive a one-time activation link, by email or handed to you by the administrator. It expires after 72 hours.

1. Open the activation link. The **Choose your password** page appears.
2. Type a new password in **New password**, and again in **Type it again**. Use at least 12 characters; a short phrase such as *Sunflowers on Friday 7* is easier to remember than a jumble. Very common passwords and passwords containing your email address are refused.
3. Select **Save password**, then **Sign in now**.




Figure 1. Choosing your password the first time

1 Your new password (at least 12 characters)
2 The same password again
3 Save it, then sign in

2.4 Signing in and out

1. Type your **Email** and **Password**.
2. Select **Sign in**. You arrive at the start page for your role.
3. To sign out, select **Sign out** at the bottom of the menu (on a phone, open **Menu** first).




Figure 2. The sign-in page

1 Your email address
2 Your password
3 Sign in
4 If you have forgotten your password

> **Important.** After five wrong passwords in 15 minutes the account is locked for 15 minutes. This protects you if someone tries to guess your password. Wait, or use one of the options in section 2.7.

You stay signed in on that device for up to seven days unless you sign out. Always sign out on a shared phone or computer.

2.5 Finding your way around

Every screen has the same layout. The menu on the left lists only the screens your role can use, so what you see depends on who you are.




Figure 3. Finding your way around: a site coordinator's start page

1. The menu shows only the screens your role uses
2. The page you are on
3. The main things to do from here
4. Figures for your site
5. Who is signed in, My account and Sign out

On a phone, the menu is hidden behind the **Menu** button at the top right, so the screen stays free for the work.




Figure 4. The menu on a phone

1 Menu opens and closes here
2 Your screens
3 My account and Sign out

2.6 My account: your password and recovery codes

Select **My account** at the bottom of the menu to see your details, change your password and create recovery codes. Your name, email, role and cellphone number can only be changed by an administrator.

Changing your password

1. Under **Change your password**, type your **Current password**.
2. Type the **New password** twice and select **Change password**.
3. Any other phone or computer signed in as you is signed out. The one you are using stays signed in, and an email confirms the change.

Creating recovery codes

Recovery codes let you choose a new password yourself when you have forgotten it, even if email is not working. Everyone can create them; **administrators should do so on their first day** (the start page reminds them until they have).

1. Under **Recovery codes**, select **Create recovery codes**.
2. Type your password and select **Create my codes**. Ten codes appear.

3. Select **Download as a text file** or **Print**, and keep them somewhere private, not on the same phone you sign in with.
4. Select **I have saved them**. The codes are never shown again.




Figure 5. Your recovery codes, shown once

1 Ten codes: each works once
2 Save them as a file
3 Or print them
4 Hide them when you are done

Each code works once. **My account** shows how many are left. Creating a new set makes the old codes stop working.

2.7 If you forget your password

There are three ways back in. Try them in this order.

Option 1: an emailed link

1. On the sign-in page select **Forgot your password?**
2. Type your email and select **Send reset link**. Open the link in the email within 30 minutes and choose a new password.




Figure 6. Asking for a reset link

1 The email you sign in with
2 Send the link

3 No email? Use a recovery code

For security the page always says a link is on its way, even if the email address has no account.

Option 2: a recovery code

1. On the **Reset your password** page select **Use a recovery code instead**.
2. Type your **Email**, one **Recovery code** (capitals and the dash are optional), and a new password twice.
3. Select **Save new password**. The page says how many codes you have left. Sign in with the new password.




Figure 7. Resetting a password with a recovery code

1 Your email address
2 One of your saved recovery codes
3 A new password of at least 12 characters
4 The same password again
5 Save

> **Important.** A wrong recovery code counts as a wrong password: after five, the account locks for 15 minutes.

Option 3: ask an administrator

An administrator can send you a reset link from the **Users** screen (section 8.2). It lasts 24 hours. If the administrator is the one locked out, another administrator can do the same for them, and IT support has a last-resort procedure (Appendix A.7).

3. Site coordinators

As a site coordinator you register households, run distribution days at your own site and decide the rare exceptions at the desk. You can see households from every site, but you can only register for, and run events at, your own site.

3.1 Your overview

Your start page shows the figures for your site and what is waiting for you.




Figure 8. The overview: what needs attention today

1 Distribution days coming up at your site
2 Work waiting for you, with a link to each list

- **Open the event desk** appears when an event at your site is open today.
- Each line under **Needs attention** links to the list it counts: households waiting for verification or returned for correction, and stock that is low or expiring.

3.2 Registering a household

1. Select **Households**, then **Register a household** (or use the button on the overview).
2. Under **Head of household**, type the **Full name** and the **ID or passport number**. The number is checked against every site for a duplicate and then thrown away: only a one-way code is kept, so the number itself cannot leak.
3. Type a **Cellphone number** if they have one (see the rules below). **Collects at** is fixed to your site.
4. Type the **Street address** and **Suburb**.

5. Under **Who lives in the household**, give the head of household's first name and age group, then select **Add a person** for each other member, with their first name, age group and relationship. The parcel size follows the number of people: 1 to 2 small, 3 to 5 medium, 6 or more large.
6. Select **Register household**.




Figure 9. Registering a household

1 Head of household's full name
2 ID or passport number: checked for duplicates, then discarded
3 Cellphone number (optional)
4 The site they collect from (your own site)
5 Street address and suburb
6 Everyone in the household, including the head
7 Add another person
8 Register

Cellphone numbers

Only South African cellphone numbers are accepted. You can type them in any usual way (082 555 0134, 0825550134, +27 82 555 0134); they are stored in one standard form and always shown as 082 555 0134. When you move to the next field, a mistake is pointed out straight away:



Figure 10. A landline is refused as soon as you leave the field

1 The message says what is wrong and what to enter instead

Table 3. Cellphone messages

You typed	What you see	Why
011 555 0134	That is a landline number. Enter a cellphone number instead.	Numbers starting 01 to 05 are landlines.
0800 123 456	Numbers starting 080 are not cellphone numbers.	Toll-free (080), share-call (086) and internet (087) numbers cannot receive an SMS.
082 555 013	A cellphone number has 10 digits, for example 082 555 0134.	A digit is missing or extra.
+44 20 7946 0958	Only South African cellphone numbers (+27) can be used.	Foreign numbers are not supported.

If the person is already registered

One person may hold only one live registration across all six sites (business rule BR-01). If the ID number is already registered, the system stops you and links to the existing household instead.




Figure 11. The same person cannot be registered twice, at any site

1 The household this person already belongs to

2 Open it instead of registering again

3.3 After registering

The household page opens with its new reference code. The household is **Waiting for verification**: an operations manager must check proof of address and verify it before it can collect (section 6.2). The person who registered a household can never verify it.




Figure 12. A newly registered household

1. Its reference code
2. Print the household card now, or write the code on a slip
3. Print household card
4. Status: an operations manager must verify it before it can collect
5. Correct the contact details if needed

- **Edit contact details** corrects the cellphone number or address while the household is active, waiting, or returned for correction.
- If an operations manager returns the household for correction, the reason is shown at the top. Fix the details, then select **Resubmit for verification**.
- You can **Suspend** a household at your site with a reason, for example while a concern is checked. Only an operations manager can reinstate it.

3.4 Printing a household card

Every household should carry a card. The QR code on it is what the event desk scans, and the reference code underneath can always be typed instead.

1. On the household page select **Print household card** (also linked from the message shown after registering).
2. Select **Print card**. Print on card or thick paper and cut along the dashed border; the card is bank-card size.
3. Give the card to the household and ask them to bring it every time.




Figure 13. The household card, ready to print

1. The reference code, which can always be typed instead
2. The QR code the event desk scans
3. Print

> **Tip.** If a card is lost, print another one from the same page. The code does not change.

3.5 Finding a household

1. Select **Households**.
2. Type part of a name, a reference code or a suburb in **Search** and select **Search**. Use **Status** to show, for example, only households waiting for verification.
3. Select a reference code to open the household.




Figure 14. Finding a household

1 Search by name, reference code or suburb
2 Narrow to one status
3 Matching households
4 Open a household

3.6 Running a distribution day

A distribution event moves through fixed stages. Only the buttons for the next stage appear, so you cannot skip one.

Table 4. The stages of a distribution event

Stage	Who moves it on	What happens
Planned	Operations manager schedules it	Volunteers can sign up for its shifts.
Stocked	Operations manager selects **Mark as stocked**	Parcels are packed. Stock levels are checked first.
Open	You select **Open event** on the day	Only possible once the required number of volunteers have checked in (BR-07). The event desk starts working.
Closed	You select **Close event**	No more collections can be recorded.
Reconciled	You select **Reconcile**	You count the parcels that actually left and explain any difference.

1. Select **Distribution events**. **Today and upcoming** lists your site's events; **Past 90 days** shows earlier ones.

2. Select the date of the event to open it.




Figure 15. Distribution events at your site

1 Coming up, or the last 90 days
2 Today's event
3 Its status




Figure 16. An open distribution event

1 Status, parcels issued, households served, volunteers checked in
2 Go to the event desk
3 Close the event when the queue is done
4 Add a volunteer shift
5 Who is on duty

Closing and reconciling

1. When the queue is finished, select **Close event**.
2. Count the parcels that actually left the site and select **Reconcile**.
3. Type the number in **Parcels counted**. If it differs from what was recorded, explain why in the box that appears.
4. Select **Save reconciliation**. The result is kept on the event and in the monthly report.




Figure 17. Reconciling: the physical count against what was recorded

1 Parcels counted at the end of the day
2 If the numbers differ, explain why
3 Save

3.7 Approving a second parcel

A household can collect only once per event (BR-04). In a genuine exception, such as a parcel stolen on the way home, a site coordinator can approve a second parcel at the desk:

1. Find the household at the event desk. The desk shows **Already collected**.
2. Type the reason in **Override reason** (at least 10 characters). It is kept permanently in the audit log and appears in the monthly report as an override.
3. Select **Approve a second parcel**.




Figure 18. A coordinator approving a second parcel

1 The reason, kept in the audit log
2 Approve a second parcel

Volunteers do not see this option; the desk tells them to ask the site coordinator.

3.8 Volunteer shifts at your site

You can add shifts to your site's planned, stocked or open events (section 6.5 shows the form), and see who is on duty on the event page. You can also sign up for and check in to shifts yourself under **Shifts**, as described in chapter 5.

4. The event desk

The event desk is the screen used most, usually on a phone with a queue waiting. It answers one question for each household: may they collect a parcel, and which one? Volunteers, site coordinators and operations managers can use it while an event is open.

4.1 Opening the desk

1. Select **Event desk** in the menu. If one event is open, the desk for it opens. If more than one is open, choose the one you are working at.
2. If no event is open, the desk says so. Ask the site coordinator to open today's event.




Figure 19. The event desk on a phone

1 Type the code from the card, or scan it
2 Find
3 Or scan the card with the phone's camera




Figure 20. An eligible household

1 Who it is, and how many people
2 The verdict: eligible, and the parcel size
3 Record the collection, then hand over the parcel

4.2 Recording a collection

1. Scan the household card, or type the reference code in **Household reference code** and select **Find**. Letters O, I and L are read as 0 and 1, so common misreadings still work.
2. Read the verdict. A green verdict shows the household, the number of people and the parcel size.
3. Select **Record collection**, then hand over the parcel size shown. The desk lists what was taken from stock, first to expire first out.

4. Select **Next household**, or simply scan the next card.




Figure 21. Recorded

1 Which parcel to hand over
2 What was taken from stock (first to expire, first out)




Figure 22. Already collected at this event

1 When, and who recorded it
2 What to do: no second parcel without the coordinator

Table 5. Desk verdicts

Verdict	Meaning	What to do
Eligible for a small / medium / large parcel	The household may collect.	Record the collection, then hand over that size.
Already collected at 10:56, recorded by ...	This household collected at this event already.	Do not hand over a parcel. Refer them to the site coordinator.
Cannot collect: household is waiting for verification / suspended / archived	The household is not active.	Do not hand over a parcel. Refer them to the site coordinator.
No household has this code	The code is wrong or the card belongs elsewhere.	Check the card and try again, or search for the household by name (staff).

4.3 Scanning a card with the camera

1. Select **Scan card with camera**. The first time, allow the browser to use the camera.
2. Hold the card flat, in good light, about a hand's length from the phone, so the QR code fills the yellow box.

3. When the card is read, the camera closes and the verdict appears.




Figure 23. Scanning a card with the camera

1 Fill this box with the QR code
2 What the scanner is doing
3 Stop, and type the code instead

- On most Android phones the phone's own built-in reader is used. On other browsers a small reader (about 50 KB) downloads the first time.
- If no card is read in 20 seconds, scanning stops with advice. Select **Try the camera again**, or type the code.
- Scanning also stops when you switch to another app, so the camera is never left running.
- A USB or Bluetooth barcode scanner works without the camera button: click in the code box and scan.

4.4 When a card cannot be used

Before anything is sent, the desk checks what was scanned or typed. A creased or dirty card, a QR code from something else (a poster, a payment code), or half a code is explained on the spot. After two failed tries in a row, the desk suggests typing the code printed on the card instead.




Figure 24. A card that cannot be used

1 Why it was refused, and after two tries, what to do instead

Table 6. Card and camera messages

Message	Cause	What to do
The card could not be read correctly. It may be creased, dirty or partly covered.	Part of the QR code was misread, or a scanner dropped characters. A check character on the card catches this.	Scan again with the card flat and well lit, or type the code printed under the QR code.
That QR code is not a SizaniConnect household card.	A different QR code or barcode was scanned.	Ask for the household card, or type the reference code.
That is not a SizaniConnect card: what was scanned is far too long.	Long text was scanned or pasted.	Type the reference code printed on the card.
That is not a complete reference code. Codes look like SZN-2026-7K2QX9.	Part of a code was typed.	Check the card and type the whole code.
Camera permission was refused.	The browser was told not to use the camera.	Type the code, or allow the camera for this site in the browser settings.
No camera was found / the camera is being used by another app.	No camera, or another app holds it.	Close the other app and try again, or type the code.

4.5 When the signal drops

A yellow banner at the top of the screen appears as soon as the phone goes offline or SizaniConnect cannot be reached, and disappears by itself when the connection is back.




Figure 25. No signal

1 Shown as soon as the phone goes offline; it disappears when the signal returns




Figure 26. The connection dropped while saving

1 The banner: the system cannot be reached
2 Whether it was saved is unknown
3 Pressing again is always safe

If the connection drops while you are recording a collection, the desk cannot know whether the server received it, so it says so. **Press Record collection again once you have signal.** This is always safe: the system will never record a household twice at one event. If the first try had been saved, the desk tells you so, and you hand over one parcel only.




Figure 27. Pressing again after the signal returns

1 It had been saved: hand over one parcel only

> **Important.** If there is no signal at all for a long time, use the site's paper fallback register and enter the collections when the signal returns.

5. Volunteers

As a volunteer you choose your shifts, check in when you arrive, and record collections at the event desk (chapter 4). Your start page is **Shifts**.

5.1 Signing up for a shift

1. Select **Shifts**. **Open shifts** lists the shifts in the next three weeks at every site, with the places left.
2. Select **Sign up** next to the shift you want. A message confirms it.

5.2 Checking in

From one hour before your shift starts (BR-10), a banner at the top of **Shifts** shows **Check in now**. Select it when you arrive, so your hours are counted and the coordinator knows you are there. An event can only open once enough volunteers have checked in.

5.3 Your shifts, and withdrawing

1. Select **My shifts** to see the shifts you signed up for and the ones you recently served.
2. To withdraw, select **Withdraw** next to the shift. This is possible until 24 hours before it starts; after that, phone your site coordinator so they can find cover.




Figure 28. Shifts on a phone

1 Check in when you arrive
2 Open shifts, or only yours
3 Sign up for a shift




Figure 29. Your shifts, and how to withdraw

1 My shifts
2 Withdraw (until 24 hours before; after that, phone your coordinator)

6. Operations managers

As an operations manager you work across all six sites: you verify households, schedule distribution days, capture donations, manage stock and produce the monthly report. You can also register households and use the event desk.

6.1 Your overview




Figure 30. The operations manager's overview: all sites

1 Figures across all sites
2 Households to verify, stock to act on
3 Every site's coming distribution days

6.2 Verifying households

1. From **Needs attention**, select **Review** next to **Households waiting for verification**, or filter **Households** by status.
2. Open the household and check the proof of address the coordinator has seen.
3. Select **Verify household** and confirm. The household becomes **Active** and can collect from now on.
4. If something is wrong, select **Return for correction** and give a reason; the coordinator sees it and resubmits.




Figure 31. Verifying a household

1 Check proof of address first; you cannot verify a household you registered yourself
2 Verify household
3 Or send it back with a reason

> **Important.** The person who registered a household cannot verify it (four-eyes check). If you registered it yourself, another operations manager must verify it.

6.3 Suspending, reinstating and archiving

- **Suspend** stops a household collecting while a concern is checked. A reason of at least five characters is required and the household is told it.
- **Reinstate** makes a suspended household active again.
- **Archive** ends a registration, for example when a family moves away. The person can register again later.
- **Archive inactive households** on the **Households** screen archives every household that has not collected for 12 months (BR-08), after a confirmation.




Figure 32. Suspending a household, with a reason

1 The reason (the household is told it)
2 Suspend

Archived households are anonymised 24 months after archiving by an administrator (section 8.4).

A household asks what is held about them

On the household page select **Export data (POPIA request)**. A file with everything held about that household downloads, and the request is recorded in the audit log. Identity numbers are not in it because they are never stored.

6.4 Scheduling a distribution event

1. Select **Distribution events**, then **Schedule an event**.
2. Choose the **Site** and **Date**, the **Starts** and **Ends** times, the number of **Planned parcels** (the site's capacity is shown) and the **Volunteers needed to open**.
3. Select **Schedule event**.




Figure 33. Scheduling a distribution event

1 Site
2 Date
3 How many parcels to prepare
4 Volunteers who must check in before it can open
5 Schedule event

On the event page:

- **Add a shift** publishes a volunteer shift with times, the number of people needed and what they will do. Volunteers can sign up straight away.

- **Mark as stocked** confirms that parcels are packed. If stock is short, the shortfall per item is listed instead.
- **Cancel event** cancels a planned or stocked event with a reason.




Figure 34. Adding a volunteer shift to an event

1 Start and end times
2 How many volunteers
3 What they will do
4 Publish: volunteers can sign up straight away




Figure 35. A planned event: mark it stocked when the parcels are packed

1 Mark as stocked
2 Cancel, with a reason

6.5 Donations and receipts

1. Select **Donations**, then **Capture a donation**.
2. Choose the **Donor** (or **New donor...** to add one) and the date **Received on**.
3. Choose **Money** and type the amount, or **Goods (in kind)** and add each item with its **Quantity** and **Best before** date. Use **Add another item** for more lines.
4. Select **Save donation**. Goods go straight into stock as batches that remember their donor, and a numbered receipt is created.




Figure 36. Capturing a donation of goods

1. Who gave it (or add a new donor)
2. Cash, or goods
3. Each item, with quantity and best-before date
4. More items
5. Save: the goods go into stock and a receipt is made

Open any donation's receipt number to view, print or save the receipt as a PDF. Donors can open their own receipts in their portal.




Figure 37. A donation receipt

1 Print it or save it as a PDF

6.6 Stock

Stock shows what can still be issued. Expired stock is never counted and never issued; parcels always draw from the batch that expires first.




Figure 38. Stock

1 Expired, expiring and low stock
2 Write off expired stock
3 What is on hand, item by item
4 See the batches behind an item

- **Needs action** lists expired batches, batches expiring within 14 days, and items below their reorder level.
- **Write off** removes an expired batch with a reason; the write-off is kept in the stock ledger.
- **Batches** shows each batch behind an item: where it came from, what is left and when it expires.
- **Add a stock item** adds a new kind of item, with its category, unit and reorder level.
- **What goes in a parcel** shows the contents of each parcel size.




Figure 39. Writing off expired stock

1 The reason
2 Write off




Figure 40. The batches behind one item

1 Hide again

6.7 The monthly report

1. Select **Reports**.
2. Choose the **Month**. The totals and the site-by-site table update. Households that visited more than one site are counted once.
3. Select **Download CSV** for a spreadsheet, or **Print or save as PDF** for the board.




Figure 41. The monthly report

1 Choose the month
2 The totals
3 Site by site
4 Download for a spreadsheet

5 Print, or save as PDF for the board

7. Donors

If your organisation donates to Sizani, an administrator can give you a donor account. You see only your own donations; nobody else's.




Figure 42. What a donor sees

1 What your giving made possible
2 Each item you gave, and how much has been handed out
3 Your donations and their receipts

- The figures show how many households received food from your donations, how many parcels your stock went into, and how many sites it reached.
- **Your goods, traced to distribution** shows each item you gave and how much has been handed out so far.
- Select a receipt under **Your donations** to view it, then **Print or save as PDF**. **Print this report** prints the whole page.

8. Administrators

As an administrator you manage who can use the system, the distribution sites, the audit trail, and the removal of personal data when it is no longer needed. Create your recovery codes first (section 2.6); your start page reminds you until you have.




Figure 43. The reminder administrators see until they have recovery codes

1 Reminder: no recovery codes yet
2 Go straight to My account to create them

8.1 Adding a user

1. Select **Users**.
2. Under **Add a user**, type the **Full name**, **Email** and, optionally, **Cellphone number**.
3. Choose the **Role**. A site coordinator also needs a **Site**; a donor account needs a **Donor record**.
4. Select **Create account**.




Figure 44. Adding a user

1 Full name
2 Email address: the activation link goes here
3 Cellphone number (optional, South African)
4 Role: decides which screens they see
5 Create the account

The person receives an activation link by email to choose their own password (section 2.3). Nobody, including you, ever sees their password. When email is not set up, the link is shown to you instead: give it to the person yourself, in person or by phone.




Figure 45. When email is not set up, the activation link is shown to hand over

1 Give this link to the person, in person or by phone

8.2 Helping someone who is locked out

Select **Send reset link** next to the person on the **Users** screen. They receive a link valid for 24 hours, or, without email, the link is shown for you to pass on. This also works for another administrator, which is why there should always be at least two.




Figure 46. Sending a reset link to someone who is locked out

1 The link to pass on: it works once and lasts 24 hours

8.3 When someone leaves

When a volunteer retires or a staff member resigns, offboard them on the same day. Removing their personal data is a separate, second step (section 8.4), so a mistake can still be undone.

1. On **Users**, select **Offboard** next to the person.
2. Read what will happen, choose **Why are they leaving?** (Retired, Resigned, Contract or role ended, or Other) and select **Offboard**.

3. Read the confirmation. It says how many upcoming shift places were freed, warns you if a site has been left without a coordinator, and gives the date by which to erase the personal data.




Figure 47. Offboarding someone who has left

1 What happens straight away
2 Why they are leaving
3 Offboard




Figure 48. After offboarding

1 What was done, and when to erase the personal data

Straight away the person is signed out everywhere, cannot sign in, and any reset link or recovery code they hold stops working. Within 30 days you can still select **Reactivate** if this was a mistake. You cannot offboard yourself, and the last active administrator cannot be offboarded.

8.4 Data retention: removing personal data for good

POPIA requires personal information to be kept only as long as it is needed. **Data retention** shows what is due and removes it.




Figure 49. The Data retention screen

1 People who have left, with the date their data must be erased by
2 Erase one person's personal data
3 Households archived more than 24 months ago
4 Anonymise them all at once

Erasing a person who has left

1. Under **People who have left**, find the person. **Due now** means the 30-day grace period is over.
2. Select **Erase personal data**.
3. Type the person's email address exactly to confirm, and select **Erase permanently**.




Figure 50. Erasing a leaver's personal data

1 This cannot be undone
2 Type their email address to confirm
3 Erase permanently

What happens next depends on whether the account was ever used:

- **Never used** (for example, an account that was never activated): it is deleted from the database completely.
- **Used** (they signed in, recorded collections or worked shifts): their name, email, cellphone number and password are removed for good. An anonymous "Former user" entry stays, because the collections they recorded and the audit trail must still add up. Nothing in it identifies the person.

> **Warning.** Erasing cannot be undone, not even by restoring a backup through the normal rollback procedure.

Anonymising archived households (NFR-16)

1. Under **Archived households**, check the list of households archived more than 24 months ago.
2. Select **Anonymise** and confirm with **Anonymise now**.

Names, addresses, cellphone numbers and identity codes are removed. Reference codes, suburbs, age groups and collection history stay, so past reports still add up. The household page then says when its details were removed.

8.5 Distribution sites

Sites lists the six distribution sites. Use **Add a site** for a new one, with its name, suburb and the most parcels it can handle per event. **Close site** stops new events being scheduled there without losing its history; **Reopen site** reverses it.




Figure 51. Distribution sites

1 Add a site
2 Close a site that is no longer used

8.6 The audit log

Audit log shows every change to beneficiary, user and stock records, newest first: who did it, when, and what. Use **Show** to see one kind of record. Entries cannot be edited or deleted by anyone; the database refuses. Personal details are not copied into it, only which fields changed.




Figure 52. The audit log

1 Show one kind of record

2 Who did what, and when: newest first

9. When something goes wrong

9.1 Messages and what to do

Every message in SizaniConnect says what happened and what to do next. The most common ones:

Table 7. Messages, their meaning and what to do

Message	What it means	What to do
Email or password is incorrect.	The email or password does not match an active account.	Check for typing mistakes and Caps Lock. After five tries the account locks for 15 minutes; see section 2.7.
Too many failed attempts. Try again after 15 minutes.	The account is locked to stop password guessing.	Wait 15 minutes, or ask an administrator for a reset link.
Your session has expired. Sign in again.	You were signed in on this device more than seven days ago.	Sign in again.
Your session was ended for security reasons. Sign in again.	Your sign-in was used from two places at once, so both were ended.	Sign in again, then change your password (section 2.6).
This link has expired or has already been used.	A reset or activation link is single-use and time-limited.	Request a new link (section 2.7), or ask an administrator.
Some fields need attention.	One or more fields are wrong; each has its own message underneath.	Correct the fields marked in red and save again.
This person is already registered ...	The ID number belongs to a live household (BR-01).	Open the existing household instead (section 3.2).
A household must be verified by someone other than the person who registered it.	Four-eyes check.	Ask another operations manager to verify it.
Your role does not allow this action.	The screen or action belongs to another role.	Ask someone with the right role, or an administrator if your role is wrong.
Can't reach SizaniConnect. Check your mobile data or Wi-Fi.	No connection to the server.	Check the signal; the page retries reads once by itself.
The connection dropped ... may or may not have been saved.	A save was sent but no answer came back.	Check, or at the desk simply press the button again (section 4.5).
The server took too long to answer.	No answer within 20 seconds, often a weak signal.	Move to better signal and try again.
The system cannot reach its database right now, so nothing was saved.	The database is restarting or unreachable.	Try again in a minute. If it lasts more than five minutes, tell IT support.
The database is out of storage space, so nothing can be saved.	Storage is full; pages still show but nothing saves.	Tell IT support straight away (Appendix A.8). Use the paper register meanwhile.
The system is very busy. / The database took too long to answer.	A short overload.	Wait a few seconds and try again.

Message	What it means	What to do
Too many requests. Wait a minute and try again.	Protection against automated traffic.	Wait a minute.
Something went wrong on our side.	An unexpected error. It has been logged.	Try again. If it keeps happening, tell your administrator what you were doing.




Figure 53. How a message from the server appears

1 What happened, and what to do

9.2 Frequently asked questions

I cannot see a screen that a colleague can see.

The menu shows only the screens for your role. If your role is wrong, ask an administrator to change it.

The event desk says no event is open.

The site coordinator opens the event once enough volunteers have checked in. Check that you have checked in under **Shifts**.

The site coordinator cannot open the event.

Open event needs the event to be stocked and the minimum number of volunteers checked in. The event page shows how many have checked in of the number needed.

Check in now does not appear.

Check-in opens one hour before the shift starts, and only for a shift you signed up for.

I cannot withdraw from a shift.

Withdrawing closes 24 hours before the start. Phone your site coordinator so they can find cover.

A household has lost its card.

Find the household under **Households** and print a new card (section 3.4). The code stays the same.

A household is registered at the wrong site.

Households collect at their own site. Ask an operations manager to archive the wrong registration so the person can be registered at the right site.

The camera does not open.

Allow the camera for the site in the browser settings. Camera scanning needs the secure address (https). Typing the code always works.

Why is my cellphone number refused?

Only South African cellphone numbers are accepted: 10 digits starting 06, 07 or 081 to 085. See section 3.2.

Can I undo an offboarding?

Yes, within 30 days: select **Reactivate** on **Users**. Once the personal data is erased, it cannot be undone.

Who can see beneficiaries' details?

Staff roles only. Volunteers at the desk see only the name, number of people and suburb; donors see only totals.

Does SizaniConnect work offline?

No. It needs a connection, but it tells you at once when the connection is lost and never records a collection twice. Keep the paper fallback register for long outages.

10. Glossary

Table 8. Terms used in this guide

Term	Meaning
Audit log	A permanent record of who changed what and when. It cannot be edited.
Batch	A quantity of one stock item received together, with one expiry date and, for donations, one donor.
Distribution event	One distribution day at one site, from planning to reconciliation.
Event desk	The screen that decides whether a household may collect, and records it.
FEFO	First expiry, first out: parcels always use the stock that expires soonest.
Household card	A bank-card-size card with the household's QR code and reference code.
Offboarding	Stopping the account of someone who has left. Their data is erased later.
Override	A second parcel at one event, approved by a site coordinator with a reason.
POPIA	The Protection of Personal Information Act, 4 of 2013.
Reconciliation	Comparing the parcels physically counted after an event with those recorded.
Recovery code	A single-use code that lets you choose a new password without email.
Reference code	A household's unique code, for example SZN-2026-7K2QX9.
Verification	An operations manager confirming a new household's details before it can collect.

Appendix A. Technical setup (for IT support)

This appendix is for whoever installs, runs or supports SizaniConnect. The source code is at **https://github.com/ByronBousfield1/sizaniconnect**; `docs/DEPLOYMENT.md` there has the full Azure procedure and runbook.

A.1 Requirements

Table 9. Software needed

Component	Version	Used for
Node.js	22 LTS	Running and building the API and the web app
PostgreSQL	16	The database (any managed PostgreSQL 16 service works)
Git	Any recent	Getting the code
Docker Desktop (optional)	Any recent	Running everything with one command
Azure subscription (for hosting)	Azure for Students is enough	App Service B1 and PostgreSQL Flexible Server B1ms

A.2 Running it with Docker (quickest)

1. Install Docker Desktop and start it.
2. Get the code: `git clone https://github.com/ByronBousfield1/sizaniconnect.git` then `cd sizaniconnect`.
3. Run `docker compose up --build` and wait for "SizaniConnect API listening".
4. Open **http://localhost:8080** and sign in with a demonstration account below.

Table 10. Demonstration accounts (password Sizani-Demo-2026), also on the live site

Email	Role
coordinator@sizani.test	Site coordinator, Diepsloot
volunteer@sizani.test	Volunteer
ops@sizani.test	Operations manager
donor@sizani.test	Donor (Kopano Foods)
admin@sizani.test	Administrator

A.3 Running it without Docker

1. Install Node.js 22 and PostgreSQL 16, and create an empty database.
2. In `api`: copy `.env.example` to `.env` and set `DATABASE_URL`; run `npm install` then `npm run dev`. Migrations and demonstration data load on first start.
3. In `web`: run `npm install` then `npm run dev`, and open **http://localhost:5173**.

A.4 Configuration settings

Table 11. Application settings

Setting	Required	Purpose
DATABASE_URL	Yes	PostgreSQL connection string
DATABASE_SSL	Production	`true` to require TLS with certificate checks
JWT_SECRET	Production	At least 32 random characters; signs sign-in tokens
ID_HASH_PEPPER	Production	At least 32 random characters; keys the identity-number hash and recovery codes. Never change it after go-live, or duplicate checks stop working
APP_BASE_URL	Yes	The public address, used in links
SMTP_URL, MAIL_FROM	No	Email for activation, reset and notices. Without them links are shown on screen
SEED_DEMO_DATA, SEED_DEMO_PASSWORD	No	Load demonstration data into an empty database
USER_ERASURE_GRACE_DAYS	No	Days before an offboarded account is due for erasure (default 30)
HOUSEHOLD_RETENTION_MONTHS	No	Months after archiving before anonymisation (default 24, NFR-16)
SKIP_MIGRATIONS	No	`true` only during a database rollback (A.8)
RATE_LIMIT_PER_MINUTE, AUTH_RATE_LIMIT_PER_MINUTE	No	Request limits per address (defaults 1,000 and 10)

A.5 Deploying to Azure

1. In Azure Cloud Shell, run `SUFFIX=yourname7315 bash infra/azure-setup.sh`. It creates the App Service plan, the production and staging web apps and the database, with TLS, a firewall that admits only the web apps, storage auto-grow and a health check.
2. In GitHub, add the variables `AZURE_WEBAPP_NAME_PRODUCTION` and `AZURE_WEBAPP_NAME_STAGING`, the secrets `AZURE_PUBLISH_PROFILE_PRODUCTION` and `AZURE_PUBLISH_PROFILE_STAGING`, and a `production` environment with a required reviewer.
3. Push the `develop` branch to deploy to staging, and `main` to deploy to production after approval. The pipeline runs every test first and checks the health endpoint afterwards.

A.6 Checking that it works

- Health check: open `/api/v1/health`. `"status":"ok"` means the database is reachable and writable; `degraded` means read-only (storage full); `down` means unreachable.
- Automated tests: `npm test` in `api` (unit and integration tests against PostgreSQL), `npm test` in `web`, and `npx playwright test` in `e2e` (browser and accessibility tests).

A.7 Emergency administrator access

If every administrator is locked out, no recovery code is left and email is not working, someone with access to the Azure portal can issue a one-time link:

1. In the Azure portal open the production web app, then **Development Tools**, **SSH**, **Go**.
2. Run `cd /home/site/wwwroot` then `node dist/db/cli.js recover-admin admin@example.org` with the administrator's email.
3. Give the printed link to the administrator in person or by phone. It works once, for 30 minutes, only for an active administrator account, and the use is recorded in the audit log.

A.8 Backups, failures and rollback

- The database is backed up automatically every day and kept for seven days, with point-in-time restore.
- If the health check reports `degraded` (storage full), raise the storage size under the database server's **Compute + storage** in the portal; saving resumes within a minute.
- To roll back a release, run the **Deploy** workflow in GitHub on the previous release tag. Release v1.1.0 changed the database in a way v1.0 cannot use, so going back to v1.0 also needs `node dist/db/cli.js rollback --to 001_initial_schema.sql`, with `SKIP_MIGRATIONS=true` set first. `docs/DEPLOYMENT.md`, section 7, gives every step.

Appendix B. Event desk quick card

Print this page for the desk.

Table 12. The event desk on one page

Step	What to do
1. Check in	Shifts → **Check in now** (from one hour before your shift).
2. Open the desk	Menu → **Event desk**. No event open? Ask the site coordinator.
3. Find the household	Scan the card (**Scan card with camera**, or a barcode scanner), or type the code and press **Find**.
4. Read the verdict	Green: eligible, shows the parcel size. Red: do not hand over; refer to the coordinator.
5. Record, then hand over	**Record collection**, then hand over exactly the size shown.
Card will not scan	Flatten it, better light, scan again. Still not? Type the code printed under the QR code.
Signal dropped while saving	Press **Record collection** again when signal returns. It can never record twice.
Already collected	Never hand over a second parcel yourself. Only the site coordinator can approve one.