Section 1

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 2

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 3

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 4

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 5

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 6

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 7

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 8

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 9

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 10

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 11

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 12

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 13

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 14

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 15

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 16

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 17

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 18

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 19

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 20

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 21

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 22

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 23

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 24

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 25

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 26

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 27

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 28

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 29

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 30

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 31

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 32

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 33

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 34

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 35

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 36

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 37

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 38

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 39

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 40

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 41

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 42

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 43

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 44

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 45

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 46

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 47

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 48

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 49

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 50

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 51

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 52

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 53

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 54

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 55

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 56

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 57

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 58

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 59

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 60

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 61

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 62

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 63

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 64

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 65

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 66

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 67

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 68

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 69

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 70

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 71

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 72

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 73

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 74

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 75

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 76

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 77

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 78

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 79

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 80

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 81

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 82

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 83

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 84

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 85

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 86

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 87

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 88

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 89

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 90

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 91

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 92

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 93

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 94

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 95

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 96

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 97

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 98

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 99

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 100

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 101

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 102

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 103

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 104

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 105

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 106

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 107

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 108

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 109

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 110

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 111

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 112

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 113

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 114

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 115

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 116

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 117

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 118

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 119

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 120

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 121

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 122

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 123

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 124

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 125

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 126

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 127

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 128

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 129

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 130

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 131

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 132

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 133

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 134

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 135

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 136

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 137

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 138

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 139

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 140

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 141

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 142

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 143

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 144

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 145

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 146

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 147

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 148

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 149

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 150

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 151

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 152

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 153

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 154

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 155

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 156

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 157

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 158

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 159

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 160

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 161

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 162

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 163

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 164

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 165

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 166

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 167

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 168

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 169

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 170

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 171

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 172

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 173

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 174

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 175

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 176

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 177

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 178

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 179

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 180

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 181

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 182

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 183

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 184

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 185

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 186

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 187

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 188

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 189

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 190

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 191

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 192

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 193

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 194

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 195

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 196

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 197

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 198

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 199

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 200

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 201

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 202

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 203

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 204

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 205

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 206

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 207

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 208

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 209

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 210

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 211

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 212

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 213

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 214

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 215

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 216

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 217

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 218

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 219

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 220

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 221

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 222

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 223

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 224

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 225

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 226

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 227

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 228

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 229

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 230

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 231

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 232

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 233

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 234

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 235

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 236

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 237

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 238

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 239

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 240

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 241

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 242

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 243

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 244

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 245

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 246

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 247

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 248

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 249

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 250

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 251

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 252

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 253

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 254

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 255

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 256

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 257

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 258

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 259

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 260

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 261

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 262

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 263

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 264

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 265

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 266

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 267

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 268

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 269

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 270

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 271

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 272

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 273

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 274

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 275

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 276

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 277

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 278

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 279

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 280

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 281

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 282

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 283

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 284

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 285

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 286

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 287

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 288

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 289

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 290

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 291

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 292

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 293

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 294

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 295

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 296

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 297

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 298

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 299

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

Section 300

1. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

2. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

3. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

4. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.

5. Photosynthesis converts light energy into chemical energy stored in glucose. In the light-dependent reactions, water is split and oxygen is released, while ATP and NADPH are produced. The Calvin cycle then uses these to fix carbon dioxide into sugars. Factors such as light intensity, temperature and CO2 concentration limit the overall rate.