Online Supplement: Forecasting Peak Net Positions: Known Floors, Endpoint-to-Peak Bounds and Score–Coverage Disagreement

Detailed constructions, full outputs and diagnostics; † denotes later analyses

S1. Complete report menus and robustness outputs

Introduction

We ask whether mature conditional estimators improve forecasts of an absolute sampled-position peak relative to simple historical constructions. Every report is evaluated against the same peak response and upper-quantile score on common forecast origins. The endpoint-derived bound introduced below is a benchmark rather than a direct peak-quantile estimate. The historical alternatives use past headrooms, paths translated to the current signed position, or historical peaks floored at the observed current magnitude. The conditional alternatives use ridge quantile regression, nearest-neighbor quantiles and scaled nearest-neighbor quantiles. In this Supplement, QR33 denotes the original regression and C2 denotes its four-predictor parsimonious specification; neither is a substitute for missing plain KNN.

Target and forecasting methods

Table S1. Notation. Distinct symbols for response, refits, history, distances and preferences.

Symbol	Definition
N_t; B_t	Signed position; observed issue magnitude $\lvert N_t \rvert$
$P_{t,H}$; $G_{t,H}$	Sampled absolute peak; headroom $P_{t,h}-B_t$
$\kappa(t)$; W; d	Most recent refit index; label-pool size; refit step
C_t^m; Floor	Issued report for method m; the known-floor report
d_{abs}; d_{signed}	Common-set anchor-distance radii
$\tilde{N}_{i,h}^{tr}$; $M_{i,h}$	Translated historical path; AR residual-replay path
a_κ; $z_{i,\kappa}$	Training response scale; standardized predictors
a; $\omega=a/(1-a)$	Shortfall weight; shortfall/excess preference ratio
J_λ; D_λ	Penalized regression objective; feasible dual objective

Evaluation design

Table S2. Complete validation-selected parameters. QR entries are ridge penalties; KNN entries are neighborhood counts. W52 plain KNN selects the full pool at both horizons.

Source	H	W	QR λ	KNN k	Scaled KNN k
FX	6	720	0.01	180	360
FX	6	2880	0.01	180	180
FX	24	720	0.01	180	180
FX	24	2880	0.001	180	180
Treasury	6	52	0.1	52	52
Treasury	6	260	0.001	80	80
Treasury	24	52	0.001	52	40
Treasury	24	260	0.1	160	160

The original conditional-study design and selected parameters were publicly frozen before their respective executions (see the linked reproduction record). The FX evaluation interval had previously been inspected. All new inference and robustness analyses are labeled post-result / exploratory; the round2 additions have local execution bindings, rather than a new public preregistration.

Results: FX

Table S3. Complete selected conditional menu with breach rates and same-history frozen-F contrasts. Loss is in source-specific USD millions; B1 statistics are post-result / exploratory.

H	W	Method	Loss	Breach rate	Δ frozen F	DM / HLN
6	720	QR	0.433	8.015%	-2.117%	t=-0.616; p=0.538; HLN p=0.538
6	720	KNN	0.436	4.815%	-1.394%	t=-0.719; p=0.472; HLN p=0.473
6	720	Scaled KNN	0.466	4.060%	+5.349%	t=1.245; p=0.213; HLN p=0.214
6	2880	QR	0.386	5.675%	-14.767%	t=-5.866; p=4.47e-09; HLN p=4.83e-09
6	2880	KNN	0.411	4.815%	-9.302%	t=-3.615; p=0.0003; HLN p=0.000306
6	2880	Scaled KNN	0.426	4.121%	-5.795%	t=-1.255; p=0.209; HLN p=0.21
24	720	QR	1.035	13.947%	+31.504%	t=3.223; p=0.00127; HLN p=0.00133
24	720	KNN	0.836	7.592%	+6.197%	t=1.527; p=0.127; HLN p=0.128
24	720	Scaled KNN	0.897	6.642%	+13.886%	t=1.541; p=0.123; HLN p=0.125
24	2880	QR	0.735	8.015%	-3.758%	t=-0.504; p=0.614; HLN p=0.615
24	2880	KNN	0.770	6.883%	+0.837%	t=0.185; p=0.854; HLN p=0.854
24	2880	Scaled KNN	0.848	5.962%	+11.085%	t=1.325; p=0.185; HLN p=0.187

Results: Treasury

Table S4. Complete selected conditional menu with breach rates and same-history frozen-F contrasts. Loss is in source-specific USD millions; B1 statistics are post-result / exploratory.

H	W	Method	Loss	Breach rate	Δ frozen F	DM / HLN
6	52	QR	5095.519	30.325%	+83.354%	t=3.057; p=0.00224; HLN p=0.00298
6	52	KNN	2779.054	3.971%	+0.000%	IDENTICAL_LOSSES
6	52	Scaled KNN	4208.293	3.249%	+51.429%	t=3.682; p=0.000231; HLN p=0.000365
6	260	QR	4159.673	19.495%	+50.786%	t=2.669; p=0.00761; HLN p=0.00939
6	260	KNN	2663.561	10.108%	-3.447%	t=-0.442; p=0.658; HLN p=0.665
6	260	Scaled KNN	3127.173	8.303%	+13.358%	t=0.945; p=0.345; HLN p=0.355
24	52	QR	12165.574	47.653%	+227.411%	t=2.238; p=0.0252; HLN p=0.0415
24	52	KNN	3715.693	11.913%	+0.000%	IDENTICAL_LOSSES
24	52	Scaled KNN	5625.667	11.552%	+51.403%	t=2.797; p=0.00516; HLN p=0.011
24	260	QR	5204.760	30.325%	+109.843%	t=1.667; p=0.0955; HLN p=0.128
24	260	KNN	2257.963	4.693%	-8.964%	t=-1.941; p=0.0523; HLN p=0.0768
24	260	Scaled KNN	4137.264	2.888%	+66.805%	t=4.923; p=8.53e-07; HLN p=9.8e-06

Robustness

AR has lower loss in five of eight cells against S, five against F and five against QR; these sets differ. Relative to QR it loses in three of four FX cells and improves in all four Treasury cells. The exploratory AR comparisons show a different observed loss pattern from the adverse Treasury QR primary. Against S, the FX H6 changes are −1.536%/−0.546% at W720/W2880, while H24 changes are +2.386%/+5.147%. Treasury changes are −13.444%/−18.887% at H6 and +35.125%/−24.118% at H24 for W52/W260. The complete table retains the original model identities. Against S, AR mean report and mean overprediction amount decrease in every cell, while strict breach occasions increase in all eight and mean underprediction amount increases in seven. Treasury H24 W260 loss falls from 2478.871 to 1881.016 USD millions (−24.118%), yet breaches rise from 12 to 59 of 277 and mean underprediction amount rises from 306.848 to 892.437. Mean unused allowance falls from 43747.307 to 20664.031. Under the stipulated score, .05 times the unused reduction exceeds .95 times the added overrun. This explains the observed loss change without asserting safer limits, calibrated tails or observed financing savings.

A later post-inspection rank/endpoint ablation adds a same-pool, same-update intercept-only empirical headroom quantile, choosing its lower minimizer endpoint. The matched FX H6 W2880 QR comparison still lowers loss by 14.773%, with 376 rather than 365 breaches; the matched Treasury H6 W260 QR comparison still raises loss by 46.058%, with 54 rather than 32 breaches. All four Treasury QR cells remain adverse against this added report. The lower-rank rule improves on original frozen F in three cells and loses in five, so the empirical minimizer endpoint can perform worse in evaluation. The two headline signs persist under this specific control. Table S17 retains every cell and the later design history.

Post-result diagnostics clarify the issued reports rather than changing their rankings. Every common realized target satisfies P(H6)≤P(H24), yet the separately fitted reports can cross: FX W720 QR crosses on 640/6,625 issues, and Treasury W52 QR on 91/277. Some short Treasury historical F/S controls also cross because the horizons use different mature episode sets. Supplement S5 retains all 45 original pairs and a separately frozen addition covering all four AR pairs. AR has zero observed FX crossings, but Treasury W52/W260 cross on

59/26 of 277 issues. The horizon-specific fits and mature scenario sets differ, producing the observed incoherence. Supplement Figure S3 retains the complete annual comparison; all detailed coherence and fixed-terminal diagnostics remain in Supplement S5.

Table S5†. Summary of post-result / exploratory robustness; complete numerical tables remain in the appendices.

Analysis	Main finding	Retained adverse evidence
AR replay	Improves on QR in every Treasury cell	Breach occasions rise against S in every cell
Empirical rank	Both matched H6 QR directions persist	Lower empirical rank loses to F in five cells
Preference frontier	FX H6 reduces both loss components	FX H24 reverses near the original weight
Horizon coherence	Targets are ordered by construction	Separately fitted reports cross

Table S6†. Post-result / exploratory paired predictive-accuracy tests. Negative t favors QR; normal DM and Student-reference HLN p values are two sided. Holm p uses the fixed 72 common-history family; original cross-window FX comparisons are outside it. Original primaries and legacy remain fixed.

Comparison	L	DM t	DM p	HLN t	HLN p	Holm p
FX H6 primary	10	-5.18	2.2e-07	-5.18	2.31e-07	Outside family
FX H6 matched	10	-5.87	4.47e-09	-5.86	4.83e-09	2.86e-07
FX H24 legacy	24	-0.204	0.839	-0.203	0.839	Outside family
Treasury H6 primary	6	2.67	0.00761	2.62	0.00939	0.32

Table S7†. Post-result / exploratory parsimonious QR. Four predictors plus intercept, expanded validation penalty menu, original split/refit schedule. Percent changes compare loss against the original QR and matched F. Every original primary remains unchanged.

Source	H	W	λ	Δ QR %	Δ F %	Breaches	Status
Treasury	6	52	10	-46.9	-2.59	15	COMPLETE
Treasury	6	260	10	-32.2	2.17	32	COMPLETE
Treasury	24	52	10	-67.6	5.95	36	COMPLETE
Treasury	24	260	10	-52.3	0.11	15	COMPLETE
FX	6	720	0.01	3.67	1.48	414	COMPLETE
FX	6	2880	0.01	12.3	-4.29	399	COMPLETE
FX	24	720	0.01	-11.4	16.5	701	COMPLETE
FX	24	2880	0.01	0.898	-2.89	508	COMPLETE

Table S8†. All eight classical-bound plug-in L cells. Loss uses source-native units (FX USD; Treasury USD millions). Δ F/QR compares the same W and refit schedule; positive values are adverse for L. DM p is the unadjusted working-reference paired L–F test; Supplement S11 retains both comparators and a separate 16-member Holm family. Original primaries are unchanged.

Source	H	W	Mean loss	Hits / n	Δ F %	Δ QR %	DM p vs F
FX	6	720	5.795e+05	101/6625	30.93	33.76	2.988e-15
FX	6	2880	5.903e+05	75/6625	30.39	52.98	6.695e-15
FX	24	720	8.728e+05	136/6625	10.85	-15.71	0.06462
FX	24	2880	8.24e+05	174/6625	7.941	12.16	0.03958
Treasury	6	52	2873	10/277	3.37	-43.62	0.3317
Treasury	6	260	2434	15/277	-11.77	-41.49	0.1785
Treasury	24	52	4694	42/277	26.32	-61.42	0.1167
Treasury	24	260	2725	22/277	9.868	-47.64	0.2746

Table S9†. Complete panel summary: number of four H/W cells with lower pinball loss than matched F. These are descriptive counts, not independent trials or evidence selected after screening losses. Supplement S12 retains every loss change and breach count.

Series key	QR33 lower / cells	C2 lower / cells	L lower / cells
PDPOSMBS-TOT	0/4	0/4	2/4
PDPOSCS-TOT	0/4	3/4	1/4
PDPOSFGS-TOT	1/4	1/4	3/4
PDPOSTIPS-L2	0/4	0/4	4/4
PDPOSTIPS-G11	0/4	0/4	1/4
PDPOSTIPS-G2	0/4	0/4	0/4
PDPOSTIPS-G6L11	2/4	4/4	0/4
PDPOSGSC-L2	0/4	2/4	2/4
PDPOSGSC-G2L3	0/4	0/4	2/4
PDPOSGSC-G3L6	0/4	0/4	2/4
PDPOSGSC-G6L7	0/4	0/4	1/4
PDPOSGSC-G7L11	0/4	1/4	1/4

Table S10†. Fixed FHS, GARCH-scaled peak-headroom POT and true leaf-distribution QRF on all original cells. Each entry gives Δ loss% versus matched frozen F / strict breaches; negative Δ favors the new method. NA retains a failed or structurally ineligible complete-cell comparison; issued counts are not scored as partial successes. Full native losses, reasons and comparisons are in Supplement S13.

Source	H	W	FHS: Δ% / hits	Peak POT: Δ% / hits	QRF: Δ% / hits
FX	6	720	NA (240 issued)	NA (240 issued)	5.793 / 402
FX	6	2880	-1.258 / 278	3.269 / 363	-4.48 / 354
FX	24	720	NA (240 issued)	NA (240 issued)	16.02 / 779
FX	24	2880	6.255 / 136	10.61 / 369	7.335 / 600
Treasury	6	52	-1.883 / 7	NA (0 issued)	-6.83 / 16
Treasury	6	260	-8.276 / 4	-10.35 / 17	6.198 / 33
Treasury	24	52	60.26 / 0	NA (0 issued)	4.279 / 44
Treasury	24	260	125.1 / 0	32.09 / 20	33.94 / 62

Discussion and limitations

The FX evaluation interval was previously inspected, and the subsequent robustness analyses are post-result / exploratory. These records do not restore a compatible unseen dealer sample. Treasury is a downloaded-vintage, economic-date aggregate replay rather than an original-release public-information backtest; cross-dealer netting, valuation and composition distinguish it from an individual dealer's book.

The annual decomposition is a readback of published aggregates. Year-specific paired mean differences are weighted by their origin counts before computing contribution shares; annual percentage improvements are not averaged. Exact rational arithmetic operates on saved decimal tokens and does not recover infinite-precision original individual losses. The archived annual-decomposition receipt and helper retain source hashes, reconciliation tolerances and observed differences.

S2. Finite geometry and its predictive limits

On a common set and fixed rank, let $d_{abs}=\max_{i\in J}|B-|N_i||$ and $d_{signed}=\max_{i\in J}|x-N_i|$. Elementary order-statistic and projection stability gives $|F-K|\le d_{abs}$, $|S-K|\le d_{signed}$, hence $|F-S|\le d_{abs}+d_{signed}$. Supplement S2 proves these finite relationships and their predictive limits. Nearest signed-state membership minimizes its maximum signed distance at a given count; it need not minimize forecast loss. These statements do not automatically bound QR, scaled responses or the richer 33-coordinate distance.

S2.1. common-set projection bounds

These construction arguments concern F/S/K on an identical historical set and rank. They are retained from the earlier comparison. A one-dimensional signed-distance minimax property does not extend automatically to the multivariate neighbor distance, and the bounds do not automatically constrain QR or scale-adjusted responses.

These are elementary finite-array arguments, rather than new asymptotic or coverage results. Fix a nonempty common selected set J, an available rank $1\le k\le|J|$, query $x=N_t$, floor $B=|x|$ and completed historical windows. All identities in this appendix concern real arithmetic. Write $B_i=|N_i|$, $d_{i,h}=N_{i+h}-N_i$, with $d_{i,0}=0$, and define

Let $a_i=\min_h d_{i,h}$ and $b_i=\max_h d_{i,h}$, so $a_i\le 0\le b_i$. These are the lower and upper increments denoted l and u in Section 4. The auxiliary nonnegative envelope coordinates below use $u_i=b_i$ and $v_i=-a_i$.

$A_i=B+P_i-B_i$; $T_i=\max_{0\le h\le H}|x+d_{i,h}|$; $C_B(z)=\max(B,z)$.

Both A_i and T_i are at least B. The projection C_B is nondecreasing and 1-Lipschitz. It commutes with a finite order statistic, as does a common translation. Hence $F_J=Q_k(A)$, $S_J=Q_k(T)$ and $K_J=Q_k(C_B(P))$. Since $C_B(A_i)=A_i$,

$|A_i-C_B(P_i)|\le|A_i-P_i|=|B-B_i|$.

The reverse triangle inequality bounds each path value's change under a starting-position translation by $|x-N_i|$. Taking a maximum gives $|T_i-P_i|\le|x-N_i|$. Applying the same floor projection preserves that bound because $T_i\ge B$. Finally, paired order statistics are nonexpansive in the maximum coordinate difference: if $|u_i-v_i|\le r$ for every i, then $u_i\le v_i+r$ and conversely; monotonicity and common translation give $|Q_k(u)-Q_k(v)|\le r$. These observations prove the two common-set K bounds stated above. The triangle inequality and $||N_i|-|x||\le|N_i-x|$ prove the stated F/S bound. Keeping the rank fixed while changing one side's historical rows does not by itself justify these common-set comparison bounds.

Among all size-m subsets, selecting the m smallest signed distances minimizes the largest selected distance: any alternative must include an element at least as far away as the mth ordered distance. This finite minimax fact, with the declared tie convention, concerns the signed radius. It does not minimize the absolute-anchor radius, the sum of the two radii, the actual report gap or a forecast loss. For every fixed realized y, pinball loss is $\max(\tau,1-\tau)$-Lipschitz in its report, so a report-gap bound also bounds the absolute loss difference. Such stability supplies no sign for the realized or expected loss difference.

S2.2. envelope plateaus and the role of signed anchors

Put $u_i=b_i\ge 0$ and $v_i=-a_i\ge 0$. The headroom of an increment envelope at any anchor z is

$g_i(z)=\max(z+u_i,-z+v_i)-|z|$; for $z\ge 0$ it equals $\max(u_i,v_i-2z)$, and for $z\le 0$ it equals $\max(u_i+2z,v_i)$.

F pools each envelope's headroom at its historical anchor, $g_i(N_i)$; S pools its headroom at the query, $g_i(x)$. The branches agree at zero and together make g_i 2-Lipschitz, with range lying in $[\min(u_i,v_i),\max(u_i,v_i)]$. Apply the distance and range bounds to each paired row, then use the same-rank order-statistic stability from S2.1 to obtain

$|F_J-S_J|\le\max_{i\in J}\min\{2|x-N_i|,|u_i-v_i|\}$.

For example, $u_i=v_i$ in every row makes $F_J=S_J$ at arbitrary anchors. Nonnegative query/source anchors together with $u_i\ge v_i$ in every row also suffice; the nonpositive analogue uses $v_i\ge u_i$. These are sufficient conditions, not a characterization: pooled order statistics can coincide even when paired rows differ. The range bound also gives $F_J,S_J\le R_J$, where $R_J=B+Q_k\{\max(u_i,v_i):i\text{ in }J\}$. This is a theoretical same-set ordering; no R retrieval configuration is evaluated in the extension, and the ordering does not make R_J preferable under a given loss.

If every $B_i\le B$, then $A_i\ge C_B(P_i)$ and $F_J\ge K_J$. If every $B_i\ge B$, then $C_B(P_i)=P_i\ge A_i$ and $F_J\le K_J$. Equal absolute anchors force F=K but leave signs relevant to S. A coherent full-pool example uses $c>0$, $H=1$, $n=720$, $\tau=19/20$, $t=721$ and $N_s=(-1)^{s+1}c$ for $0\le s\le 721$. The pool uses completed labels at origins $J=\{1,\ldots,720\}$, with 360 anchors of each sign and current $N_t=c$. All historical peaks equal c and headrooms equal zero, so $F=K=c$. Raw reanchoring gives 360 peaks c and 360 peaks 3c; rank 685 gives $S=3c$. Thus $d_{abs}=0$ while $d_{signed}=2c$ and $|S-K|=2c$. This artificial path respects maturity and an available corrected rank; it is not an empirical claim or a claim about which rows nearest retrieval selects.

S2.3. the same observed history allows opposite loss rankings

Choose $d>0$, $H\geq 1$, $0<\tau<1$ and n large enough that $k=\lceil (n+1)\tau \rceil \leq n$. Set $t=H+n-1$ and $N_s=d(t-s)$ for $0\leq s\leq t$, using $J=\{0,...,n-1\}$. Every selected response ends by t. Each historical peak is its own positive starting value, so $G_i=0$ and $F=0$. Each increment path equals $-dh$; reanchoring at $N_t=0$ gives $S=Hd$. Two continuations of this identical observed history yield:

Table S11. Artificial coherent continuations. Symbols are constructed quantities, not source-record estimates.

Future N(t+h), $1\leq h\leq H$	Actual peak	F loss	S loss
0	0	0	$(1-\tau)Hd$
$-dh$	Hd	τHd	0

Either report can therefore have strictly smaller realized loss under a compatible future. A report ordering also need not hold universally. Consider the artificial history $(0,-4,-1,2)$, with $H=1$, $n=3$, $\tau=3/4$, issue $t=3$ and $J=\{0,1,2\}$. The current anchor and floor are $x=B=2$; all three historical windows are completed. Table S12 shows the native and raw-reanchored paths.

Table S12. Completed H=1 windows from one artificial history, in arbitrary position units. P is the historical peak, G the native headroom and T the peak after reanchoring at x=2. These values are not source-record estimates.

i	Historical pair	P	G	Reanchored pair	T
0	0, −4	4	4	2, −2	2
1	−4, −1	4	0	2, 5	5
2	−1, 2	2	1	2, 5	5

The available corrected rank is $\lceil (3+1)\cdot 3/4 \rceil=3$. The third order statistics of G, $T-B$ and P are 4, 3 and 4, respectively, so $F=6$, $S=5$ and $K=4$. The small pool and $\tau=3/4$ belong only to this illustration. It contains no observation after issue and gives no realized query loss. These constructions support logical limits, not the conditional law of the recorded series or a population ranking. A deterministic construction can refute an unconditional mathematical assertion while supplying no empirical validation for either rule.

S2.4. raw translation versus fixed-coefficient residual replay

For interpretation, fix arbitrary coefficients c and φ and define residuals $\varepsilon_s=N_{s+1}-c-\varphi N_s$. Replay a historical window's ordered residuals from query x. The coefficients are fixed after a refit; this algebra does not assert a true dynamic law or a martingale-difference property. Denote replay by M and raw translation by $\tilde{N}^{tr}$. Subtracting the recursions and using induction gives

$$M_{i,h}(x)=N_{i+h}+\varphi^h(x-N_i); \quad \tilde{N}_{i,h}^{tr}(x)=N_{i+h}+(x-N_i).$$

Taking the maximum absolute path value yields

$$|\max_h|\tilde{N}_{i,h}^{tr}(x)|-\max_h|M_{i,h}(x)||\leq \max_{0\leq h\leq H}|1-\varphi^h|\,|x-N_i|.$$

For $0\leq\varphi\leq 1$ the coefficient is $1-\varphi^H$; at $\varphi=1$ the paths coincide. The identity needs no residual law, while treating past residuals as representative of future conditional residuals is a separate assumption. Supplement S7 fits a specified mean recursion and compares realized loss, but does not validate that conditional residual-representativeness assumption. The extrema suffice to evaluate the peak after raw translation, but generally not after the dynamic correction, which depends on path order. The same-rank reports inherit a deterministic bound with max over historical anchor distances, not a guaranteed sign of loss improvement. Conditional validity remains a separate question.

S3. Earlier construction and retrieval evidence

This appendix preserves the complete loss menus of the 21 October historical studies. Monetary displays are source-reported FX USD millions. The original rules include headroom F, raw reanchoring S, a symmetric increment envelope R, historical peak K (native-peak K), and the current-floor report Floor. One factor changes from the original H6/W720/τ=.95 specification in each sensitivity cell. All use the same 6,625 forecast origins; different preferences are not pooled into an overall winner.

Table S13. Complete original mean loss grid. Δ is the stored paired mean F minus S; negative favors F within that setting.

Setting	F	S	R	K	Floor	Δ F−S
main	0.441774	0.451149	0.527544	0.925885	1.813620	-0.009375
h12	0.592518	0.604781	0.689604	1.058614	2.950594	-0.012263
h24	0.777069	0.748384	0.803106	1.197833	4.630827	+0.028685
n480	0.449843	0.460816	0.532515	0.885243	1.813620	-0.010973
n1440	0.443793	0.448275	0.526979	0.931562	1.813620	-0.004482
tau90	0.659643	0.659499	0.763481	1.477201	1.718166	+0.000144
tau99	0.154991	0.158998	0.175486	0.288834	1.889983	-0.004007

The earlier retrieval extension takes all 720 completed origins, the most recent 360/180, or the nearest signed-state 360/180 from that eligible pool, with recency ties. Corrected ranks for 720/360/180 are 685/343/172. Its H6 nearest 360 K-minus-recent 360 K primary lowers loss by 31.83% against a weak native-level baseline, while both original full 720 F and S remain lower. This prior-menu leadership statement does not extend to the new conditional models in Sections 6–7.

Table S14. Complete earlier retrieval-extension mean loss menu and same-set F-minus-S paired mean, in source-reported USD millions. Full 720 rows repeat original references. Differences are computed before display rounding.

H	Historical set	F loss	S loss	K loss	F−S mean
6	full720	0.441774	0.451149	0.925885	-0.009375
6	recent360	0.454089	0.467678	0.872516	-0.013589
6	nearest360	0.448664	0.448731	0.594811	-0.000067
6	recent180	0.485866	0.478940	0.785878	+0.006926
6	nearest180	0.468133	0.459592	0.525471	+0.008541
24	full720	0.777069	0.748384	1.197833	+0.028685
24	recent360	0.807496	0.824047	1.246630	-0.016551
24	nearest360	0.791192	0.770354	0.960696	+0.020838
24	recent180	0.858214	0.895718	1.284092	-0.037504
24	nearest180	0.847734	0.827305	0.963931	+0.020429

All 12 fixed nearest-minus-recent score contrasts were negative. Each matched S gain accompanied more breaches and greater mean underprediction amount; conditional severities describe method-specific event sets. January 2016 was adverse for the primary K retrieval comparison at both horizons. The original primary F-minus-S mean was −USD 9,374.86 (−2.08%), with 332 versus 254 breaches and greater mean overrun; its H24 and τ=.90 rankings reversed. The latter τ=.90 difference was small and did not support equivalence.

The original diagnostic groups, monthly outcomes and four stationary-bootstrap-style profiles remain in results/diagnostics.csv and stability.csv. The fixed resampling used 999 circular geometric-block replicates per mean length 120,240,720,1440, PCG64 SeedSequence([20261020,length]), and noninterpolated order statistics 25/975. The stationarity, moment and dependence premises behind Politis and Romano (1994) were not established here; those profiles are mechanism sensitivities, not population confidence intervals, and are not applied to the new conditional contrasts. The earlier extension's complete 30-row summary, 22 paired comparisons, 10 geometry rows and 26 monthly display rows remain under results/revision-20261021/. No prior adverse evidence is removed.

S4. Numerical, rank and reproduction conventions

After training standardization, KNN multiplies each signed-level coordinate (lags 0–24) by 1/5. Each coordinate in the pair of root-mean-square (RMS) summaries, hour sine/cosine pair and weekday sine/cosine pair is multiplied by $1/\sqrt{2}$; the magnitude and observed-gap coordinates retain unit weight. Distance is squared Euclidean distance in these weighted coordinates. Exact distance ties prefer the more recent training origin. These are the frozen coordinate multipliers, not weights fitted to evaluation outcomes.

All issued reports use stored float64 values. Historical ranks retain repeated responses without interpolation. An unavailable rank stops. The corrected ranks for k=20,40,52,80,160,180,360,720 are

20,39,51,77,153,172,343,685. A corrected rank is not always an empirical pinball minimizer: k=52 selects rank 51 instead of the ordinary .95 rank 50. At integral $k\tau$, the upper adjacent order statistic is an endpoint of the real-arithmetic empirical minimizer interval. Neither fact supports future coverage.

For S, the translated peak is computed first, current B is subtracted before ranking, then B is added. Final losses use direct stored error P−C, not an algebraically equivalent differently rounded headroom residual. The fitter evaluates its complementary weight as $1-\tau$; final scoring converts 19/20 and 1/20 separately to floats. Display rounding never defines a breach, tie or model selection. Null conditional severities and relative differences retain explicit denominator reasons.

QR implements mature two-block convex ADMM (Boyd et al., 2011), with 34 coefficients, an unpenalized intercept, penalty $\rho=1/W$, at most 10000 iterations, absolute tolerance 10^{-6} and relative tolerance 10^{-5}. Training checks finite values and linear-system solve residuals. Acceptance requires both primal and dual ADMM residual thresholds and a separate feasible-dual objective-gap condition. These numerical checks do not certify a statistical forecasting law. Each fit initializes slopes at zero and the intercept at the inverted-CDF training quantile, following the frozen implementation. An objective-gap bound does not bound issued-report differences or ranking sensitivity: with an unpenalized intercept the pinball objective can be flat or nearly flat. For example, at real $\tau=19/20$, an intercept-only sample of nineteen zeros and one $M>0$ has every intercept in $[0,M]$ as a minimizer. This illustrates the certificate's scope; it does not assert that the accepted financial fits exhibited that example or exact nonuniqueness.

$$J_\lambda=W^{-1}\sum_i \rho_\tau(y_i-X_i b)+(\lambda/2)\|\beta\|^2;\quad D_\lambda(v)=v^{T}y/W-\|Z^{T}v/W\|^2/(2\lambda).$$

Here $y=G/a$, X includes an intercept and Z its standardized slopes. The candidate dual vector satisfies $\tau-1\le v\le\tau$ and exact zero sum on an inward 2^{-40} dyadic grid; integer box limits use the exact binary-float representation of τ. The checksum checks the represented vector exactly, while objectives remain floating-point evaluations. A nonnegative Fenchel/stationarity decomposition evaluates the gap without subtracting similar objectives; the objective difference must agree within 256 machine epsilons times $\max(1,|J_\lambda|,|D_\lambda|)$, and the stable gap must be at most $10^{-6}(1+|J_\lambda|)$. This is not interval-arithmetic certification.

Equivalent peak parameterization

This is not generally ordinary zero-centered ridge on the peak. At a fixed refit κ, the standardized magnitude coordinate and transformed coefficients satisfy

$$B_i=\mu_{\kappa B}+s_{\kappa B}z_{i,\kappa,B};\quad \alpha_\kappa=\mu_{\kappa B}+a_\kappa\beta_{0,\kappa};\quad \theta_\kappa=a_\kappa\beta_\kappa+s_{\kappa B}e_B.$$

Multiplying the headroom objective by its positive response scale gives the equivalent unprojected peak objective with a shifted penalty:

$$W^{-1}\sum_{i\in T}\rho_\tau(P_{i,H}-\alpha_\kappa-z_{i,\kappa}{}^{T}\theta_\kappa)+[\lambda/(2a_\kappa)]\|\theta_\kappa-s_{\kappa B}e_B\|_2{}^2.$$

This real-arithmetic parameterization includes the scale factor and floor-centered penalty; the intercept remains unpenalized. The issued report is $\max\{B_t,\alpha_\kappa+z_{t,\kappa}{}^{T}\theta_\kappa\}$. Adding an issue-known B translates conditional quantiles of G into those of P. Raising a report below a known $B\le P$ to B weakly reduces realized pinball loss. These elementary facts neither guarantee the fitted affine specification nor support coverage.

The exact-real flat-objective illustration describes identification by the objective, not a finding of exact nonuniqueness in accepted financial fits. The binary floating-point quantile level slightly tilts that illustration. No accepted report is refitted or changed.

S5. Diagnostics of issued reports

After viewing and publishing the complete primary results, we recorded a descriptive floor-binding/horizon-coherence plan and evaluated the already accepted forecasts. These checks are not part of the 98 before-execution contrast menu, and they modify no forecast or tuning choice. The original 90 configurations and 45 source/window/method pairs are retained in post-result-floor.csv and post-result-horizon.csv, with hashes and process resources in their separate audit. Every common realized target satisfies $P(H6)\le P(H24)$. Those files cover the original QR/KNN/scaled-KNN study and its historical controls. The later AR diagnostics are separate files; the original tables and forecasts are unchanged.

Table S15†. Original QR/KNN/scaled-KNN horizon-coherence diagnostics; the later AR addition is not included. A crossing means stored C(H6)>C(H24), with no tolerance used to redefine the event. Maximum gap is displayed in USD millions (FX divided by 10^6; Treasury already in that unit). The distinct financial quantities are not pooled.

Source	W	Method	Crossings	Origins	Cross %	Max gap
FX	720	QR	640	6625	9.660	18.742
FX	720	KNN	22	6625	0.332	1.930
FX	720	Scaled KNN	48	6625	0.725	1.775
FX	2880	QR	140	6625	2.113	5.303
FX	2880	KNN	0	6625	0.000	0.000
FX	2880	Scaled KNN	18	6625	0.272	1.772
Treasury	52	QR	91	277	32.852	139288.627
Treasury	52	KNN	39	277	14.079	8202.000
Treasury	52	Scaled KNN	72	277	25.993	124615.389
Treasury	260	QR	80	277	28.881	79417.646
Treasury	260	KNN	0	277	0.000	0.000
Treasury	260	Scaled KNN	25	277	9.025	18835.763

Historical short Treasury controls also cross: rolling F/S on 38/37 issues, frozen F/S on 39/39, and one-state F/S/K on 20/20/3. Treasury W260 one-state K crosses on 13; its other historical controls and all listed FX historical controls have zero recorded crossings. Their H-specific mature sets differ, so common-set construction monotonicity is no guarantee across these procedures. The two selected k=W=52 KNN reports equal their F counterparts, including the 39 crossings.

Exact floor equality describes a stored report, not an observed negative latent prediction. Treasury H24 QR W52 binds on 65 issues (58 breaches), with another 74 breaches off the floor; W260 binds on three (two breaches), with 82 others. The realized zero-headroom outcomes are 14/277 at H24 and 50/277 at H6. FX has 662/6,625 and 1,523/6,625 respectively. These descriptive event sets do not identify the cause of misspecification or effective independent sample size.

The separate AR addition retains all eight floor configurations and four same-source/window horizon pairs. FX W720/W2880 have no observed crossings over 6,625 origins each; Treasury W52/W260 have 59/26 over 277 (21.300%/9.386%), with maximum positive gaps 11784.473/5347.870 USD millions. Every realized target is ordered. Treasury W52 AR binds its floor on seven issues at each horizon, with five H6 and seven H24 breaches. The other six AR configurations never bind. Those empty-group breach rates are undefined, not zero. These inspected-sample diagnostics support neither a cause nor a coverage guarantee.

The report-order problem does not by itself justify a particular repair. For example, B=0, P(H6)=P(H24)=1, C(H6)=10 and C(H24)=1 satisfy the target order. Raising the long report to the short one changes its .95 loss from zero to .45. This artificial real-arithmetic example is not source data; it distinguishes a learned report from a known lower bound. No isotonic reconciliation, horizon switching or post-result parameter search was run.

Complete execution, verification and arithmetic-readback records for this supplement are retained in REPRODUCIBILITY_V3.md and the corresponding result-directory README.

A later exploratory diagnostic uses the bounded strict hit $I=1\{P>C\}$, with equality a nonbreach, and the null that its conditional expectation given full issue information is at most $\alpha=1/20$ at every declared issue. It is not unconditional equal-loss testing or exact exceedance identification at a floor atom. Conditional-moment betting and delayed binary evidence are mature precedents (Casgrain et al., 2023, v2; Henzi and Ziegel, 2022, v3). For a fixed alternative u in $[\alpha,1]$, the hit/no-hit factor is u/α or $(1-u)/(1-\alpha)$; its null conditional expectation is at most one. Every globally anchored H+1 phase retains only issues whose previous same-phase target has resolved.

$E_{n,k} = [1/(1-\alpha)] \int_\alpha^1 (u/\alpha)^k [(1-u)/(1-\alpha)]^{n-k}\, du.$

$E_{cell} = [1/(H+1)] \sum_{\eta=0}^{H} E_{n(\eta),k(\eta)}$; $\alpha=1/20$.

The prior mixes each whole phase product, then all phases receive equal weight; empty phases have value one. Iterated expectation and nonnegative averaging justify a fixed-terminal e-value for a genuinely fixed causal

procedure under the stated null, without independence, stationarity or a financial-magnitude moment assumption. This gives no full-filtration supermartingale or arbitrary-stopping claim. The complete matched family has 56 labels, including aliases, and excludes 24 rolling and 18 one-state reports. Its formal reference threshold is 56/(1/20)=1120. Because this diagnostic and family were chosen after inspecting results, the crossings do not obtain retrospective empirical five-percent familywise error control. The fixed-procedure proof also does not support individually calibrated e-values or p-values for this same-sample, post-selected analysis: selection need not be measurable at the original issue times. No prior, phase or menu was retuned.

Table S16†. All 56 late fixed-terminal evidence diagnostics, rounded to three significant figures; * marks an exact crossing of the fixed 1120 reference threshold. Treasury is the separately fitted Treasury aggregate; F/S/K are the matched frozen controls. A noncrossing is not coverage certification, and evidence magnitude is not a financial-quality ranking. All 896 phase rows and exact rational identities are retained in the supplement.

Source H/W	QR	KNN	Scaled	F	S	K	AR
FX 6/720	104	0.00905	0.00476	0.0112	0.00397	26.5	0.00527
FX 6/2880	0.0378	0.00923	0.00476	0.0183	0.00441	294	0.0125
FX 24/720	8.5e7*	1.18	0.171	0.146	0.0164	270	0.0558
FX 24/2880	0.734	0.153	0.0486	0.0318	0.0159	5.12	0.146
Treasury 6/52	1.31e8*	0.057	0.0537	0.057	0.057	0.38	0.242
Treasury 6/260	2.2e3*	0.637	0.305	0.919	0.919	0.401	1.95
Treasury 24/52	3.81e4*	19.7	0.949	19.7	19.7	5.18	2.46
Treasury 24/260	59.4	0.202	0.13	0.221	0.221	4.53	11

The four reference crossings are FX H24 W720 QR and Treasury H6 W52/W260 and H24 W52 QR. Treasury H24 W260 AR has 59/277 strict hits and evidence 11.0284, below 1120; this does not negate its adverse breach record. Two Treasury QR cells both have 84/277 hits but very different evidence: about 1.311×10^{8} at H6 W52 and 59.4235 at H24 W260. Their phase sizes and hit allocation differ, as do their forecasting tasks. No power calculation, equivalence or sharpness conclusion follows.

Ordinary empirical-rank ablation

After inspecting both source archives and the previous results, we fixed one further eight-cell supplement and published a 16-file execution freeze before its financial calculation. At each original evaluation-segment refit, the added intercept-only report uses the same W completed headrooms and original update schedule as frozen F. It selects the lower empirical .95 pinball quantile with duplicate preservation and no interpolation, then adds the actual current magnitude. There is no new tuning, selected model, source, evaluation subset or changed primary.

$C^{I}_{t} = B_t + G_{(\lceil 19W/20 \rceil),\kappa,H}$; $C^{F}_{t} = B_t + G_{(\lceil 19(W+1)/20 \rceil),\kappa,H}$.

Here $G_{(j),\kappa,H}$ denotes the jth ordered headroom in the original mature pool. For the six cells with W720, W2880 or W260, the two ranks are endpoints of the same ordinary empirical pinball minimizer interval. Only the two W52 cells have noninteger W times τ, yielding ordinary rank 50 versus corrected rank 51; ties can collapse distinctions in general. This is an endpoint/rank sensitivity, not a claim that corrected F is universally non-ERM. Dividing all headrooms by a positive training-response scale and multiplying the fitted intercept back by that scale preserves the rank and the minimizer interval in native units.

Table S17†. Complete post-inspection ordinary empirical-rank ablation. Percentages are QR-minus-I and I-minus-F mean-loss changes relative to the right report; negative favors the left. QR means and counts are imported unchanged from the original selected fits. I/F counts are newly reconstructed; columns list I/F/QR strict breaches over 6,625 FX or 277 Treasury origins. H counts source records. Sources are not pooled.

Source	H	W	Ranks I/F	QR−I (%)	I−F (%)	Breaches I/F/QR
FX	6	720	684/685	−1.967	−0.153	337/332/531
FX	6	2880	2736/2737	−14.773	+0.008	365/360/376
FX	24	720	684/685	+31.508	−0.003	432/427/924
FX	24	2880	2736/2737	−3.783	+0.026	359/357/531
Treasury	6	52	50/51	+87.086	−1.995	14/11/84
Treasury	6	260	247/248	+46.058	+3.237	32/28/54
Treasury	24	52	50/51	+208.258	+6.213	37/33/132
Treasury	24	260	247/248	+105.020	+2.353	15/12/84

All eight reconstructed F summaries match every original summary metric exactly. The lower report I is strictly below F at every issue in this archive; its breach count and mean underprediction amount increase in all eight cells, while mean overprediction amount decreases. Its mean loss improves in only three cells. For example, Treasury H24 W52 I raises loss by 6.213% against F despite using the lower ordinary empirical minimizer. QR remains worse than I in all four Treasury cells, while the matched FX H6 W2880 improvement is 14.773%. The ablation supports these finite signs and tradeoffs under the stipulated convention, without removing the inspected-sample, model-universe or measurement limits.

Complete execution, verification and arithmetic-readback records for this supplement are retained in REPRODUCIBILITY_V3.md and the corresponding result-directory README.

S6. Lower envelopes of eight archived reports

Rational boundaries are exact for saved decimal summaries of floating-point means; this does not assert exact unrounded-loss boundaries. Separately stored columns match the analytic normalized-loss identity within the recorded tolerance.

The main score fixes a shortfall/excess preference of 19:1. We now quantify how rankings of those already issued reports depend on that stipulated preference. For report m let U be its mean underprediction amount and V its mean overprediction amount, over the same origins. For $0 \le a \le 1$ define:

$J_m(a) = a\,U_m + (1-a)V_m$; $\omega = a/(1-a)$; $J_m(.95) = L_{m,.95}$.

Here a=0 and a=1 are limiting single-component objectives; finite positive ω corresponds to $0<a<1$. For two reports A and B, the difference is $a(U_A-U_B)+(1-a)(V_A-V_B)$. A coefficientwise reduction in both components gives weak improvement for every constant nonnegative linear weighting. With opposing component differences, a unique crossing can reverse the ordering. This elementary affine geometry is not a new forecasting method. Changing a evaluates fixed actions under other hypothetical preferences; it neither refits them as other quantiles nor supports dominance over all consistent scores for the .95 quantile (Gneiting, 2011). The comparison is weak for every constant nonnegative linear weighting, and strict when a positively weighted component strictly decreases. Actual primary Murphy curves cross, so this statement does not extend to all consistent quantile scores.

Each row follows a from 0 to 1 through its maximal open intervals. NN=KNN; Sc=scaled KNN; F/S/K=matched frozen historical controls; AR=AR residual replay; I=ordinary empirical headroom quantile. A slash separates consecutive intervals. Adjacent displayed intervals tie at their common exact boundary; equals joins identical minimizing lines. Breakpoints are rounded for display. The exact companion inventory for this section retains rational boundaries and every endpoint/tie set, all 128 input summaries, 448 pair relations and coefficientwise dominance; the repository reproduction guide links the machine-readable files. Endpoints are evaluated separately and are not inferred from rounded interior thresholds. Ratios $\omega = a/(1-a)$ should be converted from the exact fractions, especially near 1.

Table S18†. All eight full-origin frontiers among the same eight fixed reports; 6,625 FX or 277 Treasury origins per row. Units are source native and are never pooled.

Source	H	W	Preferred sequence	Interior a boundaries	At .95
FX	6	720	QR / NN / S	0.952882, 0.964505	QR
FX	6	2880	QR / Sc	0.972817	QR
FX	24	720	QR / NN / AR / S	0.845488, 0.889246, 0.938369	S
FX	24	2880	QR / S	0.957033	QR
Treasury	6	52	QR / AR / NN=F	0.717896, 0.972846	AR
Treasury	6	260	AR / K	0.960158	AR
Treasury	24	52	QR / K / S	0.423917, 0.897882	S
Treasury	24	260	K / AR / NN / S	0.778365, 0.970017, 0.995666	AR

Table S19†. All eight existing globally anchored H+1 sparse-grid frontiers. Counts are FX 947/265 and Treasury 40/12 for H6/H24. These are descriptive sensitivities with shared training histories.

Source	H	W	Preferred sequence	Interior a boundaries	At .95
FX	6	720	QR / NN / Sc	0.950621, 0.984383	QR
FX	6	2880	QR / Sc	0.978149	QR
FX	24	720	QR / NN / AR / S	0.805398, 0.910344, 0.959437	AR
FX	24	2880	QR / S	0.966600	QR
Treasury	6	52	QR / K / NN=F	0.645837, 0.995462	K
Treasury	6	260	AR / K	0.937124	K
Treasury	24	52	QR / K / AR / NN=F=S	0.693667, 0.940131, 0.990484	AR
Treasury	24	260	K / AR	0.721694	AR

For full Treasury H6 W52, NN and F have identical component means and share their final region. For sparse Treasury H24 W52, NN, F and S share the final region. The complete mathematical comparison retains a report that is optimal only at a boundary even if it has no open interval; absence from a displayed sequence alone is not an endpoint claim. The .95 winner changes in four cells on the sparse grid. The lower envelope within this inspected eight-report menu is a hindsight descriptive object, not an estimated optimal decision rule, an independence argument or a confidence set. As in the finite-menu comparison, the omitted feasible floor-only report prevents interpreting these endpoint or interval minimizers as an optimization over all feasible actions.

S7. Complete original model menus and replay

Table S20†. Complete conditional loss menu and same-history frozen controls on 6,625 FX origins, in USD millions. Every selected QR/KNN/scaled cell is shown. Rolling and one-state reference results and all breach/severity quantities remain in the complete CSVs.

H	W	F frozen	S frozen	K frozen	QR	KNN	Scaled KNN
6	720	0.442615	0.450774	0.932433	0.433246	0.436445	0.466292
6	2880	0.452693	0.450801	0.972162	0.385845	0.410583	0.426458
24	720	0.787416	0.755301	1.205808	1.035483	0.836210	0.896753
24	2880	0.763381	0.759371	1.240039	0.734695	0.769768	0.848004

Table S21†. Complete selected conditional loss menu and same-history frozen controls on 277 Treasury origins. Losses are in the source's USD-million units, not FX USD. H6/H24 mean six/24 weekly transitions. No monetary average is pooled across sources.

H	W	F frozen	S frozen	K frozen	QR	KNN	Scaled KNN
6	52	2779.054	2786.620	2574.098	5095.519	2779.054	4208.293
6	260	2758.665	2707.244	2287.758	4159.673	2663.561	3127.173
24	52	3715.693	3652.379	5017.741	12165.574	3715.693	5625.667
24	260	2480.306	2478.871	2301.476	5204.760	2257.963	4137.264

Table S22†. Complete later AR comparison. Entries are within-reference mean-loss percentages; negative favors AR. S/F have matching source, H, W and refit schedule; QR is the original selected same-cell fit. Counts are AR / S strict breaches over 6,625 FX or 277 Treasury origins. Every row is exploratory; sources are not pooled.

Source	H	W	AR−S %	AR−F %	AR−QR %	Breaches AR / S
FX	6	720	-1.536	+0.278	+2.447	282 / 255
FX	6	2880	-0.546	-0.962	+16.197	338 / 268
FX	24	720	+2.386	-1.790	-25.318	401 / 289
FX	24	2880	+5.147	+4.595	+8.679	444 / 292
Treasury	6	52	-13.444	-13.208	-52.665	22 / 11
Treasury	6	260	-18.887	-20.399	-47.209	31 / 28
Treasury	24	52	+35.125	+32.823	-59.432	56 / 33
Treasury	24	260	-24.118	-24.162	-63.860	59 / 12

Table S23†. Preference sensitivity of the four named fixed comparisons. Differences are left minus right. FX amounts are divided by 10^6; Treasury amounts already have USD-million source units. The sources and economic horizons are not pooled. ω is the stipulated shortfall/excess weight ratio; equality holds at a finite displayed crossing, before rounding. Reference definitions remain those of Section 5.

Comparison	dU	dV	Crossing ω	Left preferred
FX H6 primary	-0.010408	-0.920830	None	All $\omega \geq 0$
FX H6 matched	-0.029549	-0.775527	None	All $\omega \geq 0$
FX H24 legacy	+0.167864	-3.463190	20.630898	$\omega < 20.630898$
Treasury H6 primary	+1736.222894	-4968.077943	2.861429	$\omega < 2.861429$

AR estimation definition

After the conditional results had been inspected, we specified one additional path-propagation comparison without an order, volatility or tuning menu. At each original refit κ, put $i_0=\kappa-H-W+1$.

$N_s=c_\kappa+\varphi_\kappa N_{s-1}+\varepsilon_s$.

Fit on the unique transitions $i_0+1,\ldots,\kappa$. The W completed scenarios have W+H levels in their union and W+H−1 unique transitions; overlapping paths do not duplicate transitions in OLS. Coefficients and the historical pool remain fixed until the next original refit, while the query uses the actual N(t).

Using the same fitted coefficients for every residual in a block and replaying its original order from x=N(t) gives the replay identity

$M_{i,h}(x)=N_{i+h}+\varphi_\kappa^{\,h}(x-N_i)$.

Set h=0 explicitly to x and report the corrected empirical quantile of the W maximum absolute replay paths. The intercept cancels in this deterministic identity; it is still estimated in the mean recursion. At exact $\varphi_\kappa=1$ the arithmetic agrees with frozen S. Negative or above-one finite estimates are eligible, without clipping. Constant regressors, lost dispersion and nonfinite computations fail without a substitute model.

This is a mean-filtered ordered-block historical comparison, not the full conditional-volatility filtered simulation of Hull and White (1998) or Barone-Adesi et al. (1999). It does not standardize/rescale residuals, fit GARCH, independently draw future steps or introduce Monte Carlo randomness. Conditional representativeness of historical residual blocks remains unverified; numerical OLS acceptance supplies no coverage or mean-reversion law. Supplement S2.4 gives the path relationship, and Supplement S4 records numerical checks.

AR annual and sparse-grid sensitivity

Direct-S signs reverse for FX H24 W720 on the 265-origin grid (+2.386% overall, −1.884% sparse) and Treasury H24 W52 on only 12 origins (+35.125%, −14.100%). Treasury H24 W260 remains favorable on its sparse grid but is adverse in 2022 and 2023 (+9.928%, +20.224%). Every annual and sparse contrast remains. Observed fitted coefficients lie between zero and one, with refit means around .981–.985 for FX and .676–.850 for Treasury; these descriptions do not identify true mean reversion. Source, horizon, history and model family all matter, and neither average report reduction nor a below-one slope determines a loss ranking.

S8. Reproducibility and pre-specification

The repository preserves the original source-version checks, execution freezes, complete validation menu, chronological selections, accepted forecasts and favorable/adverse outputs. The original and revised manuscript sources are separately retained. Reproduction commands, exact fingerprints, machine observations and consulted-edition records are in REPRODUCIBILITY_V3.md and the repository README.

The original execution and selection freezes are linked at https://github.com/ByronLi0207/financial-mathematics-paper-20261020/commit/1bd5b692fd9cb240763c032fb4e1c203871fad55 and the repository protocol directory. Later exploratory AR, rank and fixed-preference analyses retain their own execution records. The later inference has its own scripts, output identities and tests, leaving the archived scientific files intact.

S9. Complete inference and specification outputs

The complete machine-readable DM, HLN, doubled-bandwidth, 72-family Holm, sparse-grid coverage and full-sample DQ-type results are retained in results/revision-20261023/inference/. Each NA retains an explicit reason. The accompanying scripts and known-answer tests are supplied together. The exact replicated six-table audit and source identities are in recovery/. Raw FX data and origin-level traces remain private.

The HAC covariance uses centered moment products with denominator n. DQ instruments are the intercept, four matured hit lags and standardized issue-known capacity; its chi-square reference has six degrees of freedom when full rank. The covariance must be finite, full rank and positive definite. The doubled bandwidth remains much shorter than the longest training history, so this limited check does not support adequate long-run covariance calibration. Sparse grid tests remove overlapping target windows but retain shared training dependence. Treasury grid sizes of 40 or 12 are particularly weak for asymptotic reference calibration. The equality-based POF, CC and DQ diagnostics require exact 5% moments; a quantile with atoms can validly be conservative, so rejection by low hit frequency differs from undercoverage. Missing transition-state rows render independence and CC unidentified. POF uses all grid hits, whereas the independence statistic uses transitions conditional on the first hit. The retained CC statistic is their sum, combining these two initialization conventions; it is not the finite-sample likelihood-ratio expression obtained by conditioning both components on the first observation as in Christoffersen (1998, p. 847). Its chi-square p value remains an asymptotic working reference subject to the dependence, boundary and small-sample limitations stated here. HLN was derived for mean-squared-error comparisons; pinball p values are approximate. Holm familywise control requires valid component p values: the adjustment does not validate the working DM references or remove post-inspection selection. All analyses are post-result and reuse inspected samples.

The DQ-type null is $E[Z_t(I_t-.05)]=0$ for the six raw instruments: the intercept, four mature hit lags and issued capacity. The implementation centers/scales capacity across diagnostic rows for numerical conditioning. With the intercept and a finite positive capacity standard deviation, this common invertible column transformation leaves the Wald statistic unchanged in exact arithmetic. Its sample constants are not forecast inputs or claimed available at issue. Rejection concerns these moments; nonrejection leaves other conditional departures untested. The original out-of-sample CAViaR theorem assumes growing estimation and evaluation samples with their evaluation-to-estimation ratio tending to zero. The fixed-window, overlapping-target HAC calculation here is an adaptation, not a direct application of that theorem.

Table S24†. Murphy full-breakpoint audit for both original primaries. The extrema of left-minus-right elementary scores span zero in both cases. Integral agreement is an arithmetic identity check.

Source	Breakpoints	Minimum Δ	Maximum Δ	Sample ranking
FX	16146	-0.00443	0.00116	CROSSING
Treasury	640	-0.0184	0.0496	CROSSING

Table S25†. Complete fixed 72-member common-history Holm family, including nonsignificant and identical-loss rows. Comparators F/S/K are frozen with the displayed common W. Negative t favors the conditional method. The .05 decision is based on unrounded normal-reference DM p values and Holm adjustment; it is an exploratory working-reference decision conditional on valid component tests. Identical losses retain their NA t/status and bookkeeping p=1.

Source	H	W	Conditional	Ref	DM t	DM p	Holm p	Decision / direction / status
FX	6	720	QR	F	-0.616	0.538	1	At least .05; Favorable; OK
FX	6	720	QR	S	-1.05	0.293	1	At least .05; Favorable; OK
FX	6	720	QR	K	-16.3	2.18e-59	1.46e-57	Below .05; Favorable; OK
FX	6	720	KNN	F	-0.719	0.472	1	At least .05; Favorable; OK
FX	6	720	KNN	S	-1.49	0.136	1	At least .05; Favorable; OK
FX	6	720	KNN	K	-18.3	7.04e-75	4.93e-73	Below .05; Favorable; OK
FX	6	720	Scaled KNN	F	1.24	0.213	1	At least .05; Adverse; OK
FX	6	720	Scaled KNN	S	0.874	0.382	1	At least .05; Adverse; OK
FX	6	720	Scaled KNN	K	-16.3	1.93e-59	1.32e-57	Below .05; Favorable; OK
FX	6	2880	QR	F	-5.87	4.47e-09	2.86e-07	Below .05; Favorable; OK
FX	6	2880	QR	S	-6.16	7.16e-10	4.72e-08	Below .05; Favorable; OK
FX	6	2880	QR	K	-21	3.15e-98	2.24e-96	Below .05; Favorable; OK
FX	6	2880	KNN	F	-3.62	0.0003	0.0162	Below .05; Favorable; OK
FX	6	2880	KNN	S	-4.09	4.35e-05	0.00256	Below .05; Favorable; OK
FX	6	2880	KNN	K	-21.8	2e-105	1.44e-103	Below .05; Favorable; OK
FX	6	2880	Scaled KNN	F	-1.26	0.209	1	At least .05; Favorable; OK
FX	6	2880	Scaled KNN	S	-1.29	0.196	1	At least .05; Favorable; OK
FX	6	2880	Scaled KNN	K	-18	8.12e-73	5.6e-71	Below .05; Favorable; OK
FX	24	720	QR	F	3.22	0.00127	0.0673	At least .05; Adverse; OK
FX	24	720	QR	S	3.05	0.00231	0.115	At least .05; Adverse; OK
FX	24	720	QR	K	-1.54	0.123	1	At least .05; Favorable; OK
FX	24	720	KNN	F	1.53	0.127	1	At least .05; Adverse; OK
FX	24	720	KNN	S	1.69	0.0909	1	At least .05; Adverse; OK
FX	24	720	KNN	K	-4.79	1.63e-06	9.79e-05	Below .05; Favorable; OK
FX	24	720	Scaled KNN	F	1.54	0.123	1	At least .05; Adverse; OK
FX	24	720	Scaled KNN	S	2.12	0.0343	1	At least .05; Adverse; OK

Source	H	W	Conditional	Ref	DM t	DM p	Holm p	Decision / direction / status
FX	24	720	Scaled KNN	K	-3.88	0.000105	0.00596	Below .05; Favorable; OK
FX	24	2880	QR	F	-0.504	0.614	1	At least .05; Favorable; OK
FX	24	2880	QR	S	-0.453	0.65	1	At least .05; Favorable; OK
FX	24	2880	QR	K	-5.56	2.69e-08	1.69e-06	Below .05; Favorable; OK
FX	24	2880	KNN	F	0.185	0.854	1	At least .05; Adverse; OK
FX	24	2880	KNN	S	0.288	0.773	1	At least .05; Adverse; OK
FX	24	2880	KNN	K	-6.1	1.08e-09	7.04e-08	Below .05; Favorable; OK
FX	24	2880	Scaled KNN	F	1.32	0.185	1	At least .05; Adverse; OK
FX	24	2880	Scaled KNN	S	1.51	0.131	1	At least .05; Adverse; OK
FX	24	2880	Scaled KNN	K	-3.91	9.07e-05	0.00526	Below .05; Favorable; OK
Treasury	6	52	QR	F	3.06	0.00224	0.114	At least .05; Adverse; OK
Treasury	6	52	QR	S	3.05	0.00231	0.115	At least .05; Adverse; OK
Treasury	6	52	QR	K	3.17	0.00152	0.0791	At least .05; Adverse; OK
Treasury	6	52	KNN	F	NA	NA	1	At least .05; Identical; IDENTICAL_LOSSES
Treasury	6	52	KNN	S	-1.06	0.29	1	At least .05; Favorable; OK
Treasury	6	52	KNN	K	0.37	0.711	1	At least .05; Adverse; OK
Treasury	6	52	Scaled KNN	F	3.68	0.000231	0.013	Below .05; Adverse; OK
Treasury	6	52	Scaled KNN	S	3.66	0.000254	0.014	Below .05; Adverse; OK
Treasury	6	52	Scaled KNN	K	2.85	0.00439	0.202	At least .05; Adverse; OK
Treasury	6	260	QR	F	2.67	0.00761	0.32	At least .05; Adverse; OK
Treasury	6	260	QR	S	2.74	0.0061	0.262	At least .05; Adverse; OK
Treasury	6	260	QR	K	2.8	0.00514	0.231	At least .05; Adverse; OK
Treasury	6	260	KNN	F	-0.442	0.658	1	At least .05; Favorable; OK
Treasury	6	260	KNN	S	-0.215	0.83	1	At least .05; Favorable; OK
Treasury	6	260	KNN	K	0.961	0.336	1	At least .05; Adverse; OK
Treasury	6	260	Scaled KNN	F	0.945	0.345	1	At least .05; Adverse; OK
Treasury	6	260	Scaled KNN	S	1.09	0.276	1	At least .05; Adverse; OK

Source	H	W	Conditional	Ref	DM t	DM p	Holm p	Decision / direction / status
Treasury	6	260	Scaled KNN	K	1.93	0.0538	1	At least .05; Adverse; OK
Treasury	24	52	QR	F	2.24	0.0252	0.983	At least .05; Adverse; OK
Treasury	24	52	QR	S	2.26	0.0235	0.942	At least .05; Adverse; OK
Treasury	24	52	QR	K	2.16	0.0306	1	At least .05; Adverse; OK
Treasury	24	52	KNN	F	NA	NA	1	At least .05; Identical; IDENTICAL_LOSSES
Treasury	24	52	KNN	S	1.05	0.294	1	At least .05; Adverse; OK
Treasury	24	52	KNN	K	-0.71	0.478	1	At least .05; Favorable; OK
Treasury	24	52	Scaled KNN	F	2.8	0.00516	0.231	At least .05; Adverse; OK
Treasury	24	52	Scaled KNN	S	3	0.00271	0.13	At least .05; Adverse; OK
Treasury	24	52	Scaled KNN	K	0.347	0.729	1	At least .05; Adverse; OK
Treasury	24	260	QR	F	1.67	0.0955	1	At least .05; Adverse; OK
Treasury	24	260	QR	S	1.67	0.0953	1	At least .05; Adverse; OK
Treasury	24	260	QR	K	2.32	0.0202	0.828	At least .05; Adverse; OK
Treasury	24	260	KNN	F	-1.94	0.0523	1	At least .05; Favorable; OK
Treasury	24	260	KNN	S	-1.92	0.0547	1	At least .05; Favorable; OK
Treasury	24	260	KNN	K	-0.0682	0.946	1	At least .05; Favorable; OK
Treasury	24	260	Scaled KNN	F	4.92	8.53e-07	5.29e-05	Below .05; Adverse; OK
Treasury	24	260	Scaled KNN	S	4.92	8.65e-07	5.29e-05	Below .05; Adverse; OK
Treasury	24	260	Scaled KNN	K	2.95	0.00319	0.15	At least .05; Adverse; OK

S10. Diagnostics for selected fits

The diagnostic replays only the four already selected Treasury C2 fits, without validation retuning. Every C2 capacity and every frozen-F capacity exactly matches the retained origin-level traces. All per-refit coefficient vectors, standardized training transforms, response scales, norm and native contribution summaries are retained in results/revision-20261023/round2/shrinkage/. The contribution uses evaluation queries, not centered training rows; aggregate means weight the actual number of queries in each block. The intercept-only counterfactual holds the fitted intercept fixed and removes slopes, whereas I refits an intercept by the lower empirical quantile. These are distinct comparisons.

Table S26†. Treasury selected C2 coefficients and effects. Norms are in standardized/response-normalized coordinates. Mean absolute projected slope effect is in source USD millions. Loss changes are descriptive and all adverse F comparisons are retained.

H	W	λ	Refits	$\|\beta\|_2$ range	Mean |effect|	Δ I %	Δ F %
6	52	10	22	0.006541–0.01937	366.7	-0.6063	-2.589
6	260	10	22	0.004323–0.007924	136.8	-1.038	2.166
24	52	10	22	0.009692–0.01725	832.3	-0.2432	5.955
24	260	10	22	0.001497–0.01264	453	-2.192	0.1097

Table S27†. Pointwise C2 comparisons with I and F. Max |Δ| is capacity difference in source USD millions; ρC includes the shared issue floor, ρG removes it. J is strict-breach-set Jaccard. Hits show C2/reference and XOR counts discordant breach occasions.

H	W	Ref	Max |Δ|	ρC	ρG	J	Hits	XOR
6	52	I	2096	0.9999	0.9992	0.9333	15/14	1
6	52	F	9113	0.9965	0.9776	0.7333	15/11	4
6	260	I	967.8	1	0.9997	1	32/32	0
6	260	F	3524	0.9995	0.9963	0.875	32/28	4
24	52	I	6126	0.9998	0.9982	0.9211	36/37	3
24	52	F	1.048e+04	0.9978	0.9905	0.9167	36/33	3
24	260	I	3082	0.9996	0.9791	1	15/15	0
24	260	F	4967	0.9987	0.926	0.8	15/12	3

I uses rank $\lceil 19W/20 \rceil$ and F uses $\lceil 19(W+1)/20 \rceil$ from the same frozen mature pool. At W=260 these distinct ranks are adjacent endpoints of the empirical pinball minimizer interval; I is not a unique minimizer. All four selected penalties remain at the menu upper endpoint. The diagnostic quantifies the executed fits; it does not identify a causal feature effect or support statistical equivalence to a historical quantile.

S11. Classical bound proof and L outputs

Proof of Proposition 2. Let $M=\max_{1\le h\le H}|S_h|$ and let η be the first h with $|S_h|>c$. Split each event $\{\eta=k\}$ by the sign of S_k. The remaining sum $R_k=S_H-S_k$ is independent of information through k and symmetric. On a positive first crossing, $R_k\ge 0$ ensures $|S_H|>c$; on a negative crossing, $R_k\le 0$ does so. Each half-axis has probability at least one half, including atoms at zero. Summing disjoint first-crossing events yields $\Pr(M>c)\le 2\Pr(|S_H|>c)$. This includes c=0 directly. The triangle inequality gives $\max_{0\le h\le H}|x+S_h|\le |x|+M$, while right continuity of the endpoint distribution gives $\Pr(|S_H|>q)\le 0.025$. These facts prove the stated corollary with strict breaches even for distributions with atoms.

The claim can fail without independence: take $X_1=Z$ and $X_2=-Z$, where Z takes −1 and1 equally. Both marginals are symmetric, but $S_2=0$ and M=1. At x=q=0 the peak exceeds the threshold with probability one. This exact counterexample is separate from the positive-AR simulation. A conditional use of the proof must support the corresponding premises under the conditional law.

The simulation uses independently initialized stationary Gaussian increment paths with unit marginal variance and innovations of variance $1-\varphi^2$. The known endpoint variance is $H+2\sum_{j=1}^{H-1}(H-j)\varphi^j$, so the absolute-endpoint 0.975 quantile uses the normal probability 0.9875. Starting x=0 makes this an unconditional population-threshold experiment. It isolates serial dependence from empirical-quantile estimation error. Each cell has 100000 paths and a fixed recorded seed; Monte Carlo standard errors accompany observed rates. Positive φ violates independence but does not logically require violation of the numerical bound.

Table S28†. Original positive-increment-AR oracle-quantile simulation, retained unchanged. Rates/SE are percentages; Δ5 is percentage points from 5%. Endpoint tails are evaluated at the same threshold. Every specified cell is retained.

H	φ	Oracle q	Max rate %	Endpoint %	Δ5 pp	MC SE %
6	0	5.49	3.035	2.454	-1.965	0.05425
6	0.7	10.09	2.597	2.573	-2.403	0.05029
6	0.85	11.63	2.55	2.55	-2.45	0.04985
6	0.98	13.19	2.557	2.557	-2.443	0.04992
24	0	10.98	3.819	2.504	-1.181	0.06061
24	0.7	24.6	2.772	2.475	-2.228	0.05191
24	0.85	33.39	2.619	2.525	-2.381	0.0505
24	0.98	49.78	2.572	2.572	-2.428	0.05006

Table S29†. Every post-result / exploratory L comparison. Negative t/Δloss favors L. Holm uses only this new 16-comparison family; the original 72-member family is unchanged. Component p values are approximate working references with shared-training and post-inspection limitations.

Source	H	W	Ref	Δloss %	DM t	DM p	HLN p	Holm p
FX	6	720	F	30.93	7.891	2.988e-15	3.658e-15	4.483e-14
FX	6	720	QR	33.76	6.608	3.908e-11	4.37e-11	5.081e-10
FX	6	2880	F	30.39	7.79	6.695e-15	8.123e-15	9.373e-14
FX	6	2880	QR	52.98	12.83	1.089e-37	3.451e-37	1.743e-36
FX	24	720	F	10.85	1.848	0.06462	0.06562	0.5169
FX	24	720	QR	-15.71	-1.673	0.09434	0.09556	0.6604
FX	24	2880	F	7.941	2.058	0.03958	0.04032	0.3958
FX	24	2880	QR	12.16	1.53	0.1259	0.1273	0.7002
Treasury	6	52	F	3.37	0.9707	0.3317	0.3422	0.7002
Treasury	6	52	QR	-43.62	-2.778	0.005471	0.006887	0.06018
Treasury	6	260	F	-11.77	-1.345	0.1785	0.1884	0.7002
Treasury	6	260	QR	-41.49	-3.031	0.002441	0.003236	0.02929
Treasury	24	52	F	26.32	1.569	0.1167	0.1522	0.7002
Treasury	24	52	QR	-61.42	-1.991	0.04645	0.06948	0.418
Treasury	24	260	F	9.868	1.092	0.2746	0.3183	0.7002
Treasury	24	260	QR	-47.64	-1.516	0.1294	0.1664	0.7002

Corrected level mean reversion and negative-increment sensitivities

The fitted AR coefficient in the earlier replay describes position levels, not increments. Table S28 instead specifies a persistent increment process and remains an additional stress mechanism. The corrected level process below is closer to the fitted equation. Its centered Gaussian law and unit stationary variance are illustrative; they do not reproduce either financial source or its fitted intercept, innovation distribution and changing parameters.

$N_h=\varphi N_{h-1}+\varepsilon_h$, $\varepsilon_h \sim N(0,1-\varphi^2)$, $\mathrm{Var}(N_h)=1$ under stationarity.

Differencing a stationary level AR gives negatively correlated increments for positive φ, with the following reference correlation. This formula concerns the stationary random-start law; a fixed starting level changes conditional moments. A differenced level AR is not the negative-coefficient increment AR used as the second sensitivity family.

$X_h=N_h-N_{h-1}$, $\mathrm{Var}(X_h)=2(1-\varphi)$, $\rho_X(k)=-(1-\varphi)\varphi^{k-1}/2$, $k\geq 1$.

$D_H=N_H-N_0 \sim N(0,2(1-\varphi^H))$ under stationarity.

$D_H \mid N_0=x \sim N((\varphi^H-1)x,1-\varphi^{2H})$.

The primary level coefficients are 0.68, 0.85 and 0.98, with the original two horizons. Starts are either sampled from the stationary level distribution or fixed at its absolute-value 95th percentile. The same

stationary-marginal endpoint threshold is held across starts, matching a population analogue of the paper's whole-training endpoint pool. At a fixed tail start it is not the conditional endpoint quantile. Positive and negative fixed starts have the same absolute-peak law by Gaussian sign symmetry.

$q_H^{marg}=\Phi^{-1}(0.9875)\sqrt{(2(1-\varphi^H))}$, $L=|N_0|+q_H^{marg}$.

The absolute-level 95th percentile uses the normal probability 0.975. Because a signed-level 95th percentile instead uses probability 0.95, every such alternative is retained separately in Table S31. For fixed starts, Table S31 also reports a different conditional-endpoint oracle threshold. It solves the folded-normal CDF using the displayed conditional mean and variance, and shares exactly the same paths with its marginal-threshold partner. Neither threshold restores independent increments or conditional zero-centered symmetry; neither is an oracle for the path maximum.

Table S30†. Corrected primary simulation cases. Each row uses 100000 independent paths and includes the issue position in the peak. Rate/SE/endpoint are percentages; Δ5 is percentage points from 5%. Level rows use the stationary-marginal endpoint quantile; increment rows use their own known endpoint quantile with a zero starting position. Stat. denotes a stationary random start; Abs95 is the absolute-level 95th percentile. End measures the absolute change from the issue position exceeding the endpoint threshold. All seeds and exact counts are retained in the correction CSV.

Process/start	H	AR	q	Hits	Peak %	Δ5 pp	SE %	End %
Level/stat.	6	0.68	3.009	175	0.175	-4.825	0.01322	2.462
Level/Abs95	6	0.68	3.009	0	0	-5	0	10.45
Level/stat.	6	0.85	2.502	300	0.3	-4.7	0.01729	2.553
Level/Abs95	6	0.85	2.502	14	0.014	-4.986	0.003741	8.227
Level/stat.	6	0.98	1.071	913	0.913	-4.087	0.03008	2.434
Level/Abs95	6	0.98	1.071	372	0.372	-4.628	0.01925	3.623
Increment/zero	6	-0.3	4.244	3563	3.563	-1.437	0.05862	2.524
Increment/zero	6	-0.6	3.127	4439	4.439	-0.561	0.06513	2.558
Level/stat.	24	0.68	3.17	636	0.636	-4.364	0.02514	2.495
Level/Abs95	24	0.68	3.17	1	0.001	-4.999	0.001	11.42
Level/stat.	24	0.85	3.138	402	0.402	-4.598	0.02001	2.52
Level/Abs95	24	0.85	3.138	1	0.001	-4.999	0.001	11.16
Level/stat.	24	0.98	1.965	768	0.768	-4.232	0.02761	2.468
Level/Abs95	24	0.98	1.965	85	0.085	-4.915	0.009216	6.201
Increment/zero	24	-0.3	8.167	4281	4.281	-0.719	0.06401	2.476
Increment/zero	24	-0.6	5.701	5032	5.032	0.032	0.06913	2.516

All specified mean-reverting level cases have observed peak-breach rates below 5%, including some zero counts at fixed starts. Conservativeness here concerns only these mechanisms and thresholds. A large starting position can move toward zero in conditional mean, producing endpoint displacement without a larger absolute peak; innovations can still overshoot. Zero counts do not prove zero probability: for one prespecified 100000-path cell, the one-sided 95% binomial upper bound is 0.002996%, without a simultaneous-family claim. A fixed-start marginal threshold remains distinct from conditional endpoint calibration.

The negative-increment family keeps unit stationary increment variance, a zero starting position and coefficients −0.3 and −0.6; cumulative levels in that family are not stationary. The largest observed peak-breach rate is 5.032% at H=24 and increment coefficient -0.6. Its 0.032-percentage-point excess is smaller than its 0.06913-percentage-point Monte Carlo SE. This observation is not evidence of a population violation of the 5% threshold, and dependence precludes a general Lévy guarantee regardless of the observed direction.

Table S31†. All prespecified anchor-definition and conditional-endpoint-oracle sensitivities. Each row has 100000 paths. Signed95 is the signed-level 95th percentile, while Abs95 is the absolute-level 95th percentile. Marginal/conditional thresholds on a given path cell share the same seed; these are not independent replications. Full seeds, endpoint rates, SE and exact parameters remain in simulation.csv.

H	φ	Start	Endpoint q	q	Hits	Peak %	Δ5 pp
6	0.68	Abs95	conditional	3.717	0	0	-5
6	0.68	Signed95	marginal	3.009	2	0.002	-4.998
6	0.68	Signed95	conditional	3.433	1	0.001	-4.999
6	0.85	Abs95	conditional	3.036	0	0	-5
6	0.85	Signed95	marginal	2.502	21	0.021	-4.979
6	0.85	Signed95	conditional	2.84	4	0.004	-4.996
6	0.98	Abs95	conditional	1.146	215	0.215	-4.785
6	0.98	Signed95	marginal	1.071	464	0.464	-4.536
6	0.98	Signed95	conditional	1.117	340	0.34	-4.66
24	0.68	Abs95	conditional	3.92	0	0	-5
24	0.68	Signed95	marginal	3.17	9	0.009	-4.991
24	0.68	Signed95	conditional	3.605	1	0.001	-4.999
24	0.85	Abs95	conditional	3.88	0	0	-5
24	0.85	Signed95	marginal	3.138	3	0.003	-4.997
24	0.85	Signed95	conditional	3.571	0	0	-5
24	0.98	Abs95	conditional	2.298	20	0.02	-4.98
24	0.98	Signed95	marginal	1.965	146	0.146	-4.854
24	0.98	Signed95	conditional	2.179	56	0.056	-4.944

All new paths use two independent random streams with seeds fixed before execution and bounded batches. They use known population endpoint thresholds, so they do not test finite overlapping calibration pools, quantile estimation, non-Gaussian financial innovations or release-time availability. The original positive-increment table, empirical eight-cell L outputs and original primaries remain unchanged.

An analytical horizon boundary, not an additional simulation, makes the limit concrete. For the zero-coefficient member of the stable level-AR family, let all levels, including the initial level, be independent standard normals. For every positive horizon the stationary-marginal endpoint displacement is normal with variance two, so its absolute endpoint oracle below is constant across horizons. Conditional on any finite starting value, the peak-breach probability is:

$q=\sqrt{2}\,\Phi^{-1}(0.9875)$; $\Pr(\max_{0\le h\le H}|N_h|>|x|+q \mid N_0=x)=1-[2\Phi(|x|+q)-1]^H \to 1$.

The distribution function here is standard normal, and the displayed q is marginal rather than conditional. Bounded convergence gives the same unconditional limit under the stationary random start. Even the correct conditional endpoint threshold is finite and horizon-invariant at each fixed start, giving the same limit. Independent levels do not imply independent increments: adjacent increments share a level. This elementary example excludes a general guarantee uniform over stable level processes and horizons. It is neither a violation of the independent-increment inequality nor an adverse result for the specified positive-coefficient, finite-horizon simulation cells.

S12. Complete aggregate-panel outputs and prospective protocol

The fourteen candidate keys were fixed from current official net-position metadata before financial outcomes. Twelve supply the complete original 706-date grid; PDPOSGSC-G11L21 and PDPOSGSC-G21 lack 457 required dates each. No series was spliced, interpolated or chosen by forecast performance. Each provenance file records actual URL, acquisition time, response hash and reporting-era metadata; raw input access code is supplied. The labels and reporting structure can change across eras, so continuity of a key and a complete calendar alone do not support economic measurement invariance. There is no pooled independence-based significance claim across these related aggregate series.

Table S32†. All 48 panel H/W cells, no favorable selection. F loss is in source USD millions; the next columns are percentage loss changes relative to F. Hits list F/QR33/C2/L, respectively. All methods complete on 277 evaluation origins in every cell.

Series key	H	W	F loss	Δ QR %	Δ C2 %	Δ L %	Hits F/QR/C2/L
PDPOSMBS-TOT	6	52	921.7	171	3.238	7.174	21/101/27/11
PDPOSMBS-TOT	6	260	945.6	7.359	1.167	7.333	26/19/27/5
PDPOSMBS-TOT	24	52	1754	215.5	5.095	-17.87	39/145/43/27
PDPOSMBS-TOT	24	260	1612	26.79	1.038	-3.923	25/29/26/22
PDPOSCS-TOT	6	52	530.3	52.75	-5.787	18.28	16/48/23/11
PDPOSCS-TOT	6	260	399.7	1.902	-1.1	17.56	6/15/6/2
PDPOSCS-TOT	24	52	579.4	73.78	1.851	-5.065	16/63/24/11
PDPOSCS-TOT	24	260	569.9	27.46	-3.384	19.63	6/3/6/4
PDPOSFGS-TOT	6	52	400.7	107.2	-4.151	-4.743	16/77/24/13
PDPOSFGS-TOT	6	260	358.3	-1.081	4.883	16.77	6/14/9/0
PDPOSFGS-TOT	24	52	476.2	128.7	13.36	-3.723	36/64/37/37
PDPOSFGS-TOT	24	260	354	30.02	72.24	-4.06	9/21/26/12
PDPOSTIPS-L2	6	52	287.3	217.2	6.738	-1.891	26/125/29/12
PDPOSTIPS-L2	6	260	269.3	66.28	1.78	-7.423	24/45/25/19
PDPOSTIPS-L2	24	52	641	307.4	24.88	-34.6	48/181/69/30
PDPOSTIPS-L2	24	260	532.2	226.9	11.41	-4.519	47/147/59/46
PDPOSTIPS-G11	6	52	42.32	196.7	1.706	13.93	23/118/29/3
PDPOSTIPS-G11	6	260	41.76	90.31	63.18	27.71	14/38/29/1
PDPOSTIPS-G11	24	52	80.85	218.7	135.6	-16.39	61/123/103/16
PDPOSTIPS-G11	24	260	51.21	98.59	37.18	27.11	9/33/30/0
PDPOSTIPS-G2	6	52	181.3	208.6	8.58	19.45	16/96/21/4
PDPOSTIPS-G2	6	260	179.4	63.47	10.78	23	19/36/24/4
PDPOSTIPS-G2	24	52	377.9	277.8	11.77	6.363	31/131/42/27
PDPOSTIPS-G2	24	260	286	109.3	120.1	2.092	23/66/58/20
PDPOSTIPS-G6L11	6	52	133.6	59.3	-1.655	9.669	9/73/12/5
PDPOSTIPS-G6L11	6	260	114.9	-5.717	-1.109	36.27	4/14/4/0
PDPOSTIPS-G6L11	24	52	147	76.48	-0.9743	5.028	10/92/16/4
PDPOSTIPS-G6L11	24	260	133.8	-26.42	-1.297	12.63	2/1/2/0
PDPOSGSC-L2	6	52	1233	215.9	-3.846	20.65	15/129/23/6
PDPOSGSC-L2	6	260	1247	64.4	9.038	-2.638	15/40/20/6
PDPOSGSC-L2	24	52	2271	276.6	182.8	0.9259	46/165/96/27
PDPOSGSC-L2	24	260	2919	41.6	-0.1931	-22.23	33/55/33/24
PDPOSGSC-G2L3	6	52	792.4	121.1	145.3	17.31	24/93/112/15
PDPOSGSC-G2L3	6	260	1004	21.31	22.62	-14.81	28/44/59/12
PDPOSGSC-G2L3	24	52	2102	113	129.6	22.35	47/135/151/49
PDPOSGSC-G2L3	24	260	2677	11.6	39.73	-9.349	55/64/91/40
PDPOSGSC-G3L6	6	52	764.9	87.61	75.44	20.57	12/82/72/9
PDPOSGSC-G3L6	6	260	699.1	0.7876	1.907	3.661	20/15/21/8
PDPOSGSC-G3L6	24	52	977.4	544.3	299.1	-11.37	38/137/120/20
PDPOSGSC-G3L6	24	260	931	15.52	0.1286	-5.726	20/37/20/17
PDPOSGSC-G6L7	6	52	542.3	253.7	89	0.9519	16/142/79/12
PDPOSGSC-G6L7	6	260	564.9	31.61	71.05	-10.15	20/42/49/15
PDPOSGSC-G6L7	24	52	993.4	264.8	264.8	1.686	43/217/215/49
PDPOSGSC-G6L7	24	260	699	146.4	142.6	5.191	22/77/67/21
PDPOSGSC-G7L11	6	52	505.7	175.6	15.72	4.917	25/83/34/11

Series key	H	W	F loss	Δ QR %	Δ C2 %	Δ L %	Hits F/QR/C2/L
PDPOSGSC-G7L11	6	260	506.2	8.344	-0.06055	1.05	25/31/25/12
PDPOSGSC-G7L11	24	52	1654	94.95	62.4	-20.33	36/105/91/26
PDPOSGSC-G7L11	24	260	1003	230	202.8	1.881	32/94/99/26

The companion prospective-public-release-protocol.md and machine-readable parameter binding freeze the four procedures, selected penalties, causal mature-pool schedule and code identities. They separate economic issue dates, actual public-information/forecast creation times and final target-publication times. At ordinary eight-day publication lag, the already published economic October 14 origin would mature for H6 economically November 25 and publicly December 3. The first planned post-freeze origin, economic October 21 released ordinarily October 29, instead has H6 economic completion December 2/public completion December 10; H24 completion April 7 2027/public completion April 15. Holiday and revision schedules require actual future receipts. Fifty-two consecutive future forecast origins are planned, with no significance-based stopping; results remain pending and no automated future service is started here.

The separately dated prospective-vintage amendment preserves the accepted historical prefix, identifies the already-public bridge and freezes every future value at its first actual retained capture. This is an explicit join across acquisition vintages, not a reconstructed publisher first-release history. Later revisions are logged without rewriting the main path, mature labels or scores. Capture and forecast artifacts must both meet the recorded deadline and information boundary. Missing or late weeks consume their calendar origins; they cannot shorten the horizon, shift the refit phase, extend the plan or acquire hindsight forecasts. Every target includes the same captured issue anchor and requires all calendar components. The retrospective batch interface requires a full finite series with H outcome records beyond its last query, although its fitted pools and query slices do not use those future values. It is not a prefix-only live forecast interface. Batch functions abort failed cells. Capture, prefix-only issuance and missing-week continuation need a new adapter with its own prior timestamped binding, complete-data preservation, causal and missing-data fixture checks. That adapter is not implemented here. The amendment changes no retrospective result.

S13. Mature baselines: methods and complete outputs

Every addition in this appendix is post-result / exploratory. No added baseline result replaces either original primary, its parameter selection, the original 72-comparison Holm family or any archived result. The fixed protocol and code/version fingerprints precede the financial executions. The three new methods have 18 complete cells and 6 retained NA cells out of 24. There is no omitted-date scoring or fallback report.

Filter and simulated-path fhs

At refit κ, the W completed origins span $i_0=\kappa-H-W+1$ through $\kappa-H$. Fit a constant-mean Gaussian-QMLE GARCH(1,1) to increments in the same position envelope, containing $W+H-1$ increments. A training-only RMS conditions the fit numerically. A single optimization is allowed; failures remain NA. The coefficients and standardized residual pool are frozen between refits; newly observed increments update the variance state through issue t. In-sample historical filtered volatilities estimated at κ are not historical forecasts made at i. Finite fitted recursion and optimizer termination supply no independence, stationarity or coverage guarantee.

$\Delta_j=\mu_G+\varepsilon_j$, $\varepsilon_j=\sigma_j z_j$, $\sigma_j^2=\omega_G+\alpha_G\varepsilon_{j-1}^2+\beta_G\sigma_{j-1}^2$.

The subscript G marks local GARCH coefficients, distinguishing them from the regression intercept and fixed-report preference ratio used elsewhere. The POT shape and scale below carry hats and refer to a separate tail fit.

FHS draws 2048 iid residual paths with replacement, using a seed bound to source, H, W and κ; draws are shared within that refit block. Each path recursively updates GARCH variance and signed increments from actual N_t. Its simulated maximum includes h=0, and the empirical headroom quantile uses rank $\lceil 19(M+1)/20 \rceil$. The fitted mean equation is constant; resampling retains the stored standardized residuals without further empirical recentering or rescaling, so their finite resampling distribution need not have exactly zero mean or unit variance. This is a same-target adaptation, rather than an exact replica of the original derivative-portfolio application.

$P_{t,H}^{(s)}=\max_{0\le h\le H}|N_t+\sum_{\ell=1}^{h}\Delta_\ell^{(s)}|$, $G_{t,H}^{(s)}=P_{t,H}^{(s)}-B_t$.

Peak-headroom pot adaptation

Normalize each mature headroom by the frozen filter's one-step volatility at its historical starting origin. The threshold leaves $\lfloor 0.1W \rfloor$ potential upper observations; strict exceedances and ties determine the actual m. A minimum of 20 excesses, valid GPD support, positive scale and the declared shape regularity gate are required. Thus W52 is structurally ineligible. The single declared Nelder–Mead fit uses no alternate start, threshold or fallback. The quantile below uses the continuous exponential limit at zero shape.

$R_i = G_{i,H}/\hat{\sigma}_{i+1|K}$, $\hat{q}_{0.95} = u + (\beta/\xi)[((m/W)/0.05)^{\xi} - 1]$, $C_t = B_t + \hat{\sigma}_{t+1|K} \max\{0, \hat{q}_{0.95}\}$.

McNeil and Frey (2000) fit tails of filtered one-step return innovations and simulate multi-period sums. The present headroom-tail scaling is not that original procedure. Dependence on the signed anchor relative to volatility, drift and the future variance path remains after a single-scale normalization; overlapping mature labels remain dependent. These are substantive approximation limits, not cured by successful GPD optimization.

Quantile-regression forest

Following the leaf-distribution quantile construction of Meinshausen (2006), the forest uses the same 33 causal predictors, training-only transforms and response scaling as QR. The fixed 100-tree regression partitions have max_features=11, minimum leaf 5, split 10, maximum depth 10, bootstrap enabled and one worker. All original training rows receive within-leaf mass, averaged over trees; bootstrap chooses partitions but does not multiply these CDF masses. The left inverse at 0.95 selects a positive-mass training response with no interpolation or F rank correction. This bounded fixed configuration is not claimed to optimize QRF or transfer the original consistency theorem to dependent fixed-window data.

$w_i(z) = (1/100) \sum_{b=1}^{100} 1\{z_i \in L_b(z)\} / \#\{j : z_j \in L_b(z)\}$, $F(y|z) = \sum_i w_i(z) 1\{G_{i,H}/a_K \le y\}$.

Table S33†. All 24 planned method cells. Loss is native FX USD or Treasury USD millions. Failed complete cells have NA, regardless of earlier issued reports; no partial average substitutes for the full evaluation.

Source	H	W	Method	Status	Loss	Hits	Δ F %	Δ QR %
FX	6	720	FHS	NA	NA	NA	NA	NA
FX	6	720	PEAK_POT	NA	NA	NA	NA	NA
FX	6	720	QRF	COMPLETE	4.683e+05	402	5.793	8.081
FX	6	2880	FHS	COMPLETE	4.47e+05	278	-1.258	15.85
FX	6	2880	PEAK_POT	COMPLETE	4.675e+05	363	3.269	21.16
FX	6	2880	QRF	COMPLETE	4.324e+05	354	-4.48	12.07
FX	24	720	FHS	NA	NA	NA	NA	NA
FX	24	720	PEAK_POT	NA	NA	NA	NA	NA
FX	24	720	QRF	COMPLETE	9.136e+05	779	16.02	-11.77
FX	24	2880	FHS	COMPLETE	8.111e+05	136	6.255	10.4
FX	24	2880	PEAK_POT	COMPLETE	8.444e+05	369	10.61	14.93
FX	24	2880	QRF	COMPLETE	8.194e+05	600	7.335	11.53
Treasury	6	52	FHS	COMPLETE	2727	7	-1.883	-46.49
Treasury	6	52	PEAK_POT	NA	NA	NA	NA	NA
Treasury	6	52	QRF	COMPLETE	2589	16	-6.83	-49.19
Treasury	6	260	FHS	COMPLETE	2530	4	-8.276	-39.17
Treasury	6	260	PEAK_POT	COMPLETE	2473	17	-10.35	-40.54
Treasury	6	260	QRF	COMPLETE	2930	33	6.198	-29.57
Treasury	24	52	FHS	COMPLETE	5955	0	60.26	-51.05
Treasury	24	52	PEAK_POT	NA	NA	NA	NA	NA
Treasury	24	52	QRF	COMPLETE	3875	44	4.279	-68.15
Treasury	24	260	FHS	COMPLETE	5582	0	125.1	7.249
Treasury	24	260	PEAK_POT	COMPLETE	3276	20	32.09	-37.05
Treasury	24	260	QRF	COMPLETE	3322	62	33.94	-36.17

Table S34†. All 48 planned paired comparisons. Tests are post-result working references; NA component tests remain NA. A separate 48-slot Holm family reserves missing/degenerate slots as 1 for adjustment only. This is distinct from claiming an observed valid p value of 1. Negative Δ/t favors the new method; shared training and inspected outcomes limit interpretation.

Source	H	W	Method	Ref	Δloss %	DM t	DM p	HLN p	Holm p
FX	6	720	FHS	F	NA	NA	NA	NA	NA
FX	6	720	FHS	QR	NA	NA	NA	NA	NA
FX	6	720	PEAK_POT	F	NA	NA	NA	NA	NA
FX	6	720	PEAK_POT	QR	NA	NA	NA	NA	NA
FX	6	720	QRF	F	5.793	1.722	0.08512	0.08543	1
FX	6	720	QRF	QR	8.081	2.559	0.01048	0.01057	0.3984
FX	6	2880	FHS	F	-1.258	-0.6564	0.5116	0.5119	1
FX	6	2880	FHS	QR	15.85	5.8	6.64e-09	7.147e-09	3.054e-07
FX	6	2880	PEAK_POT	F	3.269	1.538	0.1241	0.1245	1
FX	6	2880	PEAK_POT	QR	21.16	6.305	2.885e-10	3.175e-10	1.356e-08
FX	6	2880	QRF	F	-4.48	-1.528	0.1264	0.1268	1
FX	6	2880	QRF	QR	12.07	4.672	2.978e-06	3.094e-06	0.000131
FX	24	720	FHS	F	NA	NA	NA	NA	NA
FX	24	720	FHS	QR	NA	NA	NA	NA	NA
FX	24	720	PEAK_POT	F	NA	NA	NA	NA	NA
FX	24	720	PEAK_POT	QR	NA	NA	NA	NA	NA
FX	24	720	QRF	F	16.02	1.953	0.05076	0.05163	1
FX	24	720	QRF	QR	-11.77	-1.872	0.06122	0.06219	1
FX	24	2880	FHS	F	6.255	1.062	0.2881	0.2898	1
FX	24	2880	FHS	QR	10.4	1.367	0.1717	0.1733	1
FX	24	2880	PEAK_POT	F	10.61	3.05	0.002286	0.002379	0.09144
FX	24	2880	PEAK_POT	QR	14.93	2.405	0.01618	0.01659	0.5987
FX	24	2880	QRF	F	7.335	1.08	0.2801	0.2819	1
FX	24	2880	QRF	QR	11.53	1.539	0.1237	0.1251	1
Treasury	6	52	FHS	F	-1.883	-0.2039	0.8384	0.8417	1
Treasury	6	52	FHS	QR	-46.49	-2.66	0.007819	0.009631	0.3049
Treasury	6	52	PEAK_POT	F	NA	NA	NA	NA	NA
Treasury	6	52	PEAK_POT	QR	NA	NA	NA	NA	NA
Treasury	6	52	QRF	F	-6.83	-0.9999	0.3174	0.3279	1
Treasury	6	52	QRF	QR	-49.19	-3.611	0.0003054	0.0004712	0.01313
Treasury	6	260	FHS	F	-8.276	-0.5508	0.5818	0.5897	1
Treasury	6	260	FHS	QR	-39.17	-2.277	0.02278	0.02642	0.7972
Treasury	6	260	PEAK_POT	F	-10.35	-1.265	0.206	0.2162	1
Treasury	6	260	PEAK_POT	QR	-40.54	-3.117	0.00183	0.002474	0.07503
Treasury	6	260	QRF	F	6.198	0.585	0.5585	0.5668	1
Treasury	6	260	QRF	QR	-29.57	-3.238	0.001205	0.001677	0.05062
Treasury	24	52	FHS	F	60.26	1.955	0.05059	0.0747	1
Treasury	24	52	FHS	QR	-51.05	-1.467	0.1423	0.1804	1
Treasury	24	52	PEAK_POT	F	NA	NA	NA	NA	NA
Treasury	24	52	PEAK_POT	QR	NA	NA	NA	NA	NA
Treasury	24	52	QRF	F	4.279	0.2932	0.7693	0.7886	1
Treasury	24	52	QRF	QR	-68.15	-2.395	0.0166	0.02921	0.5987
Treasury	24	260	FHS	F	125.1	11.21	3.542e-29	3.876e-21	1.7e-27
Treasury	24	260	FHS	QR	7.249	0.2367	0.8129	0.8287	1

Source	H	W	Method	Ref	Δloss %	DM t	DM p	HLN p	Holm p
Treasury	24	260	PEAK_POT	F	32.09	5.485	4.146e-08	9.315e-07	1.866e-06
Treasury	24	260	PEAK_POT	QR	-37.05	-1.219	0.2229	0.2657	1
Treasury	24	260	QRF	F	33.94	1.425	0.154	0.1931	1
Treasury	24	260	QRF	QR	-36.17	-1.736	0.08256	0.1133	1

Retained cell failures

fx_hourly H6 W720 FHS: FilteredFitError — single GARCH fit failed convergence or admissibility. Issued observations before failure: 240.

fx_hourly H6 W720 PEAK_POT: FilteredFitError — single GARCH fit failed convergence or admissibility. Issued observations before failure: 240.

fx_hourly H24 W720 FHS: FilteredFitError — single GARCH fit failed convergence or admissibility. Issued observations before failure: 240.

fx_hourly H24 W720 PEAK_POT: FilteredFitError — single GARCH fit failed convergence or admissibility. Issued observations before failure: 240.

nyfed_weekly H6 W52 PEAK_POT: FilteredFitError — POT structurally unavailable: top ten percent has fewer than 20 rows. Issued observations before failure: 0.

nyfed_weekly H24 W52 PEAK_POT: FilteredFitError — POT structurally unavailable: top ten percent has fewer than 20 rows. Issued observations before failure: 0.

The 4 short-history FX filter rejections have successful optimizer flags. Stored coefficients violate only the declared persistence tolerance after all other recorded admissibility conditions are verified. A fixed-coefficient readback invokes no optimizer and issues no new forecast; it reproduces the retained conditional-variance and standardized-residual hashes. No tolerance is relaxed and no rejected cell is rescored. These are numerical admissibility exclusions, not optimizer nonconvergence or evidence that FHS/POT predicts worse. The two short-history Treasury POT exclusions instead follow the minimum-tail-size rule.

$\alpha_G+\beta_G \le 1+10^{-10}$.

Table S35†. Every retained NA classification. For boundary fits, δ is fitted persistence minus one and ε is excess over the declared numerical ceiling; optimizer flag 0 denotes success. Strict-tail structural exclusions have no fitted persistence. No missing full-cell loss is imputed.

Source	H	W	Method	Issued	Class	δ	ε	Flag
FX	6	720	FHS	240	Boundary tolerance	1.272e-10	2.721e-11	0
FX	6	720	PEAK_POT	240	Boundary tolerance	1.272e-10	2.721e-11	0
FX	24	720	FHS	240	Boundary tolerance	1.299e-10	2.986e-11	0
FX	24	720	PEAK_POT	240	Boundary tolerance	1.299e-10	2.986e-11	0
Treasury	6	52	PEAK_POT	0	Tail size	NA	NA	NA
Treasury	24	52	PEAK_POT	0	Tail size	NA	NA	NA

The separate 48-slot Holm adjustment concerns only these working-reference comparisons. It does not control selection across every supplement or validate the component reference distributions. Remaining alternatives include canonical innovation-tail EVT, CAViaR and sequential conformal procedures. Neither these added baselines nor the aggregate panel supplies compatible unseen-dealer validation.

S14. Additional archived vector figures

Conditional loss relative to matched frozen F (%)

FX

H / W / method	Δ loss (%)
6 / 720 / QR	-2.12
6 / 720 / KNN	-1.39
6 / 720 / Scaled KNN	+5.35
6 / 2880 / QR	-14.77
6 / 2880 / KNN	-9.30
6 / 2880 / Scaled KNN	-5.80
24 / 720 / QR	+31.50
24 / 720 / KNN	+6.20
24 / 720 / Scaled KNN	+13.89
24 / 2880 / QR	-3.76
24 / 2880 / KNN	+0.84
24 / 2880 / Scaled KNN	+11.09

All selected cells; lower loss favors the conditional report.

Treasury

H / W / method	Δ loss (%)
6 / 52 / QR	+83.35
6 / 52 / KNN	+0.00
6 / 52 / Scaled KNN	+51.43
6 / 260 / QR	+50.79
6 / 260 / KNN	-3.45
6 / 260 / Scaled KNN	+13.36
24 / 52 / QR	+227.41
24 / 52 / KNN	+0.00
24 / 52 / Scaled KNN	+51.40
24 / 260 / QR	+109.84
24 / 260 / KNN	-8.96
24 / 260 / Scaled KNN	+66.80

All selected cells; lower loss favors the conditional report.

Figure S1. All 24 selected conditional forecasts versus frozen F with the same source, horizon, history window and refit schedule. Entries show within-reference mean-loss percentages; negative favors the conditional procedure. Source panels have explicit scales and are not pooled. Full-pool KNN identities are marked.

Declared comparisons: score and tail tradeoffs

	FX H6 primary	FX H24 legacy	Treasury H6 primary
Mean pinball loss change (%)	-12.660	-1.829	+50.786
Breach-rate change (pp)	+0.664	+3.683	+9.386
Mean overrun difference	-0.010	+0.168	+1736.223
Mean unused difference	-0.921	-3.463	-4968.078

Overrun/unused differences: source-specific USD millions; source amounts stay separate.

Figure S2. The two declared source primaries and FX H24 legacy-reference sensitivity: relative mean-loss, underprediction and overprediction changes, plus breach-rate differences in percentage points. These are separate descriptive quantities, separate measures of forecast behavior. A reduced overprediction amount is not automatically overall improvement.

Every annual primary and legacy comparison

FX H6 primary		FX H24 legacy		Treasury H6 primary	
2016 (n=6262)	-12.01%	2016 (n=6262)	-0.56%	2021 (n=52)	+19.11%
2017 (n=363)	-29.51%	2017 (n=363)	-33.01%	2022 (n=52)	+44.28%
				2023 (n=52)	+118.29%
				2024 (n=52)	+48.18%
				2025 (n=53)	+12.00%
				2026 (n=16)	-14.40%

All years retained; the final issue-year groups are partial. These are within-record sensitivities.

Figure S3. Every issue-year group for the two declared primaries and FX H24 legacy sensitivity. Values are paired within-reference loss percentages, with origin counts and partial years labeled. They are subdivisions of the same source records, not independent replications, confidence intervals or retrospectively selected switching regimes.




Figure S4†. FX original primary elementary quantile scores at fixed τ=0.95. Lower is better. The full-breakpoint check finds crossing; the display grid alone is not used to support that finding.




Figure S5†. Treasury original primary elementary quantile scores at fixed τ=0.95. Lower is better. The full-breakpoint check finds crossing; the display grid alone is not used to support that finding.

S15. Post-result analyses and positioning evidence

Chronological budgets retained from the main article

Table S36. Frozen source-specific chronological budgets. All indices are zero based; W and d count source records. H is 6 or 24 in every cell.

Source	Validation origins	Evaluation origins	W	Refit d
FX	10463–11902 (1440)	11927–18551 (6625)	720 / 2880	24
Treasury	329–380 (52)	405–681 (277)	52 / 260	13

Deliberately immature-label oracle

A deliberately invalid label-timing control retains the original selected parameters, long history and refit clock on predetermined first, middle and last complete blocks: 72 FX origins and 39 Treasury origins. Replacing the clean pool ending at r−H with one ending at r includes 6 immature labels per refit. In Treasury QR the illegal oracle reduces loss by 33.3988% but changes breaches from 5 to 6; FX QR instead raises loss by 0.0639%. The complete QR, KNN and F outcomes in Supplement Table S37 have mixed directions. This post-result / exploratory control quantifies timing contamination in these blocks, not an inevitable optimism bias or an all-sample performance effect.

Table S37†. Deliberately immature-label oracle versus clean training on the first, middle and last complete original refit blocks. FX has 72 origins and Treasury 39; each refit adds 6 illegal labels. Source units are USD for FX and USD millions for Treasury. The oracle-minus-clean percentage has the clean loss as denominator. These are selected clock blocks, not the full evaluation sample; the oracle is not deployable.

Source	Method	Clean loss	Illegal loss	Illegal Δ%	Breaches C/O
FX	QR	254,757.369210	254,920.239898	+0.063932	2 / 2
FX	KNN	294,045.707972	297,278.423087	+1.099392	2 / 3
FX	F	259,673.056354	259,673.056354	+0.000000	0 / 0
Treasury	QR	3,128.675515	2,083.734631	−33.398826	5 / 6
Treasury	KNN	1,759.683333	1,713.746154	−2.610537	0 / 0
Treasury	F	1,615.698718	1,640.832051	+1.555571	2 / 2

The clean and illegal arms keep selected parameters fixed; transforms are recomputed within each arm. The blocks are deterministic clock locations rather than favorable outcome selections. Clean stored outputs are independently read back from the original hash-bound trace subset, but this is an implementation check on the same data, not independent financial validation.

Exact gain bridge

Main-article Table 4 expresses the original FX primary gain as an exact descriptive bridge: the joint history/update contrast adds +2.4716 percentage points, and the conditional-procedure contrast adds −15.1317, using the same original-reference denominator. Their sum is −12.6601%. The separate matched-reference percentage is −14.7668%; adding it to the first bridge entry would mix denominators. History length and update frequency change together in the first step; features, estimation and procedure change in the second. This post-result / exploratory arithmetic identifies no isolated causal effect.

Mathematical illustrations

The construction properties are elementary target-specific statements, not newly discovered probability inequalities. Exact finite-distribution checks show that identical marginal observations and identical endpoint marginals need not determine a peak quantile. A separate counterexample rejects substitution of a one-sided endpoint quantile for the absolute-displacement quantile. The executable examples, floor-atom counterexample and raise-only horizon-repair counterexample are retained in the theory source and tests.

Artificial marginal example. At each of two future observation times, the position is 1 with probability 3/100 and 0 otherwise, starting from 0. Aligning the two positive events gives peak probability 3/100; making them disjoint gives 3/50. Each time marginal, including the endpoint, is identical across the two constructions. At quantile level 19/20, their peak quantiles are respectively 0 and 1. Thus endpoint or even all individual-time marginals do not identify the peak quantile without the temporal joint distribution.

Artificial endpoint-quantile substitution example. Independent increments have $X_1=0$ with probability 23/25, $X_1=-3$ or 3 each with probability 1/25, and $X_2=-1$ or 1 each with probability 1/2. At level 39/40, the signed endpoint quantile is 2, whereas the absolute endpoint quantile is 4. Starting at 0, the sampled-peak probability above the signed threshold is 2/25, exceeding nominal 1/20. The increments satisfy independence and symmetry: the failure is the substitution of the wrong endpoint functional.

Artificial floor and horizon examples. A uniform outcome on [B,B+1] satisfies the floor but has no atom at B. For ordered true outcomes (1,1) and reports (2,1), a raise-only long-horizon repair gives (2,2). At $\tau=19/20$, long-horizon pinball loss rises from 0 to 1/20; the short report is unchanged. This rejects an unconditional guarantee for that raise-only repair, not for every monotone rearrangement.

A raise-only horizon repair can increase loss; this does not imply that every monotone rearrangement fails. Under a common quantile level, equal weights and ordered outcomes, sorting can weakly improve the total pinball sum without ensuring improvement separately at every horizon.

Positioning-table original-text evidence

The following source locators apply to the reported cell values. n.r. means not reported in the actual inspected scope, rather than a verified absence throughout an entire work. The original thesis on conditional cash peaks could not be newly retrieved and is omitted from the table rather than assigned guessed cells.

Wisniewski et al. (2020); Wisniewski (2024). Forecast object: Signed endpoint interval (W20, §1, physical p2; W24, §6.1, physical p108 / printed p107). Data unit: One FX dealer (W20, §3.1, physical p4; W24, §2.4, physical p34 / printed p33; §6.3.1, p111 / p110). Known peak floor: Peak floor n.r. (W20, §2, physical pp3–4; §§3.3–3.4, pp7–8; W24, §6.2, physical pp109–111 / printed pp108–110). Outcome maturity / ordering: Ordered endpoint split; peak n.r. (W20, §2 / Fig1, physical p3; §3.2, p7; W24, §6.2 / Fig6.1, physical pp109–110; §6.3.2, pp112–113). Evaluation: Pinball/Winkler; UC/CC (W20, §3.5, physical pp9–10; §4.3, p14; W24, §6.3.5, physical pp118–119; §6.4.3 / Table6.2, p124). Cross-source scope: n.r. in endpoint task (W20, §3.1 and §4, physical pp4,11–15; W24, §6.3.1 and §§6.4–6.5, physical pp111,119–125).

Boudoukh et al. (2004). Forecast object: Worst portfolio return (MAX_FINAL, §2, physical/printed pp2–3). Data unit: Stylized fixed portfolio (MAX_FINAL, §§1–2, p2). Known peak floor: Initial value known; peak floor n.r. (MAX_FINAL, §2, pp2–3). Outcome maturity / ordering: n.r.; analytic/simulation (MAX_FINAL, §§2–3, pp2–4). Evaluation: Tail probability; VaR ratios (MAX_FINAL, §3 / Tables1–2, pp3–5). Cross-source scope: n.r.; parameter cases (MAX_FINAL, §§3–4, pp3–5).

Petrunia et al. (2019). Forecast object: Daily cross-participant debit maximum (petrunia2019, p.8 §2; p.13 §4b). Data unit: ACSS clearers (petrunia2019, p.8 §2). Known peak floor: Peak floor n.r. (petrunia2019, pp.9–11 §3). Outcome maturity / ordering: Incoming-data updates; peak n.r. (petrunia2019, p.13 §4b).

Evaluation: Tail fit; collateral shortfalls (petrunia2019, pp.10–13 §§3c,4,4b). Cross-source scope: Within ACSS; source transfer n.r. (petrunia2019, pp.13–14 §4b).

Arjani et al. (2020). Forecast object: Remaining-day liquidity ratio (arjani2020, printed pp.7–9 §3.1 eqs.1–5). Data unit: LVTS participants (arjani2020, printed p.12 §3.2.2). Known peak floor: Known flows; peak floor n.r. (arjani2020, printed pp.7–9 eqs.1–5). Outcome maturity / ordering: Chronological split; peak n.r. (arjani2020, printed pp.12–13 §3.2.2). Evaluation: RMSE; liquidity-risk bands (arjani2020, printed pp.12–13,20 §§3.2.2–3.3). Cross-source scope: Within LVTS; source transfer n.r. (arjani2020, printed pp.12,20).

Engle–Manganelli (2004). Forecast object: Conditional return quantile (engle2004, pp.368–369 §3 eqs.1–4). Data unit: Stocks and index returns (engle2004, p.371 §6). Known peak floor: Peak floor n.r. (engle2004, pp.368–369 §3). Outcome maturity / ordering: Lagged predictors; held-out returns (engle2004, pp.368,371 §§3,6; p.375 App.A DQ8). Evaluation: Quantile objective; hits; DQ (engle2004, pp.371–373 §6,Table1). Cross-source scope: Several returns; different task (engle2004, p.371 §6).

Ehm et al. (2016). All Ehm page locators below refer to the arXiv author-v2 revision, not final journal pagination. Forecast object: Quantile/expectile ranking (ehm2016, §§3.2–3.4 pp.15–20). Data unit: Survey, probability and wind cases (ehm2016, §§4.1–4.3 pp.22–25). Known peak floor: Zero wind support; moving peak floor n.r. (ehm2016, §4.3 p.25). Outcome maturity / ordering: Original splits; peak n.r. (ehm2016, §4.3 p.25). Evaluation: Murphy; coverage/sharpness (ehm2016, §4.3 pp.25–26; §3.4 p.20). Cross-source scope: Multiple domains; different tasks (ehm2016, §4 pp.22–26).

Duffie et al. (2023). Forecast object: Capacity/illiquidity; PnL VaR (duffie2023, §1 printed pp.1–4; §6 pp.24–27). Data unit: Dealer and market sources (duffie2023, §1 pp.2–4; App.E pp.58–59). Known peak floor: Peak floor n.r. (duffie2023, §1 pp.3–4). Outcome maturity / ordering: Expanding VaR; peak n.r. (duffie2023, App.E p.58,fn27). Evaluation: Quantile fit; PnL forecasts (duffie2023, §6 pp.24–27; App.E pp.58–59). Cross-source scope: Several sources; different task (duffie2023, §1 pp.2–4; App.E pp.58–59).

This study. Forecast object: Sampled absolute peak (THIS_STUDY, ['sections', 3, 'blocks', 2]). Data unit: One FX dealer; Treasury totals (THIS_STUDY, ['sections', 2]). Known peak floor: Observed $|N_t|$ projection (THIS_STUDY, ['sections', 3, 'blocks', 16]). Outcome maturity / ordering: Completed peak labels (THIS_STUDY, ['sections', 3, 'blocks', 0]). Evaluation: Pinball; coverage; Murphy (THIS_STUDY, ['sections', 4]). Cross-source scope: FX and related Treasury tasks (THIS_PANEL, eligible; THIS_STUDY, sections[7].blocks[5]). Treasury task count: 13 = 1 original bill + 12 related additional aggregates; not independent dealers.

Source IDs identify the original links and actual reading ranges in the repository source register and novelty-search log. The excluded cash-peak thesis remains a narrative precedent; failed current access is not evidence that a concept is absent.

S16. Additional benchmarks and robustness

Post-result / exploratory analyses. These additions use already inspected evaluation archives and preserve the original primary comparisons. The additional methods include finite adaptations of adaptive conformal inference (ACI) and symmetric absolute-value (SAV) recursion. They are not independent dealer replications, prospective validation, a new primary, a deployed switching rule or a financing-policy experiment. FX losses are in USD; original Treasury-bill and added NY Fed net-position tasks are in USD millions. Tables show every declared method and ranking slot, including failures, ties and adverse directions.

Rates are fractions and losses retain native units. Displayed finite values are rounded to seven significant digits; counts are integers. Negative differences favor the new procedure under the stated target level. The Diebold and Mariano (1995) DM diagnostic uses the original centered Bartlett-HAC convention associated with Newey and West (1987); Harvey, Leybourne and Newbold (1997) provide the separately reported HLN finite-sample adjustment. All are working-reference diagnostics with unverified dependence, moment and finite-sample assumptions. Holm (1979) adjustment retains separate family sizes of 56, 224, 4, 6. A raw p of NA remains unidentified; book=1 is only bookkeeping and does not create a valid test. These families do not adjust all historical model and analysis selection.

Table S38. Complete additional-analysis inventories. State groups are descriptive rows; test families are distinct.

Work	New methods/groups	Controls	Test slots	Raw-p NA	Complete methods	NA methods	Scope
WP2	24	16	56	5	22	2	ACI and SAV
WP3	112	112	224	98	64	48	Fixed combinations
WP4	6	Original primaries	4	0	Descriptive groups	See test status	States and moments
WP5	6	Named F controls	6	3	3	3	Refitted target levels

Finite delayed ACI-style calibration and headroom SAV. The ACI-style procedure is motivated by Gibbs and Candès (2021), with the following finite-memory, delayed and projected modifications. Initialize $\alpha=.05$. At issue t, consume newly matured strict hits $\mathrm{err}_i=1\{P_{i,H}>C_i\}$ in chronological order, once each, using $\alpha\leftarrow\min(1,\max(1/(m_t+1),\alpha+\gamma(.05-\mathrm{err}_i)))$. Here m_t is the current completed-score pool size, also used for a projection immediately before issuing the next report. Its score $s_i=P_{i,H}-C_i^{\mathrm{base}}$ uses the actual completed H-horizon peak and that issue's base report. At issue t the pool contains at most W scores with $i+H\le t$; each wrapped breach is consumed once, in order. After delayed feedback the α state itself is projected to $\alpha_t\in[1/(m_t+1),1]$, where the current pool size is used, and the exact fractional rank is $r_t=\lceil(m_t+1)(1-\alpha_t)\rceil$. Rank zero issues the known floor; other reports are floor-projected base-plus-score quantiles. No original ACI guarantee is imported. Gamma is selected from 0.001, 0.005, 0.01, 0.05 by validation absolute breach-rate distance to .05, then .95 pinball loss, then smaller gamma; that coverage-first retrospective tuning differs from original QR tuning. The chosen validation state and unconsumed feedback carry across the unissued gap. Headroom SAV adapts the symmetric absolute-value CAViaR recursion of Engle and Manganelli (2004). Define $B_i=|N_i|$ and $G_{i,H}=P_{i,H}-B_i$. At each refit use $g_i=G_{i,H}/a_\kappa$ and $\tilde{q}_i=\beta_0+\beta_1\tilde{q}_{i-1}+\beta_2 g_{i-H}$, with the positive response scale a_κ known at refit κ and held until the next refit. The source-unit report is $C_t=B_t+a_\kappa\max(0,\tilde{q}_t)$, so the normalized prediction is multiplied back by the same training scale. It is a headroom adaptation rather than a literal CAViaR return-VaR replication. Its fixed bounded Powell six-start algorithm retains convergence failures and claims no global optimum. Initial history, delayed feedback and solver eligibility can invalidate a whole cell.

Table S39. All new WP2 evaluation methods; τ=.95. Hits use strict peak > report.

Task (unit)	H / W	Procedure	Mean loss	n	Hits	Rate	Status / reason
FX (USD)	H6 / W720	ACI-F	472677.8	6625	331	0.04996226	Complete
FX (USD)	H6 / W720	ACI-QR	439672.9	6625	352	0.05313208	Complete
FX (USD)	H6 / W720	Headroom SAV	449237.4	6625	349	0.05267925	Complete
FX (USD)	H6 / W2880	ACI-F	463271.5	6625	328	0.04950943	Complete
FX (USD)	H6 / W2880	ACI-QR	393795.1	6625	329	0.04966038	Complete
FX (USD)	H6 / W2880	Headroom SAV	456696.2	6625	364	0.0549434	Complete
FX (USD)	H24 / W720	ACI-F	921402.1	6625	322	0.04860377	Complete
FX (USD)	H24 / W720	ACI-QR	1020220	6625	393	0.05932075	Complete
FX (USD)	H24 / W720	Headroom SAV	781586.4	6625	439	0.06626415	Complete
FX (USD)	H24 / W2880	ACI-F	791441.2	6625	323	0.04875472	Complete
FX (USD)	H24 / W2880	ACI-QR	755982.7	6625	294	0.04437736	Complete
FX (USD)	H24 / W2880	Headroom SAV	756811	6625	333	0.05026415	Complete
Treasury bill (USD m)	H6 / W52	ACI-F	3818.403	277	18	0.06498195	Complete
Treasury bill (USD m)	H6 / W52	ACI-QR	3489.822	277	29	0.1046931	Complete
Treasury bill (USD m)	H6 / W52	Headroom SAV	2974.324	277	16	0.05776173	Complete
Treasury bill (USD m)	H6 / W260	ACI-F	2792.913	277	7	0.02527076	Complete
Treasury bill (USD m)	H6 / W260	ACI-QR	3013.16	277	6	0.02166065	Complete
Treasury bill (USD m)	H6 / W260	Headroom SAV	2892.231	277	29	0.1046931	Complete
Treasury bill (USD m)	H24 / W52	ACI-F	4368.101	277	38	0.1371841	Complete
Treasury bill (USD m)	H24 / W52	ACI-QR	6250.532	277	47	0.1696751	Complete
Treasury bill (USD m)	H24 / W52	Headroom SAV	4182.398	277	35	0.1263538	Complete
Treasury bill (USD m)	H24 / W260	ACI-F	NA	NA	NA	NA	NA: initial calibration 16 < 19
Treasury bill (USD m)	H24 / W260	ACI-QR	NA	NA	NA	NA	NA: initial calibration 0 < 19
Treasury bill (USD m)	H24 / W260	Headroom SAV	3100.967	277	25	0.09025271	Complete

Table S40. All matched unwrapped WP2 controls, retained separately from wrapped reports.

Task (unit)	H / W	Procedure	Mean loss	n	Hits	Rate	Status / reason
FX (USD)	H6 / W720	Frozen F	442615.3	6625	332	0.05011321	Complete
FX (USD)	H6 / W720	Selected QR	433246.3	6625	531	0.08015094	Complete
FX (USD)	H6 / W2880	Frozen F	452693	6625	360	0.05433962	Complete
FX (USD)	H6 / W2880	Selected QR	385844.9	6625	376	0.05675472	Complete
FX (USD)	H24 / W720	Frozen F	787415.6	6625	427	0.06445283	Complete
FX (USD)	H24 / W720	Selected QR	1035483	6625	924	0.1394717	Complete
FX (USD)	H24 / W2880	Frozen F	763381.2	6625	357	0.05388679	Complete
FX (USD)	H24 / W2880	Selected QR	734695.1	6625	531	0.08015094	Complete
Treasury bill (USD m)	H6 / W52	Frozen F	2779.054	277	11	0.03971119	Complete
Treasury bill (USD m)	H6 / W52	Selected QR	5095.519	277	84	0.3032491	Complete
Treasury bill (USD m)	H6 / W260	Frozen F	2758.665	277	28	0.101083	Complete
Treasury bill (USD m)	H6 / W260	Selected QR	4159.673	277	54	0.1949458	Complete
Treasury bill (USD m)	H24 / W52	Frozen F	3715.693	277	33	0.1191336	Complete
Treasury bill (USD m)	H24 / W52	Selected QR	12165.57	277	132	0.4765343	Complete
Treasury bill (USD m)	H24 / W260	Frozen F	2480.306	277	12	0.0433213	Complete
Treasury bill (USD m)	H24 / W260	Selected QR	5204.76	277	84	0.3032491	Complete

Coverage diagnostics. Full-sample UC following Kupiec (1995) uses every evaluation issue. The sparse grid is fixed at the first evaluation origin plus j(H+1), without a selected offset. Grid UC uses its full grid sample. Motivated by the Markov coverage framework of Christoffersen (1998), new CC is explicitly transition-conditional: it compares the saturated two-row Markov likelihood with the fixed-α likelihood on the same n−1 adjacent grid pairs, conditioning on the first hit. This differs from the legacy mixed full-sample-UC-plus-transition-independence construction; old reported CC values remain untouched. An absent transition row is NA. Boundary-reference p values and nonrejection do not certify conditional coverage, rule out floor atoms, or establish a guarantee. Boundary/NA counts are diagnostic counts, not removed observations.

Table S41. WP2 full-sample UC, fixed-grid UC and new transition-conditional CC for every method and control.

Context	Procedure	Full UC status / p	Grid n/hits/rate	Grid UC status / p	CC pairs	CC status / p	Boundary / NA
FX (USD); H6 / W720	ACI-F	OK; p=0.9887545	947 / 42 / 0.04435058	OK; p=0.4164232	946	OK; p=0.7192468	0/0
FX (USD); H6 / W720	ACI-QR	OK; p=0.2466857	947 / 46 / 0.04857445	OK; p=0.8397584	946	OK; p=0.9672653	0/0
FX (USD); H6 / W720	Headroom SAV	OK; p=0.3210434	947 / 48 / 0.05068638	OK; p=0.9229597	946	OK; p=0.9501064	0/0
FX (USD); H6 / W2880	ACI-F	OK; p=0.8544115	947 / 46 / 0.04857445	OK; p=0.8397584	946	OK; p=0.8605347	0/0
FX (USD); H6 / W2880	ACI-QR	OK; p=0.8989622	947 / 46 / 0.04857445	OK; p=0.8397584	946	OK; p=0.8441006	0/0
FX (USD); H6 / W2880	Headroom SAV	OK; p=0.06898908	947 / 49 / 0.05174234	OK; p=0.8067032	946	OK; p=0.6458513	0/0
FX (USD); H24 / W720	ACI-F	OK; p=0.6004428	265 / 13 / 0.0490566	OK; p=0.9436555	264	OK; p=0.3397861	0/0
FX (USD); H24 / W720	ACI-QR	OK; p=0.0007096807	265 / 15 / 0.05660377	OK; p=0.6287405	264	OK; p=0.4580514	0/0
FX (USD); H24 / W720	Headroom SAV	OK; p=6.689789e-09	265 / 13 / 0.0490566	OK; p=0.9436555	264	Boundary reference; p=0.5090491	1/0
FX (USD); H24 / W2880	ACI-F	OK; p=0.6405614	265 / 11 / 0.04150943	OK; p=0.5140573	264	Boundary reference; p=0.5053543	1/0
FX (USD); H24 / W2880	ACI-QR	OK; p=0.03243435	265 / 10 / 0.03773585	OK; p=0.3391801	264	OK; p=0.4337145	0/0
FX (USD); H24 / W2880	Headroom SAV	OK; p=0.9214811	265 / 11 / 0.04150943	OK; p=0.5140573	264	Boundary reference; p=0.5053543	1/0
Treasury bill (USD m); H6 / W52	ACI-F	OK; p=0.27314	40 / 3 / 0.075	OK; p=0.4979324	39	Boundary reference; p=0.6019024	1/0
Treasury bill (USD m); H6 / W52	ACI-QR	OK; p=0.0002447368	40 / 4 / 0.1	OK; p=0.1986411	39	OK; p=0.2749799	0/0
Treasury bill (USD m); H6 / W52	Headroom SAV	OK; p=0.5625398	40 / 2 / 0.05	OK; p=1	39	Boundary reference; p=0.8968827	1/0
Treasury bill (USD m); H6 / W260	ACI-F	OK; p=0.03758882	40 / 1 / 0.025	OK; p=0.4237856	39	Boundary reference; p=0.725738	1/0
Treasury bill (USD m); H6 / W260	ACI-QR	OK; p=0.01519627	40 / 1 / 0.025	OK; p=0.4237856	39	Boundary reference; p=0.725738	1/0
Treasury bill (USD m); H6 / W260	Headroom SAV	OK; p=0.0002447368	40 / 3 / 0.075	OK; p=0.4979324	39	Boundary reference; p=0.6019024	1/0
Treasury bill (USD m); H24 / W52	ACI-F	OK; p=3.020549e-08	12 / 2 / 0.1666667	OK; p=0.1384299	11	Boundary reference; p=0.1853057	1/0
Treasury bill (USD m); H24 / W52	ACI-QR	OK; p=3.476958e-13	12 / 1 / 0.08333333	OK; p=0.6272172	11	Boundary reference; p=0.7727223	1/0
Treasury bill (USD m); H24 / W52	Headroom SAV	OK; p=8.067196e-07	12 / 4 / 0.3333333	OK; p=0.002043317	11	Boundary reference; p=0.0005200293	1/0
Treasury bill (USD m); H24 / W260	ACI-F	NA: initial calibration 16 < 19; p=NA	NA / NA / NA	NA: initial calibration 16 < 19; p=NA	NA	NA: initial calibration 16 < 19; p=NA	NA/NA
Treasury bill (USD m); H24 / W260	ACI-QR	NA: initial calibration 0 < 19; p=NA	NA / NA / NA	NA: initial calibration 0 < 19; p=NA	NA	NA: initial calibration 0 < 19; p=NA	NA/NA

Context	Procedure	Full UC status / p	Grid n/hits/rate	Grid UC status / p	CC pairs	CC status / p	Boundary / NA
Treasury bill (USD m); H24 / W260	Headroom SAV	OK; p=0.005495267	12 / 3 / 0.25	OK; p=0.02011796	11	Boundary reference; p=0.0164894	1/0
FX (USD); H6 / W720	Frozen F	OK; p=0.9662886	947 / 50 / 0.05279831	OK; p=0.6952769	946	OK; p=0.8997793	0/0
FX (USD); H6 / W720	Selected QR	OK; p=2.616166e-25	947 / 77 / 0.0813094	OK; p=4.691549e-05	946	OK; p=7.73763e-05	0/0
FX (USD); H6 / W2880	Frozen F	OK; p=0.109765	947 / 49 / 0.05174234	OK; p=0.8067032	946	OK; p=0.6458513	0/0
FX (USD); H6 / W2880	Selected QR	OK; p=0.01344803	947 / 50 / 0.05279831	OK; p=0.6952769	946	OK; p=0.636152	0/0
FX (USD); H24 / W720	Frozen F	OK; p=2.251917e-07	265 / 14 / 0.05283019	OK; p=0.8340205	264	OK; p=0.416438	0/0
FX (USD); H24 / W720	Selected QR	OK; p=5.104621e-169	265 / 33 / 0.1245283	OK; p=2.311211e-06	264	OK; p=6.043752e-07	0/0
FX (USD); H24 / W2880	Frozen F	OK; p=0.151483	265 / 13 / 0.0490566	OK; p=0.9436555	264	OK; p=0.3397861	0/0
FX (USD); H24 / W2880	Selected QR	OK; p=2.616166e-25	265 / 21 / 0.07924528	OK; p=0.04331382	264	OK; p=0.0289818	0/0
Treasury bill (USD m); H6 / W52	Frozen F	OK; p=0.4157926	40 / 2 / 0.05	OK; p=1	39	Boundary reference; p=0.8968827	1/0
Treasury bill (USD m); H6 / W52	Selected QR	OK; p=9.93587e-42	40 / 13 / 0.325	OK; p=3.872269e-08	39	OK; p=1.886938e-07	0/0
Treasury bill (USD m); H6 / W260	Frozen F	OK; p=0.0005630403	40 / 4 / 0.1	OK; p=0.1986411	39	Boundary reference; p=0.2618999	1/0
Treasury bill (USD m); H6 / W260	Selected QR	OK; p=1.220586e-17	40 / 7 / 0.175	OK; p=0.004126046	39	OK; p=0.0135928	0/0
Treasury bill (USD m); H24 / W52	Frozen F	OK; p=6.180887e-06	12 / 5 / 0.4166667	OK; p=0.0001497944	11	OK; p=0.0004254004	0/0
Treasury bill (USD m); H24 / W52	Selected QR	OK; p=7.495818e-94	12 / 6 / 0.5	OK; p=8.038138e-06	11	OK; p=1.59394e-05	0/0
Treasury bill (USD m); H24 / W260	Frozen F	OK; p=0.6020671	12 / 2 / 0.1666667	OK; p=0.1384299	11	Boundary reference; p=0.1853057	1/0
Treasury bill (USD m); H24 / W260	Selected QR	OK; p=9.93587e-42	12 / 4 / 0.3333333	OK; p=0.002043317	11	OK; p=0.004600886	0/0

Table S42. All original WP2 validation method cells; SAV has no gamma selection. Missing initial counts for SAV are not calibration failures.

Task (unit)	H / W	Procedure	Validation status	Selected gamma	Val n / hits	Val loss	Initial m
FX (USD)	H6 / W720	ACI-F	Complete	0.005	1440/87	503091.1	720
FX (USD)	H6 / W720	ACI-QR	Complete	0.001	1440/78	472108.9	720
FX (USD)	H6 / W720	Headroom SAV	Complete	NA	1440/100	512648.4	NA
FX (USD)	H6 / W2880	ACI-F	Complete	0.005	1440/96	508873.4	2880
FX (USD)	H6 / W2880	ACI-QR	Complete	0.005	1440/87	452474	2880
FX (USD)	H6 / W2880	Headroom SAV	Complete	NA	1440/95	477129.7	NA
FX (USD)	H24 / W720	ACI-F	Complete	0.001	1440/109	858464.5	720
FX (USD)	H24 / W720	ACI-QR	Complete	0.001	1440/81	589257.3	720
FX (USD)	H24 / W720	Headroom SAV	Complete	NA	1440/128	824392.2	NA
FX (USD)	H24 / W2880	ACI-F	Complete	0.001	1440/110	848315.1	2880
FX (USD)	H24 / W2880	ACI-QR	Complete	0.001	1440/134	621410.9	2880
FX (USD)	H24 / W2880	Headroom SAV	Complete	NA	1440/126	746938	NA
Treasury bill (USD m)	H6 / W52	ACI-F	Complete	0.001	52/6	5003.528	52
Treasury bill (USD m)	H6 / W52	ACI-QR	Complete	0.05	52/8	5371.479	52
Treasury bill (USD m)	H6 / W52	Headroom SAV	Complete	NA	52/8	5482.293	NA
Treasury bill (USD m)	H6 / W260	ACI-F	Complete	0.005	52/8	5287.698	47
Treasury bill (USD m)	H6 / W260	ACI-QR	Complete	0.005	52/12	4679.255	21
Treasury bill (USD m)	H6 / W260	Headroom SAV	Complete	NA	52/19	6169.579	NA
Treasury bill (USD m)	H24 / W52	ACI-F	Complete	0.05	52/24	11633.03	52
Treasury bill (USD m)	H24 / W52	ACI-QR	Complete	0.01	52/25	16474.26	52
Treasury bill (USD m)	H24 / W52	Headroom SAV	Complete	NA	52/28	15945.32	NA
Treasury bill (USD m)	H24 / W260	ACI-F	NA: initial calibration 16 < 19	NA	NA/NA	NA	16
Treasury bill (USD m)	H24 / W260	ACI-QR	NA: initial calibration 0 < 19	NA	NA/NA	NA	0
Treasury bill (USD m)	H24 / W260	Headroom SAV	Complete	NA	52/32	17883.57	NA

Table S43. Complete declared ACI gamma inventory, including explicitly not-run slots when initial calibration was inadequate. Candidate metrics are not invented for those slots.

Context	Wrapper	Gamma	Candidate status	Val n	Hits	Mean loss	Selected
FX (USD); H6 / W720	ACI-F	0.001	Complete	1440	93	529505.7	No
FX (USD); H6 / W720	ACI-F	0.005	Complete	1440	87	503091.1	Yes
FX (USD); H6 / W720	ACI-F	0.01	Complete	1440	99	520940.1	No
FX (USD); H6 / W720	ACI-F	0.05	Complete	1440	135	564170.3	No
FX (USD); H6 / W720	ACI-QR	0.001	Complete	1440	78	472108.9	Yes
FX (USD); H6 / W720	ACI-QR	0.005	Complete	1440	82	486121.5	No
FX (USD); H6 / W720	ACI-QR	0.01	Complete	1440	85	468457.2	No
FX (USD); H6 / W720	ACI-QR	0.05	Complete	1440	115	516351.8	No
FX (USD); H6 / W2880	ACI-F	0.001	Complete	1440	102	486163.1	No
FX (USD); H6 / W2880	ACI-F	0.005	Complete	1440	96	508873.4	Yes
FX (USD); H6 / W2880	ACI-F	0.01	Complete	1440	100	528352.7	No
FX (USD); H6 / W2880	ACI-F	0.05	Complete	1440	155	581431.5	No
FX (USD); H6 / W2880	ACI-QR	0.001	Complete	1440	98	448182.3	No
FX (USD); H6 / W2880	ACI-QR	0.005	Complete	1440	87	452474	Yes
FX (USD); H6 / W2880	ACI-QR	0.01	Complete	1440	94	474732	No
FX (USD); H6 / W2880	ACI-QR	0.05	Complete	1440	146	557085.4	No
FX (USD); H24 / W720	ACI-F	0.001	Complete	1440	109	858464.5	Yes
FX (USD); H24 / W720	ACI-F	0.005	Complete	1440	132	786351.6	No
FX (USD); H24 / W720	ACI-F	0.01	Complete	1440	142	806528.2	No
FX (USD); H24 / W720	ACI-F	0.05	Complete	1440	227	1037868	No
FX (USD); H24 / W720	ACI-QR	0.001	Complete	1440	81	589257.3	Yes
FX (USD); H24 / W720	ACI-QR	0.005	Complete	1440	95	658863	No
FX (USD); H24 / W720	ACI-QR	0.01	Complete	1440	111	676417.7	No
FX (USD); H24 / W720	ACI-QR	0.05	Complete	1440	200	781017.6	No
FX (USD); H24 / W2880	ACI-F	0.001	Complete	1440	110	848315.1	Yes
FX (USD); H24 / W2880	ACI-F	0.005	Complete	1440	141	763942.4	No
FX (USD); H24 / W2880	ACI-F	0.01	Complete	1440	166	727865	No
FX (USD); H24 / W2880	ACI-F	0.05	Complete	1440	305	1195955	No

Context	Wrapper	Gamma	Candidate status	Val n	Hits	Mean loss	Selected
FX (USD); H24 / W2880	ACI-QR	0.001	Complete	1440	134	621410.9	Yes
FX (USD); H24 / W2880	ACI-QR	0.005	Complete	1440	146	704745.4	No
FX (USD); H24 / W2880	ACI-QR	0.01	Complete	1440	174	752610.5	No
FX (USD); H24 / W2880	ACI-QR	0.05	Complete	1440	326	976867.7	No
Treasury bill (USD m); H6 / W52	ACI-F	0.001	Complete	52	6	5003.528	Yes
Treasury bill (USD m); H6 / W52	ACI-F	0.005	Complete	52	6	5191.406	No
Treasury bill (USD m); H6 / W52	ACI-F	0.01	Complete	52	6	5208.151	No
Treasury bill (USD m); H6 / W52	ACI-F	0.05	Complete	52	7	5350.698	No
Treasury bill (USD m); H6 / W52	ACI-QR	0.001	Complete	52	8	5428.33	No
Treasury bill (USD m); H6 / W52	ACI-QR	0.005	Complete	52	8	5648.03	No
Treasury bill (USD m); H6 / W52	ACI-QR	0.01	Complete	52	8	5677.982	No
Treasury bill (USD m); H6 / W52	ACI-QR	0.05	Complete	52	8	5371.479	Yes
Treasury bill (USD m); H6 / W260	ACI-F	0.001	Complete	52	10	5259.556	No
Treasury bill (USD m); H6 / W260	ACI-F	0.005	Complete	52	8	5287.698	Yes
Treasury bill (USD m); H6 / W260	ACI-F	0.01	Complete	52	8	5370.011	No
Treasury bill (USD m); H6 / W260	ACI-F	0.05	Complete	52	9	5501.833	No
Treasury bill (USD m); H6 / W260	ACI-QR	0.001	Complete	52	13	5060.7	No
Treasury bill (USD m); H6 / W260	ACI-QR	0.005	Complete	52	12	4679.255	Yes
Treasury bill (USD m); H6 / W260	ACI-QR	0.01	Complete	52	12	4696.365	No
Treasury bill (USD m); H6 / W260	ACI-QR	0.05	Complete	52	12	5038.639	No
Treasury bill (USD m); H24 / W52	ACI-F	0.001	Complete	52	24	12447.4	No
Treasury bill (USD m); H24 / W52	ACI-F	0.005	Complete	52	24	12496.07	No

Context	Wrapper	Gamma	Candidate status	Val n	Hits	Mean loss	Selected
Treasury bill (USD m); H24 / W52	ACI-F	0.01	Complete	52	24	12504.98	No
Treasury bill (USD m); H24 / W52	ACI-F	0.05	Complete	52	24	11633.03	Yes
Treasury bill (USD m); H24 / W52	ACI-QR	0.001	Complete	52	26	16485.36	No
Treasury bill (USD m); H24 / W52	ACI-QR	0.005	Complete	52	26	16523.44	No
Treasury bill (USD m); H24 / W52	ACI-QR	0.01	Complete	52	25	16474.26	Yes
Treasury bill (USD m); H24 / W52	ACI-QR	0.05	Complete	52	25	16565.7	No
Treasury bill (USD m); H24 / W260	ACI-F	0.001	Not run: NA: initial calibration 16 < 19	NA	NA	NA	No
Treasury bill (USD m); H24 / W260	ACI-F	0.005	Not run: NA: initial calibration 16 < 19	NA	NA	NA	No
Treasury bill (USD m); H24 / W260	ACI-F	0.01	Not run: NA: initial calibration 16 < 19	NA	NA	NA	No
Treasury bill (USD m); H24 / W260	ACI-F	0.05	Not run: NA: initial calibration 16 < 19	NA	NA	NA	No
Treasury bill (USD m); H24 / W260	ACI-QR	0.001	Not run: NA: initial calibration 0 < 19	NA	NA	NA	No
Treasury bill (USD m); H24 / W260	ACI-QR	0.005	Not run: NA: initial calibration 0 < 19	NA	NA	NA	No
Treasury bill (USD m); H24 / W260	ACI-QR	0.01	Not run: NA: initial calibration 0 < 19	NA	NA	NA	No
Treasury bill (USD m); H24 / W260	ACI-QR	0.05	Not run: NA: initial calibration 0 < 19	NA	NA	NA	No

Table S44. ACI state and calibration ranges on evaluation; all wrappers remain listed.

Context	Wrapper	Alpha range	m range	Rank range	Initial m	Status
FX (USD); H6 / W720	ACI-F	0.001386963 to 0.104137	720 to 720	646 to 720	720	Complete
FX (USD); H6 / W720	ACI-QR	0.02105 to 0.0624	720 to 720	677 to 706	720	Complete
FX (USD); H6 / W2880	ACI-F	0.0003471017 to 0.1473471	2880 to 2880	2457 to 2880	2880	Complete
FX (USD); H6 / W2880	ACI-QR	0.0003471017 to 0.1348471	2880 to 2880	2493 to 2880	2880	Complete
FX (USD); H24 / W720	ACI-F	0.001386963 to 0.06113696	720 to 720	677 to 720	720	Complete
FX (USD); H24 / W720	ACI-QR	0.001386963 to 0.06453696	720 to 720	675 to 720	720	Complete
FX (USD); H24 / W2880	ACI-F	0.0003471017 to 0.0963471	2880 to 2880	2604 to 2880	2880	Complete
FX (USD); H24 / W2880	ACI-QR	0.0003471017 to 0.0818971	2880 to 2880	2646 to 2880	2880	Complete
Treasury bill (USD m); H6 / W52	ACI-F	0.04075 to 0.04905	52 to 52	51 to 51	52	Complete
Treasury bill (USD m); H6 / W52	ACI-QR	0.01886792 to 0.1738679	52 to 52	44 to 52	52	Complete
Treasury bill (USD m); H6 / W260	ACI-F	0.023 to 0.05575	104 to 260	103 to 251	47	Complete
Treasury bill (USD m); H6 / W260	ACI-QR	0.01888462 to 0.05663462	78 to 260	78 to 251	21	Complete
Treasury bill (USD m); H24 / W52	ACI-F	0.01886792 to 0.2113679	52 to 52	42 to 52	52	Complete
Treasury bill (USD m); H24 / W52	ACI-QR	0.01886792 to 0.07586792	52 to 52	49 to 52	52	Complete
Treasury bill (USD m); H24 / W260	ACI-F	NA to NA	NA to NA	NA to NA	NA	NA: initial calibration 16 < 19
Treasury bill (USD m); H24 / W260	ACI-QR	NA to NA	NA to NA	NA to NA	NA	NA: initial calibration 0 < 19

Table S45. ACI clipping and once-only feedback. Clip updates and clipped issues are different counts.

Context	Wrapper	Clip updates	Clipped / issues	Clip fraction	Eval feedback	Cumulative feedback	Status
FX (USD); H6 / W720	ACI-F	6	6/6625	0.0009056604	6625	8059	Complete
FX (USD); H6 / W720	ACI-QR	0	0/6625	0	6625	8059	Complete
FX (USD); H6 / W2880	ACI-F	5	5/6625	0.000754717	6625	8059	Complete
FX (USD); H6 / W2880	ACI-QR	4	4/6625	0.0006037736	6625	8059	Complete
FX (USD); H24 / W720	ACI-F	2	2/6625	0.0003018868	6625	8041	Complete
FX (USD); H24 / W720	ACI-QR	28	28/6625	0.004226415	6625	8041	Complete
FX (USD); H24 / W2880	ACI-F	18	18/6625	0.002716981	6625	8041	Complete
FX (USD); H24 / W2880	ACI-QR	5	5/6625	0.000754717	6625	8041	Complete
Treasury bill (USD m); H6 / W52	ACI-F	0	0/277	0	277	323	Complete
Treasury bill (USD m); H6 / W52	ACI-QR	19	19/277	0.06859206	277	323	Complete
Treasury bill (USD m); H6 / W260	ACI-F	0	0/277	0	277	323	Complete
Treasury bill (USD m); H6 / W260	ACI-QR	0	0/277	0	277	323	Complete
Treasury bill (USD m); H24 / W52	ACI-F	38	30/277	0.1083032	277	305	Complete
Treasury bill (USD m); H24 / W52	ACI-QR	44	35/277	0.1263538	277	305	Complete
Treasury bill (USD m); H24 / W260	ACI-F	NA	NA/NA	NA	NA	NA	NA: initial calibration 16 < 19
Treasury bill (USD m); H24 / W260	ACI-QR	NA	NA/NA	NA	NA	NA	NA: initial calibration 0 < 19

Table S46. Wrapper minus its named unwrapped base. Coverage distance is the absolute full-origin breach-rate distance to .05; negative distance changes improve that descriptive measure.

Context	Wrapper	Gamma	Delta mean loss	Delta abs distance	Delta breach rate	Delta hits	Status
FX (USD); H6 / W720	ACI-F	0.005	30062.51	-7.54717e-05	-0.0001509434	-1	Complete
FX (USD); H6 / W720	ACI-QR	0.001	6426.604	-0.02701887	-0.02701887	-179	Complete
FX (USD); H6 / W2880	ACI-F	0.005	10578.48	-0.003849057	-0.004830189	-32	Complete
FX (USD); H6 / W2880	ACI-QR	0.005	7950.172	-0.006415094	-0.00709434	-47	Complete
FX (USD); H24 / W720	ACI-F	0.001	133986.5	-0.0130566	-0.01584906	-105	Complete
FX (USD); H24 / W720	ACI-QR	0.001	-15262.67	-0.08015094	-0.08015094	-531	Complete
FX (USD); H24 / W2880	ACI-F	0.001	28060.01	-0.002641509	-0.005132075	-34	Complete
FX (USD); H24 / W2880	ACI-QR	0.001	21287.63	-0.0245283	-0.03577358	-237	Complete
Treasury bill (USD m); H6 / W52	ACI-F	0.001	1039.35	0.004693141	0.02527076	7	Complete
Treasury bill (USD m); H6 / W52	ACI-QR	0.05	-1605.697	-0.198556	-0.198556	-55	Complete
Treasury bill (USD m); H6 / W260	ACI-F	0.005	34.24747	-0.02635379	-0.07581227	-21	Complete
Treasury bill (USD m); H6 / W260	ACI-QR	0.005	-1146.514	-0.1166065	-0.1732852	-48	Complete
Treasury bill (USD m); H24 / W52	ACI-F	0.05	652.4078	0.01805054	0.01805054	5	Complete
Treasury bill (USD m); H24 / W52	ACI-QR	0.01	-5915.042	-0.3068592	-0.3068592	-85	Complete
Treasury bill (USD m); H24 / W260	ACI-F	NA	NA	NA	NA	NA	NA: initial calibration 16 < 19
Treasury bill (USD m); H24 / W260	ACI-QR	NA	NA	NA	NA	NA	NA: initial calibration 0 < 19

Table S47. Selected QR minus matched frozen F, before and after the complete ACI procedures. These paired score/coverage changes retain the procedure-level tuning distinction.

Context	Base loss delta	Wrapped loss delta	Base abs-dist delta	Wrapped abs-dist delta	Base hit delta	Wrapped hit delta	Status
FX (USD); H6 / W720	-9368.957	-33004.86	0.03003774	0.00309434	199	21	Complete
FX (USD); H6 / W2880	-66848.1	-69476.41	0.002415094	-0.0001509434	16	1	Complete
FX (USD); H24 / W720	248067.1	98818.01	0.07501887	0.007924528	497	71	Complete
FX (USD); H24 / W2880	-28686.11	-35458.48	0.02626415	0.004377358	174	-29	Complete
Treasury bill (USD m); H6 / W52	2316.466	-328.5809	0.2429603	0.03971119	73	11	Complete
Treasury bill (USD m); H6 / W260	1401.008	220.2468	0.09386282	0.003610108	26	-1	Complete
Treasury bill (USD m); H24 / W52	8449.881	1882.431	0.3574007	0.03249097	99	9	Complete
Treasury bill (USD m); H24 / W260	2724.453	NA	0.2465704	NA	72	NA	NA: wrapped pair unavailable from initial calibration

Table S48. All SAV refit inventories; analytic constant fits have a distinct status rather than fictitious numerical convergence.

Context	Refits	Analytic constant	Converged numeric	Status
FX (USD); H6 / W720	277	0	277	Complete
FX (USD); H6 / W2880	277	0	277	Complete
FX (USD); H24 / W720	277	0	277	Complete
FX (USD); H24 / W2880	277	0	277	Complete
Treasury bill (USD m); H6 / W52	22	0	22	Complete
Treasury bill (USD m); H6 / W260	22	0	22	Complete
Treasury bill (USD m); H24 / W52	22	0	22	Complete
Treasury bill (USD m); H24 / W260	22	0	22	Complete

Table S49. Archived operational summaries for every unwrapped control. Conditional mean overrun is NA when its own breach denominator is zero.

Context	Control	Mean report	Mean extra	Mean overrun	Conditional overrun (n)	Mean unused	Conditional status
FX (USD); H6 / W720	Frozen F	2.264514e+07	7413401	167398.9	3340415 (n=332)	5671726	Defined
FX (USD); H6 / W720	Selected QR	2.17286e+07	6496863	203856.8	2543412 (n=531)	4791646	Defined
FX (USD); H6 / W2880	Frozen F	2.248123e+07	7249489	185672.2	3416885 (n=360)	5526087	Defined
FX (USD); H6 / W2880	Selected QR	2.173525e+07	6503511	156123	2750838 (n=376)	4750560	Defined
FX (USD); H24 / W720	Frozen F	3.046685e+07	1.52351e+07	269388.2	4179617 (n=427)	1.062994e+07	Defined
FX (USD); H24 / W720	Selected QR	2.756543e+07	1.233368e+07	662526.3	4750256 (n=924)	8121656	Defined
FX (USD); H24 / W2880	Frozen F	3.051567e+07	1.528393e+07	242912.4	4507829 (n=357)	1.065229e+07	Defined
FX (USD); H24 / W2880	Selected QR	2.844663e+07	1.321489e+07	317678.1	3963498 (n=531)	8658017	Defined
Treasury bill (USD m); H6 / W52	Frozen F	119894	63634.43	665.1913	16750.73 (n=11)	42942.44	Defined
Treasury bill (USD m); H6 / W52	Selected QR	92265.34	36005.77	4363.09	14387.81 (n=84)	19011.68	Defined
Treasury bill (USD m); H6 / W260	Frozen F	104877.3	48617.71	1395.639	13806.86 (n=28)	28656.17	Defined
Treasury bill (USD m); H6 / W260	Selected QR	98172.98	41913.41	3131.862	16065.29 (n=54)	23688.09	Defined
Treasury bill (USD m); H24 / W52	Frozen F	132389.9	76130.3	1839.455	15440.27 (n=33)	39364.22	Defined
Treasury bill (USD m); H24 / W52	Selected QR	92672.15	36412.58	12275.22	25759.37 (n=132)	10082.27	Defined
Treasury bill (USD m); H24 / W260	Frozen F	138334.3	82074.69	306.8484	7083.083 (n=12)	43776.01	Defined
Treasury bill (USD m); H24 / W260	Selected QR	117218.6	60959.06	4087.083	13477.64 (n=84)	26440.61	Defined

Table S50. Full WP2 fixed ranking family. Direction is new procedure minus the named control; all NA slots remain in the family.

Context	New minus named control	Mean delta	n / L	DM raw p	HLN p	Holm p	Status; book p
FX (USD); H6 / W720	ACI-F minus Frozen F	30062.51	6625/10	0.002448895	0.00247886	0.1150981	OK; book= 0.002448895
FX (USD); H6 / W720	ACI-F minus Selected QR	39431.46	6625/10	0.0141547	0.01426071	0.6369617	OK; book= 0.0141547
FX (USD); H6 / W720	ACI-QR minus Frozen F	-2942.353	6625/10	0.8454742	0.8456069	1	OK; book= 0.8454742
FX (USD); H6 / W720	ACI-QR minus Selected QR	6426.604	6625/10	0.4424275	0.4428338	1	OK; book= 0.4424275
FX (USD); H6 / W720	Headroom SAV minus Frozen F	6622.108	6625/10	0.1331053	0.1334754	1	OK; book= 0.1331053
FX (USD); H6 / W720	Headroom SAV minus Selected QR	15991.07	6625/10	0.2819981	0.282437	1	OK; book= 0.2819981
FX (USD); H6 / W2880	ACI-F minus Frozen F	10578.48	6625/10	0.3309505	0.3313876	1	OK; book= 0.3309505
FX (USD); H6 / W2880	ACI-F minus Selected QR	77426.58	6625/10	3.325628e-10	3.656562e-10	1.862352e-08	OK; book= 3.325628e-10
FX (USD); H6 / W2880	ACI-QR minus Frozen F	-58897.93	6625/10	0.0003753902	0.0003822749	0.0191449	OK; book= 0.0003753902
FX (USD); H6 / W2880	ACI-QR minus Selected QR	7950.172	6625/10	0.3956592	0.3960822	1	OK; book= 0.3956592
FX (USD); H6 / W2880	Headroom SAV minus Frozen F	4003.238	6625/10	0.06498551	0.06525317	1	OK; book= 0.06498551
FX (USD); H6 / W2880	Headroom SAV minus Selected QR	70851.34	6625/10	5.132127e-10	5.624568e-10	2.82267e-08	OK; book= 5.132127e-10
FX (USD); H24 / W720	ACI-F minus Frozen F	133986.5	6625/24	0.002083996	0.002170367	0.1000318	OK; book= 0.002083996
FX (USD); H24 / W720	ACI-F minus Selected QR	-114080.7	6625/24	0.2445392	0.2462584	1	OK; book= 0.2445392
FX (USD); H24 / W720	ACI-QR minus Frozen F	232804.5	6625/24	1.499865e-07	1.710316e-07	8.099268e-06	OK; book= 1.499865e-07
FX (USD); H24 / W720	ACI-QR minus Selected QR	-15262.67	6625/24	0.8490044	0.8495394	1	OK; book= 0.8490044
FX (USD); H24 / W720	Headroom SAV minus Frozen F	-5829.259	6625/24	0.8254429	0.826059	1	OK; book= 0.8254429
FX (USD); H24 / W720	Headroom SAV minus Selected QR	-253896.4	6625/24	0.001458364	0.001523179	0.0729182	OK; book= 0.001458364
FX (USD); H24 / W2880	ACI-F minus Frozen F	28060.01	6625/24	0.4801835	0.481767	1	OK; book= 0.4801835
FX (USD); H24 / W2880	ACI-F minus Selected QR	56746.11	6625/24	0.3888391	0.3905548	1	OK; book= 0.3888391
FX (USD); H24 / W2880	ACI-QR minus Frozen F	-7398.474	6625/24	0.8899762	0.8903682	1	OK; book= 0.8899762
FX (USD); H24 / W2880	ACI-QR minus Selected QR	21287.63	6625/24	0.4535288	0.4551587	1	OK; book= 0.4535288
FX (USD); H24 / W2880	Headroom SAV minus Frozen F	-6570.18	6625/24	0.7654244	0.7662416	1	OK; book= 0.7654244
FX (USD); H24 / W2880	Headroom SAV minus Selected QR	22115.93	6625/24	0.6721841	0.6732932	1	OK; book= 0.6721841
Treasury bill (USD m); H6 / W52	ACI-F minus Frozen F	1039.35	277/6	2.700552e-06	6.467755e-06	0.0001404287	OK; book= 2.700552e-06
Treasury bill (USD m); H6 / W52	ACI-F minus Selected QR	-1277.116	277/6	0.07936311	0.08663425	1	OK; book= 0.07936311

Context	New minus named control	Mean delta	n / L	DM raw p	HLN p	Holm p	Status; book p
Treasury bill (USD m); H6 / W52	ACI-QR minus Frozen F	710.7688	277/6	0.008740228	0.01069539	0.4020505	OK; book= 0.008740228
Treasury bill (USD m); H6 / W52	ACI-QR minus Selected QR	-1605.697	277/6	0.022138	0.02571928	0.929796	OK; book= 0.022138
Treasury bill (USD m); H6 / W52	Headroom SAV minus Frozen F	195.27	277/6	0.2535002	0.2640219	1	OK; book= 0.2535002
Treasury bill (USD m); H6 / W52	Headroom SAV minus Selected QR	-2121.196	277/6	0.00157487	0.002150941	0.07716863	OK; book= 0.00157487
Treasury bill (USD m); H6 / W260	ACI-F minus Frozen F	34.24747	277/6	0.9345168	0.9358727	1	OK; book= 0.9345168
Treasury bill (USD m); H6 / W260	ACI-F minus Selected QR	-1366.76	277/6	0.05436716	0.06038599	1	OK; book= 0.05436716
Treasury bill (USD m); H6 / W260	ACI-QR minus Frozen F	254.4943	277/6	0.5597934	0.5680793	1	OK; book= 0.5597934
Treasury bill (USD m); H6 / W260	ACI-QR minus Selected QR	-1146.514	277/6	0.1198851	0.1285605	1	OK; book= 0.1198851
Treasury bill (USD m); H6 / W260	Headroom SAV minus Frozen F	133.5655	277/6	0.1627061	0.1723289	1	OK; book= 0.1627061
Treasury bill (USD m); H6 / W260	Headroom SAV minus Selected QR	-1267.442	277/6	0.01746972	0.0205555	0.7511979	OK; book= 0.01746972
Treasury bill (USD m); H24 / W52	ACI-F minus Frozen F	652.4078	277/24	0.5415296	0.5768146	1	OK; book= 0.5415296
Treasury bill (USD m); H24 / W52	ACI-F minus Selected QR	-7797.473	277/24	0.0604088	0.08682923	1	OK; book= 0.0604088
Treasury bill (USD m); H24 / W52	ACI-QR minus Frozen F	2534.839	277/24	0.01572427	0.02790165	0.6918677	OK; book= 0.01572427
Treasury bill (USD m); H24 / W52	ACI-QR minus Selected QR	-5915.042	277/24	0.09086373	0.1229108	1	OK; book= 0.09086373
Treasury bill (USD m); H24 / W52	Headroom SAV minus Frozen F	466.7044	277/24	0.05354541	0.07838138	1	OK; book= 0.05354541
Treasury bill (USD m); H24 / W52	Headroom SAV minus Selected QR	-7983.177	277/24	0.02651328	0.04327622	1	OK; book= 0.02651328
Treasury bill (USD m); H24 / W260	ACI-F minus Frozen F	NA	NA/NA	NA	NA	1	ACI-F NA: initial calibration 16 < 19; book= 1
Treasury bill (USD m); H24 / W260	ACI-F minus Selected QR	NA	NA/NA	NA	NA	1	ACI-F NA: initial calibration 16 < 19; book= 1
Treasury bill (USD m); H24 / W260	ACI-QR minus Frozen F	NA	NA/NA	NA	NA	1	ACI-QR NA: initial calibration 0 < 19; book= 1
Treasury bill (USD m); H24 / W260	ACI-QR minus Selected QR	NA	NA/NA	NA	NA	1	ACI-QR NA: initial calibration 0 < 19; book= 1
Treasury bill (USD m); H24 / W260	Headroom SAV minus Frozen F	620.6605	277/24	0.2281207	0.2710034	1	OK; book= 0.2281207

Context	New minus named control	Mean delta	n / L	DM raw p	HLN p	Holm p	Status; book p
Treasury bill (USD m); H24 / W260	Headroom SAV minus Selected QR	-2103.793	277/24	0.2036001	0.2456315	1	OK; book= 0.2036001
FX (USD); H6 / W720	ACI-QR minus ACI-F	-33004.86	6625/10	0.02578881	0.02594557	1	OK; book= 0.02578881
FX (USD); H6 / W2880	ACI-QR minus ACI-F	-69476.41	6625/10	3.457943e-07	3.633677e-07	1.83271e-05	OK; book= 3.457943e-07
FX (USD); H24 / W720	ACI-QR minus ACI-F	98818.01	6625/24	0.03001333	0.03063711	1	OK; book= 0.03001333
FX (USD); H24 / W2880	ACI-QR minus ACI-F	-35458.48	6625/24	0.5013154	0.502858	1	OK; book= 0.5013154
Treasury bill (USD m); H6 / W52	ACI-QR minus ACI-F	-328.5809	277/6	0.2863304	0.2969215	1	OK; book= 0.2863304
Treasury bill (USD m); H6 / W260	ACI-QR minus ACI-F	220.2468	277/6	0.167379	0.1770805	1	OK; book= 0.167379
Treasury bill (USD m); H24 / W52	ACI-QR minus ACI-F	1882.431	277/24	0.3437633	0.387005	1	OK; book= 0.3437633
Treasury bill (USD m); H24 / W260	ACI-QR minus ACI-F	NA	NA/NA	NA	NA	1	ACI-QR NA: initial calibration 0 < 19; ACI-F NA: initial calibration 16 < 19; book= 1

Fixed report combinations. The arithmetic mean uses matched frozen F and original selected QR; the median additionally requires original selected plain KNN at the same source, horizon, window, issue origins and refit convention. No weight or constituent is selected on outcomes. In the added panel, plain KNN was not run: the median is NA rather than replaced by C2_QR4 or Levy_L. Combining reports preserves the common floor but does not guarantee a conditional quantile, calibration or loss below the best constituent. Where KNN equals F, the median is algebraically F, and an identical-loss raw p stays NA. The quantile elementary-score decomposition of Ehm et al. (2016) supplies the Murphy-diagram comparison: exact signs at every unique breakpoint determine sample dominance or crossing before any display curve is drawn.

Table S51. Descriptive combination counts over the complete context inventory; lower means strictly lower observed mean loss.

Combination	Total	Complete	NA	Lower than both	Lower than F	Lower than QR	Exactly F
mean(F,QR)	56	56	0	14	16	54	0
median(F,QR,KNN)	56	8	48	3	5	6	2

Table S52. Every WP3 combination method record at τ=.95, including all unavailable added-panel medians.

Task (unit)	H / W	Procedure	Mean loss	n	Hits	Rate	Status / reason
FX (USD)	H6 / W720	mean(F,QR)	412017.4	6625	338	0.05101887	Complete
FX (USD)	H6 / W720	median(F,QR,KNN)	421333.2	6625	325	0.0490566	Complete
FX (USD)	H6 / W2880	mean(F,QR)	404645.2	6625	330	0.04981132	Complete
FX (USD)	H6 / W2880	median(F,QR,KNN)	402130.2	6625	327	0.04935849	Complete
FX (USD)	H24 / W720	mean(F,QR)	830720.1	6625	533	0.08045283	Complete
FX (USD)	H24 / W720	median(F,QR,KNN)	826782	6625	514	0.07758491	Complete
FX (USD)	H24 / W2880	mean(F,QR)	695112.9	6625	345	0.05207547	Complete
FX (USD)	H24 / W2880	median(F,QR,KNN)	734798.2	6625	416	0.06279245	Complete
Treasury bill (USD m)	H6 / W52	mean(F,QR)	2691.473	277	26	0.09386282	Complete
Treasury bill (USD m)	H6 / W52	median(F,QR,KNN)	2779.054	277	11	0.03971119	Complete; EXACTLY_F
Treasury bill (USD m)	H6 / W260	mean(F,QR)	2835.165	277	40	0.1444043	Complete
Treasury bill (USD m)	H6 / W260	median(F,QR,KNN)	2648.835	277	28	0.101083	Complete
Treasury bill (USD m)	H24 / W52	mean(F,QR)	4416.726	277	54	0.1949458	Complete
Treasury bill (USD m)	H24 / W52	median(F,QR,KNN)	3715.693	277	33	0.1191336	Complete; EXACTLY_F
Treasury bill (USD m)	H24 / W260	mean(F,QR)	2348.263	277	28	0.101083	Complete
Treasury bill (USD m)	H24 / W260	median(F,QR,KNN)	2194.793	277	14	0.05054152	Complete
Agency MBS (USD m)	H6 / W52	mean(F,QR)	1139.215	277	38	0.1371841	Complete
Agency MBS (USD m)	H6 / W52	median(F,QR,KNN)	NA	NA	NA	NA	NA: plain KNN was not run; no substitute
Agency MBS (USD m)	H6 / W260	mean(F,QR)	938.0885	277	20	0.07220217	Complete
Agency MBS (USD m)	H6 / W260	median(F,QR,KNN)	NA	NA	NA	NA	NA: plain KNN was not run; no substitute
Agency MBS (USD m)	H24 / W52	mean(F,QR)	2488.729	277	87	0.3140794	Complete
Agency MBS (USD m)	H24 / W52	median(F,QR,KNN)	NA	NA	NA	NA	NA: plain KNN was not run; no substitute
Agency MBS (USD m)	H24 / W260	mean(F,QR)	1724.978	277	28	0.101083	Complete
Agency MBS (USD m)	H24 / W260	median(F,QR,KNN)	NA	NA	NA	NA	NA: plain KNN was not run; no substitute
Corporate (USD m)	H6 / W52	mean(F,QR)	567.8124	277	25	0.09025271	Complete
Corporate (USD m)	H6 / W52	median(F,QR,KNN)	NA	NA	NA	NA	NA: plain KNN was not run; no substitute
Corporate (USD m)	H6 / W260	mean(F,QR)	387.1091	277	8	0.02888087	Complete

Task (unit)	H / W	Procedure	Mean loss	n	Hits	Rate	Status / reason
Corporate (USD m)	H6 / W260	median(F,QR,KNN)	NA	NA	NA	NA	NA: plain KNN was not run; no substitute
Corporate (USD m)	H24 / W52	mean(F,QR)	623.4402	277	24	0.0866426	Complete
Corporate (USD m)	H24 / W52	median(F,QR,KNN)	NA	NA	NA	NA	NA: plain KNN was not run; no substitute
Corporate (USD m)	H24 / W260	mean(F,QR)	639.2007	277	3	0.01083032	Complete
Corporate (USD m)	H24 / W260	median(F,QR,KNN)	NA	NA	NA	NA	NA: plain KNN was not run; no substitute
Agency/GSE (USD m)	H6 / W52	mean(F,QR)	425.6846	277	39	0.1407942	Complete
Agency/GSE (USD m)	H6 / W52	median(F,QR,KNN)	NA	NA	NA	NA	NA: plain KNN was not run; no substitute
Agency/GSE (USD m)	H6 / W260	mean(F,QR)	339.3314	277	5	0.01805054	Complete
Agency/GSE (USD m)	H6 / W260	median(F,QR,KNN)	NA	NA	NA	NA	NA: plain KNN was not run; no substitute
Agency/GSE (USD m)	H24 / W52	mean(F,QR)	691.7641	277	41	0.1480144	Complete
Agency/GSE (USD m)	H24 / W52	median(F,QR,KNN)	NA	NA	NA	NA	NA: plain KNN was not run; no substitute
Agency/GSE (USD m)	H24 / W260	mean(F,QR)	367.7731	277	14	0.05054152	Complete
Agency/GSE (USD m)	H24 / W260	median(F,QR,KNN)	NA	NA	NA	NA	NA: plain KNN was not run; no substitute
TIPS <=2y (USD m)	H6 / W52	mean(F,QR)	378.8285	277	62	0.2238267	Complete
TIPS <=2y (USD m)	H6 / W52	median(F,QR,KNN)	NA	NA	NA	NA	NA: plain KNN was not run; no substitute
TIPS <=2y (USD m)	H6 / W260	mean(F,QR)	300.118	277	28	0.101083	Complete
TIPS <=2y (USD m)	H6 / W260	median(F,QR,KNN)	NA	NA	NA	NA	NA: plain KNN was not run; no substitute
TIPS <=2y (USD m)	H24 / W52	mean(F,QR)	1037.15	277	98	0.3537906	Complete
TIPS <=2y (USD m)	H24 / W52	median(F,QR,KNN)	NA	NA	NA	NA	NA: plain KNN was not run; no substitute
TIPS <=2y (USD m)	H24 / W260	mean(F,QR)	871.6443	277	91	0.3285199	Complete
TIPS <=2y (USD m)	H24 / W260	median(F,QR,KNN)	NA	NA	NA	NA	NA: plain KNN was not run; no substitute
TIPS >11y (USD m)	H6 / W52	mean(F,QR)	53.36805	277	40	0.1444043	Complete
TIPS >11y (USD m)	H6 / W52	median(F,QR,KNN)	NA	NA	NA	NA	NA: plain KNN was not run; no substitute
TIPS >11y (USD m)	H6 / W260	mean(F,QR)	51.32391	277	17	0.06137184	Complete

Task (unit)	H / W	Procedure	Mean loss	n	Hits	Rate	Status / reason
TIPS >11y (USD m)	H6 / W260	median(F,QR,KNN)	NA	NA	NA	NA	NA: plain KNN was not run; no substitute
TIPS >11y (USD m)	H24 / W52	mean(F,QR)	139.5744	277	91	0.3285199	Complete
TIPS >11y (USD m)	H24 / W52	median(F,QR,KNN)	NA	NA	NA	NA	NA: plain KNN was not run; no substitute
TIPS >11y (USD m)	H24 / W260	mean(F,QR)	69.02441	277	24	0.0866426	Complete
TIPS >11y (USD m)	H24 / W260	median(F,QR,KNN)	NA	NA	NA	NA	NA: plain KNN was not run; no substitute
TIPS >2y (USD m)	H6 / W52	mean(F,QR)	224.5085	277	48	0.1732852	Complete
TIPS >2y (USD m)	H6 / W52	median(F,QR,KNN)	NA	NA	NA	NA	NA: plain KNN was not run; no substitute
TIPS >2y (USD m)	H6 / W260	mean(F,QR)	218.2479	277	27	0.09747292	Complete
TIPS >2y (USD m)	H6 / W260	median(F,QR,KNN)	NA	NA	NA	NA	NA: plain KNN was not run; no substitute
TIPS >2y (USD m)	H24 / W52	mean(F,QR)	623.6261	277	59	0.2129964	Complete
TIPS >2y (USD m)	H24 / W52	median(F,QR,KNN)	NA	NA	NA	NA	NA: plain KNN was not run; no substitute
TIPS >2y (USD m)	H24 / W260	mean(F,QR)	349.608	277	38	0.1371841	Complete
TIPS >2y (USD m)	H24 / W260	median(F,QR,KNN)	NA	NA	NA	NA	NA: plain KNN was not run; no substitute
TIPS 6-11y (USD m)	H6 / W52	mean(F,QR)	119.5263	277	21	0.07581227	Complete
TIPS 6-11y (USD m)	H6 / W52	median(F,QR,KNN)	NA	NA	NA	NA	NA: plain KNN was not run; no substitute
TIPS 6-11y (USD m)	H6 / W260	mean(F,QR)	107.397	277	6	0.02166065	Complete
TIPS 6-11y (USD m)	H6 / W260	median(F,QR,KNN)	NA	NA	NA	NA	NA: plain KNN was not run; no substitute
TIPS 6-11y (USD m)	H24 / W52	mean(F,QR)	127.0409	277	18	0.06498195	Complete
TIPS 6-11y (USD m)	H24 / W52	median(F,QR,KNN)	NA	NA	NA	NA	NA: plain KNN was not run; no substitute
TIPS 6-11y (USD m)	H24 / W260	mean(F,QR)	115.5331	277	1	0.003610108	Complete
TIPS 6-11y (USD m)	H24 / W260	median(F,QR,KNN)	NA	NA	NA	NA	NA: plain KNN was not run; no substitute
Coupons <=2y (USD m)	H6 / W52	mean(F,QR)	1570.525	277	53	0.1913357	Complete
Coupons <=2y (USD m)	H6 / W52	median(F,QR,KNN)	NA	NA	NA	NA	NA: plain KNN was not run; no substitute
Coupons <=2y (USD m)	H6 / W260	mean(F,QR)	1450.786	277	27	0.09747292	Complete

Task (unit)	H / W	Procedure	Mean loss	n	Hits	Rate	Status / reason
Coupons <=2y (USD m)	H6 / W260	median(F,QR,KNN)	NA	NA	NA	NA	NA: plain KNN was not run; no substitute
Coupons <=2y (USD m)	H24 / W52	mean(F,QR)	4112.88	277	87	0.3140794	Complete
Coupons <=2y (USD m)	H24 / W52	median(F,QR,KNN)	NA	NA	NA	NA	NA: plain KNN was not run; no substitute
Coupons <=2y (USD m)	H24 / W260	mean(F,QR)	3102.014	277	41	0.1480144	Complete
Coupons <=2y (USD m)	H24 / W260	median(F,QR,KNN)	NA	NA	NA	NA	NA: plain KNN was not run; no substitute
Coupons 2-3y (USD m)	H6 / W52	mean(F,QR)	1045.68	277	46	0.166065	Complete
Coupons 2-3y (USD m)	H6 / W52	median(F,QR,KNN)	NA	NA	NA	NA	NA: plain KNN was not run; no substitute
Coupons 2-3y (USD m)	H6 / W260	mean(F,QR)	1041.698	277	32	0.1155235	Complete
Coupons 2-3y (USD m)	H6 / W260	median(F,QR,KNN)	NA	NA	NA	NA	NA: plain KNN was not run; no substitute
Coupons 2-3y (USD m)	H24 / W52	mean(F,QR)	2834.087	277	93	0.3357401	Complete
Coupons 2-3y (USD m)	H24 / W52	median(F,QR,KNN)	NA	NA	NA	NA	NA: plain KNN was not run; no substitute
Coupons 2-3y (USD m)	H24 / W260	mean(F,QR)	2731.608	277	55	0.198556	Complete
Coupons 2-3y (USD m)	H24 / W260	median(F,QR,KNN)	NA	NA	NA	NA	NA: plain KNN was not run; no substitute
Coupons 3-6y (USD m)	H6 / W52	mean(F,QR)	726.9817	277	31	0.1119134	Complete
Coupons 3-6y (USD m)	H6 / W52	median(F,QR,KNN)	NA	NA	NA	NA	NA: plain KNN was not run; no substitute
Coupons 3-6y (USD m)	H6 / W260	mean(F,QR)	686.8576	277	16	0.05776173	Complete
Coupons 3-6y (USD m)	H6 / W260	median(F,QR,KNN)	NA	NA	NA	NA	NA: plain KNN was not run; no substitute
Coupons 3-6y (USD m)	H24 / W52	mean(F,QR)	2530.532	277	96	0.3465704	Complete
Coupons 3-6y (USD m)	H24 / W52	median(F,QR,KNN)	NA	NA	NA	NA	NA: plain KNN was not run; no substitute
Coupons 3-6y (USD m)	H24 / W260	mean(F,QR)	907.8884	277	22	0.07942238	Complete
Coupons 3-6y (USD m)	H24 / W260	median(F,QR,KNN)	NA	NA	NA	NA	NA: plain KNN was not run; no substitute
Coupons 6-7y (USD m)	H6 / W52	mean(F,QR)	659.2893	277	48	0.1732852	Complete
Coupons 6-7y (USD m)	H6 / W52	median(F,QR,KNN)	NA	NA	NA	NA	NA: plain KNN was not run; no substitute
Coupons 6-7y (USD m)	H6 / W260	mean(F,QR)	610.9555	277	24	0.0866426	Complete

Task (unit)	H / W	Procedure	Mean loss	n	Hits	Rate	Status / reason
Coupons 6-7y (USD m)	H6 / W260	median(F,QR,KNN)	NA	NA	NA	NA	NA: plain KNN was not run; no substitute
Coupons 6-7y (USD m)	H24 / W52	mean(F,QR)	1212.146	277	85	0.3068592	Complete
Coupons 6-7y (USD m)	H24 / W52	median(F,QR,KNN)	NA	NA	NA	NA	NA: plain KNN was not run; no substitute
Coupons 6-7y (USD m)	H24 / W260	mean(F,QR)	969.4743	277	41	0.1480144	Complete
Coupons 6-7y (USD m)	H24 / W260	median(F,QR,KNN)	NA	NA	NA	NA	NA: plain KNN was not run; no substitute
Coupons 7-11y (USD m)	H6 / W52	mean(F,QR)	681.999	277	40	0.1444043	Complete
Coupons 7-11y (USD m)	H6 / W52	median(F,QR,KNN)	NA	NA	NA	NA	NA: plain KNN was not run; no substitute
Coupons 7-11y (USD m)	H6 / W260	mean(F,QR)	479.0899	277	27	0.09747292	Complete
Coupons 7-11y (USD m)	H6 / W260	median(F,QR,KNN)	NA	NA	NA	NA	NA: plain KNN was not run; no substitute
Coupons 7-11y (USD m)	H24 / W52	mean(F,QR)	1999.805	277	54	0.1949458	Complete
Coupons 7-11y (USD m)	H24 / W52	median(F,QR,KNN)	NA	NA	NA	NA	NA: plain KNN was not run; no substitute
Coupons 7-11y (USD m)	H24 / W260	mean(F,QR)	1631.536	277	59	0.2129964	Complete
Coupons 7-11y (USD m)	H24 / W260	median(F,QR,KNN)	NA	NA	NA	NA	NA: plain KNN was not run; no substitute

Table S53. Every matched F/QR constituent control used by the combinations; units remain source specific.

Task (unit)	H / W	Procedure	Mean loss	n	Hits	Rate	Status / reason
FX (USD)	H6 / W720	Matched frozen F	442615.3	6625	332	0.05011321	Complete
FX (USD)	H6 / W720	Selected QR	433246.3	6625	531	0.08015094	Complete
FX (USD)	H6 / W2880	Matched frozen F	452693	6625	360	0.05433962	Complete
FX (USD)	H6 / W2880	Selected QR	385844.9	6625	376	0.05675472	Complete
FX (USD)	H24 / W720	Matched frozen F	787415.6	6625	427	0.06445283	Complete
FX (USD)	H24 / W720	Selected QR	1035483	6625	924	0.1394717	Complete
FX (USD)	H24 / W2880	Matched frozen F	763381.2	6625	357	0.05388679	Complete
FX (USD)	H24 / W2880	Selected QR	734695.1	6625	531	0.08015094	Complete
Treasury bill (USD m)	H6 / W52	Matched frozen F	2779.054	277	11	0.03971119	Complete
Treasury bill (USD m)	H6 / W52	Selected QR	5095.519	277	84	0.3032491	Complete
Treasury bill (USD m)	H6 / W260	Matched frozen F	2758.665	277	28	0.101083	Complete
Treasury bill (USD m)	H6 / W260	Selected QR	4159.673	277	54	0.1949458	Complete
Treasury bill (USD m)	H24 / W52	Matched frozen F	3715.693	277	33	0.1191336	Complete
Treasury bill (USD m)	H24 / W52	Selected QR	12165.57	277	132	0.4765343	Complete
Treasury bill (USD m)	H24 / W260	Matched frozen F	2480.306	277	12	0.0433213	Complete
Treasury bill (USD m)	H24 / W260	Selected QR	5204.76	277	84	0.3032491	Complete
Agency MBS (USD m)	H6 / W52	Matched frozen F	921.7274	277	21	0.07581227	Complete
Agency MBS (USD m)	H6 / W52	Selected QR	2497.634	277	101	0.3646209	Complete
Agency MBS (USD m)	H6 / W260	Matched frozen F	945.6209	277	26	0.09386282	Complete
Agency MBS (USD m)	H6 / W260	Selected QR	1015.211	277	19	0.06859206	Complete
Agency MBS (USD m)	H24 / W52	Matched frozen F	1753.747	277	39	0.1407942	Complete
Agency MBS (USD m)	H24 / W52	Selected QR	5533.899	277	145	0.5234657	Complete
Agency MBS (USD m)	H24 / W260	Matched frozen F	1611.903	277	25	0.09025271	Complete
Agency MBS (USD m)	H24 / W260	Selected QR	2043.766	277	29	0.1046931	Complete
Corporate (USD m)	H6 / W52	Matched frozen F	530.3455	277	16	0.05776173	Complete
Corporate (USD m)	H6 / W52	Selected QR	810.0902	277	48	0.1732852	Complete
Corporate (USD m)	H6 / W260	Matched frozen F	399.6877	277	6	0.02166065	Complete
Corporate (USD m)	H6 / W260	Selected QR	407.2898	277	15	0.05415162	Complete
Corporate (USD m)	H24 / W52	Matched frozen F	579.3995	277	16	0.05776173	Complete
Corporate (USD m)	H24 / W52	Selected QR	1006.882	277	63	0.2274368	Complete
Corporate (USD m)	H24 / W260	Matched frozen F	569.8684	277	6	0.02166065	Complete

Task (unit)	H / W	Procedure	Mean loss	n	Hits	Rate	Status / reason
Corporate (USD m)	H24 / W260	Selected QR	726.3453	277	3	0.01083032	Complete
Agency/GSE (USD m)	H6 / W52	Matched frozen F	400.6509	277	16	0.05776173	Complete
Agency/GSE (USD m)	H6 / W52	Selected QR	830.2214	277	77	0.2779783	Complete
Agency/GSE (USD m)	H6 / W260	Matched frozen F	358.2736	277	6	0.02166065	Complete
Agency/GSE (USD m)	H6 / W260	Selected QR	354.401	277	14	0.05054152	Complete
Agency/GSE (USD m)	H24 / W52	Matched frozen F	476.2271	277	36	0.1299639	Complete
Agency/GSE (USD m)	H24 / W52	Selected QR	1089.011	277	64	0.2310469	Complete
Agency/GSE (USD m)	H24 / W260	Matched frozen F	354.0309	277	9	0.03249097	Complete
Agency/GSE (USD m)	H24 / W260	Selected QR	460.3082	277	21	0.07581227	Complete
TIPS <=2y (USD m)	H6 / W52	Matched frozen F	287.3137	277	26	0.09386282	Complete
TIPS <=2y (USD m)	H6 / W52	Selected QR	911.3099	277	125	0.4512635	Complete
TIPS <=2y (USD m)	H6 / W260	Matched frozen F	269.337	277	24	0.0866426	Complete
TIPS <=2y (USD m)	H6 / W260	Selected QR	447.8587	277	45	0.1624549	Complete
TIPS <=2y (USD m)	H24 / W52	Matched frozen F	641.0096	277	48	0.1732852	Complete
TIPS <=2y (USD m)	H24 / W52	Selected QR	2611.21	277	181	0.6534296	Complete
TIPS <=2y (USD m)	H24 / W260	Matched frozen F	532.2193	277	47	0.1696751	Complete
TIPS <=2y (USD m)	H24 / W260	Selected QR	1739.856	277	147	0.5306859	Complete
TIPS >11y (USD m)	H6 / W52	Matched frozen F	42.32148	277	23	0.08303249	Complete
TIPS >11y (USD m)	H6 / W52	Selected QR	125.5675	277	118	0.4259928	Complete
TIPS >11y (USD m)	H6 / W260	Matched frozen F	41.76173	277	14	0.05054152	Complete
TIPS >11y (USD m)	H6 / W260	Selected QR	79.47488	277	38	0.1371841	Complete
TIPS >11y (USD m)	H24 / W52	Matched frozen F	80.84765	277	61	0.2202166	Complete
TIPS >11y (USD m)	H24 / W52	Selected QR	257.65	277	123	0.4440433	Complete
TIPS >11y (USD m)	H24 / W260	Matched frozen F	51.2083	277	9	0.03249097	Complete
TIPS >11y (USD m)	H24 / W260	Selected QR	101.6946	277	33	0.1191336	Complete
TIPS >2y (USD m)	H6 / W52	Matched frozen F	181.2755	277	16	0.05776173	Complete
TIPS >2y (USD m)	H6 / W52	Selected QR	559.4354	277	96	0.3465704	Complete
TIPS >2y (USD m)	H6 / W260	Matched frozen F	179.3924	277	19	0.06859206	Complete
TIPS >2y (USD m)	H6 / W260	Selected QR	293.2468	277	36	0.1299639	Complete

Task (unit)	H / W	Procedure	Mean loss	n	Hits	Rate	Status / reason
TIPS >2y (USD m)	H24 / W52	Matched frozen F	377.865	277	31	0.1119134	Complete
TIPS >2y (USD m)	H24 / W52	Selected QR	1427.62	277	131	0.4729242	Complete
TIPS >2y (USD m)	H24 / W260	Matched frozen F	285.957	277	23	0.08303249	Complete
TIPS >2y (USD m)	H24 / W260	Selected QR	598.5874	277	66	0.2382671	Complete
TIPS 6-11y (USD m)	H6 / W52	Matched frozen F	133.6018	277	9	0.03249097	Complete
TIPS 6-11y (USD m)	H6 / W52	Selected QR	212.8332	277	73	0.2635379	Complete
TIPS 6-11y (USD m)	H6 / W260	Matched frozen F	114.9072	277	4	0.01444043	Complete
TIPS 6-11y (USD m)	H6 / W260	Selected QR	108.3382	277	14	0.05054152	Complete
TIPS 6-11y (USD m)	H24 / W52	Matched frozen F	146.9805	277	10	0.03610108	Complete
TIPS 6-11y (USD m)	H24 / W52	Selected QR	259.3959	277	92	0.33213	Complete
TIPS 6-11y (USD m)	H24 / W260	Matched frozen F	133.824	277	2	0.007220217	Complete
TIPS 6-11y (USD m)	H24 / W260	Selected QR	98.46234	277	1	0.003610108	Complete
Coupons <=2y (USD m)	H6 / W52	Matched frozen F	1232.885	277	15	0.05415162	Complete
Coupons <=2y (USD m)	H6 / W52	Selected QR	3894.715	277	129	0.465704	Complete
Coupons <=2y (USD m)	H6 / W260	Matched frozen F	1247.402	277	15	0.05415162	Complete
Coupons <=2y (USD m)	H6 / W260	Selected QR	2050.757	277	40	0.1444043	Complete
Coupons <=2y (USD m)	H24 / W52	Matched frozen F	2270.825	277	46	0.166065	Complete
Coupons <=2y (USD m)	H24 / W52	Selected QR	8550.837	277	165	0.5956679	Complete
Coupons <=2y (USD m)	H24 / W260	Matched frozen F	2918.666	277	33	0.1191336	Complete
Coupons <=2y (USD m)	H24 / W260	Selected QR	4132.868	277	55	0.198556	Complete
Coupons 2-3y (USD m)	H6 / W52	Matched frozen F	792.4269	277	24	0.0866426	Complete
Coupons 2-3y (USD m)	H6 / W52	Selected QR	1752.435	277	93	0.3357401	Complete
Coupons 2-3y (USD m)	H6 / W260	Matched frozen F	1004.029	277	28	0.101083	Complete
Coupons 2-3y (USD m)	H6 / W260	Selected QR	1217.959	277	44	0.1588448	Complete
Coupons 2-3y (USD m)	H24 / W52	Matched frozen F	2101.907	277	47	0.1696751	Complete
Coupons 2-3y (USD m)	H24 / W52	Selected QR	4476.048	277	135	0.4873646	Complete
Coupons 2-3y (USD m)	H24 / W260	Matched frozen F	2676.99	277	55	0.198556	Complete
Coupons 2-3y (USD m)	H24 / W260	Selected QR	2987.573	277	64	0.2310469	Complete
Coupons 3-6y (USD m)	H6 / W52	Matched frozen F	764.9404	277	12	0.0433213	Complete

Task (unit)	H / W	Procedure	Mean loss	n	Hits	Rate	Status / reason
Coupons 3-6y (USD m)	H6 / W52	Selected QR	1435.069	277	82	0.2960289	Complete
Coupons 3-6y (USD m)	H6 / W260	Matched frozen F	699.1392	277	20	0.07220217	Complete
Coupons 3-6y (USD m)	H6 / W260	Selected QR	704.6454	277	15	0.05415162	Complete
Coupons 3-6y (USD m)	H24 / W52	Matched frozen F	977.3879	277	38	0.1371841	Complete
Coupons 3-6y (USD m)	H24 / W52	Selected QR	6297.674	277	137	0.4945848	Complete
Coupons 3-6y (USD m)	H24 / W260	Matched frozen F	931.0069	277	20	0.07220217	Complete
Coupons 3-6y (USD m)	H24 / W260	Selected QR	1075.474	277	37	0.133574	Complete
Coupons 6-7y (USD m)	H6 / W52	Matched frozen F	542.3166	277	16	0.05776173	Complete
Coupons 6-7y (USD m)	H6 / W52	Selected QR	1917.948	277	142	0.5126354	Complete
Coupons 6-7y (USD m)	H6 / W260	Matched frozen F	564.8791	277	20	0.07220217	Complete
Coupons 6-7y (USD m)	H6 / W260	Selected QR	743.4181	277	42	0.1516245	Complete
Coupons 6-7y (USD m)	H24 / W52	Matched frozen F	993.4067	277	43	0.1552347	Complete
Coupons 6-7y (USD m)	H24 / W52	Selected QR	3623.924	277	217	0.7833935	Complete
Coupons 6-7y (USD m)	H24 / W260	Matched frozen F	699.0049	277	22	0.07942238	Complete
Coupons 6-7y (USD m)	H24 / W260	Selected QR	1722.448	277	77	0.2779783	Complete
Coupons 7-11y (USD m)	H6 / W52	Matched frozen F	505.7247	277	25	0.09025271	Complete
Coupons 7-11y (USD m)	H6 / W52	Selected QR	1393.89	277	83	0.299639	Complete
Coupons 7-11y (USD m)	H6 / W260	Matched frozen F	506.1709	277	25	0.09025271	Complete
Coupons 7-11y (USD m)	H6 / W260	Selected QR	548.4047	277	31	0.1119134	Complete
Coupons 7-11y (USD m)	H24 / W52	Matched frozen F	1653.909	277	36	0.1299639	Complete
Coupons 7-11y (USD m)	H24 / W52	Selected QR	3224.303	277	105	0.3790614	Complete
Coupons 7-11y (USD m)	H24 / W260	Matched frozen F	1002.932	277	32	0.1155235	Complete
Coupons 7-11y (USD m)	H24 / W260	Selected QR	3309.312	277	94	0.3393502	Complete

Table S54. All combination percentage loss changes versus their own matched constituents; denominators are the named constituent losses at the same target level. NA medians retain both unavailable changes.

Context	Combination	Mean loss	Percent vs F	Percent vs QR	Status
FX (USD); H6 / W720	mean(F,QR)	412017.4	-6.912968	-4.899959	Complete
FX (USD); H6 / W720	median(F,QR,KNN)	421333.2	-4.808253	-2.74973	Complete
FX (USD); H6 / W2880	mean(F,QR)	404645.2	-10.61377	4.872505	Complete
FX (USD); H6 / W2880	median(F,QR,KNN)	402130.2	-11.16933	4.220688	Complete
FX (USD); H24 / W720	mean(F,QR)	830720.1	5.499573	-19.77461	Complete
FX (USD); H24 / W720	median(F,QR,KNN)	826782	4.999445	-20.15492	Complete
FX (USD); H24 / W2880	mean(F,QR)	695112.9	-8.942877	-5.38756	Complete
FX (USD); H24 / W2880	median(F,QR,KNN)	734798.2	-3.744262	0.01403567	Complete
Treasury bill (USD m); H6 / W52	mean(F,QR)	2691.473	-3.151446	-47.17961	Complete
Treasury bill (USD m); H6 / W52	median(F,QR,KNN)	2779.054	0	-45.46084	Complete; EXACTLY_F
Treasury bill (USD m); H6 / W260	mean(F,QR)	2835.165	2.773055	-31.84165	Complete
Treasury bill (USD m); H6 / W260	median(F,QR,KNN)	2648.835	-3.981298	-36.32109	Complete
Treasury bill (USD m); H24 / W52	mean(F,QR)	4416.726	18.86681	-63.69488	Complete
Treasury bill (USD m); H24 / W52	median(F,QR,KNN)	3715.693	0	-69.45731	Complete; EXACTLY_F
Treasury bill (USD m); H24 / W260	mean(F,QR)	2348.263	-5.323688	-54.8824	Complete
Treasury bill (USD m); H24 / W260	median(F,QR,KNN)	2194.793	-11.51121	-57.83104	Complete
Agency MBS (USD m); H6 / W52	mean(F,QR)	1139.215	23.59567	-54.38822	Complete
Agency MBS (USD m); H6 / W52	median(F,QR,KNN)	NA	NA	NA	NA: plain KNN was not run; no substitute
Agency MBS (USD m); H6 / W260	mean(F,QR)	938.0885	-0.7965588	-7.596697	Complete
Agency MBS (USD m); H6 / W260	median(F,QR,KNN)	NA	NA	NA	NA: plain KNN was not run; no substitute
Agency MBS (USD m); H24 / W52	mean(F,QR)	2488.729	41.9092	-55.02757	Complete
Agency MBS (USD m); H24 / W52	median(F,QR,KNN)	NA	NA	NA	NA: plain KNN was not run; no substitute
Agency MBS (USD m); H24 / W260	mean(F,QR)	1724.978	7.014982	-15.59809	Complete
Agency MBS (USD m); H24 / W260	median(F,QR,KNN)	NA	NA	NA	NA: plain KNN was not run; no substitute
Corporate (USD m); H6 / W52	mean(F,QR)	567.8124	7.064618	-29.90751	Complete
Corporate (USD m); H6 / W52	median(F,QR,KNN)	NA	NA	NA	NA: plain KNN was not run; no substitute
Corporate (USD m); H6 / W260	mean(F,QR)	387.1091	-3.147105	-4.954876	Complete
Corporate (USD m); H6 / W260	median(F,QR,KNN)	NA	NA	NA	NA: plain KNN was not run; no substitute
Corporate (USD m); H24 / W52	mean(F,QR)	623.4402	7.601109	-38.08211	Complete
Corporate (USD m); H24 / W52	median(F,QR,KNN)	NA	NA	NA	NA: plain KNN was not run; no substitute

Context	Combination	Mean loss	Percent vs F	Percent vs QR	Status
Corporate (USD m); H24 / W260	mean(F,QR)	639.2007	12.16637	-11.99768	Complete
Corporate (USD m); H24 / W260	median(F,QR,KNN)	NA	NA	NA	NA: plain KNN was not run; no substitute
Agency/GSE (USD m); H6 / W52	mean(F,QR)	425.6846	6.248266	-48.72637	Complete
Agency/GSE (USD m); H6 / W52	median(F,QR,KNN)	NA	NA	NA	NA: plain KNN was not run; no substitute
Agency/GSE (USD m); H6 / W260	mean(F,QR)	339.3314	-5.287091	-4.252126	Complete
Agency/GSE (USD m); H6 / W260	median(F,QR,KNN)	NA	NA	NA	NA: plain KNN was not run; no substitute
Agency/GSE (USD m); H24 / W52	mean(F,QR)	691.7641	45.25929	-36.47779	Complete
Agency/GSE (USD m); H24 / W52	median(F,QR,KNN)	NA	NA	NA	NA: plain KNN was not run; no substitute
Agency/GSE (USD m); H24 / W260	mean(F,QR)	367.7731	3.881635	-20.10286	Complete
Agency/GSE (USD m); H24 / W260	median(F,QR,KNN)	NA	NA	NA	NA: plain KNN was not run; no substitute
TIPS <=2y (USD m); H6 / W52	mean(F,QR)	378.8285	31.85185	-58.43034	Complete
TIPS <=2y (USD m); H6 / W52	median(F,QR,KNN)	NA	NA	NA	NA: plain KNN was not run; no substitute
TIPS <=2y (USD m); H6 / W260	mean(F,QR)	300.118	11.42843	-32.98824	Complete
TIPS <=2y (USD m); H6 / W260	median(F,QR,KNN)	NA	NA	NA	NA: plain KNN was not run; no substitute
TIPS <=2y (USD m); H24 / W52	mean(F,QR)	1037.15	61.7994	-60.28088	Complete
TIPS <=2y (USD m); H24 / W52	median(F,QR,KNN)	NA	NA	NA	NA: plain KNN was not run; no substitute
TIPS <=2y (USD m); H24 / W260	mean(F,QR)	871.6443	63.77539	-49.90135	Complete
TIPS <=2y (USD m); H24 / W260	median(F,QR,KNN)	NA	NA	NA	NA: plain KNN was not run; no substitute
TIPS >11y (USD m); H6 / W52	mean(F,QR)	53.36805	26.10156	-57.49852	Complete
TIPS >11y (USD m); H6 / W52	median(F,QR,KNN)	NA	NA	NA	NA: plain KNN was not run; no substitute
TIPS >11y (USD m); H6 / W260	mean(F,QR)	51.32391	22.89699	-35.42122	Complete
TIPS >11y (USD m); H6 / W260	median(F,QR,KNN)	NA	NA	NA	NA: plain KNN was not run; no substitute
TIPS >11y (USD m); H24 / W52	mean(F,QR)	139.5744	72.63876	-45.82792	Complete
TIPS >11y (USD m); H24 / W52	median(F,QR,KNN)	NA	NA	NA	NA: plain KNN was not run; no substitute
TIPS >11y (USD m); H24 / W260	mean(F,QR)	69.02441	34.79145	-32.12578	Complete
TIPS >11y (USD m); H24 / W260	median(F,QR,KNN)	NA	NA	NA	NA: plain KNN was not run; no substitute
TIPS >2y (USD m); H6 / W52	mean(F,QR)	224.5085	23.84934	-59.86875	Complete
TIPS >2y (USD m); H6 / W52	median(F,QR,KNN)	NA	NA	NA	NA: plain KNN was not run; no substitute
TIPS >2y (USD m); H6 / W260	mean(F,QR)	218.2479	21.65951	-25.57535	Complete

Context	Combination	Mean loss	Percent vs F	Percent vs QR	Status
TIPS >2y (USD m); H6 / W260	median(F,QR,KNN)	NA	NA	NA	NA: plain KNN was not run; no substitute
TIPS >2y (USD m); H24 / W52	mean(F,QR)	623.6261	65.0394	-56.31707	Complete
TIPS >2y (USD m); H24 / W52	median(F,QR,KNN)	NA	NA	NA	NA: plain KNN was not run; no substitute
TIPS >2y (USD m); H24 / W260	mean(F,QR)	349.608	22.25893	-41.59449	Complete
TIPS >2y (USD m); H24 / W260	median(F,QR,KNN)	NA	NA	NA	NA: plain KNN was not run; no substitute
TIPS 6-11y (USD m); H6 / W52	mean(F,QR)	119.5263	-10.53544	-43.84041	Complete
TIPS 6-11y (USD m); H6 / W52	median(F,QR,KNN)	NA	NA	NA	NA: plain KNN was not run; no substitute
TIPS 6-11y (USD m); H6 / W260	mean(F,QR)	107.397	-6.535861	-0.8687269	Complete
TIPS 6-11y (USD m); H6 / W260	median(F,QR,KNN)	NA	NA	NA	NA: plain KNN was not run; no substitute
TIPS 6-11y (USD m); H24 / W52	mean(F,QR)	127.0409	-13.56617	-51.02432	Complete
TIPS 6-11y (USD m); H24 / W52	median(F,QR,KNN)	NA	NA	NA	NA: plain KNN was not run; no substitute
TIPS 6-11y (USD m); H24 / W260	mean(F,QR)	115.5331	-13.66791	17.33731	Complete
TIPS 6-11y (USD m); H24 / W260	median(F,QR,KNN)	NA	NA	NA	NA: plain KNN was not run; no substitute
Coupons <=2y (USD m); H6 / W52	mean(F,QR)	1570.525	27.38621	-59.67548	Complete
Coupons <=2y (USD m); H6 / W52	median(F,QR,KNN)	NA	NA	NA	NA: plain KNN was not run; no substitute
Coupons <=2y (USD m); H6 / W260	mean(F,QR)	1450.786	16.30463	-29.25605	Complete
Coupons <=2y (USD m); H6 / W260	median(F,QR,KNN)	NA	NA	NA	NA: plain KNN was not run; no substitute
Coupons <=2y (USD m); H24 / W52	mean(F,QR)	4112.88	81.1183	-51.90084	Complete
Coupons <=2y (USD m); H24 / W52	median(F,QR,KNN)	NA	NA	NA	NA: plain KNN was not run; no substitute
Coupons <=2y (USD m); H24 / W260	mean(F,QR)	3102.014	6.281896	-24.94282	Complete
Coupons <=2y (USD m); H24 / W260	median(F,QR,KNN)	NA	NA	NA	NA: plain KNN was not run; no substitute
Coupons 2-3y (USD m); H6 / W52	mean(F,QR)	1045.68	31.95911	-40.32993	Complete
Coupons 2-3y (USD m); H6 / W52	median(F,QR,KNN)	NA	NA	NA	NA: plain KNN was not run; no substitute
Coupons 2-3y (USD m); H6 / W260	mean(F,QR)	1041.698	3.751825	-14.4718	Complete
Coupons 2-3y (USD m); H6 / W260	median(F,QR,KNN)	NA	NA	NA	NA: plain KNN was not run; no substitute
Coupons 2-3y (USD m); H24 / W52	mean(F,QR)	2834.087	34.83408	-36.68329	Complete
Coupons 2-3y (USD m); H24 / W52	median(F,QR,KNN)	NA	NA	NA	NA: plain KNN was not run; no substitute
Coupons 2-3y (USD m); H24 / W260	mean(F,QR)	2731.608	2.040257	-8.567687	Complete
Coupons 2-3y (USD m); H24 / W260	median(F,QR,KNN)	NA	NA	NA	NA: plain KNN was not run; no substitute

Context	Combination	Mean loss	Percent vs F	Percent vs QR	Status
Coupons 3-6y (USD m); H6 / W52	mean(F,QR)	726.9817	-4.962311	-49.34169	Complete
Coupons 3-6y (USD m); H6 / W52	median(F,QR,KNN)	NA	NA	NA	NA: plain KNN was not run; no substitute
Coupons 3-6y (USD m); H6 / W260	mean(F,QR)	686.8576	-1.756667	-2.524364	Complete
Coupons 3-6y (USD m); H6 / W260	median(F,QR,KNN)	NA	NA	NA	NA: plain KNN was not run; no substitute
Coupons 3-6y (USD m); H24 / W52	mean(F,QR)	2530.532	158.9077	-59.81799	Complete
Coupons 3-6y (USD m); H24 / W52	median(F,QR,KNN)	NA	NA	NA	NA: plain KNN was not run; no substitute
Coupons 3-6y (USD m); H24 / W260	mean(F,QR)	907.8884	-2.483164	-15.58246	Complete
Coupons 3-6y (USD m); H24 / W260	median(F,QR,KNN)	NA	NA	NA	NA: plain KNN was not run; no substitute
Coupons 6-7y (USD m); H6 / W52	mean(F,QR)	659.2893	21.56909	-65.62527	Complete
Coupons 6-7y (USD m); H6 / W52	median(F,QR,KNN)	NA	NA	NA	NA: plain KNN was not run; no substitute
Coupons 6-7y (USD m); H6 / W260	mean(F,QR)	610.9555	8.156861	-17.81806	Complete
Coupons 6-7y (USD m); H6 / W260	median(F,QR,KNN)	NA	NA	NA	NA: plain KNN was not run; no substitute
Coupons 6-7y (USD m); H24 / W52	mean(F,QR)	1212.146	22.01907	-66.55157	Complete
Coupons 6-7y (USD m); H24 / W52	median(F,QR,KNN)	NA	NA	NA	NA: plain KNN was not run; no substitute
Coupons 6-7y (USD m); H24 / W260	mean(F,QR)	969.4743	38.6935	-43.71533	Complete
Coupons 6-7y (USD m); H24 / W260	median(F,QR,KNN)	NA	NA	NA	NA: plain KNN was not run; no substitute
Coupons 7-11y (USD m); H6 / W52	mean(F,QR)	681.999	34.85578	-51.07226	Complete
Coupons 7-11y (USD m); H6 / W52	median(F,QR,KNN)	NA	NA	NA	NA: plain KNN was not run; no substitute
Coupons 7-11y (USD m); H6 / W260	mean(F,QR)	479.0899	-5.350168	-12.63934	Complete
Coupons 7-11y (USD m); H6 / W260	median(F,QR,KNN)	NA	NA	NA	NA: plain KNN was not run; no substitute
Coupons 7-11y (USD m); H24 / W52	mean(F,QR)	1999.805	20.91388	-37.97713	Complete
Coupons 7-11y (USD m); H24 / W52	median(F,QR,KNN)	NA	NA	NA	NA: plain KNN was not run; no substitute
Coupons 7-11y (USD m); H24 / W260	mean(F,QR)	1631.536	62.6766	-50.69862	Complete
Coupons 7-11y (USD m); H24 / W260	median(F,QR,KNN)	NA	NA	NA	NA: plain KNN was not run; no substitute

Table S55. Complete combination and constituent full-sample UC, fixed-grid UC and transition-conditional CC. Absent transition rows and boundary references retain their status.

Context	Procedure	Full UC status / p	Grid n/hits/rate	Grid UC status / p	CC pairs	CC status / p	Boundary / NA
FX (USD); H6 / W720	mean(F,QR)	OK; p=0.7044693	947 / 48 / 0.05068638	OK; p=0.9229597	946	OK; p=0.9501064	0/0
FX (USD); H6 / W720	median(F,QR,KNN)	OK; p=0.7238032	947 / 45 / 0.04751848	OK; p=0.7239457	946	OK; p=0.7939378	0/0
FX (USD); H6 / W2880	mean(F,QR)	OK; p=0.9437905	947 / 48 / 0.05068638	OK; p=0.9229597	946	OK; p=0.6180028	0/0
FX (USD); H6 / W2880	median(F,QR,KNN)	OK; p=0.8102781	947 / 45 / 0.04751848	OK; p=0.7239457	946	OK; p=0.4560727	0/0
FX (USD); H24 / W720	mean(F,QR)	OK; p=9.4197e-26	265 / 20 / 0.0754717	OK; p=0.07583343	264	OK; p=0.1007351	0/0
FX (USD); H24 / W720	median(F,QR,KNN)	OK; p=1.110146e-21	265 / 17 / 0.06415094	OK; p=0.3102819	264	OK; p=0.4130375	0/0
FX (USD); H24 / W2880	mean(F,QR)	OK; p=0.4412309	265 / 12 / 0.04528302	OK; p=0.7204995	264	OK; p=0.2464457	0/0
FX (USD); H24 / W2880	median(F,QR,KNN)	OK; p=4.168273e-06	265 / 16 / 0.06037736	OK; p=0.4522258	264	OK; p=0.4557799	0/0
Treasury bill (USD m); H6 / W52	mean(F,QR)	OK; p=0.002670401	40 / 4 / 0.1	OK; p=0.1986411	39	Boundary reference; p=0.2618999	1/0
Treasury bill (USD m); H6 / W52	median(F,QR,KNN)	OK; p=0.4157926	40 / 2 / 0.05	OK; p=1	39	Boundary reference; p=0.8968827	1/0
Treasury bill (USD m); H6 / W260	mean(F,QR)	OK; p=2.91959e-09	40 / 7 / 0.175	OK; p=0.004126046	39	Boundary reference; p=0.003023836	1/0
Treasury bill (USD m); H6 / W260	median(F,QR,KNN)	OK; p=0.0005630403	40 / 5 / 0.125	OK; p=0.06495026	39	Boundary reference; p=0.08004677	1/0
Treasury bill (USD m); H24 / W52	mean(F,QR)	OK; p=1.220586e-17	12 / 3 / 0.25	OK; p=0.02011796	11	Boundary reference; p=0.0164894	1/0
Treasury bill (USD m); H24 / W52	median(F,QR,KNN)	OK; p=6.180887e-06	12 / 5 / 0.4166667	OK; p=0.0001497944	11	OK; p=0.0004254004	0/0
Treasury bill (USD m); H24 / W260	mean(F,QR)	OK; p=0.0005630403	12 / 2 / 0.1666667	OK; p=0.1384299	11	Boundary reference; p=0.1853057	1/0
Treasury bill (USD m); H24 / W260	median(F,QR,KNN)	OK; p=0.9670708	12 / 2 / 0.1666667	OK; p=0.1384299	11	Boundary reference; p=0.1853057	1/0
Agency MBS (USD m); H6 / W52	mean(F,QR)	OK; p=3.020549e-08	40 / 7 / 0.175	OK; p=0.004126046	39	OK; p=0.0135928	0/0
Agency MBS (USD m); H6 / W52	median(F,QR,KNN)	NA: plain KNN was not run; no substitute; p=NA	NA / NA / NA	NA: plain KNN was not run; no substitute; p=NA	NA	NA: plain KNN was not run; no substitute; p=NA	NA/NA
Agency MBS (USD m); H6 / W260	mean(F,QR)	OK; p=0.110802	40 / 3 / 0.075	OK; p=0.4979324	39	OK; p=0.3011691	0/0
Agency MBS (USD m); H6 / W260	median(F,QR,KNN)	NA: plain KNN was not run; no substitute; p=NA	NA / NA / NA	NA: plain KNN was not run; no substitute; p=NA	NA	NA: plain KNN was not run; no substitute; p=NA	NA/NA
Agency MBS (USD m); H24 / W52	mean(F,QR)	OK; p=1.574192e-44	12 / 3 / 0.25	OK; p=0.02011796	11	OK; p=0.05032167	0/0
Agency MBS (USD m); H24 / W52	median(F,QR,KNN)	NA: plain KNN was not run; no substitute; p=NA	NA / NA / NA	NA: plain KNN was not run; no substitute; p=NA	NA	NA: plain KNN was not run; no substitute; p=NA	NA/NA

Context	Procedure	Full UC status / p	Grid n/hits/rate	Grid UC status / p	CC pairs	CC status / p	Boundary / NA
Agency MBS (USD m); H24 / W260	mean(F,QR)	OK; p=0.0005630403	12 / 1 / 0.08333333	OK; p=0.6272172	11	Boundary reference; p=0.7727223	1/0
Agency MBS (USD m); H24 / W260	median(F,QR,KNN)	NA: plain KNN was not run; no substitute; p=NA	NA / NA / NA	NA: plain KNN was not run; no substitute; p=NA	NA	NA: plain KNN was not run; no substitute; p=NA	NA/NA
Corporate (USD m); H6 / W52	mean(F,QR)	OK; p=0.005495267	40 / 5 / 0.125	OK; p=0.06495026	39	OK; p=0.1306947	0/0
Corporate (USD m); H6 / W52	median(F,QR,KNN)	NA: plain KNN was not run; no substitute; p=NA	NA / NA / NA	NA: plain KNN was not run; no substitute; p=NA	NA	NA: plain KNN was not run; no substitute; p=NA	NA/NA
Corporate (USD m); H6 / W260	mean(F,QR)	OK; p=0.08085669	40 / 2 / 0.05	OK; p=1	39	Boundary reference; p=0.9474146	1/0
Corporate (USD m); H6 / W260	median(F,QR,KNN)	NA: plain KNN was not run; no substitute; p=NA	NA / NA / NA	NA: plain KNN was not run; no substitute; p=NA	NA	NA: plain KNN was not run; no substitute; p=NA	NA/NA
Corporate (USD m); H24 / W52	mean(F,QR)	OK; p=0.01087565	12 / 1 / 0.08333333	OK; p=0.6272172	11	NA: absent transition row; p=NA	1/1
Corporate (USD m); H24 / W52	median(F,QR,KNN)	NA: plain KNN was not run; no substitute; p=NA	NA / NA / NA	NA: plain KNN was not run; no substitute; p=NA	NA	NA: plain KNN was not run; no substitute; p=NA	NA/NA
Corporate (USD m); H24 / W260	mean(F,QR)	OK; p=0.0003176574	12 / 1 / 0.08333333	OK; p=0.6272172	11	NA: absent transition row; p=NA	1/1
Corporate (USD m); H24 / W260	median(F,QR,KNN)	NA: plain KNN was not run; no substitute; p=NA	NA / NA / NA	NA: plain KNN was not run; no substitute; p=NA	NA	NA: plain KNN was not run; no substitute; p=NA	NA/NA
Agency/GSE (USD m); H6 / W52	mean(F,QR)	OK; p=9.525902e-09	40 / 5 / 0.125	OK; p=0.06495026	39	OK; p=0.04032606	0/0
Agency/GSE (USD m); H6 / W52	median(F,QR,KNN)	NA: plain KNN was not run; no substitute; p=NA	NA / NA / NA	NA: plain KNN was not run; no substitute; p=NA	NA	NA: plain KNN was not run; no substitute; p=NA	NA/NA
Agency/GSE (USD m); H6 / W260	mean(F,QR)	OK; p=0.005207651	40 / 1 / 0.025	OK; p=0.4237856	39	Boundary reference; p=0.725738	1/0
Agency/GSE (USD m); H6 / W260	median(F,QR,KNN)	NA: plain KNN was not run; no substitute; p=NA	NA / NA / NA	NA: plain KNN was not run; no substitute; p=NA	NA	NA: plain KNN was not run; no substitute; p=NA	NA/NA
Agency/GSE (USD m); H24 / W52	mean(F,QR)	OK; p=8.700917e-10	12 / 2 / 0.1666667	OK; p=0.1384299	11	Boundary reference; p=0.0406696	1/0
Agency/GSE (USD m); H24 / W52	median(F,QR,KNN)	NA: plain KNN was not run; no substitute; p=NA	NA / NA / NA	NA: plain KNN was not run; no substitute; p=NA	NA	NA: plain KNN was not run; no substitute; p=NA	NA/NA
Agency/GSE (USD m); H24 / W260	mean(F,QR)	OK; p=0.9670708	12 / 1 / 0.08333333	OK; p=0.6272172	11	NA: absent transition row; p=NA	1/1
Agency/GSE (USD m); H24 / W260	median(F,QR,KNN)	NA: plain KNN was not run; no substitute; p=NA	NA / NA / NA	NA: plain KNN was not run; no substitute; p=NA	NA	NA: plain KNN was not run; no substitute; p=NA	NA/NA
TIPS <=2y (USD m); H6 / W52	mean(F,QR)	OK; p=2.57623e-23	40 / 9 / 0.225	OK; p=0.0001439101	39	OK; p=0.0003479523	0/0
TIPS <=2y (USD m); H6 / W52	median(F,QR,KNN)	NA: plain KNN was not run; no substitute; p=NA	NA / NA / NA	NA: plain KNN was not run; no substitute; p=NA	NA	NA: plain KNN was not run; no substitute; p=NA	NA/NA
TIPS <=2y (USD m); H6 / W260	mean(F,QR)	OK; p=0.0005630403	40 / 5 / 0.125	OK; p=0.06495026	39	Boundary reference; p=0.08004677	1/0

Context	Procedure	Full UC status / p	Grid n/hits/rate	Grid UC status / p	CC pairs	CC status / p	Boundary / NA
TIPS <=2y (USD m); H6 / W260	median(F,QR,KNN)	NA: plain KNN was not run; no substitute; p=NA	NA / NA / NA	NA: plain KNN was not run; no substitute; p=NA	NA	NA: plain KNN was not run; no substitute; p=NA	NA/NA
TIPS <=2y (USD m); H24 / W52	mean(F,QR)	OK; p=2.414045e-55	12 / 3 / 0.25	OK; p=0.02011796	11	OK; p=0.05032167	0/0
TIPS <=2y (USD m); H24 / W52	median(F,QR,KNN)	NA: plain KNN was not run; no substitute; p=NA	NA / NA / NA	NA: plain KNN was not run; no substitute; p=NA	NA	NA: plain KNN was not run; no substitute; p=NA	NA/NA
TIPS <=2y (USD m); H24 / W260	mean(F,QR)	OK; p=2.305471e-48	12 / 3 / 0.25	OK; p=0.02011796	11	Boundary reference; p=0.0164894	1/0
TIPS <=2y (USD m); H24 / W260	median(F,QR,KNN)	NA: plain KNN was not run; no substitute; p=NA	NA / NA / NA	NA: plain KNN was not run; no substitute; p=NA	NA	NA: plain KNN was not run; no substitute; p=NA	NA/NA
TIPS >11y (USD m); H6 / W52	mean(F,QR)	OK; p=2.91959e-09	40 / 9 / 0.225	OK; p=0.0001439101	39	OK; p=0.0004265892	0/0
TIPS >11y (USD m); H6 / W52	median(F,QR,KNN)	NA: plain KNN was not run; no substitute; p=NA	NA / NA / NA	NA: plain KNN was not run; no substitute; p=NA	NA	NA: plain KNN was not run; no substitute; p=NA	NA/NA
TIPS >11y (USD m); H6 / W260	mean(F,QR)	OK; p=0.4009705	40 / 3 / 0.075	OK; p=0.4979324	39	OK; p=0.3011691	0/0
TIPS >11y (USD m); H6 / W260	median(F,QR,KNN)	NA: plain KNN was not run; no substitute; p=NA	NA / NA / NA	NA: plain KNN was not run; no substitute; p=NA	NA	NA: plain KNN was not run; no substitute; p=NA	NA/NA
TIPS >11y (USD m); H24 / W52	mean(F,QR)	OK; p=2.305471e-48	12 / 2 / 0.1666667	OK; p=0.1384299	11	Boundary reference; p=0.1853057	1/0
TIPS >11y (USD m); H24 / W52	median(F,QR,KNN)	NA: plain KNN was not run; no substitute; p=NA	NA / NA / NA	NA: plain KNN was not run; no substitute; p=NA	NA	NA: plain KNN was not run; no substitute; p=NA	NA/NA
TIPS >11y (USD m); H24 / W260	mean(F,QR)	OK; p=0.01087565	12 / 1 / 0.08333333	OK; p=0.6272172	11	Boundary reference; p=0.7727223	1/0
TIPS >11y (USD m); H24 / W260	median(F,QR,KNN)	NA: plain KNN was not run; no substitute; p=NA	NA / NA / NA	NA: plain KNN was not run; no substitute; p=NA	NA	NA: plain KNN was not run; no substitute; p=NA	NA/NA
TIPS >2y (USD m); H6 / W52	mean(F,QR)	OK; p=8.628938e-14	40 / 7 / 0.175	OK; p=0.004126046	39	OK; p=0.01051597	0/0
TIPS >2y (USD m); H6 / W52	median(F,QR,KNN)	NA: plain KNN was not run; no substitute; p=NA	NA / NA / NA	NA: plain KNN was not run; no substitute; p=NA	NA	NA: plain KNN was not run; no substitute; p=NA	NA/NA
TIPS >2y (USD m); H6 / W260	mean(F,QR)	OK; p=0.001249186	40 / 3 / 0.075	OK; p=0.4979324	39	Boundary reference; p=0.6019024	1/0
TIPS >2y (USD m); H6 / W260	median(F,QR,KNN)	NA: plain KNN was not run; no substitute; p=NA	NA / NA / NA	NA: plain KNN was not run; no substitute; p=NA	NA	NA: plain KNN was not run; no substitute; p=NA	NA/NA
TIPS >2y (USD m); H24 / W52	mean(F,QR)	OK; p=4.06179e-21	12 / 1 / 0.08333333	OK; p=0.6272172	11	Boundary reference; p=0.7727223	1/0
TIPS >2y (USD m); H24 / W52	median(F,QR,KNN)	NA: plain KNN was not run; no substitute; p=NA	NA / NA / NA	NA: plain KNN was not run; no substitute; p=NA	NA	NA: plain KNN was not run; no substitute; p=NA	NA/NA
TIPS >2y (USD m); H24 / W260	mean(F,QR)	OK; p=3.020549e-08	12 / 1 / 0.08333333	OK; p=0.6272172	11	Boundary reference; p=0.7727223	1/0
TIPS >2y (USD m); H24 / W260	median(F,QR,KNN)	NA: plain KNN was not run; no substitute; p=NA	NA / NA / NA	NA: plain KNN was not run; no substitute; p=NA	NA	NA: plain KNN was not run; no substitute; p=NA	NA/NA
TIPS 6-11y (USD m); H6 / W52	mean(F,QR)	OK; p=0.06607148	40 / 3 / 0.075	OK; p=0.4979324	39	OK; p=0.3011691	0/0

Context	Procedure	Full UC status / p	Grid n/hits/rate	Grid UC status / p	CC pairs	CC status / p	Boundary / NA
TIPS 6-11y (USD m); H6 / W52	median(F,QR,KNN)	NA: plain KNN was not run; no substitute; p=NA	NA / NA / NA	NA: plain KNN was not run; no substitute; p=NA	NA	NA: plain KNN was not run; no substitute; p=NA	NA/NA
TIPS 6-11y (USD m); H6 / W260	mean(F,QR)	OK; p=0.01519627	40 / 2 / 0.05	OK; p=1	39	Boundary reference; p=0.8968827	1/0
TIPS 6-11y (USD m); H6 / W260	median(F,QR,KNN)	NA: plain KNN was not run; no substitute; p=NA	NA / NA / NA	NA: plain KNN was not run; no substitute; p=NA	NA	NA: plain KNN was not run; no substitute; p=NA	NA/NA
TIPS 6-11y (USD m); H24 / W52	mean(F,QR)	OK; p=0.27314	12 / 0 / 0	Boundary reference; p=0.2672051	11	NA: absent transition row; p=NA	2/1
TIPS 6-11y (USD m); H24 / W52	median(F,QR,KNN)	NA: plain KNN was not run; no substitute; p=NA	NA / NA / NA	NA: plain KNN was not run; no substitute; p=NA	NA	NA: plain KNN was not run; no substitute; p=NA	NA/NA
TIPS 6-11y (USD m); H24 / W260	mean(F,QR)	OK; p=4.449048e-06	12 / 0 / 0	Boundary reference; p=0.2672051	11	NA: absent transition row; p=NA	2/1
TIPS 6-11y (USD m); H24 / W260	median(F,QR,KNN)	NA: plain KNN was not run; no substitute; p=NA	NA / NA / NA	NA: plain KNN was not run; no substitute; p=NA	NA	NA: plain KNN was not run; no substitute; p=NA	NA/NA
Coupons <=2y (USD m); H6 / W52	mean(F,QR)	OK; p=5.666831e-17	40 / 9 / 0.225	OK; p=0.0001439101	39	OK; p=0.0005903175	0/0
Coupons <=2y (USD m); H6 / W52	median(F,QR,KNN)	NA: plain KNN was not run; no substitute; p=NA	NA / NA / NA	NA: plain KNN was not run; no substitute; p=NA	NA	NA: plain KNN was not run; no substitute; p=NA	NA/NA
Coupons <=2y (USD m); H6 / W260	mean(F,QR)	OK; p=0.001249186	40 / 4 / 0.1	OK; p=0.1986411	39	OK; p=0.2749799	0/0
Coupons <=2y (USD m); H6 / W260	median(F,QR,KNN)	NA: plain KNN was not run; no substitute; p=NA	NA / NA / NA	NA: plain KNN was not run; no substitute; p=NA	NA	NA: plain KNN was not run; no substitute; p=NA	NA/NA
Coupons <=2y (USD m); H24 / W52	mean(F,QR)	OK; p=1.574192e-44	12 / 3 / 0.25	OK; p=0.02011796	11	OK; p=0.05032167	0/0
Coupons <=2y (USD m); H24 / W52	median(F,QR,KNN)	NA: plain KNN was not run; no substitute; p=NA	NA / NA / NA	NA: plain KNN was not run; no substitute; p=NA	NA	NA: plain KNN was not run; no substitute; p=NA	NA/NA
Coupons <=2y (USD m); H24 / W260	mean(F,QR)	OK; p=8.700917e-10	12 / 2 / 0.1666667	OK; p=0.1384299	11	Boundary reference; p=0.1853057	1/0
Coupons <=2y (USD m); H24 / W260	median(F,QR,KNN)	NA: plain KNN was not run; no substitute; p=NA	NA / NA / NA	NA: plain KNN was not run; no substitute; p=NA	NA	NA: plain KNN was not run; no substitute; p=NA	NA/NA
Coupons 2-3y (USD m); H6 / W52	mean(F,QR)	OK; p=1.366602e-12	40 / 7 / 0.175	OK; p=0.004126046	39	OK; p=0.05353101	0/0
Coupons 2-3y (USD m); H6 / W52	median(F,QR,KNN)	NA: plain KNN was not run; no substitute; p=NA	NA / NA / NA	NA: plain KNN was not run; no substitute; p=NA	NA	NA: plain KNN was not run; no substitute; p=NA	NA/NA
Coupons 2-3y (USD m); H6 / W260	mean(F,QR)	OK; p=1.630489e-05	40 / 4 / 0.1	OK; p=0.1986411	39	Boundary reference; p=0.2618999	1/0
Coupons 2-3y (USD m); H6 / W260	median(F,QR,KNN)	NA: plain KNN was not run; no substitute; p=NA	NA / NA / NA	NA: plain KNN was not run; no substitute; p=NA	NA	NA: plain KNN was not run; no substitute; p=NA	NA/NA
Coupons 2-3y (USD m); H24 / W52	mean(F,QR)	OK; p=2.530263e-50	12 / 5 / 0.4166667	OK; p=0.0001497944	11	OK; p=0.005754122	0/0
Coupons 2-3y (USD m); H24 / W52	median(F,QR,KNN)	NA: plain KNN was not run; no substitute; p=NA	NA / NA / NA	NA: plain KNN was not run; no substitute; p=NA	NA	NA: plain KNN was not run; no substitute; p=NA	NA/NA

Context	Procedure	Full UC status / p	Grid n/hits/rate	Grid UC status / p	CC pairs	CC status / p	Boundary / NA
Coupons 2-3y (USD m); H24 / W260	mean(F,QR)	OK; p=2.57059e-18	12 / 2 / 0.1666667	OK; p=0.1384299	11	OK; p=0.1455376	0/0
Coupons 2-3y (USD m); H24 / W260	median(F,QR,KNN)	NA: plain KNN was not run; no substitute; p=NA	NA / NA / NA	NA: plain KNN was not run; no substitute; p=NA	NA	NA: plain KNN was not run; no substitute; p=NA	NA/NA
Coupons 3-6y (USD m); H6 / W52	mean(F,QR)	OK; p=4.16138e-05	40 / 4 / 0.1	OK; p=0.1986411	39	Boundary reference; p=0.5510339	1/0
Coupons 3-6y (USD m); H6 / W52	median(F,QR,KNN)	NA: plain KNN was not run; no substitute; p=NA	NA / NA / NA	NA: plain KNN was not run; no substitute; p=NA	NA	NA: plain KNN was not run; no substitute; p=NA	NA/NA
Coupons 3-6y (USD m); H6 / W260	mean(F,QR)	OK; p=0.5625398	40 / 3 / 0.075	OK; p=0.4979324	39	Boundary reference; p=0.8477353	1/0
Coupons 3-6y (USD m); H6 / W260	median(F,QR,KNN)	NA: plain KNN was not run; no substitute; p=NA	NA / NA / NA	NA: plain KNN was not run; no substitute; p=NA	NA	NA: plain KNN was not run; no substitute; p=NA	NA/NA
Coupons 3-6y (USD m); H24 / W52	mean(F,QR)	OK; p=2.579645e-53	12 / 5 / 0.4166667	OK; p=0.0001497944	11	OK; p=0.005754122	0/0
Coupons 3-6y (USD m); H24 / W52	median(F,QR,KNN)	NA: plain KNN was not run; no substitute; p=NA	NA / NA / NA	NA: plain KNN was not run; no substitute; p=NA	NA	NA: plain KNN was not run; no substitute; p=NA	NA/NA
Coupons 3-6y (USD m); H24 / W260	mean(F,QR)	OK; p=0.03774719	12 / 1 / 0.08333333	OK; p=0.6272172	11	Boundary reference; p=0.7727223	1/0
Coupons 3-6y (USD m); H24 / W260	median(F,QR,KNN)	NA: plain KNN was not run; no substitute; p=NA	NA / NA / NA	NA: plain KNN was not run; no substitute; p=NA	NA	NA: plain KNN was not run; no substitute; p=NA	NA/NA
Coupons 6-7y (USD m); H6 / W52	mean(F,QR)	OK; p=8.628938e-14	40 / 6 / 0.15	OK; p=0.01775661	39	OK; p=0.05351082	0/0
Coupons 6-7y (USD m); H6 / W52	median(F,QR,KNN)	NA: plain KNN was not run; no substitute; p=NA	NA / NA / NA	NA: plain KNN was not run; no substitute; p=NA	NA	NA: plain KNN was not run; no substitute; p=NA	NA/NA
Coupons 6-7y (USD m); H6 / W260	mean(F,QR)	OK; p=0.01087565	40 / 4 / 0.1	OK; p=0.1986411	39	OK; p=0.2749799	0/0
Coupons 6-7y (USD m); H6 / W260	median(F,QR,KNN)	NA: plain KNN was not run; no substitute; p=NA	NA / NA / NA	NA: plain KNN was not run; no substitute; p=NA	NA	NA: plain KNN was not run; no substitute; p=NA	NA/NA
Coupons 6-7y (USD m); H24 / W52	mean(F,QR)	OK; p=1.1779e-42	12 / 3 / 0.25	OK; p=0.02011796	11	Boundary reference; p=0.0164894	1/0
Coupons 6-7y (USD m); H24 / W52	median(F,QR,KNN)	NA: plain KNN was not run; no substitute; p=NA	NA / NA / NA	NA: plain KNN was not run; no substitute; p=NA	NA	NA: plain KNN was not run; no substitute; p=NA	NA/NA
Coupons 6-7y (USD m); H24 / W260	mean(F,QR)	OK; p=8.700917e-10	12 / 2 / 0.1666667	OK; p=0.1384299	11	Boundary reference; p=0.1853057	1/0
Coupons 6-7y (USD m); H24 / W260	median(F,QR,KNN)	NA: plain KNN was not run; no substitute; p=NA	NA / NA / NA	NA: plain KNN was not run; no substitute; p=NA	NA	NA: plain KNN was not run; no substitute; p=NA	NA/NA
Coupons 7-11y (USD m); H6 / W52	mean(F,QR)	OK; p=2.91959e-09	40 / 5 / 0.125	OK; p=0.06495026	39	OK; p=0.003179089	0/0
Coupons 7-11y (USD m); H6 / W52	median(F,QR,KNN)	NA: plain KNN was not run; no substitute; p=NA	NA / NA / NA	NA: plain KNN was not run; no substitute; p=NA	NA	NA: plain KNN was not run; no substitute; p=NA	NA/NA
Coupons 7-11y (USD m); H6 / W260	mean(F,QR)	OK; p=0.001249186	40 / 3 / 0.075	OK; p=0.4979324	39	Boundary reference; p=0.6019024	1/0

Context	Procedure	Full UC status / p	Grid n/hits/rate	Grid UC status / p	CC pairs	CC status / p	Boundary / NA
Coupons 7-11y (USD m); H6 / W260	median(F,QR,KNN)	NA: plain KNN was not run; no substitute; p=NA	NA / NA / NA	NA: plain KNN was not run; no substitute; p=NA	NA	NA: plain KNN was not run; no substitute; p=NA	NA/NA
Coupons 7-11y (USD m); H24 / W52	mean(F,QR)	OK; p=1.220586e-17	12 / 3 / 0.25	OK; p=0.02011796	11	OK; p=0.01140345	0/0
Coupons 7-11y (USD m); H24 / W52	median(F,QR,KNN)	NA: plain KNN was not run; no substitute; p=NA	NA / NA / NA	NA: plain KNN was not run; no substitute; p=NA	NA	NA: plain KNN was not run; no substitute; p=NA	NA/NA
Coupons 7-11y (USD m); H24 / W260	mean(F,QR)	OK; p=4.06179e-21	12 / 3 / 0.25	OK; p=0.02011796	11	OK; p=0.01140345	0/0
Coupons 7-11y (USD m); H24 / W260	median(F,QR,KNN)	NA: plain KNN was not run; no substitute; p=NA	NA / NA / NA	NA: plain KNN was not run; no substitute; p=NA	NA	NA: plain KNN was not run; no substitute; p=NA	NA/NA
FX (USD); H6 / W720	Matched frozen F	OK; p=0.9662886	947 / 50 / 0.05279831	OK; p=0.6952769	946	OK; p=0.8997793	0/0
FX (USD); H6 / W720	Selected QR	OK; p=2.616166e-25	947 / 77 / 0.0813094	OK; p=4.691549e-05	946	OK; p=7.73763e-05	0/0
FX (USD); H6 / W2880	Matched frozen F	OK; p=0.109765	947 / 49 / 0.05174234	OK; p=0.8067032	946	OK; p=0.6458513	0/0
FX (USD); H6 / W2880	Selected QR	OK; p=0.01344803	947 / 50 / 0.05279831	OK; p=0.6952769	946	OK; p=0.636152	0/0
FX (USD); H24 / W720	Matched frozen F	OK; p=2.251917e-07	265 / 14 / 0.05283019	OK; p=0.8340205	264	OK; p=0.416438	0/0
FX (USD); H24 / W720	Selected QR	OK; p=5.104621e-169	265 / 33 / 0.1245283	OK; p=2.311211e-06	264	OK; p=6.043752e-07	0/0
FX (USD); H24 / W2880	Matched frozen F	OK; p=0.151483	265 / 13 / 0.0490566	OK; p=0.9436555	264	OK; p=0.3397861	0/0
FX (USD); H24 / W2880	Selected QR	OK; p=2.616166e-25	265 / 21 / 0.07924528	OK; p=0.04331382	264	OK; p=0.0289818	0/0
Treasury bill (USD m); H6 / W52	Matched frozen F	OK; p=0.4157926	40 / 2 / 0.05	OK; p=1	39	Boundary reference; p=0.8968827	1/0
Treasury bill (USD m); H6 / W52	Selected QR	OK; p=9.93587e-42	40 / 13 / 0.325	OK; p=3.872269e-08	39	OK; p=1.886938e-07	0/0
Treasury bill (USD m); H6 / W260	Matched frozen F	OK; p=0.0005630403	40 / 4 / 0.1	OK; p=0.1986411	39	Boundary reference; p=0.2618999	1/0
Treasury bill (USD m); H6 / W260	Selected QR	OK; p=1.220586e-17	40 / 7 / 0.175	OK; p=0.004126046	39	OK; p=0.0135928	0/0
Treasury bill (USD m); H24 / W52	Matched frozen F	OK; p=6.180887e-06	12 / 5 / 0.4166667	OK; p=0.0001497944	11	OK; p=0.0004254004	0/0
Treasury bill (USD m); H24 / W52	Selected QR	OK; p=7.495818e-94	12 / 6 / 0.5	OK; p=8.038138e-06	11	OK; p=1.59394e-05	0/0
Treasury bill (USD m); H24 / W260	Matched frozen F	OK; p=0.6020671	12 / 2 / 0.1666667	OK; p=0.1384299	11	Boundary reference; p=0.1853057	1/0
Treasury bill (USD m); H24 / W260	Selected QR	OK; p=9.93587e-42	12 / 4 / 0.3333333	OK; p=0.002043317	11	OK; p=0.004600886	0/0
Agency MBS (USD m); H6 / W52	Matched frozen F	OK; p=0.06607148	40 / 2 / 0.05	OK; p=1	39	Boundary reference; p=0.8968827	1/0
Agency MBS (USD m); H6 / W52	Selected QR	OK; p=1.943287e-58	40 / 14 / 0.35	OK; p=3.744892e-09	39	OK; p=4.211922e-10	0/0

Context	Procedure	Full UC status / p	Grid n/hits/rate	Grid UC status / p	CC pairs	CC status / p	Boundary / NA
Agency MBS (USD m); H6 / W260	Matched frozen F	OK; p=0.002670401	40 / 4 / 0.1	OK; p=0.1986411	39	OK; p=0.2749799	0/0
Agency MBS (USD m); H6 / W260	Selected QR	OK; p=0.1778744	40 / 3 / 0.075	OK; p=0.4979324	39	OK; p=0.01284612	0/0
Agency MBS (USD m); H24 / W52	Matched frozen F	OK; p=9.525902e-09	12 / 1 / 0.08333333	OK; p=0.6272172	11	Boundary reference; p=0.7727223	1/0
Agency MBS (USD m); H24 / W52	Selected QR	OK; p=1.640612e-110	12 / 5 / 0.4166667	OK; p=0.0001497944	11	OK; p=0.0003028485	0/0
Agency MBS (USD m); H24 / W260	Matched frozen F	OK; p=0.005495267	12 / 1 / 0.08333333	OK; p=0.6272172	11	Boundary reference; p=0.7727223	1/0
Agency MBS (USD m); H24 / W260	Selected QR	OK; p=0.0002447368	12 / 1 / 0.08333333	OK; p=0.6272172	11	Boundary reference; p=0.7727223	1/0
Corporate (USD m); H6 / W52	Matched frozen F	OK; p=0.5625398	40 / 3 / 0.075	OK; p=0.4979324	39	Boundary reference; p=0.6558079	1/0
Corporate (USD m); H6 / W52	Selected QR	OK; p=8.628938e-14	40 / 4 / 0.1	OK; p=0.1986411	39	OK; p=0.2749799	0/0
Corporate (USD m); H6 / W260	Matched frozen F	OK; p=0.01519627	40 / 1 / 0.025	OK; p=0.4237856	39	NA: absent transition row; p=NA	1/1
Corporate (USD m); H6 / W260	Selected QR	OK; p=0.7542648	40 / 2 / 0.05	OK; p=1	39	Boundary reference; p=0.9474146	1/0
Corporate (USD m); H24 / W52	Matched frozen F	OK; p=0.5625398	12 / 1 / 0.08333333	OK; p=0.6272172	11	NA: absent transition row; p=NA	1/1
Corporate (USD m); H24 / W52	Selected QR	OK; p=4.576562e-24	12 / 2 / 0.1666667	OK; p=0.1384299	11	Boundary reference; p=0.2347862	1/0
Corporate (USD m); H24 / W260	Matched frozen F	OK; p=0.01519627	12 / 1 / 0.08333333	OK; p=0.6272172	11	NA: absent transition row; p=NA	1/1
Corporate (USD m); H24 / W260	Selected QR	OK; p=0.0003176574	12 / 1 / 0.08333333	OK; p=0.6272172	11	NA: absent transition row; p=NA	1/1
Agency/GSE (USD m); H6 / W52	Matched frozen F	OK; p=0.5625398	40 / 1 / 0.025	OK; p=0.4237856	39	Boundary reference; p=0.725738	1/0
Agency/GSE (USD m); H6 / W52	Selected QR	OK; p=1.867808e-35	40 / 9 / 0.225	OK; p=0.0001439101	39	OK; p=0.0004265892	0/0
Agency/GSE (USD m); H6 / W260	Matched frozen F	OK; p=0.01519627	40 / 0 / 0	Boundary reference; p=0.04279546	39	NA: absent transition row; p=NA	2/1
Agency/GSE (USD m); H6 / W260	Selected QR	OK; p=0.9670708	40 / 2 / 0.05	OK; p=1	39	OK; p=0.1487124	0/0
Agency/GSE (USD m); H24 / W52	Matched frozen F	OK; p=2.781333e-07	12 / 1 / 0.08333333	OK; p=0.6272172	11	Boundary reference; p=0.7727223	1/0
Agency/GSE (USD m); H24 / W52	Selected QR	OK; p=7.967496e-25	12 / 2 / 0.1666667	OK; p=0.1384299	11	Boundary reference; p=0.0406696	1/0
Agency/GSE (USD m); H24 / W260	Matched frozen F	OK; p=0.1542458	12 / 0 / 0	Boundary reference; p=0.2672051	11	NA: absent transition row; p=NA	2/1

Context	Procedure	Full UC status / p	Grid n/hits/rate	Grid UC status / p	CC pairs	CC status / p	Boundary / NA
Agency/GSE (USD m); H24 / W260	Selected QR	OK; p=0.06607148	12 / 1 / 0.08333333	OK; p=0.6272172	11	NA: absent transition row; p=NA	1/1
TIPS <=2y (USD m); H6 / W52	Matched frozen F	OK; p=0.002670401	40 / 3 / 0.075	OK; p=0.4979324	39	Boundary reference; p=0.6019024	1/0
TIPS <=2y (USD m); H6 / W52	Selected QR	OK; p=2.55436e-85	40 / 19 / 0.475	OK; p=6.851296e-15	39	OK; p=7.744786e-15	0/0
TIPS <=2y (USD m); H6 / W260	Matched frozen F	OK; p=0.01087565	40 / 4 / 0.1	OK; p=0.1986411	39	Boundary reference; p=0.2618999	1/0
TIPS <=2y (USD m); H6 / W260	Selected QR	OK; p=5.237366e-12	40 / 7 / 0.175	OK; p=0.004126046	39	OK; p=0.0135928	0/0
TIPS <=2y (USD m); H24 / W52	Matched frozen F	OK; p=8.628938e-14	12 / 1 / 0.08333333	OK; p=0.6272172	11	Boundary reference; p=0.7727223	1/0
TIPS <=2y (USD m); H24 / W52	Selected QR	OK; p=2.96311e-162	12 / 6 / 0.5	OK; p=8.038138e-06	11	OK; p=2.238949e-05	0/0
TIPS <=2y (USD m); H24 / W260	Matched frozen F	OK; p=3.476958e-13	12 / 1 / 0.08333333	OK; p=0.6272172	11	Boundary reference; p=0.7727223	1/0
TIPS <=2y (USD m); H24 / W260	Selected QR	OK; p=3.614961e-113	12 / 6 / 0.5	OK; p=8.038138e-06	11	OK; p=2.238949e-05	0/0
TIPS >11y (USD m); H6 / W52	Matched frozen F	OK; p=0.02068046	40 / 6 / 0.15	OK; p=0.01775661	39	OK; p=0.05351082	0/0
TIPS >11y (USD m); H6 / W52	Selected QR	OK; p=4.272932e-77	40 / 21 / 0.525	OK; p=1.741037e-17	39	OK; p=4.076203e-16	0/0
TIPS >11y (USD m); H6 / W260	Matched frozen F	OK; p=0.9670708	40 / 5 / 0.125	OK; p=0.06495026	39	OK; p=0.1487539	0/0
TIPS >11y (USD m); H6 / W260	Selected QR	OK; p=3.020549e-08	40 / 6 / 0.15	OK; p=0.01775661	39	OK; p=7.058834e-05	0/0
TIPS >11y (USD m); H24 / W52	Matched frozen F	OK; p=1.420897e-22	12 / 2 / 0.1666667	OK; p=0.1384299	11	Boundary reference; p=0.1853057	1/0
TIPS >11y (USD m); H24 / W52	Selected QR	OK; p=6.144724e-83	12 / 4 / 0.3333333	OK; p=0.002043317	11	OK; p=0.002648509	0/0
TIPS >11y (USD m); H24 / W260	Matched frozen F	OK; p=0.1542458	12 / 0 / 0	Boundary reference; p=0.2672051	11	NA: absent transition row; p=NA	2/1
TIPS >11y (USD m); H24 / W260	Selected QR	OK; p=6.180887e-06	12 / 1 / 0.08333333	OK; p=0.6272172	11	Boundary reference; p=0.7727223	1/0
TIPS >2y (USD m); H6 / W52	Matched frozen F	OK; p=0.5625398	40 / 3 / 0.075	OK; p=0.4979324	39	Boundary reference; p=0.6019024	1/0
TIPS >2y (USD m); H6 / W52	Selected QR	OK; p=2.579645e-53	40 / 11 / 0.275	OK; p=2.982755e-06	39	OK; p=4.728369e-06	0/0
TIPS >2y (USD m); H6 / W260	Matched frozen F	OK; p=0.1778744	40 / 2 / 0.05	OK; p=1	39	Boundary reference; p=0.8968827	1/0
TIPS >2y (USD m); H6 / W260	Selected QR	OK; p=2.781333e-07	40 / 5 / 0.125	OK; p=0.06495026	39	OK; p=0.1487539	0/0
TIPS >2y (USD m); H24 / W52	Matched frozen F	OK; p=4.16138e-05	12 / 1 / 0.08333333	OK; p=0.6272172	11	Boundary reference; p=0.7727223	1/0
TIPS >2y (USD m); H24 / W52	Selected QR	OK; p=1.29588e-92	12 / 8 / 0.6666667	OK; p=8.909565e-09	11	OK; p=2.092104e-08	0/0
TIPS >2y (USD m); H24 / W260	Matched frozen F	OK; p=0.02068046	12 / 0 / 0	Boundary reference; p=0.2672051	11	NA: absent transition row; p=NA	2/1

Context	Procedure	Full UC status / p	Grid n/hits/rate	Grid UC status / p	CC pairs	CC status / p	Boundary / NA
TIPS >2y (USD m); H24 / W260	Selected QR	OK; p=2.274763e-26	12 / 3 / 0.25	OK; p=0.02011796	11	OK; p=0.03901173	0/0
TIPS 6-11y (USD m); H6 / W52	Matched frozen F	OK; p=0.1542458	40 / 2 / 0.05	OK; p=1	39	Boundary reference; p=0.8968827	1/0
TIPS 6-11y (USD m); H6 / W52	Selected QR	OK; p=4.873842e-32	40 / 8 / 0.2	OK; p=0.0008258164	39	OK; p=0.001405249	0/0
TIPS 6-11y (USD m); H6 / W260	Matched frozen F	OK; p=0.001460137	40 / 1 / 0.025	OK; p=0.4237856	39	Boundary reference; p=0.725738	1/0
TIPS 6-11y (USD m); H6 / W260	Selected QR	OK; p=0.9670708	40 / 3 / 0.075	OK; p=0.4979324	39	Boundary reference; p=0.6019024	1/0
TIPS 6-11y (USD m); H24 / W52	Matched frozen F	OK; p=0.265076	12 / 0 / 0	Boundary reference; p=0.2672051	11	NA: absent transition row; p=NA	2/1
TIPS 6-11y (USD m); H24 / W52	Selected QR	OK; p=2.434824e-49	12 / 3 / 0.25	OK; p=0.02011796	11	Boundary reference; p=0.0164894	1/0
TIPS 6-11y (USD m); H24 / W260	Matched frozen F	OK; p=4.903041e-05	12 / 0 / 0	Boundary reference; p=0.2672051	11	NA: absent transition row; p=NA	2/1
TIPS 6-11y (USD m); H24 / W260	Selected QR	OK; p=4.449048e-06	12 / 0 / 0	Boundary reference; p=0.2672051	11	NA: absent transition row; p=NA	2/1
Coupons <=2y (USD m); H6 / W52	Matched frozen F	OK; p=0.7542648	40 / 1 / 0.025	OK; p=0.4237856	39	Boundary reference; p=0.725738	1/0
Coupons <=2y (USD m); H6 / W52	Selected QR	OK; p=3.708997e-90	40 / 17 / 0.425	OK; p=1.822756e-12	39	OK; p=1.341392e-12	0/0
Coupons <=2y (USD m); H6 / W260	Matched frozen F	OK; p=0.7542648	40 / 3 / 0.075	OK; p=0.4979324	39	Boundary reference; p=0.6019024	1/0
Coupons <=2y (USD m); H6 / W260	Selected QR	OK; p=2.91959e-09	40 / 6 / 0.15	OK; p=0.01775661	39	OK; p=0.02573266	0/0
Coupons <=2y (USD m); H24 / W52	Matched frozen F	OK; p=1.366602e-12	12 / 2 / 0.1666667	OK; p=0.1384299	11	Boundary reference; p=0.1853057	1/0
Coupons <=2y (USD m); H24 / W52	Selected QR	OK; p=3.217998e-138	12 / 7 / 0.5833333	OK; p=3.154808e-07	11	Boundary reference; p=7.581707e-08	1/0
Coupons <=2y (USD m); H24 / W260	Matched frozen F	OK; p=6.180887e-06	12 / 1 / 0.08333333	OK; p=0.6272172	11	Boundary reference; p=0.7727223	1/0
Coupons <=2y (USD m); H24 / W260	Selected QR	OK; p=2.57059e-18	12 / 2 / 0.1666667	OK; p=0.1384299	11	Boundary reference; p=0.1853057	1/0
Coupons 2-3y (USD m); H6 / W52	Matched frozen F	OK; p=0.01087565	40 / 5 / 0.125	OK; p=0.06495026	39	Boundary reference; p=0.2315324	1/0
Coupons 2-3y (USD m); H6 / W52	Selected QR	OK; p=2.530263e-50	40 / 9 / 0.225	OK; p=0.0001439101	39	OK; p=0.003099477	0/0
Coupons 2-3y (USD m); H6 / W260	Matched frozen F	OK; p=0.0005630403	40 / 4 / 0.1	OK; p=0.1986411	39	Boundary reference; p=0.5510339	1/0
Coupons 2-3y (USD m); H6 / W260	Selected QR	OK; p=1.956284e-11	40 / 4 / 0.1	OK; p=0.1986411	39	Boundary reference; p=0.2618999	1/0

Context	Procedure	Full UC status / p	Grid n/hits/rate	Grid UC status / p	CC pairs	CC status / p	Boundary / NA
Coupons 2-3y (USD m); H24 / W52	Matched frozen F	OK; p=3.476958e-13	12 / 1 / 0.08333333	OK; p=0.6272172	11	Boundary reference; p=0.7727223	1/0
Coupons 2-3y (USD m); H24 / W52	Selected QR	OK; p=1.330545e-97	12 / 7 / 0.5833333	OK; p=3.154808e-07	11	OK; p=2.304839e-05	0/0
Coupons 2-3y (USD m); H24 / W260	Matched frozen F	OK; p=2.57059e-18	12 / 2 / 0.1666667	OK; p=0.1384299	11	OK; p=0.1455376	0/0
Coupons 2-3y (USD m); H24 / W260	Selected QR	OK; p=7.967496e-25	12 / 2 / 0.1666667	OK; p=0.1384299	11	Boundary reference; p=0.1853057	1/0
Coupons 3-6y (USD m); H6 / W52	Matched frozen F	OK; p=0.6020671	40 / 3 / 0.075	OK; p=0.4979324	39	Boundary reference; p=0.8477353	1/0
Coupons 3-6y (USD m); H6 / W52	Selected QR	OK; p=6.719081e-40	40 / 11 / 0.275	OK; p=2.982755e-06	39	OK; p=2.193215e-05	0/0
Coupons 3-6y (USD m); H6 / W260	Matched frozen F	OK; p=0.110802	40 / 4 / 0.1	OK; p=0.1986411	39	Boundary reference; p=0.5510339	1/0
Coupons 3-6y (USD m); H6 / W260	Selected QR	OK; p=0.7542648	40 / 3 / 0.075	OK; p=0.4979324	39	Boundary reference; p=0.8477353	1/0
Coupons 3-6y (USD m); H24 / W52	Matched frozen F	OK; p=3.020549e-08	12 / 3 / 0.25	OK; p=0.02011796	11	OK; p=0.05032167	0/0
Coupons 3-6y (USD m); H24 / W52	Selected QR	OK; p=3.910538e-100	12 / 6 / 0.5	OK; p=8.038138e-06	11	OK; p=0.0001277642	0/0
Coupons 3-6y (USD m); H24 / W260	Matched frozen F	OK; p=0.110802	12 / 1 / 0.08333333	OK; p=0.6272172	11	Boundary reference; p=0.7727223	1/0
Coupons 3-6y (USD m); H24 / W260	Selected QR	OK; p=9.302919e-08	12 / 2 / 0.1666667	OK; p=0.1384299	11	Boundary reference; p=0.1853057	1/0
Coupons 6-7y (USD m); H6 / W52	Matched frozen F	OK; p=0.5625398	40 / 3 / 0.075	OK; p=0.4979324	39	Boundary reference; p=0.6019024	1/0
Coupons 6-7y (USD m); H6 / W52	Selected QR	OK; p=1.423555e-106	40 / 16 / 0.4	OK; p=2.563688e-11	39	OK; p=7.964507e-11	0/0
Coupons 6-7y (USD m); H6 / W260	Matched frozen F	OK; p=0.110802	40 / 3 / 0.075	OK; p=0.4979324	39	Boundary reference; p=0.6019024	1/0
Coupons 6-7y (USD m); H6 / W260	Selected QR	OK; p=2.522653e-10	40 / 7 / 0.175	OK; p=0.004126046	39	OK; p=0.01051597	0/0
Coupons 6-7y (USD m); H24 / W52	Matched frozen F	OK; p=7.118884e-11	12 / 2 / 0.1666667	OK; p=0.1384299	11	Boundary reference; p=0.1853057	1/0
Coupons 6-7y (USD m); H24 / W52	Selected QR	OK; p=4.016645e-223	12 / 9 / 0.75	OK; p=1.743457e-10	11	Boundary reference; p=2.073068e-10	1/0
Coupons 6-7y (USD m); H24 / W260	Matched frozen F	OK; p=0.03774719	12 / 1 / 0.08333333	OK; p=0.6272172	11	Boundary reference; p=0.7727223	1/0
Coupons 6-7y (USD m); H24 / W260	Selected QR	OK; p=1.867808e-35	12 / 3 / 0.25	OK; p=0.02011796	11	Boundary reference; p=0.0164894	1/0
Coupons 7-11y (USD m); H6 / W52	Matched frozen F	OK; p=0.005495267	40 / 5 / 0.125	OK; p=0.06495026	39	OK; p=0.003179089	0/0

Context	Procedure	Full UC status / p	Grid n/hits/rate	Grid UC status / p	CC pairs	CC status / p	Boundary / NA
Coupons 7-11y (USD m); H6 / W52	Selected QR	OK; p=8.240544e-41	40 / 11 / 0.275	OK; p=2.982755e-06	39	OK; p=4.728369e-06	0/0
Coupons 7-11y (USD m); H6 / W260	Matched frozen F	OK; p=0.005495267	40 / 3 / 0.075	OK; p=0.4979324	39	Boundary reference; p=0.6019024	1/0
Coupons 7-11y (USD m); H6 / W260	Selected QR	OK; p=4.16138e-05	40 / 3 / 0.075	OK; p=0.4979324	39	OK; p=0.3011691	0/0
Coupons 7-11y (USD m); H24 / W52	Matched frozen F	OK; p=2.781333e-07	12 / 2 / 0.1666667	OK; p=0.1384299	11	OK; p=0.1455376	0/0
Coupons 7-11y (USD m); H24 / W52	Selected QR	OK; p=1.172048e-62	12 / 4 / 0.3333333	OK; p=0.002043317	11	OK; p=0.004600886	0/0
Coupons 7-11y (USD m); H24 / W260	Matched frozen F	OK; p=1.630489e-05	12 / 2 / 0.1666667	OK; p=0.1384299	11	OK; p=0.1455376	0/0
Coupons 7-11y (USD m); H24 / W260	Selected QR	OK; p=2.58756e-51	12 / 4 / 0.3333333	OK; p=0.002043317	11	OK; p=0.004600886	0/0

Table S56. Full WP3 fixed DM family. Identical losses retain numerical zero with raw p NA; missing constituents retain their slots.

Context	New minus named control	Mean delta	n / L	DM raw p	HLN p	Holm p	Status; book p
FX (USD); H6 / W720	mean(F,QR) minus Matched frozen F	-30597.85	6625/10	3.62297e-05	3.722484e-05	0.007644467	OK; book= 3.62297e-05
FX (USD); H6 / W720	mean(F,QR) minus Selected QR	-21228.89	6625/10	0.02012927	0.02026309	1	OK; book= 0.02012927
FX (USD); H6 / W720	median(F,QR,KNN) minus Matched frozen F	-21282.06	6625/10	0.001511966	0.001532685	0.2948334	OK; book= 0.001511966
FX (USD); H6 / W720	median(F,QR,KNN) minus Selected QR	-11913.11	6625/10	0.2886763	0.2891155	1	OK; book= 0.2886763
FX (USD); H6 / W2880	mean(F,QR) minus Matched frozen F	-48047.79	6625/10	1.400749e-15	1.728856e-15	3.137677e-13	OK; book= 1.400749e-15
FX (USD); H6 / W2880	mean(F,QR) minus Selected QR	18800.31	6625/10	0.002188734	0.002216249	0.4224256	OK; book= 0.002188734
FX (USD); H6 / W2880	median(F,QR,KNN) minus Matched frozen F	-50562.79	6625/10	5.837667e-11	6.506127e-11	1.3018e-08	OK; book= 5.837667e-11
FX (USD); H6 / W2880	median(F,QR,KNN) minus Selected QR	16285.31	6625/10	0.01310945	0.0132101	1	OK; book= 0.01310945
FX (USD); H24 / W720	mean(F,QR) minus Matched frozen F	43304.5	6625/24	0.2172989	0.2189782	1	OK; book= 0.2172989
FX (USD); H24 / W720	mean(F,QR) minus Selected QR	-204762.6	6625/24	7.598789e-06	8.319309e-06	0.001626141	OK; book= 7.598789e-06
FX (USD); H24 / W720	median(F,QR,KNN) minus Matched frozen F	39366.41	6625/24	0.1651435	0.1666945	1	OK; book= 0.1651435
FX (USD); H24 / W720	median(F,QR,KNN) minus Selected QR	-208700.7	6625/24	0.0007110959	0.0007471059	0.1415081	OK; book= 0.0007110959
FX (USD); H24 / W2880	mean(F,QR) minus Matched frozen F	-68268.24	6625/24	0.03219872	0.03285181	1	OK; book= 0.03219872
FX (USD); H24 / W2880	mean(F,QR) minus Selected QR	-39582.14	6625/24	0.1786512	0.1802429	1	OK; book= 0.1786512
FX (USD); H24 / W2880	median(F,QR,KNN) minus Matched frozen F	-28582.99	6625/24	0.3352933	0.3370455	1	OK; book= 0.3352933
FX (USD); H24 / W2880	median(F,QR,KNN) minus Selected QR	103.1194	6625/24	0.9978411	0.9978489	1	OK; book= 0.9978411
Treasury bill (USD m); H6 / W52	mean(F,QR) minus Matched frozen F	-87.58039	277/6	0.683853	0.6901098	1	OK; book= 0.683853
Treasury bill (USD m); H6 / W52	mean(F,QR) minus Selected QR	-2404.046	277/6	9.825325e-05	0.0001664657	0.02053493	OK; book= 9.825325e-05
Treasury bill (USD m); H6 / W52	median(F,QR,KNN) minus Matched frozen F	0	277/6	NA	NA	1	Identical losses; raw p NA; book= 1
Treasury bill (USD m); H6 / W52	median(F,QR,KNN) minus Selected QR	-2316.466	277/6	0.002237275	0.002983262	0.4295568	OK; book= 0.002237275

Context	New minus named control	Mean delta	n / L	DM raw p	HLN p	Holm p	Status; book p
Treasury bill (USD m); H6 / W260	mean(F,QR) minus Matched frozen F	76.49932	277/6	0.7340019	0.7393424	1	OK; book= 0.7340019
Treasury bill (USD m); H6 / W260	mean(F,QR) minus Selected QR	-1324.509	277/6	0.0002348722	0.0003700544	0.04861854	OK; book= 0.0002348722
Treasury bill (USD m); H6 / W260	median(F,QR,KNN) minus Matched frozen F	-109.8307	277/6	0.5986936	0.6063864	1	OK; book= 0.5986936
Treasury bill (USD m); H6 / W260	median(F,QR,KNN) minus Selected QR	-1510.839	277/6	0.0004525879	0.0006771479	0.09187534	OK; book= 0.0004525879
Treasury bill (USD m); H24 / W52	mean(F,QR) minus Matched frozen F	701.0327	277/24	0.424579	0.4655469	1	OK; book= 0.424579
Treasury bill (USD m); H24 / W52	mean(F,QR) minus Selected QR	-7748.848	277/24	0.01404499	0.02538275	1	OK; book= 0.01404499
Treasury bill (USD m); H24 / W52	median(F,QR,KNN) minus Matched frozen F	0	277/24	NA	NA	1	Identical losses; raw p NA; book= 1
Treasury bill (USD m); H24 / W52	median(F,QR,KNN) minus Selected QR	-8449.881	277/24	0.0252022	0.04146727	1	OK; book= 0.0252022
Treasury bill (USD m); H24 / W260	mean(F,QR) minus Matched frozen F	-132.0438	277/24	0.6531685	0.681215	1	OK; book= 0.6531685
Treasury bill (USD m); H24 / W260	mean(F,QR) minus Selected QR	-2856.497	277/24	0.05502792	0.08021841	1	OK; book= 0.05502792
Treasury bill (USD m); H24 / W260	median(F,QR,KNN) minus Matched frozen F	-285.5132	277/24	0.001186068	0.003269192	0.2336553	OK; book= 0.001186068
Treasury bill (USD m); H24 / W260	median(F,QR,KNN) minus Selected QR	-3009.967	277/24	0.06305414	0.09004871	1	OK; book= 0.06305414
Agency MBS (USD m); H6 / W52	mean(F,QR) minus Matched frozen F	217.4877	277/6	0.2405209	0.2509833	1	OK; book= 0.2405209
Agency MBS (USD m); H6 / W52	mean(F,QR) minus Selected QR	-1358.419	277/6	6.031449e-05	0.0001066371	0.01266604	OK; book= 6.031449e-05
Agency MBS (USD m); H6 / W52	median(F,QR,KNN) minus Matched frozen F	NA	NA/NA	NA	NA	1	NA: plain KNN was not run; book= 1
Agency MBS (USD m); H6 / W52	median(F,QR,KNN) minus Selected QR	NA	NA/NA	NA	NA	1	NA: plain KNN was not run; book= 1
Agency MBS (USD m); H6 / W260	mean(F,QR) minus Matched frozen F	-7.532427	277/6	0.8992225	0.9013037	1	OK; book= 0.8992225
Agency MBS (USD m); H6 / W260	mean(F,QR) minus Selected QR	-77.1225	277/6	0.04567574	0.05115536	1	OK; book= 0.04567574
Agency MBS (USD m); H6 / W260	median(F,QR,KNN) minus Matched frozen F	NA	NA/NA	NA	NA	1	NA: plain KNN was not run; book= 1
Agency MBS (USD m); H6 / W260	median(F,QR,KNN) minus Selected QR	NA	NA/NA	NA	NA	1	NA: plain KNN was not run; book= 1
Agency MBS (USD m); H24 / W52	mean(F,QR) minus Matched frozen F	734.9815	277/24	0.1196853	0.1555536	1	OK; book= 0.1196853

Context	New minus named control	Mean delta	n / L	DM raw p	HLN p	Holm p	Status; book p
Agency MBS (USD m); H24 / W52	mean(F,QR) minus Selected QR	-3045.17	277/24	0.002009397	0.005045657	0.3898229	OK; book= 0.002009397
Agency MBS (USD m); H24 / W52	median(F,QR,KNN) minus Matched frozen F	NA	NA/NA	NA	NA	1	NA: plain KNN was not run; book= 1
Agency MBS (USD m); H24 / W52	median(F,QR,KNN) minus Selected QR	NA	NA/NA	NA	NA	1	NA: plain KNN was not run; book= 1
Agency MBS (USD m); H24 / W260	mean(F,QR) minus Matched frozen F	113.0747	277/24	0.7111377	0.7349351	1	OK; book= 0.7111377
Agency MBS (USD m); H24 / W260	mean(F,QR) minus Selected QR	-318.7884	277/24	0.4184955	0.459689	1	OK; book= 0.4184955
Agency MBS (USD m); H24 / W260	median(F,QR,KNN) minus Matched frozen F	NA	NA/NA	NA	NA	1	NA: plain KNN was not run; book= 1
Agency MBS (USD m); H24 / W260	median(F,QR,KNN) minus Selected QR	NA	NA/NA	NA	NA	1	NA: plain KNN was not run; book= 1
Corporate (USD m); H6 / W52	mean(F,QR) minus Matched frozen F	37.46688	277/6	0.5363951	0.5450153	1	OK; book= 0.5363951
Corporate (USD m); H6 / W52	mean(F,QR) minus Selected QR	-242.2778	277/6	0.02064829	0.02407757	1	OK; book= 0.02064829
Corporate (USD m); H6 / W52	median(F,QR,KNN) minus Matched frozen F	NA	NA/NA	NA	NA	1	NA: plain KNN was not run; book= 1
Corporate (USD m); H6 / W52	median(F,QR,KNN) minus Selected QR	NA	NA/NA	NA	NA	1	NA: plain KNN was not run; book= 1
Corporate (USD m); H6 / W260	mean(F,QR) minus Matched frozen F	-12.57859	277/6	0.3175308	0.3280938	1	OK; book= 0.3175308
Corporate (USD m); H6 / W260	mean(F,QR) minus Selected QR	-20.18071	277/6	0.3599082	0.370309	1	OK; book= 0.3599082
Corporate (USD m); H6 / W260	median(F,QR,KNN) minus Matched frozen F	NA	NA/NA	NA	NA	1	NA: plain KNN was not run; book= 1
Corporate (USD m); H6 / W260	median(F,QR,KNN) minus Selected QR	NA	NA/NA	NA	NA	1	NA: plain KNN was not run; book= 1
Corporate (USD m); H24 / W52	mean(F,QR) minus Matched frozen F	44.04078	277/24	0.2405606	0.2837516	1	OK; book= 0.2405606
Corporate (USD m); H24 / W52	mean(F,QR) minus Selected QR	-383.442	277/24	0.04237953	0.06429518	1	OK; book= 0.04237953
Corporate (USD m); H24 / W52	median(F,QR,KNN) minus Matched frozen F	NA	NA/NA	NA	NA	1	NA: plain KNN was not run; book= 1
Corporate (USD m); H24 / W52	median(F,QR,KNN) minus Selected QR	NA	NA/NA	NA	NA	1	NA: plain KNN was not run; book= 1
Corporate (USD m); H24 / W260	mean(F,QR) minus Matched frozen F	69.33231	277/24	0.01416155	0.02555902	1	OK; book= 0.01416155
Corporate (USD m); H24 / W260	mean(F,QR) minus Selected QR	-87.14458	277/24	0.0160509	0.02838668	1	OK; book= 0.0160509

Context	New minus named control	Mean delta	n / L	DM raw p	HLN p	Holm p	Status; book p
Corporate (USD m); H24 / W260	median(F,QR,KNN) minus Matched frozen F	NA	NA/NA	NA	NA	1	NA: plain KNN was not run; book= 1
Corporate (USD m); H24 / W260	median(F,QR,KNN) minus Selected QR	NA	NA/NA	NA	NA	1	NA: plain KNN was not run; book= 1
Agency/GSE (USD m); H6 / W52	mean(F,QR) minus Matched frozen F	25.03373	277/6	0.5100137	0.5189881	1	OK; book= 0.5100137
Agency/GSE (USD m); H6 / W52	mean(F,QR) minus Selected QR	-404.5368	277/6	0.0005004441	0.0007430088	0.1010897	OK; book= 0.0005004441
Agency/GSE (USD m); H6 / W52	median(F,QR,KNN) minus Matched frozen F	NA	NA/NA	NA	NA	1	NA: plain KNN was not run; book= 1
Agency/GSE (USD m); H6 / W52	median(F,QR,KNN) minus Selected QR	NA	NA/NA	NA	NA	1	NA: plain KNN was not run; book= 1
Agency/GSE (USD m); H6 / W260	mean(F,QR) minus Matched frozen F	-18.94225	277/6	0.109041	0.1173988	1	OK; book= 0.109041
Agency/GSE (USD m); H6 / W260	mean(F,QR) minus Selected QR	-15.06958	277/6	0.4361309	0.4459486	1	OK; book= 0.4361309
Agency/GSE (USD m); H6 / W260	median(F,QR,KNN) minus Matched frozen F	NA	NA/NA	NA	NA	1	NA: plain KNN was not run; book= 1
Agency/GSE (USD m); H6 / W260	median(F,QR,KNN) minus Selected QR	NA	NA/NA	NA	NA	1	NA: plain KNN was not run; book= 1
Agency/GSE (USD m); H24 / W52	mean(F,QR) minus Matched frozen F	215.537	277/24	0.2581428	0.301642	1	OK; book= 0.2581428
Agency/GSE (USD m); H24 / W52	mean(F,QR) minus Selected QR	-397.2473	277/24	0.05871215	0.08475402	1	OK; book= 0.05871215
Agency/GSE (USD m); H24 / W52	median(F,QR,KNN) minus Matched frozen F	NA	NA/NA	NA	NA	1	NA: plain KNN was not run; book= 1
Agency/GSE (USD m); H24 / W52	median(F,QR,KNN) minus Selected QR	NA	NA/NA	NA	NA	1	NA: plain KNN was not run; book= 1
Agency/GSE (USD m); H24 / W260	mean(F,QR) minus Matched frozen F	13.74219	277/24	0.7614855	0.7813898	1	OK; book= 0.7614855
Agency/GSE (USD m); H24 / W260	mean(F,QR) minus Selected QR	-92.53512	277/24	0.3760976	0.418628	1	OK; book= 0.3760976
Agency/GSE (USD m); H24 / W260	median(F,QR,KNN) minus Matched frozen F	NA	NA/NA	NA	NA	1	NA: plain KNN was not run; book= 1
Agency/GSE (USD m); H24 / W260	median(F,QR,KNN) minus Selected QR	NA	NA/NA	NA	NA	1	NA: plain KNN was not run; book= 1
TIPS <=2y (USD m); H6 / W52	mean(F,QR) minus Matched frozen F	91.51475	277/6	0.03029438	0.03462654	1	OK; book= 0.03029438
TIPS <=2y (USD m); H6 / W52	mean(F,QR) minus Selected QR	-532.4815	277/6	2.881076e-07	8.881631e-07	6.338368e-05	OK; book= 2.881076e-07
TIPS <=2y (USD m); H6 / W52	median(F,QR,KNN) minus Matched frozen F	NA	NA/NA	NA	NA	1	NA: plain KNN was not run; book= 1

Context	New minus named control	Mean delta	n / L	DM raw p	HLN p	Holm p	Status; book p
TIPS <=2y (USD m); H6 / W52	median(F,QR,KNN) minus Selected QR	NA	NA/NA	NA	NA	1	NA: plain KNN was not run; book= 1
TIPS <=2y (USD m); H6 / W260	mean(F,QR) minus Matched frozen F	30.78099	277/6	0.3325015	0.3430224	1	OK; book= 0.3325015
TIPS <=2y (USD m); H6 / W260	mean(F,QR) minus Selected QR	-147.7407	277/6	0.003921223	0.005040015	0.7411111	OK; book= 0.003921223
TIPS <=2y (USD m); H6 / W260	median(F,QR,KNN) minus Matched frozen F	NA	NA/NA	NA	NA	1	NA: plain KNN was not run; book= 1
TIPS <=2y (USD m); H6 / W260	median(F,QR,KNN) minus Selected QR	NA	NA/NA	NA	NA	1	NA: plain KNN was not run; book= 1
TIPS <=2y (USD m); H24 / W52	mean(F,QR) minus Matched frozen F	396.14	277/24	0.02064026	0.03505695	1	OK; book= 0.02064026
TIPS <=2y (USD m); H24 / W52	mean(F,QR) minus Selected QR	-1574.06	277/24	4.09064e-06	3.375223e-05	0.0008835782	OK; book= 4.09064e-06
TIPS <=2y (USD m); H24 / W52	median(F,QR,KNN) minus Matched frozen F	NA	NA/NA	NA	NA	1	NA: plain KNN was not run; book= 1
TIPS <=2y (USD m); H24 / W52	median(F,QR,KNN) minus Selected QR	NA	NA/NA	NA	NA	1	NA: plain KNN was not run; book= 1
TIPS <=2y (USD m); H24 / W260	mean(F,QR) minus Matched frozen F	339.425	277/24	0.006505702	0.01335266	1	OK; book= 0.006505702
TIPS <=2y (USD m); H24 / W260	mean(F,QR) minus Selected QR	-868.2115	277/24	2.625406e-05	0.0001485106	0.005565861	OK; book= 2.625406e-05
TIPS <=2y (USD m); H24 / W260	median(F,QR,KNN) minus Matched frozen F	NA	NA/NA	NA	NA	1	NA: plain KNN was not run; book= 1
TIPS <=2y (USD m); H24 / W260	median(F,QR,KNN) minus Selected QR	NA	NA/NA	NA	NA	1	NA: plain KNN was not run; book= 1
TIPS >11y (USD m); H6 / W52	mean(F,QR) minus Matched frozen F	11.04657	277/6	0.1481461	0.1574953	1	OK; book= 0.1481461
TIPS >11y (USD m); H6 / W52	mean(F,QR) minus Selected QR	-72.19946	277/6	1.156935e-06	3.038894e-06	0.0002522119	OK; book= 1.156935e-06
TIPS >11y (USD m); H6 / W52	median(F,QR,KNN) minus Matched frozen F	NA	NA/NA	NA	NA	1	NA: plain KNN was not run; book= 1
TIPS >11y (USD m); H6 / W52	median(F,QR,KNN) minus Selected QR	NA	NA/NA	NA	NA	1	NA: plain KNN was not run; book= 1
TIPS >11y (USD m); H6 / W260	mean(F,QR) minus Matched frozen F	9.562179	277/6	0.1954378	0.2055277	1	OK; book= 0.1954378
TIPS >11y (USD m); H6 / W260	mean(F,QR) minus Selected QR	-28.15097	277/6	0.01165256	0.01402372	1	OK; book= 0.01165256
TIPS >11y (USD m); H6 / W260	median(F,QR,KNN) minus Matched frozen F	NA	NA/NA	NA	NA	1	NA: plain KNN was not run; book= 1
TIPS >11y (USD m); H6 / W260	median(F,QR,KNN) minus Selected QR	NA	NA/NA	NA	NA	1	NA: plain KNN was not run; book= 1

Context	New minus named control	Mean delta	n / L	DM raw p	HLN p	Holm p	Status; book p
TIPS >11y (USD m); H24 / W52	mean(F,QR) minus Matched frozen F	58.72673	277/24	0.03846659	0.05923809	1	OK; book= 0.03846659
TIPS >11y (USD m); H24 / W52	mean(F,QR) minus Selected QR	-118.0756	277/24	0.00239035	0.005822905	0.4565568	OK; book= 0.00239035
TIPS >11y (USD m); H24 / W52	median(F,QR,KNN) minus Matched frozen F	NA	NA/NA	NA	NA	1	NA: plain KNN was not run; book= 1
TIPS >11y (USD m); H24 / W52	median(F,QR,KNN) minus Selected QR	NA	NA/NA	NA	NA	1	NA: plain KNN was not run; book= 1
TIPS >11y (USD m); H24 / W260	mean(F,QR) minus Matched frozen F	17.81611	277/24	0.3242315	0.3677559	1	OK; book= 0.3242315
TIPS >11y (USD m); H24 / W260	mean(F,QR) minus Selected QR	-32.67018	277/24	0.2169681	0.2595056	1	OK; book= 0.2169681
TIPS >11y (USD m); H24 / W260	median(F,QR,KNN) minus Matched frozen F	NA	NA/NA	NA	NA	1	NA: plain KNN was not run; book= 1
TIPS >11y (USD m); H24 / W260	median(F,QR,KNN) minus Selected QR	NA	NA/NA	NA	NA	1	NA: plain KNN was not run; book= 1
TIPS >2y (USD m); H6 / W52	mean(F,QR) minus Matched frozen F	43.233	277/6	0.1023055	0.1104465	1	OK; book= 0.1023055
TIPS >2y (USD m); H6 / W52	mean(F,QR) minus Selected QR	-334.927	277/6	6.28338e-06	1.378124e-05	0.001350927	OK; book= 6.28338e-06
TIPS >2y (USD m); H6 / W52	median(F,QR,KNN) minus Matched frozen F	NA	NA/NA	NA	NA	1	NA: plain KNN was not run; book= 1
TIPS >2y (USD m); H6 / W52	median(F,QR,KNN) minus Selected QR	NA	NA/NA	NA	NA	1	NA: plain KNN was not run; book= 1
TIPS >2y (USD m); H6 / W260	mean(F,QR) minus Matched frozen F	38.85551	277/6	0.09703067	0.1049907	1	OK; book= 0.09703067
TIPS >2y (USD m); H6 / W260	mean(F,QR) minus Selected QR	-74.99892	277/6	0.03637693	0.04119783	1	OK; book= 0.03637693
TIPS >2y (USD m); H6 / W260	median(F,QR,KNN) minus Matched frozen F	NA	NA/NA	NA	NA	1	NA: plain KNN was not run; book= 1
TIPS >2y (USD m); H6 / W260	median(F,QR,KNN) minus Selected QR	NA	NA/NA	NA	NA	1	NA: plain KNN was not run; book= 1
TIPS >2y (USD m); H24 / W52	mean(F,QR) minus Matched frozen F	245.7611	277/24	0.1395381	0.1774304	1	OK; book= 0.1395381
TIPS >2y (USD m); H24 / W52	mean(F,QR) minus Selected QR	-803.9937	277/24	0.0008565542	0.002502795	0.1695977	OK; book= 0.0008565542
TIPS >2y (USD m); H24 / W52	median(F,QR,KNN) minus Matched frozen F	NA	NA/NA	NA	NA	1	NA: plain KNN was not run; book= 1
TIPS >2y (USD m); H24 / W52	median(F,QR,KNN) minus Selected QR	NA	NA/NA	NA	NA	1	NA: plain KNN was not run; book= 1
TIPS >2y (USD m); H24 / W260	mean(F,QR) minus Matched frozen F	63.65098	277/24	0.2721583	0.3158044	1	OK; book= 0.2721583

Context	New minus named control	Mean delta	n / L	DM raw p	HLN p	Holm p	Status; book p
TIPS >2y (USD m); H24 / W260	mean(F,QR) minus Selected QR	-248.9793	277/24	0.04287508	0.06493071	1	OK; book= 0.04287508
TIPS >2y (USD m); H24 / W260	median(F,QR,KNN) minus Matched frozen F	NA	NA/NA	NA	NA	1	NA: plain KNN was not run; book= 1
TIPS >2y (USD m); H24 / W260	median(F,QR,KNN) minus Selected QR	NA	NA/NA	NA	NA	1	NA: plain KNN was not run; book= 1
TIPS 6-11y (USD m); H6 / W52	mean(F,QR) minus Matched frozen F	-14.07553	277/6	0.2033152	0.2134908	1	OK; book= 0.2033152
TIPS 6-11y (USD m); H6 / W52	mean(F,QR) minus Selected QR	-93.30697	277/6	0.001455096	0.001998324	0.2851987	OK; book= 0.001455096
TIPS 6-11y (USD m); H6 / W52	median(F,QR,KNN) minus Matched frozen F	NA	NA/NA	NA	NA	1	NA: plain KNN was not run; book= 1
TIPS 6-11y (USD m); H6 / W52	median(F,QR,KNN) minus Selected QR	NA	NA/NA	NA	NA	1	NA: plain KNN was not run; book= 1
TIPS 6-11y (USD m); H6 / W260	mean(F,QR) minus Matched frozen F	-7.510176	277/6	0.002854619	0.003745293	0.5423777	OK; book= 0.002854619
TIPS 6-11y (USD m); H6 / W260	mean(F,QR) minus Selected QR	-0.9411632	277/6	0.8849608	0.8873332	1	OK; book= 0.8849608
TIPS 6-11y (USD m); H6 / W260	median(F,QR,KNN) minus Matched frozen F	NA	NA/NA	NA	NA	1	NA: plain KNN was not run; book= 1
TIPS 6-11y (USD m); H6 / W260	median(F,QR,KNN) minus Selected QR	NA	NA/NA	NA	NA	1	NA: plain KNN was not run; book= 1
TIPS 6-11y (USD m); H24 / W52	mean(F,QR) minus Matched frozen F	-19.93962	277/24	0.207656	0.2498521	1	OK; book= 0.207656
TIPS 6-11y (USD m); H24 / W52	mean(F,QR) minus Selected QR	-132.355	277/24	0.02787332	0.04513873	1	OK; book= 0.02787332
TIPS 6-11y (USD m); H24 / W52	median(F,QR,KNN) minus Matched frozen F	NA	NA/NA	NA	NA	1	NA: plain KNN was not run; book= 1
TIPS 6-11y (USD m); H24 / W52	median(F,QR,KNN) minus Selected QR	NA	NA/NA	NA	NA	1	NA: plain KNN was not run; book= 1
TIPS 6-11y (USD m); H24 / W260	mean(F,QR) minus Matched frozen F	-18.29094	277/24	1.042053e-06	1.147014e-05	0.0002282097	OK; book= 1.042053e-06
TIPS 6-11y (USD m); H24 / W260	mean(F,QR) minus Selected QR	17.07072	277/24	7.606396e-06	5.52308e-05	0.001626141	OK; book= 7.606396e-06
TIPS 6-11y (USD m); H24 / W260	median(F,QR,KNN) minus Matched frozen F	NA	NA/NA	NA	NA	1	NA: plain KNN was not run; book= 1
TIPS 6-11y (USD m); H24 / W260	median(F,QR,KNN) minus Selected QR	NA	NA/NA	NA	NA	1	NA: plain KNN was not run; book= 1
Coupons <=2y (USD m); H6 / W52	mean(F,QR) minus Matched frozen F	337.6404	277/6	0.1221005	0.1308365	1	OK; book= 0.1221005
Coupons <=2y (USD m); H6 / W52	mean(F,QR) minus Selected QR	-2324.19	277/6	2.478775e-06	5.991186e-06	0.0005378942	OK; book= 2.478775e-06

Context	New minus named control	Mean delta	n / L	DM raw p	HLN p	Holm p	Status; book p
Coupons <=2y (USD m); H6 / W52	median(F,QR,KNN) minus Matched frozen F	NA	NA/NA	NA	NA	1	NA: plain KNN was not run; book= 1
Coupons <=2y (USD m); H6 / W52	median(F,QR,KNN) minus Selected QR	NA	NA/NA	NA	NA	1	NA: plain KNN was not run; book= 1
Coupons <=2y (USD m); H6 / W260	mean(F,QR) minus Matched frozen F	203.3843	277/6	0.213579	0.2238524	1	OK; book= 0.213579
Coupons <=2y (USD m); H6 / W260	mean(F,QR) minus Selected QR	-599.9705	277/6	0.04327395	0.04859235	1	OK; book= 0.04327395
Coupons <=2y (USD m); H6 / W260	median(F,QR,KNN) minus Matched frozen F	NA	NA/NA	NA	NA	1	NA: plain KNN was not run; book= 1
Coupons <=2y (USD m); H6 / W260	median(F,QR,KNN) minus Selected QR	NA	NA/NA	NA	NA	1	NA: plain KNN was not run; book= 1
Coupons <=2y (USD m); H24 / W52	mean(F,QR) minus Matched frozen F	1842.055	277/24	0.05079388	0.07495264	1	OK; book= 0.05079388
Coupons <=2y (USD m); H24 / W52	mean(F,QR) minus Selected QR	-4437.956	277/24	0.0001524248	0.0006128712	0.03170435	OK; book= 0.0001524248
Coupons <=2y (USD m); H24 / W52	median(F,QR,KNN) minus Matched frozen F	NA	NA/NA	NA	NA	1	NA: plain KNN was not run; book= 1
Coupons <=2y (USD m); H24 / W52	median(F,QR,KNN) minus Selected QR	NA	NA/NA	NA	NA	1	NA: plain KNN was not run; book= 1
Coupons <=2y (USD m); H24 / W260	mean(F,QR) minus Matched frozen F	183.3476	277/24	0.1815737	0.222529	1	OK; book= 0.1815737
Coupons <=2y (USD m); H24 / W260	mean(F,QR) minus Selected QR	-1030.854	277/24	0.1553096	0.1945262	1	OK; book= 0.1553096
Coupons <=2y (USD m); H24 / W260	median(F,QR,KNN) minus Matched frozen F	NA	NA/NA	NA	NA	1	NA: plain KNN was not run; book= 1
Coupons <=2y (USD m); H24 / W260	median(F,QR,KNN) minus Selected QR	NA	NA/NA	NA	NA	1	NA: plain KNN was not run; book= 1
Coupons 2-3y (USD m); H6 / W52	mean(F,QR) minus Matched frozen F	253.2526	277/6	0.0941473	0.1020038	1	OK; book= 0.0941473
Coupons 2-3y (USD m); H6 / W52	mean(F,QR) minus Selected QR	-706.7559	277/6	0.0003951803	0.0005974859	0.08101196	OK; book= 0.0003951803
Coupons 2-3y (USD m); H6 / W52	median(F,QR,KNN) minus Matched frozen F	NA	NA/NA	NA	NA	1	NA: plain KNN was not run; book= 1
Coupons 2-3y (USD m); H6 / W52	median(F,QR,KNN) minus Selected QR	NA	NA/NA	NA	NA	1	NA: plain KNN was not run; book= 1
Coupons 2-3y (USD m); H6 / W260	mean(F,QR) minus Matched frozen F	37.66941	277/6	0.5993371	0.6070197	1	OK; book= 0.5993371
Coupons 2-3y (USD m); H6 / W260	mean(F,QR) minus Selected QR	-176.2606	277/6	0.06169756	0.06812459	1	OK; book= 0.06169756
Coupons 2-3y (USD m); H6 / W260	median(F,QR,KNN) minus Matched frozen F	NA	NA/NA	NA	NA	1	NA: plain KNN was not run; book= 1

Context	New minus named control	Mean delta	n / L	DM raw p	HLN p	Holm p	Status; book p
Coupons 2-3y (USD m); H6 / W260	median(F,QR,KNN) minus Selected QR	NA	NA/NA	NA	NA	1	NA: plain KNN was not run; book= 1
Coupons 2-3y (USD m); H24 / W52	mean(F,QR) minus Matched frozen F	732.1799	277/24	0.03446224	0.05398499	1	OK; book= 0.03446224
Coupons 2-3y (USD m); H24 / W52	mean(F,QR) minus Selected QR	-1641.962	277/24	0.0005216951	0.001667967	0.1048607	OK; book= 0.0005216951
Coupons 2-3y (USD m); H24 / W52	median(F,QR,KNN) minus Matched frozen F	NA	NA/NA	NA	NA	1	NA: plain KNN was not run; book= 1
Coupons 2-3y (USD m); H24 / W52	median(F,QR,KNN) minus Selected QR	NA	NA/NA	NA	NA	1	NA: plain KNN was not run; book= 1
Coupons 2-3y (USD m); H24 / W260	mean(F,QR) minus Matched frozen F	54.61747	277/24	0.7188593	0.7420708	1	OK; book= 0.7188593
Coupons 2-3y (USD m); H24 / W260	mean(F,QR) minus Selected QR	-255.9659	277/24	0.1773981	0.2181122	1	OK; book= 0.1773981
Coupons 2-3y (USD m); H24 / W260	median(F,QR,KNN) minus Matched frozen F	NA	NA/NA	NA	NA	1	NA: plain KNN was not run; book= 1
Coupons 2-3y (USD m); H24 / W260	median(F,QR,KNN) minus Selected QR	NA	NA/NA	NA	NA	1	NA: plain KNN was not run; book= 1
Coupons 3-6y (USD m); H6 / W52	mean(F,QR) minus Matched frozen F	-37.95873	277/6	0.6270916	0.6343247	1	OK; book= 0.6270916
Coupons 3-6y (USD m); H6 / W52	mean(F,QR) minus Selected QR	-708.0872	277/6	0.0003997606	0.0006038705	0.08155115	OK; book= 0.0003997606
Coupons 3-6y (USD m); H6 / W52	median(F,QR,KNN) minus Matched frozen F	NA	NA/NA	NA	NA	1	NA: plain KNN was not run; book= 1
Coupons 3-6y (USD m); H6 / W52	median(F,QR,KNN) minus Selected QR	NA	NA/NA	NA	NA	1	NA: plain KNN was not run; book= 1
Coupons 3-6y (USD m); H6 / W260	mean(F,QR) minus Matched frozen F	-12.28155	277/6	0.7368383	0.7421256	1	OK; book= 0.7368383
Coupons 3-6y (USD m); H6 / W260	mean(F,QR) minus Selected QR	-17.78781	277/6	0.5689189	0.5770698	1	OK; book= 0.5689189
Coupons 3-6y (USD m); H6 / W260	median(F,QR,KNN) minus Matched frozen F	NA	NA/NA	NA	NA	1	NA: plain KNN was not run; book= 1
Coupons 3-6y (USD m); H6 / W260	median(F,QR,KNN) minus Selected QR	NA	NA/NA	NA	NA	1	NA: plain KNN was not run; book= 1
Coupons 3-6y (USD m); H24 / W52	mean(F,QR) minus Matched frozen F	1553.144	277/24	0.01250807	0.02303639	1	OK; book= 0.01250807
Coupons 3-6y (USD m); H24 / W52	mean(F,QR) minus Selected QR	-3767.142	277/24	0.0005542991	0.00175268	0.1108598	OK; book= 0.0005542991
Coupons 3-6y (USD m); H24 / W52	median(F,QR,KNN) minus Matched frozen F	NA	NA/NA	NA	NA	1	NA: plain KNN was not run; book= 1
Coupons 3-6y (USD m); H24 / W52	median(F,QR,KNN) minus Selected QR	NA	NA/NA	NA	NA	1	NA: plain KNN was not run; book= 1

Context	New minus named control	Mean delta	n / L	DM raw p	HLN p	Holm p	Status; book p
Coupons 3-6y (USD m); H24 / W260	mean(F,QR) minus Matched frozen F	-23.11842	277/24	0.8119876	0.8278373	1	OK; book= 0.8119876
Coupons 3-6y (USD m); H24 / W260	mean(F,QR) minus Selected QR	-167.5852	277/24	0.3662054	0.4089838	1	OK; book= 0.3662054
Coupons 3-6y (USD m); H24 / W260	median(F,QR,KNN) minus Matched frozen F	NA	NA/NA	NA	NA	1	NA: plain KNN was not run; book= 1
Coupons 3-6y (USD m); H24 / W260	median(F,QR,KNN) minus Selected QR	NA	NA/NA	NA	NA	1	NA: plain KNN was not run; book= 1
Coupons 6-7y (USD m); H6 / W52	mean(F,QR) minus Matched frozen F	116.9727	277/6	0.2180766	0.2283881	1	OK; book= 0.2180766
Coupons 6-7y (USD m); H6 / W52	mean(F,QR) minus Selected QR	-1258.659	277/6	1.289994e-08	5.907635e-08	2.850888e-06	OK; book= 1.289994e-08
Coupons 6-7y (USD m); H6 / W52	median(F,QR,KNN) minus Matched frozen F	NA	NA/NA	NA	NA	1	NA: plain KNN was not run; book= 1
Coupons 6-7y (USD m); H6 / W52	median(F,QR,KNN) minus Selected QR	NA	NA/NA	NA	NA	1	NA: plain KNN was not run; book= 1
Coupons 6-7y (USD m); H6 / W260	mean(F,QR) minus Matched frozen F	46.0764	277/6	0.2314035	0.2418123	1	OK; book= 0.2314035
Coupons 6-7y (USD m); H6 / W260	mean(F,QR) minus Selected QR	-132.4627	277/6	0.02164855	0.02518047	1	OK; book= 0.02164855
Coupons 6-7y (USD m); H6 / W260	median(F,QR,KNN) minus Matched frozen F	NA	NA/NA	NA	NA	1	NA: plain KNN was not run; book= 1
Coupons 6-7y (USD m); H6 / W260	median(F,QR,KNN) minus Selected QR	NA	NA/NA	NA	NA	1	NA: plain KNN was not run; book= 1
Coupons 6-7y (USD m); H24 / W52	mean(F,QR) minus Matched frozen F	218.7389	277/24	0.1859835	0.2271801	1	OK; book= 0.1859835
Coupons 6-7y (USD m); H24 / W52	mean(F,QR) minus Selected QR	-2411.779	277/24	2.066761e-09	9.392493e-08	4.588208e-07	OK; book= 2.066761e-09
Coupons 6-7y (USD m); H24 / W52	median(F,QR,KNN) minus Matched frozen F	NA	NA/NA	NA	NA	1	NA: plain KNN was not run; book= 1
Coupons 6-7y (USD m); H24 / W52	median(F,QR,KNN) minus Selected QR	NA	NA/NA	NA	NA	1	NA: plain KNN was not run; book= 1
Coupons 6-7y (USD m); H24 / W260	mean(F,QR) minus Matched frozen F	270.4694	277/24	0.2228936	0.2656229	1	OK; book= 0.2228936
Coupons 6-7y (USD m); H24 / W260	mean(F,QR) minus Selected QR	-752.9738	277/24	0.0543035	0.07932163	1	OK; book= 0.0543035
Coupons 6-7y (USD m); H24 / W260	median(F,QR,KNN) minus Matched frozen F	NA	NA/NA	NA	NA	1	NA: plain KNN was not run; book= 1
Coupons 6-7y (USD m); H24 / W260	median(F,QR,KNN) minus Selected QR	NA	NA/NA	NA	NA	1	NA: plain KNN was not run; book= 1
Coupons 7-11y (USD m); H6 / W52	mean(F,QR) minus Matched frozen F	176.2743	277/6	0.06413776	0.07069241	1	OK; book= 0.06413776

Context	New minus named control	Mean delta	n / L	DM raw p	HLN p	Holm p	Status; book p
Coupons 7-11y (USD m); H6 / W52	mean(F,QR) minus Selected QR	-711.8912	277/6	0.0003607668	0.0005493425	0.07431796	OK; book= 0.0003607668
Coupons 7-11y (USD m); H6 / W52	median(F,QR,KNN) minus Matched frozen F	NA	NA/NA	NA	NA	1	NA: plain KNN was not run; book= 1
Coupons 7-11y (USD m); H6 / W52	median(F,QR,KNN) minus Selected QR	NA	NA/NA	NA	NA	1	NA: plain KNN was not run; book= 1
Coupons 7-11y (USD m); H6 / W260	mean(F,QR) minus Matched frozen F	-27.081	277/6	0.4333215	0.4431663	1	OK; book= 0.4333215
Coupons 7-11y (USD m); H6 / W260	mean(F,QR) minus Selected QR	-69.31471	277/6	0.1938521	0.2039236	1	OK; book= 0.1938521
Coupons 7-11y (USD m); H6 / W260	median(F,QR,KNN) minus Matched frozen F	NA	NA/NA	NA	NA	1	NA: plain KNN was not run; book= 1
Coupons 7-11y (USD m); H6 / W260	median(F,QR,KNN) minus Selected QR	NA	NA/NA	NA	NA	1	NA: plain KNN was not run; book= 1
Coupons 7-11y (USD m); H24 / W52	mean(F,QR) minus Matched frozen F	345.8965	277/24	0.2084076	0.2506331	1	OK; book= 0.2084076
Coupons 7-11y (USD m); H24 / W52	mean(F,QR) minus Selected QR	-1224.498	277/24	0.03992834	0.06113555	1	OK; book= 0.03992834
Coupons 7-11y (USD m); H24 / W52	median(F,QR,KNN) minus Matched frozen F	NA	NA/NA	NA	NA	1	NA: plain KNN was not run; book= 1
Coupons 7-11y (USD m); H24 / W52	median(F,QR,KNN) minus Selected QR	NA	NA/NA	NA	NA	1	NA: plain KNN was not run; book= 1
Coupons 7-11y (USD m); H24 / W260	mean(F,QR) minus Matched frozen F	628.604	277/24	0.09603918	0.1288629	1	OK; book= 0.09603918
Coupons 7-11y (USD m); H24 / W260	mean(F,QR) minus Selected QR	-1677.776	277/24	0.01320736	0.0241092	1	OK; book= 0.01320736
Coupons 7-11y (USD m); H24 / W260	median(F,QR,KNN) minus Matched frozen F	NA	NA/NA	NA	NA	1	NA: plain KNN was not run; book= 1
Coupons 7-11y (USD m); H24 / W260	median(F,QR,KNN) minus Selected QR	NA	NA/NA	NA	NA	1	NA: plain KNN was not run; book= 1

Table S57. Exact elementary-score comparisons at every unique breakpoint. The mathematical integral identity is checked numerically; the stored integral-minus-pinball residual is shown without rounding it to zero. These matched-constituent contexts do not replace the original FX cross-window rolling-F primary comparison.

Context	New minus constituent	Ranking	Breakpoints	Positive	Negative	Zero	Pinball delta; integral residual
FX (USD); H6 / W2880	mean(F,QR) minus Matched frozen F	CROSSING	16146	217	15628	301	-48047.79; residual=0
FX (USD); H6 / W2880	mean(F,QR) minus Selected QR	CROSSING	16146	13562	2343	241	18800.31; residual=0
FX (USD); H6 / W2880	median(F,QR,KNN) minus Matched frozen F	CROSSING	14739	909	13572	258	-50562.79; residual=-7.275958e-12
FX (USD); H6 / W2880	median(F,QR,KNN) minus Selected QR	CROSSING	13642	10827	2575	240	16285.31; residual=0
Treasury bill (USD m); H6 / W260	mean(F,QR) minus Matched frozen F	CROSSING	645	336	291	18	76.49932; residual=2.842171e-14
Treasury bill (USD m); H6 / W260	mean(F,QR) minus Selected QR	CROSSING	640	179	454	7	-1324.509; residual=-2.273737e-13
Treasury bill (USD m); H6 / W260	median(F,QR,KNN) minus Matched frozen F	CROSSING	554	262	274	18	-109.8307; residual=-2.842171e-14
Treasury bill (USD m); H6 / W260	median(F,QR,KNN) minus Selected QR	CROSSING	596	147	446	3	-1510.839; residual=0

All 8 retained matched-constituent Murphy comparisons are CROSSING. Display curves are drawn only after exact all-breakpoint signs were determined; plotted resolution is not the comparison grid. The related NY Fed tasks share measurement systems and are not independent dealer replications. The complete mean/median inventories retain every adverse, equal and unavailable comparison.

Issue-known position-change states. The state is past-only short position-increment RMS, not price or yield volatility. Linear training-only terciles from the first mature QR pool are frozen for evaluation; ties can leave empty groups rather than prompt changed thresholds. Let d_t be the new-minus-original-reference pinball difference, S_t the frozen group and μ_g its group mean. For group share $p_g=n_g/n$, groups retain the complete issue axis through $\psi_{t,g}=1\{S_t=g\}(d_t-\mu_g)/p_g$. HAC standard errors use $SE(\mu_g)=\sqrt{(HAC(\psi_{\cdot,g})/n)}$, including zeros at other group dates rather than compressed dates. Heterogeneity tests equal group means. Motivated by Giacomini and White (2006), the separate finite-instrument GW-style test uses $Z_t=[1,d_{t-H}/a_0,RMS_t/v_0]^T$ and moments $m_t=Z_t(d_t/a_0)$ after the explicit H-row burn-in. The constant a_0 is the initial mature QR training response scale defined in main Section 4; $v_0=\max(mean_{train}(RMS),10^{-12})$ uses short RMS over that same training pool. Neither constant is fitted on evaluation observations. Its joint rejection may reflect only an unconditional mean advantage, not a state effect or switching policy. Singular, nonpositive, ill-conditioned and other failed references remain NA.

Table S58. All state groups for the unchanged original H6 primaries; means and SEs are in the displayed native units.

Original primary (unit)	Group	Group n	Mean difference	HAC SE	HAC status	Full n	L
FX (USD); QR W2880 minus Rolling F W720	low	1593	-58761.27	16492.94	OK	6625	10
FX (USD); QR W2880 minus Rolling F W720	middle	1816	-27839.43	16257.7	OK	6625	10
FX (USD); QR W2880 minus Rolling F W720	high	3216	-70387.91	17895.89	OK	6625	10
Treasury bill (USD m); QR W260 minus Frozen F W260	low	9	6696.661	1705.207	OK	277	6
Treasury bill (USD m); QR W260 minus Frozen F W260	middle	25	5230.593	2608.155	OK	277	6
Treasury bill (USD m); QR W260 minus Frozen F W260	high	243	810.8824	466.4751	OK	277	6

Table S59. Initial mature training pool, response/RMS normalizers and frozen state cut points. Source record maturity, not historical public-release availability, defines the replay clock.

Original primary (unit)	Training origins	Latest label end	Training n	a_0	v_0	Cut 1	Cut 2
FX (USD); QR W2880 minus Rolling F W720	9042..11921	11927	2880	1518216	1503933	947476.4	1401103
Treasury bill (USD m); QR W260 minus Frozen F W260	140..399	405	260	11847.77	9263.132	7166.007	10189.76

Table S60. All four fixed WP4 working-reference tests; joint GW and state-mean heterogeneity are different nulls.

Task (unit)	Test	n / L	df	Wald	Raw p	Holm p	Status; book p
FX (USD)	Joint GW	6619/10	3	29.87953	1.462975e-06	5.8519e-06	OK; book= 1.462975e-06
FX (USD)	Equal group means	6625/10	2	3.672886	0.1593833	0.1593833	OK; book= 0.1593833
Treasury bill (USD m)	Joint GW	271/6	3	7.883224	0.04848778	0.09697556	OK; book= 0.04848778
Treasury bill (USD m)	Equal group means	277/6	2	15.51852	0.0004267718	0.001280315	OK; book= 0.0004267718

Table S61. Reference diagnostics. GW n excludes burn-in; group means and their covariance retain the full original evaluation axis. No instrument is dropped to rescue a failed test.

Task (unit)	Test	n / burn-in	L	Instrument / covariance rank	Condition	Eigen min / max	Status
FX (USD)	Joint GW	6619/6	10	3/3	44.47508	0.0285589 / 1.270159	OK
FX (USD)	Equal group means	6625/0	10	NA/2	2.733994	1.867535e+12 / 5.10583e+12	OK
Treasury bill (USD m)	Joint GW	271/6	6	3/3	48.04758	0.03685788 / 1.770932	OK
Treasury bill (USD m)	Equal group means	277/0	6	NA/2	7.084675	4.768455e+08 / 3.378296e+09	OK

Refitted target-level sensitivity. QR is refitted at τ=.90 and τ=.99 using the original features, mature pools, scales, refit grids and solver acceptance. The generic engine must first match the unchanged .95 controls. For

each source and target level the entire original lambda menu is evaluated on every validation origin; lowest target-specific pinball wins, with larger lambda on an exact tie. Any failed or incomplete declared candidate invalidates the whole QR cell, even if another candidate completed. Selected parameters and validation receipts are frozen before evaluation. Historical F uses the exact corrected rank $k=\lceil (W+1)\tau \rceil$, the named rolling/frozen clock and current floor. Every window must first satisfy $W(1-\tau)\geq 5$, validation must satisfy $n_{val}(1-\tau)\geq 5$, and the corrected rank must satisfy $k\leq W$. This exact nominal-tail screen is a minimum-information convention rather than a calibration theorem. Absolute losses across target levels are different objectives and are not compared as if unchanged.

Table S62. All target-level validation cells; selection is frozen before evaluation and failed full menus remain ineligible.

Task (unit)	Target level	Cell status	Selected lambda	Selection	Selected validation loss	Full reason
FX (USD)	0.9	Complete	0.1	SELECTED	624292.4	Complete
FX (USD)	0.99	NA	NA	INELIGIBLE	NA	NA: whole QR menu ineligible; lambda=0.01 NONCONVERGENCE
Treasury bill (USD m)	0.9	Complete	0.001	SELECTED	9845.049	Complete
Treasury bill (USD m)	0.99	NA	NA	INELIGIBLE	NA	NA: tail information; validation=13/25; window=13/5 < 5

Table S63. Exact index-only nominal-tail admission. Fraction strings are exact, not rounded floating thresholds.

Task (unit)	Target level	Exact level	Tail probability	Validation tail count	Window tail / corrected rank	Minimum	Screen / reason
FX (USD)	0.9	9/10	1/10	144	W2880: 288; rank 2593 available; W720: 72; rank 649 available	5	ELIGIBLE; passed
FX (USD)	0.99	99/100	1/100	72/5	W2880: 144/5; rank 2853 available; W720: 36/5; rank 714 available	5	ELIGIBLE; passed
Treasury bill (USD m)	0.9	9/10	1/10	26/5	W260: 26; rank 235 available	5	ELIGIBLE; passed
Treasury bill (USD m)	0.99	99/100	1/100	13/25	W260: 13/5; rank 259 available	5	INELIGIBLE; INSUFFICIENT_NOMINAL_TAIL

Table S64. Every declared lambda candidate in every target-level validation cell. Complete alternatives do not override a failed candidate.

Task / level	Lambda	Candidate status	Val n	Mean loss	Hits	Rate	Selected
FX (USD); τ=0.9	0.001	Complete	1440	626314.8	207	0.14375	No
FX (USD); τ=0.9	0.01	Complete	1440	628556.3	203	0.1409722	No
FX (USD); τ=0.9	0.1	Complete	1440	624292.4	189	0.13125	Yes
FX (USD); τ=0.99	0.001	Complete	1440	186970.8	48	0.03333333	No (whole menu ineligible)
FX (USD); τ=0.99	0.01	FAILED: NONCONVERGENCE	NA	NA	NA	NA	No (whole menu ineligible)
FX (USD); τ=0.99	0.1	Complete	1440	170169.1	29	0.02013889	No (whole menu ineligible)
Treasury bill (USD m); τ=0.9	0.001	Complete	52	9845.049	29	0.5576923	Yes
Treasury bill (USD m); τ=0.9	0.01	Complete	52	10006.29	29	0.5576923	No
Treasury bill (USD m); τ=0.9	0.1	Complete	52	10126.68	29	0.5576923	No
Treasury bill (USD m); τ=0.99	0.001	Not run: tail-information screen	NA	NA	NA	NA	No (whole menu ineligible)
Treasury bill (USD m); τ=0.99	0.01	Not run: tail-information screen	NA	NA	NA	NA	No (whole menu ineligible)
Treasury bill (USD m); τ=0.99	0.1	Not run: tail-information screen	NA	NA	NA	NA	No (whole menu ineligible)

Table S65. All procedures underlying the six fixed target-level comparison slots. A missing score after whole-menu invalidation is not a computed zero or an individual F fitting failure.

Task (unit)	H / W	Procedure	Mean loss	n	Hits	Rate	Status / reason
FX (USD)	H6 / W2880	QR; τ=0.9; primary	598927.5	6625	686	0.1035472	OK
FX (USD)	H6 / W720	Rolling F; τ=0.9; primary	659643	6625	620	0.09358491	OK
FX (USD)	H6 / W2880	QR; τ=0.9; matched	598927.5	6625	686	0.1035472	OK
FX (USD)	H6 / W2880	Frozen F; τ=0.9; matched	666555.7	6625	667	0.1006792	OK
Treasury bill (USD m)	H6 / W260	QR; τ=0.9; primary	5795.255	277	73	0.2635379	OK
Treasury bill (USD m)	H6 / W260	Frozen F; τ=0.9; primary	4620.224	277	55	0.198556	OK
FX (USD)	H6 / W2880	QR; τ=0.99; primary	NA	NA	NA	NA	NA: whole QR menu ineligible; lambda=0.01 NONCONVERGENCE
FX (USD)	H6 / W720	Rolling F; τ=0.99; primary	NA	NA	NA	NA	NA: whole QR menu ineligible; lambda=0.01 NONCONVERGENCE
FX (USD)	H6 / W2880	QR; τ=0.99; matched	NA	NA	NA	NA	NA: whole QR menu ineligible; lambda=0.01 NONCONVERGENCE
FX (USD)	H6 / W2880	Frozen F; τ=0.99; matched	NA	NA	NA	NA	NA: whole QR menu ineligible; lambda=0.01 NONCONVERGENCE
Treasury bill (USD m)	H6 / W260	QR; τ=0.99; primary	NA	NA	NA	NA	NA: tail information; validation=13/25; window=13/5 < 5
Treasury bill (USD m)	H6 / W260	Frozen F; τ=0.99; primary	NA	NA	NA	NA	NA: tail information; validation=13/25; window=13/5 < 5

Table S66. Target-specific full-sample and fixed-grid UC and transition-conditional CC; null probability is the stated 1−τ. No tests are manufactured for unavailable evaluation cells.

Context	Procedure	Full UC status / p	Grid n/hits/rate	Grid UC status / p	CC pairs	CC status / p	Boundary / NA
FX (USD); H6 / W2880	QR; τ=0.9; primary	OK; p=0.3383581	947 / 89 / 0.09398099	OK; p=0.5332379	946	OK; p=0.7311295	0/0
FX (USD); H6 / W720	Rolling F; τ=0.9; primary	OK; p=0.07882911	947 / 82 / 0.08658923	OK; p=0.160112	946	OK; p=0.1994868	0/0
FX (USD); H6 / W2880	QR; τ=0.9; matched	OK; p=0.3383581	947 / 89 / 0.09398099	OK; p=0.5332379	946	OK; p=0.7311295	0/0
FX (USD); H6 / W2880	Frozen F; τ=0.9; matched	OK; p=0.8539322	947 / 87 / 0.09186906	OK; p=0.3984058	946	OK; p=0.2395856	0/0
Treasury bill (USD m); H6 / W260	QR; τ=0.9; primary	OK; p=1.128107e-14	40 / 9 / 0.225	OK; p=0.02101225	39	OK; p=0.05969291	0/0
Treasury bill (USD m); H6 / W260	Frozen F; τ=0.9; primary	OK; p=9.865798e-07	40 / 7 / 0.175	OK; p=0.1480847	39	OK; p=0.3084067	0/0
FX (USD); H6 / W2880	QR; τ=0.99; primary	NA: whole QR menu ineligible; lambda=0.01 NONCONVERGENCE; p=NA	NA / NA / NA	NA: whole QR menu ineligible; lambda=0.01 NONCONVERGENCE; p=NA	NA	NA: whole QR menu ineligible; lambda=0.01 NONCONVERGENCE; p=NA	NA/NA
FX (USD); H6 / W720	Rolling F; τ=0.99; primary	NA: whole QR menu ineligible; lambda=0.01 NONCONVERGENCE; p=NA	NA / NA / NA	NA: whole QR menu ineligible; lambda=0.01 NONCONVERGENCE; p=NA	NA	NA: whole QR menu ineligible; lambda=0.01 NONCONVERGENCE; p=NA	NA/NA
FX (USD); H6 / W2880	QR; τ=0.99; matched	NA: whole QR menu ineligible; lambda=0.01 NONCONVERGENCE; p=NA	NA / NA / NA	NA: whole QR menu ineligible; lambda=0.01 NONCONVERGENCE; p=NA	NA	NA: whole QR menu ineligible; lambda=0.01 NONCONVERGENCE; p=NA	NA/NA
FX (USD); H6 / W2880	Frozen F; τ=0.99; matched	NA: whole QR menu ineligible; lambda=0.01 NONCONVERGENCE; p=NA	NA / NA / NA	NA: whole QR menu ineligible; lambda=0.01 NONCONVERGENCE; p=NA	NA	NA: whole QR menu ineligible; lambda=0.01 NONCONVERGENCE; p=NA	NA/NA
Treasury bill (USD m); H6 / W260	QR; τ=0.99; primary	NA: tail information; validation=13/25; window=13/5 < 5; p=NA	NA / NA / NA	NA: tail information; validation=13/25; window=13/5 < 5; p=NA	NA	NA: tail information; validation=13/25; window=13/5 < 5; p=NA	NA/NA
Treasury bill (USD m); H6 / W260	Frozen F; τ=0.99; primary	NA: tail information; validation=13/25; window=13/5 < 5; p=NA	NA / NA / NA	NA: tail information; validation=13/25; window=13/5 < 5; p=NA	NA	NA: tail information; validation=13/25; window=13/5 < 5; p=NA	NA/NA

Table S67. Every target-level loss direction and same-target percentage change. The unchanged .95 paired mean is a direction benchmark; absolute objectives differ across target levels. Unavailable new-level comparisons have no reversal result.

Task / level	Named F control	New mean delta	.95 mean delta	Reversal	Percent vs same-target F	Status
FX (USD); τ=0.9	Rolling F W720	-60715.44	-55929.15	No	-9.204289	OK
FX (USD); τ=0.9	Frozen F W2880	-67628.17	-66848.1	No	-10.14591	OK
Treasury bill (USD m); τ=0.9	Frozen F W260	1175.031	1401.008	No	25.43234	OK
FX (USD); τ=0.99	Rolling F W720	NA	NA	NA	NA	NA: whole QR menu ineligible; lambda=0.01 NONCONVERGENCE
FX (USD); τ=0.99	Frozen F W2880	NA	NA	NA	NA	NA: whole QR menu ineligible; lambda=0.01 NONCONVERGENCE
Treasury bill (USD m); τ=0.99	Frozen F W260	NA	NA	NA	NA	NA: tail information; validation=13/25; window=13/5 < 5

Table S68. All six fixed WP5 DM slots. The mean-delta cell also shows the corresponding unchanged .95 direction benchmark and the explicit reversal flag; NA means the new-level comparison was unavailable, not no reversal.

Context	QR minus named control	Mean delta; .95; reversal	n / L	DM raw p	HLN p	Holm p	Status; book p
FX (USD); τ=0.9	QR W2880 minus Rolling F W720	-60715.44; .95=-55929.15; reversal=No	6625/10	2.731175e-13	3.191466e-13	1.365588e-12	OK; book= 2.731175e-13
FX (USD); τ=0.9	QR W2880 minus Frozen F W2880	-67628.17; .95=-66848.1; reversal=No	6625/10	1.152831e-21	1.711467e-21	6.916986e-21	OK; book= 1.152831e-21
Treasury bill (USD m); τ=0.9	QR W260 minus Frozen F W260	1175.031; .95=1401.008; reversal=No	277/6	0.02573382	0.02966172	0.1029353	OK; book= 0.02573382
FX (USD); τ=0.99	QR W2880 minus Rolling F W720	NA; .95=NA; reversal=NA	NA/NA	NA	NA	1	NA: whole QR menu ineligible; lambda=0.01 NONCONVERGENCE; book= 1
FX (USD); τ=0.99	QR W2880 minus Frozen F W2880	NA; .95=NA; reversal=NA	NA/NA	NA	NA	1	NA: whole QR menu ineligible; lambda=0.01 NONCONVERGENCE; book= 1
Treasury bill (USD m); τ=0.99	QR W260 minus Frozen F W260	NA; .95=NA; reversal=NA	NA/NA	NA	NA	1	NA: tail information; validation=13/25; window=13/5 < 5; book= 1

The τ=.90 archive retains 3 complete named contrasts, with 0 directional reversals relative to their own .95 references. The FX primary and matched comparisons remain separately named; Treasury primary and matched coincide and count once. At τ=.99, 3 of 3 named contrasts remain unavailable. The validation causes are FX (USD): NA: whole QR menu ineligible; lambda=0.01 NONCONVERGENCE; Treasury bill (USD m): NA: tail information; validation=13/25; window=13/5 < 5. No unavailable comparison supplies an evaluated .99 robustness result. Percentage loss changes, where reported in the public record, use the same-target F denominator and are not changes in the .95 objective.

The complete records support assessment of the executed procedures on these measurement tasks, including adverse directions, raw-p failures and method unavailability. They do not establish independent replication, universal model superiority, prospective public-release performance or conditional coverage. Treasury uses a downloaded-vintage economic-date replay; the aggregate signed-position peak is not a reconstruction of individual dealer inventories. No new analysis in this Supplement changes either original primary value.




Figure S6†. Matched-constituent elementary-score comparisons for FX (USD), H6, W2880, τ=0.95. The 4 mean/median-minus-constituent comparisons have exact rankings CROSSING, CROSSING, CROSSING, CROSSING. Signs are determined at every unique breakpoint before drawing these display curves. This matched F context is distinct from the original FX QR W2880 versus rolling F W720 primary. Crossing excludes sample dominance for the named pair and does not certify conditional coverage.




Figure S7†. Matched-constituent elementary-score comparisons for Treasury bill (USD m), H6, W260, τ=0.95. The 4 mean/median-minus-constituent comparisons have exact rankings CROSSING, CROSSING, CROSSING, CROSSING. Signs are determined at every unique breakpoint before drawing these display curves. Here the matched F component is also the original-primary historical reference; the plotted pairs compare fixed combinations with constituents rather than the original QR-minus-F pair. Crossing excludes sample dominance for the named pair and does not certify conditional coverage.

References

Arjani, N., F. Li and L. Sabetti (2020). Monitoring Intraday Liquidity Risks in a Real Time Gross Settlement System. Payments Canada discussion paper. official report.

Barone-Adesi, G., K. Giannopoulos and L. Vosper (1999). VaR without correlations for portfolios of derivative securities. *Journal of Futures Markets* 19(5), 583–602. DOI:10.1002/(SICI)1096-9934(199908)19:5<583::AID-FUT5>3.0.CO;2-S.

Boudoukh, J., M. Richardson, R. Stanton and R.F. Whitelaw (2004). MaxVaR: Long-Horizon Value at Risk in a Mark-to-Market Environment. Journal of Investment Management 2(3),1–6. Author-hosted final-layout article. Original source.

Boyd, S., N. Parikh, E. Chu, B. Peleato and J. Eckstein (2011). Distributed Optimization and Statistical Learning via the Alternating Direction Method of Multipliers. *Foundations and Trends in Machine Learning* 3(1), 1–122. DOI:10.1561/2200000016. author PDF.

Casgrain, P., M. Larsson and J. Ziegel (2023). Anytime-valid sequential testing for elicitable functionals via supermartingales. arXiv:2204.05680v2, 4 June.

Christoffersen, P.F. (1998). Evaluating Interval Forecasts. *International Economic Review* 39(4), 841–862. DOI.

Diebold, F.X. and R.S. Mariano (1995). Comparing Predictive Accuracy. *Journal of Business & Economic Statistics* 13(3), 253–263. DOI.

Duffie, D., M. Fleming, F. Keane, C. Nelson, O. Shachar and P. Van Tassel (2023). Dealer Capacity and U.S. Treasury Market Functionality. Federal Reserve Bank of New York Staff Report No. 1070, August, revised October. DOI:10.59576/sr.1070. official report.

Ehm, W., T. Gneiting, A. Jordan and F. Krüger (2016). Of quantiles and expectiles: consistent scoring functions, Choquet representations and forecast rankings. Journal of the Royal Statistical Society: Series B 78(3),505–562. DOI:10.1111/rssb.12154. Consulted author preprint: arXiv:1503.08195v2 (2015 revision). Original source.

Engle, R.F. and S. Manganelli (2004). CAViaR: Conditional Autoregressive Value at Risk by Regression Quantiles. *Journal of Business & Economic Statistics* 22(4), 367–381. DOI:10.1198/073500104000000370.

Giacomini, R. and H. White (2006). Tests of Conditional Predictive Ability. *Econometrica* 74(6), 1545–1578. DOI.

Gibbs, I. and E. Candès (2021). Adaptive Conformal Inference Under Distribution Shift. Advances in Neural Information Processing Systems 34, 1660–1672. Official proceedings.

Gneiting, T. (2011). Making and Evaluating Point Forecasts. *Journal of the American Statistical Association* 106(494), 746–762. DOI:10.1198/jasa.2011.r10138.

Harvey, D., S. Leybourne and P. Newbold (1997). Testing the equality of prediction mean squared errors. *International Journal of Forecasting* 13(2), 281–291. DOI.

Henzi, A. and J.F. Ziegel (2022). Valid sequential inference on probability forecast performance. arXiv:2103.08402v3, 1 July.

Holm, S. (1979). A Simple Sequentially Rejective Multiple Test Procedure. *Scandinavian Journal of Statistics* 6(2), 65–70. Publisher record.

Hull, J. and A. White (1998). Incorporating volatility updating into the historical simulation method for value-at-risk. *Journal of Risk* 1(1), 5–19. DOI:10.21314/jor.1998.001.

Kupiec, P.H. (1995). Techniques for Verifying the Accuracy of Risk Measurement Models. *Journal of Derivatives* 3(2), 73–84. DOI.

McNeil, A.J., and Frey, R. (2000). Estimation of tail-related risk measures for heteroscedastic financial time series: an extreme value approach. *Journal of Empirical Finance*7(3–4),271–300. DOI:10.1016/S0927-5398(00)00012-8.

Meinshausen, N. (2006). Quantile Regression Forests. *Journal of Machine Learning Research* 7, 983–999. Official article.

Newey, W.K. and K.D. West (1987). A Simple, Positive Semi-Definite, Heteroskedasticity and Autocorrelation Consistent Covariance Matrix. *Econometrica* 55(3), 703–708. Publisher record.

Petrunia, R., L. Sabetti and M. Voia (2019). Tail Risk in the Automated Clearing Settlement System (ACSS). Payments Canada Discussion Paper No. 7, January 2019 update of September 2018 original. official discussion paper.

Politis, D.N. and J.P. Romano (1994). The Stationary Bootstrap. *Journal of the American Statistical Association* 89(428), 1303–1313. DOI:10.1080/01621459.1994.10476870.

Wisniewski, W. (2024). *Net Position and Retail Trader Behaviour: Implications for Market Makers' Risk Management Strategies*. Doctoral thesis, Royal Holloway, University of London. Institutional record.

Wisniewski, W., D. Lindsay and S. Lindsay (2020). Application of Conformal Prediction Interval Estimations to Market Makers' Net Positions. Proceedings of the Ninth Symposium on Conformal and Probabilistic Prediction and Applications, *Proceedings of Machine Learning Research* 128, 285–301. Official proceedings.

Figure captions

Figure S1. All 24 selected conditional forecasts versus frozen F with the same source, horizon, history window and refit schedule. Entries show within-reference mean-loss percentages; negative favors the conditional procedure. Source panels have explicit scales and are not pooled. Full-pool KNN identities are marked.

Figure S2. The two declared source primaries and FX H24 legacy-reference sensitivity: relative mean-loss, underprediction and overprediction changes, plus breach-rate differences in percentage points. These are separate descriptive quantities, separate measures of forecast behavior. A reduced overprediction amount is not automatically overall improvement.

Figure S3. Every issue-year group for the two declared primaries and FX H24 legacy sensitivity. Values are paired within-reference loss percentages, with origin counts and partial years labeled. They are subdivisions of the same source records, not independent replications, confidence intervals or retrospectively selected switching regimes.

Figure S4†. FX original primary elementary quantile scores at fixed τ=0.95. Lower is better. The full-breakpoint check finds crossing; the display grid alone is not used to support that finding.

Figure S5†. Treasury original primary elementary quantile scores at fixed τ=0.95. Lower is better. The full-breakpoint check finds crossing; the display grid alone is not used to support that finding.

Figure S6†. Matched-constituent elementary-score comparisons for FX (USD), H6, W2880, τ=0.95. The 4 mean/median-minus-constituent comparisons have exact rankings CROSSING, CROSSING, CROSSING, CROSSING. Signs are determined at every unique breakpoint before drawing these display curves. This matched F context is distinct from the original FX QR W2880 versus rolling F W720 primary. Crossing excludes sample dominance for the named pair and does not certify conditional coverage.

Figure S7†. Matched-constituent elementary-score comparisons for Treasury bill (USD m), H6, W260, τ=0.95. The 4 mean/median-minus-constituent comparisons have exact rankings CROSSING, CROSSING, CROSSING, CROSSING. Signs are determined at every unique breakpoint before drawing these display curves. Here the matched F component is also the original-primary historical reference; the plotted pairs compare fixed combinations with constituents rather than the original QR-minus-F pair. Crossing excludes sample dominance for the named pair and does not certify conditional coverage.