

Circuit	Name	Type of stand	Range	Circuit breaker	Rating (A)	Breaking capacity	Single-pole	Single-pole	Reinforced	Poles	Trip unit/C	Trip-unit rating	Long time
Source	QA 15	Industrial	MasterPac	MT22 20N	2000	42	42	N/A	N/A	4P4d	MicroLogic	2000	1840
Feeder	QA 18	Industrial	ComPacT	NSX400F	400	36	36	N/A	N/A	4P4d	Micrologic	400	320
Feeder	QA 21	Industrial	ComPacT	NSX160B	160	25	25	N/A	N/A	4P4d	Micrologic	160	110
Load 33	QA 33 (1) (1)	Industrial	Acti9 iC40	iC40	10	6	6	N/A	N/A	2P1d	C	10	10
Feeder	QA 21 (1)	Industrial	ComPacT	NSX160B	160	25	25	N/A	N/A	4P4d	Micrologic	160	110
Feeder	QA 27	Industrial	ComPacT	NSX160N	160	50	50	N/A	N/A	4P4d	Micrologic	160	108
Feeder	QA 30	Industrial	ComPacT	NSX100B	100	25	25	N/A	N/A	4P4d	Micrologic	40	40
Load 33	QA 33	Industrial	Acti9 iC40	iC40	4	6	6	N/A	N/A	2P1d	C	4	4
Load 35	QA 35	Industrial	Acti9 iC60	iC60H	63	15	15	N/A	N/A	4P4d	C	63	63
Load 36	QA 36	Industrial	Acti9 iC40	iC40	6	6	NaN	N/A	N/A	4P3d	C	6	6
Feeder	QA 38	Industrial	ComPacT	NSX400F	400	36	36	N/A	N/A	4P4d	Micrologic	400	217
Load 42	QA 42	Industrial	ComPacT	NSX250B	250	25	25	N/A	N/A	4P4d	Micrologic	250	217
Load 42	QA 42 (1)	Industrial	ComPacT	NSX250B	250	25	25	N/A	N/A	4P4d	Micrologic	250	217
Feeder	QA 38 (1)	Industrial	ComPacT	NSX400F	400	36	36	N/A	N/A	4P4d	Micrologic	400	217
Load 42	QA 42 (2)	Industrial	ComPacT	NSX250B	250	25	25	N/A	N/A	4P4d	Micrologic	250	217
Feeder	QA 38 (2)	Industrial	ComPacT	NSX400F	400	36	36	N/A	N/A	4P4d	Micrologic	400	217
Load 42	QA 42 (3)	Industrial	ComPacT	NSX250B	250	25	25	N/A	N/A	4P4d	Micrologic	250	217
Feeder	QA 38 (3)	Industrial	ComPacT	NSX400F	400	36	36	N/A	N/A	4P4d	Micrologic	400	217
Load 42	QA 42 (4)	Industrial	ComPacT	NSX250B	250	25	25	N/A	N/A	4P4d	Micrologic	250	217
Feeder	QA 38 (4)	Industrial	ComPacT	NSX400F	400	36	36	N/A	N/A	4P4d	Micrologic	400	306
Load 42	QA 42 (5)	Industrial	ComPacT	NSX250B	250	25	25	N/A	N/A	4P4d	Micrologic	250	217
Feeder	QA 38 (5)	Industrial	ComPacT	NSX400F	400	36	36	N/A	N/A	4P4d	Micrologic	400	217
Load 42	QA 42 (6)	Industrial	ComPacT	NSX250B	250	25	25	N/A	N/A	4P4d	Micrologic	250	217
Feeder	QA 38 (6)	Industrial	ComPacT	NSX400F	400	36	36	N/A	N/A	4P4d	Micrologic	400	217
Load 51	QA 51	Industrial	Acti9 iC40	iC40	25	6	NaN	N/A	N/A	4P3d	C	25	25
Load 33	QA 33 (1)	Industrial	Acti9 iC40	iC40	10	6	6	N/A	N/A	2P1d	C	10	10
Load 33	QA 33 (2)	Industrial	Acti9 iC40	iC40N	13	10	10	N/A	N/A	2P1d	C	13	13
Load 33	QA 33 (3)	Industrial	Acti9 iC40	iC40N	13	10	NaN	N/A	N/A	4P3d	C	13	13
Load 33	QA 33 (4)	Industrial	Acti9 iC40	iC40	4	6	6	N/A	N/A	2P1d	C	4	4
Load 33	QA 33 (2) (1)	Industrial	Acti9 iC40	iC40N	13	10	10	N/A	N/A	2P1d	C	13	13
Load 33	QA 33 (3) (1)	Industrial	Acti9 iC40	iC40N	13	10	NaN	N/A	N/A	4P3d	C	13	13

Tir (s)	Short time	Tcr (s)	Ii (A)	Ti (s)	Withdrawal	Motor me	Residual-c	Class	Technolog	Sensitivity	Break time	Time delay	Thermal re
24	9200	0.2	30000	N/A	Available	Available	N/A	N/A	N/A	N/A	N/A	N/A	N/A
4	3200	0.2	4800	N/A	Available	Available	N/A	N/A	N/A	N/A	N/A	N/A	N/A
4	1100	0.2	2400	N/A	Available	Available	N/A	N/A	N/A	N/A	N/A	N/A	N/A
N/A	N/A	N/A	N/A	N/A	Not availa	Not availa	N/A	N/A	N/A	N/A	N/A	N/A	N/A
4	1100	0.2	2400	N/A	Available	Available	N/A	N/A	N/A	N/A	N/A	N/A	N/A
4	648	0.2	2400	N/A	Available	Available	N/A	N/A	N/A	N/A	N/A	N/A	N/A
4	400	0.2	600	N/A	Available	Available	N/A	N/A	N/A	N/A	N/A	N/A	N/A
N/A	N/A	N/A	N/A	N/A	Not availa	Not availa	N/A	N/A	N/A	N/A	N/A	N/A	N/A
N/A	N/A	N/A	N/A	N/A	Not availa	Available	N/A	N/A	N/A	N/A	N/A	N/A	N/A
N/A	N/A	N/A	N/A	N/A	Not availa	Not availa	N/A	N/A	N/A	N/A	N/A	N/A	N/A
4	2170	0.4	4800	N/A	Available	Available	N/A	N/A	N/A	N/A	N/A	N/A	N/A
0.5	2170	0.4	3000	N/A	Available	Available	N/A	N/A	N/A	N/A	N/A	N/A	N/A
0.5	2170	0.4	3000	N/A	Available	Available	N/A	N/A	N/A	N/A	N/A	N/A	N/A
4	2170	0.4	4800	N/A	Available	Available	N/A	N/A	N/A	N/A	N/A	N/A	N/A
0.5	2170	0.4	3000	N/A	Available	Available	N/A	N/A	N/A	N/A	N/A	N/A	N/A
4	2170	0.4	4800	N/A	Available	Available	N/A	N/A	N/A	N/A	N/A	N/A	N/A
0.5	2170	0.4	3000	N/A	Available	Available	N/A	N/A	N/A	N/A	N/A	N/A	N/A
4	2170	0.4	4800	N/A	Available	Available	N/A	N/A	N/A	N/A	N/A	N/A	N/A
0.5	2170	0.4	3000	N/A	Available	Available	N/A	N/A	N/A	N/A	N/A	N/A	N/A
4	3060	0.4	4800	N/A	Available	Available	N/A	N/A	N/A	N/A	N/A	N/A	N/A
0.5	2170	0.4	3000	N/A	Available	Available	N/A	N/A	N/A	N/A	N/A	N/A	N/A
4	2170	0.4	4800	N/A	Available	Available	N/A	N/A	N/A	N/A	N/A	N/A	N/A
0.5	2170	0.4	3000	N/A	Available	Available	N/A	N/A	N/A	N/A	N/A	N/A	N/A
4	2170	0.4	4800	N/A	Available	Available	N/A	N/A	N/A	N/A	N/A	N/A	N/A
N/A	N/A	N/A	N/A	N/A	Not availa	Not availa	N/A	N/A	N/A	N/A	N/A	N/A	N/A
N/A	N/A	N/A	N/A	N/A	Not availa	Not availa	N/A	N/A	N/A	N/A	N/A	N/A	N/A
N/A	N/A	N/A	N/A	N/A	Not availa	Available	N/A	N/A	N/A	N/A	N/A	N/A	N/A
N/A	N/A	N/A	N/A	N/A	Not availa	Available	N/A	N/A	N/A	N/A	N/A	N/A	N/A
N/A	N/A	N/A	N/A	N/A	Not availa	Not availa	N/A	N/A	N/A	N/A	N/A	N/A	N/A
N/A	N/A	N/A	N/A	N/A	Not availa	Available	N/A	N/A	N/A	N/A	N/A	N/A	N/A
N/A	N/A	N/A	N/A	N/A	Not availa	Available	N/A	N/A	N/A	N/A	N/A	N/A	N/A

[illegible]

[illegible]