Generalizations and extensions

- Using target variable in different tasks. Regression, multiclass

- Domains with many-to-many relations

- Timeseries

- Encoding interactions and numerical features

Regression and multiclass

- More statistics for regression tasks. Percentiles, std, distribution bins.

- Introducing new information for one vs all classifiers in multi class tasks

Many-to-many relations

- Cross product of entities
- Statistics from vectors

User_id	APPS	Target
10	APP1; APP2; APP3	0
11	APP4; APP1	1
12	APP2	1
100	APP3; APP9	0

LONG REPRESENTATION

| User_id	APP_id	Target
10	APP1	0
10	APP2	0
10	APP3	0
11	APP4	1
11	APP1	1

Time series

- Time structure allows us to make a lot of complicated features.

- Rolling statistics of target variable

Day	User	Spend	Amount	Prev_user	Prev_spend_avg
1	101	FOOD	2.0	0.0	0.0
1	101	GAS	4.0	0.0	0.0
1	102	FOOD	3.0	0.0	0.0
2	101	GAS	4.0	6.0	4.0
2	101	TV	8.0	6.0	0.0
2	102	FOOD	2.0	3.0	2.5

Interactions and numerical features

- Analyzing fitted model

- Binning numeric and selecting interactions

Amazon.com

Amazon.com - Employee Access Challenge Competition

Your most recent submission

Name	Submitted	Wait time	Execution time	Score
cat_boost1.csv	a few seconds ago	0 seconds	0 seconds	0.91581

Complete

Jump to your position on the leaderboard ▾

Your most recent submission

Name	Submitted	Wait time	Execution time	Score
lgb1.csv	just now	0 seconds	0 seconds	0.87209

Complete

Jump to your position on the leaderboard ▾

Correct validation reminder

- Local experiments:
    - Estimate encodings on X_tr
    - Map them to X_tr and X_val
    - Regularize on X_tr
    - Validate model on X_tr/ X_val split

- Submission:
    - Estimate encodings on whole Train data
    - Map them to Train and Test
    - Regularize on Train
    - Fit on Train

$$x_{tr} \qquad x_{val}$$

TRAIN   TEST

End

- Main advantages:
  - Compact transformation of categorical variables
  - Powerful basis for feature engineering

- Disadvantages:
  - Need careful validation, there a lot of ways to overfit
  - Significant improvements only on specific datasets