OFFICIAL BRAND GUIDELINES

# DialTone.Med Brand Kit

Comprehensive Brand Identity & Design System

Version 1.0 | April 2026 | Confidential — Internal Use

Prepared by Steven Cotton, Founder & CEO | Memphis, TN

---

## Contents

1. Brand Overview
2. Logo System Guidelines
3. Color Palette
4. Typography
5. Iconography Standards
6. Voice & Tone
7. UI/UX Design Principles
8. Photography & Imagery
9. Brand Applications
10. Implementation & Developer Reference

---

# 1. Brand Overview

DialTone.Med is a healthcare-focused sub-brand of DialTone, an AI-powered SaaS platform company founded by Steven Cotton in Memphis, TN. DialTone.Med delivers agentic AI and scalable communication tools purpose-built for the medical and health technology space — serving hospitals, health systems, clinics, telehealth providers, and digital health startups.

## 1.1 Mission Statement

> DialTone.Med empowers healthcare organizations with intelligent, AI-driven communication infrastructure that prioritizes patient safety, provider efficiency, and data integrity.

## 1.2 Vision

To become the trusted communication backbone for modern healthcare — where every signal is clear, every connection is secure, and every interaction improves outcomes.

## 1.3 Core Values

| | |
|---|---|
| **Trust** | We earn confidence through security, transparency, and unwavering reliability in every interaction. |
| **Clarity** | We eliminate noise and ambiguity — in our communication, our product, and our design. |
| **Innovation** | We push boundaries with agentic AI and intelligent automation to solve healthcare's hardest communication challenges. |
| **Accessibility** | We design for everyone — ensuring our tools are usable, inclusive, and equitable across all user groups. |
| **Patient-Centricity** | Every feature, every decision, every pixel serves the ultimate goal: better patient outcomes. |

## 1.4 Brand Personality

DialTone.Med is confident yet compassionate, technically sophisticated yet approachable, precise yet warm. It speaks with authority but never condescension. The brand occupies the intersection of cutting-edge technology and human-centered healthcare.

| | |
|---|---|
| **Trustworthy** | We say what we mean and do what we say. Our reliability is non-negotiable — in uptime, in data handling, and in every promise we make. |
| **Intelligent** | We lead with insight, not hype. Our AI is purposeful, our decisions are data-informed, and our product reflects deep domain expertise. |
| **Empathetic** | We understand that behind every data point is a patient, a family, a care team. Our tone reflects the gravity and humanity of healthcare. |
| **Precise** | Ambiguity is the enemy of patient safety. We are exact in our language, deliberate in our design, and meticulous in our execution. |
| **Forward-Thinking** | We build for the healthcare system of tomorrow. We anticipate needs, embrace change, and invest in what's next. |

## 1.5 Brand Promise

***"Clear signals in critical moments."***

---

# 2. Logo System Guidelines

The DialTone.Med logo is the most visible expression of our brand. It must be used consistently and treated with care across all touchpoints — digital, print, and environmental.

## 2.1 Primary Logo (Wordmark)

The primary logo is a wordmark: **DialTone.Med**. It uses a clean sans-serif typeface (Inter or equivalent) with the following construction rules:

- **"DialTone"** is set in **bold weight** in MedBlue (#0A2463).
- **".Med"** is set in **medium weight** in SignalTeal (#1B998B), visually separating the healthcare sub-brand from the parent DialTone identity.
- The period (.) before "Med" is intentional — it signals a domain, a specialization, a point of connection.

## 2.2 Logo Variations

The following lockups are approved for use. Always select the variation best suited to the application context.

| | | |
|---|---|---|
| **Full-Color Horizontal** | Wordmark with icon to the left. MedBlue + SignalTeal on white/light backgrounds. | Website headers, marketing materials, presentations. **Default / primary lockup.** |
| **Full-Color Stacked** | Icon centered above wordmark. Vertical orientation. | Social media avatars, app icons, square formats, signage. |
| **Monochrome (Dark)** | Single-color version in DeepCharcoal (#1A1F36) or MedBlue (#0A2463). | Light backgrounds where color printing is limited. One-color print jobs. |
| **Reversed (White)** | All-white version of the full logo. | Dark backgrounds, photography overlays, video end cards. |
| **Icon-Only Mark** | A stylized | Favicons, app icons, |

| | | |
|---|---|---|
| | waveform/pulse icon derived from the DialTone identity — representing both an audio signal and a heartbeat/vital sign. Clean, geometric, recognizable at small sizes. | loading screens, watermarks, micro-branding. |

## 2.3 Clear Space & Minimum Size

**Clear Space:** The minimum clear space around the logo on all four sides must equal the cap-height of the letter "D" in "DialTone." No other graphic elements, text, or visual clutter may intrude into this exclusion zone.

**Minimum Size:**

- **Digital:** 120px wide (horizontal lockup)
- **Print:** 1 inch (25.4mm) wide (horizontal lockup)
- **Icon-Only:** 24px minimum for digital; 0.25 inch for print

## 2.4 Logo Misuse

The following are **strictly prohibited**. Violations degrade brand integrity and must be corrected immediately.

| # | Misuse Rule | Reason |
|---|---|---|
| **1** | **Do not stretch or distort.** Maintain original proportions at all times. | Distortion undermines professionalism and legibility. |
| **2** | **Do not recolor** outside the approved palette. | Off-brand colors break visual consistency and recognition. |
| **3** | **Do not add drop shadows,** glows, outlines, or other effects. | Effects clutter the mark and reduce clarity at small sizes. |
| **4** | **Do not rotate** the logo | Rotation diminishes |

| # | Misuse Rule | Reason |
|---|---|---|
| | at any angle. | readability and brand authority. |
| **5** | **Do not place on busy backgrounds** without a semi-opaque overlay or container. | Background interference reduces contrast and legibility. |
| **6** | **Do not alter proportions** between the icon and wordmark, or between "DialTone" and ".Med." | The relationship between elements is carefully calibrated. |

---

# 3. Color Palette

Color is one of the most immediate and powerful expressions of the DialTone.Med brand. Our palette is designed to convey trust, clarity, and clinical precision while remaining warm and human. Every color has a defined role — use them intentionally.

## 3.1 Primary Colors

These are the defining colors of DialTone.Med. They should dominate all brand touchpoints.

| | | | | |
|---|---|---|---|---|
| | **MedBlue** | `#0A2463` | `10, 36, 99` | Primary brand color. Headers, primary buttons, navigation, trust-building surfaces. |
| | **SignalTeal** | `#1B998B` | `27, 153, 139` | Secondary brand color. Accents, CTAs, |

| | | | | |
|---|---|---|---|---|
| | | | | interactive elements, links, the ".Med" wordmark. |

## 3.2 Secondary Colors

Supporting colors that extend the palette for specific functional and communicative needs.

| | | | | |
|---|---|---|---|---|
| | **PulseGreen** | #2EC4B6 | 46, 196, 182 | Success states, positive indicators, health-positive messaging, progress bars. |
| | **CareViolet** | #7B61FF | 123, 97, 255 | AI/intelligence indicators, premium features, innovation callouts, data visualizations. |

## 3.3 Neutral Colors

Neutrals form the structural backbone of the interface and print materials. Use them for backgrounds, borders, body text, and supporting elements.

| | | | | |
|---|---|---|---|---|
| | **ClinicalWhite** | #FAFBFC | 250, 251, 252 | Primary background color. Page backgrounds, card surfaces. |

| | | | | |
|---|---|---|---|---|
| | **SoftGray** | #E8ECF1 | 232, 236, 241 | Borders, dividers, card backgrounds, table alternating rows. |
| | **SlateGray** | #6B7C93 | 107, 124, 147 | Secondary body text, captions, placeholder text, metadata. |
| | **DeepCharcoal** | #1A1F36 | 26, 31, 54 | Primary body text, headings on light backgrounds. |

## 3.4 Semantic / Functional Colors

These colors communicate system states and feedback. They should be used consistently across all product interfaces.

| | | | | |
|---|---|---|---|---|
| | **AlertRed** | #E63946 | 230, 57, 70 | Critical alerts, errors, destructive actions, urgent notifications. |
| | **CautionAmber** | #F4A261 | 244, 162, 97 | Warnings, pending states, items needing attention. |
| | **SuccessGreen** | #06D6A0 | 6, 214, 160 | Confirmations, completed actions, success messages. |
| | **InfoBlue** | #118AB2 | 17, 138, 178 | Informational messages, |

| | | | | |
|---|---|---|---|---|
| | | | | tooltips, help text, educational callouts. |

## 3.5 Accessibility & Contrast Compliance

All text-on-background combinations must meet **WCAG 2.1 AA** minimum contrast ratios: **4.5:1** for normal text and **3:1** for large text (18pt+ or 14pt bold). The table below documents key pairings.

| Text Color | Background | Ratio | AA Normal | AA Large |
|---|---|---|---|---|
| DeepCharcoal (#1A1F36) | ClinicalWhite (#FAFBFC) | **15.9:1** | **Pass** | **Pass** |
| MedBlue (#0A2463) | ClinicalWhite (#FAFBFC) | **13.2:1** | **Pass** | **Pass** |
| SlateGray (#6B7C93) | ClinicalWhite (#FAFBFC) | **4.6:1** | **Pass** | **Pass** |
| White (#FFFFFF) | MedBlue (#0A2463) | **13.5:1** | **Pass** | **Pass** |
| White (#FFFFFF) | SignalTeal (#1B998B) | **3.4:1** | **Fail** | **Pass** |
| DeepCharcoal (#1A1F36) | SoftGray (#E8ECF1) | **12.6:1** | **Pass** | **Pass** |
| MedBlue (#0A2463) | SoftGray (#E8ECF1) | **10.5:1** | **Pass** | **Pass** |

**Accessibility Note**

White text on SignalTeal (#1B998B) fails AA for normal-size text. Use **DeepCharcoal or MedBlue text on teal backgrounds** instead, or limit white-on-teal to large text (18pt+) and icons only.

## 3.6 Dark Mode Palette

All DialTone.Med product interfaces must support dark mode. The following adjustments ensure readability and brand consistency on dark surfaces.

| | | | |
|---|---|---|---|
| **Page Background** | #FAFBFC | #0D1117 | Deep dark background — avoids pure black. |
| **Surface / Card** | #FFFFFF | #161B22 | Elevated surface for cards, modals, popovers. |
| **Primary Text** | #1A1F36 | #E6EDF3 | High contrast, warm white — not pure #FFFFFF. |
| **Secondary Text** | #6B7C93 | #8B949E | Muted text for captions and metadata. |
| **Borders** | #E8ECF1 | #30363D | Subtle border on dark surfaces. |
| **MedBlue (adjusted)** | #0A2463 | #58A6FF | Lightened for visibility on dark backgrounds. |
| **SignalTeal (adjusted)** | #1B998B | #3FC1B0 | Brightened for contrast on dark surfaces. |

---

# 4. Typography

Typography is the foundation of readability and hierarchy in DialTone.Med. Our type system is optimized for healthcare contexts where clarity, legibility, and scannability directly impact patient safety and provider efficiency.

## 4.1 Primary Typeface: Inter

**Inter** is a clean, highly legible sans-serif typeface designed specifically for computer screens. It is open-source (SIL Open Font License), supports a wide range of languages, and features adjustable alternate glyphs for maximum readability in dense UI environments.

**Why Inter:**

- Optimized for screen rendering at all sizes — critical for clinical dashboards and mobile interfaces.
- Tall x-height improves readability of medical terminology and data-dense interfaces.
- Tabular figures ensure numerical data aligns cleanly in tables and charts.
- Open-source with no licensing restrictions for product use.

## 4.2 Type Scale & Hierarchy

| | | | | | |
|---|---|---|---|---|---|
| **Display / H1** | Inter Bold (700) | 32–48px | 1.2 | -0.02em | Page titles, hero sections, major section headings. |
| **H2** | Inter SemiBold (600) | 24–32px | 1.3 | -0.01em | Sub-section headings, card titles, modal headers. |
| **H3** | Inter Medium (500) | 20–24px | 1.4 | 0 | Tertiary headings, sidebar titles, widget headers. |
| **Body** | Inter Regular | 16px | 1.6 | 0.01em | Primary paragraph |

| | | | | | |
|---|---|---|---|---|---|
| | (400) | | | | text, descriptions, form labels. |
| **Small / Caption** | Inter Regular (400) | 12–14px | 1.5 | 0.02em | Captions, footnotes, helper text, timestamps. |
| **Code / Data** | JetBrains Mono Regular | 14px | 1.5 | 0 | Code snippets, API references, clinical data values, IDs. |

## 4.3 Fallback Font Stack

```
font-family: 'Inter', -apple-system, BlinkMacSystemFont, 'Segoe UI', Roboto, sans-serif; font-family: 'JetBrains Mono', 'Fira Code', 'Cascadia Code', 'Consolas', monospace; /* code */
```

## 4.4 Usage Rules

- **Never** use decorative or serif fonts in the product UI. The interface must remain consistent and clinically clear.
- Serif fonts (e.g., Merriweather, Georgia) may be used **sparingly** in long-form editorial content only — blog posts, whitepapers, case studies — never in the product itself.
- **Minimum body text size is 16px** for accessibility compliance. Smaller sizes (12–14px) are reserved for captions, footnotes, and supplementary metadata only.
- Use **tabular figures** (`font-variant-numeric: tabular-nums`) for all numerical data in tables, charts, and data displays.

- Headings should always be in the **MedBlue** or **DeepCharcoal** color — never in accent or semantic colors.
- Avoid ALL CAPS for body text. Use sparingly for labels, badges, and button text only (with letter-spacing: 0.05em).

---

# 5. Iconography Standards

Icons are a critical part of the DialTone.Med visual language — especially in clinical interfaces where quick recognition can impact patient care. Our icon system prioritizes clarity, consistency, and accessibility.

## 5.1 Style

- **Stroke Style:** Outlined/linear icons with **1.5px stroke weight**.
- **Caps & Joins:** Rounded caps and rounded joins for a friendly, approachable feel.
- **Grid:** All icons designed on a consistent **24x24px** base grid with 2px padding.
- **Corner Radius:** 2px on internal shapes for visual consistency.
- **Optical Alignment:** Icons must be optically centered, not just mathematically centered.

## 5.2 Recommended Icon Libraries

| | | | |
|---|---|---|---|
| **Phosphor Icons** | MIT | 7,000+ | Primary recommendation. 6 weights, excellent medical coverage, healthcare-friendly. |

| | | | |
|---|---|---|---|
| **Lucide** | ISC | 1,500+ | Secondary option. Clean, consistent, lightweight. Good for general UI. |

## 5.3 Medical Iconography Standards

Specialized medical icons require extra care. These icons appear in critical clinical contexts and must be unambiguous.

| Category | Examples | Rules |
|---|---|---|
| **Vitals** | Heart rate, blood pressure, temperature, SpO2 | Always pair with a numerical value. Use waveform motifs where appropriate. |
| **Medications** | Pill, syringe, IV, prescription | Distinct shapes to avoid confusion. Never use color alone to differentiate medication types. |
| **Appointments** | Calendar, clock, video call, check-in | Use filled variants for confirmed/active states. Outlined for upcoming/pending. |
| **Patient Records** | Chart, file, clipboard, history | Include a visual cue for sensitivity level when displaying PHI-related content. |
| **Alerts** | Warning triangle, bell, exclamation, shield | Always use semantic colors. Critical alerts use AlertRed fill. Never mute alert icons. |

## 5.4 Color Rules for Icons

- Icons **inherit text color** by default — they adopt the color of adjacent text.
- Use **semantic colors only for status indicators:** SuccessGreen for confirmed, CautionAmber for warning, AlertRed for error/critical.

- **Never use more than 2 colors** in a single icon.
- Interactive icons use **SignalTeal** on hover/focus to match link behavior.

## 5.5 Sizing Scale

| Size | Use Case |
|---|---|
| **16px** | Inline with text, breadcrumbs, dense data tables. |
| **20px** | Buttons, input fields, navigation items. |
| **24px** | Standard — primary icon size for most contexts. |
| **32px** | Feature highlights, section markers, dashboard widgets. |
| **48px** | Hero sections, empty states, onboarding illustrations. |

## 5.6 Custom Icon Guidelines

Any custom icons created for DialTone.Med must adhere to the following specifications to maintain visual consistency with the base library:

- Design on the **24x24px grid** with 2px internal padding.
- Use **1.5px stroke weight** consistently.
- Apply **2px corner radius** on all internal geometric shapes.
- Use **rounded caps and joins** — never square or butt caps.
- Export as SVG with `currentColor` for stroke/fill to support theming.
- Test at all sizes in the sizing scale (16–48px) before approval.

---

# 6. Voice & Tone

The DialTone.Med voice is the verbal expression of our brand personality. While our **voice** remains constant — who we are — our **tone** adapts to context, audience, and the emotional weight of the moment.

## 6.1 Brand Voice Attributes

| | | |
|---|---|---|
| **Clear** | Simple, direct, unambiguous. We say exactly what we mean. | Not dumbed-down or condescending. Clarity respects intelligence. |
| **Confident** | Authoritative and sure. We know our domain. | Not arrogant or boastful. We prove value, not proclaim it. |
| **Compassionate** | Empathetic and human. We understand the weight of healthcare. | Not sentimental or patronizing. We're warm, not soft. |
| **Precise** | Exact, specific, data-informed. Every word earns its place. | Not verbose or overly technical. Precision is concise. |

## 6.2 Voice Principles

11. **Lead with clarity.** Avoid medical jargon in patient-facing copy. Use precise clinical language in provider-facing contexts. When in doubt, choose the simpler term.
12. **Be human first.** Acknowledge the emotional weight of healthcare interactions. Behind every notification is a patient, a family, a care moment.
13. **Show, don't tell.** Demonstrate value through specificity, not superlatives. Instead of "best-in-class," show the specific metric or outcome.
14. **Respect intelligence.** Never talk down to any audience segment — whether that's a patient scheduling an appointment or a CTO evaluating infrastructure.

## 6.3 Tone Spectrum by Context

| | | |
|---|---|---|
| **Patient-Facing** | Warm, reassuring, simple | "Your appointment is confirmed for Tuesday at 2:00 PM with Dr. Chen." |
| **Provider-Facing** | Direct, efficient, technical | "3 new critical lab results require review. 1 flagged for immediate follow-up." |
| **Marketing / Sales** | Confident, benefit-driven, aspirational | "Reduce communication gaps by 73% — so your care teams can focus on what matters." |
| **Error / Alert Messages** | Calm, actionable, specific | "We couldn't save your changes. Check your connection and try again." |
| **Onboarding** | Encouraging, step-by-step, supportive | "Great — your account is set up. Next, let's connect your EHR system." |
| **Legal / Compliance** | Precise, formal, unambiguous | "Your data is encrypted in transit and at rest per HIPAA Security Rule requirements." |

## 6.4 Writing Guidelines

### Do

- "Your appointment is confirmed for Tuesday at 2:00 PM."
- "3 messages need your attention."
- "We've updated your care plan. Review the changes here."
- "Unable to connect. Please try again in a few moments."

### Don't

- "Your appointment has been successfully scheduled and confirmed in our system!"
- "You have unread items that may require your immediate attention at this time."
- "We are pleased to inform you that your care plan has been modified and updated accordingly."
- "Oops! Something went wrong. We're super sorry about that!"

## 6.5 Inclusive Language

- **Person-first language:** "person with diabetes," not "diabetic patient."
- **Gender-neutral defaults:** Use "they/them" when gender is unknown. Use "provider" instead of gendered titles when general.
- **Plain language principles:** Write at an 8th-grade reading level for patient-facing content. Avoid idioms that don't translate across cultures.
- **Avoid ableist terms:** Replace "blind spot" with "gap," "crippled" with "impaired," "lame" with "ineffective."
- **Culturally sensitive:** Avoid assumptions about family structure, living situation, or health literacy.

---

# 7. UI/UX Design Principles

Design decisions at DialTone.Med carry clinical weight. An unclear button, a buried alert, or a confusing workflow can have real consequences for patient care. These principles guide every design decision.

## 7.1 Core Principles

| | | |
|---|---|---|
| **1** | **Patient Safety First** | Design decisions must never compromise clinical accuracy or patient safety. When in doubt, err on the side of caution, clarity, and explicit confirmation. |
| **2** | **Clarity Over Cleverness** | Prioritize readability and comprehension over visual novelty. If a user has to think about how something works, it's too complex. |
| **3** | **Accessible by Default** | WCAG 2.1 AA compliance is the baseline, not the aspiration. Target AAA where feasible. Accessibility is not a feature — it is a requirement. |
| **4** | **Progressive Disclosure** | Present the minimum information needed at each level. Allow users to drill deeper on demand. Reduce cognitive load, especially in clinical contexts. |
| **5** | **Consistent & Predictable** | Interaction patterns must be learnable and repeatable across the entire platform. The same action should always produce the same result. |
| **6** | **Performance is UX** | Speed and reliability are design features, not engineering concerns. A beautiful interface that loads slowly is a failed interface in a clinical setting. |

# 7.2 Component Standards

## Buttons

| Type | Style | Usage |
|---|---|---|
| **Primary** | MedBlue (#0A2463) fill, white text, 8px border-radius. | Main page action. One primary button per view. |
| **Secondary** | Transparent fill, MedBlue 1px border, MedBlue text. | Alternative actions, cancel, back navigation. |
| **Destructive** | AlertRed (#E63946) fill, white text. | Delete, remove, cancel appointment. Always requires confirmation. |
| **Ghost / Text** | No border, no fill. Text-only with hover underline. | Tertiary actions, links within forms. |

**All buttons:** Minimum 44px touch target (height), 12px horizontal padding, Inter Medium 14px text. Disabled state at 40% opacity.

## Cards

- 8px border-radius on all corners.
- SoftGray (#E8ECF1) 1px border or subtle elevation shadow.
- 16–24px internal padding.
- White (#FFFFFF) background in light mode; #161B22 in dark mode.
- Always include a clear content hierarchy: title, subtitle/metadata, body content, actions.

## Forms

- Labels always **above** input fields — never inline or floating.
- **Inline validation** on blur — show success (green check) or error (red text + icon) immediately.

- Descriptive error messages: "Please enter a valid phone number (e.g., 555-123-4567)" — never just "Invalid input."
- Logical **tab order** following reading direction (left-to-right, top-to-bottom).
- Required fields marked with an asterisk (*) and a legend at the top of the form.

### Data Tables

- Alternating row background colors: white and ClinicalWhite (#FAFBFC).
- Sortable columns with a visible sort indicator (arrow icon).
- Responsive collapse strategy: on mobile, convert to stacked card layout.
- Sticky header row for long tables.
- Row hover state: SoftGray (#E8ECF1) background.

### Modals & Dialogs

- Focused, centered, with a semi-transparent dark overlay (60% opacity).
- Always dismissible via close button (top-right), Escape key, and overlay click.
- Clear primary and secondary action buttons at the bottom-right.
- Maximum width: 560px. Content should not require scrolling in most cases.
- For destructive actions, require explicit confirmation text (e.g., "Type DELETE to confirm").

## 7.3 Spacing System

DialTone.Med uses a **4px base unit** spacing system. All spacing values must be multiples of 4px.

| Token | Value | Usage |
|---|---|---|
| `space-1` | 4px | Tight gaps — icon-to-label, badge padding. |
| `space-2` | 8px | Inline element gaps, compact list items. |

| Token | Value | Usage |
|---|---|---|
| `space-3` | 12px | Form field gaps, tight content spacing. |
| `space-4` | 16px | Card padding, standard content gap. |
| `space-6` | 24px | Section padding, large content gap. |
| `space-8` | 32px | Component separation, major section gaps. |
| `space-12` | 48px | Page section breaks, hero padding. |
| `space-16` | 64px | Major page gutters, hero vertical spacing. |
| `space-24` | 96px | Page-level vertical rhythm, footer spacing. |

## 7.4 Responsive Breakpoints

| Breakpoint | Range | Target Devices |
|---|---|---|
| **Mobile** | < 640px | Phones, small devices |
| **Tablet** | 640–1024px | Tablets, clinical workstations in portrait |
| **Desktop** | 1024–1440px | Standard monitors, laptops |
| **Wide** | > 1440px | Large monitors, clinical dashboards, nurse stations |

## 7.5 Dark Mode

Full dark mode support is **required** for all product interfaces. Every component, every color, and every state must be tested and validated in both light and dark themes. Refer to Section 3.6 for the dark mode palette.

## 7.6 Motion & Animation

- **Purposeful only:** Every animation must serve a functional purpose — guiding attention, indicating state change, or providing feedback. No decorative animation.
- **Duration:** 150ms for micro-interactions (hover, focus), 200–300ms for transitions (modal open, page slide).
- **Easing:** `ease-in-out` for most transitions. `ease-out` for entrances. `ease-in` for exits.
- **Accessibility:** Always respect `prefers-reduced-motion`. Provide static alternatives for all animated content.
- **Critical rule:** Never use animation to convey critical information. Status, alerts, and errors must be communicated through persistent visual indicators, not motion alone.

---

# 8. Photography & Imagery

Imagery in the DialTone.Med brand tells the story of healthcare transformed by intelligent technology — without ever losing sight of the humans at the center of care.

## 8.1 Photography Style Direction

- **Authentic, not staged.** Show real healthcare environments — not stock-photo clichés. Avoid stethoscope-on-keyboard, overly posed lab coat shots, or generic handshake images.
- **Diverse representation.** Feature patients, providers, and care teams that reflect the diversity of the communities DialTone.Med serves — in age, ethnicity, gender, ability, and role.

- **Natural lighting.** Warm, natural light is preferred. Avoid harsh fluorescent clinical lighting unless authenticity demands it.
- **Technology as enabler.** When showing technology, frame it as a tool that **empowers** human care — not replaces it. The screen should support the human moment, not dominate it.
- **Emotional connection.** Capture genuine moments: a provider listening intently, a patient smiling after good news, a care team collaborating. Emotion sells trust.

## 8.2 Subject Guidelines

| Subject Type | Guidelines |
|---|---|
| **Patients** | Diverse in age, ethnicity, and ability. Show agency — patients as active participants in their care, not passive recipients. |
| **Providers** | Show a range of clinical roles — not just physicians. Include nurses, therapists, pharmacists, techs. Avoid the "hero doctor" trope. |
| **Care Teams** | Emphasize collaboration and communication. Show huddles, handoffs, consultations — the moments DialTone.Med makes better. |
| **Technology** | Show screens and devices in context — being used by real people in real settings. Never show technology in isolation. |
| **Environments** | Modern clinical settings, telehealth from home, hospital hallways, team workrooms. Avoid sterile/cold imagery. |

## 8.3 Image Treatment

- **Color grading:** Warm tones aligned with the brand palette. Slight MedBlue or SignalTeal overlay for hero images and section backgrounds.

- **Contrast:** High contrast and sharpness — never blurry, over-filtered, or heavily post-processed.
- **Aspect ratios:** Standard ratios only — 16:9 for hero banners, 4:3 for content images, 1:1 for avatars and thumbnails.

## 8.4 Illustration Style

- **Clean, geometric, flat.** Use brand colors (MedBlue, SignalTeal, PulseGreen, CareViolet) with ClinicalWhite background.
- **Consistent 2px stroke weight** when outlined — matching the icon system for visual harmony.
- **Use for:** Abstract concepts (data flow, AI processing), onboarding flows, empty states, error illustrations, explainer diagrams.
- **Avoid:** Overly cartoonish, childish, or clip-art style illustrations. Maintain professional sophistication.

---

# 9. Brand Applications

The following section outlines how the DialTone.Med brand system is applied across digital, print, and environmental touchpoints. Each application should reinforce the brand identity consistently.

## 9.1 Digital Applications

| | |
|---|---|
| **Marketing Website — Hero** | Full-width hero with MedBlue background gradient. White headline in Inter Bold 48px. SignalTeal CTA button. Authentic healthcare photography with subtle blue overlay. Horizontal logo (reversed) in the navbar. |
| **Product Dashboard** | ClinicalWhite background. MedBlue |

| | |
|---|---|
| | sidebar navigation with white icon-only mark at top. Data cards with SoftGray borders. SignalTeal for active/selected states. Inter typeface throughout. Semantic colors for alerts and status indicators. |
| **Email Templates** | White background, MedBlue header strip with reversed logo. Body text in DeepCharcoal Inter Regular 16px. SignalTeal link color. Footer with SlateGray metadata. Maximum 600px content width. |
| **Social Media Assets** | Consistent templates for LinkedIn, Twitter/X, and Instagram. MedBlue or white backgrounds. Logo in top-left corner. Inter Bold for headlines, Inter Regular for body. 1200x627px for link previews, 1080x1080px for posts. |

## 9.2 Print Applications

| | |
|---|---|
| **Business Cards** | 3.5" x 2" standard. Front: white background, full-color horizontal logo centered top, name in Inter Bold 10pt MedBlue, title in Inter Regular 8pt SlateGray, contact details in Inter Regular 8pt. Back: full MedBlue bleed with reversed icon-only mark centered. |
| **Letterhead** | 8.5" x 11". Full-color horizontal logo top-left. 2px SignalTeal rule below header. Company address and contact in SlateGray 8pt, right-aligned in header. Footer: MedBlue thin rule with confidentiality notice in 7pt. |
| **Presentation Deck** | 16:9 format. Title slide: MedBlue full background, reversed logo, white Inter Bold headline. Content slides: white background, MedBlue heading, DeepCharcoal body. Charts use brand palette. Icon-only mark as watermark in bottom-right corner. |

## 9.3 Environmental Applications

| | |
|---|---|
| **Conference Booth** | 10' x 8' back wall: MedBlue background with large reversed logo centered. Brand promise tagline below. Side panels: white with full-color product screenshots. Demo station counter in white with SignalTeal accent edge. |
| **Signage / Wayfinding** | MedBlue or white backgrounds only. Full-color logo with generous clear space. Inter Bold for primary messaging, Inter Regular for supporting copy. Minimum logo width: 3 inches. |
| **Name Badges** | White background with icon-only mark top-left. Name in Inter Bold 14pt MedBlue. Title in Inter Regular 10pt SlateGray. SignalTeal accent bar at bottom edge. Lanyard in MedBlue with repeated reversed wordmark. |

---

# 10. Implementation & Developer Reference

This section provides developers with production-ready code references for implementing the DialTone.Med design system. All tokens and values defined here are the **source of truth** — do not hardcode alternative values.

## 10.1 CSS Custom Properties

Include the following CSS custom properties block at the root of your application stylesheet. All component styles should reference these variables.

```
:root {   /* ── Primary Colors ── */   --dt-med-color-primary: #0A2463;   --dt-med-color-secondary: #1B998B;    /* ── Secondary Colors ── */   --dt-med-color-pulse-green: #2EC4B6;   --dt-med-color-care-violet: #7B61FF;    /* ──
```

```
Neutrals ── */   --dt-med-color-bg-primary: #FAFBFC;   --dt-med-color-bg-
surface: #FFFFFF;   --dt-med-color-border: #E8ECF1;   --dt-med-color-text-
secondary: #6B7C93;   --dt-med-color-text-primary: #1A1F36;    /* ── Semantic
Colors ── */   --dt-med-color-error: #E63946;   --dt-med-color-warning:
#F4A261;   --dt-med-color-success: #06D6A0;   --dt-med-color-info: #118AB2;
/* ── Dark Mode Backgrounds ── */   --dt-med-dark-bg-primary: #0D1117;   --
dt-med-dark-bg-surface: #161B22;   --dt-med-dark-border: #30363D;   --dt-med-
dark-text-primary: #E6EDF3;   --dt-med-dark-text-secondary: #8B949E;   --dt-
med-dark-color-primary: #58A6FF;   --dt-med-dark-color-secondary: #3FC1B0;
/* ── Typography ── */   --dt-med-font-sans: 'Inter', -apple-system,
BlinkMacSystemFont,                        'Segoe UI', Roboto, sans-serif;
--dt-med-font-mono: 'JetBrains Mono', 'Fira Code',
'Cascadia Code', 'Consolas', monospace;   --dt-med-font-size-xs: 12px;   --
dt-med-font-size-sm: 14px;   --dt-med-font-size-base: 16px;   --dt-med-font-
size-lg: 20px;   --dt-med-font-size-xl: 24px;   --dt-med-font-size-2xl: 32px;
--dt-med-font-size-3xl: 48px;   --dt-med-line-height-tight: 1.2;   --dt-med-
line-height-normal: 1.5;   --dt-med-line-height-relaxed: 1.6;    /* ──
Spacing Scale ── */   --dt-med-space-1: 4px;   --dt-med-space-2: 8px;   --dt-
med-space-3: 12px;   --dt-med-space-4: 16px;   --dt-med-space-6: 24px;   --
dt-med-space-8: 32px;   --dt-med-space-12: 48px;   --dt-med-space-16: 64px;
--dt-med-space-24: 96px;    /* ── Border Radius ── */   --dt-med-radius-sm:
4px;   --dt-med-radius-md: 8px;   --dt-med-radius-lg: 12px;   --dt-med-
radius-full: 9999px;    /* ── Shadows ── */   --dt-med-shadow-sm: 0 1px 2px
rgba(26, 31, 54, 0.06);   --dt-med-shadow-md: 0 4px 12px rgba(26, 31, 54,
0.08);   --dt-med-shadow-lg: 0 8px 24px rgba(26, 31, 54, 0.12);    /* ──
Transitions ── */   --dt-med-transition-fast: 150ms ease-in-out;   --dt-med-
transition-normal: 200ms ease-in-out;   --dt-med-transition-slow: 300ms ease-
in-out; }
```

## 10.2 Design Tokens (JSON)

The following JSON object provides design tokens in a standard format compatible with Style Dictionary, Figma Token Studio, and similar tools.

```
{   "color": {     "primary": {       "medBlue": { "value": "#0A2463",
"type": "color" },       "signalTeal": { "value": "#1B998B", "type":
"color" }     },     "secondary": {       "pulseGreen": { "value": "#2EC4B6",
"type": "color" },       "careViolet": { "value": "#7B61FF", "type":
"color" }     },     "neutral": {       "clinicalWhite": { "value":
"#FAFBFC", "type": "color" },       "softGray": { "value": "#E8ECF1", "type":
"color" },       "slateGray": { "value": "#6B7C93", "type": "color" },
"deepCharcoal": { "value": "#1A1F36", "type": "color" }     },
"semantic": {       "error": { "value": "#E63946", "type": "color" },
"warning": { "value": "#F4A261", "type": "color" },       "success":
{ "value": "#06D6A0", "type": "color" },       "info": { "value": "#118AB2",
"type": "color" }     },     "dark": {       "bgPrimary": { "value":
"#0D1117", "type": "color" },       "bgSurface": { "value": "#161B22",
"type": "color" },       "border": { "value": "#30363D", "type": "color" },
"textPrimary": { "value": "#E6EDF3", "type": "color" },
"textSecondary": { "value": "#8B949E", "type": "color" }     }   },
"typography": {     "fontFamily": {       "sans": { "value": "'Inter', -
apple-system, BlinkMacSystemFont, 'Segoe UI', Roboto, sans-serif", "type":
"fontFamily" },       "mono": { "value": "'JetBrains Mono', 'Consolas',
monospace", "type": "fontFamily" }     },     "fontSize": {       "xs":
{ "value": "12px", "type": "fontSize" },       "sm": { "value": "14px",
"type": "fontSize" },       "base": { "value": "16px", "type": "fontSize" },
"lg": { "value": "20px", "type": "fontSize" },       "xl": { "value": "24px",
```

```
"type": "fontSize" },       "2xl": { "value": "32px", "type": "fontSize" },
"3xl": { "value": "48px", "type": "fontSize" }     }   },   "spacing":
{     "1": { "value": "4px", "type": "spacing" },     "2": { "value": "8px",
"type": "spacing" },     "3": { "value": "12px", "type": "spacing" },
"4": { "value": "16px", "type": "spacing" },     "6": { "value": "24px",
"type": "spacing" },     "8": { "value": "32px", "type": "spacing" },
"12": { "value": "48px", "type": "spacing" },     "16": { "value": "64px",
"type": "spacing" },     "24": { "value": "96px", "type": "spacing" }   },
"borderRadius": {     "sm": { "value": "4px", "type": "borderRadius" },
"md": { "value": "8px", "type": "borderRadius" },     "lg": { "value":
"12px", "type": "borderRadius" },     "full": { "value": "9999px", "type":
"borderRadius" }   } }
```


## 10.3 Figma Guidelines

All brand assets must be maintained in a centralized **Figma component library** with the following standards:

- **Auto-layout** on all components — no fixed-position elements.
- **Variants** for all component states: default, hover, active, focus, disabled, error.
- **Proper naming conventions:** Component/Category/Variant (e.g., `Button/Primary/Default`, `Button/Primary/Hover`).
- **Design tokens** synced from JSON via Figma Token Studio plugin.
- **Light and dark mode** variants for every component using Figma's variable modes.
- **Responsive constraints** applied to all frames for multi-breakpoint testing.
- **Documentation pages** within the Figma file for each section of this brand kit.

## 10.4 Accessibility Checklist

The following checklist must be verified for every feature, page, and component before release.

| | | |
|---|---|---|
| **1** | **Color Contrast Ratios** | All text meets WCAG 2.1 AA (4.5:1 normal, 3:1 large). Non-text UI |

| | | |
|---|---|---|
| | | components meet 3:1 against adjacent colors. |
| **2** | **Focus Indicators** | All interactive elements show a visible focus ring (2px solid SignalTeal, 2px offset). Never remove outline without replacement. |
| **3** | **Alt Text** | All meaningful images have descriptive alt text. Decorative images use `alt=""` and `role="presentation"`. |
| **4** | **ARIA Labels** | All icon-only buttons, links, and controls have `aria-label` or `aria-labelledby`. Dynamic content uses `aria-live` regions. |
| **5** | **Keyboard Navigation** | All functionality is accessible via keyboard alone. Tab order is logical. No keyboard traps. Escape closes modals. |
| **6** | **Skip Links** | Every page includes a "Skip to main content" link as the first focusable element. |
| **7** | **Form Labels** | Every form input has an associated `<label>` element. Placeholder text is never the sole label. |
| **8** | **Error Identification** | Errors are identified by text — never by color alone. Error messages describe the problem and suggest a fix. |
| **9** | **Text Resizing** | Content remains readable and functional when text is resized up to 200%. No horizontal scrolling at 320px viewport width. |
| **10** | **Touch Targets** | All interactive elements |

| | | |
|---|---|---|
| | | are at least 44x44px. Adequate spacing between adjacent targets to prevent mis-taps. |

---



This document is confidential and intended for internal use by authorized DialTone.Med team members, designers, and development partners. Do not distribute without approval.