

SnakeViz

Call Stack

Reset Root

Reset Zoom

Style: Icicle

Depth: 10

Cutoff: 1 / 1000

Name:

<module>

Cumulative Time:

0.663 s (8.95 %)

File:

D:\Code\SourceSkillsMiner\0
SSanalisier.py

Line:

1

Directory:

ScoringSys.py:93(compute_oss_score)

3.33 s

ScoringSys.py:292(score_user)

6.70 s

api.py:62(get)

6.58 s

api.py:62(get)

6.58 s

api.py:14(request)

6.58 s

api.py:14(request)

6.58 s

sessions.py:500(request)

6.57 s

sessions.py:673(send)

6.56 s

adapters.py:590(send)

6.56 s

Search:

ncalls	tottime	percall	cumtime	percall	
61	3.626	0.05945	3.626	0.05945	~:0(<method 'load_verify_
41	2.592	0.06322	2.592	0.06322	~:0(<method 'read' of '_ssl
2466	0.1757	7.123e-05	0.1757	7.123e-05	~:0(<built-in method nt.st
13	0.1519	0.01168	0.1519	0.01168	~:0(<method 'do_handsh
13	0.1256	0.009662	0.1256	0.009662	~:0(<method 'connect' of '
13	0.115	0.008845	0.115	0.008848	~:0(<built-in method _soc
568	0.06082	0.0001071	0.06082	0.0001071	~:0(<built-in method _io.o
72	0.05305	0.0007367	0.05305	0.0007367	~:0(<built-in method built
524	0.03914	7.469e-05	0.03914	7.469e-05	~:0(<built-in method mars
5211	0.0219	4.202e-06	0.03127	6.001e-06	<frozen importlib._bootstr
20/18	0.01748	0.0009711	0.0191	0.001061	~:0(<built-in method _imp
582	0.01483	2.548e-05	0.02653	4.558e-05	~:0(<method 'read' of '_io.
34	0.01464	0.0004305	0.01465	0.000431	~:0(<built-in method built
1602/1589	0.01463	9.21e-06	0.06356	4e-05	~:0(<built-in method built
1238/371	0.01356	3.654e-05	0.03334	8.987e-05	_parser.py:512(_parse)
3564/3461	0.009092	2.627e-06	0.01123	3.245e-06	~:0(<built-in method __ne
554/1	0.009012	0.009012	7.412	7.412	~:0(<built-in method built
2	0.00871	0.004355	0.00871	0.004355	~:0(<built-in method _ssl.
2159/352	0.007846	2.229e-05	0.01959	5.565e-05	_compiler.py:39(_compile

ncalls	tottime	percall	cumtime	percall	
1040	0.007452	7.165e-06	0.1715	0.0001649	<frozen importlib._bootstr
555	0.007413	1.336e-05	0.007444	1.341e-05	~:0(<method '__exit__' of
65402/62977	0.006444	1.023e-07	0.006897	1.095e-07	~:0(<built-in method built
20/19	0.005753	0.0003028	0.01192	0.0006274	~:0(<built-in method _imp
62	0.005677	9.156e-05	0.005677	9.156e-05	~:0(<built-in method nt.lis
1	0.005559	0.005559	0.01744	0.01744	~:0(<method '_parse_who
46003	0.005394	1.172e-07	0.005394	1.172e-07	~:0(<method 'append' of 'l
73	0.00503	6.891e-05	0.00503	6.891e-05	~:0(<built-in method nt._p
46676/46628	0.005001	1.073e-07	0.005536	1.187e-07	~:0(<built-in method built
1005	0.004771	4.748e-06	0.007214	7.178e-06	_compiler.py:248(_optimi
1	0.004728	0.004728	3.327	3.327	ScoringSys.py:93(compute
373	0.004647	1.246e-05	0.008219	2.203e-05	inspect.py:789(cleandoc)
1624	0.004611	2.839e-06	0.01482	9.127e-06	<frozen importlib._bootstr
524	0.004497	8.582e-06	0.04424	8.442e-05	<frozen importlib._bootstr
546	0.004112	7.53e-06	0.2429	0.0004448	<frozen importlib._bootstr
1	0.003739	0.003739	0.006293	0.006293	vader.py:344(make_lex_di
14267	0.003421	2.398e-07	0.004864	3.409e-07	_parser.py:168(__getitem_
1092	0.003057	2.799e-06	0.01594	1.46e-05	<frozen importlib._bootstr
14761	0.002911	1.972e-07	0.005031	3.408e-07	_parser.py:261(get)
619	0.002898	4.681e-06	0.1907	0.0003081	<frozen importlib._bootstr
22	0.002861	0.00013	0.002861	0.00013	~:0(<built-in method nt.op
18263	0.00275	1.506e-07	0.00275	1.506e-07	_parser.py:240(__next)
26	0.00271	0.0001042	0.00271	0.0001042	~:0(<built-in method built
627/9	0.002663	0.0002959	0.7078	0.07865	<frozen importlib._bootstr
8875	0.002654	2.991e-07	0.002654	2.991e-07	~:0(<method 'split' of 'str'
458	0.00258	5.633e-06	0.002694	5.881e-06	_inspect.py:66(getargs)
628/9	0.002533	0.0002815	0.7081	0.07868	<frozen importlib._bootstr
18771	0.002531	1.348e-07	0.002531	1.348e-07	~:0(<method 'startswith' o
40	0.002509	6.272e-05	0.002509	6.272e-05	~:0(<built-in method nt._p
20295	0.002471	1.217e-07	0.002471	1.217e-07	~:0(<method 'endswith' of
1624	0.002447	1.507e-06	0.003473	2.139e-06	<frozen importlib._bootstr
16413	0.002421	1.475e-07	0.002499	1.523e-07	~:0(<built-in method built
1624	0.002391	1.472e-06	0.005279	3.251e-06	<frozen importlib._bootstr
17179	0.00235	1.368e-07	0.00235	1.368e-07	~:0(<method 'rstrip' of 'str'
1624	0.00231	1.422e-06	0.003912	2.409e-06	<frozen importlib._bootstr
2534/771	0.002283	2.961e-06	0.002825	3.664e-06	_parser.py:178(getwidth)
1	0.002174	0.002174	0.006815	0.006815	_regex_core.py:1(<module
7909/7841	0.002072	2.642e-07	0.00225	2.869e-07	~:0(<method 'join' of 'str' c
1010/352	0.001997	5.674e-06	0.03434	9.755e-05	_parser.py:452(__parse_sut
477	0.001981	4.152e-06	0.06683	0.0001401	__init__.py:330(__compile)
7048	0.001891	2.684e-07	0.003237	4.593e-07	~:0(<built-in method built
1751/20	0.001822	9.109e-05	0.6977	0.03489	<frozen importlib._bootstr
592	0.001814	3.065e-06	0.01333	2.252e-05	<frozen importlib._bootstr

ncalls	tottime	percall	cumtime	percall	
34	0.001681	4.943e-05	0.0167	0.0004912	__init__.py:361(namedtuple)
28	0.001666	5.951e-05	0.001666	5.951e-05	~:0(<built-in method nt._p
2	0.001646	0.0008232	0.9667	0.4833	StatusAnaliser.py:351(__i
11	0.001596	0.0001451	0.0016	0.0001454	~:0(<built-in method _io.o
11350	0.001584	1.395e-07	0.001584	1.395e-07	~:0(<method 'get' of 'dict'
568	0.001566	2.757e-06	0.08457	0.0001489	<frozen importlib._bootstr
592/9	0.001534	0.0001705	0.7034	0.07816	<frozen importlib._bootstr
567	0.001516	2.674e-06	0.004229	7.458e-06	<frozen importlib._bootstr
594	0.001514	2.549e-06	0.1843	0.0003103	<frozen importlib._bootstr
1114	0.001466	1.316e-06	0.003871	3.475e-06	<frozen importlib._bootstr
18	0.001384	7.686e-05	0.003215	0.0001786	enum.py:1739(convert_cla
1624	0.001354	8.34e-07	0.006927	4.266e-06	<frozen importlib._bootstr
22	0.001329	6.04e-05	0.001329	6.04e-05	~:0(<built-in method mars
2465	0.001283	5.205e-07	0.1769	7.176e-05	<frozen importlib._bootstr
1624	0.001204	7.416e-07	0.001204	7.416e-07	<frozen importlib._bootstr
8168	0.001188	1.455e-07	0.001634	2e-07	_parser.py:256(match)
1624	0.001186	7.303e-07	0.001684	1.037e-06	<frozen importlib._bootstr
27	0.001178	4.361e-05	0.001178	4.361e-05	socket.py:224(__init__)
1	0.001149	0.001149	0.5958	0.5958	StatusAnaliser.py:44(__ini
16	0.001147	7.17e-05	0.001147	7.17e-05	~:0(<built-in method nt._g
546/8	0.001145	0.0001431	0.7031	0.08789	<frozen importlib._bootstr
5955/5951	0.001142	1.92e-07	0.003171	5.329e-07	~:0(<built-in method built:
9612	0.001139	1.185e-07	0.001139	1.185e-07	~:0(<method 'lstrip' of 'str'
289	0.001134	3.925e-06	0.001269	4.391e-06	_compiler.py:400(_mk_bit
872	0.001127	1.292e-06	0.002868	3.289e-06	enum.py:1593(__and__)
160	0.001119	6.992e-06	0.002588	1.617e-05	typing.py:260(_collect_ty
11669	0.001119	9.593e-08	0.001122	9.611e-08	~:0(<built-in method built:
4166	0.001089	2.613e-07	0.001089	2.613e-07	~:0(<method 'rpartition' of
352	0.001079	3.065e-06	0.005339	1.517e-05	_compiler.py:525(_compil
629	0.00102	1.622e-06	0.002334	3.71e-06	<frozen importlib._bootstr
567	0.001011	1.783e-06	0.005346	9.428e-06	<frozen importlib._bootstr
3092	0.0009848	3.185e-07	0.001457	4.711e-07	enum.py:1575(__get_value)
3660	0.000983	2.686e-07	0.001415	3.867e-07	~:0(<built-in method built:
6580	0.0009824	1.493e-07	0.0009824	1.493e-07	~:0(<method 'lower' of 'str'
69	0.000979	1.419e-05	0.00147	2.13e-05	url.py:227(__encode_invali
352	0.0009752	2.77e-06	0.06274	0.0001782	_compiler.py:757(compile
857/257	0.0009162	3.565e-06	0.3272	0.001273	~:0(<built-in method built:
524	0.0009151	1.746e-06	0.001702	3.248e-06	<frozen importlib._bootstr
14	0.0009016	6.44e-05	0.0009016	6.44e-05	~:0(<function socket.close
5568	0.0008998	1.616e-07	0.0008998	1.616e-07	<frozen importlib._bootstr
1572	0.0008869	5.642e-07	0.001408	8.954e-07	<frozen importlib._bootstr
4878	0.000883	1.81e-07	0.001285	2.634e-07	_parser.py:164(__len__)
997	0.0008742	8.768e-07	0.01185	1.188e-05	<frozen importlib._bootstr

ncalls	tottime	percall	cumtime	percall	
1624	0.0008711	5.364e-07	0.001211	7.459e-07	<frozen importlib._bootstr
8234	0.0008497	1.032e-07	0.0008497	1.032e-07	~:0(<method 'strip' of 'str'
3342	0.0008462	2.532e-07	0.001264	3.783e-07	<frozen importlib._bootstr
132	0.0008459	6.408e-06	0.001629	1.234e-05	parse.py:499(_urlsplit)
3870	0.0008404	2.172e-07	0.001272	3.287e-07	_parser.py:176(append)
62	0.00084	1.355e-05	0.007075	0.0001141	<frozen importlib._bootstr
592/588	0.0008378	1.425e-06	0.03424	5.823e-05	<frozen importlib._bootstr
121	0.0008331	6.885e-06	0.00232	1.917e-05	downloader.py:265(fromxi
1005	0.0008249	8.208e-07	0.001217	1.211e-06	_compiler.py:221(_compil
265	0.000802	3.026e-06	0.000802	3.026e-06	~:0(<built-in method _abc
352	0.0007954	2.26e-06	0.03577	0.0001016	_parser.py:963(parse)
1404	0.0007711	5.492e-07	0.0007711	5.492e-07	~:0(<method 'match' of 're
3354	0.0007672	2.287e-07	0.00107	3.191e-07	_parser.py:293(tell)
1294	0.0007445	5.753e-07	0.001316	1.017e-06	typing.py:1272(__setattr_
351	0.0007438	2.119e-06	0.001468	4.183e-06	functools.py:35(update_wi
629	0.0007333	1.166e-06	0.0007333	1.166e-06	~:0(<built-in method nt._p
1	0.0007308	0.0007308	0.6297	0.6297	StatusAnaliser.py:217(che
795	0.0007232	9.097e-07	0.05497	6.914e-05	<frozen importlib._bootstr
359	0.00072	2.006e-06	0.002898	8.072e-06	typing.py:184(_type_chec
1	0.0007116	0.0007116	0.4738	0.4738	WorkTypeAnalyzer.py:449
1	0.0007069	0.0007069	0.5956	0.5956	WorkTypeAnalyzer.py:130
3339	0.0007018	2.102e-07	0.0007018	2.102e-07	~:0(<method '__enter__' o
13	0.0007004	5.388e-05	0.001577	0.0001213	ssl.py:1361(__real_close)
5224	0.000699	1.338e-07	0.000699	1.338e-07	typing.py:1703(<genexpr>
619	0.0006581	1.063e-06	0.0006581	1.063e-06	~:0(<built-in method _imp
547/544	0.0006188	1.138e-06	0.002089	3.84e-06	<frozen importlib._bootstr
566	0.0006166	1.089e-06	0.009965	1.761e-05	<frozen importlib._bootstr
1269	0.0006145	4.842e-07	0.001674	1.319e-06	enum.py:676(__call__)
3327	0.000611	1.836e-07	0.000611	1.836e-07	~:0(<method '__exit__' of
1745	0.0006053	3.469e-07	0.002245	1.287e-06	~:0(<method 'decode' of 'b
524	0.0005889	1.124e-06	0.001354	2.584e-06	<frozen importlib._bootstr
37	0.0005747	1.553e-05	0.0005747	1.553e-05	~:0(<built-in method winr
7	0.0005719	8.17e-05	0.0005719	8.17e-05	~:0(<method 'decompress'
92	0.0005703	6.199e-06	0.001747	1.899e-05	enum.py:238(__set_name_
3512	0.0005686	1.619e-07	0.000843	2.4e-07	internals.py:959(__getattr_
709	0.0005679	8.01e-07	0.05061	7.139e-05	<frozen importlib._bootstr
25	0.0005673	2.269e-05	0.0005673	2.269e-05	~:0(<built-in method winr
1040	0.0005664	5.446e-07	0.0005664	5.446e-07	<frozen importlib._bootstr
3084	0.0005644	1.83e-07	0.0005644	1.83e-07	~:0(<method 'pop' of 'list'
6174	0.000559	9.054e-08	0.000559	9.054e-08	~:0(<built-in method built
428/263	0.0005471	2.08e-06	0.2306	0.0008769	<frozen importlib._bootstr
13	0.0005471	4.208e-05	0.001616	0.0001243	feedparser.py:472(__parse_
149	0.0005444	3.654e-06	0.004412	2.961e-05	typing.py:1327(__init__)

ncalls	tottime	percall	cumtime	percall	
3153	0.0005433	1.723e-07	0.0005433	1.723e-07	~:0(<method 'find' of 'byte
627	0.0005348	8.53e-07	0.009866	1.573e-05	<frozen importlib._bootstr
622	0.000534	8.585e-07	0.0008407	1.352e-06	<frozen importlib._bootstr
1158	0.0005311	4.586e-07	0.01113	9.615e-06	<frozen importlib._bootstr
547	0.0005242	9.583e-07	0.0005242	9.583e-07	<frozen importlib._bootstr
4055	0.0005232	1.29e-07	0.0005232	1.29e-07	~:0(<built-in method _imp
25	0.0005173	2.069e-05	0.00104	4.158e-05	request.py:1863(getproxie
532	0.0005043	9.479e-07	0.0005816	1.093e-06	enum.py:810(__setattr__)
264	0.0005001	1.894e-06	0.00764	2.894e-05	overrides.py:145(decorato
28	0.0004991	1.783e-05	0.0004991	1.783e-05	~:0(<built-in method nt._s
55	0.0004949	8.998e-06	0.0008509	1.547e-05	textwrap.py:416(dedent)
1	0.0004943	0.0004943	0.0004943	0.0004943	ngram.py:253(__init_cjk_m
4055	0.0004918	1.213e-07	0.0004918	1.213e-07	~:0(<built-in method _imp
12	0.0004835	4.029e-05	0.002661	0.0002218	enum.py:879(__convert__)
14	0.000483	3.45e-05	0.00871	0.0006222	typing.py:2951(__new__)
229	0.0004735	2.068e-06	0.004097	1.789e-05	overrides.py:86(verify_ma
546	0.0004668	8.549e-07	0.04022	7.366e-05	<frozen importlib._bootstr
2615	0.0004663	1.783e-07	0.0004663	1.783e-07	~:0(<method 'rfind' of 'str'
90	0.0004642	5.158e-06	0.0009509	1.057e-05	typing.py:1713(__hash__)
1840	0.000463	2.516e-07	0.0008497	4.618e-07	typing.py:1026(__unpacl
1269	0.0004629	3.648e-07	0.001059	8.345e-07	enum.py:1145(__new__)
350	0.0004612	1.318e-06	0.009035	2.581e-05	function_base.py:490(add_
622	0.0004611	7.413e-07	0.0006113	9.828e-07	<frozen importlib._bootstr
3248	0.0004587	1.412e-07	0.0004587	1.412e-07	~:0(<built-in method _thre
1608	0.0004578	2.847e-07	0.0004578	2.847e-07	~:0(<method 'replace' of 's
1809	0.0004522	2.5e-07	0.0007093	3.921e-07	<frozen importlib._bootstr
426/331	0.0004521	1.366e-06	0.000592	1.789e-06	_compiler.py:450(__get_litt
1624	0.0004507	2.775e-07	0.0007745	4.769e-07	<frozen importlib._bootstr
458	0.0004496	9.817e-07	0.003399	7.421e-06	_inspect.py:97(getargspec)
99	0.0004404	4.448e-06	0.001539	1.555e-05	<frozen_collections_abc>
1553	0.0004358	2.806e-07	0.0007109	4.578e-07	typing.py:1198(__is_dunder)
677	0.0004288	6.334e-07	0.0006559	9.688e-07	_parser.py:372(__escape)
594	0.0004281	7.207e-07	0.1848	0.0003111	<frozen importlib._bootstr
13	0.0004271	3.285e-05	0.0004271	3.285e-05	~:0(<method 'write' of '_ss
1809	0.0004233	2.34e-07	0.0005988	3.31e-07	<frozen importlib._bootstr
4	0.0004233	0.0001058	0.0004233	0.0001058	~:0(<built-in method _ssl.i
50	0.0004209	8.418e-06	0.004041	8.082e-05	typing.py:749(Literal)
26	0.0004187	1.61e-05	0.003178	0.0001222	feedparser.py:218(__parseg
1104	0.0004077	3.693e-07	0.0005405	4.896e-07	~:0(<method 'extend' of 'li
1	0.0004012	0.0004012	0.0004186	0.0004186	yandex.py:1(<module>)
1112	0.0004005	3.602e-07	0.01037	9.322e-06	<frozen importlib._bootstr
352	0.0003957	1.124e-06	0.02537	7.206e-05	_compiler.py:590(__code)
1027	0.0003954	3.85e-07	0.001194	1.162e-06	_compiler.py:412(__simple

ncalls	tottime	percall	cumtime	percall	
1594	0.0003954	2.481e-07	0.0004814	3.02e-07	~:0(<built-in method from
524	0.0003932	7.504e-07	0.0003932	7.504e-07	~:0(<built-in method _imp
338	0.0003862	1.143e-06	0.0007895	2.336e-06	_policybase.py:310(header)
629	0.0003795	6.033e-07	0.0006399	1.017e-06	_parser.py:449(_uniq)
975/950	0.0003753	3.951e-07	0.0005783	6.087e-07	~:0(<method 'encode' of 's
166	0.000374	2.253e-06	0.0007804	4.701e-06	enum.py:341(__setitem__)
2386	0.0003677	1.541e-07	0.0003677	1.541e-07	_parser.py:113(__init__)
348	0.0003659	1.051e-06	0.0007371	2.118e-06	<frozen os>:704(__getite
976	0.0003645	3.735e-07	0.000626	6.414e-07	<frozen importlib._bootstr
121	0.0003541	2.926e-06	0.002258	1.866e-05	parse.py:374(urlparse)
1120	0.0003519	3.142e-07	0.0003519	3.142e-07	~:0(<method 'pop' of 'dict'
682	0.0003406	4.994e-07	0.0003406	4.994e-07	~:0(<built-in method from
1624	0.0003402	2.095e-07	0.0003402	2.095e-07	~:0(<built-in method _weak
13	0.0003382	2.602e-05	0.1535	0.01181	ssl.py:990(__create)
350	0.0003375	9.643e-07	0.007682	2.195e-05	function_base.py:474(__ad
1629	0.0003286	2.017e-07	0.0003286	2.017e-07	~:0(<method 'remove' of 'l
2049	0.0003266	1.594e-07	0.0003266	1.594e-07	~:0(<built-in method nt.fsq
30	0.0003256	1.085e-05	0.002838	9.459e-05	enum.py:479(__new__)
381	0.0003252	8.535e-07	0.0005294	1.39e-06	_parser.py:312(__class_esc
13	0.0003238	2.491e-05	0.0003238	2.491e-05	~:0(<method '_wrap_socke
24	0.000318	1.325e-05	0.0003298	1.374e-05	~:0(<built-in method _imp
629	0.0003157	5.019e-07	0.002649	4.212e-06	<frozen importlib._bootstr
13	0.0003152	2.425e-05	0.001524	0.0001172	client.py:213(__read_head
12	0.0003133	2.611e-05	0.006074	0.0005062	ssl.py:225(create_urllib3
157	0.0003085	1.965e-06	0.001243	7.915e-06	enum.py:1582(__or__)
1800	0.0003023	1.679e-07	0.0003023	1.679e-07	<frozen os>:727(__iter__)
103	0.0003021	2.933e-06	0.0006401	6.215e-06	message.py:500(get)
12	0.0003018	2.515e-05	3.966	0.3305	connection.py:724(connec
12	0.0002995	2.496e-05	2.579	0.2149	connection.py:540(getresp
1	0.0002995	0.0002995	0.0003192	0.0003192	entities.py:1(<module>)
569	0.0002994	5.262e-07	0.0003926	6.9e-07	structures.py:46(__setitem
627	0.0002976	4.746e-07	0.002199	3.507e-06	<frozen importlib._bootstr
1497	0.0002965	1.981e-07	0.0003062	2.045e-07	~:0(<method 'add' of 'set' c
362	0.0002963	8.185e-07	0.000455	1.257e-06	_collections.py:257(__geti
398	0.0002958	7.432e-07	0.0002958	7.432e-07	~:0(<method 'expandtabs'
555	0.0002939	5.295e-07	0.0002939	5.295e-07	~:0(<method '__enter__' o
12	0.0002907	2.423e-05	0.0026	0.0002167	connection.py:424(request
382	0.0002901	7.594e-07	2.581	0.006757	~:0(<method 'readline' of '
14	0.0002883	2.059e-05	0.0002883	2.059e-05	~:0(<built-in method nt.ge
265	0.000286	1.079e-06	0.004133	1.56e-05	<frozen abc>:105(__new_
595	0.0002838	4.77e-07	0.000727	1.222e-06	<frozen importlib._bootstr
1536	0.0002829	1.842e-07	0.0004069	2.649e-07	_parser.py:83(groups)
193/176	0.0002827	1.606e-06	0.0076	4.318e-05	typing.py:396(inner)

ncalls	tottime	percall	cumtime	percall	
157/70	0.0002801	4.001e-06	0.0003279	4.684e-06	~:0(<built-in method __abc__)
409	0.000279	6.822e-07	0.0005576	1.363e-06	_parser.py:86.opengroup)
62	0.0002783	4.489e-06	0.01046	0.0001688	<frozen importlib._bootstrap>
76	0.0002756	3.626e-06	0.0005119	6.736e-06	client.py:1294(putheader)
30	0.0002755	9.183e-06	0.0007861	2.62e-05	inspect.py:2297(__signature__)
144	0.0002742	1.904e-06	0.0006921	4.806e-06	queue.py:180(get)
352	0.0002732	7.761e-07	0.0002732	7.761e-07	~:0(<built-in method __sre__)
132	0.0002698	2.044e-06	0.0006723	5.093e-06	queue.py:140(put)
1	0.0002685	0.0002685	0.04834	0.04834	__init__.py:1(<module>)
62	0.0002637	4.253e-06	0.005241	8.454e-05	<frozen zipimport>:67(__i__)
1	0.0002614	0.0002614	0.1065	0.1065	downloader.py:920(__update__)
12	0.000258	2.15e-05	6.563	0.5469	sessions.py:673(send)
1	0.0002578	0.0002578	0.004482	0.004482	_array_like.py:1(<module>)
2834	0.0002578	9.097e-08	0.0002578	9.097e-08	~:0(<method 'isspace' of 'str' objects>)
62	0.0002567	4.14e-06	0.0007515	1.212e-05	<frozen importlib._bootstrap>
5	0.0002561	5.122e-05	0.006785	0.001357	dataclasses.py:934(__post_init__)
12	0.0002509	2.091e-05	3.767	0.3139	connection.py:901(__ssl_wrap__)
1091	0.0002459	2.254e-07	0.0003194	2.928e-07	_parser.py:172(__setitem__)
24	0.0002449	1.02e-05	0.001871	7.794e-05	url.py:367(parse_url)
13	0.0002444	1.88e-05	2.587	0.199	client.py:324(begin)
1406	0.0002437	1.733e-07	0.0002437	1.733e-07	~:0(<method 'partition' of 'str' objects>)
48	0.0002427	5.056e-06	0.0004157	8.66e-06	message.py:535(get_all)
121	0.0002418	1.998e-06	0.000759	6.273e-06	downloader.py:196(__init__)
24	0.0002359	9.829e-06	0.0002359	9.829e-06	~:0(<built-in method __import__>)
595	0.0002351	3.951e-07	0.0002351	3.951e-07	~:0(<built-in method __import__>)
1	0.0002339	0.0002339	0.0002339	0.0002339	~:0(<method 'set_default_value' of 'collections.OrderedDict' objects>)
314	0.0002314	7.369e-07	0.0004144	1.32e-06	_collections.py:306(add)
619	0.0002302	3.719e-07	0.001038	1.677e-06	<frozen importlib._bootstrap>
1	0.0002281	0.0002281	0.112	0.112	__init__.py:1(<module>)
12	0.0002275	1.896e-05	6.55	0.5458	connectionpool.py:592(url)
298	0.0002257	7.574e-07	0.0007966	2.673e-06	<frozen _collections_abc>
16	0.0002243	1.402e-05	0.0002243	1.402e-05	~:0(<built-in method builtins.__new__>)
39	0.0002242	5.749e-06	0.0005922	1.518e-05	enum.py:1445(__missing__)
1	0.0002231	0.0002231	0.002707	0.002707	_dtype_like.py:1(<module>)
12	0.0002227	1.856e-05	0.0008782	7.318e-05	_collections.py:341(extent)
352	0.000221	6.278e-07	0.0003748	1.065e-06	_parser.py:231(__init__)
13	0.0002209	1.699e-05	0.0003011	2.316e-05	socket.py:307(makefile)
377	0.00022	5.836e-07	0.0002663	7.064e-07	feedparser.py:79(readline)
129	0.0002195	1.702e-06	0.0003576	2.772e-06	parse.py:416(__splitnetloc)
1624	0.0002193	1.35e-07	0.0002193	1.35e-07	<frozen importlib._bootstrap>
465	0.0002192	4.714e-07	0.0002551	5.486e-07	enum.py:46(__is_dunder)
1	0.0002174	0.0002174	0.001773	0.001773	messages.py:7(__init__)
1	0.0002158	0.0002158	0.005403	0.005403	packages.py:1(<module>)

ncalls	tottime	percall	cumtime	percall	
426	0.0002156	5.061e-07	0.0003051	7.162e-07	enum.py:77(_is_private)
9	0.0002126	2.362e-05	0.0007371	8.19e-05	internals.py:1009(findall)
564	0.0002126	3.77e-07	0.0002126	3.77e-07	~:0(<method 'update' of 'd
622	0.0002125	3.416e-07	0.0002125	3.416e-07	<frozen importlib._bootstr
12	0.0002077	1.731e-05	6.548	0.5456	connectionpool.py:377(_nr
1257	0.0002071	1.648e-07	0.0002071	1.648e-07	~:0(<method 'find' of 'str' c
1	0.0002053	0.0002053	0.0002053	0.0002053	idnadata.py:1(<module>)
1	0.0002049	0.0002049	0.4092	0.4092	__init__.py:1(<module>)
155	0.0002029	1.309e-06	0.0003102	2.001e-06	<frozen ntpath>:99(join)
10	0.0002016	2.016e-05	0.0003953	3.953e-05	request.py:406(add_handl
62	0.0002005	3.234e-06	0.0002005	3.234e-06	~:0(<method 'settimeout' c
12	0.0002003	1.669e-05	6.56	0.5467	adapters.py:590(send)
38/30	0.0001986	6.62e-06	0.001254	4.181e-05	inspect.py:2403(_signature
4	0.0001982	4.955e-05	0.0004377	0.0001094	configparser.py:1073(_rea
98	0.000192	1.959e-06	0.0004056	4.139e-06	enum.py:1040(_add_mem
795	0.0001902	2.392e-07	0.0001902	2.392e-07	~:0(<method 'setdefault' o
62	0.0001884	3.039e-06	0.004945	7.976e-05	<frozen importlib._bootstr
380	0.0001884	4.958e-07	0.0004296	1.131e-06	_policybase.py:298(_sanit
375	0.0001872	4.992e-07	0.0001872	4.992e-07	~:0(<built-in method numj
72	0.0001866	2.592e-06	0.0007252	1.007e-05	connection.py:410(puthea
7	0.0001836	2.623e-05	0.0008438	0.0001205	downloader.py:305(fromxi
432	0.0001822	4.218e-07	0.06647	0.0001539	__init__.py:287(compile)
13	0.0001819	1.399e-05	0.0005684	4.372e-05	client.py:1138(putrequest)
276	0.0001809	6.554e-07	0.0004521	1.638e-06	<frozen _collections_abc>
70	0.0001804	2.577e-06	0.0005241	7.487e-06	typing.py:1416(_make_sul
20	0.000179	8.95e-06	0.0002851	1.425e-05	textwrap.py:238(_wrap_cl
995	0.0001781	1.79e-07	0.0002762	2.776e-07	typing.py:1341(__eq__)
309	0.000177	5.728e-07	0.0003042	9.845e-07	~:0(<built-in method __abc
1	0.0001767	0.0001767	0.0009148	0.0009148	six.py:1(<module>)
648/224	0.0001759	7.853e-07	0.0002241	1e-06	encoder.py:337(_iterencod
32/29	0.0001759	6.066e-06	0.0004506	1.554e-05	_regex_core.py:3917(optir
348	0.0001755	5.043e-07	0.0003712	1.067e-06	<frozen os>:778(encodeke
172	0.000175	1.017e-06	0.000175	1.017e-06	~:0(<method 'search' of 're
1	0.000173	0.000173	0.001577	0.001577	grammar.py:1(<module>)
21	0.0001722	8.2e-06	0.0001722	8.2e-06	~:0(<method 'split' of 're.P
12	0.0001721	1.434e-05	0.008644	0.0007203	sessions.py:457(prepare_r
12	0.0001719	1.433e-05	0.00409	0.0003408	utils.py:207(get_netrc_aut
940	0.0001718	1.828e-07	0.0001718	1.828e-07	~:0(<method 'items' of 'dic
186	0.0001709	9.188e-07	0.0009248	4.972e-06	typing.py:1211(__init__)
704	0.000169	2.401e-07	0.0002325	3.303e-07	_compiler.py:587(isstring)
5	0.000169	3.38e-05	0.004222	0.0008444	_main.py:449(_compile)
26	0.0001677	6.45e-06	0.0001677	6.45e-06	~:0(<method 'readlines' of
13	0.0001676	1.289e-05	2.58	0.1985	client.py:291(_read_status

ncalls	tottime	percall	cumtime	percall	
1103	0.0001676	1.519e-07	0.0001676	1.519e-07	~:0(<method 'get' of 'mapr
304	0.0001675	5.51e-07	0.0001675	5.51e-07	~:0(<method 'format' of 'st
38	0.0001664	4.379e-06	0.0002313	6.087e-06	idna.py:179(encode)
259	0.0001657	6.398e-07	0.0003058	1.181e-06	typing.py:1262(__getattr_
377	0.0001653	4.385e-07	0.0004316	1.145e-06	feedparser.py:129(__next_
1	0.0001648	0.0001648	0.0007971	0.0007971	constant.py:1(<module>)
41	0.0001629	3.973e-06	2.592	0.06322	ssl.py:1289(recv_into)
229	0.0001624	7.092e-07	0.0002188	9.555e-07	_compiler.py:481(__get_ch
2	0.0001624	8.12e-05	0.0002314	0.0001157	downloader.py:753(show)
1	0.0001602	0.0001602	0.0001747	0.0001747	glob.py:1(<module>)
84	0.00016	1.905e-06	0.0009796	1.166e-05	sessions.py:61(merge_sett
12	0.0001599	1.333e-05	6.575	0.5479	sessions.py:500(request)
2	0.0001593	7.965e-05	0.0007026	0.0003513	lexicon.py:241(fromstring
1	0.0001566	0.0001566	0.001875	0.001875	typing.py:1(<module>)
70	0.0001557	2.224e-06	0.002077	2.967e-05	typing.py:1356(__getitem_
12	0.0001552	1.293e-05	0.001248	0.000104	connectionpool.py:175(__
144	0.0001524	1.058e-06	0.0001763	1.224e-06	parse.py:119(__coerce_args
1	0.0001523	0.0001523	0.0001523	0.0001523	stringprep.py:1(<module>
1	0.0001521	0.0001521	0.0002213	0.0002213	_type_aliases.py:1(<modu
350	0.0001514	4.326e-07	0.0002383	6.809e-07	function_base.py:456(__ne
409	0.0001511	3.694e-07	0.001407	3.439e-06	_parser.py:98(closetgroup)
623	0.0001505	2.416e-07	0.0001505	2.416e-07	~:0(<built-in method _thre
1942	0.0001504	7.745e-08	0.0001504	7.745e-08	typing.py:1331(<genexpr>
354	0.0001499	4.234e-07	0.00026	7.345e-07	enum.py:36(__is_descripto
12	0.0001499	1.249e-05	0.0001904	1.587e-05	poolmanager.py:95(__defau
12	0.0001495	1.246e-05	0.1982	0.01652	connection.py:27(create_c
13	0.0001493	1.148e-05	0.004332	0.0003333	parser.py:56(parsestr)
84	0.0001488	1.771e-06	0.0004301	5.12e-06	utils.py:335(to_key_val_li
12	0.0001486	1.238e-05	0.0004639	3.866e-05	response.py:722(__init__)
120	0.000148	1.233e-06	0.0002661	2.217e-06	inspect.py:2670(__init__)
1	0.0001469	0.0001469	0.0006971	0.0006971	logic.py:1(<module>)
70	0.0001445	2.064e-06	0.0007209	1.03e-05	typing.py:1387(__determin
24	0.0001445	6.021e-06	0.001383	5.762e-05	cookies.py:124(extract_co
50	0.0001438	2.876e-06	0.0002424	4.848e-06	typing.py:365(__flatten_lit
130	0.0001436	1.105e-06	0.0001436	1.105e-06	~:0(<built-in method nt.ge
445	0.0001433	3.22e-07	0.001723	3.871e-06	typing.py:175(__type_conv
48	0.0001422	2.963e-06	0.0004136	8.617e-06	url.py:301(__normalize_ho
12	0.0001416	1.18e-05	3.76	0.3134	ssl.py:413(ssl_wrap_sock
74	0.000141	1.905e-06	0.001596	2.157e-05	structures.py:40(__init__)
72	0.0001403	1.949e-06	0.0002988	4.15e-06	<frozen ntpath>:343(expai
41	0.0001401	3.417e-06	2.592	0.06323	socket.py:712(readinto)
426	0.0001399	3.284e-07	0.00017	3.991e-07	enum.py:57(__is_sunder)
1736	0.0001386	7.984e-08	0.0001386	7.984e-08	typing.py:777(<genexpr>)

ncalls	tottime	percall	cumtime	percall	
545	0.0001379	2.53e-07	0.0002513	4.611e-07	internals.py:901(__new__)
62	0.0001364	2.2e-06	0.0001669	2.692e-06	lexicon.py:179(parsePrimi
38	0.000134	3.526e-06	0.0003653	9.613e-06	cookies.py:521(cookiejar_
121	0.0001329	1.098e-06	0.001643	1.358e-05	parse.py:399(_urlparse)
1	0.0001319	0.0001319	0.01095	0.01095	numeric.py:1(<module>)
1	0.00013	0.00013	0.05043	0.05043	__init__.py:1(<module>)
265	0.0001299	4.902e-07	0.0002818	1.063e-06	threading.py:408(notify)
13	0.0001299	9.992e-06	0.0001995	1.535e-05	ssl.py:504(set_alpn_protoc
252	0.0001299	5.155e-07	0.0001784	7.079e-07	structures.py:51(__getitem__)
159	0.0001295	8.145e-07	0.0001295	8.145e-07	enum.py:745(__delattr__)
352	0.0001293	3.673e-07	0.0001606	4.563e-07	_parser.py:947(fix_flags)
4/3	0.0001292	4.307e-05	0.00479	0.001597	data.py:467(find)
12	0.0001271	1.059e-05	0.0001998	1.665e-05	response.py:466(__init__)
94	0.000127	1.351e-06	0.0008445	8.984e-06	_regex_core.py:1641(pars
392	0.0001263	3.222e-07	0.000206	5.255e-07	utils.py:47(_has_surrogate
400	0.0001263	3.158e-07	0.0001798	4.495e-07	_regex_core.py:4291(matc
10	0.000126	1.26e-05	0.0002911	2.911e-05	annotationlib.py:633(call_
12	0.0001245	1.038e-05	0.0001245	1.038e-05	~:0(<built-in method today
66	0.0001231	1.865e-06	0.0002941	4.456e-06	socket.py:102(__intennum_c
102	0.0001225	1.201e-06	0.0001384	1.357e-06	_compiler.py:421(__genera
50	0.0001219	2.438e-06	0.000181	3.62e-06	cookiejar.py:1262(__init__
545	0.0001219	2.237e-07	0.0001642	3.013e-07	internals.py:912(__init__)
22	0.0001216	5.527e-06	0.00398	0.0001809	<frozen importlib._bootstr
12	0.0001212	1.01e-05	0.001638	0.0001365	models.py:409(prepare_ur
53	0.0001206	2.275e-06	0.002718	5.127e-05	_add_newdocs.py:3381(~a
28	0.0001204	4.3e-06	0.0005397	1.928e-05	adapters.py:178(__init__)
49	0.0001197	2.443e-06	0.0003214	6.559e-06	~:0(<built-in method built-
338	0.0001196	3.538e-07	0.0001656	4.899e-07	message.py:517(set_raw)
22	0.0001177	5.35e-06	0.00157	7.137e-05	<frozen importlib._bootstr
108	0.0001175	1.088e-06	0.000309	2.861e-06	parse.py:164(hostname)
110	0.0001168	1.062e-06	0.0004321	3.928e-06	_regex_core.py:2588(~in
343/1	0.0001168	0.0001168	0.0001469	0.0001469	_config__.py:19(__cleanu
19/5	0.0001161	2.322e-05	0.002312	0.0004624	_regex_core.py:462(parse_
12	0.000116	9.667e-06	0.0007813	6.511e-05	response.py:1368(read_ch
34	0.0001155	3.397e-06	0.0001693	4.979e-06	inspect.py:2962(__init__)
565/546	0.0001146	2.099e-07	0.0001758	3.22e-07	typing.py:1347(__hash__)
12	0.0001144	9.533e-06	0.002367	0.0001973	adapters.py:336(build_res
1077	0.0001144	1.062e-07	0.0001144	1.062e-07	~:0(<method 'isupper' of 's
14	0.0001143	8.164e-06	0.001098	7.844e-05	sessions.py:390(__init__)
13	0.0001143	8.792e-06	0.004513	0.0003472	client.py:231(__parse_head
380	0.0001142	3.005e-07	0.0005438	1.431e-06	_policybase.py:329(headen
569	0.0001132	1.989e-07	0.0001132	1.989e-07	~:0(<method 'upper' of 'str
12	0.0001123	9.358e-06	6.576	0.548	api.py:14(request)

ncalls	tottime	percall	cumtime	percall	
13	0.0001117	8.592e-06	0.0001863	1.433e-05	feedparser.py:139(__init__)
150	0.0001106	7.373e-07	0.001636	1.091e-05	~:0(<method 'join' of 'byte
52	0.0001104	2.123e-06	0.0004593	8.833e-06	message.py:602(get conte
458	0.0001102	2.406e-07	0.0001915	4.181e-07	<string>:1(<lambda>)
1	0.0001086	0.0001086	0.009353	0.009353	_add_newdocs.py:1(<mod
13	0.0001084	8.338e-06	0.004183	0.0003218	parser.py:41(parse)
6	0.0001078	1.797e-05	0.0001078	1.797e-05	~:0(<method 'update' of '_
1	0.0001075	0.0001075	0.01761	0.01761	ElementTree.py:1204(pars
120	0.000107	8.917e-07	0.0001645	1.371e-06	parse.py:205(__hostinfo)
289	0.0001065	3.685e-07	0.0001065	3.685e-07	~:0(<method 'translate' of
27	0.0001065	3.944e-06	0.0001065	3.944e-06	~:0(<built-in method sys.a
12	0.0001063	8.858e-06	0.0005482	4.568e-05	models.py:483(prepare_he
12	0.000106	8.833e-06	0.0005044	4.203e-05	message.py:489(items)
28	0.000105	3.75e-06	0.000938	3.35e-05	_colorize.py:275(can_colo
309	0.0001046	3.385e-07	0.0004088	1.323e-06	<frozen abc>:117(__instar
1	0.0001043	0.0001043	0.0001043	0.0001043	~:0(<built-in method nt.ml
35	0.000104	2.971e-06	0.0001772	5.063e-06	ipaddress.py:1647(__int_
627	0.0001037	1.654e-07	0.0001037	1.654e-07	<frozen importlib._bootstr
13	0.0001027	7.9e-06	2.587	0.199	client.py:1386(getresponse
1	0.000102	0.000102	0.0001169	0.0001169	quoprimime.py:1(<module
47/44	0.000102	2.318e-06	0.0004172	9.482e-06	lexicon.py:209(augParseC
12	0.0001019	8.492e-06	0.0003511	2.926e-05	models.py:658(__init__)
29	0.0001018	3.51e-06	0.0001624	5.6e-06	retry.py:211(__init__)
348	0.0001015	2.917e-07	0.0001015	2.917e-07	structures.py:58(<genexpr
178	0.0001013	5.691e-07	0.0003322	1.866e-06	~:0(<built-in method built
42	0.0001012	2.41e-06	0.0001206	2.871e-06	typing.py:3813(__getattr_
17	0.000101	5.941e-06	0.0001291	7.594e-06	typing.py:1828(__get_protoc
121	0.0001009	8.339e-07	0.0001558	1.288e-06	<frozen genericpath>:157(
29	0.0001009	3.479e-06	0.0001998	6.89e-06	poolmanager.py:199(__ini
547	0.0001006	1.839e-07	0.0001006	1.839e-07	<frozen importlib._bootstr
277	9.86e-05	3.56e-07	0.0001367	4.935e-07	threading.py:316(__exit__
13	9.8e-05	7.538e-06	0.1153	0.008869	socket.py:966(getaddrinfo
43	9.78e-05	2.274e-06	0.0001203	2.798e-06	threading.py:290(__init__
1	9.78e-05	9.78e-05	0.004035	0.004035	socket.py:1(<module>)
352	9.77e-05	2.776e-07	9.77e-05	2.776e-07	_parser.py:77(__init__)
12	9.76e-05	8.133e-06	0.1984	0.01653	connection.py:198(__new__
15	9.75e-05	6.5e-06	0.0004077	2.718e-05	typing.py:1111(__generic_c
1	9.74e-05	9.74e-05	7.412	7.412	ScoringSys.py:1(<module>
13	9.72e-05	7.477e-06	0.0005807	4.467e-05	ssl.py:1252(sendall)
544	9.7e-05	1.783e-07	0.0001371	2.52e-07	~:0(<built-in method built
60	9.66e-05	1.61e-06	0.0001445	2.408e-06	_parser.py:274(getuntil)
564	9.64e-05	1.709e-07	9.64e-05	1.709e-07	_compiler.py:33(__combine
12	9.55e-05	7.958e-06	0.002303	0.0001919	connectionpool.py:1170(_

ncalls	tottime	percall	cumtime	percall	
1	9.5e-05	9.5e-05	0.003198	0.003198	__init__.py:1(<module>)
41	9.49e-05	2.315e-06	0.0002409	5.876e-06	dataclasses.py:773(_get_fn
12	9.35e-05	7.792e-06	0.003308	0.0002757	models.py:351(prepare)
17	9.34e-05	5.494e-06	0.0002833	1.666e-05	~:0(<method 'close' of '_io
458	9.33e-05	2.037e-07	0.0001442	3.148e-07	_inspect.py:13(ismethod)
1	9.31e-05	9.31e-05	0.001312	0.001312	_function_base_impl.py:1(
12	9.22e-05	7.683e-06	6.576	0.548	api.py:62(get)
12	9.17e-05	7.642e-06	0.0004167	3.473e-05	connectionpool.py:1044(_
13	9.14e-05	7.031e-06	0.000139	1.069e-05	client.py:867(__init__)
655	9.1e-05	1.389e-07	9.1e-05	1.389e-07	_compiler.py:442(_get_isc
60	8.99e-05	1.498e-06	0.0001107	1.845e-06	connection.py:169(host)
348	8.98e-05	2.58e-07	0.0001273	3.658e-07	<frozen os>:772(check_sti
26	8.91e-05	3.427e-06	0.0002024	7.785e-06	typing.py:1160(__generic_i
716/655	8.9e-05	1.359e-07	0.0001006	1.536e-07	~:0(<built-in method built-
12	8.89e-05	7.408e-06	0.001027	8.561e-05	_collections.py:240(__init_
277	8.88e-05	3.206e-07	0.0001472	5.314e-07	threading.py:313(__enter_
27	8.85e-05	3.278e-06	0.0005681	2.104e-05	_add_newdocs_scalars.py:
1	8.8e-05	8.8e-05	0.05427	0.05427	__init__.py:1(<module>)
265	8.76e-05	3.306e-07	0.0001519	5.732e-07	threading.py:328(_is_own
26	8.75e-05	3.365e-06	0.003266	0.0001256	feedparser.py:178(__call_p
206	8.71e-05	4.228e-07	0.0001632	7.922e-07	enum.py:1425(__iter_meml
1	8.59e-05	8.59e-05	0.01401	0.01401	multiarray.py:1(<module>)
1	8.59e-05	8.59e-05	0.0231	0.0231	_linalg.py:1(<module>)
60	8.59e-05	1.432e-06	0.0001064	1.773e-06	structures.py:57(__iter__)
48	8.58e-05	1.788e-06	9.48e-05	1.975e-06	<frozen _collections_abc>
50	8.53e-05	1.706e-06	0.00152	3.039e-05	typing.py:952(__make_forv
24	8.43e-05	3.513e-06	0.0006205	2.585e-05	cookiejar.py:1681(extract_
80	8.4e-05	1.05e-06	0.0003115	3.894e-06	<frozen _collections_abc>
12	8.38e-05	6.983e-06	0.001514	0.0001262	utils.py:115(proxy_bypass
12	8.31e-05	6.925e-06	0.00205	0.0001708	utils.py:755(should_bypass
1	8.29e-05	8.29e-05	6.701	6.701	ScoringSys.py:292(score_
458	8.27e-05	1.806e-07	0.0001138	2.485e-07	_inspect.py:41(iscode)
177	8.2e-05	4.633e-07	0.0001291	7.294e-07	util.py:19(to_str)
13	8.1e-05	6.231e-06	8.1e-05	6.231e-06	~:0(<method 'setsockopt' c
13	8.09e-05	6.223e-06	0.1536	0.01181	ssl.py:449(wrap_socket)
192	8.07e-05	4.203e-07	0.0001057	5.505e-07	_regex_core.py:4148(get)
352	8.03e-05	2.281e-07	8.03e-05	2.281e-07	~:0(<built-in method nt._p
41	7.99e-05	1.949e-06	2.592	0.06322	ssl.py:1129(read)
14	7.99e-05	5.707e-06	0.001188	8.486e-05	argparse.py:164(__init__)
30	7.97e-05	2.657e-06	0.0001082	3.607e-06	dataclasses.py:445(add_fn
20	7.93e-05	3.965e-06	0.0003588	1.794e-05	typing.py:2114(__init_sub
25	7.91e-05	3.164e-06	0.0001315	5.26e-06	ssl.py:669(verify_mode)
12	7.87e-05	6.558e-06	0.0001878	1.565e-05	cookiejar.py:1357(add_coo

ncalls	tottime	percall	cumtime	percall	
458	7.82e-05	1.707e-07	0.0001115	2.434e-07	_inspect.py:26(isfunction)
79	7.81e-05	9.886e-07	0.001019	1.29e-05	_regex_core.py:1600(parse)
24	7.78e-05	3.242e-06	0.000752	3.133e-05	utils.py:828(select_proxy)
35	7.74e-05	2.211e-06	0.0005114	1.461e-05	ipaddress.py:2293(__init__)
1	7.65e-05	7.65e-05	0.003792	0.003792	fromnumeric.py:1(<module>)
5	7.59e-05	1.518e-05	0.005065	0.001013	dataclasses.py:478(add_fn)
26	7.58e-05	2.915e-06	0.0001584	6.092e-06	<frozen importlib._bootstrap>
276	7.54e-05	2.732e-07	0.0001269	4.598e-07	queue.py:306(_qsize)
1	7.53e-05	7.53e-05	0.0004097	0.0004097	__init__.py:120(dump)
1	7.5e-05	7.5e-05	0.01633	0.01633	__init__.py:1(<module>)
52	7.44e-05	1.431e-06	0.0002832	5.446e-06	ipaddress.py:1916(__init__)
1	7.43e-05	7.43e-05	7.43e-05	7.43e-05	~:0(<built-in method __import__>)
86	7.42e-05	8.628e-07	0.004994	5.807e-05	<frozen importlib._bootstrap>
1	7.42e-05	7.42e-05	0.01403	0.01403	url.py:1(<module>)
517	7.41e-05	1.433e-07	7.41e-05	1.433e-07	~:0(<method 'isascii' of 'str' object>)
12	7.38e-05	6.15e-06	0.003202	0.0002668	sessions.py:750(merge_entries)
12	7.37e-05	6.142e-06	0.001596	0.000133	connection.py:375(close)
48	7.32e-05	1.525e-06	9.07e-05	1.89e-06	timeout.py:109(__init__)
7	7.25e-05	1.036e-05	0.001972	0.0002818	argparse.py:1505(add_argument)
13	7.23e-05	5.562e-06	0.0003302	2.54e-05	feedparser.py:102(push)
24	7.23e-05	3.013e-06	0.0005085	2.119e-05	cookiejar.py:1600(make_cookie)
2	7.19e-05	3.595e-05	0.01852	0.009258	ssl.py:515(_load_windows)
12	7.19e-05	5.992e-06	3.966	0.3305	connectionpool.py:1085(_get)
1	7.19e-05	7.19e-05	7.19e-05	7.19e-05	~:0(<method 'bind' of 'socket' object>)
15	7.16e-05	4.773e-06	0.0001139	7.593e-06	_regex_core.py:3949(_compile)
3	7.14e-05	2.38e-05	7.44e-05	2.48e-05	encoder.py:205(iterencode)
12	7.14e-05	5.95e-06	7.96e-05	6.633e-06	timeout.py:245(read_timeout)
108	7.13e-05	6.602e-07	0.0001262	1.169e-06	url.py:330(_idna_encode)
264	7.12e-05	2.697e-07	7.12e-05	2.697e-07	overrides.py:108(array_finalize)
618	7.05e-05	1.141e-07	7.05e-05	1.141e-07	<frozen importlib._bootstrap>
121	7.04e-05	5.818e-07	0.0002505	2.07e-06	<frozen ntpath>:243(split)
12	7.02e-05	5.85e-06	0.000423	3.525e-05	response.py:1013(_raw_response)
14	6.97e-05	4.979e-06	0.0008992	6.423e-05	typing.py:1353(__ror__)
4	6.96e-05	1.74e-05	0.0002655	6.638e-05	configparser.py:1368(_in)
28	6.96e-05	2.486e-06	0.001013	3.616e-05	argparse.py:195(_set_color)
365	6.95e-05	1.904e-07	6.95e-05	1.904e-07	~:0(<method 'isidentifier' of 'str' object>)
25	6.94e-05	2.776e-06	0.0001646	6.584e-06	client.py:430(close)
101	6.91e-05	6.842e-07	6.91e-05	6.842e-07	~:0(<method 'extend' of 'list' object>)
14	6.9e-05	4.929e-06	0.001176	8.396e-05	_regex_core.py:1577(parse)
13	6.89e-05	5.3e-06	0.00037	2.846e-05	client.py:261(__init__)
76	6.84e-05	9e-07	6.84e-05	9e-07	~:0(<method 'fullmatch' of 'str' object>)
6	6.83e-05	1.138e-05	0.0006146	0.0001024	response.py:1065(read)
13	6.82e-05	5.246e-06	0.0544	0.004185	client.py:1029(send)

ncalls	tottime	percall	cumtime	percall	
400	6.82e-05	1.705e-07	0.0001163	2.908e-07	annotationlib.py:257(_eq
72	6.78e-05	9.417e-07	0.0001486	2.064e-06	connection.py:459(<genex
7	6.78e-05	9.686e-06	6.78e-05	9.686e-06	~:0(<built-in method zlib.c
104	6.75e-05	6.49e-07	0.0002645	2.543e-06	typing.py:1035(_typevar_s
18	6.67e-05	3.706e-06	0.0001326	7.367e-06	functools.py:188(total_ord
185	6.66e-05	3.6e-07	6.66e-05	3.6e-07	~:0(<built-in method sys.ii
1	6.63e-05	6.63e-05	0.02531	0.02531	connection.py:1(<module>
24	6.61e-05	2.754e-06	0.0001066	4.442e-06	url.py:263(_remove_path_
1	6.61e-05	6.61e-05	0.0003046	0.0003046	status_codes.py:109(_init)
1	6.59e-05	6.59e-05	0.007175	0.007175	_colorize.py:1(<module>)
13	6.59e-05	5.069e-06	6.59e-05	5.069e-06	socket.py:700(__init__)
12	6.57e-05	5.475e-06	0.0002649	2.208e-05	enum.py:465(__prepare__
496	6.55e-05	1.321e-07	6.55e-05	1.321e-07	<frozen importlib._bootstr
120	6.55e-05	5.458e-07	0.0001574	1.312e-06	utils.py:1035(_validate_he
48	6.54e-05	1.363e-06	0.0002858	5.954e-06	functools.py:593(decoratir
13	6.52e-05	5.015e-06	6.52e-05	5.015e-06	feedparser.py:54(__init__)
37	6.47e-05	1.749e-06	0.0003305	8.932e-06	typing.py:1527(__init__)
1	6.45e-05	6.45e-05	0.001585	0.001585	cookies.py:1(<module>)
265	6.43e-05	2.426e-07	6.43e-05	2.426e-07	~:0(<method 'acquire' of '_
2	6.41e-05	3.205e-05	0.0008288	0.0004144	__init__.py:1517(_RealGe
1	6.4e-05	6.4e-05	0.0201	0.0201	ssl_.py:1(<module>)
356	6.4e-05	1.798e-07	6.4e-05	1.798e-07	~:0(<method 'groups' of 're
12	6.37e-05	5.308e-06	0.002513	0.0002094	adapters.py:423(get_conn
29	6.37e-05	2.197e-06	7.88e-05	2.717e-06	_collections.py:82(__init__
1	6.36e-05	6.36e-05	0.006029	0.006029	ssl.py:1(<module>)
1	6.35e-05	6.35e-05	0.03538	0.03538	connectionpool.py:1(<moc
2	6.34e-05	3.17e-05	0.0001753	8.765e-05	typing.py:3125(__new__)
12	6.33e-05	5.275e-06	0.0002933	2.444e-05	connection.py:621(__init__
24	6.33e-05	2.638e-06	0.001481	6.172e-05	response.py:1231(stream)
166	6.33e-05	3.813e-07	0.0001928	1.161e-06	~:0(<built-in method built:
12	6.32e-05	5.267e-06	6.32e-05	5.267e-06	ssl.py:541(minimum_versi
12	6.31e-05	5.258e-06	0.0009217	7.681e-05	utils.py:77(proxy_bypass_
1	6.3e-05	6.3e-05	0.01751	0.01751	ElementTree.py:553(parse
70	6.27e-05	8.957e-07	0.001071	1.529e-05	typing.py:1478(copy_with
13	6.26e-05	4.815e-06	6.26e-05	4.815e-06	~:0(<method 'getsockopt' <
1	6.24e-05	6.24e-05	8.68e-05	8.68e-05	__init__.py:886(blas_fpe_
69	6.24e-05	9.043e-07	6.24e-05	9.043e-07	~:0(<method 'subn' of 're.F
1	6.23e-05	6.23e-05	0.01608	0.01608	__init__.py:1(<module>)
21	6.22e-05	2.962e-06	6.22e-05	2.962e-06	~:0(<built-in method _cod
1	6.2e-05	6.2e-05	0.1135	0.1135	aline.py:1(<module>)
20	6.2e-05	3.1e-06	0.000689	3.445e-05	textwrap.py:386(fill)
1	6.18e-05	6.18e-05	0.02093	0.02093	__init__.py:1(<module>)
546	6.17e-05	1.13e-07	6.17e-05	1.13e-07	<frozen importlib._bootstr

ncalls	tottime	percall	cumtime	percall	
12	6.16e-05	5.133e-06	0.000209	1.742e-05	connection.py:132(__init__)
24	6.15e-05	2.563e-06	9.31e-05	3.879e-06	_collections.py:141(clear)
1	6.1e-05	6.1e-05	0.009687	0.009687	statistics.py:1(<module>)
21	6.09e-05	2.9e-06	0.0007573	3.606e-05	typing.py:1963(__new__)
88	6.08e-05	6.909e-07	8.6e-05	9.773e-07	ipaddress.py:1208(__parse_)
326	6.07e-05	1.862e-07	6.29e-05	1.929e-07	_collections.py:295(__iter__)
1	6.06e-05	6.06e-05	0.1378	0.1378	__init__.py:1(<module>)
280	5.99e-05	2.139e-07	5.99e-05	2.139e-07	~:0(<method '__enter__' o
305	5.96e-05	1.954e-07	5.96e-05	1.954e-07	~:0(<method '__contains__'
22	5.95e-05	2.705e-06	0.002935	0.0001334	<frozen importlib._bootstr
237	5.95e-05	2.511e-07	0.0001004	4.236e-07	socket.py:96(<lambda>)
12	5.94e-05	4.95e-06	0.0001613	1.344e-05	__init__.py:1362(getLogg
5	5.93e-05	1.186e-05	0.0001861	3.722e-05	dataclasses.py:618(__init_fi
52	5.91e-05	1.137e-06	9.36e-05	1.8e-06	message.py:29(__splitparan
12	5.9e-05	4.917e-06	0.004077	0.0003397	adapters.py:280(cert_verif
1	5.86e-05	5.86e-05	0.007087	0.007087	__init__.py:1(<module>)
13	5.86e-05	4.508e-06	0.152	0.01169	ssl.py:1365(do_handshake)
1	5.84e-05	5.84e-05	0.002783	0.002783	numerictypes.py:1(<modu
12	5.84e-05	4.867e-06	0.001361	0.0001134	poolmanager.py:243(__new__
1	5.83e-05	5.83e-05	0.003929	0.003929	parse.py:1(<module>)
74	5.82e-05	7.865e-07	7.61e-05	1.028e-06	cookiejar.py:1228(deepval
234	5.79e-05	2.474e-07	9.84e-05	4.205e-07	socket.py:81(<lambda>)
66	5.79e-05	8.773e-07	7.06e-05	1.07e-06	__init__.py:26(__new__)
12	5.71e-05	4.758e-06	0.0002579	2.149e-05	response.py:40(assert_heav
28	5.7e-05	2.036e-06	0.0002395	8.554e-06	adapters.py:216(init_poolr
1	5.69e-05	5.69e-05	0.004435	0.004435	shutil.py:1(<module>)
109	5.67e-05	5.202e-07	7.28e-05	6.679e-07	__init__.py:28(decorator)
13	5.63e-05	4.331e-06	0.05447	0.00419	client.py:1084(__send_outp
87	5.63e-05	6.471e-07	5.63e-05	6.471e-07	threading.py:126(RLock)
36	5.63e-05	1.564e-06	0.0008594	2.387e-05	cookies.py:35(__init__)
12	5.62e-05	4.683e-06	0.0001346	1.122e-05	queue.py:46(__init__)
24	5.61e-05	2.338e-06	7.47e-05	3.112e-06	enum.py:968(__find_data_t
31	5.59e-05	1.803e-06	0.0001227	3.958e-06	contextlib.py:303(helper)
14	5.53e-05	3.95e-06	0.0004002	2.859e-05	shutil.py:1511(get_termina
24	5.51e-05	2.296e-06	8.74e-05	3.642e-06	url.py:100(__new__)
1	5.51e-05	5.51e-05	7.24e-05	7.24e-05	_compat_pickle.py:1(<mo
12	5.48e-05	4.567e-06	0.0006214	5.178e-05	connection.py:390(putrequ
13	5.43e-05	4.177e-06	5.43e-05	4.177e-06	~:0(<method 'write' of '_io
1	5.41e-05	5.41e-05	0.449	0.449	SentimentalAnaliser.py:1(
236	5.41e-05	2.292e-07	9.38e-05	3.975e-07	socket.py:91(<lambda>)
1	5.4e-05	5.4e-05	0.002035	0.002035	dbapi2.py:1(<module>)
1	5.36e-05	5.36e-05	0.0011	0.0011	_add_newdocs_scalars.py:
12	5.32e-05	4.433e-06	5.65e-05	4.708e-06	weakref.py:468(__init__)

ncalls	tottime	percall	cumtime	percall	
1	5.3e-05	5.3e-05	0.02781	0.02781	response.py:1(<module>)
13	5.26e-05	4.046e-06	0.000139	1.069e-05	decoder.py:340(decode)
25	5.26e-05	2.104e-06	0.0003316	1.326e-05	dtypes.py:30(_add_dtype_)
9	5.24e-05	5.822e-06	0.0008362	9.291e-05	internals.py:407(decorator)
1	5.24e-05	5.24e-05	0.0001839	0.0001839	hmac.py:1(<module>)
13	5.23e-05	4.023e-06	5.23e-05	4.023e-06	decoder.py:351(raw_deco
1	5.23e-05	5.23e-05	0.0253	0.0253	client.py:1(<module>)
223	5.21e-05	2.336e-07	5.21e-05	2.336e-07	~:0(<method 'write' of '_io
235	5.2e-05	2.213e-07	9e-05	3.83e-07	socket.py:86(<lambda>)
1	5.17e-05	5.17e-05	0.0102	0.0102	utils.py:1(<module>)
89/7	5.17e-05	7.386e-06	0.0002419	3.456e-05	_regex_core.py:1992(com
546	5.15e-05	9.432e-08	5.15e-05	9.432e-08	<frozen importlib._bootstr
181	5.09e-05	2.812e-07	0.0002757	1.523e-06	enum.py:1435(_iter_meml
6	5.09e-05	8.483e-06	5.09e-05	8.483e-06	~:0(<built-in method zlib.c
13	5.08e-05	3.908e-06	0.006088	0.0004683	client.py:245(parse_heade
19	5.07e-05	2.668e-06	0.0001839	9.679e-06	_regex_core.py:1731(look
7	5.06e-05	7.229e-06	0.001307	0.0001867	<frozen ntpath>:705(realp
31	5.06e-05	1.632e-06	6.68e-05	2.155e-06	contextlib.py:108(__init__
13	5.06e-05	3.892e-06	0.0001532	1.178e-05	socket.py:523(family)
56	5.05e-05	9.018e-07	0.000122	2.179e-06	ipaddress.py:528(_split_ac
12	5.02e-05	4.183e-06	0.0008502	7.085e-05	adapters.py:523(request_u
132	5.02e-05	3.803e-07	6.93e-05	5.25e-07	parse.py:424(_checknetloc
12	4.99e-05	4.158e-06	0.0001112	9.267e-06	response.py:137(decompre
12	4.99e-05	4.158e-06	0.0002548	2.123e-05	models.py:947(json)
12	4.98e-05	4.15e-06	0.001524	0.000127	poolmanager.py:344(conn
12	4.97e-05	4.142e-06	6.61e-05	5.508e-06	request.py:197(body_to_cl
1	4.97e-05	4.97e-05	0.004935	0.004935	chart.py:1(<module>)
13	4.94e-05	3.8e-06	4.94e-05	3.8e-06	~:0(<method 'getpeername
1	4.93e-05	4.93e-05	0.00747	0.00747	pydoc.py:1(<module>)
24	4.92e-05	2.05e-06	5.29e-05	2.204e-06	<frozen importlib._bootstr
4	4.91e-05	1.228e-05	0.0005503	0.0001376	configparser.py:647(__init
7	4.89e-05	6.986e-06	0.001834	0.000262	typing.py:2927(_make_ea
21	4.88e-05	2.324e-06	0.0002987	1.422e-05	ipaddress.py:1498(__init__
363	4.87e-05	1.342e-07	4.87e-05	1.342e-07	~:0(<method 'popleft' of 'c
12	4.86e-05	4.05e-06	0.001768	0.0001474	poolmanager.py:319(conn
15	4.83e-05	3.22e-06	0.01197	0.0007982	client.py:463(read)
50	4.82e-05	9.64e-07	0.001408	2.816e-05	annotationlib.py:239(__for
1	4.82e-05	4.82e-05	0.003802	0.003802	_npyio_impl.py:1(<modul
134	4.8e-05	3.582e-07	6.39e-05	4.769e-07	messages.py:14(get_string
66	4.76e-05	7.212e-07	6.64e-05	1.006e-06	<frozen importlib._bootstr
1	4.71e-05	4.71e-05	0.008738	0.008738	_main.py:1(<module>)
428	4.7e-05	1.098e-07	4.7e-05	1.098e-07	~:0(<built-in method built
416	4.7e-05	1.13e-07	4.7e-05	1.13e-07	~:0(<method 'get' of 'xml.e

ncalls	tottime	percall	cumtime	percall	
224	4.69e-05	2.094e-07	0.000272	1.214e-06	encoder.py:424(_iterencod
12	4.69e-05	3.908e-06	0.001294	0.0001079	connectionpool.py:980(_
12	4.69e-05	3.908e-06	0.0001712	1.427e-05	models.py:85(path_url)
286	4.65e-05	1.626e-07	4.65e-05	1.626e-07	_regex_core.py:1942(__in
1	4.62e-05	4.62e-05	0.0471	0.0471	__init__.py:1(<module>)
3	4.61e-05	1.537e-05	0.0004265	0.0001422	gettext.py:488(find)
49	4.59e-05	9.367e-07	7.99e-05	1.631e-06	inspect.py:662(unwrap)
562	4.59e-05	8.167e-08	4.59e-05	8.167e-08	~:0(<built-in method built-
6	4.55e-05	7.583e-06	6.28e-05	1.047e-05	numeric.py:2750(extend_a
41	4.55e-05	1.11e-06	6.06e-05	1.478e-06	~:0(<method '_checkRead
20/18	4.54e-05	2.522e-06	0.01917	0.001065	<frozen importlib._bootstr
157/70	4.52e-05	6.457e-07	0.0003528	5.04e-06	<frozen abc>:121(__subcl
1	4.52e-05	4.52e-05	0.007377	0.007377	__init__.py:1(<module>)
1	4.52e-05	4.52e-05	0.07787	0.07787	__init__.py:1(<module>)
13	4.52e-05	3.477e-06	4.52e-05	3.477e-06	~:0(<method 'Close' of 'wi
379	4.51e-05	1.19e-07	4.51e-05	1.19e-07	~:0(<built-in method _sre.
206	4.5e-05	2.184e-07	5.32e-05	2.583e-07	enum.py:114(__iter__bits_ls
1	4.48e-05	4.48e-05	0.0002044	0.0002044	_scimath_impl.py:1(<mod
1	4.46e-05	4.46e-05	0.007818	0.007818	WorkTypeAnalyzer.py:1(<
12	4.45e-05	3.708e-06	0.0001842	1.535e-05	message.py:243(get_paylo
60	4.45e-05	7.417e-07	0.0002019	3.365e-06	utils.py:1024(check_head
5	4.45e-05	8.9e-06	4.45e-05	8.9e-06	~:0(<built-in method rege
1	4.43e-05	4.43e-05	0.1936	0.1936	__init__.py:1(<module>)
12	4.43e-05	3.692e-06	8.47e-05	7.058e-06	response.py:834(__init__len
50	4.43e-05	8.86e-07	0.00451	9.02e-05	typing.py:570(__getitem__
116	4.42e-05	3.81e-07	6.06e-05	5.224e-07	retry.py:253(<genexpr>)
3	4.42e-05	1.473e-05	9.35e-05	3.117e-05	_base.py:193(as_complete
19	4.39e-05	2.311e-06	4.73e-05	2.489e-06	typing.py:2637(overload)
22	4.37e-05	1.986e-06	0.005289	0.0002404	<frozen importlib._bootstr
25	4.35e-05	1.74e-06	7.97e-05	3.188e-06	_compiler.py:405(__bytes_1
1	4.35e-05	4.35e-05	0.0009718	0.0009718	_twodim_base_impl.py:1(
28	4.35e-05	1.554e-06	5.33e-05	1.904e-06	sessions.py:799(mount)
15	4.33e-05	2.887e-06	0.00687	0.000458	typing.py:2920(__make_nn
12	4.33e-05	3.608e-06	0.002926	0.0002438	utils.py:816(get_environ_f
29	4.33e-05	1.493e-06	6.79e-05	2.341e-06	~:0(<method 'sort' of 'list'
10	4.32e-05	4.32e-06	0.0001325	1.325e-05	functools.py:922(register)
39	4.32e-05	1.108e-06	0.0001072	2.749e-06	inspect.py:2760(__format)
11	4.32e-05	3.927e-06	0.000189	1.718e-05	parse.py:472(urlssplit)
1	4.32e-05	4.32e-05	0.0002901	0.0002901	arrayprint.py:1(<module>)
36	4.3e-05	1.194e-06	0.0002245	6.236e-06	response.py:890(__error_ca
52	4.27e-05	8.212e-07	7.01e-05	1.348e-06	functools.py:553(lru_cach
3	4.27e-05	1.423e-05	9.79e-05	3.263e-05	thread.py:161(__init__)
14	4.27e-05	3.05e-06	0.0002361	1.686e-05	utils.py:890(default_head

ncalls	tottime	percall	cumtime	percall	
1	4.24e-05	4.24e-05	0.0112	0.0112	traceback.py:1(<module>)
5	4.23e-05	8.46e-06	0.0001727	3.454e-05	inspect.py:3248(format)
132	4.23e-05	3.205e-07	7.14e-05	5.409e-07	queue.py:312(_get)
12	4.23e-05	3.525e-06	0.0001313	1.094e-05	utils.py:529(get_encoding_
140	4.22e-05	3.014e-07	0.0002986	2.133e-06	_colorize.py:277(_safe_ge
12	4.22e-05	3.517e-06	6.25e-05	5.208e-06	utils.py:504(_parse_conte
12	4.19e-05	3.492e-06	5.39e-05	4.492e-06	enum.py:995(_find_new_)
11/7	4.19e-05	5.986e-06	0.0001572	2.246e-05	_regex_core.py:3526(pack
20	4.18e-05	2.09e-06	0.0002689	1.345e-05	~:0(<method '__init_subcl
8	4.16e-05	5.2e-06	6.87e-05	8.588e-06	configparser.py:1291(_in
1	4.15e-05	4.15e-05	0.008308	0.008308	request.py:1(<module>)
13	4.15e-05	3.192e-06	0.0003701	2.847e-05	request.py:2058(getproxie
132	4.13e-05	3.129e-07	6.32e-05	4.788e-07	queue.py:309(_put)
185	4.1e-05	2.216e-07	4.1e-05	2.216e-07	__init__.py:435(<genexpr
24	4.09e-05	1.704e-06	0.000164	6.833e-06	adapters.py:513(close)
1	4.07e-05	4.07e-05	4.87e-05	4.87e-05	pydoc.py:1844(Helper)
12	4.06e-05	3.383e-06	0.001837	0.0001531	poolmanager.py:290(conn
4/1	4.06e-05	4.06e-05	0.0009412	0.0009412	__init__.py:271(_expand_
86	4.06e-05	4.721e-07	5.16e-05	6e-07	util.py:51(__init__)
1	4.05e-05	4.05e-05	0.002622	0.002622	request.py:1(<module>)
12	4.05e-05	3.375e-06	0.0002957	2.464e-05	utils.py:1008(get_auth_fro
12	4.03e-05	3.358e-06	0.002352	0.000196	weakref.py:485(__call__)
13	4.01e-05	3.085e-06	0.0001845	1.419e-05	__init__.py:299(loadss)
1	4.01e-05	4.01e-05	0.0147	0.0147	__init__.py:1(<module>)
1	4e-05	4e-05	0.008894	0.008894	cookiejar.py:1(<module>)
11	3.99e-05	3.627e-06	6.5e-05	5.909e-06	<frozen ntpath>:222(split)
12	3.99e-05	3.325e-06	0.0001197	9.975e-06	models.py:106(_encode_p
14	3.97e-05	2.836e-06	0.001555	0.0001111	_regex_core.py:1511(parse
1	3.97e-05	3.97e-05	0.6303	0.6303	StatusAnaliser.py:317(ana
77	3.96e-05	5.143e-07	5.89e-05	7.649e-07	enum.py:186(__get__)
1	3.96e-05	3.96e-05	0.001093	0.001093	utils.py:1(<module>)
280	3.94e-05	1.407e-07	3.94e-05	1.407e-07	~:0(<method '__exit__' of
80	3.94e-05	4.925e-07	3.94e-05	4.925e-07	~:0(<method '__typing_pr
1	3.93e-05	3.93e-05	0.03186	0.03186	util.py:1(<module>)
12	3.91e-05	3.258e-06	8.76e-05	7.3e-06	parse.py:533(urlunparse)
12	3.91e-05	3.258e-06	0.0004908	4.09e-05	cookies.py:140(get_cookie
68	3.89e-05	5.721e-07	9.74e-05	1.432e-06	status_codes.py:116(doc)
1	3.88e-05	3.88e-05	0.001462	0.001462	_os.py:1(<module>)
36	3.86e-05	1.072e-06	0.001618	4.495e-05	models.py:890(content)
21	3.86e-05	1.838e-06	0.0001719	8.186e-06	typing.py:1982(__init__)
12	3.86e-05	3.217e-06	0.0002085	1.738e-05	sessions.py:794(close)
4	3.84e-05	9.6e-06	0.0001276	3.19e-05	request.py:1648(url2pathn
13	3.83e-05	2.946e-06	0.0003806	2.928e-05	feedparser.py:184(close)

ncalls	tottime	percall	cumtime	percall	
144	3.83e-05	2.66e-07	5.26e-05	3.653e-07	connection.py:412(<genex
24	3.81e-05	1.588e-06	0.001526	6.356e-05	models.py:816(generate)
17	3.79e-05	2.229e-06	4.28e-05	2.518e-06	parse.py:716(unquote)
12	3.78e-05	3.15e-06	7.49e-05	6.242e-06	models.py:494(prepare_bc
1	3.76e-05	3.76e-05	0.03792	0.03792	exceptions.py:1(<module>
7	3.75e-05	5.357e-06	0.0001685	2.407e-05	data.py:202(normalize_res
1	3.74e-05	3.74e-05	0.001215	0.001215	data.py:1(<module>)
35	3.73e-05	1.066e-06	8.1e-05	2.314e-06	ipaddress.py:1627(_make_
70	3.73e-05	5.329e-07	6.82e-05	9.743e-07	typing.py:341(_unpack_ar
1	3.73e-05	3.73e-05	0.001133	0.001133	pickle.py:1(<module>)
24	3.72e-05	1.55e-06	9.89e-05	4.121e-06	cookies.py:542(merge_coc
13	3.69e-05	2.838e-06	0.0001436	1.105e-05	client.py:396(_check_clos
37	3.68e-05	9.946e-07	0.0001058	2.859e-06	annotationlib.py:831(get_ε
86	3.68e-05	4.279e-07	4.29e-05	4.988e-07	six.py:146(__init__)
4	3.66e-05	9.15e-06	3.71e-05	9.275e-06	logic.py:102(__init__)
334	3.66e-05	1.096e-07	3.66e-05	1.096e-07	~:0(<built-in method _sre.
24	3.63e-05	1.513e-06	0.0001135	4.729e-06	enum.py:927(_get_mixins
1	3.62e-05	3.62e-05	0.02973	0.02973	_index_tricks_impl.py:1(<
1	3.62e-05	3.62e-05	0.009672	0.009672	__init__.py:1(<module>)
24	3.61e-05	1.504e-06	5.8e-05	2.417e-06	__init__.py:1498(debug)
89	3.61e-05	4.056e-07	5.28e-05	5.933e-07	client.py:1066(_output)
11/6	3.61e-05	6.017e-06	0.002159	0.0003599	_regex_core.py:850(parse_
13	3.6e-05	2.769e-06	0.0001899	1.461e-05	socket.py:788(close)
27	3.6e-05	1.333e-06	0.0001769	6.552e-06	_regex_core.py:1256(parse
37	3.59e-05	9.703e-07	6.9e-05	1.865e-06	annotationlib.py:1044(_ge
33	3.59e-05	1.088e-06	3.59e-05	1.088e-06	~:0(<method 'translate' of
150	3.57e-05	2.38e-07	4.67e-05	3.113e-07	inspect.py:3017(<genexpr
10	3.56e-05	3.56e-06	0.0003019	3.019e-05	typing.py:1538(__getitem_
11	3.56e-05	3.236e-06	5.03e-05	4.573e-06	__init__.py:1410(_fixupPz
1	3.56e-05	3.56e-05	0.0002847	0.0002847	_nanfunctions_impl.py:1(<
24	3.53e-05	1.471e-06	0.0001359	5.662e-06	typing.py:1278(__instance
19/5	3.52e-05	7.04e-06	0.0003584	7.168e-05	_regex_core.py:3514(optir
1	3.51e-05	3.51e-05	0.0024	0.0024	ngram.py:23(NGram)
1	3.49e-05	3.49e-05	0.02415	0.02415	__init__.py:1(<module>)
3	3.48e-05	1.16e-05	0.001662	0.0005541	__init__.py:71(search_fun
30	3.46e-05	1.153e-06	4.77e-05	1.59e-06	_parser.py:265(getwhile)
20	3.46e-05	1.73e-06	0.0002045	1.023e-05	textwrap.py:157(_split)
39	3.46e-05	8.872e-07	6.45e-05	1.654e-06	~:0(<function ZipExtFile.c
1	3.45e-05	3.45e-05	0.0005683	0.0005683	_collections.py:1(<module
12	3.44e-05	2.867e-06	0.0001566	1.305e-05	response.py:600(__init__dec
20	3.43e-05	1.715e-06	0.0005972	2.986e-05	textwrap.py:347(wrap)
12	3.42e-05	2.85e-06	4.86e-05	4.05e-06	_collections.py:100(__seti
12	3.42e-05	2.85e-06	0.0001978	1.648e-05	__init__.py:2129(getLogg

ncalls	tottime	percall	cumtime	percall	
13	3.42e-05	2.631e-06	0.001524	0.0001172	client.py:1015(close)
56	3.42e-05	6.107e-07	5.31e-05	9.482e-07	ipaddress.py:156(_split_ip)
65	3.42e-05	5.262e-07	8.09e-05	1.245e-06	lexicon.py:153(nextCategory)
1	3.4e-05	3.4e-05	0.0007816	0.0007816	__init__.py:1(<module>)
12	3.39e-05	2.825e-06	0.0002509	2.091e-05	adapters.py:76(_urllib3_re
24	3.38e-05	1.408e-06	7.05e-05	2.938e-06	timeout.py:188(clone)
132	3.38e-05	2.561e-07	3.38e-05	2.561e-07	~:0(<method 'isalpha' of 's
12	3.37e-05	2.808e-06	3.37e-05	2.808e-06	client.py:949(_wrap_ipv6)
14	3.37e-05	2.407e-06	0.000203	1.45e-05	hashlib.py:126(__get_ope
108	3.37e-05	3.12e-07	3.37e-05	3.12e-07	~:0(<method 'values' of 'c
140	3.36e-05	2.4e-07	3.36e-05	2.4e-07	typing.py:1702(_value_an
50	3.36e-05	6.72e-07	3.36e-05	6.72e-07	~:0(<method 'split' of 'byte
1	3.34e-05	3.34e-05	0.001915	0.001915	subprocess.py:1(<module>
8	3.32e-05	4.15e-06	6.76e-05	8.45e-06	_py_warnings.py:320(_ad
1	3.3e-05	3.3e-05	0.006922	0.006922	shape_base.py:1(<module>
1	3.29e-05	3.29e-05	6.41e-05	6.41e-05	umath.py:1(<module>)
2	3.29e-05	1.645e-05	0.001043	0.0005216	__init__.py:1401(__init__
13	3.29e-05	2.531e-06	0.003481	0.0002678	feedparser.py:173(feed)
39	3.29e-05	8.436e-07	0.0003168	8.123e-06	message.py:626(get conte
1	3.27e-05	3.27e-05	0.005528	0.005528	ElementTree.py:1(<modul
12	3.27e-05	2.725e-06	0.000291	2.425e-05	connectionpool.py:81(__ir
145	3.27e-05	2.255e-07	3.27e-05	2.255e-07	~:0(<method 'values' of 'di
1	3.26e-05	3.26e-05	0.0002147	0.0002147	threading.py:1(<module>)
12	3.25e-05	2.708e-06	3.25e-05	2.708e-06	~:0(<method 'seek' of '_io.
1	3.23e-05	3.23e-05	0.0002653	0.0002653	_shape_base_impl.py:1(<r
6	3.22e-05	5.367e-06	4.54e-05	7.567e-06	response.py:399(get)
13	3.22e-05	2.477e-06	0.000933	7.177e-05	request.py:2107(getproxie
22	3.19e-05	1.45e-06	0.05229	0.002377	<frozen importlib._bootstr
140	3.19e-05	2.279e-07	5.53e-05	3.95e-07	typing.py:1382(<genexpr>
1	3.19e-05	3.19e-05	0.001036	0.001036	_type_check_impl.py:1(<r
1	3.17e-05	3.17e-05	0.002381	0.002381	hashlib.py:1(<module>)
74	3.17e-05	4.284e-07	3.17e-05	4.284e-07	cookiejar.py:1754(__iter__
134	3.17e-05	2.366e-07	0.001869	1.395e-05	messages.py:19(get_string
1	3.15e-05	3.15e-05	0.003104	0.003104	models.py:1(<module>)
93	3.15e-05	3.387e-07	3.15e-05	3.387e-07	~:0(<built-in method built
2	3.13e-05	1.565e-05	5.59e-05	2.795e-05	ElementPath.py:360(ite
30	3.12e-05	1.04e-06	0.0002847	9.49e-06	contextlib.py:145(__exit__
2	3.11e-05	1.555e-05	5.53e-05	2.765e-05	typing.py:2313(get_type_I
31	3.11e-05	1.003e-06	8.15e-05	2.629e-06	contextlib.py:136(__enter__
1	3.11e-05	3.11e-05	0.01968	0.01968	request.py:537(build_oper
13	3.11e-05	2.392e-06	3.11e-05	2.392e-06	~:0(<method '_set_alpn_p
1	3.1e-05	3.1e-05	0.0007936	0.0007936	_common.py:1(<module>)
12	3.08e-05	2.567e-06	6.14e-05	5.117e-06	timeout.py:172(from_float

ncalls	tottime	percall	cumtime	percall	
20/19	3.07e-05	1.616e-06	0.0123	0.0006476	<frozen importlib._bootstrap>
1	3.07e-05	3.07e-05	3.19e-05	3.19e-05	__init__.py:626(Path)
1	3.07e-05	3.07e-05	0.002064	0.002064	_polynomial_impl.py:1(<r
12	3.05e-05	2.542e-06	0.0002984	2.487e-05	sessions.py:159(resolve_re
47	3.03e-05	6.447e-07	4.7e-05	1e-06	typing.py:2469(get_origin
1	3.03e-05	3.03e-05	9.52e-05	9.52e-05	cp437.py:1(<module>)
1	3.02e-05	3.02e-05	3.02e-05	3.02e-05	~:0(<method 'disable' of '_
1	3e-05	3e-05	0.03648	0.03648	__init__.py:1(<module>)
158	2.97e-05	1.88e-07	2.97e-05	1.88e-07	<frozen abc>:7(abstractme
11	2.96e-05	2.691e-06	4.33e-05	3.936e-06	typing.py:2244(runtime_cl
49	2.96e-05	6.041e-07	2.96e-05	6.041e-07	~:0(<built-in method time.
47	2.95e-05	6.277e-07	4.58e-05	9.745e-07	ipaddress.py:1760(_parse_
19	2.95e-05	1.553e-06	0.0001019	5.363e-06	_regex_core.py:1720(stand
1	2.94e-05	2.94e-05	0.0008904	0.0008904	random.py:1(<module>)
1	2.94e-05	2.94e-05	0.001497	0.001497	_arraysetopsImpl.py:1(<r
54	2.94e-05	5.444e-07	2.94e-05	5.444e-07	socket.py:750(readable)
1	2.94e-05	2.94e-05	0.006867	0.006867	adapters.py:1(<module>)
29	2.93e-05	1.01e-06	0.001242	4.282e-05	inspect.py:3022(from_call
16/5	2.93e-05	5.86e-06	0.00233	0.000466	_regex_core.py:452(_pars
12	2.92e-05	2.433e-06	3.43e-05	2.858e-06	models.py:909(text)
1	2.9e-05	2.9e-05	0.05542	0.05542	__config__.py:1(<module>
1	2.9e-05	2.9e-05	0.1554	0.1554	__init__.py:1(<module>)
1	2.89e-05	2.89e-05	0.006385	0.006385	cd.py:1(<module>)
1	2.88e-05	2.88e-05	0.02384	0.02384	compat.py:1(<module>)
14	2.88e-05	2.057e-06	0.001702	0.0001216	argparse.py:2724(_get_for
1	2.87e-05	2.87e-05	0.06338	0.06338	meteor_score.py:1(<modu
10	2.86e-05	2.86e-06	3.2e-05	3.2e-06	annotationlib.py:774(_buil
1	2.86e-05	2.86e-05	0.01127	0.01127	__init__.py:1(<module>)
19	2.85e-05	1.5e-06	3.48e-05	1.832e-06	_regex_core.py:1699(num
1	2.84e-05	2.84e-05	3.91e-05	3.91e-05	fractions.py:182(Fraction)
5	2.84e-05	5.68e-06	0.006813	0.001363	dataclasses.py:1359(wrap)
1	2.84e-05	2.84e-05	0.0001041	0.0001041	__init__.py:1671(open)
12	2.84e-05	2.367e-06	4.17e-05	3.475e-06	__init__.py:1478(__init__
12	2.83e-05	2.358e-06	0.0005263	4.386e-05	connectionpool.py:256(_g
12	2.83e-05	2.358e-06	0.0001324	1.103e-05	utils.py:650(requote_uri)
13	2.8e-05	2.154e-06	6.37e-05	4.9e-06	feedparser.py:71(close)
1	2.79e-05	2.79e-05	0.00145	0.00145	ScoringSys.py:373(save_s
41	2.79e-05	6.805e-07	4.35e-05	1.061e-06	inspect.py:1333(formatanr
1	2.79e-05	2.79e-05	0.001719	0.001719	poolmanager.py:1(<modul
13	2.79e-05	2.146e-06	0.0545	0.004192	client.py:1322(endheaders
4	2.78e-05	6.95e-06	5.57e-05	1.393e-05	functools.py:875(singledis
41	2.78e-05	6.78e-07	4.7e-05	1.146e-06	dataclasses.py:539(_field_
12	2.78e-05	2.317e-06	3.6e-05	3e-06	models.py:258(__init__)

ncalls	tottime	percall	cumtime	percall	
1	2.76e-05	2.76e-05	0.001317	0.001317	chunked.py:1(<module>)
1	2.75e-05	2.75e-05	0.0003377	0.0003377	encoder.py:1(<module>)
1	2.75e-05	2.75e-05	0.0005389	0.0005389	ipaddress.py:2369(_IPv6C
24	2.74e-05	1.142e-06	5e-05	2.083e-06	ssl_.py:186(resolve_cert_r
38	2.74e-05	7.211e-07	2.74e-05	7.211e-07	hooks.py:15(default_hook
38	2.74e-05	7.211e-07	0.0002129	5.603e-06	~:0(<built-in method _abc
1	2.73e-05	2.73e-05	0.0009036	0.0009036	combinator.py:1(<module>
23	2.73e-05	1.187e-06	0.002084	9.059e-05	overrides.py:184(decorato
41	2.72e-05	6.634e-07	3.67e-05	8.951e-07	dataclasses.py:391(field)
8	2.72e-05	3.4e-06	4.91e-05	6.138e-06	configparser.py:1143(_han
1	2.72e-05	2.72e-05	0.0007258	0.0007258	calendar.py:1(<module>)
12	2.72e-05	2.267e-06	7.51e-05	6.258e-06	models.py:207(register_hc
12	2.72e-05	2.267e-06	9.69e-05	8.075e-06	ssl_.py:487(is_ipaddress)
12	2.71e-05	2.258e-06	0.0004424	3.687e-05	url.py:349(_encode_target
1	2.71e-05	2.71e-05	0.1074	0.1074	downloader.py:729(downl
1	2.69e-05	2.69e-05	0.03129	0.03129	_request_methods.py:1(<n
12	2.69e-05	2.242e-06	5.1e-05	4.25e-06	retry.py:403(is_retry)
4	2.68e-05	6.7e-06	0.001288	0.000322	configparser.py:735(read)
1	2.68e-05	2.68e-05	0.002259	0.002259	_methods.py:1(<module>)
31	2.67e-05	8.613e-07	0.0001737	5.603e-06	ipaddress.py:1272(__init__
12	2.67e-05	2.225e-06	5.09e-05	4.242e-06	parse.py:976(quote_from_
13	2.67e-05	2.054e-06	3.58e-05	2.754e-06	feedparser.py:197(_new_n
12	2.67e-05	2.225e-06	0.1434	0.01195	ssl_.py:511(_ssl_wrap_soc
12	2.67e-05	2.225e-06	2.67e-05	2.225e-06	connection.py:361(proxy_
12	2.67e-05	2.225e-06	5.97e-05	4.975e-06	_regex_core.py:558(apply_
73	2.67e-05	3.658e-07	4.37e-05	5.986e-07	pickle.py:190(<genexpr>)
26	2.67e-05	1.027e-06	2.67e-05	1.027e-06	~:0(<method 'read' of '_io.
24	2.66e-05	1.108e-06	0.0002746	1.144e-05	<frozen importlib._bootstr
69	2.66e-05	3.855e-07	2.66e-05	3.855e-07	~:0(<method 'decode' of 'b
1	2.65e-05	2.65e-05	0.007216	0.007216	utils.py:1(<module>)
2	2.65e-05	1.325e-05	2.73e-05	1.365e-05	__init__.py:269(POINTERF
28	2.65e-05	9.464e-07	2.65e-05	9.464e-07	adapters.py:116(__init__)
1	2.63e-05	2.63e-05	0.03914	0.03914	_base_connection.py:1(<n
109	2.63e-05	2.413e-07	2.63e-05	2.413e-07	__init__.py:17(set_module
1	2.63e-05	2.63e-05	0.0006014	0.0006014	downloader.py:1(<module>
24	2.62e-05	1.092e-06	0.0001006	4.192e-06	typing.py:1569(__subclass
2	2.62e-05	1.31e-05	9.92e-05	4.96e-05	ElementPath.py:410(finda
2	2.62e-05	1.31e-05	2.62e-05	1.31e-05	~:0(<built-in method _has
12	2.61e-05	2.175e-06	2.79e-05	2.325e-06	models.py:799(iter_conte
13	2.61e-05	2.008e-06	0.0002485	1.912e-05	ssl.py:441(_encode_hostname
9	2.61e-05	2.9e-06	0.000352	3.911e-05	internals.py:374(_add_epy
12	2.6e-05	2.167e-06	4.92e-05	4.1e-06	cookiejar.py:1735(clear_e
12	2.6e-05	2.167e-06	3.99e-05	3.325e-06	response.py:1328(_update

ncalls	tottime	percall	cumtime	percall	
1	2.6e-05	2.6e-05	2.62e-05	2.62e-05	unicode_block.py:1(<mod
22	2.59e-05	1.177e-06	0.001266	5.752e-05	<frozen importlib._bootstr
12	2.59e-05	2.158e-06	0.0001304	1.087e-05	configparser.py:1111(_han
1	2.59e-05	2.59e-05	0.06547	0.06547	request.py:468(open)
24	2.59e-05	1.079e-06	9.99e-05	4.163e-06	connectionpool.py:346(_g
1	2.59e-05	2.59e-05	0.001091	0.001091	earleychart.py:1(<module>
1	2.58e-05	2.58e-05	0.001058	0.001058	lzma.py:1(<module>)
10	2.57e-05	2.57e-06	8.28e-05	8.28e-06	contextlib.py:276(contextr
1	2.57e-05	2.57e-05	0.01374	0.01374	featstruct.py:1(<module>)
1	2.56e-05	2.56e-05	0.004906	0.004906	header.py:1(<module>)
6	2.54e-05	4.233e-06	4.31e-05	7.183e-06	__init__.py:43(normalize_
5	2.53e-05	5.06e-06	4.05e-05	8.1e-06	<frozen abc>:146(update_
41	2.52e-05	6.146e-07	6.52e-05	1.59e-06	dataclasses.py:699(_is_cla
60	2.52e-05	4.2e-07	3.86e-05	6.433e-07	_parser.py:304(checkgroup
1	2.52e-05	2.52e-05	0.0018	0.0018	filepost.py:1(<module>)
18	2.51e-05	1.394e-06	0.0001776	9.867e-06	response.py:786(release_c
1	2.5e-05	2.5e-05	0.01912	0.01912	ssl.py:682(create_default_
8	2.5e-05	3.125e-06	0.0001138	1.423e-05	typing.py:385(decorator)
50	2.5e-05	5e-07	2.5e-05	5e-07	cookiejar.py:885(__init__)
24	2.5e-05	1.042e-06	0.0001181	4.921e-06	poolmanager.py:281(clear)
7/1	2.49e-05	2.49e-05	4.71e-05	4.71e-05	functools.py:762(__c3_mro
20	2.49e-05	1.245e-06	0.0002778	1.389e-05	textwrap.py:341(_split_ch
1	2.49e-05	2.49e-05	2.93e-05	2.93e-05	~:0(<method 'read' of 'io.
1	2.48e-05	2.48e-05	0.004538	0.004538	__char_codes.py:1(<module>
13	2.47e-05	1.9e-06	3.66e-05	2.815e-06	ssl.py:661(verify_flags)
12	2.46e-05	2.05e-06	3.11e-05	2.592e-06	enum.py:917(_check_for_
1	2.44e-05	2.44e-05	0.007282	0.007282	api.py:1(<module>)
1	2.44e-05	2.44e-05	0.06489	0.06489	request.py:1280(do_open)
12	2.44e-05	2.033e-06	5.82e-05	4.85e-06	ssl.py:555(options)
25	2.44e-05	9.76e-07	2.44e-05	9.76e-07	ssl.py:677(verify_mode)
2	2.44e-05	1.22e-05	3.71e-05	1.855e-05	numeric.py:170(ones)
1	2.43e-05	2.43e-05	0.00113	0.00113	charset.py:1(<module>)
13	2.43e-05	1.869e-06	2.99e-05	2.3e-06	client.py:442(flush)
18	2.42e-05	1.344e-06	0.0001247	6.928e-06	response.py:619(_decode)
1	2.42e-05	2.42e-05	0.6632	0.6632	OSSanaliser.py:1(<module>)
14/7	2.41e-05	3.443e-06	8.8e-05	1.257e-05	configparser.py:813(get)
29	2.41e-05	8.31e-07	2.94e-05	1.014e-06	_regex_core.py:3716(__in
24	2.4e-05	1e-06	4.94e-05	2.058e-06	cookies.py:358(update)
1	2.4e-05	2.4e-05	0.05424	0.05424	text.py:1(<module>)
1	2.4e-05	2.4e-05	0.001518	0.001518	overrides.py:1(<module>)
1	2.39e-05	2.39e-05	0.004807	0.004807	_internal.py:1(<module>)
1	2.37e-05	2.37e-05	0.001086	0.001086	textwrap.py:17(TextWrap
1	2.36e-05	2.36e-05	0.00137	0.00137	<frozen posixpath>:1(<mc

ncalls	tottime	percall	cumtime	percall	
15	2.36e-05	1.573e-06	0.001645	0.0001097	socket.py:507(close)
6	2.35e-05	3.917e-06	7.48e-05	1.247e-05	gettext.py:231(_expand_lan
3	2.35e-05	7.833e-06	0.0001295	4.317e-05	argparse.py:1420(__init__
16	2.34e-05	1.463e-06	3.52e-05	2.2e-06	<frozen ntpath>:80(isabs)
1	2.33e-05	2.33e-05	0.00295	0.00295	platform.py:1(<module>)
1	2.32e-05	2.32e-05	0.002916	0.002916	treebank.py:216(Treebank
29	2.31e-05	7.966e-07	0.001265	4.361e-05	inspect.py:3309(signature)
1	2.3e-05	2.3e-05	6.83e-05	6.83e-05	inspect.py:1228(getfullarg
4	2.3e-05	5.75e-06	2.96e-05	7.4e-06	configparser.py:1174(__join
1	2.3e-05	2.3e-05	0.01459	0.01459	feedparser.py:1(<module>)
1	2.3e-05	2.3e-05	0.0002594	0.0002594	chart.py:1(<module>)
7	2.3e-05	3.286e-06	3.36e-05	4.8e-06	argparse.py:665(_expand_
12	2.29e-05	1.908e-06	7.92e-05	6.6e-06	parse.py:900(quote)
1	2.29e-05	2.29e-05	0.4596	0.4596	gitblame.py:1(<module>)
1	2.29e-05	2.29e-05	0.003497	0.003497	destructive.py:37(NLTKW
12	2.28e-05	1.9e-06	3.24e-05	2.7e-06	response.py:1287(closed)
12	2.27e-05	1.892e-06	0.0001141	9.508e-06	response.py:956(__fp_read)
22	2.27e-05	1.032e-06	0.00014	6.364e-06	ipaddress.py:1182(__ip_int
1	2.27e-05	2.27e-05	0.1098	0.1098	SentimentalAnaliser.py:19
1	2.26e-05	2.26e-05	1.671	1.671	OSSanaliser.py:117(get_u
1	2.26e-05	2.26e-05	2.26e-05	2.26e-05	__init__.py:78(PurePath)
1	2.26e-05	2.26e-05	0.001145	0.001145	argparse.py:1865(__init__
25	2.26e-05	9.04e-07	2.26e-05	9.04e-07	~:0(<method 'tolist' of 'me
1	2.25e-05	2.25e-05	0.4915	0.4915	ScoringSys.py:198(compu
1	2.25e-05	2.25e-05	2.25e-05	2.25e-05	~:0(<built-in method nt.re
1	2.24e-05	2.24e-05	0.001714	0.001714	connection.py:1(<module>)
41	2.24e-05	5.463e-07	2.24e-05	5.463e-07	~:0(<method '_checkClose
24	2.24e-05	9.333e-07	9.07e-05	3.779e-06	~:0(<method '__typing_su
8	2.23e-05	2.787e-06	2.88e-05	3.6e-06	_colorize.py:128(__post_i
1	2.22e-05	2.22e-05	1.226	1.226	ScoringSys.py:154(compu
13	2.22e-05	1.708e-06	0.0004506	3.466e-05	ssl.py:1225(send)
12	2.2e-05	1.833e-06	2.2e-05	1.833e-06	ssl.py:559(options)
1	2.19e-05	2.19e-05	0.0003752	0.0003752	probability.py:1(<module>)
4	2.19e-05	5.475e-06	0.0005175	0.0001294	configparser.py:1051(__rea
1	2.19e-05	2.19e-05	5.95e-05	5.95e-05	yco.e.py:1(<module>)
72	2.19e-05	3.042e-07	2.87e-05	3.986e-07	_internal_utils.py:25(to_n
1	2.19e-05	2.19e-05	0.0001587	0.0001587	featurechart.py:1(<module>)
1	2.18e-05	2.18e-05	0.000441	0.000441	message.py:135(Message)
26	2.18e-05	8.385e-07	4.23e-05	1.627e-06	feedparser.py:123(pushline
1	2.17e-05	2.17e-05	0.0001096	0.0001096	wordnet.py:1115(WordNet
1	2.16e-05	2.16e-05	0.4739	0.4739	ScoringSys.py:259(get_im
1	2.16e-05	2.16e-05	0.007611	0.007611	sessions.py:1(<module>)
1	2.16e-05	2.16e-05	6.32e-05	6.32e-05	mimetypes.py:1(<module>)

ncalls	tottime	percall	cumtime	percall	
6	2.16e-05	3.6e-06	8.37e-05	1.395e-05	abc.py:25(__register)
7	2.15e-05	3.071e-06	0.1072	0.01531	downloader.py:604(incr_d
6	2.14e-05	3.567e-06	2.14e-05	3.567e-06	porter.py:86(__init__)
12	2.14e-05	1.783e-06	0.0005146	4.288e-05	models.py:610(prepare_co
46	2.14e-05	4.652e-07	2.14e-05	4.652e-07	_add_newdocs_scalars.py:
32	2.13e-05	6.656e-07	2.13e-05	6.656e-07	functools.py:65(wraps)
21	2.13e-05	1.014e-06	4.44e-05	2.114e-06	ipaddress.py:1156(__make_
2	2.13e-05	1.065e-05	0.0001073	5.365e-05	__init__.py:331(__EndRecI
12	2.13e-05	1.775e-06	3.52e-05	2.933e-06	_collections.py:93(__getit
1	2.13e-05	2.13e-05	9.9e-05	9.9e-05	StatusAnaliser.py:468(ana
1	2.11e-05	2.11e-05	2.17e-05	2.17e-05	__init__.py:1371(ZipFile)
130	2.11e-05	1.623e-07	3.13e-05	2.408e-07	ssl.py:125(<lambda>)
108	2.11e-05	1.954e-07	3.02e-05	2.796e-07	constant.py:398(<lambda>
1	2.11e-05	2.11e-05	0.001986	0.001986	maxent.py:1(<module>)
12	2.1e-05	1.75e-06	0.0001035	8.625e-06	inspect.py:1904(__signature
92	2.1e-05	2.283e-07	3.02e-05	3.283e-07	enum.py:68(__is_internal_c
1	2.1e-05	2.1e-05	3.79e-05	3.79e-05	<frozen os>:44(__get_expo
1	2.1e-05	2.1e-05	0.003394	0.003394	__init__.py:1(<module>)
1	2.1e-05	2.1e-05	2.1e-05	2.1e-05	~:0(<built-in method nt.pu
13	2.09e-05	1.608e-06	2.46e-05	1.892e-06	socket.py:513(detach)
1	2.09e-05	2.09e-05	0.0002865	0.0002865	signal.py:1(<module>)
1	2.08e-05	2.08e-05	0.0006732	0.0006732	retry.py:1(<module>)
10	2.07e-05	2.07e-06	2.07e-05	2.07e-06	annotationlib.py:590(__ini
12	2.07e-05	1.725e-06	7.64e-05	6.367e-06	configparser.py:602(wrap)
11	2.07e-05	1.882e-06	0.0002225	2.023e-05	typing.py:1562(copy_with
194	2.07e-05	1.067e-07	2.07e-05	1.067e-07	status_codes.py:117(<gen
34	2.07e-05	6.088e-07	0.0001912	5.624e-06	_regex_core.py:419(make_
54	2.07e-05	3.833e-07	2.07e-05	3.833e-07	~:0(<built-in method nt._p
36	2.06e-05	5.722e-07	3.14e-05	8.722e-07	timeout.py:126(resolve_de
12	2.06e-05	1.717e-06	8.78e-05	7.317e-06	connection.py:93(__set_soc
7	2.06e-05	2.943e-06	3.08e-05	4.4e-06	argparse.py:1661(__get_opt
1	2.06e-05	2.06e-05	0.001522	0.001522	plaintext.py:1(<module>)
22	2.05e-05	9.318e-07	0.0002842	1.292e-05	_regex_core.py:1945(with
1	2.05e-05	2.05e-05	0.0001809	0.0001809	tree.py:28(Tree)
26	2.05e-05	7.885e-07	2.05e-05	7.885e-07	~:0(<method 'extend' of 'co
26	2.04e-05	7.846e-07	2.79e-05	1.073e-06	ipaddress.py:469(__prefix_
1	2.04e-05	2.04e-05	0.002162	0.002162	core.py:1(<module>)
1	2.04e-05	2.04e-05	0.001696	0.001696	lexicon.py:1(<module>)
1	2.03e-05	2.03e-05	2.03e-05	2.03e-05	mimetypes.py:447(__defaul
1	2.03e-05	2.03e-05	0.01346	0.01346	_policybase.py:1(<module
1	2.03e-05	2.03e-05	4.71e-05	4.71e-05	argparse.py:2013(__parse_k
1	2.02e-05	2.02e-05	0.0002322	0.0002322	abc.py:1(<module>)
12	2.02e-05	1.683e-06	2.87e-05	2.392e-06	sessions.py:781(get_adapt

ncalls	tottime	percall	cumtime	percall	
1	2.01e-05	2.01e-05	2.07e-05	2.07e-05	connection.py:82(HTTPC
20	2.01e-05	1.005e-06	4.84e-05	2.42e-06	textwrap.py:143(_munge_
69	2.01e-05	2.913e-07	2.01e-05	2.913e-07	~:0(<method 'count' of 'by
84	2e-05	2.381e-07	2e-05	2.381e-07	~:0(<method 'insert' of 'lis
12	1.99e-05	1.658e-06	0.0003201	2.668e-05	models.py:588(prepare_au
1	1.99e-05	1.99e-05	0.0006188	0.0006188	pkgutil.py:1(<module>)
1	1.98e-05	1.98e-05	0.0002509	0.0002509	contextlib.py:1(<module>)
1	1.98e-05	1.98e-05	0.0003928	0.0003928	errors.py:1(<module>)
1	1.98e-05	1.98e-05	0.002475	0.002475	fractions.py:1(<module>)
12	1.98e-05	1.65e-06	2.41e-05	2.008e-06	retry.py:395(_is_method_r
1	1.98e-05	1.98e-05	1.98e-05	1.98e-05	pickle.py:1250(_Unpickler
1	1.98e-05	1.98e-05	0.009686	0.009686	detector.py:1(<module>)
1	1.97e-05	1.97e-05	0.003766	0.003766	__init__.py:1(<module>)
1	1.97e-05	1.97e-05	4.26e-05	4.26e-05	_policybase.py:108(_exter
112	1.97e-05	1.759e-07	2.92e-05	2.607e-07	typing.py:1707(__eq__)
13	1.97e-05	1.515e-06	0.005162	0.0003971	ssl.py:430(__new__)
13	1.97e-05	1.515e-06	0.0002121	1.632e-05	_regex_core.py:3730(rebu
67	1.97e-05	2.94e-07	1.97e-05	2.94e-07	~:0(<method '__exit__' of
50	1.96e-05	3.92e-07	2.38e-05	4.76e-07	annotationlib.py:68(__init
1	1.96e-05	1.96e-05	0.0001412	0.0001412	_nbit_base.py:1(<module>
1	1.96e-05	1.96e-05	3.24e-05	3.24e-05	response.py:689(HTTPRe
14	1.96e-05	1.4e-06	0.0009212	6.58e-05	socket.py:503(_real_close)
1	1.96e-05	1.96e-05	5.97e-05	5.97e-05	__init__.py:822(_sanity_c
116	1.96e-05	1.69e-07	1.96e-05	1.69e-07	~:0(<built-in method built
4	1.94e-05	4.85e-06	2.83e-05	7.075e-06	configparser.py:326(_raise
1	1.94e-05	1.94e-05	0.01063	0.01063	sequential.py:1(<module>)
77	1.93e-05	2.506e-07	1.93e-05	2.506e-07	enum.py:1323(value)
12	1.93e-05	1.608e-06	1.93e-05	1.608e-06	response.py:388(__init__)
1	1.93e-05	1.93e-05	0.0007308	0.0007308	__init__.py:395(__init_non
1	1.93e-05	1.93e-05	0.01181	0.01181	detector_factory.py:1(<mo
28	1.93e-05	6.893e-07	1.93e-05	6.893e-07	~:0(<built-in method nt.is
41	1.92e-05	4.683e-07	1.92e-05	4.683e-07	dataclasses.py:527(_field_
1	1.92e-05	1.92e-05	0.0008047	0.0008047	base64.py:1(<module>)
1	1.92e-05	1.92e-05	0.001432	0.001432	message.py:1(<module>)
130	1.92e-05	1.477e-07	2.81e-05	2.162e-07	ssl.py:130(<lambda>)
69	1.92e-05	2.783e-07	0.0001166	1.69e-06	status_codes.py:122(<gen
13	1.91e-05	1.469e-06	2.47e-05	1.9e-06	client.py:1269(_validate_r
1	1.91e-05	1.91e-05	0.009465	0.009465	__init__.py:1(<module>)
12	1.91e-05	1.592e-06	0.000205	1.708e-05	structures.py:76(copy)
1	1.9e-05	1.9e-05	0.00258	0.00258	configparser.py:1(<module>
1	1.9e-05	1.9e-05	0.0003413	0.0003413	wordnet.py:1(<module>)
1	1.9e-05	1.9e-05	0.0005722	0.0005722	reviews.py:1(<module>)
1	1.89e-05	1.89e-05	0.0001468	0.0001468	_py_warnings.py:1(<modu

ncalls	tottime	percall	cumtime	percall	
5	1.89e-05	3.78e-06	4.41e-05	8.82e-06	__init__.py:931(__init__)
34	1.89e-05	5.559e-07	8.84e-05	2.6e-06	_regex_core.py:3608(_flus
1	1.89e-05	1.89e-05	0.0007781	0.0007781	tagged.py:1(<module>)
48	1.89e-05	3.938e-07	1.89e-05	3.938e-07	~:0(<method 'acquire' of '_
24	1.88e-05	7.833e-07	2.19e-05	9.125e-07	__init__.py:1765(isEnable
1	1.88e-05	1.88e-05	3.1e-05	3.1e-05	ssl.py:978(SSLocket)
4	1.88e-05	4.7e-06	0.003835	0.0009587	_main.py:349(compile)
54	1.88e-05	3.481e-07	1.88e-05	3.481e-07	~:0(<method 'copy' of 'dic
66	1.88e-05	2.848e-07	1.88e-05	2.848e-07	~:0(<method 'to_bytes' of
2	1.87e-05	9.35e-06	0.001107	0.0005535	data.py:1017(__init__)
2	1.87e-05	9.35e-06	0.9646	0.4823	StatusAnaliser.py:364(_ge
1	1.86e-05	1.86e-05	0.002911	0.002911	__init__.py:1(<module>)
1	1.86e-05	1.86e-05	0.0007564	0.0007564	_format_impl.py:1(<modu
32	1.85e-05	5.781e-07	0.000319	9.969e-06	__init__.py:164(match)
1	1.85e-05	1.85e-05	0.0007069	0.0007069	_base.py:1(<module>)
54	1.85e-05	3.426e-07	1.85e-05	3.426e-07	six.py:182(_add_module)
9	1.85e-05	2.056e-06	3e-05	3.333e-06	~:0(<built-in method _bis
1	1.84e-05	1.84e-05	0.5957	0.5957	ScoringSys.py:231(get_lar
7	1.84e-05	2.629e-06	2.02e-05	2.886e-06	functools.py:735(_c3_mer
1	1.84e-05	1.84e-05	0.0009288	0.0009288	configparser.py:606(RawC
9	1.84e-05	2.044e-06	2.91e-05	3.233e-06	statistics.py:803(deco)
130	1.84e-05	1.415e-07	2.91e-05	2.238e-07	ssl.py:135(<lambda>)
1	1.84e-05	1.84e-05	0.00993	0.00993	__init__.py:1(<module>)
6	1.84e-05	3.067e-06	0.0006113	0.0001019	downloader.py:663(_dowr
1	1.83e-05	1.83e-05	0.003014	0.003014	toktok.py:29(ToktokToken
12	1.83e-05	1.525e-06	5.32e-05	4.433e-06	models.py:769(is_redirect
14	1.83e-05	1.307e-06	2.8e-05	2e-06	__init__.py:146(_check_si
1	1.82e-05	1.82e-05	0.001836	0.001836	drt.py:1(<module>)
1	1.82e-05	1.82e-05	0.0248	0.0248	casual.py:1(<module>)
1	1.8e-05	1.8e-05	0.0007059	0.0007059	punkt.py:1(<module>)
24	1.8e-05	7.5e-07	1.8e-05	7.5e-07	~:0(<method 'pop' of 'cole
149	1.79e-05	1.201e-07	1.79e-05	1.201e-07	enum.py:1442(<lambda>)
21	1.79e-05	8.524e-07	2.91e-05	1.386e-06	_parser.py:887(_parse_flag
1	1.79e-05	1.79e-05	0.001101	0.001101	glob.py:1(<module>)
130	1.79e-05	1.377e-07	2.79e-05	2.146e-07	ssl.py:140(<lambda>)
12	1.79e-05	1.492e-06	0.0002688	2.24e-05	adapters.py:373(build_con
1	1.78e-05	1.78e-05	0.001024	0.001024	warnings.py:1(<module>)
1	1.78e-05	1.78e-05	1.85e-05	1.85e-05	response.py:451(BaseHTT
20	1.78e-05	8.9e-07	0.0006183	3.091e-05	textwrap.py:361(fill)
12	1.77e-05	1.475e-06	0.0001525	1.271e-05	connectionpool.py:294(_p
12	1.77e-05	1.475e-06	2.49e-05	2.075e-06	utils.py:626(unquote_unre
130	1.77e-05	1.362e-07	2.74e-05	2.108e-07	ssl.py:150(<lambda>)
1	1.76e-05	1.76e-05	1.173	1.173	OSSanaliser.py:90(get_use

ncalls	tottime	percall	cumtime	percall	
1	1.76e-05	1.76e-05	0.01183	0.01183	einsumfunc.py:1(<module>)
1	1.76e-05	1.76e-05	4.89e-05	4.89e-05	mixins.py:60(NDArrayOp)
12	1.76e-05	1.467e-06	0.0002261	1.884e-05	sessions.py:454(__exit__)
12	1.75e-05	1.458e-06	3.07e-05	2.558e-06	typing.py:1503(__mro_en)
1	1.75e-05	1.75e-05	1.79e-05	1.79e-05	__init__.py:352(Distributi
1	1.75e-05	1.75e-05	0.001442	0.001442	decoder.py:1(<module>)
2	1.75e-05	8.75e-06	0.0002619	0.000131	_regex_core.py:2143(optir
1	1.75e-05	1.75e-05	9.1e-05	9.1e-05	records.py:1(<module>)
144	1.75e-05	1.215e-07	1.75e-05	1.215e-07	timeout.py:130(__validate_
12	1.75e-05	1.458e-06	2.79e-05	2.325e-06	models.py:393(prepare_m
1	1.74e-05	1.74e-05	9.45e-05	9.45e-05	getlimits.py:1(<module>)
1	1.74e-05	1.74e-05	0.0001062	0.0001062	tempfile.py:1(<module>)
13	1.74e-05	1.338e-06	1.74e-05	1.338e-06	featstruct.py:574(__check_i
47	1.74e-05	3.702e-07	2.14e-05	4.553e-07	six.py:110(__init__)
67	1.74e-05	2.597e-07	1.74e-05	2.597e-07	~:0(<method '__enter__' o
12	1.72e-05	1.433e-06	2.61e-05	2.175e-06	cookiejar.py:1298(__cookie
12	1.72e-05	1.433e-06	2.07e-05	1.725e-06	inspect.py:1706(__shadowe
1	1.72e-05	1.72e-05	0.0179	0.0179	internals.py:1(<module>)
1	1.72e-05	1.72e-05	0.0008808	0.0008808	__init__.py:1(<module>)
130	1.72e-05	1.323e-07	2.71e-05	2.085e-07	ssl.py:145(<lambda>)
12	1.72e-05	1.433e-06	1.72e-05	1.433e-06	ssl.py:569(hostname_chec
1	1.72e-05	1.72e-05	1.72e-05	1.72e-05	pprint.py:112(PrettyPrinter)
7	1.72e-05	2.457e-06	1.72e-05	2.457e-06	~:0(<method 'flush' of 'zlit
12	1.71e-05	1.425e-06	1.71e-05	1.425e-06	enum.py:333(__init__)
7	1.71e-05	2.443e-06	2.89e-05	4.129e-06	argparse.py:637(__format_a
134/130	1.71e-05	1.315e-07	1.71e-05	1.315e-07	ElementPath.py:165(select
35	1.7e-05	4.857e-07	3.93e-05	1.123e-06	dataclasses.py:870(__set_n
32	1.7e-05	5.312e-07	2.9e-05	9.063e-07	_regex_core.py:1935(mak
1	1.7e-05	1.7e-05	1.7e-05	1.7e-05	logic.py:1(<module>)
4	1.69e-05	4.225e-06	6.44e-05	1.61e-05	inspect.py:2021(__signature
31	1.69e-05	5.452e-07	0.0001304	4.206e-06	_regex_core.py:3762(__har
1	1.69e-05	1.69e-05	0.0008985	0.0008985	__init__.py:509(__init__con
1	1.69e-05	1.69e-05	0.0008967	0.0008967	corenlp.py:1(<module>)
111	1.68e-05	1.514e-07	1.68e-05	1.514e-07	enum.py:902(<lambda>)
12	1.68e-05	1.4e-06	1.68e-05	1.4e-06	parse.py:566(__urlunsplit)
12	1.68e-05	1.4e-06	9.82e-05	8.183e-06	utils.py:764(get_proxy)
1	1.68e-05	1.68e-05	0.000129	0.000129	StatusAnaliser.py:130(che
1	1.67e-05	1.67e-05	0.001196	0.001196	ipaddress.py:1(<module>)
1	1.67e-05	1.67e-05	5.2e-05	5.2e-05	dependency.py:1(<module
1	1.67e-05	1.67e-05	0.008148	0.008148	vader.py:336(__init__)
36	1.66e-05	4.611e-07	1.66e-05	4.611e-07	utils.py:214(<genexpr>)
50	1.65e-05	3.3e-07	9.26e-05	1.852e-06	typing.py:351(__deduplicat
6	1.65e-05	2.75e-06	9.12e-05	1.52e-05	response.py:356(__get_deco

ncalls	tottime	percall	cumtime	percall	
1	1.65e-05	1.65e-05	0.002776	0.002776	boxer.py:1(<module>)
21	1.65e-05	7.857e-07	7.61e-05	3.624e-06	overrides.py:25(get_array_
1	1.65e-05	1.65e-05	5.17e-05	5.17e-05	downloader.py:1282(Dow
7	1.65e-05	2.357e-06	9.7e-05	1.386e-05	~:0(<built-in method built-
1	1.64e-05	1.64e-05	9.21e-05	9.21e-05	_histograms_impl.py:1(<n
1	1.64e-05	1.64e-05	0.02432	0.02432	__init__.py:1(<module>)
1	1.63e-05	1.63e-05	0.0008439	0.0008439	typing.py:3027(NamedTu
6	1.63e-05	2.717e-06	3.37e-05	5.617e-06	response.py:1346(_handle
12	1.63e-05	1.358e-06	9.14e-05	7.617e-06	models.py:630(prepare_hc
1	1.62e-05	1.62e-05	0.04351	0.04351	socket.py:828(create_conn
1	1.62e-05	1.62e-05	0.003299	0.003299	discourse.py:1(<module>)
20	1.62e-05	8.1e-07	1.62e-05	8.1e-07	~:0(<built-in method sys._
144	1.61e-05	1.118e-07	1.61e-05	1.118e-07	parse.py:108(_noop)
1	1.61e-05	1.61e-05	0.0001115	0.0001115	function_base.py:1(<modu
1	1.61e-05	1.61e-05	0.0003439	0.0003439	downloader.py:1034(defau
1	1.6e-05	1.6e-05	0.0006346	0.0006346	scanner.py:1(<module>)
12	1.6e-05	1.333e-06	2.3e-05	1.917e-06	parse.py:1003(urlencode)
3	1.6e-05	5.333e-06	3.47e-05	1.157e-05	typing.py:743(Optional)
1	1.6e-05	1.6e-05	0.0001163	0.0001163	_stride_tricks_impl.py:1(<
7	1.6e-05	2.286e-06	1.6e-05	2.286e-06	~:0(<method 'findall' of 're
16	1.59e-05	9.938e-07	7.53e-05	4.706e-06	cp1252.py:22(decode)
89	1.59e-05	1.787e-07	1.59e-05	1.787e-07	enum.py:90(_is_single_bit
2	1.59e-05	7.95e-06	9.97e-05	4.985e-05	__init__.py:183(dumps)
1	1.59e-05	1.59e-05	7.35e-05	7.35e-05	thread.py:1(<module>)
1	1.59e-05	1.59e-05	5.93e-05	5.93e-05	bleu_score.py:1(<module>)
1	1.59e-05	1.59e-05	5.04e-05	5.04e-05	senseval.py:1(<module>)
26	1.58e-05	6.077e-07	1.58e-05	6.077e-07	message.py:150(__init__)
12	1.58e-05	1.317e-06	0.0001616	1.347e-05	connectionpool.py:1145(_
1	1.58e-05	1.58e-05	0.0329	0.0329	util.py:1(<module>)
2	1.58e-05	7.9e-06	2.16e-05	1.08e-05	_linalg.py:84(__annotate_
1	1.57e-05	1.57e-05	0.001617	0.001617	snowball.py:1(<module>)
1	1.57e-05	1.57e-05	0.0001516	0.0001516	models.py:1(<module>)
11	1.57e-05	1.427e-06	2.59e-05	2.355e-06	_regex_core.py:2617(_cor
1	1.57e-05	1.57e-05	0.0001216	0.0001216	prover9.py:1(<module>)
1	1.57e-05	1.57e-05	0.0005928	0.0005928	comparative_sents.py:1(<
19	1.57e-05	8.263e-07	1.9e-05	1e-06	_regex_core.py:3317(_in
1	1.56e-05	1.56e-05	0.05382	0.05382	client.py:1340(_send_requ
65	1.56e-05	2.4e-07	2.07e-05	3.185e-07	inspect.py:267(isfunction)
7	1.56e-05	2.229e-06	3.41e-05	4.871e-06	argparse.py:1574(_add_ac
14	1.56e-05	1.114e-06	1.82e-05	1.3e-06	regexp.py:102(__init__)
1	1.56e-05	1.56e-05	0.005845	0.005845	__init__.py:1(<module>)
1	1.56e-05	1.56e-05	1.56e-05	1.56e-05	~:0(<built-in method nt._a
9	1.56e-05	1.733e-06	0.0001148	1.276e-05	~:0(<method 'findall' of 'xi

ncalls	tottime	percall	cumtime	percall	
1	1.55e-05	1.55e-05	0.0001579	0.0001579	framenet.py:1(<module>)
1	1.55e-05	1.55e-05	0.008746	0.008746	StatusAnaliser.py:1(<modi
37	1.55e-05	4.189e-07	2.11e-05	5.703e-07	argparse.py:1474(register)
1	1.54e-05	1.54e-05	0.02472	0.02472	exceptions.py:1(<module>
1	1.53e-05	1.53e-05	0.00032	0.00032	ipaddress.py:1565(_IPv4C
257	1.53e-05	5.953e-08	1.53e-05	5.953e-08	hmac.py:21(<genexpr>)
1	1.53e-05	1.53e-05	0.0001547	0.0001547	abc.py:1(<module>)
12	1.53e-05	1.275e-06	2.45e-05	2.042e-06	models.py:334(__init__)
12	1.53e-05	1.275e-06	1.53e-05	1.275e-06	~:0(<method 'rstrip' of 'byt
4	1.52e-05	3.8e-06	4.73e-05	1.183e-05	configparser.py:1125(_han
1	1.52e-05	1.52e-05	0.0002721	0.0002721	argparse.py:1(<module>)
42	1.52e-05	3.619e-07	1.52e-05	3.619e-07	~:0(<method 'fileno' of '_io
14	1.51e-05	1.079e-06	2.18e-05	1.557e-06	configparser.py:1192(_uni
1	1.51e-05	1.51e-05	1.74e-05	1.74e-05	ipaddress.py:666(_BaseNe
3	1.51e-05	5.033e-06	0.000208	6.933e-05	_regex_core.py:380(_chec
12	1.5e-05	1.25e-06	0.001862	0.0001552	utils.py:258(extract_zipped
19/5	1.5e-05	3e-06	3.22e-05	6.44e-06	_regex_core.py:3510(fix_{
38	1.5e-05	3.947e-07	1.5e-05	3.947e-07	~:0(<method 'cast' of 'men
1	1.49e-05	1.49e-05	0.0001524	0.0001524	__init__.py:175(Compress
1	1.49e-05	1.49e-05	0.0001544	0.0001544	_encoded_words.py:1(<m
1	1.49e-05	1.49e-05	1.51e-05	1.51e-05	multiarray.py:81(__override
41	1.49e-05	3.634e-07	1.49e-05	3.634e-07	_request_methods.py:51(_
3	1.49e-05	4.967e-06	1.49e-05	4.967e-06	~:0(<built-in method _csv.
2	1.48e-05	7.4e-06	0.001141	0.0005707	data.py:382(__init__)
1	1.48e-05	1.48e-05	0.004819	0.004819	__init__.py:1(<module>)
1	1.48e-05	1.48e-05	0.0006925	0.0006925	panlex_swadesh.py:1(<mc
1	1.48e-05	1.48e-05	1.48e-05	1.48e-05	~:0(<function Random.see
24	1.48e-05	6.167e-07	1.48e-05	6.167e-07	~:0(<method 'clear' of 'col
1	1.47e-05	1.47e-05	1.54e-05	1.54e-05	socket.py:218(socket)
8	1.47e-05	1.838e-06	3.01e-05	3.763e-06	_regex_core.py:411(_flatte
1	1.47e-05	1.47e-05	0.000457	0.000457	sinica_treebank.py:1(<mo
1	1.46e-05	1.46e-05	3.41e-05	3.41e-05	_scalars.py:1(<module>)
6	1.46e-05	2.433e-06	7.47e-05	1.245e-05	response.py:132(__init__)
12	1.46e-05	1.217e-06	2.08e-05	1.733e-06	poolmanager.py:388(_mer
1	1.46e-05	1.46e-05	0.0252	0.0252	defmatrix.py:1(<module>)
5	1.45e-05	2.9e-06	2.19e-05	4.38e-06	dataclasses.py:415(_fields
1	1.45e-05	1.45e-05	7.09e-05	7.09e-05	bisect.py:1(<module>)
13	1.45e-05	1.115e-06	1.45e-05	1.115e-06	ssl.py:665(verify_flags)
1	1.45e-05	1.45e-05	0.0001307	0.0001307	decorators.py:44(getinfo)
1	1.45e-05	1.45e-05	0.0001747	0.0001747	vader.py:33(VaderConstan
23	1.45e-05	6.304e-07	1.96e-05	8.522e-07	_regex_core.py:2012(_in
1	1.44e-05	1.44e-05	1.96e-05	1.96e-05	ssl.py:422(SSLContext)
13	1.44e-05	1.108e-06	3.77e-05	2.9e-06	socket.py:529(type)

ncalls	tottime	percall	cumtime	percall	
2	1.44e-05	7.2e-06	3.66e-05	1.83e-05	__init__.py:346(drive)
2	1.44e-05	7.2e-06	2.15e-05	1.075e-05	_linalg.py:100(__annotate_
1	1.44e-05	1.44e-05	0.0001607	0.0001607	resolution.py:1(<module>)
3	1.43e-05	4.767e-06	0.0004408	0.0001469	gettext.py:528(translation)
1	1.43e-05	1.43e-05	0.0007274	0.0007274	snowball.py:304(ArabicSt
11/7	1.43e-05	2.043e-06	0.0002163	3.09e-05	_regex_core.py:3593(_cor
13	1.43e-05	1.1e-06	1.43e-05	1.1e-06	~:0(<method 'sub' of 're.Pa
54	1.43e-05	2.648e-07	1.43e-05	2.648e-07	~:0(<method 'count' of 'str
103	1.43e-05	1.388e-07	1.43e-05	1.388e-07	~:0(<built-in method built
82	1.43e-05	1.744e-07	1.43e-05	1.744e-07	~:0(<built-in method built
24	1.42e-05	5.917e-07	0.0003528	1.47e-05	<frozen importlib._bootstr
1	1.42e-05	1.42e-05	0.0001806	0.0001806	csv.py:1(<module>)
1	1.42e-05	1.42e-05	0.04354	0.04354	client.py:1000(connect)
1	1.42e-05	1.42e-05	0.001845	0.001845	queue.py:1(<module>)
1	1.42e-05	1.42e-05	0.0001708	0.0001708	logic.py:27(Tokens)
1	1.41e-05	1.41e-05	0.0007689	0.0007689	__init__.py:1665(read)
1	1.41e-05	1.41e-05	0.0001448	0.0001448	_meta.py:1(<module>)
1	1.41e-05	1.41e-05	0.08516	0.08516	request.py:137(urlopen)
12	1.41e-05	1.175e-06	8.19e-05	6.825e-06	_regex_core.py:2980(_cor
42	1.41e-05	3.357e-07	1.41e-05	3.357e-07	api.py:257(__init__)
1	1.41e-05	1.41e-05	0.006989	0.006989	__init__.py:1(<module>)
1	1.4e-05	1.4e-05	0.0001893	0.0001893	timeout.py:1(<module>)
1	1.4e-05	1.4e-05	0.0005758	0.0005758	downloader.py:871(_pkg_
32	1.4e-05	4.375e-07	2.45e-05	7.656e-07	__init__.py:254(_subst_va
2	1.4e-05	7e-06	1.98e-05	9.9e-06	_linalg.py:88(__annotate_
1	1.4e-05	1.4e-05	0.0001108	0.0001108	StatusAnaliser.py:92(_get_
1	1.4e-05	1.4e-05	0.0006249	0.0006249	bracket_parse.py:1(<modu
31	1.4e-05	4.516e-07	1.4e-05	4.516e-07	~:0(<method 'setter' of 'proc
5	1.39e-05	2.78e-06	6.41e-05	1.282e-05	dataclasses.py:676(_froze
1	1.39e-05	1.39e-05	4.88e-05	4.88e-05	_utils_impl.py:1(<module>
1	1.39e-05	1.39e-05	0.000272	0.000272	propbank.py:1(<module>)
257	1.38e-05	5.37e-08	1.38e-05	5.37e-08	hmac.py:22(<genexpr>)
1	1.38e-05	1.38e-05	1.43e-05	1.43e-05	_iotoools.py:452(StringCon
12	1.38e-05	1.15e-06	6.7e-05	5.583e-06	sessions.py:107(get_redire
1	1.38e-05	1.38e-05	0.00184	0.00184	_globals.py:1(<module>)
1	1.37e-05	1.37e-05	0.0003212	0.0003212	status_codes.py:1(<modul
8	1.37e-05	1.713e-06	3.44e-05	4.3e-06	inspect.py:1680(_check_cl
12	1.37e-05	1.142e-06	2.84e-05	2.367e-06	parse.py:156(username)
1	1.37e-05	1.37e-05	0.0007717	0.0007717	transitionparser.py:1(<mod
115	1.37e-05	1.191e-07	1.37e-05	1.191e-07	~:0(<method 'isdigit' of 'st
1	1.36e-05	1.36e-05	0.0001688	0.0001688	fnmatch.py:1(<module>)
24	1.36e-05	5.667e-07	1.36e-05	5.667e-07	response.py:554(retries)
1	1.36e-05	1.36e-05	3.21e-05	3.21e-05	_asarray.py:1(<module>)

ncalls	tottime	percall	cumtime	percall	
1	1.36e-05	1.36e-05	8.81e-05	8.81e-05	nombank.py:1(<module>)
13	1.36e-05	1.046e-06	1.36e-05	1.046e-06	~:0(<method 'append' of 'b
10	1.35e-05	1.35e-06	3.24e-05	3.24e-06	<frozen ntpath>:50(normc
1	1.34e-05	1.34e-05	4.87e-05	4.87e-05	_ufunc_config.py:1(<mod
3	1.34e-05	4.467e-06	5.82e-05	1.94e-05	typing.py:1350(__or__)
1	1.34e-05	1.34e-05	0.001838	0.001838	data.py:734(load)
1	1.34e-05	1.34e-05	0.002556	0.002556	featstruct.py:2147(FeatStr
1	1.34e-05	1.34e-05	1.34e-05	1.34e-05	_string_helpers.py:1(<moc
1	1.34e-05	1.34e-05	0.004223	0.004223	ngram.py:1(<module>)
12	1.33e-05	1.108e-06	4e-05	3.333e-06	configparser.py:579(__init
52	1.33e-05	2.558e-07	1.33e-05	2.558e-07	~:0(<method 'seek' of 'io.
159	1.32e-05	8.302e-08	1.32e-05	8.302e-08	inspect.py:2723(name)
1	1.32e-05	1.32e-05	0.001853	0.001853	__init__.py:1(<module>)
30	1.32e-05	4.4e-07	2.1e-05	7e-07	signal.py:9(<lambda>)
1	1.31e-05	1.31e-05	0.05372	0.05372	client.py:1469(connect)
35	1.31e-05	3.743e-07	1.91e-05	5.457e-07	ipaddress.py:1890(_split_s
1	1.31e-05	1.31e-05	0.0005343	0.0005343	readers.py:1(<module>)
170	1.31e-05	7.706e-08	1.31e-05	7.706e-08	_regex_core.py:2608(optir
1	1.31e-05	1.31e-05	3.07e-05	3.07e-05	nps_chat.py:1(<module>)
41	1.3e-05	3.171e-07	1.3e-05	3.171e-07	dataclasses.py:599(__init_p
1	1.3e-05	1.3e-05	0.0003105	0.0003105	cookiejar.py:1247(Cookie
1	1.3e-05	1.3e-05	0.0007446	0.0007446	connection.py:114(__has_ip
1	1.3e-05	1.3e-05	0.0001202	0.0001202	_endian.py:1(<module>)
1	1.3e-05	1.3e-05	2.19e-05	2.19e-05	argparse.py:2051(__parse_k
1	1.3e-05	1.3e-05	0.0002102	0.0002102	_distributor_init.py:1(<mo
1	1.3e-05	1.3e-05	0.0007658	0.0007658	api.py:1(<module>)
1	1.29e-05	1.29e-05	0.0001064	0.0001064	gzip.py:1(<module>)
1	1.29e-05	1.29e-05	0.04839	0.04839	__init__.py:1(<module>)
41	1.29e-05	3.146e-07	1.88e-05	4.585e-07	_regex_core.py:3503(__in
4	1.28e-05	3.2e-06	1.43e-05	3.575e-06	__init__.py:263(__extend_c
23	1.28e-05	5.565e-07	1.28e-05	5.565e-07	~:0(<built-in method _stru
1	1.27e-05	1.27e-05	0.01876	0.01876	ssl.py:528(load_default_ce
1	1.27e-05	1.27e-05	0.0009141	0.0009141	glue.py:1(<module>)
1	1.27e-05	1.27e-05	5.08e-05	5.08e-05	util.py:1(<module>)
1	1.26e-05	1.26e-05	0.0006101	0.0006101	__init__.py:1141(__read1)
1	1.26e-05	1.26e-05	1.26e-05	1.26e-05	client.py:819(HTTPConne
2	1.26e-05	6.3e-06	4.81e-05	2.405e-05	__init__.py:415(__init__)
1	1.26e-05	1.26e-05	0.000349	0.000349	evaluate.py:1(<module>)
1	1.26e-05	1.26e-05	1.58e-05	1.58e-05	_nbit.py:1(<module>)
2	1.26e-05	6.3e-06	1.73e-05	8.65e-06	_linalg.py:92(__annotate_
25	1.26e-05	5.04e-07	0.0001097	4.388e-06	_regex_core.py:429(make_
10	1.26e-05	1.26e-06	1.26e-05	1.26e-06	~:0(<built-in method _win
12	1.25e-05	1.042e-06	1.42e-05	1.183e-06	enum.py:946(__find_data_r

ncalls	tottime	percall	cumtime	percall	
108	1.25e-05	1.157e-07	1.25e-05	1.157e-07	ssl.py:1117(_checkClosed)
1	1.25e-05	1.25e-05	8.95e-05	8.95e-05	treebank.py:29(TreebankV
1	1.25e-05	1.25e-05	0.0001627	0.0001627	_nested_sequence.py:1(<n
31	1.24e-05	4e-07	2.06e-05	6.645e-07	typing.py:1125(<genexpr>
1	1.24e-05	1.24e-05	9.23e-05	9.23e-05	api.py:24(TaggerI)
1	1.24e-05	1.24e-05	1.24e-05	1.24e-05	bnc.py:163(BNCWordView
2	1.24e-05	6.2e-06	1.24e-05	6.2e-06	~:0(<built-in method numj
2	1.23e-05	6.15e-06	8.03e-05	4.015e-05	encoder.py:183(encode)
1	1.23e-05	1.23e-05	2.48e-05	2.48e-05	__init__.py:948(__init__)
1	1.23e-05	1.23e-05	3.34e-05	3.34e-05	pros_cons.py:1(<module>
47	1.23e-05	2.617e-07	1.23e-05	2.617e-07	~:0(<method 'issuperset' o
5	1.22e-05	2.44e-06	6.36e-05	1.272e-05	_py_warnings.py:294(simj
6	1.22e-05	2.033e-06	4.1e-05	6.833e-06	response.py:656(_flush_de
1	1.22e-05	1.22e-05	0.0009597	0.0009597	fields.py:1(<module>)
1	1.22e-05	1.22e-05	0.05241	0.05241	__init__.py:1(<module>)
5	1.21e-05	2.42e-06	1.94e-05	3.88e-06	reprlib.py:12(decorating_f
10	1.21e-05	1.21e-06	1.49e-05	1.49e-06	annotationlib.py:819(get_&
1	1.21e-05	1.21e-05	0.0005468	0.0005468	cistem.py:16(Cistem)
1	1.21e-05	1.21e-05	1.21e-05	1.21e-05	~:0(<built-in method nt.un
1	1.2e-05	1.2e-05	0.002409	0.002409	decimal.py:1(<module>)
1	1.2e-05	1.2e-05	0.1562	0.1562	collocations.py:1(<module
1	1.2e-05	1.2e-05	0.001616	0.001616	__init__.py:1(<module>)
1	1.2e-05	1.2e-05	0.001142	0.001142	__init__.py:1(<module>)
1	1.2e-05	1.2e-05	0.003869	0.003869	__init__.py:1(<module>)
6	1.2e-05	2e-06	3.79e-05	6.317e-06	ipipan.py:14(_parse_args)
38	1.19e-05	3.132e-07	0.0002248	5.916e-06	<frozen abc>:110(register)
6	1.19e-05	1.983e-06	4.59e-05	7.65e-06	locale.py:386(normalize)
2	1.19e-05	5.95e-06	5.41e-05	2.705e-05	__init__.py:114(_getuserb
7/4	1.19e-05	2.975e-06	9.56e-05	2.39e-05	_regex_core.py:3100(_cor
24	1.19e-05	4.958e-07	1.19e-05	4.958e-07	cookies.py:110(__init__)
12	1.19e-05	9.917e-07	0.0001263	1.053e-05	_regex_core.py:2951(optir
1	1.19e-05	1.19e-05	0.0007233	0.0007233	api.py:1(<module>)
1	1.19e-05	1.19e-05	6.76e-05	6.76e-05	conll.py:1(<module>)
1	1.19e-05	1.19e-05	0.6303	0.6303	StatusAnaliser.py:342(get_
41	1.19e-05	2.902e-07	1.19e-05	2.902e-07	~:0(<method 'keys' of 'dict
1	1.18e-05	1.18e-05	1.24e-05	1.24e-05	association.py:45(NgramA
2	1.18e-05	5.9e-06	1.69e-05	8.45e-06	_linalg.py:96(__annotate_
1	1.18e-05	1.18e-05	0.00699	0.00699	__init__.py:1(<module>)
1	1.18e-05	1.18e-05	0.008353	0.008353	translate.py:1(<module>)
2	1.17e-05	5.85e-06	8.24e-05	4.12e-05	functools.py:893(dispatch)
1	1.17e-05	1.17e-05	0.0001507	0.0001507	__init__.py:91(_delvewhe
13	1.17e-05	9e-07	2.67e-05	2.054e-06	__init__.py:305(escape)
1	1.17e-05	1.17e-05	0.001114	0.001114	textwrap.py:1(<module>)

ncalls	tottime	percall	cumtime	percall	
1	1.17e-05	1.17e-05	5.67e-05	5.67e-05	auth.py:1(<module>)
24	1.17e-05	4.875e-07	1.44e-05	6e-07	numerictypes.py:594(_sca
1	1.17e-05	1.17e-05	0.03329	0.03329	scores.py:1(<module>)
3	1.17e-05	3.9e-06	1.58e-05	5.267e-06	thread.py:254(shutdown)
1	1.17e-05	1.17e-05	3.16e-05	3.16e-05	categorized_sents.py:1(<r
25	1.16e-05	4.64e-07	5.97e-05	2.388e-06	typing.py:1543(<genexpr>
1	1.16e-05	1.16e-05	4.6e-05	4.6e-05	ssltransport.py:1(<module
12	1.16e-05	9.667e-07	1.59e-05	1.325e-06	response.py:395(put)
1	1.16e-05	1.16e-05	1.16e-05	1.16e-05	lzma.py:38(LZMAFile)
1	1.16e-05	1.16e-05	0.000143	0.000143	linearlogic.py:1(<module>
1	1.16e-05	1.16e-05	0.003772	0.003772	brill.py:1(<module>)
1	1.16e-05	1.16e-05	2.63e-05	2.63e-05	lang_detect_exception.py:
7	1.16e-05	1.657e-06	0.0007856	0.0001122	argparse.py:1743(_check_
1	1.16e-05	1.16e-05	1.16e-05	1.16e-05	~:0(<method 'dot' of 'numq
48	1.16e-05	2.417e-07	1.16e-05	2.417e-07	~:0(<method 'release' of '_
26	1.16e-05	4.462e-07	1.16e-05	4.462e-07	~:0(<method 'truncate' of '
13	1.15e-05	8.846e-07	0.0002354	1.811e-05	client.py:425(_close_conn
12	1.15e-05	9.583e-07	1.7e-05	1.417e-06	timeout.py:202(start_conn
1	1.15e-05	1.15e-05	0.002117	0.002117	agreement.py:1(<module>
1	1.15e-05	1.15e-05	1.15e-05	1.15e-05	~:0(<method 'match' of '_r
24	1.15e-05	4.792e-07	1.15e-05	4.792e-07	~:0(<method 'group' of 're.
6	1.15e-05	1.917e-06	1.15e-05	1.917e-06	~:0(<method 'tell' of '_io.E
1	1.14e-05	1.14e-05	1.14e-05	1.14e-05	models.py:13(CharsetMatc
12	1.14e-05	9.5e-07	1.47e-05	1.225e-06	parse.py:193(_ userinfo)
1	1.14e-05	1.14e-05	5.49e-05	5.49e-05	memmap.py:1(<module>)
13	1.13e-05	8.692e-07	2.18e-05	1.677e-06	client.py:1286(_validate_h
1	1.13e-05	1.13e-05	1.22e-05	1.22e-05	_polynomial_impl.py:109:
7	1.13e-05	1.614e-06	0.001318	0.0001883	__init__.py:188(_safe_rea
1	1.13e-05	1.13e-05	0.0007803	0.0007803	regexp.py:1(<module>)
71	1.12e-05	1.577e-07	1.12e-05	1.577e-07	<frozen_collections_abc>
13	1.12e-05	8.615e-07	1.83e-05	1.408e-06	message.py:337(set_paylo
112	1.12e-05	1e-07	1.12e-05	1e-07	ipaddress.py:569(__int__)
15	1.12e-05	7.467e-07	1.39e-05	9.267e-07	_regex_core.py:3379(__in
1	1.12e-05	1.12e-05	0.00124	0.00124	api.py:1(<module>)
1	1.12e-05	1.12e-05	4.43e-05	4.43e-05	saxutils.py:1(<module>)
9	1.11e-05	1.233e-06	1.52e-05	1.689e-06	annotationlib.py:275(__ha
1	1.11e-05	1.11e-05	1.17e-05	1.17e-05	ssl.py:792(SSLObject)
6	1.11e-05	1.85e-06	4.11e-05	6.85e-06	enum.py:1206(_add_alias_
1	1.11e-05	1.11e-05	1.36e-05	1.36e-05	typing.py:3479(IO)
1	1.11e-05	1.11e-05	2.26e-05	2.26e-05	subprocess.py:758(Popen)
12	1.11e-05	9.25e-07	1.37e-05	1.142e-06	response.py:9(is_fp_close
1	1.11e-05	1.11e-05	8.41e-05	8.41e-05	cookies.py:1(<module>)
1	1.11e-05	1.11e-05	8.09e-05	8.09e-05	perceptron.py:1(<module>

ncalls	tottime	percall	cumtime	percall	
48	1.11e-05	2.313e-07	1.11e-05	2.313e-07	~:0(<method 'items' of 'col
1	1.1e-05	1.1e-05	1.63e-05	1.63e-05	_collections.py:204(HTTP
1	1.1e-05	1.1e-05	0.4773	0.4773	OSSanaliser.py:150(get_c
7	1.1e-05	1.571e-06	3.54e-05	5.057e-06	configparser.py:441(_inter
46	1.1e-05	2.391e-07	1.81e-05	3.935e-07	dataclasses.py:681(<genex
1	1.1e-05	1.1e-05	1.1e-05	1.1e-05	pickle.py:418(_Pickler)
12	1.1e-05	9.167e-07	1.57e-05	1.308e-06	configparser.py:576(_nev
1	1.1e-05	1.1e-05	1.1e-05	1.1e-05	client.py:252(HTTPRespo
1	1.1e-05	1.1e-05	0.0008818	0.0008818	pl196x.py:1(<module>)
1	1.1e-05	1.1e-05	0.00247	0.00247	xmlreader.py:1(<module>)
1	1.1e-05	1.1e-05	0.0001169	0.0001169	StatusAnaliser.py:488(get_
1	1.09e-05	1.09e-05	6.58e-05	6.58e-05	wordlist.py:1(<module>)
1	1.09e-05	1.09e-05	5.46e-05	5.46e-05	chasen.py:1(<module>)
5	1.09e-05	2.18e-06	1.89e-05	3.78e-06	lazyimport.py:62(__init__
3	1.08e-05	3.6e-06	0.000345	0.000115	_py_warnings.py:254(filte
14	1.08e-05	7.714e-07	1.08e-05	7.714e-07	__init__.py:1019(_getite
1	1.08e-05	1.08e-05	1.08e-05	1.08e-05	tempfile.py:706(SpooledT
1	1.08e-05	1.08e-05	1.08e-05	1.08e-05	ipaddress.py:1607(_BaseV
1	1.08e-05	1.08e-05	2.88e-05	2.88e-05	logic.py:946(Expression)
1	1.08e-05	1.08e-05	3.57e-05	3.57e-05	rte.py:1(<module>)
1	1.08e-05	1.08e-05	0.0002237	0.0002237	switchboard.py:1(<module
7	1.08e-05	1.543e-06	4.59e-05	6.557e-06	argparse.py:1784(_add_ac
12	1.08e-05	9e-07	1.08e-05	9e-07	~:0(<built-in method _soc
1	1.07e-05	1.07e-05	1.07e-05	1.07e-05	statistics.py:1218(Normall
7	1.07e-05	1.529e-06	1.07e-05	1.529e-06	fractions.py:616(_operator
1	1.07e-05	1.07e-05	1.73e-05	1.73e-05	ssltransport.py:22(SSLTra
1	1.07e-05	1.07e-05	9.02e-05	9.02e-05	tableau.py:1(<module>)
1	1.07e-05	1.07e-05	0.0001924	0.0001924	downloader.py:2244(_md5
1	1.06e-05	1.06e-05	0.0007034	0.0007034	socks.py:1(<module>)
4	1.06e-05	2.65e-06	1.82e-05	4.55e-06	__init__.py:437(__init__)
6	1.06e-05	1.767e-06	1.46e-05	2.433e-06	_policybase.py:103(_appe
5/1	1.06e-05	1.06e-05	0.0009062	0.0009062	__init__.py:594(get_config
1	1.06e-05	1.06e-05	1.06e-05	1.06e-05	defmatrix.py:73(matrix)
2	1.06e-05	5.3e-06	4.6e-05	2.3e-05	argparse.py:1754(__init__
13	1.06e-05	8.154e-07	2.68e-05	2.062e-06	mixins.py:45(_numeric_m
52	1.06e-05	2.038e-07	1.06e-05	2.038e-07	~:0(<built-in method _json
13	1.05e-05	8.077e-07	1.65e-05	1.269e-06	feedparser.py:210(_pop_m
26	1.05e-05	4.038e-07	1.05e-05	4.038e-07	ipaddress.py:426(_ip_int_
1	1.05e-05	1.05e-05	0.0001046	0.0001046	struct.py:1(<module>)
12	1.05e-05	8.75e-07	1.45e-05	1.208e-06	cookiejar.py:1291(_cookie
12	1.05e-05	8.75e-07	1.55e-05	1.292e-06	_internal_utils.py:38(unic
1	1.05e-05	1.05e-05	0.00087	0.00087	association.py:1(<module>)
1	1.05e-05	1.05e-05	1.05e-05	1.05e-05	framenet.py:1073(Framen

ncalls	tottime	percall	cumtime	percall	
1	1.05e-05	1.05e-05	0.0007207	0.0007207	toolbox.py:1(<module>)
1	1.05e-05	1.05e-05	0.002881	0.002881	__init__.py:1(<module>)
1	1.04e-05	1.04e-05	5.81e-05	5.81e-05	functools.py:807(_compos
12	1.04e-05	8.667e-07	2.4e-05	2e-06	configparser.py:599(strip)
8	1.04e-05	1.3e-06	1.44e-05	1.8e-06	_py_warnings.py:111(_get
1	1.04e-05	1.04e-05	0.001121	0.001121	bz2.py:1(<module>)
1	1.04e-05	1.04e-05	0.0002172	0.0002172	api.py:1(<module>)
1	1.04e-05	1.04e-05	6.86e-05	6.86e-05	named_entity.py:1(<modu
1	1.03e-05	1.03e-05	0.0003935	0.0003935	<frozen os>:211(makedirs
1	1.03e-05	1.03e-05	1.03e-05	1.03e-05	retry.py:41(Retry)
1	1.03e-05	1.03e-05	0.03045	0.03045	_arraypad_impl.py:1(<mo
7	1.02e-05	1.457e-06	4.64e-05	6.629e-06	configparser.py:428(before
1	1.02e-05	1.02e-05	3.03e-05	3.03e-05	__future__.py:1(<module>
12	1.02e-05	8.5e-07	1.74e-05	1.45e-06	client.py:635(_safe_read)
1	1.02e-05	1.02e-05	1.02e-05	1.02e-05	socket.py:683(SocketIO)
1	1.02e-05	1.02e-05	1.02e-05	1.02e-05	connectionpool.py:120(HI
1	1.02e-05	1.02e-05	0.000109	0.000109	pchart.py:1(<module>)
1	1.02e-05	1.02e-05	5.47e-05	5.47e-05	readers.py:23(__init__)
1	1.02e-05	1.02e-05	0.0001084	0.0001084	collections.py:1(<module>
52/10	1.02e-05	1.02e-06	2.15e-05	2.15e-06	_regex_core.py:1998(__ha
18	1.02e-05	5.667e-07	1.56e-05	8.667e-07	lexicon.py:163(parseAppli
1	1.01e-05	1.01e-05	4.61e-05	4.61e-05	threading.py:1392(__init__
4	1.01e-05	2.525e-06	0.0001969	4.923e-05	configparser.py:586(__init
1	1.01e-05	1.01e-05	0.0001726	0.0001726	_ufunclike_impl.py:1(<mc
20	1.01e-05	5.05e-07	1.01e-05	5.05e-07	mixins.py:17(_binary_met
1	1.01e-05	1.01e-05	0.0001921	0.0001921	_regex_core.py:73(RegexI
1	1.01e-05	1.01e-05	0.009703	0.009703	__init__.py:1(<module>)
1	1.01e-05	1.01e-05	0.0008324	0.0008324	mace.py:1(<module>)
133	1.01e-05	7.594e-08	1.01e-05	7.594e-08	six.py:93(__init__)
7	1e-05	1.429e-06	5.5e-05	7.857e-06	<frozen ntpath>:261(dirn
8	1e-05	1.25e-06	4.44e-05	5.55e-06	inspect.py:1719(getattr_st
1	9.9e-06	9.9e-06	0.0001412	0.0001412	<frozen ntpath>:649(_getf
1	9.9e-06	9.9e-06	1.57e-05	1.57e-05	textwrap.py:447(indent)
2	9.9e-06	4.95e-06	1.27e-05	6.35e-06	charset.py:206(__init__)
4	9.9e-06	2.475e-06	7.06e-05	1.765e-05	configparser.py:1303(_ge
1	9.9e-06	9.9e-06	5.62e-05	5.62e-05	vocabulary.py:1(<module>
1	9.9e-06	9.9e-06	5.17e-05	5.17e-05	StatusAnaliser.py:296(che
1	9.9e-06	9.9e-06	3.59e-05	3.59e-05	indian.py:1(<module>)
1	9.9e-06	9.9e-06	0.00035	0.00035	downloader.py:2233(md5_
7	9.9e-06	1.414e-06	9.9e-06	1.414e-06	argparse.py:879(__init__)
3	9.9e-06	3.3e-06	9.9e-06	3.3e-06	~:0(<method 'splittlines' of
16	9.8e-06	6.125e-07	9.8e-06	6.125e-07	encoder.py:224(floatstr)
1	9.8e-06	9.8e-06	0.0003852	0.0003852	__init__.py:126(EntryPoin

ncalls	tottime	percall	cumtime	percall	
1	9.8e-06	9.8e-06	0.0005029	0.0005029	request.py:287(__init__)
108	9.8e-06	9.074e-08	9.8e-06	9.074e-08	_regex_core.py:1725(<gen
1	9.8e-06	9.8e-06	9.8e-06	9.8e-06	~:0(<built-in method _has
5	9.7e-06	1.94e-06	2.63e-05	5.26e-06	dataclasses.py:891(__hash_
17	9.7e-06	5.706e-07	9.7e-06	5.706e-07	enum.py:788(__members_
4	9.7e-06	2.425e-06	1.42e-05	3.55e-06	__init__.py:561(_decodeE
4	9.7e-06	2.425e-06	2.91e-05	7.275e-06	_colorize.py:141(no_color
1	9.7e-06	9.7e-06	0.01509	0.01509	parser.py:1(<module>)
1	9.7e-06	9.7e-06	0.01914	0.01914	client.py:806(__create_http
5	9.7e-06	1.94e-06	2.81e-05	5.62e-06	_regex_core.py:3577(get_
1	9.7e-06	9.7e-06	0.0014	0.0014	malt.py:1(<module>)
1	9.7e-06	9.7e-06	0.004539	0.004539	__init__.py:1(<module>)
1	9.7e-06	9.7e-06	0.6288	0.6288	StatusAnaliser.py:207(get_
1	9.6e-06	9.6e-06	9.6e-06	9.6e-06	__init__.py:6(HTTPStatus
26	9.6e-06	3.692e-07	1.44e-05	5.538e-07	configparser.py:922(option
5	9.6e-06	1.92e-06	1.24e-05	2.48e-06	__init__.py:899(_addHanc
1	9.6e-06	9.6e-06	9.6e-06	9.6e-06	response.py:54(ContentDe
1	9.6e-06	9.6e-06	9.6e-06	9.6e-06	_regex_core.py:2134(Bran
1	9.6e-06	9.6e-06	0.0649	0.0649	request.py:1368(https_ope
12	9.6e-06	8e-07	1.76e-05	1.467e-06	hooks.py:22(dispatch_hoo
1	9.6e-06	9.6e-06	1.23e-05	1.23e-05	getlimits.py:60(finfo)
6	9.6e-06	1.6e-06	1.02e-05	1.7e-06	_nbit_base.py:57(__init_s
1	9.6e-06	9.6e-06	1.5e-05	1.5e-05	tagged.py:23(TaggedCorpi
1	9.6e-06	9.6e-06	5.36e-05	5.36e-05	semcor.py:1(<module>)
41	9.5e-06	2.317e-07	9.5e-06	2.317e-07	dataclasses.py:294(__init_
92	9.5e-06	1.033e-07	9.5e-06	1.033e-07	enum.py:235(__init__)
1	9.5e-06	9.5e-06	2.86e-05	2.86e-05	__init__.py:61(Sectioned)
40	9.5e-06	2.375e-07	1.24e-05	3.1e-07	lexicon.py:170(parseSubsc
1	9.4e-06	9.4e-06	5.61e-05	5.61e-05	projectivedependencypars
1	9.4e-06	9.4e-06	0.001674	0.001674	xmldocs.py:1(<module>)
1	9.3e-06	9.3e-06	0.001131	0.001131	_zstdfile.py:1(<module>)
1	9.3e-06	9.3e-06	9.3e-06	9.3e-06	bz2.py:26(BZ2File)
1	9.3e-06	9.3e-06	1.99e-05	1.99e-05	featstruct.py:921(FeatList)
1	9.3e-06	9.3e-06	0.0005904	0.0005904	downloader.py:837(status)
5	9.3e-06	1.86e-06	3.69e-05	7.38e-06	_regex_core.py:4359(__in
1	9.3e-06	9.3e-06	3.84e-05	3.84e-05	timit.py:1(<module>)
1	9.3e-06	9.3e-06	9.3e-06	9.3e-06	mte.py:34(MTEFileReade
1	9.3e-06	9.3e-06	7.69e-05	7.69e-05	sentiment_analyzer.py:1(<
5	9.2e-06	1.84e-06	9.2e-06	1.84e-06	weakref.py:309(__init__)
42	9.2e-06	2.19e-07	9.2e-06	2.19e-07	client.py:453(isclosed)
1	9.2e-06	9.2e-06	0.0004369	0.0004369	request.py:342(__parse)
12	9.2e-06	7.667e-07	1.33e-05	1.108e-06	sessions.py:91(merge_hoo
1	9.2e-06	9.2e-06	0.0001503	0.0001503	decorators.py:1(<module>

ncalls	tottime	percall	cumtime	percall	
1	9.2e-06	9.2e-06	0.5944	0.5944	StatusAnaliser.py:54(_get_
1	9.2e-06	9.2e-06	9.2e-06	9.2e-06	hmm.py:103(HiddenMark
9	9.2e-06	1.022e-06	9.2e-06	1.022e-06	data.py:576(<genexpr>)
17	9.2e-06	5.412e-07	9.2e-06	5.412e-07	~:0(<built-in method _stru
24	9.2e-06	3.833e-07	9.2e-06	3.833e-07	~:0(<method 'update' of 'co
7	9.1e-06	1.3e-06	1.8e-05	2.571e-06	<frozen_collections_abc>
1	9.1e-06	9.1e-06	0.0001535	0.0001535	numbers.py:1(<module>)
1	9.1e-06	9.1e-06	0.00173	0.00173	base64mime.py:1(<modul
1	9.1e-06	9.1e-06	9.1e-06	9.1e-06	ipaddress.py:383(_IPAddr
1	9.1e-06	9.1e-06	3.19e-05	3.19e-05	ppattach.py:1(<module>)
3	9.1e-06	3.033e-06	1.27e-05	4.233e-06	thread.py:157(prepare_cor
1	9.1e-06	9.1e-06	9.1e-06	9.1e-06	~:0(<built-in method _hasl
1	9e-06	9e-06	9e-06	9e-06	<frozen codecs>:1081(mal
48	9e-06	1.875e-07	9e-06	1.875e-07	<frozen_collections_abc>
18	9e-06	5e-07	1.07e-05	5.944e-07	__init__.py:205(_checkLe
24	9e-06	3.75e-07	1.73e-05	7.208e-07	message.py:211(is_multip
1	9e-06	9e-06	0.02169	0.02169	__init__.py:1(<module>)
1	9e-06	9e-06	0.002145	0.002145	core.py:21(where)
1	9e-06	9e-06	0.0001227	0.0001227	_iotoools.py:1(<module>)
1	9e-06	9e-06	2.24e-05	2.24e-05	cmudict.py:1(<module>)
5	9e-06	1.8e-06	3.09e-05	6.18e-06	nkjp.py:17(_parse_args)
39	9e-06	2.308e-07	9e-06	2.308e-07	~:0(<method 'gettimeout' c
2	8.9e-06	4.45e-06	2.58e-05	1.29e-05	__init__.py:601(__init__)
7	8.9e-06	1.271e-06	1.21e-05	1.729e-06	_regex_core.py:4378(open
3	8.9e-06	2.967e-06	7.06e-05	2.353e-05	__init__.py:896(read)
1	8.9e-06	8.9e-06	1.53e-05	1.53e-05	ipaddress.py:1910(IPv6Ad
1	8.9e-06	8.9e-06	0.0004517	0.0004517	request.py:311(full_url)
1	8.9e-06	8.9e-06	0.0001383	0.0001383	regexp.py:1(<module>)
1	8.9e-06	8.9e-06	8.9e-06	8.9e-06	util.py:32(StreamBackedC
1	8.9e-06	8.9e-06	4.78e-05	4.78e-05	toolbox.py:1(<module>)
1	8.9e-06	8.9e-06	5.47e-05	5.47e-05	opinion_lexicon.py:1(<mo
1	8.8e-06	8.8e-06	9.6e-06	9.6e-06	__init__.py:58(check_com
1	8.8e-06	8.8e-06	9.4e-06	9.4e-06	cookies.py:236(Morsel)
1	8.8e-06	8.8e-06	0.000992	0.000992	idna.py:1(<module>)
1	8.8e-06	8.8e-06	8.8e-06	8.8e-06	glob.py:518(_StringGlobb
16	8.8e-06	5.5e-07	1.15e-05	7.188e-07	request.py:583(__lt__)
1	8.8e-06	8.8e-06	0.001247	0.001247	printoptions.py:1(<module>)
1	8.8e-06	8.8e-06	0.00931	0.00931	api.py:1(<module>)
1	8.8e-06	8.8e-06	9.92e-05	9.92e-05	dependencygraph.py:1(<n
4	8.8e-06	2.2e-06	8.8e-06	2.2e-06	~:0(<built-in method nt._g
41	8.7e-06	2.122e-07	8.7e-06	2.122e-07	dataclasses.py:7044(_is_in
20	8.7e-06	4.35e-07	8.7e-06	4.35e-07	textwrap.py:112(__init__)
4	8.7e-06	2.175e-06	0.0004353	0.0001088	ssl.py:399(__new__)

ncalls	tottime	percall	cumtime	percall	
18	8.7e-06	4.833e-07	1.13e-05	6.278e-07	response.py:494(<genexpr>)
1	8.7e-06	8.7e-06	8.7e-06	8.7e-06	queue.py:40(Queue)
13	8.7e-06	6.692e-07	1.15e-05	8.846e-07	jsontags.py:24(register_tags)
1	8.7e-06	8.7e-06	4.96e-05	4.96e-05	ieer.py:1(<module>)
1	8.7e-06	8.7e-06	2.86e-05	2.86e-05	lepor.py:1(<module>)
13	8.7e-06	6.692e-07	8.7e-06	6.692e-07	~:0(<method 'fileno' of 's
1	8.6e-06	8.6e-06	2.52e-05	2.52e-05	ipaddress.py:1266(IPv4Ad
1	8.6e-06	8.6e-06	5.4e-05	5.4e-05	pprint.py:1(<module>)
1	8.6e-06	8.6e-06	8.6e-06	8.6e-06	downloader.py:431(Downl
1	8.6e-06	8.6e-06	0.0006914	0.0006914	util.py:1(<module>)
3	8.6e-06	2.867e-06	2.44e-05	8.133e-06	_base.py:666(__exit__)
56	8.5e-06	1.518e-07	8.5e-06	1.518e-07	enum.py:780(<genexpr>)
1	8.5e-06	8.5e-06	8.8e-06	8.8e-06	__init__.py:1847(LoggerA
2	8.5e-06	4.25e-06	4.02e-05	2.01e-05	data.py:146(normalize_res
24	8.5e-06	3.542e-07	1.26e-05	5.25e-07	structures.py:60(__len__)
1	8.5e-06	8.5e-06	0.0001127	0.0001127	_exceptions.py:1(<module>)
3	8.5e-06	2.833e-06	1.03e-05	3.433e-06	lexicon.py:133(matchBra
5	8.5e-06	1.7e-06	0.0001319	2.638e-05	_regex_core.py:4460(__get
1	8.5e-06	8.5e-06	8.5e-06	8.5e-06	~:0(<built-in method __has
7	8.4e-06	1.2e-06	9.8e-05	1.4e-05	__init__.py:174(search)
1	8.4e-06	8.4e-06	9.9e-06	9.9e-06	request.py:285(Request)
1	8.4e-06	8.4e-06	8.4e-06	8.4e-06	wordnet.py:355(Synset)
1	8.4e-06	8.4e-06	8.4e-06	8.4e-06	dependencygraph.py:31(D
1	8.4e-06	8.4e-06	8.4e-06	8.4e-06	chart.py:103(CCGLeafEdg
1	8.4e-06	8.4e-06	8.4e-06	8.4e-06	WorkTypeAnalyzer.py:351
24	8.4e-06	3.5e-07	8.4e-06	3.5e-07	~:0(<built-in method time.
30	8.4e-06	2.8e-07	8.4e-06	2.8e-07	~:0(<method 'items' of 'ma
3	8.3e-06	2.767e-06	8.3e-06	2.767e-06	getlimits.py:412(__init__)
1	8.3e-06	8.3e-06	8.3e-06	8.3e-06	__init__.py:1463(Logger)
3	8.3e-06	2.767e-06	4.25e-05	1.417e-05	threading.py:471(__init__)
13	8.3e-06	6.385e-07	0.0001459	1.122e-05	socket.py:497(__decref_soc
13	8.3e-06	6.385e-07	1.62e-05	1.246e-06	client.py:1265(__encode_re
36	8.3e-06	2.306e-07	8.3e-06	2.306e-07	cookiejar.py:44(__debug)
1	8.3e-06	8.3e-06	0.001133	0.001133	_regex_core.py:1185(parse
1	8.3e-06	8.3e-06	0.002386	0.002386	reextract.py:1(<module>)
6	8.3e-06	1.383e-06	1.72e-05	2.867e-06	models.py:754(ok)
6	8.3e-06	1.383e-06	9.1e-06	1.517e-06	_exceptions.py:16(__displa
1	8.3e-06	8.3e-06	7.41e-05	7.41e-05	mixins.py:1(<module>)
3	8.3e-06	2.767e-06	3.47e-05	1.157e-05	_base.py:149(__create_and
1	8.3e-06	8.3e-06	5.36e-05	5.36e-05	hmm.py:1(<module>)
1	8.3e-06	8.3e-06	0.001109	0.001109	parented.py:1(<module>)
2	8.3e-06	4.15e-06	5.47e-05	2.735e-05	argparse.py:1564(add_argu
1	8.3e-06	8.3e-06	8.3e-06	8.3e-06	~:0(<built-in method __cty

ncalls	tottime	percall	cumtime	percall	
1	8.2e-06	8.2e-06	1.01e-05	1.01e-05	numbers.py:57(Complex)
1	8.2e-06	8.2e-06	8.2e-06	8.2e-06	traceback.py:1004(Traceba
17	8.2e-06	4.824e-07	8.2e-06	4.824e-07	__init__.py:820(__init__)
1	8.2e-06	8.2e-06	9.1e-06	9.1e-06	response.py:1(<module>)
2	8.2e-06	4.1e-06	1.23e-05	6.15e-06	__init__.py:330(_raw_patl
1	8.2e-06	8.2e-06	1.04e-05	1.04e-05	_shape.py:1(<module>)
12	8.2e-06	6.833e-07	3.21e-05	2.675e-06	_regex_core.py:606(parse_
2	8.2e-06	4.1e-06	8.2e-06	4.1e-06	~:0(<method 'isoformat' of
1	8.1e-06	8.1e-06	1.76e-05	1.76e-05	threading.py:879(__init__
13	8.1e-06	6.231e-07	2.49e-05	1.915e-06	client.py:1278(_validate_f
1	8.1e-06	8.1e-06	8.1e-06	8.1e-06	timeout.py:25(Timeout)
1	8.1e-06	8.1e-06	5.03e-05	5.03e-05	_datasource.py:1(<module
1	8.1e-06	8.1e-06	0.003067	0.003067	treebank.py:1(<module>)
1	8.1e-06	8.1e-06	8.1e-06	8.1e-06	_base.py:319(Future)
6	8.1e-06	1.35e-06	8.1e-06	1.35e-06	six.py:131(__init__)
3	8e-06	2.667e-06	0.0004494	0.0001498	gettext.py:587(dgettext)
12	8e-06	6.667e-07	1.16e-05	9.667e-07	request.py:142(set_file_po
1	8e-06	8e-06	2.53e-05	2.53e-05	_dtype.py:1(<module>)
1	8e-06	8e-06	0.002586	0.002586	models.py:1(<module>)
1	8e-06	8e-06	0.0005458	0.0005458	verbnet.py:22(VerbnetCorj
1	8e-06	8e-06	3.41e-05	3.41e-05	weka.py:1(<module>)
3	8e-06	2.667e-06	2.64e-05	8.8e-06	_base.py:71(__init__)
1	7.9e-06	7.9e-06	7.1e-05	7.1e-05	heapq.py:1(<module>)
3	7.9e-06	2.633e-06	2.19e-05	7.3e-06	_regex_core.py:625(parse_
4	7.9e-06	1.975e-06	2.14e-05	5.35e-06	_regex_core.py:3700(get_
24	7.9e-06	3.292e-07	1.2e-05	5e-07	_regex_core.py:2942(__in
1	7.9e-06	7.9e-06	0.0007349	0.0007349	bllip.py:1(<module>)
1	7.9e-06	7.9e-06	0.00359	0.00359	__init__.py:1(<module>)
18	7.9e-06	4.389e-07	7.9e-06	4.389e-07	api.py:310(__init__)
10	7.8e-06	7.8e-07	9.5e-06	9.5e-07	typing.py:310(_check_gen
1	7.8e-06	7.8e-06	1.5e-05	1.5e-05	request.py:1242(do_requ
1	7.8e-06	7.8e-06	7.8e-06	7.8e-06	message.py:983(MIMEPar
1	7.8e-06	7.8e-06	7.8e-06	7.8e-06	_zstdfile.py:20(ZstdFile)
22	7.8e-06	3.545e-07	7.8e-06	3.545e-07	_type_aliases.py:128(<lam
1	7.8e-06	7.8e-06	0.0008527	0.0008527	data.py:1027(read)
1	7.8e-06	7.8e-06	0.04919	0.04919	api.py:1(<module>)
1	7.8e-06	7.8e-06	0.0007323	0.0007323	gale_church.py:1(<module
4	7.7e-06	1.925e-06	7.7e-06	1.925e-06	<frozen_collections_abc>
11	7.7e-06	7e-07	1.07e-05	9.727e-07	<frozen ntpath>:34(_get_t
12	7.7e-06	6.417e-07	7.7e-06	6.417e-07	functools.py:1096(__init__
3	7.7e-06	2.567e-06	2.78e-05	9.267e-06	locale.py:352(_replace_en
14	7.7e-06	5.5e-07	7.7e-06	5.5e-07	utils.py:881(default_user_
1	7.7e-06	7.7e-06	7.7e-06	7.7e-06	readers.py:64(Multiplexed

ncalls	tottime	percall	cumtime	percall	
2	7.7e-06	3.85e-06	1.87e-05	9.35e-06	__init__.py:125(joinuser)
1	7.7e-06	7.7e-06	0.00199	0.00199	immutable.py:1(<module>)
1	7.6e-06	7.6e-06	7.6e-06	7.6e-06	connection.py:603(HTTPSC
1	7.6e-06	7.6e-06	7.9e-06	7.9e-06	calendar.py:96(_localized_
1	7.6e-06	7.6e-06	0.0004166	0.0004166	_internal_utils.py:1(<mod
1	7.6e-06	7.6e-06	0.02627	0.02627	__init__.py:1(<module>)
1	7.6e-06	7.6e-06	0.001477	0.001477	format.py:1(<module>)
1	7.6e-06	7.6e-06	2.59e-05	2.59e-05	prettyprinter.py:1(<module
1	7.6e-06	7.6e-06	2.03e-05	2.03e-05	string_category.py:1(<moc
1	7.5e-06	7.5e-06	7.5e-06	7.5e-06	__init__.py:922(Handler)
1	7.5e-06	7.5e-06	1.13e-05	1.13e-05	legacy.py:1(<module>)
1	7.5e-06	7.5e-06	7.5e-06	7.5e-06	data.py:1054(SeekableUni
9	7.5e-06	8.333e-07	6.09e-05	6.767e-06	_regex_core.py:3792(max_
1	7.5e-06	7.5e-06	7.5e-06	7.5e-06	collocations.py:47(Abstract
16	7.5e-06	4.688e-07	2.25e-05	1.406e-06	_add_newdocs_scalars.py:
3	7.5e-06	2.5e-06	0.0003547	0.0001182	_regex_core.py:995(parse_
1	7.5e-06	7.5e-06	4.54e-05	4.54e-05	ipipan.py:25(IPIPANCorpor
1	7.5e-06	7.5e-06	0.009818	0.009818	__init__.py:1(<module>)
3	7.5e-06	2.5e-06	1.84e-05	6.133e-06	_base.py:55(__init__)
125	7.4e-06	5.92e-08	7.4e-06	5.92e-08	inspect.py:2735(kind)
5	7.4e-06	1.48e-06	0.0001295	2.59e-05	__init__.py:270(findall)
1	7.4e-06	7.4e-06	0.0001066	0.0001066	__init__.py:1(<module>)
1	7.4e-06	7.4e-06	0.001036	0.001036	wait.py:1(<module>)
2	7.4e-06	3.7e-06	3.2e-05	1.6e-05	__init__.py:74(CFUNCTY
1	7.4e-06	7.4e-06	0.0003173	0.0003173	punkt.py:394(PunktToken`
1	7.4e-06	7.4e-06	0.001461	0.001461	template.py:1(<module>)
1	7.4e-06	7.4e-06	0.1065	0.1065	downloader.py:991(info)
1	7.4e-06	7.4e-06	0.0001404	0.0001404	base.py:16(__init__)
1	7.4e-06	7.4e-06	0.0002211	0.0002211	vader.py:1(<module>)
59	7.3e-06	1.237e-07	7.3e-06	1.237e-07	annotationlib.py:228(__for
5	7.3e-06	1.46e-06	8.7e-06	1.74e-06	dataclasses.py:424(_tuple_
18	7.3e-06	4.056e-07	7.3e-06	4.056e-07	enum.py:1723(_simple_en
5	7.3e-06	1.46e-06	0.00018	3.6e-05	inspect.py:3245(__str__)
1	7.3e-06	7.3e-06	0.0001535	0.0001535	translate.py:22(__init__)
1	7.3e-06	7.3e-06	0.0001309	0.0001309	_adapters.py:1(<module>)
1	7.3e-06	7.3e-06	3.54e-05	3.54e-05	__init__.py:344(_reset_ca
1	7.3e-06	7.3e-06	0.0003129	0.0003129	text.py:313(Text)
1	7.3e-06	7.3e-06	0.003546	0.003546	destructive.py:1(<module>
1	7.3e-06	7.3e-06	3.63e-05	3.63e-05	repp.py:1(<module>)
14	7.3e-06	5.214e-07	7.19e-05	5.136e-06	_regex_core.py:3698(<ger
1	7.3e-06	7.3e-06	3.39e-05	3.39e-05	stanford_segmenter.py:1(<
8	7.2e-06	9e-07	1.37e-05	1.713e-06	ElementPath.py:74(xpath_
2	7.2e-06	3.6e-06	9.9e-06	4.95e-06	__init__.py:281(_parse_pa

ncalls	tottime	percall	cumtime	percall	
4	7.2e-06	1.8e-06	1.77e-05	4.425e-06	threading.py:602(__init__)
2	7.2e-06	3.6e-06	9.6e-06	4.8e-06	_regex_core.py:2417(_read)
1	7.2e-06	7.2e-06	0.0002212	0.0002212	agreement.py:83(Annotation)
1	7.2e-06	7.2e-06	7.2e-06	7.2e-06	punkt.py:1239(PunktSentence)
3	7.2e-06	2.4e-06	0.0002391	7.97e-05	_regex_core.py:370(_compile)
1	7.2e-06	7.2e-06	7.4e-06	7.4e-06	feature.py:13(Feature)
1	7.2e-06	7.2e-06	0.0007167	0.0007167	crf.py:1(<module>)
1	7.2e-06	7.2e-06	0.001169	0.001169	mymemory_translated.py:1
13	7.1e-06	5.462e-07	7.7e-06	5.923e-07	client.py:926(_get_hostport)
12	7.1e-06	5.917e-07	1.79e-05	1.492e-06	configparser.py:587(<genexpr>)
12	7.1e-06	5.917e-07	9.6e-06	8e-07	response.py:1319(supports)
18	7.1e-06	3.944e-07	5.48e-05	3.044e-06	_regex_core.py:3394(optimize)
1	7.1e-06	7.1e-06	1.99e-05	1.99e-05	drt.py:188(DrtExpression)
25	7.1e-06	2.84e-07	7.1e-06	2.84e-07	lazyimport.py:119(__setstate__)
1	7.1e-06	7.1e-06	0.4728	0.4728	WorkTypeAnalyzer.py:367
4	7.1e-06	1.775e-06	8.2e-06	2.05e-06	data.py:119(split_resource)
1	7.1e-06	7.1e-06	8.19e-05	8.19e-05	nonprojectivedependency.py:1
1	7.1e-06	7.1e-06	5.9e-05	5.9e-05	sentiwordnet.py:1(<module>)
1	7.1e-06	7.1e-06	0.0059	0.0059	__init__.py:1(<module>)
4	7e-06	1.75e-06	1.27e-05	3.175e-06	inspect.py:2047(_signature)
1	7e-06	7e-06	7e-06	7e-06	mimetypes.py:59(MimeType)
6	7e-06	1.167e-06	8.9e-06	1.483e-06	models.py:999(raise_for_s
1	7e-06	7e-06	8e-06	8e-06	_functional.py:1(<module>)
48	7e-06	1.458e-07	7e-06	1.458e-07	cookies.py:117(info)
86	7e-06	8.14e-08	7e-06	8.14e-08	_compat_pickle.py:166(<cl
1	7e-06	7e-06	7e-06	7e-06	porter.py:28(PorterStemmer)
1	7e-06	7e-06	0.0001084	0.0001084	api.py:1(<module>)
1	7e-06	7e-06	0.0001799	0.0001799	lang_profile.py:1(<module>)
5	6.9e-06	1.38e-06	0.0001243	2.486e-05	enum.py:1615(__invert__)
1	6.9e-06	6.9e-06	9.4e-06	9.4e-06	threading.py:868(Thread)
1	6.9e-06	6.9e-06	0.01915	0.01915	request.py:1358(__init__)
1	6.9e-06	6.9e-06	0.001422	0.001422	_adapters.py:144(__reader)
1	6.9e-06	6.9e-06	0.0006068	0.0006068	array_utils.py:1(<module>)
1	6.9e-06	6.9e-06	0.001634	0.001634	data.py:944(__open)
1	6.9e-06	6.9e-06	6.9e-06	6.9e-06	decisiontree.py:20(DecisionTree)
1	6.9e-06	6.9e-06	0.0005974	0.0005974	api.py:1(<module>)
1	6.9e-06	6.9e-06	8.48e-05	8.48e-05	mte.py:1(<module>)
1	6.8e-06	6.8e-06	6.53e-05	6.53e-05	functools.py:849(__find_im
26	6.8e-06	2.615e-07	6.8e-06	2.615e-07	ipaddress.py:410(__check_i
1	6.8e-06	6.8e-06	0.05383	0.05383	client.py:1335(request)
1	6.8e-06	6.8e-06	6.8e-06	6.8e-06	_request_methods.py:20(R
7/4	6.8e-06	1.7e-06	0.0001352	3.38e-05	_regex_core.py:3073(optim
1	6.8e-06	6.8e-06	6.46e-05	6.46e-05	ibm5.py:1(<module>)

ncalls	tottime	percall	cumtime	percall	
1	6.8e-06	6.8e-06	4.36e-05	4.36e-05	ibm_model.py:1(<module>)
5	6.8e-06	1.36e-06	6.8e-06	1.36e-06	~:0(<built-in method __loc_>)
3	6.7e-06	2.233e-06	8.2e-06	2.733e-06	<frozen codecs>:94(__nev_>)
4	6.7e-06	1.675e-06	1.84e-05	4.6e-06	<frozen ntpath>:573(ABSPATH)
14	6.7e-06	4.786e-07	6.7e-06	4.786e-07	__init__.py:1009(__init__)
8	6.7e-06	8.375e-07	9.12e-05	1.14e-05	typing.py:380(_tp_cache)
3	6.7e-06	2.233e-06	4.14e-05	1.38e-05	typing.py:564(__getitem__)
28	6.7e-06	2.393e-07	6.7e-06	2.393e-07	typing.py:2960(<genexpr>)
1	6.7e-06	6.7e-06	3.87e-05	3.87e-05	__init__.py:386(parent)
1	6.7e-06	6.7e-06	1.46e-05	1.46e-05	_meta.py:11(PackageMeta)
1	6.7e-06	6.7e-06	6.7e-06	6.7e-06	calendar.py:194(Calendar)
2	6.7e-06	3.35e-06	1.74e-05	8.7e-06	_regex_core.py:2250(_spli_>)
1	6.7e-06	6.7e-06	1.66e-05	1.66e-05	_add_newdocs_scalars.py:
1	6.7e-06	6.7e-06	0.5947	0.5947	WorkTypeAnalyzer.py:63(
38	6.7e-06	1.763e-07	6.7e-06	1.763e-07	~:0(<method 'isalnum' of '>)
1	6.6e-06	6.6e-06	3.71e-05	3.71e-05	typing.py:1652(__getitem__)
5	6.6e-06	1.32e-06	1.34e-05	2.68e-06	locale.py:635(getpreferred_>)
12	6.6e-06	5.5e-07	2.11e-05	1.758e-06	parse.py:175(port)
1	6.6e-06	6.6e-06	1.32e-05	1.32e-05	pydoc.py:634(HTMLDoc)
1	6.6e-06	6.6e-06	4.87e-05	4.87e-05	regexp.py:75(RegexpToke_>)
1	6.6e-06	6.6e-06	0.0003449	0.0003449	regexp.py:21(ChunkString)
1	6.6e-06	6.6e-06	8.3e-06	8.3e-06	dbapi2.py:54(register_adap_>)
9	6.5e-06	7.222e-07	9.9e-06	1.1e-06	__init__.py:196(__new__)
12	6.5e-06	5.417e-07	6.5e-06	5.417e-07	ssl_.py:209(resolve_ssl_ve_>)
1	6.5e-06	6.5e-06	0.0002302	0.0002302	parse.py:1124(_splittype)
1	6.5e-06	6.5e-06	6.5e-06	6.5e-06	url.py:80(Url)
1	6.5e-06	6.5e-06	6.5e-06	6.5e-06	models.py:640(Response)
1	6.5e-06	6.5e-06	0.0007811	0.0007811	scikitlearn.py:1(<module>)
1	6.5e-06	6.5e-06	6.5e-06	6.5e-06	conll.py:22(ConllCorpusR)
12	6.5e-06	5.417e-07	6.5e-06	5.417e-07	models.py:572(prepare_co_>)
1	6.5e-06	6.5e-06	6.5e-06	6.5e-06	_internal.py:591(Stream)
1	6.5e-06	6.5e-06	2.83e-05	2.83e-05	senna.py:1(<module>)
2	6.5e-06	3.25e-06	6.5e-06	3.25e-06	~:0(<built-in method rege_>)
26	6.5e-06	2.5e-07	6.5e-06	2.5e-07	~:0(<method 'end' of 're.M
1	6.4e-06	6.4e-06	0.1098	0.1098	ScoringSys.py:64(comput_>)
3	6.4e-06	2.133e-06	9e-06	3e-06	__init__.py:135(__init__)
1	6.4e-06	6.4e-06	6.4e-06	6.4e-06	traceback.py:278(FrameS
1	6.4e-06	6.4e-06	9.9e-06	9.9e-06	_colorize.py:211(Theme)
13	6.4e-06	4.923e-07	6.4e-06	4.923e-07	parser.py:17(__init__)
12	6.4e-06	5.333e-07	6.4e-06	5.333e-07	connection.py:188(host)
1	6.4e-06	6.4e-06	6.5e-06	6.5e-06	abc.py:83(InspectLoader)
1	6.4e-06	6.4e-06	6.4e-06	6.4e-06	__init__.py:204(Path)
1	6.4e-06	6.4e-06	0.002	0.002	_common.py:108(from_pa_>)

ncalls	tottime	percall	cumtime	percall	
1	6.4e-06	6.4e-06	2.89e-05	2.89e-05	_add_newdocs_scalars.py:1
1	6.4e-06	6.4e-06	6.9e-06	6.9e-06	__init__.py:479(__getitem__)
1	6.4e-06	6.4e-06	0.008531	0.008531	util.py:1(<module>)
1	6.4e-06	6.4e-06	0.0007818	0.0007818	util.py:1(<module>)
1	6.4e-06	6.4e-06	9.3e-06	9.3e-06	cp437.py:33(getregentry)
26	6.4e-06	2.462e-07	6.4e-06	2.462e-07	~:0(<method 'reverse' of 'list' object>)
1	6.3e-06	6.3e-06	2.3e-05	2.3e-05	<frozen os>:1160(add_dll)
12	6.3e-06	5.25e-07	6.3e-06	5.25e-07	configparser.py:1101(_handle_assignment)
1	6.3e-06	6.3e-06	7e-06	7e-06	abc.py:62(Traversable)
1	6.3e-06	6.3e-06	6.59e-05	6.59e-05	__init__.py:222(Strategy)
1	6.3e-06	6.3e-06	1.63e-05	1.63e-05	decorators.py:29(__legacy)
1	6.3e-06	6.3e-06	6.3e-06	6.3e-06	repp.py:21(ReppTokenizer)
1	6.3e-06	6.3e-06	4.39e-05	4.39e-05	ibm1.py:1(<module>)
1	6.3e-06	6.3e-06	5.37e-05	5.37e-05	ibm4.py:1(<module>)
1	6.3e-06	6.3e-06	7.1e-06	7.1e-06	dependency.py:16(Dependencies)
1	6.3e-06	6.3e-06	0.0005718	0.0005718	base.py:1(<module>)
1	6.3e-06	6.3e-06	0.002171	0.002171	libre.py:1(<module>)
14	6.3e-06	4.5e-07	6.3e-06	4.5e-07	~:0(<method 'islower' of 'str' object>)
1	6.2e-06	6.2e-06	3.06e-05	3.06e-05	codeop.py:1(<module>)
12	6.2e-06	5.167e-07	6.2e-06	5.167e-07	connection.py:103(allowable)
1	6.2e-06	6.2e-06	2.37e-05	2.37e-05	ssl_match_hostname.py:1(allowable)
2	6.2e-06	3.1e-06	0.0001319	6.595e-05	_regex_core.py:2217(_core)
1	6.2e-06	6.2e-06	0.004074	0.004074	__init__.py:1(<module>)
1	6.2e-06	6.2e-06	6.29e-05	6.29e-05	stanford.py:1(<module>)
1	6.2e-06	6.2e-06	0.0001113	0.0001113	nkjp.py:1(<module>)
1	6.2e-06	6.2e-06	3.96e-05	3.96e-05	crubadan.py:1(<module>)
12	6.2e-06	5.167e-07	6.2e-06	5.167e-07	~:0(<built-in method built-in>)
1	6.1e-06	6.1e-06	7.1e-06	7.1e-06	typing.py:3592(TextIO)
1	6.1e-06	6.1e-06	6.6e-06	6.6e-06	contextlib.py:17(AbstractContextManager)
14	6.1e-06	4.357e-07	6.1e-06	4.357e-07	typing.py:3095(_namedtuple)
17	6.1e-06	3.588e-07	1.17e-05	6.882e-07	ssl.py:972(_sslcryptodoc)
1	6.1e-06	6.1e-06	6.1e-06	6.1e-06	__init__.py:934(ZipExtFile)
1	6.1e-06	6.1e-06	6.1e-06	6.1e-06	__init__.py:101(Complete)
24	6.1e-06	2.542e-07	6.1e-06	2.542e-07	utils.py:733(set_environ)
1	6.1e-06	6.1e-06	4.07e-05	4.07e-05	request.py:269(request_host)
9	6.1e-06	6.778e-07	6.1e-06	6.778e-07	internals.py:395(deprecate)
9	6.1e-06	6.778e-07	3.7e-05	4.111e-06	overrides.py:30(finalize_annotation)
1	6.1e-06	6.1e-06	7e-06	7e-06	npyio.py:1(<module>)
1	6.1e-06	6.1e-06	2.17e-05	2.17e-05	confusionmatrix.py:1(<module>)
1	6.1e-06	6.1e-06	5.13e-05	5.13e-05	ibm3.py:1(<module>)
1	6.1e-06	6.1e-06	9.8e-06	9.8e-06	aligned.py:18(AlignedCorrelation)
1	6.1e-06	6.1e-06	7e-06	7e-06	stack_decoder.py:49(StackDecoder)
1	6.1e-06	6.1e-06	2.01e-05	2.01e-05	microsoft.py:1(<module>)

ncalls	tottime	percall	cumtime	percall	
2	6.1e-06	3.05e-06	6.1e-06	3.05e-06	~:0(<built-in method now>)
1	6.1e-06	6.1e-06	6.1e-06	6.1e-06	~:0(<built-in method _has
2	6e-06	3e-06	9.95e-05	4.975e-05	functools.py:978(wrapper)
24	6e-06	2.5e-07	6e-06	2.5e-07	connection.py:347(is_clos
1	6e-06	6e-06	3.11e-05	3.11e-05	__init__.py:1193(close)
1	6e-06	6e-06	2.42e-05	2.42e-05	probe.py:1(<module>)
1	6e-06	6e-06	6e-06	6e-06	cookies.py:446(BaseCook
1	6e-06	6e-06	0.0004916	0.0004916	ElementPath.py:1(<modul
1	6e-06	6e-06	9.83e-05	9.83e-05	exceptions.py:1(<module>
1	6e-06	6e-06	1.28e-05	1.28e-05	featstruct.py:598(FeatDict
1	6e-06	6e-06	3.02e-05	3.02e-05	_array_api_info.py:1(<mo
1	6e-06	6e-06	6e-06	6e-06	grammar.py:446(CFG)
1	6e-06	6e-06	3.69e-05	3.69e-05	nkjp.py:32(NKJPCorpusR
1	5.9e-06	5.9e-06	5.9e-06	5.9e-06	parse.py:152(_NetlocResu
1	5.9e-06	5.9e-06	0.06491	0.06491	request.py:497(__open)
15	5.9e-06	3.933e-07	5.9e-06	3.933e-07	_regex_core.py:3425(_cor
1	5.9e-06	5.9e-06	4.76e-05	4.76e-05	util.py:1(<module>)
6	5.9e-06	9.833e-07	5.9e-06	9.833e-07	chart.py:1158(__init__)
1	5.9e-06	5.9e-06	5.11e-05	5.11e-05	ibm2.py:1(<module>)
5	5.8e-06	1.16e-06	5.8e-06	1.16e-06	enum.py:776(__iter__)
1	5.8e-06	5.8e-06	5.8e-06	5.8e-06	random.py:103(Random)
4	5.8e-06	1.45e-06	4.34e-05	1.085e-05	inspect.py:3040(replace)
1	5.8e-06	5.8e-06	0.0006159	0.0006159	__init__.py:1059(read)
1	5.8e-06	5.8e-06	6.7e-06	6.7e-06	__init__.py:410(ZipInfo)
1	5.8e-06	5.8e-06	5.8e-06	5.8e-06	_expired_attrs_2_0.py:1(<
1	5.8e-06	5.8e-06	5.8e-06	5.8e-06	_inspect.py:1(<module>)
1	5.8e-06	5.8e-06	0.0008522	0.0008522	__init__.py:1(<module>)
1	5.8e-06	5.8e-06	5.8e-06	5.8e-06	StatusAnaliser.py:43(Adv
14	5.8e-06	4.143e-07	8.7e-06	6.214e-07	_regex_core.py:3061(__in
1	5.8e-06	5.8e-06	3.03e-05	3.03e-05	sonority_sequencing.py:1(
1	5.8e-06	5.8e-06	5.8e-06	5.8e-06	brill.py:189(BrillTagger)
1	5.8e-06	5.8e-06	7.1e-06	7.1e-06	mapping.py:1(<module>)
1	5.8e-06	5.8e-06	6e-05	6e-05	aligned.py:1(<module>)
1	5.8e-06	5.8e-06	5.8e-06	5.8e-06	api.py:83(CCGVar)
1	5.8e-06	5.8e-06	2.04e-05	2.04e-05	deepl.py:1(<module>)
1	5.8e-06	5.8e-06	0.01273	0.01273	__init__.py:1(<module>)
3	5.8e-06	1.933e-06	1.42e-05	4.733e-06	six.py:96(__get__)
12	5.8e-06	4.833e-07	5.8e-06	4.833e-07	~:0(<method 'write' of '_io
3	5.7e-06	1.9e-06	0.01145	0.003816	__init__.py:71(import_mo
5	5.7e-06	1.14e-06	4.73e-05	9.46e-06	__init__.py:2048(close)
4	5.7e-06	1.425e-06	7.6e-06	1.9e-06	__init__.py:391(_sanitize_
1	5.7e-06	5.7e-06	3.6e-05	3.6e-05	_colorize.py:243(no_color
1	5.7e-06	5.7e-06	6.2e-06	6.2e-06	csv.py:144(DictReader)

ncalls	tottime	percall	cumtime	percall	
1	5.7e-06	5.7e-06	8.17e-05	8.17e-05	datetime.py:1(<module>)
1	5.7e-06	5.7e-06	7.1e-06	7.1e-06	__init__.py:870(Metadata)
1	5.7e-06	5.7e-06	0.00231	0.00231	core.py:1(<module>)
1	5.7e-06	5.7e-06	5.7e-06	5.7e-06	adapters.py:143(HTTPAdap
1	5.7e-06	5.7e-06	7.79e-05	7.79e-05	contextvars.py:1(<module>)
1	5.7e-06	5.7e-06	0.0008104	0.0008104	scimath.py:1(<module>)
1	5.7e-06	5.7e-06	5.13e-05	5.13e-05	__init__.py:222(is_python
5	5.7e-06	1.14e-06	9.3e-06	1.86e-06	_regex_core.py:846(parse_
4	5.7e-06	1.425e-06	1.14e-05	2.85e-06	regexp.py:195(__init__)
1	5.7e-06	5.7e-06	5.7e-06	5.7e-06	rule.py:93(Rule)
1	5.7e-06	5.7e-06	6.44e-05	6.44e-05	unicode_escape.py:1(<mo
1	5.7e-06	5.7e-06	0.001935	0.001935	__init__.py:1(<module>)
49	5.7e-06	1.163e-07	5.7e-06	1.163e-07	~:0(<built-in method sys.g
2	5.6e-06	2.8e-06	1.26e-05	6.3e-06	enum.py:1708(global_enu
4	5.6e-06	1.4e-06	6.5e-05	1.625e-05	__init__.py:2166(_fclose
1	5.6e-06	5.6e-06	1.28e-05	1.28e-05	drt.py:61(__init__)
1	5.6e-06	5.6e-06	5.6e-06	5.6e-06	calendar.py:115(_localized
1	5.6e-06	5.6e-06	5.6e-06	5.6e-06	preprocessing.py:1(<modu
12	5.6e-06	4.667e-07	9.2e-06	7.667e-07	_regex_core.py:2948(fix_<
1	5.6e-06	5.6e-06	6.98e-05	6.98e-05	api.py:18(ChunkParserI)
1	5.6e-06	5.6e-06	6.5e-06	6.5e-06	parented.py:21(AbstractPa
1	5.6e-06	5.6e-06	5.6e-06	5.6e-06	tableau.py:41(TableauProv
1	5.6e-06	5.6e-06	0.001636	0.001636	xmldocs.py:81(XMLCorpor
1	5.6e-06	5.6e-06	4.74e-05	4.74e-05	stack_decoder.py:1(<modu
1	5.6e-06	5.6e-06	4.5e-05	4.5e-05	bcp47.py:1(<module>)
1	5.6e-06	5.6e-06	0.0003098	0.0003098	detector.py:13(Detector)
5	5.6e-06	1.12e-06	1.12e-05	2.24e-06	argparse.py:966(__init__)
11	5.6e-06	5.091e-07	5.6e-06	5.091e-07	~:0(<method 'values' of 'm
16	5.6e-06	3.5e-07	5.6e-06	3.5e-07	~:0(<built-in method built
1	5.5e-06	5.5e-06	3.31e-05	3.31e-05	<frozen ntpath>:607(_reac
46	5.5e-06	1.196e-07	5.5e-06	1.196e-07	dataclasses.py:419(<genex
2	5.5e-06	2.75e-06	8.78e-05	4.39e-05	hashlib.py:82(__get_builti
1	5.5e-06	5.5e-06	6.9e-06	6.9e-06	_policybase.py:121(Policy
1	5.5e-06	5.5e-06	2.06e-05	2.06e-05	__init__.py:716(FastPath)
4	5.5e-06	1.375e-06	8.2e-06	2.05e-06	ElementPath.py:153(prepa
42	5.5e-06	1.31e-07	5.5e-06	1.31e-07	_compat_pickle.py:164(<_
23	5.5e-06	2.391e-07	5.5e-06	2.391e-07	overrides.py:180(array_fui
1	5.5e-06	5.5e-06	8.7e-06	8.7e-06	_array_utils_impl.py:1(<r
14	5.5e-06	3.929e-07	5.5e-06	3.929e-07	mixins.py:27(__reflected_b
1	5.5e-06	5.5e-06	5.5e-06	5.5e-06	punkt.py:635(PunktTraine
1	5.5e-06	5.5e-06	5.5e-06	5.5e-06	_regex_core.py:3502(Sequ
1	5.5e-06	5.5e-06	2.85e-05	2.85e-05	decisiontree.py:1(<module>
1	5.5e-06	5.5e-06	5.5e-06	5.5e-06	maxent.py:78(MaxentClas

ncalls	tottime	percall	cumtime	percall	
1	5.5e-06	5.5e-06	5.5e-06	5.5e-06	propbank.py:166(Propbanl
1	5.5e-06	5.5e-06	3.05e-05	3.05e-05	childe.py:1(<module>)
1	5.5e-06	5.5e-06	0.004506	0.004506	panlex_lite.py:1(<module>
1	5.5e-06	5.5e-06	1.47e-05	1.47e-05	argparse.py:157(HelpForm
12	5.5e-06	4.583e-07	5.5e-06	4.583e-07	~:0(<built-in method time.
20	5.4e-06	2.7e-07	5.4e-06	2.7e-07	<frozen importlib._bootstr
8	5.4e-06	6.75e-07	6.8e-06	8.5e-07	warnings.py:80(__enter__
1	5.4e-06	5.4e-06	5.4e-06	5.4e-06	quopri.py:1(<module>)
1	5.4e-06	5.4e-06	3.41e-05	3.41e-05	_parseaddr.py:1(<module>
12	5.4e-06	4.5e-07	5.4e-06	4.5e-07	response.py:187(has_unco
1	5.4e-06	5.4e-06	6.4e-06	6.4e-06	proxy.py:1(<module>)
1	5.4e-06	5.4e-06	0.0005062	0.0005062	error.py:1(<module>)
1	5.4e-06	5.4e-06	4.72e-05	4.72e-05	structures.py:1(<module>)
1	5.4e-06	5.4e-06	7.2e-06	7.2e-06	platform.py:938(uname_re
1	5.4e-06	5.4e-06	0.0009553	0.0009553	pydoc.py:534(Doc)
1	5.4e-06	5.4e-06	6.99e-05	6.99e-05	rule.py:1(<module>)
1	5.4e-06	5.4e-06	3.07e-05	3.07e-05	tnt.py:1(<module>)
1	5.4e-06	5.4e-06	4.94e-05	4.94e-05	brill_trainer.py:1(<module
1	5.4e-06	5.4e-06	2.1e-05	2.1e-05	linearlogic.py:74(Expression
1	5.4e-06	5.4e-06	5.4e-06	5.4e-06	nombank.py:170(Nomban
1	5.4e-06	5.4e-06	5.4e-06	5.4e-06	arlstem2.py:33(ARLSTem
1	5.4e-06	5.4e-06	0.0005783	0.0005783	cistem.py:1(<module>)
18	5.4e-06	3e-07	5.4e-06	3e-07	api.py:156(__init__)
1	5.4e-06	5.4e-06	5.4e-06	5.4e-06	help.py:1(<module>)
38	5.4e-06	1.421e-07	5.4e-06	1.421e-07	~:0(<built-in method _cty
6	5.3e-06	8.833e-07	6.7e-06	1.117e-06	response.py:91(is_respons
1	5.3e-06	5.3e-06	5.3e-06	5.3e-06	gzip.py:147(GzipFile)
1	5.3e-06	5.3e-06	0.001045	0.001045	_regex_core.py:1166(parse
4	5.3e-06	1.325e-06	8.97e-05	2.243e-05	_regex_core.py:2007(get_
1	5.3e-06	5.3e-06	4.64e-05	4.64e-05	texttiling.py:1(<module>)
1	5.3e-06	5.3e-06	0.002951	0.002951	__init__.py:1(<module>)
1	5.3e-06	5.3e-06	0.0003492	0.0003492	downloader.py:472(__init__
3	5.3e-06	1.767e-06	9.9e-06	3.3e-06	_base.py:138(__init__)
38	5.3e-06	1.395e-07	5.3e-06	1.395e-07	~:0(<method 'bit_length' o
12	5.2e-06	4.333e-07	2.47e-05	2.058e-06	<frozen_collections_abc>
7	5.2e-06	7.429e-07	8.9e-06	1.271e-06	weakref.py:397(popitem)
1	5.2e-06	5.2e-06	5.2e-06	5.2e-06	__init__.py:1111(StreamH
11	5.2e-06	4.727e-07	8.8e-06	8e-07	typing.py:1134(<genexpr>
36	5.2e-06	1.444e-07	5.2e-06	1.444e-07	timeout.py:227(connect_t
1	5.2e-06	5.2e-06	5.7e-06	5.7e-06	ipaddress.py:1416(IPv4Int
1	5.2e-06	5.2e-06	5.2e-06	5.2e-06	glob.py:533(_PathGlobber
1	5.2e-06	5.2e-06	6.5e-06	6.5e-06	argparse.py:2223(consume
5	5.2e-06	1.04e-06	5.2e-06	1.04e-06	_main.py:471(complain_u

ncalls	tottime	percall	cumtime	percall	
1	5.2e-06	5.2e-06	5.2e-06	5.2e-06	megam.py:1(<module>)
1	5.2e-06	5.2e-06	2.3e-05	2.3e-05	viterbi.py:1(<module>)
1	5.2e-06	5.2e-06	0.0001752	0.0001752	propbank.py:475(Propbanl
34	5.2e-06	1.529e-07	5.2e-06	1.529e-07	lexicon.py:57(__init__)
1	5.2e-06	5.2e-06	5.2e-06	5.2e-06	~:0(<built-in method _hasl
24	5.1e-06	2.125e-07	5.1e-06	2.125e-07	_parser.py:166(__delitem_
1	5.1e-06	5.1e-06	2.06e-05	2.06e-05	random.py:128(seed)
2	5.1e-06	2.55e-06	2.31e-05	1.155e-05	__init__.py:288(_EndRecI
1	5.1e-06	5.1e-06	5.1e-06	5.1e-06	hmac.py:42(HMAC)
1	5.1e-06	5.1e-06	5.1e-06	5.1e-06	cookiejar.py:875(DefaultC
1	5.1e-06	5.1e-06	7.7e-06	7.7e-06	idna.py:378(getregentry)
1	5.1e-06	5.1e-06	0.0001361	0.0001361	decorators.py:108(update_
1	5.1e-06	5.1e-06	0.0001071	0.0001071	sexpr.py:1(<module>)
1	5.1e-06	5.1e-06	5.1e-06	5.1e-06	perceptron.py:28(Average
1	5.1e-06	5.1e-06	5.1e-06	5.1e-06	chart.py:430(Chart)
1	5.1e-06	5.1e-06	0.0002076	0.0002076	tree.py:1(<module>)
1	5.1e-06	5.1e-06	5.8e-06	5.8e-06	chunked.py:26(ChunkedC
1	5.1e-06	5.1e-06	0.0003476	0.0003476	lin.py:1(<module>)
1	5.1e-06	5.1e-06	3.45e-05	3.45e-05	rslp.py:1(<module>)
7	5.1e-06	7.286e-07	6.4e-06	9.143e-07	downloader.py:287(__init_
20	5.1e-06	2.55e-07	5.1e-06	2.55e-07	~:0(<method 'pop' of 'set' c
2	5e-06	2.5e-06	5e-06	2.5e-06	reprlib.py:51(__init__)
4	5e-06	1.25e-06	5e-06	1.25e-06	encoder.py:105(__init__)
1	5e-06	5e-06	6.4e-06	6.4e-06	numbers.py:319(Integral)
17	5e-06	2.941e-07	5e-06	2.941e-07	typing.py:529(__init__)
24	5e-06	2.083e-07	5e-06	2.083e-07	typing.py:2119(<genexpr>
28	5e-06	1.786e-07	5e-06	1.786e-07	_colorize.py:323(get_ther
1	5e-06	5e-06	3.88e-05	3.88e-05	_collections.py:39(_Sentin
36	5e-06	1.389e-07	5e-06	1.389e-07	response.py:392(__len__)
1	5e-06	5e-06	1.89e-05	1.89e-05	__init__.py:654(Distributi
1	5e-06	5e-06	5e-06	5e-06	tadm.py:1(<module>)
1	5e-06	5e-06	6.62e-05	6.62e-05	simple.py:1(<module>)
1	5e-06	5e-06	2.44e-05	2.44e-05	textcat.py:1(<module>)
1	5e-06	5e-06	6.6e-06	6.6e-06	wordlist.py:38(Nonbreakin
1	5e-06	5e-06	6.68e-05	6.68e-05	bnc.py:1(<module>)
1	5e-06	5e-06	5e-06	5e-06	thread.py:150(ThreadPool
7	5e-06	7.143e-07	5.09e-05	7.271e-06	argparse.py:1979(_add_ac
1	5e-06	5e-06	5e-06	5e-06	WorkTypeAnalyzer.py:36(
7	5e-06	7.143e-07	7.3e-06	1.043e-06	argparse.py:630(format)
1	4.9e-06	4.9e-06	0.0001181	0.0001181	typing.py:2898(<generic p
1	4.9e-06	4.9e-06	4.9e-06	4.9e-06	__init__.py:554(Formatter
2	4.9e-06	2.45e-06	1.54e-05	7.7e-06	__init__.py:458(validate)
1	4.9e-06	4.9e-06	4.9e-06	4.9e-06	__init__.py:250(EntryPoin

ncalls	tottime	percall	cumtime	percall	
1	4.9e-06	4.9e-06	0.01145	0.01145	compat.py:30(_resolve_ch
1	4.9e-06	4.9e-06	5.5e-06	5.5e-06	error.py:35(HTTPError)
1	4.9e-06	4.9e-06	3.64e-05	3.64e-05	numerictypes.py:626(_reg
7/4	4.9e-06	1.225e-06	1.41e-05	3.525e-06	_regex_core.py:3069(fix_
4	4.9e-06	1.225e-06	1.05e-05	2.625e-06	regexp.py:168(__init__)
1	4.9e-06	4.9e-06	4.9e-06	4.9e-06	chart.py:225(TreeEdge)
1	4.9e-06	4.9e-06	6.2e-06	6.2e-06	twitter.py:21(TwitterCorpu
1	4.9e-06	4.9e-06	2.41e-05	2.41e-05	twitter.py:1(<module>)
1	4.9e-06	4.9e-06	2.71e-05	2.71e-05	kmeans.py:1(<module>)
1	4.9e-06	4.9e-06	3.15e-05	3.15e-05	messages.py:1(<module>)
1	4.9e-06	4.9e-06	3.83e-05	3.83e-05	netrc.py:1(<module>)
14	4.9e-06	3.5e-07	7.7e-06	5.5e-07	argparse.py:1478(_registry
1	4.9e-06	4.9e-06	4.9e-06	4.9e-06	~:0(<method 'reset' of '_co
2	4.8e-06	2.4e-06	7.8e-06	3.9e-06	typing.py:1230(__mro_en
1	4.8e-06	4.8e-06	5.3e-06	5.3e-06	__init__.py:1434(_fixupCl
9	4.8e-06	5.333e-07	4.8e-06	5.333e-07	request.py:576(add_parent
1	4.8e-06	4.8e-06	4.8e-06	4.8e-06	cookies.py:176(RequestsC
1	4.8e-06	4.8e-06	4.8e-06	4.8e-06	models.py:313(PreparedRe
1	4.8e-06	4.8e-06	2.24e-05	2.24e-05	_dtype_ctypes.py:1(<mod
1	4.8e-06	4.8e-06	4.8e-06	4.8e-06	_pytesttester.py:45(Pytest]
5	4.8e-06	9.6e-07	5.3e-06	1.06e-06	_regex_core.py:4112(__in
1	4.8e-06	4.8e-06	4.8e-06	4.8e-06	wordnet.py:134(_WordNe
1	4.8e-06	4.8e-06	2.28e-05	2.28e-05	knbc.py:1(<module>)
1	4.8e-06	4.8e-06	9.95e-05	9.95e-05	util.py:1(<module>)
1	4.8e-06	4.8e-06	4.8e-06	4.8e-06	~:0(<built-in method _has
1	4.7e-06	4.7e-06	7.8e-06	7.8e-06	weakref.py:104(__init__)
1	4.7e-06	4.7e-06	5.7e-06	5.7e-06	numbers.py:172(Real)
1	4.7e-06	4.7e-06	4.7e-06	4.7e-06	traceback.py:434(StackSu
1	4.7e-06	4.7e-06	4.7e-06	4.7e-06	response.py:250(ZstdDecc
1	4.7e-06	4.7e-06	4.7e-06	4.7e-06	__init__.py:199(_Extra)
12	4.7e-06	3.917e-07	4.7e-06	3.917e-07	connection.py:368(proxy_
1	4.7e-06	4.7e-06	0.0005757	0.0005757	_collections.py:1(<module
1	4.7e-06	4.7e-06	0.0009727	0.0009727	readers.py:1(<module>)
1	4.7e-06	4.7e-06	4.7e-06	4.7e-06	featstruct.py:110(FeatStruc
1	4.7e-06	4.7e-06	2.27e-05	2.27e-05	rte_classify.py:1(<module
1	4.7e-06	4.7e-06	7.4e-06	7.4e-06	unicode_escape.py:37(geti
3	4.6e-06	1.533e-06	0.01144	0.003814	<frozen importlib._bootstr
41	4.6e-06	1.122e-07	4.6e-06	1.122e-07	dataclasses.py:710(__is_kw
46	4.6e-06	1e-07	4.6e-06	1e-07	dataclasses.py:1117(<gen
1	4.6e-06	4.6e-06	4.6e-06	4.6e-06	_policybase.py:288(Comp
1	4.6e-06	4.6e-06	4.6e-06	4.6e-06	header.py:417(_ValueForm
1	4.6e-06	4.6e-06	0.0007031	0.0007031	encoders.py:1(<module>)
1	4.6e-06	4.6e-06	6.8e-06	6.8e-06	intranges.py:1(<module>)

ncalls	tottime	percall	cumtime	percall	
1	4.6e-06	4.6e-06	1.19e-05	1.19e-05	__init__.py:472(__getattr_
1	4.6e-06	4.6e-06	4.6e-06	4.6e-06	association.py:164(Bigran
1	4.6e-06	4.6e-06	4.6e-06	4.6e-06	pager.py:1(<module>)
1	4.6e-06	4.6e-06	2.25e-05	2.25e-05	util.py:1(<module>)
1	4.6e-06	4.6e-06	4.6e-06	4.6e-06	timit.py:129(TimitCorpusI
1	4.6e-06	4.6e-06	0.0005683	0.0005683	verbnet.py:1(<module>)
1	4.6e-06	4.6e-06	4.6e-06	4.6e-06	sentiwordnet.py:43(SentiV
1	4.6e-06	4.6e-06	4.6e-06	4.6e-06	panlex_lite.py:129(Meanir
1	4.6e-06	4.6e-06	4.6e-06	4.6e-06	arlstem.py:32(ARLSTem)
1	4.6e-06	4.6e-06	4.6e-06	4.6e-06	StatusAnaliser.py:350(Gitl
5	4.5e-06	9e-07	5.7e-06	1.14e-06	copyreg.py:12(pickle)
1	4.5e-06	4.5e-06	4.5e-06	4.5e-06	configparser.py:1288(Sect
1	4.5e-06	4.5e-06	4.92e-05	4.92e-05	typing.py:1623(__getitem_
1	4.5e-06	4.5e-06	4.5e-06	4.5e-06	fields.py:153(RequestFiel
1	4.5e-06	4.5e-06	4.5e-06	4.5e-06	sessions.py:356(Session)
1	4.5e-06	4.5e-06	4.5e-06	4.5e-06	_arrayterator_impl.py:16(
1	4.5e-06	4.5e-06	4.99e-05	4.99e-05	smoothing.py:1(<module>
1	4.5e-06	4.5e-06	4.5e-06	4.5e-06	data.py:975(LazyLoader)
1	4.5e-06	4.5e-06	2.38e-05	2.38e-05	naivebayes.py:1(<module>
1	4.5e-06	4.5e-06	3.92e-05	3.92e-05	recursivedescent.py:1(<mc
1	4.5e-06	4.5e-06	4.5e-06	4.5e-06	chart.py:261(CCGChartPa
4	4.5e-06	1.125e-06	4.5e-06	1.125e-06	~:0(<built-in method math
1	4.5e-06	4.5e-06	4.5e-06	4.5e-06	~:0(<method 'hexdigest' of
4	4.4e-06	1.1e-06	7.3e-06	1.825e-06	inspect.py:2394(__descripto
1	4.4e-06	4.4e-06	7.7e-06	7.7e-06	_ufunc_config.py:472(__e
1	4.4e-06	4.4e-06	2.5e-05	2.5e-05	random.py:119(__init__)
1	4.4e-06	4.4e-06	0.0004612	0.0004612	__init__.py:444(PercentSt
1	4.4e-06	4.4e-06	4.4e-06	4.4e-06	connectionpool.py:67(Con
3	4.4e-06	1.467e-06	3.25e-05	1.083e-05	_regex_core.py:3191(_cor
1	4.4e-06	4.4e-06	4.4e-06	4.4e-06	probability.py:57(FreqDist
1	4.4e-06	4.4e-06	4.4e-06	4.4e-06	_index_tricks_impl.py:452
1	4.4e-06	4.4e-06	4.4e-06	4.4e-06	_nested_sequence.py:13(_
1	4.4e-06	4.4e-06	4.4e-06	4.4e-06	_npyio_impl.py:115(NpzF
4/1	4.4e-06	4.4e-06	0.000944	0.000944	__init__.py:489(get_paths
1	4.4e-06	4.4e-06	4.4e-06	4.4e-06	lfg.py:14(FStructure)
2	4.4e-06	2.2e-06	5.9e-06	2.95e-06	_regex_core.py:2647(get :
1	4.4e-06	4.4e-06	4.4e-06	4.4e-06	semcor.py:19(SemcorCorp
1	4.4e-06	4.4e-06	0.0008693	0.0008693	__init__.py:1(<module>)
7	4.4e-06	6.286e-07	9.7e-06	1.386e-06	argparse.py:1693(_pop_ac
7	4.4e-06	6.286e-07	4.4e-06	6.286e-07	~:0(<built-in method built
4	4.4e-06	1.1e-06	4.4e-06	1.1e-06	~:0(<built-in method sys.g
5	4.3e-06	8.6e-07	5e-06	1e-06	ScoringSys.py:310(<gene
4	4.3e-06	1.075e-06	4.3e-06	1.075e-06	configparser.py:568(__init

ncalls	tottime	percall	cumtime	percall	
1	4.3e-06	4.3e-06	2.79e-05	2.79e-05	typing.py:1619(copy_with
2	4.3e-06	2.15e-06	6.2e-06	3.1e-06	_init__.py:958(createLoc
1	4.3e-06	4.3e-06	4.3e-06	4.3e-06	_colorize.py:116(ThemeSe
1	4.3e-06	4.3e-06	4.3e-06	4.3e-06	ipaddress.py:1134(_BaseV
1	4.3e-06	4.3e-06	6.3e-05	6.3e-05	_streams.py:1(<module>)
1	4.3e-06	4.3e-06	1.29e-05	1.29e-05	_init__.py:269(_from_pa
1	4.3e-06	4.3e-06	0.0001055	0.0001055	request.py:764(__init__)
1	4.3e-06	4.3e-06	4.3e-06	4.3e-06	_index_tricks_impl.py:325
1	4.3e-06	4.3e-06	4.3e-06	4.3e-06	_init__.py:158(py_object
1	4.3e-06	4.3e-06	4.3e-06	4.3e-06	text.py:699(TextCollectio
1	4.3e-06	4.3e-06	1.95e-05	1.95e-05	counter.py:1(<module>)
1	4.3e-06	4.3e-06	5.38e-05	5.38e-05	handler.py:1(<module>)
4	4.3e-06	1.075e-06	5.4e-06	1.35e-06	_regex_core.py:3590(has_
12	4.3e-06	3.583e-07	5.8e-06	4.833e-07	_regex_core.py:2956(pack
1	4.3e-06	4.3e-06	3.73e-05	3.73e-05	shiftreduce.py:1(<module>
1	4.3e-06	4.3e-06	8.8e-06	8.8e-06	plaintext.py:20(PlainTextC
1	4.3e-06	4.3e-06	0.0001456	0.0001456	mymemory_translated.py:1
1	4.3e-06	4.3e-06	5.9e-06	5.9e-06	nist_score.py:1(<module>)
1	4.3e-06	4.3e-06	4.3e-06	4.3e-06	downloader.py:187(Packag
1	4.3e-06	4.3e-06	4.3e-06	4.3e-06	minimalset.py:11(Minimal
7	4.3e-06	6.143e-07	4.3e-06	6.143e-07	argparse.py:1706(_check_
12	4.2e-06	3.5e-07	5.9e-06	4.917e-07	functools.py:916(_is_valid
1	4.2e-06	4.2e-06	4.6e-06	4.6e-06	ipaddress.py:2202(IPv6Int
1	4.2e-06	4.2e-06	5.5e-06	5.5e-06	_os.py:314(_PathInfoBase
1	4.2e-06	4.2e-06	4.2e-06	4.2e-06	poolmanager.py:162(Pool)
1	4.2e-06	4.2e-06	4.2e-06	4.2e-06	cookiejar.py:744(Cookie)
1	4.2e-06	4.2e-06	0.003143	0.003143	__init__.py:1(<module>)
1	4.2e-06	4.2e-06	0.008319	0.008319	api.py:1(<module>)
1	4.2e-06	4.2e-06	0.0001411	0.0001411	decorators.py:163(decorat
1	4.2e-06	4.2e-06	4.2e-06	4.2e-06	text.py:130(ConcordanceI
1	4.2e-06	4.2e-06	8.13e-05	8.13e-05	sexpr.py:79(__init__)
1	4.2e-06	4.2e-06	4.2e-06	4.2e-06	brill_trainer.py:21(BrillTa
1	4.2e-06	4.2e-06	4.2e-06	4.2e-06	transforms.py:1(<module>)
1	4.2e-06	4.2e-06	4.2e-06	4.2e-06	api.py:163(Alignment)
1	4.2e-06	4.2e-06	0.001376	0.001376	em.py:1(<module>)
1	4.2e-06	4.2e-06	5.13e-05	5.13e-05	argparse.py:2010(parse_kr
1	4.2e-06	4.2e-06	4.2e-06	4.2e-06	_base.py:105(_AllComple
46	4.1e-06	8.913e-08	4.1e-06	8.913e-08	dataclasses.py:1181(<gen
1	4.1e-06	4.1e-06	1.67e-05	1.67e-05	typing.py:1301(_GenericA
4	4.1e-06	1.025e-06	5.7e-06	1.425e-06	configparser.py:1016(_ge
1	4.1e-06	4.1e-06	4.1e-06	4.1e-06	errors.py:97(NonPrintable
1	4.1e-06	4.1e-06	4.1e-06	4.1e-06	glob.py:331(_GlobberBase
1	4.1e-06	4.1e-06	4.1e-06	4.1e-06	tempfile.py:885(Temporar

ncalls	tottime	percall	cumtime	percall	
1	4.1e-06	4.1e-06	4.1e-06	4.1e-06	snowball.py:1260(English)
1	4.1e-06	4.1e-06	8.09e-05	8.09e-05	calendar.py:60(Month)
2	4.1e-06	2.05e-06	1.36e-05	6.8e-06	arrayprint.py:577(decorati
1	4.1e-06	4.1e-06	4.1e-06	4.1e-06	argparse.py:1840(Argume
1	4.1e-06	4.1e-06	4.1e-06	4.1e-06	text.py:39(ContextIndex)
1	4.1e-06	4.1e-06	4.1e-06	4.1e-06	util.py:51(ChunkScore)
1	4.1e-06	4.1e-06	4.1e-06	4.1e-06	immutable.py:16(Immutab
1	4.1e-06	4.1e-06	4.1e-06	4.1e-06	bcp47.py:15(BCP47Corpu
2	4.1e-06	2.05e-06	0.1065	0.05327	downloader.py:589(_info_
1	4.1e-06	4.1e-06	1.49e-05	1.49e-05	messages.py:4(Messages)
1	4.1e-06	4.1e-06	4.1e-06	4.1e-06	~:0(<built-in method _hasl
4	4e-06	1e-06	5.2e-06	1.3e-06	dataclasses.py:336(__set_1
1	4e-06	4e-06	4e-06	4e-06	decoder.py:292(__init__)
6	4e-06	6.667e-07	1.1e-05	1.833e-06	typing.py:3102(_get_typec
4	4e-06	1e-06	6.5e-06	1.625e-06	typing.py:2444(_strip_ann
1	4e-06	4e-06	6.4e-06	6.4e-06	ScoringSys.py:279(load_w
1	4e-06	4e-06	4.2e-06	4.2e-06	typing.py:2898(SupportsA
1	4e-06	4e-06	4e-06	4e-06	response.py:374(BytesQue
1	4e-06	4e-06	4e-06	4e-06	_meta.py:47(SimplePath)
2	4e-06	2e-06	0.0649	0.03245	request.py:457(_call_chair
13	4e-06	3.077e-07	4e-06	3.077e-07	mixins.py:37(_inplace_bir
1	4e-06	4e-06	4e-06	4e-06	logic.py:99(LogicParser)
29	4e-06	1.379e-07	4e-06	1.379e-07	_regex_core.py:3817(__de
1	4e-06	4e-06	0.0001992	0.0001992	punkt.py:185(PunktLangu
1	4e-06	4e-06	2.15e-05	2.15e-05	positivenaivebayes.py:1(<
1	4e-06	4e-06	4.3e-06	4.3e-06	rule.py:18(TagRule)
1	4e-06	4e-06	4e-06	4e-06	corenlp.py:177(GenericCo
1	4e-06	4e-06	4e-06	4e-06	mace.py:22(MaceCommar
1	4e-06	4e-06	4e-06	4e-06	ibm5.py:129(IBMModel5)
1	4e-06	4e-06	0.0002891	0.0002891	lin.py:15(LinThesaurusCo
1	4e-06	4e-06	1.84e-05	1.84e-05	api.py:1(<module>)
1	4e-06	4e-06	4e-06	4e-06	~:0(<built-in method math
1	4e-06	4e-06	4e-06	4e-06	~:0(<built-in method _hasl
1	3.9e-06	3.9e-06	3.92e-05	3.92e-05	typing.py:1637(__getitem_
3	3.9e-06	1.3e-06	5.3e-06	1.767e-06	__init__.py:1683(addHanc
1	3.9e-06	3.9e-06	3.9e-06	3.9e-06	threading.py:278(Conditio
6	3.9e-06	6.5e-07	1.81e-05	3.017e-06	response.py:191(flush)
1	3.9e-06	3.9e-06	3.9e-06	3.9e-06	_collections.py:156(HTTP
1	3.9e-06	3.9e-06	3.9e-06	3.9e-06	_regex_core.py:3310(Prop
6	3.9e-06	6.5e-07	5.1e-06	8.5e-07	_regex_core.py:3153(__in
1	3.9e-06	3.9e-06	3.9e-06	3.9e-06	parsing.py:1(<module>)
1	3.9e-06	3.9e-06	3.9e-06	3.9e-06	recursivedescent.py:345(S
1	3.9e-06	3.9e-06	3.9e-06	3.9e-06	shiftreduce.py:17(ShiftRec

ncalls	tottime	percall	cumtime	percall	
1	3.9e-06	3.9e-06	3.9e-06	3.9e-06	ipipan.py:243(IPIPANCor
1	3.9e-06	3.9e-06	7.3e-06	7.3e-06	six.py:498(Module_six_m
7	3.9e-06	5.571e-07	3.9e-06	5.571e-07	argparse.py:622(_metavar_
1	3.8e-06	3.8e-06	4e-06	4e-06	contextlib.py:41(AbstractA
5	3.8e-06	7.6e-07	3.8e-06	7.6e-07	__init__.py:1308(append)
1	3.8e-06	3.8e-06	2.09e-05	2.09e-05	request.py:44(_TYPE_FA]
1	3.8e-06	3.8e-06	2.34e-05	2.34e-05	__init__.py:251(__str__)
1	3.8e-06	3.8e-06	5.07e-05	5.07e-05	response.py:1(<module>)
1	3.8e-06	3.8e-06	0.001426	0.001426	_adapters.py:149(_native)
1	3.8e-06	3.8e-06	3.8e-06	3.8e-06	getlimits.py:354(iinfo)
1	3.8e-06	3.8e-06	2.84e-05	2.84e-05	legality_principle.py:1(<n
1	3.8e-06	3.8e-06	2.77e-05	2.77e-05	jsontags.py:1(<module>)
1	3.8e-06	3.8e-06	4e-06	4e-06	sequential.py:106(Context
1	3.8e-06	3.8e-06	2.48e-05	2.48e-05	hunpos.py:1(<module>)
1	3.8e-06	3.8e-06	3.8e-06	3.8e-06	weka.py:83(WekaClassifie
1	3.8e-06	3.8e-06	4.8e-06	4.8e-06	api.py:72(TheoremToolCo
1	3.8e-06	3.8e-06	5.6e-06	5.6e-06	pros_cons.py:34(ProsCons
1	3.8e-06	3.8e-06	5.7e-06	5.7e-06	chrf_score.py:1(<module>)
24	3.7e-06	1.542e-07	3.7e-06	1.542e-07	<frozen importlib._bootstr
1	3.7e-06	3.7e-06	0.0005429	0.0005429	<frozen importlib.util>:69
4	3.7e-06	9.25e-07	5.7e-06	1.425e-06	configparser.py:925(has_o
1	3.7e-06	3.7e-06	4e-06	4e-06	__init__.py:1338(Manager
5	3.7e-06	7.4e-07	4.7e-06	9.4e-07	_policybase.py:113(<gene
1	3.7e-06	3.7e-06	3.7e-06	3.7e-06	ssl.py:394(_ASN1Object)
1	3.7e-06	3.7e-06	3.7e-06	3.7e-06	__init__.py:306(PackageP
1	3.7e-06	3.7e-06	3.7e-06	3.7e-06	distance.py:1(<module>)
1	3.7e-06	3.7e-06	2.16e-05	2.16e-05	_arrayterator_impl.py:1(<
1	3.7e-06	3.7e-06	3.7e-06	3.7e-06	_regex_core.py:1941(Reg
1	3.7e-06	3.7e-06	3.7e-06	3.7e-06	util.py:1(<module>)
1	3.7e-06	3.7e-06	3.7e-06	3.7e-06	texttiling.py:24(TextTiling
1	3.7e-06	3.7e-06	1.56e-05	1.56e-05	linearlogic.py:30(__init__
1	3.7e-06	3.7e-06	3.7e-06	3.7e-06	ibm1.py:75(IBMMModel1)
1	3.7e-06	3.7e-06	7.81e-05	7.81e-05	ipipan.py:1(<module>)
1	3.7e-06	3.7e-06	2.86e-05	2.86e-05	api.py:1(<module>)
14	3.7e-06	2.643e-07	3.7e-06	2.643e-07	argparse.py:220(__init__)
7	3.7e-06	5.286e-07	3.7e-06	5.286e-07	~:0(<method 'popitem' of '
13	3.7e-06	2.846e-07	3.7e-06	2.846e-07	~:0(<function socket.detac
6	3.6e-06	6e-07	3.6e-06	6e-07	<frozen codecs>:263(__in
4	3.6e-06	9e-07	5.3e-06	1.325e-06	inspect.py:2061(_signature
8	3.6e-06	4.5e-07	4.9e-06	6.125e-07	warnings.py:84(__exit__)
1	3.6e-06	3.6e-06	3.6e-06	3.6e-06	feedparser.py:136(FeedPai
1	3.6e-06	3.6e-06	3.6e-06	3.6e-06	charset.py:162(Charset)
1	3.6e-06	3.6e-06	3.6e-06	3.6e-06	_parseaddr.py:214(Addrlis

ncalls	tottime	percall	cumtime	percall	
1	3.6e-06	3.6e-06	4.7e-06	4.7e-06	abc.py:16(ResourceReader)
1	3.6e-06	3.6e-06	3.6e-06	3.6e-06	_os.py:487(DirEntryInfo)
5	3.6e-06	7.2e-07	3.6e-06	7.2e-07	_regex_core.py:4214(get_
1	3.6e-06	3.6e-06	3.6e-06	3.6e-06	ElementTree.py:126(Elem
1	3.6e-06	3.6e-06	3.6e-06	3.6e-06	subprocess.py:476(Compl
1	3.6e-06	3.6e-06	4.39e-05	4.39e-05	_globals.py:66(_CopyMoc
1	3.6e-06	3.6e-06	6.2e-06	6.2e-06	pydoc.py:1259(TextDoc)
2	3.6e-06	1.8e-06	8.96e-05	4.48e-05	_regex_core.py:2193(pack
14	3.6e-06	2.571e-07	3.6e-06	2.571e-07	_regex_core.py:3139(_de
11	3.6e-06	3.273e-07	1.6e-05	1.455e-06	_regex_core.py:4330(expe
1	3.6e-06	3.6e-06	3.6e-06	3.6e-06	_regex_core.py:2655(Conc
1	3.6e-06	3.6e-06	3.6e-06	3.6e-06	parented.py:406(MultiPar
1	3.6e-06	3.6e-06	5.77e-05	5.77e-05	senna.py:1(<module>)
1	3.6e-06	3.6e-06	3.6e-06	3.6e-06	named_entity.py:122(NEC
1	3.6e-06	3.6e-06	3.6e-06	3.6e-06	ibm_model.py:60(IBMMo
1	3.6e-06	3.6e-06	3.6e-06	3.6e-06	discourse.py:169(Discours
1	3.6e-06	3.6e-06	3.6e-06	3.6e-06	framenet.py:759(AttrDict)
1	3.6e-06	3.6e-06	4.9e-06	4.9e-06	gleu_score.py:1(<module>)
3	3.6e-06	1.2e-06	3.6e-06	1.2e-06	thread.py:49(prepare)
1	3.5e-06	3.5e-06	0.001412	0.001412	<frozen importlib._bootstr
1	3.5e-06	3.5e-06	3.5e-06	3.5e-06	inspect.py:1687(_shadowe
8	3.5e-06	4.375e-07	5.5e-06	6.875e-07	configparser.py:1410(_ite
1	3.5e-06	3.5e-06	3.5e-06	3.5e-06	util.py:1(<module>)
1	3.5e-06	3.5e-06	3.5e-06	3.5e-06	models.py:84(RequestEnc
1	3.5e-06	3.5e-06	1.01e-05	1.01e-05	argparse.py:1818(_prog_n
1	3.5e-06	3.5e-06	3.5e-06	3.5e-06	api.py:15(ParserI)
1	3.5e-06	3.5e-06	3.5e-06	3.5e-06	lancaster.py:17(LancasterS
1	3.5e-06	3.5e-06	4.5e-06	4.5e-06	api.py:92(__init__)
4	3.5e-06	8.75e-07	3.5e-06	8.75e-07	~:0(<built-in method mak
1	3.4e-06	3.4e-06	3.4e-06	3.4e-06	configparser.py:305(Parsir
1	3.4e-06	3.4e-06	1.53e-05	1.53e-05	typing.py:1526(_SpecialG
1	3.4e-06	3.4e-06	3.4e-06	3.4e-06	__init__.py:1190(FileHand
26	3.4e-06	1.308e-07	3.4e-06	1.308e-07	feedparser.py:126(__iter_
1	3.4e-06	3.4e-06	3.4e-06	3.4e-06	parser.py:67(HeaderParser
2	3.4e-06	1.7e-06	1.01e-05	5.05e-06	__init__.py:157(with_segr
1	3.4e-06	3.4e-06	8.99e-05	8.99e-05	_adapters.py:40(Compatib
1	3.4e-06	3.4e-06	1.08e-05	1.08e-05	_common.py:19(package_
1	3.4e-06	3.4e-06	3.4e-06	3.4e-06	readers.py:137(Namespace
31	3.4e-06	1.097e-07	3.4e-06	1.097e-07	signal.py:16(<lambda>)
2	3.4e-06	1.7e-06	0.0002138	0.0001069	_regex_core.py:2237(_flat
11	3.4e-06	3.091e-07	3.4e-06	3.091e-07	_regex_core.py:3307(_cor
1	3.4e-06	3.4e-06	3.4e-06	3.4e-06	maxent.py:678(GISEncodi
1	3.4e-06	3.4e-06	3.4e-06	3.4e-06	ribes_score.py:1(<module>

ncalls	tottime	percall	cumtime	percall
1	3.4e-06	3.4e-06	3.36e-05	3.36e-05
1	3.4e-06	3.4e-06	4.2e-06	4.2e-06
5	3.4e-06	6.8e-07	3.4e-06	6.8e-07
3	3.4e-06	1.133e-06	5.1e-06	1.7e-06
1	3.4e-06	3.4e-06	0.001973	0.001973
10	3.3e-06	3.3e-07	3.3e-06	3.3e-07
4	3.3e-06	8.25e-07	4.4e-06	1.1e-06
1	3.3e-06	3.3e-06	3.3e-06	3.3e-06
1	3.3e-06	3.3e-06	0.0001961	0.0001961
1	3.3e-06	3.3e-06	1.3e-05	1.3e-05
1	3.3e-06	3.3e-06	1.58e-05	1.58e-05
13	3.3e-06	2.538e-07	3.3e-06	2.538e-07
1	3.3e-06	3.3e-06	3.3e-06	3.3e-06
1	3.3e-06	3.3e-06	3.9e-06	3.9e-06
12	3.3e-06	2.75e-07	3.3e-06	2.75e-07
1	3.3e-06	3.3e-06	3.3e-06	3.3e-06
1	3.3e-06	3.3e-06	3.3e-06	3.3e-06
1	3.3e-06	3.3e-06	3.3e-06	3.3e-06
1	3.3e-06	3.3e-06	3.3e-06	3.3e-06
1	3.3e-06	3.3e-06	1.73e-05	1.73e-05
1	3.3e-06	3.3e-06	3.3e-06	3.3e-06
1	3.3e-06	3.3e-06	3.3e-06	3.3e-06
1	3.3e-06	3.3e-06	3.3e-06	3.3e-06
1	3.3e-06	3.3e-06	2.44e-05	2.44e-05
1	3.3e-06	3.3e-06	2.28e-05	2.28e-05
1	3.3e-06	3.3e-06	3.3e-06	3.3e-06
1	3.3e-06	3.3e-06	3.3e-06	3.3e-06
1	3.3e-06	3.3e-06	0.0001859	0.0001859
1	3.3e-06	3.3e-06	3.3e-06	3.3e-06
1	3.3e-06	3.3e-06	5.5e-06	5.5e-06
1	3.3e-06	3.3e-06	2.54e-05	2.54e-05
1	3.3e-06	3.3e-06	5.4e-06	5.4e-06
1	3.3e-06	3.3e-06	3.55e-05	3.55e-05
1	3.3e-06	3.3e-06	3.3e-06	3.3e-06
1	3.3e-06	3.3e-06	3.3e-06	3.3e-06
13	3.3e-06	2.538e-07	3.3e-06	2.538e-07
1	3.3e-06	3.3e-06	3.3e-06	3.3e-06
1	3.2e-06	3.2e-06	3.2e-06	3.2e-06
1	3.2e-06	3.2e-06	0.0007245	0.0007245
1	3.2e-06	3.2e-06	3.2e-06	3.2e-06
1	3.2e-06	3.2e-06	2.97e-05	2.97e-05
1	3.2e-06	3.2e-06	3.2e-06	3.2e-06
1	3.2e-06	3.2e-06	3.2e-06	3.2e-06

ncalls	tottime	percall	cumtime	percall	
1	3.2e-06	3.2e-06	3.2e-06	3.2e-06	models.py:245(CharsetMa
1	3.2e-06	3.2e-06	3.2e-06	3.2e-06	calendar.py:610(LocaleTe
3	3.2e-06	1.067e-06	3.2e-06	1.067e-06	signal.py:51(decorator)
1	3.2e-06	3.2e-06	4.2e-06	4.2e-06	stride_tricks.py:1(<modul
1	3.2e-06	3.2e-06	6.6e-06	6.6e-06	pydoc.py:594(__init__)
1	3.2e-06	3.2e-06	0.0008561	0.0008561	data.py:433(open)
1	3.2e-06	3.2e-06	3.2e-06	3.2e-06	evaluate.py:115(Valuation
1	3.2e-06	3.2e-06	3.2e-06	3.2e-06	casual.py:306(TweetToker
3	3.2e-06	1.067e-06	5.4e-05	1.8e-05	_regex_core.py:3162(optir
1	3.2e-06	3.2e-06	3.2e-06	3.2e-06	sequential.py:491(Regexp'
1	3.2e-06	3.2e-06	3.2e-06	3.2e-06	featurechart.py:46(Feature
1	3.2e-06	3.2e-06	3.2e-06	3.2e-06	api.py:15(AlignedSent)
1	3.2e-06	3.2e-06	3.2e-06	3.2e-06	resolution.py:174(Clause)
1	3.2e-06	3.2e-06	3.4e-05	3.4e-05	api.py:1(<module>)
5	3.2e-06	6.4e-07	6e-06	1.2e-06	cp437.py:14(decode)
5	3.2e-06	6.4e-07	3.2e-06	6.4e-07	~:0(<built-in method built
2	3.1e-06	1.55e-06	6.5e-06	3.25e-06	<frozen os>:1133(__subcl
1	3.1e-06	3.1e-06	3.1e-06	3.1e-06	_colorize.py:158(Argparse
2	3.1e-06	1.55e-06	6.6e-06	3.3e-06	<string>:2(__init__)
3	3.1e-06	1.033e-06	0.0004525	0.0001508	gettext.py:627(gettext)
1	3.1e-06	3.1e-06	5.21e-05	5.21e-05	internals.py:1089(is_writa
1	3.1e-06	3.1e-06	3.1e-06	3.1e-06	poolmanager.py:56(PoolK
1	3.1e-06	3.1e-06	1.12e-05	1.12e-05	__init__.py:851(_get_decc
1	3.1e-06	3.1e-06	3.1e-06	3.1e-06	contextlib.py:472(_BaseE
1	3.1e-06	3.1e-06	3.1e-06	3.1e-06	threading.py:591(Event)
1	3.1e-06	3.1e-06	3.1e-06	3.1e-06	client.py:1454(HTTPSCor
1	3.1e-06	3.1e-06	1.9e-05	1.9e-05	_regex_core.py:1339(pars
1	3.1e-06	3.1e-06	3.1e-06	3.1e-06	request.py:1050(AbstractL
2	3.1e-06	1.55e-06	4e-06	2e-06	request.py:373(add_unredi
1	3.1e-06	3.1e-06	0.002022	0.002022	_common.py:51(files)
4/1	3.1e-06	3.1e-06	0.0009453	0.0009453	__init__.py:501(get_path)
1	3.1e-06	3.1e-06	3.1e-06	3.1e-06	boxer.py:336(BoxerOutput
1	3.1e-06	3.1e-06	3.1e-06	3.1e-06	saxutils.py:227(XMLFilter
1	3.1e-06	3.1e-06	3.1e-06	3.1e-06	_regex_core.py:2074(Ator
7/4	3.1e-06	7.75e-07	3.54e-05	8.85e-06	_regex_core.py:3078(pack
1	3.1e-06	3.1e-06	3.1e-06	3.1e-06	api.py:28(ClassifierI)
1	3.1e-06	3.1e-06	3.1e-06	3.1e-06	prettyprinter.py:45(TreePr
1	3.1e-06	3.1e-06	2.09e-05	2.09e-05	udhr.py:1(<module>)
1	3.1e-06	3.1e-06	3.1e-06	3.1e-06	chomsky.py:1(<module>)
1	3.1e-06	3.1e-06	3.1e-06	3.1e-06	thread.py:76(_WorkItem)
5	3e-06	6e-07	3e-06	6e-07	ScoringSys.py:347(<gene
1	3e-06	3e-06	9.15e-05	9.15e-05	typing.py:2909(<generic p
1	3e-06	3e-06	3e-06	3e-06	iterators.py:1(<module>)

ncalls	tottime	percall	cumtime	percall	
1	3e-06	3e-06	3e-06	3e-06	connectionpool.py:963(H1
1	3e-06	3e-06	3.35e-05	3.35e-05	ssl.py:415(Purpose)
1	3e-06	3e-06	3e-06	3e-06	response.py:300(MultiDec
1	3e-06	3e-06	3e-06	3e-06	__init__.py:821(Prepared)
2	3e-06	1.5e-06	4.6e-06	2.3e-06	__init__.py:691(__init__)
1	3e-06	3e-06	3e-06	3e-06	_exceptions.py:108(_Arra
1	3e-06	3e-06	3e-06	3e-06	logic.py:1213(Application
1	3e-06	3e-06	3.3e-06	3.3e-06	sequential.py:34(Sequentia
1	3e-06	3e-06	3e-06	3e-06	sonority_sequencing.py:43
1	3e-06	3e-06	3e-06	3e-06	naivebayes.py:43(NaiveBa
1	3e-06	3e-06	3e-06	3e-06	perceptron.py:122(Percept
1	3e-06	3e-06	3e-06	3e-06	template.py:62(Template)
1	3e-06	3e-06	3e-06	3e-06	bllip.py:114(BllipParser)
1	3e-06	3e-06	3e-06	3e-06	glue.py:36(GlueFormula)
1	3e-06	3e-06	5.1e-06	5.1e-06	comparative_sents.py:96(C
17	3e-06	1.765e-07	3e-06	1.765e-07	~:0(<method 'read' of 'io.
38	2.9e-06	7.632e-08	2.9e-06	7.632e-08	inspect.py:2727(default)
1	2.9e-06	2.9e-06	5.8e-06	5.8e-06	typing.py:1880(_caller)
3	2.9e-06	9.667e-07	3.3e-06	1.1e-06	ScoringSys.py:33(_safe_lc
1	2.9e-06	2.9e-06	2.9e-06	2.9e-06	_colorize.py:17(ANSIColo
6	2.9e-06	4.833e-07	3.6e-06	6e-07	typing.py:1031(_is_typeva
1	2.9e-06	2.9e-06	3.2e-06	3.2e-06	typing.py:2854(SupportsF
1	2.9e-06	2.9e-06	6.3e-06	6.3e-06	__init__.py:1836(__init__
1	2.9e-06	2.9e-06	2.9e-06	2.9e-06	header.py:184(Header)
12	2.9e-06	2.417e-07	2.9e-06	2.417e-07	connectionpool.py:337(_v:
1	2.9e-06	2.9e-06	2.9e-06	2.9e-06	queue.py:316(_PySimpleQ
1	2.9e-06	2.9e-06	2.9e-06	2.9e-06	_regex_core.py:2581(Chai
1	2.9e-06	2.9e-06	0.004358	0.004358	certs.py:1(<module>)
1	2.9e-06	2.9e-06	2.9e-06	2.9e-06	cookies.py:23(MockRequ
1	2.9e-06	2.9e-06	2.11e-05	2.11e-05	_ufunc.py:1(<module>)
2	2.9e-06	1.45e-06	2.9e-06	1.45e-06	featstruct.py:2002(__init__
1	2.9e-06	2.9e-06	2.9e-06	2.9e-06	_regex_core.py:3060(Grou
1	2.9e-06	2.9e-06	2.9e-06	2.9e-06	_regex_core.py:3150(Lool
1	2.9e-06	2.9e-06	5.62e-05	5.62e-05	_exceptions.py:1(<module
1	2.9e-06	2.9e-06	2.9e-06	2.9e-06	rte_classify.py:25(RTEFea
1	2.9e-06	2.9e-06	3.2e-06	3.2e-06	stanford.py:31(StanfordTa
1	2.9e-06	2.9e-06	2.9e-06	2.9e-06	nps_chat.py:19(NPSChatC
1	2.9e-06	2.9e-06	2.9e-06	2.9e-06	nkjp.py:283(NKJPCorpus_
1	2.9e-06	2.9e-06	3.8e-06	3.8e-06	api.py:14(ClusterI)
1	2.9e-06	2.9e-06	3.16e-05	3.16e-05	porter.py:1(<module>)
1	2.9e-06	2.9e-06	0.0001583	0.0001583	lang_profile.py:10(LangPr
1	2.9e-06	2.9e-06	2.9e-06	2.9e-06	combinator.py:279(Undire
15	2.9e-06	1.933e-07	2.9e-06	1.933e-07	~:0(<method 'index' of 'str

ncalls	tottime	percall	cumtime	percall	
12	2.8e-06	2.333e-07	2.8e-06	2.333e-07	functools.py:1102(__set_n
13	2.8e-06	2.154e-07	4.3e-06	3.308e-07	inspect.py:184(isclass)
5	2.8e-06	5.6e-07	2.8e-06	5.6e-07	_regex_core.py:4421(_che
5	2.8e-06	5.6e-07	3.8e-06	7.6e-07	contextlib.py:450(__exit__
1	2.8e-06	2.8e-06	2.8e-06	2.8e-06	_py_warnings.py:593(catc
1	2.8e-06	2.8e-06	2.8e-06	2.8e-06	typing.py:3627(<generic p
6	2.8e-06	4.667e-07	2.8e-06	4.667e-07	__init__.py:1302(__init__
12	2.8e-06	2.333e-07	2.8e-06	2.333e-07	queue.py:303(__init__)
1	2.8e-06	2.8e-06	3.5e-06	3.5e-06	StatusAnaliser.py:246(che
1	2.8e-06	2.8e-06	2.8e-06	2.8e-06	probability.py:634(Randor
1	2.8e-06	2.8e-06	2.8e-06	2.8e-06	pickle.py:193(_Framer)
1	2.8e-06	2.8e-06	2.8e-06	2.8e-06	memmap.py:23(memmap)
1	2.8e-06	2.8e-06	2.1e-05	2.1e-05	lfg.py:1(<module>)
2	2.8e-06	1.4e-06	9.5e-06	4.75e-06	_regex_core.py:362(is_cas
1	2.8e-06	2.8e-06	2.8e-06	2.8e-06	_regex_core.py:3846(SetI
5	2.8e-06	5.6e-07	3.68e-05	7.36e-06	_regex_core.py:3011(max_
1	2.8e-06	2.8e-06	2.8e-06	2.8e-06	chart.py:1340(ChartParser
1	2.8e-06	2.8e-06	2.8e-06	2.8e-06	childe.py:26(CHILDESC
1	2.8e-06	2.8e-06	2.8e-06	2.8e-06	opinion_lexicon.py:53(Op
1	2.8e-06	2.8e-06	2.8e-06	2.8e-06	comparative_sents.py:51((
1	2.8e-06	2.8e-06	2.8e-06	2.8e-06	util.py:1(<module>)
1	2.8e-06	2.8e-06	2.06e-05	2.06e-05	minimalset.py:1(<module>
6	2.8e-06	4.667e-07	2.8e-06	4.667e-07	~:0(<method 'getvalue' of
1	2.8e-06	2.8e-06	2.8e-06	2.8e-06	~:0(<built-in method __has
2	2.7e-06	1.35e-06	2.7e-06	1.35e-06	weakref.py:334(__setitem__
2	2.7e-06	1.35e-06	2.7e-06	1.35e-06	weakref.py:325(__getitem__
1	2.7e-06	2.7e-06	2.98e-05	2.98e-05	typing.py:526(__SpecialFor
1	2.7e-06	2.7e-06	2.7e-06	2.7e-06	_colorize.py:190(Tracebac
1	2.7e-06	2.7e-06	2.7e-06	2.7e-06	csv.py:233(Sniffer)
1	2.7e-06	2.7e-06	3.2e-06	3.2e-06	parse.py:1103(unwrap)
1	2.7e-06	2.7e-06	2.7e-06	2.7e-06	request.py:395(__init__)
1	2.7e-06	2.7e-06	5.31e-05	5.31e-05	calendar.py:77(Day)
4	2.7e-06	6.75e-07	2.7e-06	6.75e-07	ElementPath.py:108(__is_w
1	2.7e-06	2.7e-06	2.7e-06	2.7e-06	_iotoools.py:229(NameVali
1	2.7e-06	2.7e-06	2.7e-06	2.7e-06	regexp.py:968(RegexpChu
1	2.7e-06	2.7e-06	2.7e-06	2.7e-06	viterbi.py:19(ViterbiParse
1	2.7e-06	2.7e-06	2.7e-06	2.7e-06	ibm4.py:118(IBMMModel4)
1	2.7e-06	2.7e-06	2.7e-06	2.7e-06	api.py:22(CorpusReader)
1	2.7e-06	2.7e-06	2.7e-06	2.7e-06	mte.py:210(MTECorpusR
1	2.7e-06	2.7e-06	3.09e-05	3.09e-05	isri.py:1(<module>)
1	2.7e-06	2.7e-06	6.2e-06	6.2e-06	six.py:236(create_module)
1	2.7e-06	2.7e-06	2.7e-06	2.7e-06	WorkTypeAnalyzer.py:15(
1	2.7e-06	2.7e-06	2.7e-06	2.7e-06	thread.py:47(WorkerConte

ncalls	tottime	percall	cumtime	percall	
12	2.7e-06	2.25e-07	2.7e-06	2.25e-07	~:0(<method 'append' of 'c
4	2.7e-06	6.75e-07	2.7e-06	6.75e-07	~:0(<built-in method math
1	2.6e-06	2.6e-06	3.51e-05	3.51e-05	__init__.py:1177(_read2)
1	2.6e-06	2.6e-06	2.9e-06	2.9e-06	typing.py:2887(SupportsIr
1	2.6e-06	2.6e-06	5.5e-06	5.5e-06	threading.py:438(notify_a
1	2.6e-06	2.6e-06	2.6e-06	2.6e-06	_policybase.py:27(_Policy
1	2.6e-06	2.6e-06	2.33e-05	2.33e-05	timeout.py:14(_TYPE_DE
1	2.6e-06	2.6e-06	2.6e-06	2.6e-06	_collections.py:63(Recentl
1	2.6e-06	2.6e-06	2.6e-06	2.6e-06	connection.py:891(_Wrapj
1	2.6e-06	2.6e-06	2.6e-06	2.6e-06	__init__.py:871(_SharedF
1	2.6e-06	2.6e-06	2.6e-06	2.6e-06	_itertools.py:1(<module>)
1	2.6e-06	2.6e-06	2.6e-06	2.6e-06	collocations.py:201(Trigra
1	2.6e-06	2.6e-06	2.6e-06	2.6e-06	ElementTree.py:1790(C14
1	2.6e-06	2.6e-06	3.2e-06	3.2e-06	probability.py:493(ProbDi
1	2.6e-06	2.6e-06	2.6e-06	2.6e-06	probability.py:1833(Condi
1	2.6e-06	2.6e-06	2.6e-06	2.6e-06	records.py:279(recarray)
1	2.6e-06	2.6e-06	2.6e-06	2.6e-06	_internal.py:262(_ctypes)
1	2.6e-06	2.6e-06	3.02e-05	3.02e-05	__init__.py:529(__getattr_
4	2.6e-06	6.5e-07	8.11e-05	2.028e-05	_regex_core.py:2524(<ger
1	2.6e-06	2.6e-06	2.54e-05	2.54e-05	api.py:1(<module>)
1	2.6e-06	2.6e-06	1.83e-05	1.83e-05	api.py:1(<module>)
1	2.6e-06	2.6e-06	2.6e-06	2.6e-06	toolbox.py:21(StandardFo
1	2.6e-06	2.6e-06	3.67e-05	3.67e-05	lancaster.py:1(<module>)
1	2.6e-06	2.6e-06	2.6e-06	2.6e-06	~:0(<built-in method __has
1	2.6e-06	2.6e-06	2.6e-06	2.6e-06	~:0(<built-in method __has
1	2.5e-06	2.5e-06	6.82e-05	6.82e-05	__init__.py:241(split)
1	2.5e-06	2.5e-06	3.2e-06	3.2e-06	statistics.py:810(normal_k
1	2.5e-06	2.5e-06	6.5e-06	6.5e-06	<string>:1(__create_fn__)
1	2.5e-06	2.5e-06	2.5e-06	2.5e-06	typing.py:1960(_ProtocolI
7	2.5e-06	3.571e-07	2.5e-06	3.571e-07	typing.py:2695(final)
1	2.5e-06	2.5e-06	2.5e-06	2.5e-06	threading.py:684(Barrier)
1	2.5e-06	2.5e-06	2.5e-06	2.5e-06	collocations.py:150(Bigrai
4	2.5e-06	6.25e-07	2.5e-06	6.25e-07	__init__.py:596(CFunction
5	2.5e-06	5e-07	2.5e-06	5e-07	_pytesttester.py:75(__init_
1	2.5e-06	2.5e-06	2.5e-06	2.5e-06	_datasource.py:532(Repos
1	2.5e-06	2.5e-06	2.5e-06	2.5e-06	segmentation.py:1(<modu
1	2.5e-06	2.5e-06	2.5e-06	2.5e-06	featstruct.py:1995(Feature
1	2.5e-06	2.5e-06	1.01e-05	1.01e-05	_regex_core.py:437(make_
3	2.5e-06	8.333e-07	1.35e-05	4.5e-06	_regex_core.py:3734(get_
1	2.5e-06	2.5e-06	2.5e-06	2.5e-06	handler.py:47(ContentHan
1	2.5e-06	2.5e-06	2.5e-06	2.5e-06	_regex_core.py:2526(Call
1	2.5e-06	2.5e-06	2.5e-06	2.5e-06	_regex_core.py:4110(Sour
1	2.5e-06	2.5e-06	0.003046	0.003046	toktok.py:1(<module>)

ncalls	tottime	percall	cumtime	percall	
1	2.5e-06	2.5e-06	2.5e-06	2.5e-06	glue.py:540(Glue)
1	2.5e-06	2.5e-06	2.5e-06	2.5e-06	framenet.py:1039(PrettyLa
1	2.5e-06	2.5e-06	2.5e-06	2.5e-06	util.py:176(Dendrogram)
14	2.5e-06	1.786e-07	2.5e-06	1.786e-07	~:0(<method 'discard' of 's
6	2.5e-06	4.167e-07	2.5e-06	4.167e-07	~:0(<method 'rsplit' of 'str'
8	2.4e-06	3e-07	2.4e-06	3e-07	<frozen _collections_abc>
1	2.4e-06	2.4e-06	2.4e-06	2.4e-06	_colorize.py:175(Syntax)
5	2.4e-06	4.8e-07	2.4e-06	4.8e-07	reprlib.py:9(recursive_repl
3	2.4e-06	8e-07	2.4e-06	8e-07	typing.py:543(__repr__)
10	2.4e-06	2.4e-07	2.4e-06	2.4e-07	__future__.py:83(__init__
1	2.4e-06	2.4e-06	2.4e-06	2.4e-06	threading.py:1360(Timer)
1	2.4e-06	2.4e-06	2.4e-06	2.4e-06	exceptions.py:166(NameR
1	2.4e-06	2.4e-06	3.5e-06	3.5e-06	_encoded_words.py:73(_C
1	2.4e-06	2.4e-06	2.4e-06	2.4e-06	ssl.py:159(TLSVersion)
1	2.4e-06	2.4e-06	0.0003215	0.0003215	request.py:908(AbstractBa
2	2.4e-06	1.2e-06	2.4e-06	1.2e-06	request.py:1231(__init__)
1	2.4e-06	2.4e-06	2.4e-06	2.4e-06	platform.py:882(_Processc
1	2.4e-06	2.4e-06	3e-06	3e-06	subprocess.py:132(CalledI
12	2.4e-06	2e-07	2.4e-06	2e-07	adapters.py:555(add_head
4	2.4e-06	6e-07	4.37e-05	1.093e-05	__init__.py:595(PYFUNC
1	2.4e-06	2.4e-06	2.21e-05	2.21e-05	_pytesttester.py:1(<modul
1	2.4e-06	2.4e-06	2.4e-06	2.4e-06	_datasource.py:72(_FileO
1	2.4e-06	2.4e-06	2.4e-06	2.4e-06	paice.py:216(Paice)
1	2.4e-06	2.4e-06	2.4e-06	2.4e-06	xmlreader.py:276(Attribut
1	2.4e-06	2.4e-06	2.4e-06	2.4e-06	vocabulary.py:37(Vocabul
24	2.4e-06	1e-07	2.4e-06	1e-07	_regex_core.py:1965(fix_&
1	2.4e-06	2.4e-06	8.7e-06	8.7e-06	_regex_core.py:1149(parse
4	2.4e-06	6e-07	1.19e-05	2.975e-06	_regex_core.py:3615(<ger
3	2.4e-06	8e-07	7.85e-05	2.617e-05	_regex_core.py:3697(max_
1	2.4e-06	2.4e-06	2.4e-06	2.4e-06	senna.py:62(SennaChunk)
1	2.4e-06	2.4e-06	2.4e-06	2.4e-06	recursivedescent.py:17(Re
1	2.4e-06	2.4e-06	2.4e-06	2.4e-06	featurechart.py:453(Featur
1	2.4e-06	2.4e-06	2.4e-06	2.4e-06	udhr.py:9(UdhrCorpusRea
1	2.4e-06	2.4e-06	2.4e-06	2.4e-06	isri.py:36(ISRIStemmer)
1	2.4e-06	2.4e-06	3e-06	3e-06	api.py:13(StemmerI)
1	2.4e-06	2.4e-06	3.5e-06	3.5e-06	six.py:205(load_module)
1	2.4e-06	2.4e-06	2.4e-06	2.4e-06	argparse.py:1418(_Actions
1	2.4e-06	2.4e-06	2.4e-06	2.4e-06	api.py:250(PrimitiveCateg
2	2.3e-06	1.15e-06	1.34e-05	6.7e-06	<frozen ntpath>:254(baser
1	2.3e-06	2.3e-06	4.7e-06	4.7e-06	__init__.py:883(seek)
1	2.3e-06	2.3e-06	2.3e-06	2.3e-06	_colorize.py:202(Unittest)
1	2.3e-06	2.3e-06	2.3e-06	2.3e-06	typing.py:1665(__UnionGe
13	2.3e-06	1.769e-07	2.3e-06	1.769e-07	typing.py:501(__init_subc

ncalls	tottime	percall	cumtime	percall	
1	2.3e-06	2.3e-06	2.3e-06	2.3e-06	header.py:545(_Accumula
1	2.3e-06	2.3e-06	2.3e-06	2.3e-06	parser.py:16(Parser)
1	2.3e-06	2.3e-06	2.3e-06	2.3e-06	_version.py:1(<module>)
3	2.3e-06	7.667e-07	3.5e-06	1.167e-06	__init__.py:637(__new__)
1	2.3e-06	2.3e-06	2.3e-06	2.3e-06	__init__.py:2173(PyZipFil
1	2.3e-06	2.3e-06	2.3e-06	2.3e-06	glob.py:7(Translator)
2	2.3e-06	1.15e-06	2.9e-06	1.45e-06	request.py:350(get_metho
1	2.3e-06	2.3e-06	2.3e-06	2.3e-06	request.py:803(HTTPPass
1	2.3e-06	2.3e-06	2.3e-06	2.3e-06	_regex_core.py:3372(Ran
1	2.3e-06	2.3e-06	2.7e-06	2.7e-06	calendar.py:200(__init__)
1	2.3e-06	2.3e-06	0.001428	0.001428	_adapters.py:28(get_resou
1	2.3e-06	2.3e-06	2.3e-06	2.3e-06	drt.py:43(DrtTokens)
1	2.3e-06	2.3e-06	2.3e-06	2.3e-06	collections.py:113(Abstrac
1	2.3e-06	2.3e-06	2.6e-06	2.6e-06	api.py:20(TokenizerI)
1	2.3e-06	2.3e-06	2.3e-06	2.3e-06	_regex_core.py:3715(SetB
1	2.3e-06	2.3e-06	2.3e-06	2.3e-06	positivenaivebayes.py:88()
1	2.3e-06	2.3e-06	2.3e-06	2.3e-06	malt.py:94(MaltParser)
1	2.3e-06	2.3e-06	2.3e-06	2.3e-06	regexp.py:257(RegexpChu
1	2.3e-06	2.3e-06	1.48e-05	1.48e-05	evaluate.py:1(<module>)
1	2.3e-06	2.3e-06	2.3e-06	2.3e-06	pchart.py:328(InsideChart
1	2.3e-06	2.3e-06	2.3e-06	2.3e-06	nombank.py:330(Nomban
1	2.3e-06	2.3e-06	2.29e-05	2.29e-05	regexp.py:1(<module>)
1	2.3e-06	2.3e-06	2.3e-06	2.3e-06	api.py:148(Direction)
1	2.3e-06	2.3e-06	2.3e-06	2.3e-06	StatusAnaliser.py:509(Gitl
1	2.3e-06	2.3e-06	2.3e-06	2.3e-06	six.py:91(_LazyDescr)
1	2.3e-06	2.3e-06	3.9e-06	3.9e-06	wsd.py:1(<module>)
1	2.3e-06	2.3e-06	2.3e-06	2.3e-06	lang_detect_exception.py:
3	2.3e-06	7.667e-07	2.3e-06	7.667e-07	~:0(<built-in method atexi
6	2.3e-06	3.833e-07	2.3e-06	3.833e-07	~:0(<method 'flush' of '_io
5	2.2e-06	4.4e-07	2.2e-06	4.4e-07	dataclasses.py:1342(datacl
1	2.2e-06	2.2e-06	3.1e-06	3.1e-06	weakref.py:235(update)
1	2.2e-06	2.2e-06	2.2e-06	2.2e-06	random.py:225(__init_sub
1	2.2e-06	2.2e-06	1.05e-05	1.05e-05	__init__.py:903(hugepage)
1	2.2e-06	2.2e-06	0.0001281	0.0001281	configparser.py:411(Basic)
1	2.2e-06	2.2e-06	2.3e-06	2.3e-06	_policybase.py:50(__init_
8	2.2e-06	2.75e-07	2.2e-06	2.75e-07	configparser.py:1251(conv
1	2.2e-06	2.2e-06	2.2e-06	2.2e-06	csv.py:198(DictWriter)
1	2.2e-06	2.2e-06	2.2e-06	2.2e-06	__init__.py:1751(getEffec
1	2.2e-06	2.2e-06	2.2e-06	2.2e-06	__init__.py:1(<module>)
1	2.2e-06	2.2e-06	2.2e-06	2.2e-06	_streams.py:33(Decompre
1	2.2e-06	2.2e-06	2.7e-06	2.7e-06	parse.py:1255(_splittag)
1	2.2e-06	2.2e-06	7.8e-06	7.8e-06	ipaddress.py:1483(IPv4Ne
12	2.2e-06	1.833e-07	2.2e-06	1.833e-07	models.py:216(<genexpr>

ncalls	tottime	percall	cumtime	percall	
2	2.2e-06	1.1e-06	2.2e-06	1.1e-06	_dtype_like.py:29(__anno
1	2.2e-06	2.2e-06	1.64e-05	1.64e-05	_version.py:1(<module>)
1	2.2e-06	2.2e-06	2.2e-06	2.2e-06	confusionmatrix.py:13(Co
1	2.2e-06	2.2e-06	2.2e-06	2.2e-06	drt.py:1085(DrsDrawer)
1	2.2e-06	2.2e-06	2.2e-06	2.2e-06	logic.py:694(Type)
1	2.2e-06	2.2e-06	2.7e-06	2.7e-06	api.py:20(Smoothing)
1	2.2e-06	2.2e-06	2.2e-06	2.2e-06	weka.py:246(ARFF_Form
1	2.2e-06	2.2e-06	2.2e-06	2.2e-06	maxent.py:476(BinaryMa
1	2.2e-06	2.2e-06	2.2e-06	2.2e-06	immutable.py:77(Immutab
1	2.2e-06	2.2e-06	2.2e-06	2.2e-06	chart.py:961(AbstractChar
1	2.2e-06	2.2e-06	2.2e-06	2.2e-06	pchart.py:55(Probabilistic
1	2.2e-06	2.2e-06	2.2e-06	2.2e-06	linearlogic.py:289(Applic
1	2.2e-06	2.2e-06	2.2e-06	2.2e-06	resolution.py:108(Resoluti
1	2.2e-06	2.2e-06	2.2e-06	2.2e-06	xmldocs.py:24(XMLCorpor
6	2.2e-06	3.667e-07	2.2e-06	3.667e-07	wordnet.py:1132(<genexp
1	2.2e-06	2.2e-06	2.2e-06	2.2e-06	sentiwordnet.py:110(Senti
1	2.2e-06	2.2e-06	2.2e-06	2.2e-06	chart.py:58(CCGEdge)
1	2.2e-06	2.2e-06	2.2e-06	2.2e-06	~:0(<built-in method _sysc
4	2.1e-06	5.25e-07	2.1e-06	5.25e-07	dataclasses.py:654(<genex
8	2.1e-06	2.625e-07	2.1e-06	2.625e-07	_py_warnings.py:89(_get_
1	2.1e-06	2.1e-06	2.1e-06	2.1e-06	contextlib.py:631(AsyncE
5	2.1e-06	4.2e-07	2.1e-06	4.2e-07	contextlib.py:444(__init__
3	2.1e-06	7e-07	9.2e-06	3.067e-06	typing.py:1661(<genexpr>
1	2.1e-06	2.1e-06	2.1e-06	2.1e-06	response.py:66(DeflateDe
1	2.1e-06	2.1e-06	2.6e-06	2.6e-06	version.py:1(<module>)
1	2.1e-06	2.1e-06	2.1e-06	2.1e-06	_functools.py:1(<module>)
5	2.1e-06	4.2e-07	2.5e-06	5e-07	_regex_core.py:4334(at_ei
1	2.1e-06	2.1e-06	2.1e-06	2.1e-06	request.py:1505(FTPHand
1	2.1e-06	2.1e-06	2.98e-05	2.98e-05	__config__.py:14(Display
1	2.1e-06	2.1e-06	2.1e-06	2.1e-06	arrayprint.py:1455(Structu
2	2.1e-06	1.05e-06	2.1e-06	1.05e-06	_dtype_like.py:35(__anno
1	2.1e-06	2.1e-06	2.1e-06	2.1e-06	_datasource.py:195(DataS
1	2.1e-06	2.1e-06	2.1e-06	2.1e-06	drt.py:776(DrtConcatenati
1	2.1e-06	2.1e-06	2.1e-06	2.1e-06	data.py:376(ZipFilePathPc
1	2.1e-06	2.1e-06	2.6e-06	2.6e-06	data.py:255(PathPointer)
1	2.1e-06	2.1e-06	2.2e-06	2.2e-06	api.py:73(LanguageModel
1	2.1e-06	2.1e-06	5.6e-06	5.6e-06	_regex_core.py:4407(is_oj
1	2.1e-06	2.1e-06	2.1e-06	2.1e-06	xmlreader.py:11(XMLRea
1	2.1e-06	2.1e-06	2.1e-06	2.1e-06	saxutils.py:112(XMLGene
1	2.1e-06	2.1e-06	2.1e-06	2.1e-06	sequential.py:567(Classifi
1	2.1e-06	2.1e-06	2.1e-06	2.1e-06	sequential.py:221(Default
1	2.1e-06	2.1e-06	2.1e-06	2.1e-06	brill.py:21(Word)
1	2.1e-06	2.1e-06	2.97e-05	2.97e-05	feature.py:1(<module>)

ncalls	tottime	percall	cumtime	percall	
1	2.1e-06	2.1e-06	2.1e-06	2.1e-06	chart.py:54(EdgeI)
1	2.1e-06	2.1e-06	2.1e-06	2.1e-06	earleychart.py:180(Compl
1	2.1e-06	2.1e-06	2.1e-06	2.1e-06	glue.py:153(GlueDict)
1	2.1e-06	2.1e-06	2.1e-06	2.1e-06	api.py:314(BaseModelBui
1	2.1e-06	2.1e-06	4e-06	4e-06	discourse.py:62(ReadingC
1	2.1e-06	2.1e-06	2.1e-06	2.1e-06	bnc.py:14(BNCCorpusRea
1	2.1e-06	2.1e-06	2.1e-06	2.1e-06	pl196x.py:92(Pl196xCor
1	2.1e-06	2.1e-06	2.5e-06	2.5e-06	util.py:21(VectorSpaceClu
1	2.1e-06	2.1e-06	2.1e-06	2.1e-06	mte.py:173(MTETagConv
1	2.1e-06	2.1e-06	2.1e-06	2.1e-06	panlex_swadesh.py:31(Pai
1	2.1e-06	2.1e-06	3.4e-06	3.4e-06	gdfa.py:1(<module>)
1	2.1e-06	2.1e-06	2.1e-06	2.1e-06	snowball.py:4500(Russian
1	2.1e-06	2.1e-06	2.1e-06	2.1e-06	wordfinder.py:1(<module>
1	2.1e-06	2.1e-06	4.2e-06	4.2e-06	argparse.py:1160(__init__
1	2.1e-06	2.1e-06	2.1e-06	2.1e-06	~:0(<built-in method numj
1	2.1e-06	2.1e-06	2.1e-06	2.1e-06	~:0(<built-in method _win
12	2e-06	1.667e-07	2e-06	1.667e-07	typing.py:2286(cast)
5	2e-06	4e-07	2e-06	4e-07	configparser.py:719(has_s
1	2e-06	2e-06	2e-06	2e-06	client.py:1544(RemoteDis
1	2e-06	2e-06	2e-06	2e-06	parse.py:361(__fix_result_t
2	2e-06	1e-06	2e-06	1e-06	__init__.py:272(__handle_I
1	2e-06	2e-06	2e-06	2e-06	_regex_core.py:3449(RefC
1	2e-06	2e-06	2e-06	2e-06	_regex_core.py:4007(Strin
1	2e-06	2e-06	2e-06	2e-06	tempfile.py:433(__Tempora
1	2e-06	2e-06	2.2e-06	2.2e-06	abc.py:153(TraversableRe
12	2e-06	1.667e-07	2e-06	1.667e-07	cookies.py:87(get_new_he
1	2e-06	2e-06	2e-06	2e-06	probability.py:1360(Simpl
1	2e-06	2e-06	2e-06	2e-06	_function_base_impl.py:2.
1	2e-06	2e-06	2e-06	2e-06	collections.py:19(Ordered
7	2e-06	2.857e-07	3.6e-06	5.143e-07	_regex_core.py:4404(close
1	2e-06	2e-06	3.9e-06	3.9e-06	regexp.py:179(__init__)
1	2e-06	2e-06	2e-06	2e-06	scikitlearn.py:46(SklearnC
1	2e-06	2e-06	2e-06	2e-06	crf.py:23(CRFTagger)
1	2e-06	2e-06	2.4e-06	2.4e-06	api.py:26(Prover)
1	2e-06	2e-06	2e-06	2e-06	api.py:182(BaseTheoremT
1	2e-06	2e-06	2e-06	2e-06	transitionparser.py:290(Tr
1	2e-06	2e-06	2e-06	2e-06	bleu_score.py:19(Fraction
1	2e-06	2e-06	2e-06	2e-06	api.py:421(SyntaxCorpusF
1	2e-06	2e-06	2e-06	2e-06	tagged.py:313(MacMorpho
1	2e-06	2e-06	2e-06	2e-06	toolbox.py:20(ToolboxCor
1	2e-06	2e-06	2e-06	2e-06	wordnet.py:223(Lemma)
1	2e-06	2e-06	2e-06	2e-06	nombank.py:367(Nomban
1	2e-06	2e-06	2e-06	2e-06	kmeans.py:21(KMeansClu

ncalls	tottime	percall	cumtime	percall	
1	2e-06	2e-06	2e-06	2e-06	downloader.py:280(Collection)
3	2e-06	6.667e-07	3.1e-06	1.033e-06	six.py:85(_import_module)
1	2e-06	2e-06	2e-06	2e-06	detector_factory.py:15(Decorator)
12	2e-06	1.667e-07	2e-06	1.667e-07	~:0(<method 'start' of 're.MatchObject' object at 0x0000000000000000>)
3	1.9e-06	6.333e-07	2.3e-06	7.667e-07	<frozen importlib._bootstrap>
1	1.9e-06	1.9e-06	4.4e-06	4.4e-06	<frozen _collections_abc>
5	1.9e-06	3.8e-07	1.9e-06	3.8e-07	dataclasses.py:420(<genex>)
3	1.9e-06	6.333e-07	2.8e-06	9.333e-07	_parser.py:295(seek)
2	1.9e-06	9.5e-07	2.6e-06	1.3e-06	__init__.py:261(_format_map)
1	1.9e-06	1.9e-06	2.3e-06	2.3e-06	statistics.py:884(quartic_k)
1	1.9e-06	1.9e-06	1.9e-06	1.9e-06	encoder.py:263(_make_iterable)
1	1.9e-06	1.9e-06	1.9e-06	1.9e-06	encoder.py:74(JSONEncoder)
1	1.9e-06	1.9e-06	2.3e-06	2.3e-06	numbers.py:292(Rational)
1	1.9e-06	1.9e-06	8.18e-05	8.18e-05	configparser.py:1358(ConfigParser)
1	1.9e-06	1.9e-06	1.2e-05	1.2e-05	__init__.py:1120(__init__)
8	1.9e-06	2.375e-07	1.9e-06	2.375e-07	_py_warnings.py:71(_filter)
1	1.9e-06	1.9e-06	1.9e-06	1.9e-06	__init__.py:511(StringTemplate)
1	1.9e-06	1.9e-06	1.9e-06	1.9e-06	threading.py:146(_RLock)
1	1.9e-06	1.9e-06	1.9e-06	1.9e-06	ipaddress.py:558(_BaseAddress)
1	1.9e-06	1.9e-06	2.2e-06	2.2e-06	abc.py:64(ResourceLoader)
1	1.9e-06	1.9e-06	3e-06	3e-06	_regex_core.py:3017(get_index)
1	1.9e-06	1.9e-06	1.9e-06	1.9e-06	response.py:68(addinfourl)
1	1.9e-06	1.9e-06	2.2e-06	2.2e-06	request.py:596(http_response)
1	1.9e-06	1.9e-06	1.9e-06	1.9e-06	_adapters.py:46(SpecPath)
1	1.9e-06	1.9e-06	1.9e-06	1.9e-06	collocations.py:269(Quadgram)
1	1.9e-06	1.9e-06	1.9e-06	1.9e-06	ElementTree.py:518(ElementTree)
1	1.9e-06	1.9e-06	2.4e-06	2.4e-06	version.py:1(<module>)
1	1.9e-06	1.9e-06	1.9e-06	1.9e-06	_version.py:13(NumpyVersion)
1	1.9e-06	1.9e-06	1.9e-06	1.9e-06	drt.py:58(DrtParser)
1	1.9e-06	1.9e-06	1.9e-06	1.9e-06	boxer.py:59(Boxer)
1	1.9e-06	1.9e-06	1.9e-06	1.9e-06	drt.py:291(DRS)
2	1.9e-06	9.5e-07	3.3e-06	1.65e-06	__init__.py:322(get_default)
1	1.9e-06	1.9e-06	1.9e-06	1.9e-06	_regex_core.py:3820(SetEnd)
1	1.9e-06	1.9e-06	2.35e-05	2.35e-05	_regex_core.py:2210(get_index)
2	1.9e-06	9.5e-07	1.33e-05	6.65e-06	_regex_core.py:2139(fix_index)
1	1.9e-06	1.9e-06	2e-06	2e-06	api.py:69(StringTokenizer)
1	1.9e-06	1.9e-06	1.9e-06	1.9e-06	jsontags.py:42(JSONTags)
1	1.9e-06	1.9e-06	1.9e-06	1.9e-06	sequential.py:260(NgramIndex)
1	1.9e-06	1.9e-06	1.9e-06	1.9e-06	ibm3.py:87(IBMMModel3)
1	1.9e-06	1.9e-06	1.9e-06	1.9e-06	api.py:504(ParallelProver)
1	1.9e-06	1.9e-06	1.9e-06	1.9e-06	ibm2.py:59(IBMMModel2)
1	1.9e-06	1.9e-06	1.9e-06	1.9e-06	propbank.py:374(Propbank)
1	1.9e-06	1.9e-06	1.9e-06	1.9e-06	toolbox.py:324(ToolboxSession)

ncalls	tottime	percall	cumtime	percall	
1	1.9e-06	1.9e-06	1.9e-06	1.9e-06	rte.py:111(RTECorpusRea
1	1.9e-06	1.9e-06	1.9e-06	1.9e-06	crubadan.py:29(Crubadan
1	1.9e-06	1.9e-06	1.9e-06	1.9e-06	gaac.py:16(GAAClusterer
1	1.9e-06	1.9e-06	1.9e-06	1.9e-06	lazyimport.py:25(LazyMo
2	1.9e-06	9.5e-07	2.4e-06	1.2e-06	lexicon.py:89(__init__)
1	1.9e-06	1.9e-06	2.2e-06	2.2e-06	base.py:10(BaseProvider)
1	1.9e-06	1.9e-06	1.9e-06	1.9e-06	downloader.py:2126(_Dov
1	1.9e-06	1.9e-06	4.9e-06	4.9e-06	argparse.py:1028(__init__
1	1.9e-06	1.9e-06	1.9e-06	1.9e-06	~:0(<method 'union' of 'set
1	1.8e-06	1.8e-06	1.8e-06	1.8e-06	_weakrefset.py:12(__init__
9	1.8e-06	2e-07	1.8e-06	2e-07	statistics.py:801(register)
1	1.8e-06	1.8e-06	1.8e-06	1.8e-06	decoder.py:262(JSONDeco
1	1.8e-06	1.8e-06	1.33e-05	1.33e-05	__init__.py:1278(__init__
1	1.8e-06	1.8e-06	2.1e-06	2.1e-06	threading.py:1534(_registe
1	1.8e-06	1.8e-06	2.1e-06	2.1e-06	ssl_.py:56(_is_has_never_
1	1.8e-06	1.8e-06	1.8e-06	1.8e-06	__init__.py:49(PackageNc
1	1.8e-06	1.8e-06	1.8e-06	1.8e-06	__init__.py:49(PathPare
1	1.8e-06	1.8e-06	1.8e-06	1.8e-06	structures.py:13(CaseInser
12	1.8e-06	1.5e-07	1.8e-06	1.5e-07	sessions.py:451(__enter__
1	1.8e-06	1.8e-06	6.7e-06	6.7e-06	_ufunc_config.py:488(__e
2	1.8e-06	9e-07	1.8e-06	9e-07	__init__.py:456(FuncPtr)
1	1.8e-06	1.8e-06	1.8e-06	1.8e-06	_array_api_info.py:30(__a
1	1.8e-06	1.8e-06	1.8e-06	1.8e-06	logic.py:802(AnyType)
1	1.8e-06	1.8e-06	1.8e-06	1.8e-06	text.py:257(TokenSearcher
1	1.8e-06	1.8e-06	1.8e-06	1.8e-06	grammar.py:85(Nontermin
1	1.8e-06	1.8e-06	1.8e-06	1.8e-06	grammar.py:1078(Depend
1	1.8e-06	1.8e-06	1.8e-06	1.8e-06	data.py:296(FileSystemPa
1	1.8e-06	1.8e-06	1.8e-06	1.8e-06	parented.py:277(ParentedT
1	1.8e-06	1.8e-06	1.8e-06	1.8e-06	chart.py:1529(SteppingCh
1	1.8e-06	1.8e-06	1.8e-06	1.8e-06	propbank.py:18(Propbank)
1	1.8e-06	1.8e-06	1.8e-06	1.8e-06	ieer.py:42(IEERDocument
1	1.8e-06	1.8e-06	1.8e-06	1.8e-06	nombank.py:18(Nombank)
1	1.8e-06	1.8e-06	1.8e-06	1.8e-06	combinator.py:54(Forward
1	1.8e-06	1.8e-06	2.51e-05	2.51e-05	exceptions.py:1(<module>
1	1.8e-06	1.8e-06	8.1e-06	8.1e-06	argparse.py:1208(_SubPar
4	1.7e-06	4.25e-07	2.1e-06	5.25e-07	inspect.py:431(isbuiltin)
1	1.7e-06	1.7e-06	1.7e-06	1.7e-06	configparser.py:1256(Con
1	1.7e-06	1.7e-06	2.2e-06	2.2e-06	typing.py:166(__getattr__
1	1.7e-06	1.7e-06	1.7e-06	1.7e-06	typing.py:1201(_BaseGen
1	1.7e-06	1.7e-06	2.3e-06	2.3e-06	typing.py:3578(BinaryIO)
1	1.7e-06	1.7e-06	2.3e-06	2.3e-06	typing.py:3646(_IdentityC
4	1.7e-06	4.25e-07	2.1e-06	5.25e-07	typing.py:3138(<genexpr>
1	1.7e-06	1.7e-06	1.7e-06	1.7e-06	_colorize.py:158(__annota

ncalls	tottime	percall	cumtime	percall	
1	1.7e-06	1.7e-06	1.7e-06	1.7e-06	__init__.py:2265(NullHan
1	1.7e-06	1.7e-06	1.7e-06	1.7e-06	exceptions.py:142(NewCo
1	1.7e-06	1.7e-06	1.7e-06	1.7e-06	__init__.py:187(HTTPMe
1	1.7e-06	1.7e-06	1.7e-06	1.7e-06	_colorize.py:211(_annota
1	1.7e-06	1.7e-06	1.7e-06	1.7e-06	exceptions.py:29(PoolErrc
1	1.7e-06	1.7e-06	1.7e-06	1.7e-06	response.py:131(GzipDeco
1	1.7e-06	1.7e-06	7.3e-06	7.3e-06	__init__.py:276(_from_pa
1	1.7e-06	1.7e-06	1.7e-06	1.7e-06	_os.py:450(_PosixPathInf
1	1.7e-06	1.7e-06	1.7e-06	1.7e-06	_collections.py:27(Pair)
1	1.7e-06	1.7e-06	1.7e-06	1.7e-06	request.py:394(OpenerDir
1	1.7e-06	1.7e-06	1.7e-06	1.7e-06	_adapters.py:81(ChildPath
1	1.7e-06	1.7e-06	1.7e-06	1.7e-06	structures.py:86(__init__)
1	1.7e-06	1.7e-06	1.7e-06	1.7e-06	ElementTree.py:1520(XM
1	1.7e-06	1.7e-06	1.7e-06	1.7e-06	arrayprint.py:1429(SubArr
1	1.7e-06	1.7e-06	1.7e-06	1.7e-06	_ufunc_config.py:386(errs
1	1.7e-06	1.7e-06	1.7e-06	1.7e-06	__init__.py:394(CDLL)
2	1.7e-06	8.5e-07	1.7e-06	8.5e-07	_arraysetops_impl.py:419(
1	1.7e-06	1.7e-06	1.7e-06	1.7e-06	association.py:313(Quadgi
1	1.7e-06	1.7e-06	1.7e-06	1.7e-06	pydoc.py:592(HTMLRepr
1	1.7e-06	1.7e-06	1.7e-06	1.7e-06	counter.py:18(NgramCour
4	1.7e-06	4.25e-07	2.6e-06	6.5e-07	_regex_core.py:2135(__in
7	1.7e-06	2.429e-07	2.1e-06	3e-07	_regex_core.py:2262(<ger
1	1.7e-06	1.7e-06	1.7e-06	1.7e-06	stanford_segmenter.py:32(
1	1.7e-06	1.7e-06	1.7e-06	1.7e-06	senna.py:47(Senna)
1	1.7e-06	1.7e-06	1.7e-06	1.7e-06	textcat.py:47(TextCat)
1	1.7e-06	1.7e-06	1.7e-06	1.7e-06	tnt.py:23(TnT)
1	1.7e-06	1.7e-06	1.7e-06	1.7e-06	hunpos.py:26(HunposTagg
1	1.7e-06	1.7e-06	1.7e-06	1.7e-06	shiftreduce.py:285(Steppir
1	1.7e-06	1.7e-06	1.7e-06	1.7e-06	pchart.py:156(BottomUpP
1	1.7e-06	1.7e-06	1.7e-06	1.7e-06	discourse.py:131(DrtGluel
1	1.7e-06	1.7e-06	1.7e-06	1.7e-06	ycoe.py:30(YCOECorpusI
1	1.7e-06	1.7e-06	1.7e-06	1.7e-06	bracket_parse.py:26(Brack
1	1.7e-06	1.7e-06	1.7e-06	1.7e-06	panlex_lite.py:20(PanLexI
4	1.7e-06	4.25e-07	1.7e-06	4.25e-07	combinator.py:62(__init__
2	1.7e-06	8.5e-07	4.1e-06	2.05e-06	six.py:164(_resolve)
1	1.7e-06	1.7e-06	1.7e-06	1.7e-06	vader.py:331(SentimentInt
7	1.7e-06	2.429e-07	1.7e-06	2.429e-07	argparse.py:704(_get_help
1	1.7e-06	1.7e-06	1.7e-06	1.7e-06	~:0(<built-in method numj
21	1.7e-06	8.095e-08	1.7e-06	8.095e-08	~:0(<built-in method _sre.
8	1.7e-06	2.125e-07	1.7e-06	2.125e-07	~:0(<method 'has_default'
4	1.7e-06	4.25e-07	1.7e-06	4.25e-07	~:0(<built-in method sys.g
1	1.6e-06	1.6e-06	2.4e-06	2.4e-06	<frozen importlib._bootstr
1	1.6e-06	1.6e-06	0.001454	0.001454	<frozen importlib._bootstr

ncalls	tottime	percall	cumtime	percall	
1	1.6e-06	1.6e-06	1.6e-06	1.6e-06	_base.py:563(Executor)
22	1.6e-06	7.273e-08	1.6e-06	7.273e-08	~:0(<built-in method _sre.
8	1.6e-06	2e-07	1.6e-06	2e-07	~:0(<built-in method _war
1	1.5e-06	1.5e-06	8.95e-05	8.95e-05	configparser.py:483(Exten
1	1.5e-06	1.5e-06	1.5e-06	1.5e-06	csv.py:87(Dialect)
1	1.5e-06	1.5e-06	1.5e-06	1.5e-06	__init__.py:286(LogRecor
1	1.5e-06	1.5e-06	1.7e-06	1.7e-06	typing.py:2843(SupportsIr
2	1.5e-06	7.5e-07	1.5e-06	7.5e-07	__init__.py:451(__init__)
3	1.5e-06	5e-07	1.5e-06	5e-07	__init__.py:2281(createLo
1	1.5e-06	1.5e-06	1.5e-06	1.5e-06	_colorize.py:175(__annota
1	1.5e-06	1.5e-06	1.5e-06	1.5e-06	__init__.py:736(Buffering
1	1.5e-06	1.5e-06	1.5e-06	1.5e-06	__init__.py:815(Filterer)
1	1.5e-06	1.5e-06	1.5e-06	1.5e-06	parser.py:75(BytesParser)
1	1.5e-06	1.5e-06	1.5e-06	1.5e-06	ssl.py:185(_TLSAlertType
1	1.5e-06	1.5e-06	1.5e-06	1.5e-06	__init__.py:662(Context)
1	1.5e-06	1.5e-06	1.5e-06	1.5e-06	__init__.py:914(_Tellable)
1	1.5e-06	1.5e-06	1.5e-06	1.5e-06	__init__.py:872(__init__)
4	1.5e-06	3.75e-07	1.5e-06	3.75e-07	request.py:305(full_url)
1	1.5e-06	1.5e-06	1.8e-06	1.8e-06	_adapters.py:12(__init__)
1	1.5e-06	1.5e-06	1.5e-06	1.5e-06	records.py:196(record)
2	1.5e-06	7.5e-07	1.5e-06	7.5e-07	__init__.py:103(CFunction
1	1.5e-06	1.5e-06	1.5e-06	1.5e-06	_dtype_like.py:44(_HasD
2	1.5e-06	7.5e-07	1.5e-06	7.5e-07	_arraysetops_impl.py:431(
1	1.5e-06	1.5e-06	1.5e-06	1.5e-06	_iotools.py:133(LineSplit
1	1.5e-06	1.5e-06	0.0001534	0.0001534	featstruct.py:2073(RangeF
1	1.5e-06	1.5e-06	1.5e-06	1.5e-06	drt.py:717(DrtBinaryExpr
1	1.5e-06	1.5e-06	1.5e-06	1.5e-06	smoothing.py:78(KneserN
1	1.5e-06	1.5e-06	1.5e-06	1.5e-06	logic.py:1767(NegatedExp
1	1.5e-06	1.5e-06	1.5e-06	1.5e-06	logic.py:706(ComplexTyp
19	1.5e-06	7.895e-08	1.5e-06	7.895e-08	_regex_core.py:1971(pack
12	1.5e-06	1.25e-07	1.5e-06	1.25e-07	_regex_core.py:1995(is_e1
1	1.5e-06	1.5e-06	1.5e-06	1.5e-06	_regex_core.py:3218(Lool
1	1.5e-06	1.5e-06	1.5e-06	1.5e-06	stanford.py:139(StanfordP
1	1.5e-06	1.5e-06	1.5e-06	1.5e-06	brill.py:35(Pos)
1	1.5e-06	1.5e-06	1.5e-06	1.5e-06	nonprojectivedependency
1	1.5e-06	1.5e-06	1.5e-06	1.5e-06	transitionparser.py:179(Tr
1	1.5e-06	1.5e-06	1.5e-06	1.5e-06	tableau.py:429(Agenda)
1	1.5e-06	1.5e-06	1.5e-06	1.5e-06	resolution.py:529(Binding
1	1.5e-06	1.5e-06	1.5e-06	1.5e-06	chasen.py:14(ChasenCorp
1	1.5e-06	1.5e-06	1.5e-06	1.5e-06	reviews.py:77(Review)
1	1.5e-06	1.5e-06	1.5e-06	1.5e-06	unicode_escape.py:13(Co
1	1.5e-06	1.5e-06	1.5e-06	1.5e-06	api.py:5(LibreTranslateAP
5	1.5e-06	3e-07	1.5e-06	3e-07	combinator.py:84(__init__

ncalls	tottime	percall	cumtime	percall	
1	1.5e-06	1.5e-06	1.5e-06	1.5e-06	yandex.py:8(YandexProvide
8	1.5e-06	1.875e-07	1.5e-06	1.875e-07	~:0(<method 'removeprefi
3	1.4e-06	4.667e-07	1.78e-05	5.933e-06	functools.py:931(<lambda
1	1.4e-06	1.4e-06	1.4e-06	1.4e-06	configparser.py:559(_Reac
1	1.4e-06	1.4e-06	1.4e-06	1.4e-06	typing.py:2130(_Annotate
1	1.4e-06	1.4e-06	1.4e-06	1.4e-06	__init__.py:203(Formatter
1	1.4e-06	1.4e-06	1.4e-06	1.4e-06	exceptions.py:58(ProxyEr
1	1.4e-06	1.4e-06	1.4e-06	1.4e-06	probe.py:13(__init__)
2	1.4e-06	7e-07	1.4e-06	7e-07	_regex_core.py:2178(_add
1	1.4e-06	1.4e-06	1.4e-06	1.4e-06	request.py:1763(ftpwrapp
1	1.4e-06	1.4e-06	3.2e-06	3.2e-06	_adapters.py:163(wrap_sp
1	1.4e-06	1.4e-06	1.4e-06	1.4e-06	sessions.py:106(SessionRe
1	1.4e-06	1.4e-06	1.4e-06	1.4e-06	_ufunc_config.py:462(__i
1	1.4e-06	1.4e-06	1.4e-06	1.4e-06	ElementTree.py:1398(Tree
1	1.4e-06	1.4e-06	2e-06	2e-06	_index_tricks_impl.py:266
2	1.4e-06	7e-07	1.4e-06	7e-07	_index_tricks_impl.py:337
2	1.4e-06	7e-07	1.4e-06	7e-07	__init__.py:310(get_prefe
1	1.4e-06	1.4e-06	1.4e-06	1.4e-06	logic.py:1598(VariabBin
1	1.4e-06	1.4e-06	1.4e-06	1.4e-06	logic.py:1415(AbstractVar
1	1.4e-06	1.4e-06	1.4e-06	1.4e-06	gzip.py:526(_GzipReader)
1	1.4e-06	1.4e-06	1.4e-06	1.4e-06	grammar.py:254(Productic
1	1.4e-06	1.4e-06	1.4e-06	1.4e-06	gzip.py:83(_PaddedFile)
1	1.4e-06	1.4e-06	1.7e-06	1.7e-06	_regex_core.py:3456(__in
1	1.4e-06	1.4e-06	5.2e-06	5.2e-06	_regex_core.py:2973(get :
3	1.4e-06	4.667e-07	3.4e-06	1.133e-06	_regex_core.py:3159(fix_<
1	1.4e-06	1.4e-06	1.4e-06	1.4e-06	punkt.py:534(PunktBaseC
1	1.4e-06	1.4e-06	1.4e-06	1.4e-06	handler.py:22(ErrorHandle
1	1.4e-06	1.4e-06	1.4e-06	1.4e-06	punkt.py:335(PunktParam
1	1.4e-06	1.4e-06	1.4e-06	1.4e-06	maxent.py:795(TypedMax
1	1.4e-06	1.4e-06	1.4e-06	1.4e-06	chart.py:360(LeafEdge)
1	1.4e-06	1.4e-06	2e-06	2e-06	api.py:122(ProverComma
1	1.4e-06	1.4e-06	1.4e-06	1.4e-06	transitionparser.py:26(Con
1	1.4e-06	1.4e-06	1.4e-06	1.4e-06	linearlogic.py:91(AtomicE
1	1.4e-06	1.4e-06	1.4e-06	1.4e-06	ibm_model.py:383(Alignn
1	1.4e-06	1.4e-06	1.4e-06	1.4e-06	api.py:295(PhraseTable)
1	1.4e-06	1.4e-06	1.4e-06	1.4e-06	framenet.py:888(Future)
1	1.4e-06	1.4e-06	1.4e-06	1.4e-06	util.py:20(LazyCorpusLoa
1	1.4e-06	1.4e-06	1.4e-06	1.4e-06	wordnet.py:11(WordNetLc
1	1.4e-06	1.4e-06	1.4e-06	1.4e-06	stack_decoder.py:338(_Hy
1	1.4e-06	1.4e-06	1.8e-06	1.8e-06	combinator.py:16(Undirec
1	1.4e-06	1.4e-06	1.4e-06	1.4e-06	deepl.py:11(DeepLProvide
3	1.4e-06	4.667e-07	1.4e-06	4.667e-07	~:0(<method 'capitalize' of
8	1.4e-06	1.75e-07	1.4e-06	1.75e-07	~:0(<built-in method _war

ncalls	tottime	percall	cumtime	percall	
1	1.3e-06	1.3e-06	2.1e-06	2.1e-06	<frozen importlib._bootstrap>
1	1.3e-06	1.3e-06	9.2e-06	9.2e-06	functools.py:726(cache)
1	1.3e-06	1.3e-06	1.8e-06	1.8e-06	request.py:60(make_header)
1	1.3e-06	1.3e-06	1.7e-06	1.7e-06	configparser.py:1041(_cc)
1	1.3e-06	1.3e-06	1.3e-06	1.3e-06	statistics.py:829(sigmoid_)
1	1.3e-06	1.3e-06	1.6e-06	1.6e-06	typing.py:2909(SupportsR)
1	1.3e-06	1.3e-06	1.3e-06	1.3e-06	_py_warnings.py:67(_GlobalWarning)
1	1.3e-06	1.3e-06	1.3e-06	1.3e-06	typing.py:3409(NewType)
1	1.3e-06	1.3e-06	1.3e-06	1.3e-06	traceback.py:981(_Exception)
1	1.3e-06	1.3e-06	1.3e-06	1.3e-06	exceptions.py:84(MaxRetries)
1	1.3e-06	1.3e-06	1.3e-06	1.3e-06	exceptions.py:283(InvalidHeader)
1	1.3e-06	1.3e-06	1.3e-06	1.3e-06	exceptions.py:324(HeaderError)
1	1.3e-06	1.3e-06	1.3e-06	1.3e-06	threading.py:1307(_make_thread)
1	1.3e-06	1.3e-06	1.3e-06	1.3e-06	parse.py:879(_Quoter)
1	1.3e-06	1.3e-06	1.3e-06	1.3e-06	parse.py:220(_NetlocResult)
1	1.3e-06	1.3e-06	1.3e-06	1.3e-06	ipaddress.py:2277(IPv6Network)
1	1.3e-06	1.3e-06	1.3e-06	1.3e-06	__init__.py:324(FileHash)
2	1.3e-06	6.5e-07	1.8e-06	9e-07	__init__.py:2044(__del__)
1	1.3e-06	1.3e-06	4.36e-05	4.36e-05	__init__.py:1094(_update)
1	1.3e-06	1.3e-06	1.3e-06	1.3e-06	models.py:316(CliDetector)
3	1.3e-06	4.333e-07	1.3e-06	4.333e-07	request.py:377(has_header)
1	1.3e-06	1.3e-06	1.3e-06	1.3e-06	tempfile.py:487(_TemporaryFile)
1	1.3e-06	1.3e-06	1.3e-06	1.3e-06	calendar.py:46(__getattr__)
1	1.3e-06	1.3e-06	0.002023	0.002023	_common.py:33(wrapper)
1	1.3e-06	1.3e-06	1.3e-06	1.3e-06	auth.py:107(HTTPDigestAuth)
1	1.3e-06	1.3e-06	1.3e-06	1.3e-06	adapters.py:113(BaseAdapter)
3	1.3e-06	4.333e-07	1.3e-06	4.333e-07	internals.py:481(__init__)
1	1.3e-06	1.3e-06	1.3e-06	1.3e-06	ElementTree.py:470(QName)
1	1.3e-06	1.3e-06	1.3e-06	1.3e-06	ElementTree.py:1281(XMLError)
1	1.3e-06	1.3e-06	1.3e-06	1.3e-06	_internal.py:211(dummy_context)
1	1.3e-06	1.3e-06	1.3e-06	1.3e-06	logic.py:621(Variable)
1	1.3e-06	1.3e-06	1.3e-06	1.3e-06	logic.py:1491(IndividualValue)
1	1.3e-06	1.3e-06	1.3e-06	1.3e-06	_regex_core.py:2040(Any)
1	1.3e-06	1.3e-06	1.3e-06	1.3e-06	logic.py:1811(BinaryExpression)
1	1.3e-06	1.3e-06	1.3e-06	1.3e-06	_regex_core.py:3876(SetSymbol)
1	1.3e-06	1.3e-06	1.3e-06	1.3e-06	grammar.py:1226(PCFG)
2	1.3e-06	6.5e-07	2.1e-06	1.05e-06	_regex_core.py:2611(get_start)
1	1.3e-06	1.3e-06	1.3e-06	1.3e-06	casual.py:332(__init__)
1	1.3e-06	1.3e-06	1.3e-06	1.3e-06	smoothing.py:36(WittenBell)
1	1.3e-06	1.3e-06	1.3e-06	1.3e-06	xmlreader.py:187(InputSource)
1	1.3e-06	1.3e-06	1.3e-06	1.3e-06	legality_principle.py:51(Legal)
1	1.3e-06	1.3e-06	1.3e-06	1.3e-06	_exceptions.py:42(SAXParseException)
1	1.3e-06	1.3e-06	1.3e-06	1.3e-06	mwe.py:35(MWETokenizer)

ncalls	tottime	percall	cumtime	percall	
1	1.3e-06	1.3e-06	1.3e-06	1.3e-06	regexp.py:156(Whitespace
1	1.3e-06	1.3e-06	1.3e-06	1.3e-06	senna.py:45(SennaTagger)
1	1.3e-06	1.3e-06	1.3e-06	1.3e-06	hmm.py:836(HiddenMark
1	1.3e-06	1.3e-06	1.3e-06	1.3e-06	corenlp.py:40(CoreNLPSe
1	1.3e-06	1.3e-06	1.3e-06	1.3e-06	earleychart.py:61(Increme
1	1.3e-06	1.3e-06	1.3e-06	1.3e-06	featurechart.py:162(Featur
1	1.3e-06	1.3e-06	1.3e-06	1.3e-06	api.py:592(TheoremToolT
1	1.3e-06	1.3e-06	1.3e-06	1.3e-06	prover9.py:307(Prover9)
1	1.3e-06	1.3e-06	1.3e-06	1.3e-06	linearlogic.py:200(ImpExp
1	1.3e-06	1.3e-06	1.3e-06	1.3e-06	plaintext.py:166(Portugue:
1	1.3e-06	1.3e-06	1.3e-06	1.3e-06	em.py:16(EMClusterer)
1	1.3e-06	1.3e-06	1.3e-06	1.3e-06	gale_church.py:78(Langua
1	1.3e-06	1.3e-06	1.3e-06	1.3e-06	chart.py:193(ForwardType
1	1.3e-06	1.3e-06	1.3e-06	1.3e-06	vader.py:263(SentiText)
1	1.3e-06	1.3e-06	5.26e-05	5.26e-05	argparse.py:2000(parse_ar
2	1.3e-06	6.5e-07	1.3e-06	6.5e-07	~:0(<method 'clear' of 'list'
4	1.3e-06	3.25e-07	2e-06	5e-07	~:0(<method 'index' of 'tup
8	1.3e-06	1.625e-07	1.3e-06	1.625e-07	~:0(<built-in method _war
3	1.3e-06	4.333e-07	1.3e-06	4.333e-07	~:0(<method 'put' of '_que
4	1.2e-06	3e-07	2.3e-06	5.75e-07	inspect.py:196(ismethodde
1	1.2e-06	1.2e-06	3e-06	3e-06	<frozen_collections_abc>
5	1.2e-06	2.4e-07	1.2e-06	2.4e-07	dataclasses.py:359(__init__
1	1.2e-06	1.2e-06	1.35e-05	1.35e-05	typing.py:1618(__CallableI
1	1.2e-06	1.2e-06	1.4e-06	1.4e-06	typing.py:2865(SupportsC
1	1.2e-06	1.2e-06	1.2e-06	1.2e-06	__init__.py:778(Filter)
1	1.2e-06	1.2e-06	1.2e-06	1.2e-06	exceptions.py:109(HostCh
4	1.2e-06	3e-07	1.6e-06	4e-07	client.py:1342(<genexpr>)
1	1.2e-06	1.2e-06	1.2e-06	1.2e-06	parser.py:122(BytesHeade
1	1.2e-06	1.2e-06	1.2e-06	1.2e-06	_base_connection.py:19(_
1	1.2e-06	1.2e-06	1.2e-06	1.2e-06	_parseaddr.py:515(Address
1	1.2e-06	1.2e-06	1.2e-06	1.2e-06	ssl.py:227(__TLSMessageI
1	1.2e-06	1.2e-06	1.2e-06	1.2e-06	_base_connection.py:12(P
1	1.2e-06	1.2e-06	1.2e-06	1.2e-06	_streams.py:9(BaseStream
1	1.2e-06	1.2e-06	1.2e-06	1.2e-06	__init__.py:44(FrameInfo)
1	1.2e-06	1.2e-06	1.2e-06	1.2e-06	__init__.py:761(LZMADe
1	1.2e-06	1.2e-06	1.2e-06	1.2e-06	_collections.py:5(Freezabl
4	1.2e-06	3e-07	1.2e-06	3e-07	request.py:1485(__local_
1	1.2e-06	1.2e-06	1.2e-06	1.2e-06	_regex_core.py:3342(__cor
1	1.2e-06	1.2e-06	1.2e-06	1.2e-06	_adapters.py:7(SpecLoade
1	1.2e-06	1.2e-06	1.2e-06	1.2e-06	structures.py:83(LookupD
1	1.2e-06	1.2e-06	1.2e-06	1.2e-06	_conversions.py:1(<modul
1	1.2e-06	1.2e-06	1.2e-06	1.2e-06	_exceptions.py:31(UFunc
1	1.2e-06	1.2e-06	1.2e-06	1.2e-06	_globals.py:32(__NoValueI

ncalls	tottime	percall	cumtime	percall	
1	1.2e-06	1.2e-06	1.2e-06	1.2e-06	_exceptions.py:37(_UFunc
1	1.2e-06	1.2e-06	1.2e-06	1.2e-06	arrayprint.py:977(Floating
1	1.2e-06	1.2e-06	1.2e-06	1.2e-06	records.py:56(format_pars
4	1.2e-06	3e-07	1.2e-06	3e-07	__init__.py:526(__init__)
1	1.2e-06	1.2e-06	1.2e-06	1.2e-06	__dtype_like.py:49(__HasN
1	1.2e-06	1.2e-06	1.2e-06	1.2e-06	pprint.py:84(__safe_key)
1	1.2e-06	1.2e-06	1.2e-06	1.2e-06	evaluate.py:380(Model)
1	1.2e-06	1.2e-06	1.2e-06	1.2e-06	boxer.py:1038(BoxerDrs)
11	1.2e-06	1.091e-07	1.2e-06	1.091e-07	_regex_core.py:3304(__in
1	1.2e-06	1.2e-06	1.2e-06	1.2e-06	smoothing.py:55(Absolute
1	1.2e-06	1.2e-06	2e-06	2e-06	_regex_core.py:1133(parse
4	1.2e-06	3e-07	1.5e-06	3.75e-07	_regex_core.py:2651(<ger
1	1.2e-06	1.2e-06	1.2e-06	1.2e-06	_regex_core.py:2786(Fuzz
1	1.2e-06	1.2e-06	1.2e-06	1.2e-06	maxent.py:1501(TadmMa
1	1.2e-06	1.2e-06	1.2e-06	1.2e-06	maxent.py:356(MaxentFee
1	1.2e-06	1.2e-06	1.2e-06	1.2e-06	projectivedependencypars
1	1.2e-06	1.2e-06	1.4e-06	1.4e-06	api.py:47(ModelBuilder)
1	1.2e-06	1.2e-06	1.2e-06	1.2e-06	nonprojectivedependencypr
1	1.2e-06	1.2e-06	1.2e-06	1.2e-06	tableau.py:603(Categories
1	1.2e-06	1.2e-06	1.2e-06	1.2e-06	prover9.py:112(Prover9Pa
1	1.2e-06	1.2e-06	1.2e-06	1.2e-06	linearlogic.py:365(Binding
1	1.2e-06	1.2e-06	1.2e-06	1.2e-06	tagged.py:229(Categorized
1	1.2e-06	1.2e-06	1.2e-06	1.2e-06	linearlogic.py:15(Tokens)
1	1.2e-06	1.2e-06	1.2e-06	1.2e-06	ppattach.py:45(PPAttachm
1	1.2e-06	1.2e-06	1.2e-06	1.2e-06	sinica_treebank.py:52(Sini
1	1.2e-06	1.2e-06	1.2e-06	1.2e-06	pl196x.py:23(TEICorpusV
1	1.2e-06	1.2e-06	1.2e-06	1.2e-06	snowball.py:908(DanishSt
2	1.2e-06	6e-07	1.2e-06	6e-07	downloader.py:415(__init__
1	1.2e-06	1.2e-06	1.98e-05	1.98e-05	lazyimport.py:1(<module>
1	1.2e-06	1.2e-06	1.2e-06	1.2e-06	snowball.py:2766(Hungari
1	1.2e-06	1.2e-06	1.2e-06	1.2e-06	rslp.py:36(RSLPStemmer)
1	1.2e-06	1.2e-06	1.2e-06	1.2e-06	snowball.py:34(SnowballS
1	1.2e-06	1.2e-06	1.2e-06	1.2e-06	mymemory_translated.py:
1	1.2e-06	1.2e-06	1.2e-06	1.2e-06	chart.py:155(BinaryComb
1	1.2e-06	1.2e-06	1.2e-06	1.2e-06	lexicon.py:80(CCGLexico
1	1.2e-06	1.2e-06	8.2e-06	8.2e-06	six.py:194(find_spec)
3	1.2e-06	4e-07	1.2e-06	4e-07	_base.py:141(__enter__)
1	1.2e-06	1.2e-06	1.2e-06	1.2e-06	~:0(<method 'set' of '_cont
1	1.1e-06	1.1e-06	1.1e-06	1.1e-06	<frozen os>:1144(__init__
10	1.1e-06	1.1e-07	1.1e-06	1.1e-07	inspect.py:3032(parameter
1	1.1e-06	1.1e-06	1.4e-06	1.4e-06	_weakrefset.py:45(add)
1	1.1e-06	1.1e-06	1.2e-06	1.2e-06	statistics.py:901(triweight
1	1.1e-06	1.1e-06	1.1e-06	1.1e-06	random.py:888(SystemRa

ncalls	tottime	percall	cumtime	percall	
1	1.1e-06	1.1e-06	1.1e-06	1.1e-06	_colorize.py:190(__annotations__)
1	1.1e-06	1.1e-06	1.1e-06	1.1e-06	codeop.py:104(Compile)
1	1.1e-06	1.1e-06	1.1e-06	1.1e-06	codeop.py:125(Command)
1	1.1e-06	1.1e-06	1.1e-06	1.1e-06	threading.py:459(Semaphore)
1	1.1e-06	1.1e-06	1.1e-06	1.1e-06	exceptions.py:42(RequestException)
1	1.1e-06	1.1e-06	1.1e-06	1.1e-06	errors.py:85(HeaderDefect)
1	1.1e-06	1.1e-06	1.1e-06	1.1e-06	parse.py:190(_NetlocResult)
1	1.1e-06	1.1e-06	5.6e-06	5.6e-06	__init__.py:164(joinpath)
1	1.1e-06	1.1e-06	1.1e-06	1.1e-06	__init__.py:83(InitializedS)
1	1.1e-06	1.1e-06	1.1e-06	1.1e-06	request.py:1562(CacheFTL)
1	1.1e-06	1.1e-06	1.1e-06	1.1e-06	readers.py:38(ZipReader)
1	1.1e-06	1.1e-06	1.1e-06	1.1e-06	subprocess.py:198(START)
1	1.1e-06	1.1e-06	1.1e-06	1.1e-06	readers.py:22(FileReader)
1	1.1e-06	1.1e-06	1.1e-06	1.1e-06	internals.py:476(Counter)
1	1.1e-06	1.1e-06	1.1e-06	1.1e-06	hooks.py:1(<module>)
1	1.1e-06	1.1e-06	1.1e-06	1.1e-06	internals.py:158(ReadError)
1	1.1e-06	1.1e-06	1.1e-06	1.1e-06	subprocess.py:221(Handle)
1	1.1e-06	1.1e-06	1.1e-06	1.1e-06	probability.py:983(Heldout)
1	1.1e-06	1.1e-06	1.1e-06	1.1e-06	probability.py:596(Uniform)
1	1.1e-06	1.1e-06	1.3e-06	1.3e-06	probability.py:2143(Conditional)
1	1.1e-06	1.1e-06	1.1e-06	1.1e-06	exceptions.py:108(AxisError)
1	1.1e-06	1.1e-06	1.1e-06	1.1e-06	_nbit_base.py:7(NBitBase)
1	1.1e-06	1.1e-06	1.1e-06	1.1e-06	_index_tricks_impl.py:107
1	1.1e-06	1.1e-06	2e-06	2e-06	_index_tricks_impl.py:549
2	1.1e-06	5.5e-07	1.1e-06	5.5e-07	_index_tricks_impl.py:143
1	1.1e-06	1.1e-06	1.1e-06	1.1e-06	association.py:449(Continuation)
4	1.1e-06	2.75e-07	1.1e-06	2.75e-07	mixins.py:52(__UnaryMethod)
1	1.1e-06	1.1e-06	1.1e-06	1.1e-06	pydoc.py:453(ErrorDuringExecution)
1	1.1e-06	1.1e-06	1.1e-06	1.1e-06	collections.py:610(Trie)
1	1.1e-06	1.1e-06	1.1e-06	1.1e-06	featstruct.py:2102(CustomFeatureStruct)
1	1.1e-06	1.1e-06	1.1e-06	1.1e-06	logic.py:1691(LambdaExpression)
7	1.1e-06	1.571e-07	1.1e-06	1.571e-07	_regex_core.py:2471(__flush)
1	1.1e-06	1.1e-06	1.1e-06	1.1e-06	destructive.py:18(MacIntyre)
1	1.1e-06	1.1e-06	1.1e-06	1.1e-06	util.py:95(CJKChars)
1	1.1e-06	1.1e-06	1.1e-06	1.1e-06	xmlreader.py:91(IncrementalParser)
1	1.1e-06	1.1e-06	1.1e-06	1.1e-06	handler.py:345(LexicalHandler)
1	1.1e-06	1.1e-06	1.1e-06	1.1e-06	sexpr.py:57(SExprTokenization)
1	1.1e-06	1.1e-06	1.1e-06	1.1e-06	api.py:260(BaseProverCore)
1	1.1e-06	1.1e-06	1.1e-06	1.1e-06	featurechart.py:309(FeatureChart)
1	1.1e-06	1.1e-06	1.1e-06	1.1e-06	evaluate.py:12(Dependency)
1	1.1e-06	1.1e-06	1.1e-06	1.1e-06	pchart.py:132(SingleEdgePlot)
1	1.1e-06	1.1e-06	1.1e-06	1.1e-06	named_entity.py:31(NEChainer)
1	1.1e-06	1.1e-06	1.1e-06	1.1e-06	indian.py:72(IndianCorpus)

ncalls	tottime	percall	cumtime	percall	
1	1.1e-06	1.1e-06	1.1e-06	1.1e-06	util.py:377(ConcatenatedC
1	1.1e-06	1.1e-06	1.1e-06	1.1e-06	cmudict.py:53(CMUDictC
1	1.1e-06	1.1e-06	1.1e-06	1.1e-06	string_category.py:29(Stri
1	1.1e-06	1.1e-06	1.1e-06	1.1e-06	ieer.py:63(IEERCorpusRe
1	1.1e-06	1.1e-06	1.1e-06	1.1e-06	nkjp.py:362(NKJPCorpus_
1	1.1e-06	1.1e-06	1.1e-06	1.1e-06	snowball.py:1776(Finnish'
1	1.1e-06	1.1e-06	1.1e-06	1.1e-06	stack_decoder.py:452(_Sta
1	1.1e-06	1.1e-06	1.1e-06	1.1e-06	regexp.py:14(RegexpStem
1	1.1e-06	1.1e-06	1.1e-06	1.1e-06	libre.py:8(LibreProvider)
1	1.1e-06	1.1e-06	1.1e-06	1.1e-06	chart.py:309(CCGChart)
2	1.1e-06	5.5e-07	1.1e-06	5.5e-07	api.py:111(reset_id)
8	1.1e-06	1.375e-07	1.1e-06	1.375e-07	six.py:80(_add_doc)
1	1.1e-06	1.1e-06	1.1e-06	1.1e-06	chart.py:216(BackwardTy]
1	1.1e-06	1.1e-06	1.1e-06	1.1e-06	api.py:303(FunctionalCate
1	1.1e-06	1.1e-06	1.1e-06	1.1e-06	netrc.py:79(netrc)
1	1.1e-06	1.1e-06	1.1e-06	1.1e-06	_base.py:68(_AsComplete
1	1.1e-06	1.1e-06	1.1e-06	1.1e-06	~:0(<built-in method _cod
4	1.1e-06	2.75e-07	1.1e-06	2.75e-07	~:0(<built-in method _io.t
10	1e-06	1e-07	1e-06	1e-07	inspect.py:3036(return_an
1	1e-06	1e-06	1e-06	1e-06	decoder.py:20(JSONDeco
1	1e-06	1e-06	1.24e-05	1.24e-05	typing.py:1651(_TupleTyp
1	1e-06	1e-06	1e-06	1e-06	typing.py:3124(_TypedDic
1	1e-06	1e-06	1e-06	1e-06	_py_warnings.py:52(_Con
1	1e-06	1e-06	1.2e-06	1.2e-06	typing.py:2876(SupportsB
1	1e-06	1e-06	1e-06	1e-06	_init__.py:1296(PlaceHo
1	1e-06	1e-06	1e-06	1e-06	exceptions.py:18(HTTPEr
1	1e-06	1e-06	1.2e-06	1.2e-06	client.py:835(_get_content
1	1e-06	1e-06	1e-06	1e-06	_colorize.py:202(_annota
1	1e-06	1e-06	1e-06	1e-06	feedparser.py:533(BytesFe
1	1e-06	1e-06	1e-06	1e-06	client.py:183(HTTPMessag
1	1e-06	1e-06	1e-06	1e-06	parse.py:323(DefragResul
1	1e-06	1e-06	1e-06	1e-06	request.py:192(ChunksAn
1	1e-06	1e-06	1e-06	1e-06	retry.py:33(RequestHistory
1	1e-06	1e-06	1e-06	1e-06	queue.py:281(PriorityQue
1	1e-06	1e-06	1e-06	1e-06	_init__.py:1290(PosixPat
1	1e-06	1e-06	2.44e-05	2.44e-05	_init__.py:907(close)
1	1e-06	1e-06	1e-06	1e-06	exceptions.py:12(RequestI
1	1e-06	1e-06	1.2e-06	1.2e-06	abc.py:136(ExecutionLoac
1	1e-06	1e-06	1e-06	1e-06	cookiejar.py:1777(FileCoc
1	1e-06	1e-06	1e-06	1e-06	request.py:613(HTTPRedi
1	1e-06	1e-06	1e-06	1e-06	_regex_core.py:3465(fix_
1	1e-06	1e-06	1.2e-06	1.2e-06	argparse.py:2410(_match_
1	1e-06	1e-06	5.7e-06	5.7e-06	_common.py:80(_

ncalls	tottime	percall	cumtime	percall	
1	1e-06	1e-06	1e-06	1e-06	cookies.py:103(MockRespon
1	1e-06	1e-06	1e-06	1e-06	idna.py:178(Codec)
1	1e-06	1e-06	1e-06	1e-06	ElementTree.py:1101(_Lis
1	1e-06	1e-06	1e-06	1e-06	probability.py:810(Lidstor
1	1e-06	1e-06	1e-06	1e-06	probability.py:1217(Witter
1	1e-06	1e-06	1e-06	1e-06	probability.py:1695(Knese
1	1e-06	1e-06	1e-06	1e-06	ElementPath.py:350(_Sele
1	1e-06	1e-06	1e-06	1e-06	_exceptions.py:76(_UFunc
1	1e-06	1e-06	1e-06	1e-06	pickle.py:256(_Unframer)
1	1e-06	1e-06	1e-06	1e-06	_linalg.py:84(EigResult)
1	1e-06	1e-06	1e-06	1e-06	__init__.py:305(_PointerT
1	1e-06	1e-06	1e-06	1e-06	_endian.py:23(_swapped_
1	1e-06	1e-06	1e-06	1e-06	_array_like.py:31(_Suppor
1	1e-06	1e-06	1e-06	1e-06	_stride_tricks_impl.py:14(
1	1e-06	1e-06	1e-06	1e-06	_utils_impl.py:126(_Depre
1	1e-06	1e-06	2.6e-06	2.6e-06	pydoc.py:1229(__init__)
1	1e-06	1e-06	1e-06	1e-06	spearman.py:1(<module>)
1	1e-06	1e-06	1e-06	1e-06	boxer.py:1001(AbstractBo
5	1e-06	2e-07	1e-06	2e-07	_main.py:642(<genexpr>)
1	1e-06	1e-06	1e-06	1e-06	_regex_core.py:30(error)
6	1e-06	1.667e-07	1e-06	1.667e-07	_regex_core.py:621(is_abc
1	1e-06	1e-06	1e-06	1e-06	boxer.py:1097(BoxerNot)
1	1e-06	1e-06	1e-06	1e-06	grammar.py:396(Probabili
1	1e-06	1e-06	1e-06	1e-06	grammar.py:1049(Feature'
1	1e-06	1e-06	1e-06	1e-06	simple.py:68(CharTokeniz
1	1e-06	1e-06	1e-06	1e-06	simple.py:82(LineTokeniz
1	1e-06	1e-06	1e-06	1e-06	api.py:92(MultiClassifierI
1	1e-06	1e-06	1e-06	1e-06	maxent.py:429(FunctionB
1	1e-06	1e-06	1e-06	1e-06	senna.py:120(SennaNERT
1	1e-06	1e-06	1e-06	1e-06	featurechart.py:527(Instan
1	1e-06	1e-06	1e-06	1e-06	regexp.py:1134(RegexpPa
1	1e-06	1e-06	1e-06	1e-06	api.py:369(TheoremToolC
1	1e-06	1e-06	1e-06	1e-06	projectivedependencyparse
1	1e-06	1e-06	1e-06	1e-06	prover9.py:47(Prover9Cor
1	1e-06	1e-06	1e-06	1e-06	prover9.py:70(Prover9Cor
1	1e-06	1e-06	1e-06	1e-06	resolution.py:38(Resolutio
1	1e-06	1e-06	1e-06	1e-06	ibm5.py:635(Slots)
1	1e-06	1e-06	1e-06	1e-06	senseval.py:33(SensevalIn
1	1e-06	1e-06	1e-06	1e-06	rte.py:54(RTEPair)
1	1e-06	1e-06	1e-06	1e-06	indian.py:26(IndianCorpus
1	1e-06	1e-06	1e-06	1e-06	toolbox.py:141(ToolboxD
1	1e-06	1e-06	1e-06	1e-06	chasen.py:68(ChasenCorp
1	1e-06	1e-06	1e-06	1e-06	switchboard.py:14(Switch

ncalls	tottime	percall	cumtime	percall	
1	1e-06	1e-06	1e-06	1e-06	mte.py:17(MTECorpusVie
1	1e-06	1e-06	1.44e-05	1.44e-05	wordnet.py:1(<module>)
1	1e-06	1e-06	1e-06	1e-06	snowball.py:3178(ItalianS
1	1e-06	1e-06	1e-06	1e-06	util.py:133(_DendrogramN
1	1e-06	1e-06	1e-06	1e-06	six.py:108(MovedModule)
1	1e-06	1e-06	2.3e-06	2.3e-06	six.py:119(_resolve)
1	1e-06	1e-06	1e-06	1e-06	api.py:103(new_id)
1	1e-06	1e-06	1.31e-05	1.31e-05	language.py:1(<module>)
1	1e-06	1e-06	1e-06	1e-06	language.py:1(Language)
1	1e-06	1e-06	1e-06	1e-06	translate.py:21(Translator)
1	1e-06	1e-06	1e-06	1e-06	microsoft.py:11(Microsoft
1	1e-06	1e-06	1e-06	1e-06	cp437.py:9(Codec)
1	1e-06	1e-06	1e-06	1e-06	argparse.py:109(_Attribute
1	1e-06	1e-06	1e-06	1e-06	argparse.py:926(BooleanC
1	1e-06	1e-06	1e-06	1e-06	netrc.py:23(NetrcParseErr
3	1e-06	3.333e-07	1e-06	3.333e-07	_base.py:145(__exit__)
3	1e-06	3.333e-07	1e-06	3.333e-07	_base.py:217(<genexpr>)
4	1e-06	2.5e-07	1e-06	2.5e-07	~:0(<method 'clear' of 'dic
4	1e-06	2.5e-07	1e-06	2.5e-07	~:0(<method 'update' of 'se
5	1e-06	2e-07	1e-06	2e-07	~:0(<method 'mro' of 'type
2	9e-07	4.5e-07	9e-07	4.5e-07	_parser.py:103(checklookt
1	9e-07	9e-07	1.1e-06	1.1e-06	inspect.py:188(ismethod)
4	9e-07	2.25e-07	9e-07	2.25e-07	configparser.py:592(<gene
1	9e-07	9e-07	9e-07	9e-07	contextlib.py:775(nullcont
1	9e-07	9e-07	9e-07	9e-07	typing.py:1586(_Deprecat
1	9e-07	9e-07	9e-07	9e-07	traceback.py:98(__Sentinel
1	9e-07	9e-07	1.24e-05	1.24e-05	typing.py:1587(__init__)
1	9e-07	9e-07	9e-07	9e-07	_py_warnings.py:571(War
2	9e-07	4.5e-07	9e-07	4.5e-07	typing.py:2432(_add_type
1	9e-07	9e-07	9e-07	9e-07	_py_warnings.py:678(depi
1	9e-07	9e-07	9e-07	9e-07	__init__.py:1830(RootLog
1	9e-07	9e-07	9e-07	9e-07	__init__.py:55(__Template
1	9e-07	9e-07	9e-07	9e-07	threading.py:546(Bounded
1	9e-07	9e-07	9e-07	9e-07	exceptions.py:196(Locatio
1	9e-07	9e-07	1.3e-06	1.3e-06	threading.py:1053(_set_na
1	9e-07	9e-07	9e-07	9e-07	client.py:1495(UnknownP
1	9e-07	9e-07	9e-07	9e-07	message.py:1206>EmailM
1	9e-07	9e-07	9e-07	9e-07	__init__.py:332(Deprecate
1	9e-07	9e-07	9e-07	9e-07	__init__.py:606(PurePosix
1	9e-07	9e-07	9e-07	9e-07	abc.py:36(MetaPathFinder
1	9e-07	9e-07	9e-07	9e-07	request.py:877(HTTPPass
1	9e-07	9e-07	9e-07	9e-07	calendar.py:651(CLIDem
1	9e-07	9e-07	9e-07	9e-07	cookiejar.py:842(CookiePi

ncalls	tottime	percall	cumtime	percall	
1	9e-07	9e-07	1.5e-06	1.5e-06	request.py:366(has_proxy)
1	9e-07	9e-07	9e-07	9e-07	response.py:37(addclosehook)
1	9e-07	9e-07	9e-07	9e-07	auth.py:69(AuthBase)
1	9e-07	9e-07	9e-07	9e-07	auth.py:76(HTTPBasicAuth)
1	9e-07	9e-07	9e-07	9e-07	models.py:230(Request)
1	9e-07	9e-07	9e-07	9e-07	probability.py:686(Diction
1	9e-07	9e-07	9e-07	9e-07	probability.py:764(MLEPr
1	9e-07	9e-07	9e-07	9e-07	probability.py:1147(Cross'
1	9e-07	9e-07	9e-07	9e-07	probability.py:1583(Mutak
1	9e-07	9e-07	9e-07	9e-07	probability.py:2307(Proba
1	9e-07	9e-07	9e-07	9e-07	_linalg.py:88(EighResult)
1	9e-07	9e-07	9e-07	9e-07	_linalg.py:96(SlogdetResu
1	9e-07	9e-07	9e-07	9e-07	_linalg.py:100(SVDResult
1	9e-07	9e-07	8.9e-06	8.9e-06	_internal.py:253(_missing
1	9e-07	9e-07	9e-07	9e-07	_index_tricks_impl.py:590
1	9e-07	9e-07	9e-07	9e-07	_index_tricks_impl.py:640
1	9e-07	9e-07	9e-07	9e-07	_dtype_like.py:29(_DType
1	9e-07	9e-07	9e-07	9e-07	_arraysetops_impl.py:426(
1	9e-07	9e-07	9e-07	9e-07	_arraysetops_impl.py:431(
1	9e-07	9e-07	9e-07	9e-07	_npyio_impl.py:50(BagOf
1	9e-07	9e-07	9e-07	9e-07	_datasource.py:97(__init__
1	9e-07	9e-07	9e-07	9e-07	collections.py:246(LazySu
1	9e-07	9e-07	9e-07	9e-07	collections.py:561(LazyIt
1	9e-07	9e-07	9e-07	9e-07	pydoc.py:1227(TextRepr)
1	9e-07	9e-07	9e-07	9e-07	boxer.py:1162(BoxerPred)
1	9e-07	9e-07	9e-07	9e-07	boxer.py:1265(BoxerRel)
1	9e-07	9e-07	9e-07	9e-07	boxer.py:1305(BoxerProp)
1	9e-07	9e-07	9e-07	9e-07	boxer.py:1402(BoxerOr)
1	9e-07	9e-07	9e-07	9e-07	boxer.py:1126(BoxerIndex)
1	9e-07	9e-07	9e-07	9e-07	data.py:362(GzipFileSyste
1	9e-07	9e-07	9e-07	9e-07	logic.py:759(BasicType)
1	9e-07	9e-07	9e-07	9e-07	logic.py:1721(QuantifiedE
1	9e-07	9e-07	9e-07	9e-07	data.py:342(BufferedGzip)
1	9e-07	9e-07	9e-07	9e-07	gzip.py:129(_WriteBuffer)
1	9e-07	9e-07	9e-07	9e-07	data.py:1006(OpenOnDen
3	9e-07	3e-07	1.1e-06	3.667e-07	_regex_core.py:2644(max
1	9e-07	9e-07	9e-07	9e-07	handler.py:208(DTDHand
1	9e-07	9e-07	8.38e-05	8.38e-05	_regex_core.py:2523(max
1	9e-07	9e-07	9e-07	9e-07	jsontags.py:32(JSONTagg
1	9e-07	9e-07	9e-07	9e-07	util.py:1(<module>)
1	9e-07	9e-07	9e-07	9e-07	xmlreader.py:338(Attribut
1	9e-07	9e-07	9e-07	9e-07	util.py:100(CutoffChecker)
1	9e-07	9e-07	9e-07	9e-07	earleychart.py:287(Increm

ncalls	tottime	percall	cumtime	percall	
1	9e-07	9e-07	9e-07	9e-07	api.py:403(ProverComma
1	9e-07	9e-07	9e-07	9e-07	nonprojectivedependency
1	9e-07	9e-07	9e-07	9e-07	discourse.py:103(CfgRead
1	9e-07	9e-07	9e-07	9e-07	featurechart.py:486(Featur
1	9e-07	9e-07	9e-07	9e-07	pchart.py:50(Probabilistic
1	9e-07	9e-07	9e-07	9e-07	mace.py:229(Mace)
1	9e-07	9e-07	9e-07	9e-07	ibm2.py:298(Model2Coun
1	9e-07	9e-07	9e-07	9e-07	plaintext.py:183(EuroparlC
1	9e-07	9e-07	9e-07	9e-07	tableau.py:567(Debug)
1	9e-07	9e-07	9e-07	9e-07	ibm5.py:576(Model5Coun
1	9e-07	9e-07	9e-07	9e-07	wordlist.py:13(WordListC
1	9e-07	9e-07	9e-07	9e-07	senseval.py:49(SensevalCo
1	9e-07	9e-07	9e-07	9e-07	chunked.py:205(ChunkedCo
1	9e-07	9e-07	9e-07	9e-07	wordlist.py:97(UnicharsCo
1	9e-07	9e-07	9e-07	9e-07	ppattach.py:62(PPAttachm
1	9e-07	9e-07	9e-07	9e-07	bracket_parse.py:165(Alpi
1	9e-07	9e-07	9e-07	9e-07	bnc.py:152(BNCSentence
1	9e-07	9e-07	9e-07	9e-07	wordnet.py:2400(WordNe
1	9e-07	9e-07	9e-07	9e-07	nombank.py:349(Nomban
1	9e-07	9e-07	9e-07	9e-07	aligned.py:114(AlignedSe
1	9e-07	9e-07	9e-07	9e-07	framenet.py:859(SpecialLi
1	9e-07	9e-07	9e-07	9e-07	semcor.py:247(SemcorWo
1	9e-07	9e-07	9e-07	9e-07	nkjp.py:181(NKJPCorpus
1	9e-07	9e-07	9e-07	9e-07	snowball.py:2118(FrenchS
1	9e-07	9e-07	9e-07	9e-07	snowball.py:5340(Spanish
1	9e-07	9e-07	9e-07	9e-07	snowball.py:115(_Languag
1	9e-07	9e-07	1.3e-06	1.3e-06	combinator.py:37(Directec
1	9e-07	9e-07	9e-07	9e-07	six.py:129(_LazyModule)
1	9e-07	9e-07	9e-07	9e-07	cp437.py:21(IncrementalE
1	9e-07	9e-07	9e-07	9e-07	_base.py:53(_Waiter)
1	9e-07	9e-07	9e-07	9e-07	argparse.py:828(Action)
1	9e-07	9e-07	9e-07	9e-07	argparse.py:1991(_get_pos
1	9e-07	9e-07	9e-07	9e-07	netrc.py:35(_netrclex)
1	9e-07	9e-07	9e-07	9e-07	argparse.py:1752(_Argum
3	9e-07	3e-07	9e-07	3e-07	~:0(<method 'title' of 'str' c
2	9e-07	4.5e-07	9e-07	4.5e-07	~:0(<built-in method _sqli
2	8e-07	4e-07	8e-07	4e-07	inspect.py:2731(annotation)
1	8e-07	8e-07	9e-07	9e-07	ScoringSys.py:48(_linear_
1	8e-07	8e-07	8e-07	8e-07	configparser.py:395(Interp
1	8e-07	8e-07	8e-07	8e-07	typing.py:576(_AnyMeta)
1	8e-07	8e-07	8e-07	8e-07	contextlib.py:66(ContextD
1	8e-07	8e-07	8e-07	8e-07	typing.py:165(_LazyAnno
1	8e-07	8e-07	8e-07	8e-07	typing.py:2077(Protocol)

ncalls	tottime	percall	cumtime	percall	
1	8e-07	8e-07	8e-07	8e-07	typing.py:3738(<generic p
1	8e-07	8e-07	8e-07	8e-07	warnings.py:79(_Lock)
1	8e-07	8e-07	8e-07	8e-07	csv.py:118(excel)
1	8e-07	8e-07	8e-07	8e-07	<string>:2(__annotate__)
1	8e-07	8e-07	8e-07	8e-07	exceptions.py:303(ProxyS
1	8e-07	8e-07	8e-07	8e-07	client.py:1532(BadStatusL
1	8e-07	8e-07	8e-07	8e-07	errors.py:45(NoBoundaryI
1	8e-07	8e-07	8e-07	8e-07	parse.py:136(_ResultMixi
1	8e-07	8e-07	8e-07	8e-07	queue.py:300(LifoQueue)
1	8e-07	8e-07	8e-07	8e-07	abc.py:186(SourceLoader)
1	8e-07	8e-07	8e-07	8e-07	exceptions.py:31(JSONDe
1	8e-07	8e-07	8e-07	8e-07	request.py:1229(AbstractF
1	8e-07	8e-07	8e-07	8e-07	request.py:1356(HTTPSH
2	8e-07	4e-07	8e-07	4e-07	calendar.py:120(__init__)
1	8e-07	8e-07	8e-07	8e-07	error.py:19(URLError)
1	8e-07	8e-07	8e-07	8e-07	calendar.py:32(IllegalMon
1	8e-07	8e-07	8e-07	8e-07	calendar.py:39(IllegalWee
1	8e-07	8e-07	8e-07	8e-07	internals.py:427(Deprecat
1	8e-07	8e-07	8e-07	8e-07	ElementTree.py:529(__ini
1	8e-07	8e-07	8e-07	8e-07	_exceptions.py:67(_UFunc
1	8e-07	8e-07	8e-07	8e-07	_exceptions.py:92(_UFunc
1	8e-07	8e-07	8e-07	8e-07	arrayprint.py:1304(Integer
1	8e-07	8e-07	8e-07	8e-07	arrayprint.py:1392(Datetir
1	8e-07	8e-07	8e-07	8e-07	_internal.py:257(c_void_p
1	8e-07	8e-07	8e-07	8e-07	__init__.py:255(c_char_p)
1	8e-07	8e-07	1.3e-06	1.3e-06	_index_tricks_impl.py:318
1	8e-07	8e-07	8e-07	8e-07	_linalg.py:92(QRResult)
1	8e-07	8e-07	8e-07	8e-07	_index_tricks_impl.py:211
1	8e-07	8e-07	8e-07	8e-07	_array_like.py:36(_Suppor
1	8e-07	8e-07	8e-07	8e-07	_dtype_like.py:35(_DType
1	8e-07	8e-07	8e-07	8e-07	_arraysetops_impl.py:419(
1	8e-07	8e-07	8e-07	8e-07	introspect.py:1(<module>)
1	8e-07	8e-07	8e-07	8e-07	util.py:182(Index)
1	8e-07	8e-07	2e-06	2e-06	__init__.py:634(get_config
1	8e-07	8e-07	8e-07	8e-07	collections.py:287(LazyCo
1	8e-07	8e-07	8e-07	8e-07	featstruct.py:1332(_Unific
1	8e-07	8e-07	8e-07	8e-07	boxer.py:802(BoxerDrsPai
1	8e-07	8e-07	8e-07	8e-07	boxer.py:1214(BoxerNam
1	8e-07	8e-07	8e-07	8e-07	boxer.py:1347(BoxerEq)
1	8e-07	8e-07	8e-07	8e-07	featstruct.py:1860(Substit
1	8e-07	8e-07	8e-07	8e-07	boxer.py:1375(BoxerCard
1	8e-07	8e-07	8e-07	8e-07	drt.py:561(DrtAbstractVar
1	8e-07	8e-07	8e-07	8e-07	grammar.py:1173(Probabi

ncalls	tottime	percall	cumtime	percall	
1	8e-07	8e-07	8e-07	8e-07	models.py:30(Lidstone)
1	8e-07	8e-07	8e-07	8e-07	grammar.py:214(FeatStruc
1	8e-07	8e-07	8e-07	8e-07	_regex_core.py:2011(Zero
1	8e-07	8e-07	8e-07	8e-07	_regex_core.py:4356(Info
1	8e-07	8e-07	5e-06	5e-06	_regex_core.py:2605(rebu
1	8e-07	8e-07	9e-07	9e-07	_regex_core.py:3097(has_
1	8e-07	8e-07	3.5e-06	3.5e-06	_regex_core.py:3136(get_
1	8e-07	8e-07	8e-07	8e-07	xmlreader.py:163(Locator
1	8e-07	8e-07	8e-07	8e-07	simple.py:42(SpaceTokeni
1	8e-07	8e-07	8e-07	8e-07	punkt.py:1737(PunktToke
1	8e-07	8e-07	8e-07	8e-07	sequential.py:327(Unigran
1	8e-07	8e-07	8e-07	8e-07	chart.py:1148(CachedTopI
1	8e-07	8e-07	8e-07	8e-07	api.py:451(ModelBuilderC
1	8e-07	8e-07	8e-07	8e-07	util.py:148(TestGrammar)
1	8e-07	8e-07	8e-07	8e-07	regexp.py:398(ChunkRule
1	8e-07	8e-07	8e-07	8e-07	tableau.py:412(TableauPrc
1	8e-07	8e-07	8e-07	8e-07	ibm4.py:451(Model4Coun
1	8e-07	8e-07	8e-07	8e-07	ibm3.py:328(Model3Coun
1	8e-07	8e-07	8e-07	8e-07	metrics.py:1(<module>)
1	8e-07	8e-07	8e-07	8e-07	timit.py:480(SpeakerInfo)
1	8e-07	8e-07	8e-07	8e-07	wordlist.py:26(SwadeshCo
1	8e-07	8e-07	8e-07	8e-07	conll.py:413(ConllSRLIns
1	8e-07	8e-07	8e-07	8e-07	senseval.py:68(SensevalCo
1	8e-07	8e-07	8e-07	8e-07	propbank.py:337(Propbanl
1	8e-07	8e-07	8e-07	8e-07	propbank.py:356(Propbanl
1	8e-07	8e-07	8e-07	8e-07	conll.py:491(ConllSRLIns
1	8e-07	8e-07	8e-07	8e-07	dependency.py:72(Depend
1	8e-07	8e-07	8e-07	8e-07	opinion_lexicon.py:38(Ign
1	8e-07	8e-07	8e-07	8e-07	nkjp.py:243(XML_Tool)
1	8e-07	8e-07	8e-07	8e-07	nkjp.py:419(NKJPCorpus_
1	8e-07	8e-07	8e-07	8e-07	reviews.py:130(ReviewLii
1	8e-07	8e-07	8e-07	8e-07	snowball.py:2611(German)
1	8e-07	8e-07	8e-07	8e-07	downloader.py:422(__init_
1	8e-07	8e-07	8e-07	8e-07	snowball.py:172(_Scandin
1	8e-07	8e-07	8e-07	8e-07	snowball.py:214(_Standar
1	8e-07	8e-07	8e-07	8e-07	snowball.py:1069(DutchSi
1	8e-07	8e-07	8e-07	8e-07	snowball.py:5737(Swedish)
3	8e-07	2.667e-07	8e-07	2.667e-07	_base.py:171(__yield__finis
2	8e-07	4e-07	8e-07	4e-07	six.py:199(__get_module)
1	8e-07	8e-07	8e-07	8e-07	combinator.py:215(Undire
1	8e-07	8e-07	8e-07	8e-07	argparse.py:218(__Section)
1	8e-07	8e-07	8e-07	8e-07	_base.py:135(__AcquireFut
1	8e-07	8e-07	3e-06	3e-06	argparse.py:1003(__init__

ncalls	tottime	percall	cumtime	percall	
1	8e-07	8e-07	8e-07	8e-07	argparse.py:1158(_HelpAc
1	8e-07	8e-07	8e-07	8e-07	~:0(<built-in method time.
2	8e-07	4e-07	8e-07	4e-07	~:0(<method 'deleter' of 'p
2	8e-07	4e-07	8e-07	4e-07	~:0(<built-in method _sqli
1	7e-07	7e-07	7e-07	7e-07	configparser.py:176(Error)
1	7e-07	7e-07	7e-07	7e-07	configparser.py:573(_Line
1	7e-07	7e-07	7e-07	7e-07	contextlib.py:342(closing)
1	7e-07	7e-07	7e-07	7e-07	numbers.py:37(Number)
1	7e-07	7e-07	7e-07	7e-07	typing.py:424(_Sentinel)
1	7e-07	7e-07	7e-07	7e-07	typing.py:496(_Final)
1	7e-07	7e-07	7e-07	7e-07	typing.py:2950(NamedTup
1	7e-07	7e-07	7e-07	7e-07	typing.py:1601(_CallableC
1	7e-07	7e-07	7e-07	7e-07	typing.py:3343(<lambda>
1	7e-07	7e-07	7e-07	7e-07	socket.py:215(_GiveupOn
1	7e-07	7e-07	7e-07	7e-07	threading.py:1408(_Delete
1	7e-07	7e-07	7e-07	7e-07	threading.py:1437(_Dumn
1	7e-07	7e-07	7e-07	7e-07	errors.py:16(HeaderParseF
1	7e-07	7e-07	7e-07	7e-07	errors.py:32(HeaderWriteI
1	7e-07	7e-07	7e-07	7e-07	parse.py:144(_ResultMixi
1	7e-07	7e-07	7e-07	7e-07	parse.py:331(SplitResult)
1	7e-07	7e-07	7e-07	7e-07	ssl.py:170(_TLSContentTy
1	7e-07	7e-07	7e-07	7e-07	response.py:125(GzipDeco
1	7e-07	7e-07	7e-07	7e-07	__init__.py:176(FastLook
4	7e-07	1.75e-07	7e-07	1.75e-07	__init__.py:1591(<lambda
1	7e-07	7e-07	7e-07	7e-07	abc.py:52(PathEntryFinde
5	7e-07	1.4e-07	7e-07	1.4e-07	request.py:324(data)
2	7e-07	3.5e-07	7e-07	3.5e-07	calendar.py:101(__init__)
1	7e-07	7e-07	7e-07	7e-07	cookiejar.py:1860(LWPCc
1	7e-07	7e-07	7e-07	7e-07	request.py:573(BaseHandl
1	7e-07	7e-07	7e-07	7e-07	request.py:760(ProxyHanc
1	7e-07	7e-07	7e-07	7e-07	request.py:1347(HTTPHai
1	7e-07	7e-07	7e-07	7e-07	request.py:1376(HTTPCo
1	7e-07	7e-07	7e-07	7e-07	request.py:1452(FileHandl
1	7e-07	7e-07	7e-07	7e-07	request.py:1020(HTTPBas
1	7e-07	7e-07	7e-07	7e-07	cookies.py:586(SimpleCoo
1	7e-07	7e-07	7e-07	7e-07	_common.py:81(__annota
1	7e-07	7e-07	7e-07	7e-07	__version__.py:1(<module
1	7e-07	7e-07	7e-07	7e-07	_adapters.py:20(Traversab
1	7e-07	7e-07	7e-07	7e-07	models.py:206(RequestHo
2	7e-07	3.5e-07	7e-07	3.5e-07	ElementPath.py:352(__ini
1	7e-07	7e-07	7e-07	7e-07	idna.py:272(IncrementalE
1	7e-07	7e-07	7e-07	7e-07	_globals.py:99(__Signature
1	7e-07	7e-07	7e-07	7e-07	probability.py:946(ELEPr

ncalls	tottime	percall	cumtime	percall	
1	7e-07	7e-07	7e-07	7e-07	_exceptions.py:52(_UFunc
2	7e-07	3.5e-07	7e-07	3.5e-07	arrayprint.py:567(_recursi
1	7e-07	7e-07	7e-07	7e-07	arrayprint.py:1333(Compl
1	7e-07	7e-07	7e-07	7e-07	arrayprint.py:1366(_Timel
1	7e-07	7e-07	7e-07	7e-07	__init__.py:336(c_wchar_
1	7e-07	7e-07	7e-07	7e-07	__init__.py:485(PyDLL)
1	7e-07	7e-07	7e-07	7e-07	_index_tricks_impl.py:723
1	7e-07	7e-07	7e-07	7e-07	collections.py:337(LazyM
1	7e-07	7e-07	7e-07	7e-07	featstruct.py:1886(Feature
1	7e-07	7e-07	7e-07	7e-07	featstruct.py:1918(Feature
1	7e-07	7e-07	7e-07	7e-07	boxer.py:1439(BoxerWhq`
1	7e-07	7e-07	7e-07	7e-07	boxer.py:1498(NltkDrtBo
1	7e-07	7e-07	7e-07	7e-07	drt.py:680(DrtLambdaExp
1	7e-07	7e-07	7e-07	7e-07	models.py:14(MLE)
1	7e-07	7e-07	7e-07	7e-07	_regex_core.py:2059(Any
1	7e-07	7e-07	7e-07	7e-07	logic.py:872(TypeExceptio
1	7e-07	7e-07	7e-07	7e-07	logic.py:924(SubstituteBir
1	7e-07	7e-07	7e-07	7e-07	logic.py:1543(ConstantEx
1	7e-07	7e-07	7e-07	7e-07	_regex_core.py:3185(get_
1	7e-07	7e-07	7e-07	7e-07	models.py:63(StupidBacko
1	7e-07	7e-07	7e-07	7e-07	_regex_core.py:4069(Strin
1	7e-07	7e-07	7e-07	7e-07	sequential.py:369(Bigram`
1	7e-07	7e-07	7e-07	7e-07	regexp.py:172(BlanklineT
1	7e-07	7e-07	7e-07	7e-07	texttiling.py:377(TokenTal
1	7e-07	7e-07	7e-07	7e-07	texttiling.py:394(TokenSe
1	7e-07	7e-07	7e-07	7e-07	sequential.py:705(Classifie
1	7e-07	7e-07	7e-07	7e-07	chart.py:1045(SingleEdge)
1	7e-07	7e-07	7e-07	7e-07	corenlp.py:431(CoreNLPP
1	7e-07	7e-07	7e-07	7e-07	earleychart.py:126(Feature
1	7e-07	7e-07	7e-07	7e-07	earleychart.py:193(Compl
1	7e-07	7e-07	7e-07	7e-07	earleychart.py:201(Scanne
1	7e-07	7e-07	7e-07	7e-07	chart.py:914(ChartRuleI)
1	7e-07	7e-07	7e-07	7e-07	chart.py:1094(LeafInitRul
1	7e-07	7e-07	7e-07	7e-07	projectivedependencypars
1	7e-07	7e-07	7e-07	7e-07	named_entity.py:320(Max
1	7e-07	7e-07	7e-07	7e-07	pchart.py:73(Probabilistic
1	7e-07	7e-07	7e-07	7e-07	nonprojectivedependencypr
1	7e-07	7e-07	7e-07	7e-07	linearlogic.py:158(Constat
1	7e-07	7e-07	7e-07	7e-07	linearlogic.py:458(Unifica
1	7e-07	7e-07	7e-07	7e-07	api.py:548(ParallelProverI
1	7e-07	7e-07	7e-07	7e-07	resolution.py:672(DebugC
1	7e-07	7e-07	7e-07	7e-07	ibm_model.py:518(Counts
1	7e-07	7e-07	7e-07	7e-07	plaintext.py:149(Categoriz

ncalls	tottime	percall	cumtime	percall	
1	7e-07	7e-07	7e-07	7e-07	tagged.py:340(TimitTagge
1	7e-07	7e-07	7e-07	7e-07	wordlist.py:144(MWAPPI
1	7e-07	7e-07	7e-07	7e-07	ycoe.py:134(YCOEParseC
1	7e-07	7e-07	7e-07	7e-07	propbank.py:317(Propbanl
1	7e-07	7e-07	7e-07	7e-07	nombank.py:310(Nombanl
1	7e-07	7e-07	7e-07	7e-07	semcor.py:236(SemcorSer
1	7e-07	7e-07	7e-07	7e-07	framenet.py:987(PrettyLaz
1	7e-07	7e-07	7e-07	7e-07	framenet.py:931(PrettyDic
1	7e-07	7e-07	7e-07	7e-07	framenet.py:955(PrettyLis
1	7e-07	7e-07	7e-07	7e-07	snowball.py:154(PorterSte
1	7e-07	7e-07	7e-07	7e-07	snowball.py:3553(Norweg
1	7e-07	7e-07	7e-07	7e-07	snowball.py:3674(Portugu
1	7e-07	7e-07	7e-07	7e-07	snowball.py:4019(Romani
1	7e-07	7e-07	7e-07	7e-07	chart.py:200(__init__)
1	7e-07	7e-07	7e-07	7e-07	combinator.py:101(Undire
1	7e-07	7e-07	7e-07	7e-07	six.py:144(MovedAttribut
1	7e-07	7e-07	7e-07	7e-07	six.py:178(__init__)
1	7e-07	7e-07	7e-07	7e-07	unicode_escape.py:20(Inc
1	7e-07	7e-07	7e-07	7e-07	cp437.py:17(IncrementalE
1	7e-07	7e-07	7e-07	7e-07	argparse.py:714(RawDesc
1	7e-07	7e-07	7e-07	7e-07	argparse.py:964(_StoreAc
1	7e-07	7e-07	7e-07	7e-07	_base.py:90(_FirstComple
1	7e-07	7e-07	7e-07	7e-07	argparse.py:1337(FileType
1	7e-07	7e-07	7e-07	7e-07	argparse.py:1398(Namesp
4	7e-07	1.75e-07	7e-07	1.75e-07	~:0(<built-in method built
2	6e-07	3e-07	6e-07	3e-07	functools.py:816(is_relate
1	6e-07	6e-07	6e-07	6e-07	statistics.py:152(Statisticsl
1	6e-07	6e-07	6e-07	6e-07	statistics.py:820(logistic_k
1	6e-07	6e-07	6e-07	6e-07	statistics.py:841(rectangul
1	6e-07	6e-07	6e-07	6e-07	statistics.py:910(cosine_ke
8	6e-07	7.5e-08	6e-07	7.5e-08	configparser.py:404(before
5	6e-07	1.2e-07	6e-07	1.2e-07	contextlib.py:447(__enter_
1	6e-07	6e-07	6e-07	6e-07	contextlib.py:411(redirect_
1	6e-07	6e-07	6e-07	6e-07	contextlib.py:367(aclosing
1	6e-07	6e-07	6e-07	6e-07	contextlib.py:433(suppress
1	6e-07	6e-07	6e-07	6e-07	contextlib.py:557(ExitStac
1	6e-07	6e-07	6e-07	6e-07	typing.py:588(Any)
1	6e-07	6e-07	6e-07	6e-07	configparser.py:189(NoSe
1	6e-07	6e-07	6e-07	6e-07	configparser.py:272(Interp
1	6e-07	6e-07	6e-07	6e-07	contextlib.py:89(AsyncCo
1	6e-07	6e-07	6e-07	6e-07	contextlib.py:129(_Genera
1	6e-07	6e-07	6e-07	6e-07	typing.py:506(_NotIterabl
1	6e-07	6e-07	6e-07	6e-07	typing.py:569(_TypedCacl

ncalls	tottime	percall	cumtime	percall	
1	6e-07	6e-07	6e-07	6e-07	typing.py:1706(_LiteralGe
1	6e-07	6e-07	6e-07	6e-07	typing.py:3647(<generic p
1	6e-07	6e-07	6e-07	6e-07	typing.py:1687(_UnionGe
1	6e-07	6e-07	6e-07	6e-07	csv.py:133(unix_dialect)
1	6e-07	6e-07	1.1e-06	1.1e-06	__init__.py:1358(disable)
1	6e-07	6e-07	6e-07	6e-07	exceptions.py:124(Timeou
1	6e-07	6e-07	6e-07	6e-07	exceptions.py:334(Unrewi
1	6e-07	6e-07	8e-07	8e-07	_colorize.py:347(set_them
1	6e-07	6e-07	6e-07	6e-07	exceptions.py:206(URLSc
1	6e-07	6e-07	6e-07	6e-07	threading.py:1390(_MainI
1	6e-07	6e-07	6e-07	6e-07	exceptions.py:216(Respon
1	6e-07	6e-07	6e-07	6e-07	client.py:1539(LineTooLo
1	6e-07	6e-07	6e-07	6e-07	errors.py:12(MessageParse
1	6e-07	6e-07	6e-07	6e-07	errors.py:57(MisplacedEn
1	6e-07	6e-07	6e-07	6e-07	errors.py:71(UndecodableE
1	6e-07	6e-07	6e-07	6e-07	errors.py:108(ObsoleteHe
1	6e-07	6e-07	6e-07	6e-07	client.py:1492(InvalidURI
1	6e-07	6e-07	6e-07	6e-07	parse.py:336(ParseResult)
1	6e-07	6e-07	6e-07	6e-07	parse.py:355(ParseResultE
1	6e-07	6e-07	6e-07	6e-07	connection.py:1081(Dumr
1	6e-07	6e-07	6e-07	6e-07	__init__.py:43(Unsupporte
1	6e-07	6e-07	6e-07	6e-07	__init__.py:44(BadZipFile
1	6e-07	6e-07	6e-07	6e-07	cookies.py:145(CookieErr
1	6e-07	6e-07	6e-07	6e-07	cookiejar.py:1981(Mozilla
1	6e-07	6e-07	6e-07	6e-07	request.py:592(HTTPErro
1	6e-07	6e-07	6e-07	6e-07	response.py:57(addinfo)
1	6e-07	6e-07	6e-07	6e-07	request.py:609(HTTPDefa
1	6e-07	6e-07	6e-07	6e-07	request.py:1031(ProxyBas
1	6e-07	6e-07	6e-07	6e-07	error.py:70(ContentTooSh
1	6e-07	6e-07	6e-07	6e-07	calendar.py:631(LocaleHT
1	6e-07	6e-07	6e-07	6e-07	calendar.py:587(different_
1	6e-07	6e-07	6e-07	6e-07	calendar.py:755(_CLIDen
1	6e-07	6e-07	6e-07	6e-07	auth.py:99(HTTPProxyAu
3	6e-07	2e-07	6e-07	2e-07	signal.py:50(_wraps)
1	6e-07	6e-07	6e-07	6e-07	ElementTree.py:107(Parse
1	6e-07	6e-07	6e-07	6e-07	exceptions.py:47(Complex
1	6e-07	6e-07	6e-07	6e-07	probability.py:2182(Condi
1	6e-07	6e-07	6e-07	6e-07	probability.py:910(Laplace
1	6e-07	6e-07	6e-07	6e-07	pickle.py:96(_Stop)
1	6e-07	6e-07	6e-07	6e-07	arrayprint.py:1323(BoolFc
1	6e-07	6e-07	6e-07	6e-07	__init__.py:168(c_short)
1	6e-07	6e-07	6e-07	6e-07	__init__.py:503(HRESUL
1	6e-07	6e-07	6e-07	6e-07	_endian.py:48(BigEndianS

ncalls	tottime	percall	cumtime	percall	
1	6e-07	6e-07	6e-07	6e-07	_index_tricks_impl.py:556
1	6e-07	6e-07	6e-07	6e-07	_index_tricks_impl.py:273
1	6e-07	6e-07	1.1e-06	1.1e-06	_index_tricks_impl.py:583
1	6e-07	6e-07	6e-07	6e-07	_linalg.py:114(LinAlgError)
1	6e-07	6e-07	6e-07	6e-07	_iotools.py:423(Converter)
1	6e-07	6e-07	6e-07	6e-07	pydoc.py:1660(_PlainText)
1	6e-07	6e-07	6e-07	6e-07	pydoc.py:2245(ModuleScanner)
1	6e-07	6e-07	6e-07	6e-07	collections.py:474(LazyZip)
1	6e-07	6e-07	6e-07	6e-07	featstruct.py:1900(Feature)
1	6e-07	6e-07	6e-07	6e-07	drt.py:973(PossibleAntecedent)
1	6e-07	6e-07	6e-07	6e-07	logic.py:1521(FunctionValue)
1	6e-07	6e-07	6e-07	6e-07	logic.py:1913(EqualityExpression)
1	6e-07	6e-07	6e-07	6e-07	models.py:53(Laplace)
1	6e-07	6e-07	6e-07	6e-07	logic.py:786(TruthValueType)
1	6e-07	6e-07	6e-07	6e-07	grammar.py:378(Dependency)
1	6e-07	6e-07	6e-07	6e-07	models.py:89(Interpolated)
1	6e-07	6e-07	6e-07	6e-07	_regex_core.py:2070(Any)
1	6e-07	6e-07	6e-07	6e-07	_regex_core.py:2572(Call)
1	6e-07	6e-07	6e-07	6e-07	_regex_core.py:2780(Fail)
1	6e-07	6e-07	6e-07	6e-07	_regex_core.py:4481(Scarborough)
1	6e-07	6e-07	6e-07	6e-07	_regex_core.py:3030(Possessive)
1	6e-07	6e-07	6e-07	6e-07	_regex_core.py:3142(Keep)
1	6e-07	6e-07	6e-07	6e-07	api.py:290(FeaturesetTagger)
1	6e-07	6e-07	6e-07	6e-07	chart.py:1109(TopDownInference)
1	6e-07	6e-07	6e-07	6e-07	featurechart.py:247(FeatureChart)
1	6e-07	6e-07	6e-07	6e-07	earleychart.py:226(FeatureEarley)
1	6e-07	6e-07	6e-07	6e-07	earleychart.py:382(EarleyChart)
1	6e-07	6e-07	6e-07	6e-07	earleychart.py:451(FeatureEarley)
1	6e-07	6e-07	6e-07	6e-07	featurechart.py:505(FeatureChart)
1	6e-07	6e-07	6e-07	6e-07	pchart.py:391(RandomChart)
1	6e-07	6e-07	6e-07	6e-07	nonprojectivedependency.py:10
1	6e-07	6e-07	6e-07	6e-07	regexp.py:442(StripRule)
1	6e-07	6e-07	6e-07	6e-07	regexp.py:736(ExpandRigidity)
1	6e-07	6e-07	6e-07	6e-07	prover9.py:389(Prover9Exception)
1	6e-07	6e-07	6e-07	6e-07	resolution.py:659(Binding)
1	6e-07	6e-07	6e-07	6e-07	glue.py:731(DrtGlueForm)
1	6e-07	6e-07	6e-07	6e-07	tagged.py:255(TaggedCorpus)
1	6e-07	6e-07	6e-07	6e-07	yco.e.py:145(YCOETagger)
1	6e-07	6e-07	6e-07	6e-07	phrase_based.py:1(<module>)
1	6e-07	6e-07	6e-07	6e-07	downloader.py:348(__init__)
1	6e-07	6e-07	6e-07	6e-07	downloader.py:387(UpToI)
1	6e-07	6e-07	6e-07	6e-07	combinator.py:79(Backward)
1	6e-07	6e-07	6e-07	6e-07	babelfish.py:1(<module>)

ncalls	tottime	percall	cumtime	percall	
1	6e-07	6e-07	6e-07	6e-07	constants.py:1(<module>)
1	6e-07	6e-07	6e-07	6e-07	_base.py:39(Error)
1	6e-07	6e-07	6e-07	6e-07	_base.py:43(CancelledError)
1	6e-07	6e-07	6e-07	6e-07	argparse.py:757(MetavarT)
1	6e-07	6e-07	6e-07	6e-07	argparse.py:1179(_Version)
1	6e-07	6e-07	6e-07	6e-07	argparse.py:1064(_Append)
1	6e-07	6e-07	6e-07	6e-07	argparse.py:1796(_Mutual)
1	5e-07	5e-07	5e-07	5e-07	<frozen codecs>:189(_in
2	5e-07	2.5e-07	5e-07	2.5e-07	encoder.py:278(_iterencod
1	5e-07	5e-07	5e-07	5e-07	statistics.py:857(parabolic)
2	5e-07	2.5e-07	5e-07	2.5e-07	statistics.py:865(_newton_
1	5e-07	5e-07	5e-07	5e-07	<string>:1(<module>)
1	5e-07	5e-07	5e-07	5e-07	contextlib.py:393(_Redire
1	5e-07	5e-07	5e-07	5e-07	contextlib.py:802(chdir)
1	5e-07	5e-07	5e-07	5e-07	configparser.py:262(Interp
1	5e-07	5e-07	5e-07	5e-07	configparser.py:337(Missi
1	5e-07	5e-07	5e-07	5e-07	configparser.py:372(_Unn
1	5e-07	5e-07	5e-07	5e-07	contextlib.py:105(_Genera
1	5e-07	5e-07	5e-07	5e-07	contextlib.py:202(_Asynct
1	5e-07	5e-07	5e-07	5e-07	csv.py:128(excel_tab)
1	5e-07	5e-07	5e-07	5e-07	exceptions.py:180(EmptyI
1	5e-07	5e-07	5e-07	5e-07	exceptions.py:235(System
1	5e-07	5e-07	5e-07	5e-07	errors.py:8(MessageError)
1	5e-07	5e-07	5e-07	5e-07	errors.py:24(MultipartCon
1	5e-07	5e-07	5e-07	5e-07	errors.py:28(CharsetError)
1	5e-07	5e-07	5e-07	5e-07	errors.py:48(StartBoundar
1	5e-07	5e-07	5e-07	5e-07	errors.py:51(CloseBounda
1	5e-07	5e-07	5e-07	5e-07	errors.py:54(FirstHeaderL
1	5e-07	5e-07	5e-07	5e-07	client.py:946(set_debuglev
1	5e-07	5e-07	5e-07	5e-07	client.py:1484(HTTPExce
1	5e-07	5e-07	5e-07	5e-07	ipaddress.py:20(AddressV
1	5e-07	5e-07	5e-07	5e-07	__init__.py:1302(Window
1	5e-07	5e-07	5e-07	5e-07	queue.py:31(Full)
1	5e-07	5e-07	5e-07	5e-07	__init__.py:616(PureWind
1	5e-07	5e-07	5e-07	5e-07	__init__.py:48(LargeZipFi
4	5e-07	1.25e-07	5e-07	1.25e-07	__init__.py:1718(<lambda
1	5e-07	5e-07	5e-07	5e-07	request.py:328(data)
1	5e-07	5e-07	5e-07	5e-07	core.py:14(IDNAError)
1	5e-07	5e-07	5e-07	5e-07	request.py:1199(HTTPDig
1	5e-07	5e-07	5e-07	5e-07	request.py:1217(ProxyDig
1	5e-07	5e-07	5e-07	5e-07	request.py:1615(DataHanc
1	5e-07	5e-07	5e-07	5e-07	_itertools.py:1(<module>)
1	5e-07	5e-07	5e-07	5e-07	__init__.py:1(<module>)

ncalls	tottime	percall	cumtime	percall	
1	5e-07	5e-07	5e-07	5e-07	exceptions.py:58(ModuleI
1	5e-07	5e-07	5e-07	5e-07	dtypes.py:1(<module>)
1	5e-07	5e-07	5e-07	5e-07	probability.py:2256(Dictio
1	5e-07	5e-07	5e-07	5e-07	probability.py:2403(Immu
1	5e-07	5e-07	5e-07	5e-07	_ufunc_config.py:379(_un
1	5e-07	5e-07	5e-07	5e-07	_init_.py:172(c_ushort)
1	5e-07	5e-07	5e-07	5e-07	_init_.py:516(OleDLL)
2	5e-07	2.5e-07	5e-07	2.5e-07	_index_tricks_impl.py:77(
1	5e-07	5e-07	5e-07	5e-07	collections.py:524(LazyEr
1	5e-07	5e-07	5e-07	5e-07	featstruct.py:1948(Feature
1	5e-07	5e-07	5e-07	5e-07	featstruct.py:2068(SlashFe
1	5e-07	5e-07	5e-07	5e-07	drt.py:761(DrtOrExpressic
1	5e-07	5e-07	5e-07	5e-07	drt.py:662(DrtNegatedExp
1	5e-07	5e-07	5e-07	5e-07	drt.py:932(DrtApplication
1	5e-07	5e-07	5e-07	5e-07	StatusAnaliser.py:107(_co
1	5e-07	5e-07	5e-07	5e-07	_regex_core.py:3482(_cor
1	5e-07	5e-07	5e-07	5e-07	logic.py:892(TypeResoluti
1	5e-07	5e-07	5e-07	5e-07	logic.py:778(EntityType)
1	5e-07	5e-07	5e-07	5e-07	logic.py:1752(ExistsExpre
1	5e-07	5e-07	5e-07	5e-07	logic.py:1873(AndExpressi
1	5e-07	5e-07	5e-07	5e-07	logic.py:1886(OrExpressio
1	5e-07	5e-07	5e-07	5e-07	logic.py:1935(LogicalExp
1	5e-07	5e-07	5e-07	5e-07	logic.py:1941(Unexpected
1	5e-07	5e-07	5e-07	5e-07	models.py:115(WittenBell
1	5e-07	5e-07	5e-07	5e-07	models.py:122(AbsoluteD
1	5e-07	5e-07	5e-07	5e-07	_regex_core.py:3303(Prec
1	5e-07	5e-07	5e-07	5e-07	_regex_core.py:3366(Prun
1	5e-07	5e-07	5e-07	5e-07	handler.py:223(EntityResc
1	5e-07	5e-07	5e-07	5e-07	_regex_core.py:2130(Bou
1	5e-07	5e-07	5e-07	5e-07	_regex_core.py:2744(Defa
1	5e-07	5e-07	5e-07	5e-07	_regex_core.py:2919(Grap
1	5e-07	5e-07	5e-07	5e-07	_regex_core.py:3995(Start
1	5e-07	5e-07	5e-07	5e-07	simple.py:56(TabTokenize
1	5e-07	5e-07	5e-07	5e-07	sequential.py:395(Trigram
1	5e-07	5e-07	5e-07	5e-07	regexp.py:183(WordPunct
1	5e-07	5e-07	5e-07	5e-07	erroranalysis.py:1(<modul
1	5e-07	5e-07	5e-07	5e-07	chart.py:1012(Fundamenta
1	5e-07	5e-07	5e-07	5e-07	chart.py:1126(TopDownPr
1	5e-07	5e-07	5e-07	5e-07	chart.py:1262(FilteredSing
1	5e-07	5e-07	5e-07	5e-07	chart.py:1286(FilteredBott
1	5e-07	5e-07	5e-07	5e-07	chart.py:1478(TopDownCl
1	5e-07	5e-07	5e-07	5e-07	chart.py:1515(LeftCornerC
1	5e-07	5e-07	5e-07	5e-07	earleychart.py:238(Feature

ncalls	tottime	percall	cumtime	percall	
1	5e-07	5e-07	5e-07	5e-07	earleychart.py:242(Feature
1	5e-07	5e-07	5e-07	5e-07	earleychart.py:470(Feature
1	5e-07	5e-07	5e-07	5e-07	featurechart.py:339(Featur
1	5e-07	5e-07	5e-07	5e-07	featurechart.py:347(Featur
1	5e-07	5e-07	5e-07	5e-07	pchart.py:83(Probabilistic
1	5e-07	5e-07	5e-07	5e-07	pchart.py:98(Probabilistic
1	5e-07	5e-07	5e-07	5e-07	regexp.py:527(MergeRule)
1	5e-07	5e-07	5e-07	5e-07	regexp.py:597(SplitRule)
1	5e-07	5e-07	5e-07	5e-07	regexp.py:666(ExpandLef
1	5e-07	5e-07	5e-07	5e-07	regexp.py:806(ChunkRule)
1	5e-07	5e-07	5e-07	5e-07	glue.py:770(DrtGlue)
1	5e-07	5e-07	5e-07	5e-07	conll.py:561(ConllChunkC
1	5e-07	5e-07	5e-07	5e-07	downloader.py:331(StartC
1	5e-07	5e-07	5e-07	5e-07	downloader.py:338(Finish
1	5e-07	5e-07	5e-07	5e-07	downloader.py:373(StartU
1	5e-07	5e-07	5e-07	5e-07	downloader.py:419(SelectI
1	5e-07	5e-07	5e-07	5e-07	combinator.py:147(Undire
1	5e-07	5e-07	5e-07	5e-07	six.py:245(_MovedItems)
1	5e-07	5e-07	5e-07	5e-07	exceptions.py:1(InvalidPr
1	5e-07	5e-07	5e-07	5e-07	unicode_escape.py:24(Incre
1	5e-07	5e-07	5e-07	5e-07	unicode_escape.py:31(Stre
1	5e-07	5e-07	5e-07	5e-07	argparse.py:725(RawTextF
1	5e-07	5e-07	5e-07	5e-07	argparse.py:799(Argumen
1	5e-07	5e-07	5e-07	5e-07	argparse.py:1326(_Extend
1	5e-07	5e-07	5e-07	5e-07	argparse.py:1001(_StoreC
1	5e-07	5e-07	5e-07	5e-07	argparse.py:1026(_StoreTi
1	5e-07	5e-07	5e-07	5e-07	argparse.py:1104(_Appenc
1	5e-07	5e-07	5e-07	5e-07	argparse.py:1133(_CountA
1	5e-07	5e-07	5e-07	5e-07	argparse.py:1210(_Choice
2	5e-07	2.5e-07	5e-07	2.5e-07	~:0(<method 'isdisjoint' of
1	4e-07	4e-07	5e-07	5e-07	enum.py:413(<genexpr>)
1	4e-07	4e-07	4e-07	4e-07	statistics.py:849(triangular
1	4e-07	4e-07	4e-07	4e-07	contextlib.py:427(redirect
1	4e-07	4e-07	4e-07	4e-07	configparser.py:198(Dupli
1	4e-07	4e-07	4e-07	4e-07	configparser.py:224(Dupli
1	4e-07	4e-07	4e-07	4e-07	configparser.py:251(NoOp
1	4e-07	4e-07	4e-07	4e-07	configparser.py:292(Interp
1	4e-07	4e-07	4e-07	4e-07	configparser.py:365(Unna
1	4e-07	4e-07	4e-07	4e-07	configparser.py:377(Invalid
1	4e-07	4e-07	4e-07	4e-07	typing.py:1717(_Concaten
1	4e-07	4e-07	4e-07	4e-07	_py_warnings.py:68(__ini
1	4e-07	4e-07	4e-07	4e-07	_py_warnings.py:344(Op
1	4e-07	4e-07	4e-07	4e-07	__init__.py:1354(disable)

ncalls	tottime	percall	cumtime	percall	
2	4e-07	2e-07	4e-07	2e-07	__init__.py:257(__register_
1	4e-07	4e-07	4e-07	4e-07	exceptions.py:54(SSLErr
1	4e-07	4e-07	4e-07	4e-07	exceptions.py:239(Insecu
1	4e-07	4e-07	4e-07	4e-07	exceptions.py:250(Respon
1	4e-07	4e-07	4e-07	4e-07	errors.py:20(BoundaryErr
1	4e-07	4e-07	4e-07	4e-07	errors.py:60(MissingHead
1	4e-07	4e-07	4e-07	4e-07	errors.py:65(MultipartInv
1	4e-07	4e-07	4e-07	4e-07	errors.py:91(InvalidHeade
1	4e-07	4e-07	4e-07	4e-07	errors.py:94(HeaderMissin
1	4e-07	4e-07	4e-07	4e-07	client.py:1500(UnknownT
1	4e-07	4e-07	4e-07	4e-07	client.py:1520(ImproperCo
1	4e-07	4e-07	4e-07	4e-07	parse.py:342(DefragResul
1	4e-07	4e-07	4e-07	4e-07	parse.py:350(SplitResultB
1	4e-07	4e-07	4e-07	4e-07	ipaddress.py:24(NetmaskV
1	4e-07	4e-07	4e-07	4e-07	ipaddress.py:1126(__BaseC
1	4e-07	4e-07	4e-07	4e-07	queue.py:36(Shutdown)
2	4e-07	2e-07	4e-07	2e-07	__init__.py:355(root)
2	4e-07	2e-07	4e-07	2e-07	__init__.py:364(_tail)
1	4e-07	4e-07	4e-07	4e-07	shutil.py:75(Error)
2	4e-07	2e-07	4e-07	2e-07	__init__.py:880(tell)
1	4e-07	4e-07	4e-07	4e-07	shutil.py:86(ReadError)
1	4e-07	4e-07	4e-07	4e-07	abc.py:177(FileLoader)
1	4e-07	4e-07	4e-07	4e-07	ssl_match_hostname.py:20
1	4e-07	4e-07	4e-07	4e-07	exceptions.py:27(InvalidJ
1	4e-07	4e-07	4e-07	4e-07	exceptions.py:111(InvalidI
1	4e-07	4e-07	4e-07	4e-07	exceptions.py:142(Request)
1	4e-07	4e-07	4e-07	4e-07	calendar.py:206(setfirstwe
1	4e-07	4e-07	4e-07	4e-07	core.py:20(IDNABidiErro
1	4e-07	4e-07	4e-07	4e-07	request.py:867(HTTPPass
1	4e-07	4e-07	4e-07	4e-07	request.py:1394(Unknown
1	4e-07	4e-07	4e-07	4e-07	_common.py:86(__annota
1	4e-07	4e-07	4e-07	4e-07	abc.py:58(TraversalError)
1	4e-07	4e-07	7e-07	7e-07	_adapters.py:16(__getattr_
1	4e-07	4e-07	4e-07	4e-07	subprocess.py:129(Subpro
1	4e-07	4e-07	4e-07	4e-07	idna.py:316(IncrementalD
1	4e-07	4e-07	4e-07	4e-07	exceptions.py:75(VisibleD
1	4e-07	4e-07	4e-07	4e-07	arrayprint.py:1424(Timede
1	4e-07	4e-07	4e-07	4e-07	numerictypes.py:368(__Pre
1	4e-07	4e-07	4e-07	4e-07	pickle.py:72(PickleError)
1	4e-07	4e-07	4e-07	4e-07	__init__.py:205(c_longdo
1	4e-07	4e-07	4e-07	4e-07	__init__.py:211(c_double_
1	4e-07	4e-07	4e-07	4e-07	__init__.py:231(c_ulonglo
1	4e-07	4e-07	4e-07	4e-07	__init__.py:494(WinDLL)

ncalls	tottime	percall	cumtime	percall	
1	4e-07	4e-07	4e-07	4e-07	_endian.py:55(BigEndianI
1	4e-07	4e-07	4e-07	4e-07	_endian.py:34(_swapped_
1	4e-07	4e-07	4e-07	4e-07	_nbit_base.py:65(_128Bit)
1	4e-07	4e-07	4e-07	4e-07	_nbit_base.py:86(_16Bit)
4	4e-07	1e-07	4e-07	1e-07	__init__.py:109(_get_impl
1	4e-07	4e-07	4e-07	4e-07	boxer.py:1493(Passthrough
1	4e-07	4e-07	4e-07	4e-07	drt.py:771(DrtEqualityExp
1	4e-07	4e-07	4e-07	4e-07	featstruct.py:1470(_Unific
1	4e-07	4e-07	4e-07	4e-07	evaluate.py:44(Error)
1	4e-07	4e-07	4e-07	4e-07	pydoc.py:2022(__init__)
1	4e-07	4e-07	4e-07	4e-07	logic.py:877(InconsistentI
1	4e-07	4e-07	4e-07	4e-07	logic.py:1536(EventVariat
1	4e-07	4e-07	4e-07	4e-07	logic.py:794(EventType)
1	4e-07	4e-07	4e-07	4e-07	logic.py:1757(AllExpressi
1	4e-07	4e-07	4e-07	4e-07	logic.py:1859(BooleanExp
1	4e-07	4e-07	4e-07	4e-07	logic.py:1899(ImpExpress
1	4e-07	4e-07	4e-07	4e-07	logic.py:1906(IffExpressi
1	4e-07	4e-07	4e-07	4e-07	logic.py:1957(ExpectedMe
1	4e-07	4e-07	4e-07	4e-07	gzip.py:125(BadGzipFile)
1	4e-07	4e-07	4e-07	4e-07	_regex_core.py:65(ParseE
1	4e-07	4e-07	4e-07	4e-07	_regex_core.py:297(Name
1	4e-07	4e-07	4e-07	4e-07	models.py:131(KneserNey
1	4e-07	4e-07	4e-07	4e-07	_regex_core.py:2934(Grap
1	4e-07	4e-07	4e-07	4e-07	_regex_core.py:4062(Lite
1	4e-07	4e-07	4e-07	4e-07	_regex_core.py:2748(Defa
1	4e-07	4e-07	4e-07	4e-07	_regex_core.py:2752(Defa
1	4e-07	4e-07	4e-07	4e-07	_regex_core.py:2756(Endt
1	4e-07	4e-07	4e-07	4e-07	_regex_core.py:2764(Endt
1	4e-07	4e-07	4e-07	4e-07	_regex_core.py:2768(Endt
1	4e-07	4e-07	4e-07	4e-07	_regex_core.py:2772(Endt
1	4e-07	4e-07	4e-07	4e-07	_regex_core.py:2776(Endt
1	4e-07	4e-07	4e-07	4e-07	_regex_core.py:3498(Sear
1	4e-07	4e-07	4e-07	4e-07	_regex_core.py:3987(Skip
1	4e-07	4e-07	4e-07	4e-07	_exceptions.py:101(SAXN
1	4e-07	4e-07	4e-07	4e-07	immutable.py:111(Immuta
1	4e-07	4e-07	4e-07	4e-07	corenlp.py:26(CoreNLPSe
1	4e-07	4e-07	4e-07	4e-07	corenlp.py:595(CoreNLPI
1	4e-07	4e-07	4e-07	4e-07	chart.py:1199(BottomUpP
1	4e-07	4e-07	4e-07	4e-07	chart.py:1218(BottomUpP
1	4e-07	4e-07	4e-07	4e-07	chart.py:1241(EmptyPredi
1	4e-07	4e-07	4e-07	4e-07	chart.py:1488(BottomUpC
1	4e-07	4e-07	4e-07	4e-07	chart.py:1504(BottomUpL
1	4e-07	4e-07	4e-07	4e-07	earleychart.py:213(Filter

ncalls	tottime	percall	cumtime	percall	
1	4e-07	4e-07	4e-07	4e-07	earleychart.py:394(Increm
1	4e-07	4e-07	4e-07	4e-07	earleychart.py:401(Increm
1	4e-07	4e-07	4e-07	4e-07	earleychart.py:408(Increm
1	4e-07	4e-07	4e-07	4e-07	earleychart.py:477(Feature
1	4e-07	4e-07	4e-07	4e-07	earleychart.py:484(Feature
1	4e-07	4e-07	4e-07	4e-07	featurechart.py:408(Featur
1	4e-07	4e-07	4e-07	4e-07	earleychart.py:209(Predict
1	4e-07	4e-07	4e-07	4e-07	featurechart.py:423(Featur
1	4e-07	4e-07	4e-07	4e-07	featurechart.py:510(Featur
1	4e-07	4e-07	4e-07	4e-07	featurechart.py:515(Featur
1	4e-07	4e-07	4e-07	4e-07	pchart.py:403(UnsortedCh
1	4e-07	4e-07	4e-07	4e-07	pchart.py:413(LongestCha
1	4e-07	4e-07	4e-07	4e-07	regexp.py:487(UnChunkR
1	4e-07	4e-07	4e-07	4e-07	glue.py:765(DrtGlueDict)
1	4e-07	4e-07	4e-07	4e-07	resolution.py:667(Unificat
1	4e-07	4e-07	4e-07	4e-07	linearlogic.py:463(LinearI
1	4e-07	4e-07	4e-07	4e-07	tableau.py:37(ProverParse
1	4e-07	4e-07	4e-07	4e-07	wordnet.py:130(WordNetF
1	4e-07	4e-07	4e-07	4e-07	framenet.py:755(Framenet
1	4e-07	4e-07	4e-07	4e-07	framenet.py:1013(PrettyLa
1	4e-07	4e-07	4e-07	4e-07	downloader.py:326(Downl
1	4e-07	4e-07	4e-07	4e-07	downloader.py:390(__init_
1	4e-07	4e-07	4e-07	4e-07	downloader.py:345(StartP
1	4e-07	4e-07	4e-07	4e-07	downloader.py:352(Finish
1	4e-07	4e-07	4e-07	4e-07	downloader.py:359(StartD
1	4e-07	4e-07	4e-07	4e-07	downloader.py:366(Finish
1	4e-07	4e-07	4e-07	4e-07	downloader.py:394(StaleN
1	4e-07	4e-07	4e-07	4e-07	downloader.py:401(ErrorN
1	4e-07	4e-07	4e-07	4e-07	downloader.py:412(Progre
1	4e-07	4e-07	4e-07	4e-07	_base.py:49(InvalidStateE
1	4e-07	4e-07	4e-07	4e-07	argparse.py:736(Argumen
1	4e-07	4e-07	4e-07	4e-07	argparse.py:1045(__StoreF
1	4e-07	4e-07	4e-07	4e-07	argparse.py:1405(__init__
1	4e-07	4e-07	4e-07	4e-07	argparse.py:819(Argumen
1	4e-07	4e-07	4e-07	4e-07	~:0(<built-in method numj
1	4e-07	4e-07	4e-07	4e-07	~:0(<built-in method __abc
1	4e-07	4e-07	4e-07	4e-07	~:0(<method 'toordinal' of
1	4e-07	4e-07	4e-07	4e-07	~:0(<built-in method __thre
1	4e-07	4e-07	4e-07	4e-07	~:0(<method 'seekable' of
1	4e-07	4e-07	4e-07	4e-07	~:0(<method 'copy' of 'list'
1	4e-07	4e-07	4e-07	4e-07	~:0(<built-in method __eler
1	3e-07	3e-07	4e-07	4e-07	copyreg.py:22(constructo

ncalls	tottime	percall	cumtime	percall	
1	3e-07	3e-07	3e-07	3e-07	subprocess.py:701(_use_p
1	3e-07	3e-07	3e-07	3e-07	_py_warnings.py:350(_prc
1	3e-07	3e-07	3e-07	3e-07	configparser.py:284(Interp
1	3e-07	3e-07	3e-07	3e-07	configparser.py:351(Multi
1	3e-07	3e-07	3e-07	3e-07	__init__.py:1030(setForm;
1	3e-07	3e-07	3e-07	3e-07	exceptions.py:22(HTTPW;
1	3e-07	3e-07	3e-07	3e-07	exceptions.py:69(DecodeE
1	3e-07	3e-07	3e-07	3e-07	exceptions.py:73(Protocol
1	3e-07	3e-07	3e-07	3e-07	exceptions.py:120(Timeou
1	3e-07	3e-07	3e-07	3e-07	exceptions.py:138(Connec
1	3e-07	3e-07	3e-07	3e-07	exceptions.py:192(Locatio
1	3e-07	3e-07	3e-07	3e-07	exceptions.py:299(Invalid
1	3e-07	3e-07	3e-07	3e-07	exceptions.py:320(ProxyS
1	3e-07	3e-07	3e-07	3e-07	__init__.py:1(<module>)
1	3e-07	3e-07	3e-07	3e-07	errors.py:74(InvalidBase6
1	3e-07	3e-07	3e-07	3e-07	errors.py:77(InvalidBase6
1	3e-07	3e-07	3e-07	3e-07	errors.py:80(InvalidBase6
1	3e-07	3e-07	3e-07	3e-07	errors.py:111(NonASCIIIL
1	3e-07	3e-07	3e-07	3e-07	errors.py:116(InvalidDateI
1	3e-07	3e-07	3e-07	3e-07	client.py:763(info)
1	3e-07	3e-07	3e-07	3e-07	client.py:1489(NotConnec
1	3e-07	3e-07	3e-07	3e-07	client.py:1526(CannotSend
1	3e-07	3e-07	3e-07	3e-07	shutil.py:78(SameFileErro
1	3e-07	3e-07	3e-07	3e-07	shutil.py:81(SpecialFileEr
1	3e-07	3e-07	3e-07	3e-07	shutil.py:89(RegistryError
1	3e-07	3e-07	3e-07	3e-07	shutil.py:93(_GiveupOnFa
1	3e-07	3e-07	3e-07	3e-07	exceptions.py:59(Connecti
1	3e-07	3e-07	3e-07	3e-07	exceptions.py:71(Timeout)
1	3e-07	3e-07	3e-07	3e-07	exceptions.py:80(Connecti
1	3e-07	3e-07	3e-07	3e-07	exceptions.py:91(URLReq
1	3e-07	3e-07	3e-07	3e-07	exceptions.py:99(MissingC
1	3e-07	3e-07	3e-07	3e-07	exceptions.py:103(Invalid
1	3e-07	3e-07	3e-07	3e-07	exceptions.py:107(Invalid
1	3e-07	3e-07	3e-07	3e-07	cookiejar.py:1245(Absent)
1	3e-07	3e-07	3e-07	3e-07	cookiejar.py:1775(LoadEr
1	3e-07	3e-07	3e-07	3e-07	core.py:26(InvalidCodepo
1	3e-07	3e-07	3e-07	3e-07	_common.py:174(_)
1	3e-07	3e-07	3e-07	3e-07	cookies.py:170(CookieCo
1	3e-07	3e-07	3e-07	3e-07	_adapters.py:25(__init__)
1	3e-07	3e-07	3e-07	3e-07	idna.py:370(StreamWriter)
1	3e-07	3e-07	3e-07	3e-07	idna.py:373(StreamReade
1	3e-07	3e-07	3e-07	3e-07	ElementTree.py:537(getro
1	3e-07	3e-07	3e-07	3e-07	exceptions.py:86(RankWa

ncalls	tottime	percall	cumtime	percall	
1	3e-07	3e-07	3e-07	3e-07	exceptions.py:199(DTypeI
2	3e-07	1.5e-07	3e-07	1.5e-07	multiarray.py:1085(copyto
1	3e-07	3e-07	3e-07	3e-07	pickle.py:76(PicklingError
1	3e-07	3e-07	3e-07	3e-07	pickle.py:83(UnpicklingEi
1	3e-07	3e-07	3e-07	3e-07	__init__.py:176(c_long)
1	3e-07	3e-07	3e-07	3e-07	__init__.py:180(c_ulong)
1	3e-07	3e-07	3e-07	3e-07	__init__.py:201(c_double)
1	3e-07	3e-07	3e-07	3e-07	__init__.py:227(c_longlon
1	3e-07	3e-07	3e-07	3e-07	__init__.py:250(c_char)
1	3e-07	3e-07	3e-07	3e-07	__init__.py:261(c_void_p)
1	3e-07	3e-07	3e-07	3e-07	__init__.py:266(c_bool)
1	3e-07	3e-07	3e-07	3e-07	__init__.py:341(c_wchar)
1	3e-07	3e-07	3e-07	3e-07	_endian.py:35(_swapped_
1	3e-07	3e-07	3e-07	3e-07	_nbit_base.py:71(_96Bit)
1	3e-07	3e-07	3e-07	3e-07	_nbit_base.py:76(_64Bit)
1	3e-07	3e-07	3e-07	3e-07	_nbit_base.py:81(_32Bit)
1	3e-07	3e-07	3e-07	3e-07	_nbit_base.py:91(_8Bit)
1	3e-07	3e-07	3e-07	3e-07	_iotoools.py:431(Converter
1	3e-07	3e-07	3e-07	3e-07	_iotoools.py:439(Conversio
1	3e-07	3e-07	3e-07	3e-07	drt.py:578(DrtIndividualV
1	3e-07	3e-07	3e-07	3e-07	drt.py:596(DrtConstantEx
1	3e-07	3e-07	3e-07	3e-07	logic.py:900(IllegalTypeE
1	3e-07	3e-07	3e-07	3e-07	evaluate.py:48(Undefined)
2	3e-07	1.5e-07	3e-07	1.5e-07	_regex_core.py:3492(max
1	3e-07	3e-07	3e-07	3e-07	_regex_core.py:61(_Unsc
1	3e-07	3e-07	3e-07	3e-07	_regex_core.py:2760(Endt
1	3e-07	3e-07	3e-07	3e-07	_regex_core.py:3146(Lazy
1	3e-07	3e-07	3e-07	3e-07	_regex_core.py:3991(Start
1	3e-07	3e-07	3e-07	3e-07	_regex_core.py:3999(Start
1	3e-07	3e-07	3e-07	3e-07	_regex_core.py:4003(Start
1	3e-07	3e-07	3e-07	3e-07	immutable.py:115(Immuta
1	3e-07	3e-07	3e-07	3e-07	earleychart.py:387(Increm
1	3e-07	3e-07	3e-07	3e-07	earleychart.py:491(Feature
1	3e-07	3e-07	3e-07	3e-07	dependencygraph.py:587(l
1	3e-07	3e-07	3e-07	3e-07	linearlogic.py:180(Variabl
1	3e-07	3e-07	3e-07	3e-07	resolution.py:34(ProverPa
1	3e-07	3e-07	3e-07	3e-07	downloader.py:355(__init_
1	3e-07	3e-07	3e-07	3e-07	downloader.py:380(Finish
1	3e-07	3e-07	3e-07	3e-07	chart.py:223(__init__)
1	3e-07	3e-07	3e-07	3e-07	version.py:1(<module>)
1	3e-07	3e-07	3e-07	3e-07	six.py:340(Module_six_m
1	3e-07	3e-07	3e-07	3e-07	six.py:382(Module_six_m
1	3e-07	3e-07	3e-07	3e-07	six.py:402(Module_six_m

ncalls	tottime	percall	cumtime	percall	
1	3e-07	3e-07	3e-07	3e-07	unicode_escape.py:28(Stri
1	3e-07	3e-07	3e-07	3e-07	exceptions.py:4(Translatio
1	3e-07	3e-07	3e-07	3e-07	cp437.py:25(StreamWriter
1	3e-07	3e-07	3e-07	3e-07	cp437.py:28(StreamReade
1	3e-07	3e-07	3e-07	3e-07	_base.py:671(BrokenExec
1	3e-07	3e-07	3e-07	3e-07	StatusAnaliser.py:495(<ge
1	3e-07	3e-07	3e-07	3e-07	StatusAnaliser.py:497(<ge
3	3e-07	1e-07	3e-07	1e-07	_base.py:663(__enter__)
1	3e-07	3e-07	3e-07	3e-07	~:0(<built-in method numj
1	3e-07	3e-07	3e-07	3e-07	~:0(<built-in method rege
1	3e-07	3e-07	3e-07	3e-07	~:0(<built-in method rege
1	3e-07	3e-07	3e-07	3e-07	~:0(<built-in method _thr
1	3e-07	3e-07	3e-07	3e-07	~:0(<built-in method built
1	3e-07	3e-07	3e-07	3e-07	~:0(<built-in method __zstc
1	2e-07	2e-07	2e-07	2e-07	enum.py:1234(__generate_1
1	2e-07	2e-07	2e-07	2e-07	typing.py:1806(_TypingEl
1	2e-07	2e-07	2e-07	2e-07	_py_warnings.py:24(__set_
1	2e-07	2e-07	2e-07	2e-07	threading.py:847(BrokenB
1	2e-07	2e-07	2e-07	2e-07	exceptions.py:132(ReadTi
1	2e-07	2e-07	2e-07	2e-07	exceptions.py:184(FullPoc
1	2e-07	2e-07	2e-07	2e-07	exceptions.py:188(ClosedI
1	2e-07	2e-07	2e-07	2e-07	exceptions.py:223(Security
1	2e-07	2e-07	2e-07	2e-07	exceptions.py:227(Insecu
1	2e-07	2e-07	2e-07	2e-07	exceptions.py:231(NotOpe
1	2e-07	2e-07	2e-07	2e-07	exceptions.py:243(Depend
1	2e-07	2e-07	2e-07	2e-07	exceptions.py:254(BodyN
1	2e-07	2e-07	2e-07	2e-07	errors.py:68(InvalidMultip
1	2e-07	2e-07	2e-07	2e-07	client.py:1503(Unimpleme
1	2e-07	2e-07	2e-07	2e-07	client.py:1523(CannotSen
1	2e-07	2e-07	2e-07	2e-07	client.py:1529(ResponseN
1	2e-07	2e-07	2e-07	2e-07	__init__.py:1(<module>)
1	2e-07	2e-07	2e-07	2e-07	__init__.py:1(<module>)
1	2e-07	2e-07	2e-07	2e-07	exceptions.py:55(HTTPEr
1	2e-07	2e-07	2e-07	2e-07	exceptions.py:63(ProxyEri
1	2e-07	2e-07	2e-07	2e-07	exceptions.py:67(SSLErr
1	2e-07	2e-07	2e-07	2e-07	exceptions.py:87(ReadTim
1	2e-07	2e-07	2e-07	2e-07	exceptions.py:95(TooMan
1	2e-07	2e-07	2e-07	2e-07	exceptions.py:115(Invalidl
1	2e-07	2e-07	2e-07	2e-07	exceptions.py:119(Chunke
1	2e-07	2e-07	2e-07	2e-07	exceptions.py:123(Conten
1	2e-07	2e-07	2e-07	2e-07	exceptions.py:127(StreamI
1	2e-07	2e-07	2e-07	2e-07	exceptions.py:131(RetryEi
1	2e-07	2e-07	2e-07	2e-07	exceptions.py:135(Unrewi

ncalls	tottime	percall	cumtime	percall	
1	2e-07	2e-07	2e-07	2e-07	exceptions.py:146(FileMo
1	2e-07	2e-07	2e-07	2e-07	exceptions.py:150(Reques
1	2e-07	2e-07	2e-07	2e-07	package_data.py:1(<modu
1	2e-07	2e-07	2e-07	2e-07	core.py:32(InvalidCodepo
1	2e-07	2e-07	2e-07	2e-07	readers.py:34(files)
1	2e-07	2e-07	2e-07	2e-07	_adapters.py:141(__init__
1	2e-07	2e-07	2e-07	2e-07	__init__.py:1(<module>)
1	2e-07	2e-07	2e-07	2e-07	exceptions.py:96(TooHard
1	2e-07	2e-07	2e-07	2e-07	__init__.py:197(c_float)
1	2e-07	2e-07	2e-07	2e-07	__init__.py:238(c_ubyte)
1	2e-07	2e-07	2e-07	2e-07	__init__.py:245(c_byte)
1	2e-07	2e-07	2e-07	2e-07	boxer.py:1560(Unparseabl
1	2e-07	2e-07	2e-07	2e-07	drt.py:584(DrtFunctionVai
1	2e-07	2e-07	2e-07	2e-07	drt.py:590(DrtEventVaria
1	2e-07	2e-07	2e-07	2e-07	drt.py:757(DrtBooleanExp
1	2e-07	2e-07	2e-07	2e-07	drt.py:998(AnaphoraResol
1	2e-07	2e-07	2e-07	2e-07	logic.py:1762(IotaExpress
2	2e-07	1e-07	2e-07	1e-07	_regex_core.py:1989(has_
1	2e-07	2e-07	2e-07	2e-07	_regex_core.py:3215(max_
2	2e-07	1e-07	2e-07	1e-07	_regex_core.py:3333(optir
1	2e-07	2e-07	2e-07	2e-07	_regex_core.py:69(__FirstS
1	2e-07	2e-07	2e-07	2e-07	_regex_core.py:3495(__de
1	2e-07	2e-07	2e-07	2e-07	_exceptions.py:111(SAXN
1	2e-07	2e-07	2e-07	2e-07	_exceptions.py:121(SAXR
1	2e-07	2e-07	2e-07	2e-07	earleychart.py:246(Feature
1	2e-07	2e-07	2e-07	2e-07	prover9.py:397(Prover9Fa
1	2e-07	2e-07	2e-07	2e-07	prover9.py:401(Prover9Li
1	2e-07	2e-07	2e-07	2e-07	linearlogic.py:454(Variab
1	2e-07	2e-07	2e-07	2e-07	vader.py:217(__init__)
1	2e-07	2e-07	2e-07	2e-07	six.py:459(Module_six_m
1	2e-07	2e-07	2e-07	2e-07	six.py:480(Module_six_m
1	2e-07	2e-07	2e-07	2e-07	StatusAnaliser.py:499(<ge
1	2e-07	2e-07	2e-07	2e-07	~:0(<method 'close' of '_io
1	1e-07	1e-07	1e-07	1e-07	enum.py:167(__init__)
1	1e-07	1e-07	1e-07	1e-07	__init__.py:1(<module>)
1	1e-07	1e-07	1e-07	1e-07	__init__.py:1(<module>)
1	1e-07	1e-07	1e-07	1e-07	logic.py:803(__init__)
1	1e-07	1e-07	1e-07	1e-07	_regex_core.py:1968(optir
1	1e-07	1e-07	1e-07	1e-07	_regex_core.py:2614(has_
2	1e-07	5e-08	1e-07	5e-08	_regex_core.py:2967(can_
1	1e-07	1e-07	1e-07	1e-07	_regex_core.py:3737(has_
1	1e-07	1e-07	1e-07	1e-07	six.py:239(exec_module)
1	1e-07	1e-07	1e-07	1e-07	__init__.py:1(<module>)

ncalls	tottime	percall	cumtime	percall
1	1e-07	1e-07	1e-07	1e-07

Showing 1 to 4,062 of 4,062 entries

[SnakeViz Docs](#)