


SnakeViz

Call Stack

Search:

ncalls	tottime	percall	cumtime	percall
1431	0.009493	6.634e-06	4517	3.157
714	0.007365	1.031e-05	4517	6.327
720	0.004148	5.761e-06	4517	6.274
554/1	0.01032	0.01032	1342	1342
1	0.0006857	0.0006857	1342	1342
1	0.0007782	0.0007782	1341	1341
711/3	0.009267	0.003089	1077	359.1
711/3	0.006705	0.002235	1077	359.1
15/3	0.00105	0.0003499	1077	359.1
15	0.0008316	5.544e-05	1077	71.81
15/3	0.0004423	0.0001474	1077	359.1
15/3	0.0001352	4.507e-05	1077	359.1
15/3	0.0001249	4.163e-05	1077	359.1
15/3	0.0001206	4.02e-05	1077	359.1
15/3	7.64e-05	2.547e-05	1077	359.1
15	5.51e-05	3.673e-06	1077	71.81
3	4.82e-05	1.607e-05	1077	359.1
3	3.1e-05	1.033e-05	1077	359.1
2520/1583	0.02754	1.739e-05	1020	0.6444
				sessions.py:500(que

ncalls	tottime	percall	cumtime	percall	
2524/1586	0.05132	3.236e-05	1019	0.6423	sessions.py:673(send)
2524/1592	0.03482	2.187e-05	1017	0.6386	adapters.py:590(send)
2524/1593	0.03813	2.394e-05	1014	0.6364	connectionpool.py:59:
2524/1593	0.03446	2.163e-05	984	0.6177	connectionpool.py:37
1	2.83e-05	2.83e-05	859.7	859.7	ScoringSys.py:227(co
1	1.32e-05	1.32e-05	853.8	853.8	StatusAnaliser.py:488
1	1.28e-05	1.28e-05	853.8	853.8	StatusAnaliser.py:468
1716/779	0.01882	2.416e-05	847	1.087	api.py:62(get)
1716/779	0.01937	2.487e-05	846.7	1.087	api.py:14(request)
2524/1959	0.05321	2.716e-05	757.2	0.3865	connection.py:540(ge
2525/1960	0.0193	9.847e-06	717.4	0.366	client.py:1386(getres
2525/1960	0.0456	2.326e-05	712.6	0.3636	client.py:324(begin)
2525/1960	0.03571	1.822e-05	712	0.3632	client.py:291(_read_s
68058/53966	0.05882	1.09e-06	692.6	0.01283	~:0(<method 'readline
6741/5161	0.03038	5.887e-06	517.6	0.1003	socket.py:712(readint
6737/5157	0.03403	6.599e-06	513.2	0.09952	ssl.py:1289(recv_into
6737/5157	0.1292	2.505e-05	488.2	0.09466	ssl.py:1129(read)
6737/5157	444.4	0.08617	400.7	0.0777	~:0(<method 'read' of
1718/1007	0.02815	2.795e-05	348.9	0.3465	connection.py:724(co
2520/1809	0.01186	6.555e-06	348.9	0.1929	connectionpool.py:10:
1718/1019	0.02722	2.671e-05	334.6	0.3284	connection.py:901(_se
1718/1019	0.1155	0.0001134	318.6	0.3127	ssl_py:413(ssl_wrap_
711/3	0.5324	0.1775	237.9	79.29	StatusAnaliser.py:17(
1	2.67e-05	2.67e-05	227.9	227.9	ScoringSys.py:170(co
1	0.0002234	0.0002234	223.8	223.8	StatusAnaliser.py:317
1	1.74e-05	1.74e-05	223.8	223.8	StatusAnaliser.py:342
1767/1086	291.2	0.2681	223.6	0.2059	~:0(<method 'load_ve
237/1	0.2039	0.2039	199.4	199.4	StatusAnaliser.py:72(
1	0.0005058	0.0005058	199.4	199.4	StatusAnaliser.py:130
1	1.3e-05	1.3e-05	199.4	199.4	StatusAnaliser.py:92(
1	0.002322	0.002322	178	178	ScoringSys.py:88(con
200	0.01719	8.595e-05	177.9	0.8897	SentimentalAnaliser.p
804	0.004122	5.126e-06	176.8	0.2199	sessions.py:593(get)
800	0.00236	2.95e-06	172	0.215	SentimentalAnaliser.p
1	0.007054	0.007054	67.58	67.58	ScoringSys.py:126(co
1	0.08869	0.08869	60.93	60.93	OSSanaliser.py:150(g
1718/1603	0.004482	2.796e-06	48	0.02994	ssl_py:511(_ssl_wrap
7679/7648	0.007416	9.696e-07	32.98	0.004312	models.py:816(genera
7679/7648	0.01063	1.39e-06	32.25	0.004217	response.py:1231(stre
4962/4948	0.006931	1.401e-06	32.23	0.006513	models.py:890(conten
28672/28577	0.02757	9.647e-07	32.21	0.001127	~:0(<method 'join' of
1719/1613	0.01182	7.33e-06	29.68	0.0184	connection.py:198(_n
3629/3616	0.02514	6.951e-06	29.5	0.008158	~:0(<method 'read' of

ncalls	tottime	percall	cumtime	percall	
1719/1613	0.02247	1.393e-05	27.61	0.01712	connection.py:27(crea
2107/2101	0.01815	8.64e-06	24.38	0.0116	response.py:1065(read
1719/1604	0.009145	5.702e-06	24.16	0.01507	ssl.py:449(wrap_sock
4185/4173	0.02028	4.86e-06	23.99	0.005749	response.py:1013(_ra
237/1	0.1926	0.1926	23.97	23.97	StatusAnaliser.py:264
237/1	0.001208	0.001208	23.97	23.97	StatusAnaliser.py:274
1	1.01e-05	1.01e-05	23.97	23.97	StatusAnaliser.py:296
4188/4176	0.01106	2.649e-06	23.9	0.005724	client.py:463(read)
4185/4173	0.005086	1.219e-06	23.9	0.005727	response.py:956(_fp_
1719/1604	0.03423	2.134e-05	23.83	0.01486	ssl.py:990(_create)
1719/1605	0.01523	9.487e-06	23.02	0.01434	ssl.py:1365(do_hands
1719/1605	19.01	0.01184	18.48	0.01151	~:0(<method 'do_han
1720/1619	16.13	0.009961	15.65	0.009665	~:0(<method 'connect
895/8	547	68.37	14.92	1.866	~:0(<built-in method t
237/1	0.2174	0.2174	14.48	14.48	StatusAnaliser.py:390
237/1	0.02066	0.02066	14.48	14.48	StatusAnaliser.py:454
2	0.006051	0.003025	13.01	6.505	StatusAnaliser.py:364
2	0.001804	0.0009022	13.01	6.506	StatusAnaliser.py:351
1720/1667	0.01056	6.335e-06	11.17	0.006701	socket.py:966(getaddi
1720/1667	9.63	0.005777	9.179	0.005506	~:0(<built-in method _
3494/3484	0.009715	2.788e-06	6.232	0.001789	response.py:1368(read
537/536	0.001395	2.603e-06	6.124	0.01143	response.py:1346(_ha
958/956	0.00112	1.171e-06	5.631	0.00589	client.py:635(_safe_re
1716/1708	0.004975	2.913e-06	5.062	0.002964	weakref.py:485(__cal
266063/265783	0.03944	1.484e-07	4.794	1.804e-05	~:0(<method 'join' of '
4	2.44e-05	6.1e-06	4.755	1.189	translate.py:43(transla
4	6.93e-05	1.733e-05	4.754	1.189	mymemory_translatec
4	3.08e-05	7.7e-06	4.754	1.189	mymemory_translatec
8	2.13e-05	2.663e-06	4.754	0.5943	translate.py:48(<gene
1	0.0008673	0.0008673	4.082	4.082	StatusAnaliser.py:44(
1	0.002755	0.002755	4.081	4.081	StatusAnaliser.py:54(
1	0.0001729	0.0001729	3.989	3.989	OSSanaliser.py:117(g
2528/2524	0.005562	2.204e-06	3.659	0.00145	sessions.py:159(resolv
1	0.0001084	0.0001084	2.65	2.65	OSSanaliser.py:90(ge
2520/2506	0.03144	1.254e-05	1.908	0.0007613	sessions.py:457(prepa
1716/1708	0.01297	7.595e-06	1.556	0.0009109	connectionpool.py:11'
1716/1708	0.01177	6.894e-06	1.456	0.0008523	connection.py:375(clc
2524/2492	0.01232	4.944e-06	1.452	0.0005827	adapters.py:280(cert_
1717/1709	0.004145	2.425e-06	1.443	0.0008441	client.py:1015(close)
1719/1711	0.002293	1.34e-06	1.434	0.000838	socket.py:507(close)
1717/1709	0.09578	5.604e-05	1.429	0.0008363	ssl.py:1361(_real_clo
1718/1710	0.003247	1.899e-06	1.333	0.0007793	socket.py:503(_real_c
2520/2489	0.01525	6.127e-06	1.299	0.0005218	sessions.py:750(merg

ncalls	tottime	percall	cumtime	percall	
2524/2493	0.006614	2.653e-06	1.23	0.0004932	utils.py:816(get_environ)
25261	0.06809	2.696e-06	1.108	4.386e-05	parse.py:374(urlparse)
2524	0.01281	5.074e-06	1.098	0.0004351	adapters.py:423(get_c)
2525	0.007306	2.893e-06	1.085	0.0004296	client.py:245(parse_h)
149	0.0005052	3.391e-06	1.023	0.006866	SentimentalAnaliser.p
148	0.0004777	3.228e-06	1.022	0.006908	detector_factory.py:12
2524/2510	0.02768	1.103e-05	0.9851	0.0003925	utils.py:207(get_netrc)
25261	0.02897	1.147e-06	0.9838	3.895e-05	parse.py:399(_urlpars)
26699	0.1646	6.166e-06	0.968	3.626e-05	parse.py:499(_urlsplit)
10113/9986	0.9103	9.116e-05	0.9056	9.068e-05	~:0(<built-in method i
2524/2522	0.05125	2.032e-05	0.8668	0.0003437	connection.py:424(rec
5048	0.01665	3.297e-06	0.8144	0.0001613	utils.py:828(select_pr
4	0.8061	0.2015	0.8061	0.2015	~:0(<method 'recv_in
2525	0.02016	7.984e-06	0.8012	0.0003173	client.py:231(_parse_)
628/9	0.002768	0.0003075	0.7898	0.08775	<frozen importlib._bo
627/9	0.002819	0.0003132	0.7895	0.08772	<frozen importlib._bo
592/9	0.00172	0.0001911	0.7849	0.08721	<frozen importlib._bo
546/8	0.001326	0.0001657	0.7846	0.09807	<frozen importlib._bo
1751/20	0.002002	0.0001001	0.7778	0.03889	<frozen importlib._bo
2525	0.02352	9.314e-06	0.7694	0.0003047	parser.py:56(parsestr)
2525	0.01537	6.088e-06	0.7459	0.0002954	parser.py:41(parse)
1	2.89e-05	2.89e-05	0.7423	0.7423	OSSanaliser.py:1(<m
148	0.0001146	7.743e-07	0.7274	0.004915	detector.py:132(detect
148	0.001262	8.525e-06	0.7273	0.004914	detector.py:141(get_p
148	0.0484	0.000327	0.7246	0.004896	detector.py:146(_dete
26696	0.6965	2.609e-05	0.7221	2.705e-05	parse.py:416(_splitnet
1718/1688	0.03988	2.362e-05	0.6975	0.0004132	ssl_.py:225(create_url
2520	0.01315	5.217e-06	0.6902	0.0002739	models.py:351(prepar
2525	0.005568	2.205e-06	0.6233	0.0002468	feedparser.py:173(fee
5050	0.01137	2.252e-06	0.5784	0.0001145	feedparser.py:178(_ca
5050	0.07376	1.461e-05	0.567	0.0001123	feedparser.py:218(_pa
47821/47649	0.5683	1.193e-05	0.5647	1.185e-05	~:0(<built-in method _
2525/2523	0.004476	1.774e-06	0.5474	0.000217	client.py:1322(endhea
2525/2523	0.007839	3.107e-06	0.5424	0.000215	client.py:1084(_send_
1719/1689	0.002128	1.26e-06	0.5387	0.000319	ssl.py:430(__new__)
2525/2523	0.008179	3.242e-06	0.5319	0.0002108	client.py:1029(send)
1	4.37e-05	4.37e-05	0.5028	0.5028	gitblame.py:1(<modu
1	7.34e-05	7.34e-05	0.4906	0.4906	SentimentalAnaliser.p
1	0.0002271	0.0002271	0.4475	0.4475	__init__.py:1(<modul
2524	0.01954	7.742e-06	0.4427	0.0001754	adapters.py:336(build
2528/2515	0.01689	6.715e-06	0.4376	0.000174	utils.py:755(should_b
2520/2498	0.002947	1.18e-06	0.4182	0.0001674	utils.py:258(extract_z
1	0.0007046	0.0007046	0.4176	0.4176	WorkTypeAnalyzer.py

ncalls	tottime	percall	cumtime	percall	
1	1.69e-05	1.69e-05	0.4176	0.4176	ScoringSys.py:268(get)
1	5.8e-06	5.8e-06	0.4167	0.4167	WorkTypeAnalyzer.py
1	0.0007049	0.0007049	0.4157	0.4157	StatusAnaliser.py:217
1	6.5e-06	6.5e-06	0.4148	0.4148	StatusAnaliser.py:207
1	2.52e-05	2.52e-05	0.4119	0.4119	ScoringSys.py:320(get)
1	0.0008839	0.0008839	0.4118	0.4118	WorkTypeAnalyzer.py
1	6.5e-06	6.5e-06	0.4106	0.4106	WorkTypeAnalyzer.py
5044	0.04816	9.549e-06	0.3946	7.823e-05	url.py:367(parse_url)
857/257	0.001002	3.899e-06	0.3627	0.001411	~:0(<built-in method l
2520	0.02387	9.473e-06	0.3453	0.000137	models.py:409(prepar
1273	0.003468	2.724e-06	0.3411	0.000268	__init__.py:299(load
1273	0.004772	3.749e-06	0.3371	0.0002648	decoder.py:340(decod
1	4.5e-06	4.5e-06	0.3365	0.3365	connection.py:330(co
93507	0.3283	3.511e-06	0.3359	3.592e-06	detector.py:201(_upd
1273	0.3285	0.000258	0.3285	0.000258	decoder.py:351(raw_c
2528/2515	0.01809	7.193e-06	0.3184	0.0001266	utils.py:115(proxy_by
1217	0.005139	4.223e-06	0.3165	0.00026	models.py:947(json)
7644	0.2071	2.709e-05	0.3101	4.057e-05	url.py:227(_encode_ir
14334	0.02928	2.043e-06	0.2991	2.087e-05	structures.py:40(__ini
2524	0.008494	3.365e-06	0.2983	0.0001182	poolmanager.py:290(c
19379	0.08607	4.441e-06	0.2844	1.467e-05	<frozen_collections:_
2525	0.09908	3.924e-05	0.2843	0.0001126	feedparser.py:472(_pa
2524	0.0103	4.082e-06	0.2832	0.0001122	poolmanager.py:319(c
148	0.0001046	7.068e-07	0.2811	0.001899	detector_factory.py:12
1	0.003773	0.003773	0.281	0.281	detector_factory.py:35
546	0.004448	8.147e-06	0.2765	0.0005064	<frozen importlib._bo
2525	0.05626	2.228e-05	0.2762	0.0001094	client.py:213(_read_h
428/263	0.0005714	2.173e-06	0.2605	0.0009906	<frozen importlib._bo
5056	0.0171	3.382e-06	0.2525	4.995e-05	cookies.py:124(extrac
2548/2533	0.2391	9.44e-05	0.2385	9.416e-05	~:0(<built-in method i
5053	0.114	2.257e-05	0.2309	4.569e-05	request.py:1863(getpr
1	6.41e-05	6.41e-05	0.2263	0.2263	__init__.py:1(<modul
2524	0.008682	3.44e-06	0.2256	8.939e-05	poolmanager.py:344(c
2525/2512	0.005451	2.17e-06	0.2181	8.68e-05	request.py:2107(getpr
619	0.00315	5.089e-06	0.2146	0.0003467	<frozen importlib._bo
594	0.0004681	7.88e-07	0.2081	0.0003504	<frozen importlib._bo
594	0.001673	2.817e-06	0.2077	0.0003496	<frozen importlib._bo
683057/672961	0.1327	1.973e-07	0.2072	3.079e-07	~:0(<built-in method i
55	0.1644	0.002989	0.2033	0.003696	detector_factory.py:80
2465	0.001357	5.503e-07	0.1989	8.07e-05	<frozen importlib._bo
17640	0.03559	2.018e-06	0.1979	1.122e-05	sessions.py:61(merge_
2466	0.1976	8.015e-05	0.1976	8.015e-05	~:0(<built-in method i
1719	0.009295	5.407e-06	0.1957	0.0001139	poolmanager.py:243(c

ncalls	tottime	percall	cumtime	percall	
1040	0.008202	7.887e-06	0.1928	0.0001853	<frozen importlib._bo
2524	0.01473	5.836e-06	0.189	7.489e-05	_collections.py:240(_
1718	0.006229	3.626e-06	0.1848	0.0001076	connectionpool.py:98
2528/2515	0.01399	5.562e-06	0.1829	7.272e-05	utils.py:77(proxy_byp
1719	0.02143	1.247e-05	0.1787	0.000104	connectionpool.py:17
7580	0.01102	1.454e-06	0.1775	2.342e-05	cookies.py:35(__init_
1	1.16e-05	1.16e-05	0.1721	0.1721	collocations.py:1(<mc
1	3.03e-05	3.03e-05	0.171	0.171	__init__.py:1(<modul
1718	0.01354	7.883e-06	0.167	9.723e-05	sessions.py:390(__ini
2524	0.04165	1.65e-05	0.1631	6.463e-05	_collections.py:341(e:
2524	0.009013	3.571e-06	0.1623	6.429e-05	adapters.py:523(que
1	7.67e-05	7.67e-05	0.1601	0.1601	__init__.py:1(<modul
1009399	0.1547	1.532e-07	0.1547	1.532e-07	~:0(<method 'lower' o
148	0.0608	0.0004108	0.1465	0.0009901	detector.py:182(_extr
1434282/1429349	0.1429	9.996e-08	0.146	1.022e-07	~:0(<built-in method l
15136	0.03513	2.321e-06	0.1425	9.415e-06	connection.py:410(pu
1718/1710	0.1414	8.271e-05	0.1413	8.265e-05	~:0(<function socket.c
61753	0.07182	1.163e-06	0.1306	2.114e-06	_policybase.py:310(h
2521/2519	0.01705	6.77e-06	0.1261	5.005e-05	ssl.py:1252(sendall)
1	5.37e-05	5.37e-05	0.1256	0.1256	aline.py:1(<module>)
1	0.0002906	0.0002906	0.1235	0.1235	__init__.py:1(<modul
20199	0.05583	2.764e-06	0.1168	5.781e-06	message.py:500(get)
5056	0.01474	2.915e-06	0.1149	2.273e-05	cookiejar.py:1681(ext
2520	0.0224	8.888e-06	0.1143	4.535e-05	models.py:483(prepar
93507	0.04195	4.486e-07	0.1137	1.216e-06	random.py:347(choice
5053/5023	0.1139	2.268e-05	0.1135	2.26e-05	~:0(<built-in method ,
149	0.009361	6.282e-05	0.1121	0.0007522	vader.py:354(polarity_
2524	0.004187	1.659e-06	0.1114	4.414e-05	models.py:610(prepar
7581/7518	0.1107	1.472e-05	0.109	1.449e-05	~:0(<built-in method ,
2524	0.007516	2.978e-06	0.1066	4.225e-05	cookies.py:140(get_cc
2524	0.009403	3.725e-06	0.1064	4.216e-05	connection.py:390(pu
19714	0.04104	2.082e-06	0.1039	5.271e-06	queue.py:140(put)
2524	0.004907	1.944e-06	0.1035	4.101e-05	connectionpool.py:25
2521/2519	0.003394	1.347e-06	0.1029	4.083e-05	ssl.py:1225(send)
21400	0.04054	1.895e-06	0.1026	4.793e-06	queue.py:180(get)
74218	0.02151	2.898e-07	0.1018	1.372e-06	_policybase.py:329(h
2525/2512	0.007514	2.991e-06	0.1018	4.052e-05	request.py:2058(getpr
1	2.51e-05	2.51e-05	0.1003	0.1003	SentimentalAnaliser.p
2521/2519	0.09895	3.928e-05	0.09893	3.927e-05	~:0(<method 'write' of
1	3.42e-05	3.42e-05	0.0986	0.0986	downloader.py:729(d
7	2.67e-05	3.814e-06	0.09825	0.01404	downloader.py:604(in
2	5.6e-06	2.8e-06	0.09752	0.04876	downloader.py:589(_i
1	1e-05	1e-05	0.09751	0.09751	downloader.py:991(in

ncalls	tottime	percall	cumtime	percall	
1	0.0003012	0.0003012	0.0975	0.0975	downloader.py:920(_t
2524	0.02197	8.706e-06	0.09739	3.858e-05	message.py:489(items
568	0.001702	2.996e-06	0.09693	0.0001706	<frozen importlib._bo
58768	0.03713	6.318e-07	0.09663	1.644e-06	<frozen _collections:_
15140	0.05095	3.365e-06	0.09662	6.382e-06	client.py:1294(puthea
120730	0.09627	7.974e-07	0.09627	7.974e-07	~:0(<method 'match' c
27930	0.02878	1.03e-06	0.09617	3.443e-06	<frozen _collections:_
2524	0.004364	1.729e-06	0.09549	3.783e-05	url.py:349(_encode_tz
5056	0.01375	2.72e-06	0.09476	1.874e-05	cookiejar.py:1600(ma
2525	0.02786	1.103e-05	0.09332	3.696e-05	client.py:1138(putreq
71825	0.06065	8.444e-07	0.09247	1.287e-06	_collections.py:257(_
17640	0.03235	1.834e-06	0.09198	5.214e-06	utils.py:335(to_key_v
2524	0.02492	9.872e-06	0.09017	3.572e-05	response.py:722(__ini
10100	0.01954	1.934e-06	0.08589	8.504e-06	message.py:602(get_c
1	1.7e-05	1.7e-05	0.0831	0.0831	request.py:137(urlope
29690	0.04382	1.476e-06	0.0825	2.779e-06	<frozen os>:704(__ge
1	5.57e-05	5.57e-05	0.08227	0.08227	__init__.py:1(<modul
61729	0.04526	7.332e-07	0.08157	1.321e-06	_collections.py:306(ac
3436	0.01647	4.793e-06	0.08045	2.341e-05	adapters.py:178(__ini
74218	0.03497	4.712e-07	0.08034	1.083e-06	_policybase.py:298(_s
151415/147977	0.05616	3.795e-07	0.08012	5.414e-07	~:0(<method 'encode'
108248	0.05914	5.464e-07	0.07766	7.174e-07	structures.py:46(__set
69328	0.03007	4.337e-07	0.07757	1.119e-06	feedparser.py:129(__r
10112	0.0445	4.4e-06	0.07682	7.597e-06	message.py:535(get_a
8482	0.02522	2.973e-06	0.07529	8.877e-06	url.py:301(__normalize
13804	0.02935	2.126e-06	0.07451	5.398e-06	enum.py:1582(__or__
477	0.002032	4.259e-06	0.07093	0.0001487	__init__.py:330(__com
19519	0.0566	2.9e-06	0.07047	3.61e-06	detector.py:223(__norn
432	0.0001952	4.519e-07	0.07044	0.000163	__init__.py:287(comp
1602/1589	0.01537	9.673e-06	0.06935	4.365e-05	~:0(<built-in method l
22724	0.02562	1.127e-06	0.06922	3.046e-06	parse.py:164(hostnam
2525	0.006416	2.541e-06	0.06883	2.726e-05	feedparser.py:184(clo
2520	0.004376	1.737e-06	0.06749	2.678e-05	models.py:588(prepar
3440/3412	0.06773	1.985e-05	0.06743	1.976e-05	socket.py:224(__init__
363816	0.06726	1.849e-07	0.06726	1.849e-07	<frozen os>:727(__ite
352	0.001087	3.087e-06	0.06663	0.0001893	_compiler.py:757(con
568	0.06598	0.0001162	0.06598	0.0001162	~:0(<built-in method _
2524	0.01936	7.668e-06	0.06556	2.597e-05	models.py:658(__init__
1	4.08e-05	4.08e-05	0.06552	0.06552	meteor_score.py:1(<n
2525	0.01225	4.85e-06	0.06461	2.559e-05	feedparser.py:102(pus
2525	0.009318	3.69e-06	0.06446	2.558e-05	client.py:261(__init__
46938	0.03057	6.514e-07	0.06413	1.366e-06	ngram.py:31(add_cha
6762	0.02171	3.21e-06	0.06373	9.424e-06	cookies.py:521(cooki

nCalls	Total Time	Per Call	Cumulative Time	Per Call	Function
1	2.99e-05	2.99e-05	0.06345	0.06345	request.py:468(open)
795	0.0007627	9.594e-07	0.06332	7.964e-05	<frozen importlib._bo
1	5.1e-06	5.1e-06	0.06282	0.06282	request.py:497(_open)
2	4.7e-06	2.35e-06	0.06282	0.03141	request.py:457(_call_)
1	1.04e-05	1.04e-05	0.06281	0.06281	request.py:1368(https_
1	2.97e-05	2.97e-05	0.0628	0.0628	request.py:1280(do_o
2520	0.008662	3.437e-06	0.0621	2.464e-05	utils.py:1008(get_auth
72	0.06198	0.0008608	0.06198	0.0008608	~:0(<built-in method l
430607	0.06156	1.43e-07	0.06156	1.43e-07	~:0(<method 'append'
1	2.41e-05	2.41e-05	0.06093	0.06093	_config__.py:1(<mo
22	4.03e-05	1.832e-06	0.06076	0.002762	<frozen importlib._bo
7575	0.006117	8.075e-07	0.06005	7.927e-06	message.py:626(get_c
17712	0.01182	6.676e-07	0.05953	3.361e-06	~:0(<built-in method l
1	0.0001057	0.0001057	0.05951	0.05951	_init__.py:1(<modul
709	0.0005678	8.008e-07	0.0582	8.209e-05	<frozen importlib._bo
93507	0.03555	3.802e-07	0.05789	6.191e-07	random.py:245(_rand
7130	0.00726	1.018e-06	0.05763	8.083e-06	contextlib.py:145(__e
2524	0.002796	1.108e-06	0.0574	2.274e-05	adapters.py:373(build
6802	0.02523	3.709e-06	0.05641	8.293e-06	<frozen ntpath>:343(e
1	1.47e-05	1.47e-05	0.05635	0.05635	_init__.py:1(<modul
1	2.58e-05	2.58e-05	0.05557	0.05557	text.py:1(<module>)
1	2.07e-05	2.07e-05	0.05529	0.05529	client.py:1340(_send_
1	6.4e-06	6.4e-06	0.05529	0.05529	client.py:1335(request
2525	0.0429	1.699e-05	0.05528	2.189e-05	socket.py:307(makefi
1718	0.01273	7.409e-06	0.05525	3.216e-05	connectionpool.py:10-
1	1.08e-05	1.08e-05	0.05516	0.05516	client.py:1469(connec
62237	0.02069	3.325e-07	0.05472	8.791e-07	<frozen abc>:117(__i
2524	0.007289	2.888e-06	0.0546	2.163e-05	adapters.py:76(_urllib
379357	0.05223	1.377e-07	0.05407	1.425e-07	~:0(<method 'decode'
14362	0.01328	9.249e-07	0.05373	3.741e-06	<frozen _collections:_
55	0.0003244	5.898e-06	0.05371	0.0009765	_init__.py:274(load)
1	0.0001115	0.0001115	0.05304	0.05304	_init__.py:1(<modul
1	8.9e-06	8.9e-06	0.05226	0.05226	api.py:1(<module>)
1	1.57e-05	1.57e-05	0.05204	0.05204	_init__.py:1(<modul
149	0.001391	9.332e-06	0.05201	0.0003491	vader.py:268(__init__
40851	0.02218	5.429e-07	0.05182	1.269e-06	threading.py:408(noti
524	0.004814	9.187e-06	0.05146	9.82e-05	<frozen importlib._bo
7233	0.00456	6.304e-07	0.05078	7.02e-06	response.py:619(_dec
1	0.0002754	0.0002754	0.0504	0.0504	_init__.py:1(<modul
149	0.002458	1.649e-05	0.04849	0.0003255	vader.py:299(_words_
1	4.43e-05	4.43e-05	0.04822	0.04822	_init__.py:1(<modul
69328	0.03905	5.632e-07	0.0475	6.852e-07	feedparser.py:79(read
3494	0.0129	3.693e-06	0.04675	1.338e-05	response.py:137(deco

ncalls	tottime	percall	cumtime	percall	
28574	0.02674	9.358e-07	0.04628	1.62e-06	enum.py:676(__call__)
2524	0.03583	1.42e-05	0.04608	1.826e-05	poolmanager.py:95(__call__)
524	0.04594	8.767e-05	0.04594	8.767e-05	~:0(<built-in method __call__)
314275	0.04568	1.453e-07	0.04568	1.453e-07	~:0(<method 'get' of 'Client' object)
149	0.02522	0.0001693	0.04484	0.0003009	vader.py:279(__words__)
1	1.6e-05	1.6e-05	0.04476	0.04476	client.py:1000(connectionpool)
1	1.87e-05	1.87e-05	0.04473	0.04473	socket.py:828(create_connection)
1	3.32e-05	3.32e-05	0.04432	0.04432	_base_connection.py:1(~:0)
2524	0.008046	3.188e-06	0.04415	1.749e-05	response.py:40(assertEqual)
546	0.0005157	9.445e-07	0.04398	8.055e-05	<frozen importlib._bootstrap>
9204	0.007826	8.503e-07	0.04393	4.773e-06	response.py:890(__errcode__)
1	6.5e-05	6.5e-05	0.04311	0.04311	connectionpool.py:1(~:0)
1719	0.003703	2.154e-06	0.04286	2.493e-05	connectionpool.py:81(~:0)
1718	0.006758	3.933e-06	0.04252	2.475e-05	utils.py:890(default_handler)
12596	0.008746	6.944e-07	0.04242	3.368e-06	utils.py:1024(check_header)
2525	0.00214	8.474e-07	0.04167	1.65e-05	client.py:425(__close_connection)
102065	0.04149	4.066e-07	0.04149	4.066e-07	~:0(<method 'split' of 'StringIO' object)
1	3.92e-05	3.92e-05	0.04022	0.04022	exceptions.py:1(~:0)
1	4.35e-05	4.35e-05	0.04003	0.04003	__init__.py:1(~:0)
1718	0.008951	5.21e-06	0.03962	2.306e-05	connection.py:621(~:0)
2529	0.02941	1.163e-05	0.03959	1.565e-05	~:0(<method 'close' of 'StringIO' object)
352	0.0008637	2.454e-06	0.03942	0.000112	__parser.py:963(parse)
2524	0.0236	9.351e-06	0.0392	1.553e-05	response.py:466(__init__)
3436	0.008112	2.361e-06	0.03881	1.129e-05	adapters.py:216(init_Factory)
2524	0.01452	5.754e-06	0.03875	1.535e-05	cookiejar.py:1357(adc)
29690	0.01886	6.352e-07	0.03868	1.303e-06	<frozen os>:778(encode)
76742	0.02331	3.038e-07	0.03853	5.021e-07	utils.py:47(~:0)
53764	0.02822	5.249e-07	0.03817	7.099e-07	structures.py:51(~:0)
1010/352	0.002155	6.121e-06	0.03788	0.0001076	__parser.py:452(~:0)
418154	0.0378	9.04e-08	0.0378	9.04e-08	~:0(<built-in method len>)
592/588	0.0009082	1.545e-06	0.03726	6.337e-05	<frozen importlib._bootstrap>
1	3.36e-05	3.36e-05	0.03723	0.03723	__request_methods.py:1(~:0)
25248	0.02421	9.59e-07	0.03716	1.472e-06	parse.py:205(~:0)
1238/371	0.01569	4.23e-05	0.03681	9.921e-05	__parser.py:512(~:0)
2528	0.004077	1.613e-06	0.03621	1.432e-05	structures.py:76(copy)
10204/10196	0.03621	3.552e-06	0.03617	3.548e-06	~:0(<method 'settimecode>)
29223	0.0316	1.081e-06	0.03609	1.235e-06	parse.py:119(~:0)
1	1.31e-05	1.31e-05	0.03527	0.03527	scores.py:1(~:0)
4606	0.003948	8.572e-07	0.03523	7.649e-06	response.py:786(release)
5211	0.02396	4.597e-06	0.0344	6.601e-06	<frozen importlib._bootstrap>
5050	0.03438	6.808e-06	0.03438	6.808e-06	~:0(<method 'readline>)
1	1.77e-05	1.77e-05	0.03407	0.03407	util.py:1(~:0)
62237	0.03382	5.434e-07	0.03402	5.467e-07	~:0(<built-in method ~:0>)

ncalls	tottime	percall	cumtime	percall	
1719/1717	0.03388	1.973e-05	0.03385	1.972e-05	~:0(<method '_wrap_>
25192	0.01415	5.617e-07	0.03367	1.337e-06	utils.py:1035(_validat
171415	0.03355	1.957e-07	0.03355	1.957e-07	~:0(<method 'find' of
1	4.02e-05	4.02e-05	0.03345	0.03345	util.py:1(<module>)
9286	0.02189	2.357e-06	0.0334	3.597e-06	cookiejar.py:1262(__i
1	6.36e-05	6.36e-05	0.03336	0.03336	response.py:1(<modu
2525	0.02041	8.081e-06	0.0333	1.319e-05	feedparser.py:139(__i
61753	0.02431	3.937e-07	0.03308	5.357e-07	message.py:517(set_r
3078	0.03294	1.07e-05	0.03294	1.07e-05	~:0(<method 'decomp
2524	0.008176	3.239e-06	0.0328	1.3e-05	message.py:243(get_f
1	1.39e-05	1.39e-05	0.03167	0.03167	_arraypad_impl.py:1(
2524	0.003298	1.306e-06	0.03128	1.239e-05	connectionpool.py:29.
5158	0.02217	4.298e-06	0.03127	6.062e-06	idna.py:179(encode)
6900	0.01332	1.93e-06	0.03106	4.501e-06	socket.py:102(__inten
1	4.41e-05	4.41e-05	0.03091	0.03091	_index_tricks_impl.py
3437	0.01182	3.438e-06	0.03072	8.937e-06	poolmanager.py:199(
2524	0.00976	3.867e-06	0.03048	1.208e-05	models.py:85(path_ur
1	7.42e-05	7.42e-05	0.03017	0.03017	connection.py:1(<mod
1719	0.003076	1.789e-06	0.03008	1.75e-05	ssl.py:441(_encode_h
44033	0.02167	4.921e-07	0.02956	6.714e-07	enum.py:1575(_get_v
15136	0.01327	8.768e-07	0.02943	1.944e-06	connection.py:459(<g
94627/94623	0.02703	2.856e-07	0.02941	3.108e-07	~:0(<built-in method l
1	5.65e-05	5.65e-05	0.02897	0.02897	client.py:1(<module>
1	1.99e-05	1.99e-05	0.0289	0.0289	exceptions.py:1(<mod
29499	0.02868	9.722e-07	0.02868	9.722e-07	~:0(<method 'search' <
1716	0.001663	9.69e-07	0.02866	1.67e-05	sessions.py:454(__exi
161010	0.02832	1.759e-07	0.02832	1.759e-07	~:0(<method 'replace'
1	3.82e-05	3.82e-05	0.0279	0.0279	compat.py:1(<module>
1	3.41e-05	3.41e-05	0.02784	0.02784	internals.py:1(<modul
5044	0.01591	3.154e-06	0.02775	5.501e-06	url.py:263(_remove_f
1719	0.007422	4.317e-06	0.02741	1.595e-05	connection.py:132(__
2524	0.00506	2.005e-06	0.0273	1.082e-05	utils.py:650(requote_1
1	7.3e-06	7.3e-06	0.02722	0.02722	__init__.py:1(<modul
46836	0.01648	3.518e-07	0.0272	5.808e-07	threading.py:313(__ei
100102	0.027	2.697e-07	0.027	2.697e-07	~:0(<method 'lstrip' of
1716	0.005018	2.924e-06	0.02699	1.573e-05	sessions.py:794(close
46938	0.0141	3.004e-07	0.02619	5.579e-07	ngram.py:64(normaliz
1	1.72e-05	1.72e-05	0.02617	0.02617	defmatrix.py:1(<modu
1	9.3e-06	9.3e-06	0.02605	0.02605	__init__.py:1(<modul
1	2.08e-05	2.08e-05	0.02582	0.02582	casual.py:1(<module>
1	4.82e-05	4.82e-05	0.02567	0.02567	__init__.py:1(<modul
352	0.0004573	1.299e-06	0.02546	7.234e-05	_compiler.py:590(_co
1	2.1e-05	2.1e-05	0.02526	0.02526	__init__.py:1(<modul

ncalls	tottime	percall	cumtime	percall	
1	8.82e-05	8.82e-05	0.02516	0.02516	__init__.py:1(<module>)
2524	0.007869	3.118e-06	0.02509	9.939e-06	utils.py:529(get_enco
7131	0.01035	1.452e-06	0.02508	3.517e-06	contextlib.py:303(hel
2520	0.007617	3.022e-06	0.02487	9.869e-06	models.py:106(_enco
41571	0.01418	3.411e-07	0.02484	5.975e-07	threading.py:328(_is_
2525	0.005402	2.139e-06	0.02484	9.839e-06	client.py:396(_check_
124297	0.02424	1.95e-07	0.02424	1.95e-07	~:0(<method 'startswi
1719	0.002011	1.17e-06	0.02423	1.41e-05	connectionpool.py:11.
46836	0.01776	3.791e-07	0.02421	5.168e-07	threading.py:316(__e:
1	0.0001013	0.0001013	0.02392	0.02392	linalg.py:1(<module>
805	0.0007157	8.891e-07	0.02382	2.959e-05	connection.py:15(is_c
17882	0.01315	7.351e-07	0.02379	1.33e-06	url.py:330(_idna_enco
10182	0.02348	2.306e-06	0.02348	2.306e-06	~:0(<method 'index' o
1719	0.01429	8.314e-06	0.02317	1.348e-05	ssl.py:504(set_alpn_p
805	0.001123	1.395e-06	0.02311	2.871e-05	connection.py:351(is_
28738	0.01431	4.98e-07	0.02305	8.022e-07	util.py:19(to_str)
2528	0.003807	1.506e-06	0.02243	8.873e-06	utils.py:764(get_prox
73904	0.02213	2.994e-07	0.02213	2.994e-07	structures.py:58(<gen
805	0.001311	1.629e-06	0.02198	2.731e-05	wait.py:113(wait_for_
5048	0.005162	1.022e-06	0.02164	4.287e-06	typing.py:1278(__inst
20/18	5.02e-05	2.789e-06	0.02149	0.001194	<frozen importlib._bo
20/18	0.01959	0.001088	0.02141	0.00119	~:0(<built-in method _
710	0.003814	5.372e-06	0.02127	2.995e-05	base.py:531(set_resu
3432	0.004674	1.362e-06	0.02121	6.18e-06	adapters.py:513(close
3437	0.01325	3.854e-06	0.02101	6.112e-06	retry.py:211(__init__)
12608	0.01666	1.322e-06	0.0209	1.658e-06	structures.py:57(__ite
1	6.37e-05	6.37e-05	0.0209	0.0209	ssl.py:1(<module>)
70550	0.02079	2.947e-07	0.02079	2.947e-07	~:0(<method 'setdefau
805	0.02045	2.541e-05	0.02066	2.566e-05	wait.py:33(select_wai
1	8.29e-05	8.29e-05	0.02054	0.02054	__init__.py:1(<modul
1719	0.008163	4.748e-06	0.02045	1.19e-05	queue.py:46(__init__)
5048	0.004823	9.554e-07	0.02037	4.035e-06	connectionpool.py:34.
3437	0.01213	3.529e-06	0.02016	5.867e-06	ssl.py:669(verify_moc
2524	0.01151	4.559e-06	0.01994	7.898e-06	response.py:834(__init
1	4.67e-05	4.67e-05	0.01964	0.01964	request.py:537(build_
89638	0.01957	2.183e-07	0.01957	2.183e-07	~:0(<method 'rstrip' o
28574	0.01891	6.617e-07	0.01954	6.837e-07	enum.py:1145(__new_
2159/352	0.007437	2.113e-05	0.01952	5.544e-05	_compiler.py:39(_con
1438	0.003632	2.525e-06	0.01948	1.355e-05	parse.py:472(urlsplit)
5044	0.006694	1.327e-06	0.0193	3.826e-06	cookies.py:542(merge
5044	0.01148	2.276e-06	0.01914	3.795e-06	url.py:100(__new__)
1719	0.006295	3.662e-06	0.01903	1.107e-05	socket.py:523(family)
1	1.22e-05	1.22e-05	0.01891	0.01891	client.py:806(__create_

nCalls	Total Time	Per Call	Cumulative Time	Per Call (%)	Function
1	9e-06	9e-06	0.01891	0.01891	request.py:1358(__init__)
34	0.001848	5.436e-05	0.0189	0.0005558	__init__.py:361(name)
1	3.01e-05	3.01e-05	0.01888	0.01888	ssl.py:682(create_def)
2520	0.003405	1.351e-06	0.01867	7.409e-06	models.py:630(prepar
4241	0.007862	1.854e-06	0.01859	4.383e-06	client.py:430(close)
1	1.84e-05	1.84e-05	0.01848	0.01848	ssl.py:528(load_defau
2	0.0001001	5.005e-05	0.01817	0.009085	ssl.py:515(__load_winc
2524	0.007893	3.127e-06	0.01809	7.167e-06	parse.py:533(urlunpar
1720	0.01139	6.622e-06	0.01768	1.028e-05	client.py:867(__init__
10034	0.006551	6.529e-07	0.01719	1.713e-06	vader.py:388(sentime
9984	0.01062	1.063e-06	0.01706	1.708e-06	message.py:29(__splitf
1	1e-05	1e-05	0.01706	0.01706	parser.py:1(<module>
1092	0.002975	2.724e-06	0.01689	1.546e-05	<frozen importlib._bo
2540	0.00448	1.764e-06	0.01686	6.639e-06	parse.py:900(quote)
9291	0.01338	1.441e-06	0.0167	1.797e-06	timeout.py:109(__init__
34	0.01663	0.0004891	0.01666	0.0004899	~:0(<built-in method l
1	4.67e-05	4.67e-05	0.01658	0.01658	__init__.py:1(<modul
41114	0.01132	2.754e-07	0.01656	4.028e-07	queue.py:306(__qsize)
1	6.04e-05	6.04e-05	0.0165	0.0165	__init__.py:1(<modul
5048	0.004771	9.452e-07	0.01648	3.265e-06	typing.py:1569(__sub
2705/2688	0.008865	3.298e-06	0.01638	6.095e-06	typing.py:396(inner)
1	2.02e-05	2.02e-05	0.01636	0.01636	feedparser.py:1(<mod
1217	0.01575	1.294e-05	0.01624	1.334e-05	models.py:909(text)
5890	0.01285	2.181e-06	0.01624	2.757e-06	threading.py:290(__in
76415	0.01621	2.121e-07	0.01621	2.121e-07	~:0(<method 'strip' of
45368	0.01613	3.556e-07	0.01621	3.573e-07	~:0(<built-in method l
2524	0.005517	2.186e-06	0.01609	6.374e-06	response.py:600(__init__
1624	0.005003	3.081e-06	0.01606	9.889e-06	<frozen importlib._bo
13442	0.01595	1.186e-06	0.01595	1.186e-06	threading.py:126(RLc
3437	0.008041	2.34e-06	0.01584	4.607e-06	_collections.py:82(__i
3432	0.0029	8.45e-07	0.01583	4.612e-06	poolmanager.py:281(c
1718	0.01571	9.147e-06	0.01571	9.147e-06	~:0(<built-in method t
14334	0.01191	8.308e-07	0.01557	1.086e-06	cookiejar.py:1228(dee
711	0.001915	2.693e-06	0.01534	2.157e-05	thread.py:199(submit)
2520	0.005331	2.116e-06	0.01527	6.058e-06	models.py:207(registe
45864/10043	0.02406	2.396e-06	0.01524	1.517e-06	~:0(<method 'acquire'
1	2.62e-05	2.62e-05	0.01498	0.01498	_policybase.py:1(<mc
5048	0.007414	1.469e-06	0.0148	2.931e-06	timeout.py:188(clone)
7131	0.01109	1.555e-06	0.01473	2.065e-06	contextlib.py:108(__in
26699	0.0105	3.932e-07	0.01473	5.517e-07	parse.py:424(__checkn
1	2.73e-05	2.73e-05	0.01448	0.01448	featstruct.py:1(<modu
710	0.00283	3.986e-06	0.01441	2.029e-05	_base.py:75(add_resu
2520	0.006606	2.621e-06	0.01439	5.711e-06	models.py:494(prepar

ncalls	tottime	percall	cumtime	percall	
1	0.0001078	0.0001078	0.01439	0.01439	multiarray.py:1(<mod
1	7.39e-05	7.39e-05	0.01433	0.01433	url.py:1(<module>)
1	4.76e-05	4.76e-05	0.01426	0.01426	traceback.py:1(<modu
3	1.1e-05	3.667e-06	0.01399	0.004662	__init__.py:71(import
1	7.9e-06	7.9e-06	0.01399	0.01399	compat.py:30(_resolv
3	7.5e-06	2.5e-06	0.01398	0.004658	<frozen importlib._bo
592	0.001834	3.098e-06	0.01391	2.349e-05	<frozen importlib._bo
84210	0.01389	1.649e-07	0.01389	1.649e-07	~:0(<method 'partitior
20/19	3.33e-05	1.753e-06	0.01375	0.0007236	<frozen importlib._bo
1	7.3e-06	7.3e-06	0.01373	0.01373	__init__.py:1(<modul
132274	0.01368	1.034e-07	0.01368	1.034e-07	~:0(<method 'getrandl
2078	0.008776	4.223e-06	0.01367	6.581e-06	response.py:399(get)
2528	0.002209	8.74e-07	0.01343	5.312e-06	sessions.py:107(get_r
20/19	0.005972	0.0003143	0.01334	0.0007021	~:0(<built-in method
10084	0.01145	1.136e-06	0.01325	1.314e-06	<frozen _collections:_
1158	0.0006351	5.484e-07	0.01304	1.127e-05	<frozen importlib._bo
19715	0.01261	6.394e-07	0.01297	6.579e-07	~:0(<built-in method l
3432	0.008228	2.397e-06	0.01293	3.767e-06	_collections.py:141(cl
2495	0.008192	3.283e-06	0.01282	5.137e-06	utils.py:504(_parse_c
29690	0.008905	2.999e-07	0.01281	4.313e-07	<frozen os>:772(chec
997	0.0009323	9.351e-07	0.01281	1.285e-05	<frozen importlib._bo
15140	0.01276	8.428e-07	0.01276	8.428e-07	~:0(<method 'fullmatc
1	2.59e-05	2.59e-05	0.01274	0.01274	detector_factory.py:1(
7131	0.007152	1.003e-06	0.01264	1.773e-06	contextlib.py:136(__e
64253	0.01212	1.887e-07	0.01259	1.959e-07	_collections.py:295(__
1	2.06e-05	2.06e-05	0.01257	0.01257	einsumfunc.py:1(<mo
1719	0.002545	1.48e-06	0.01255	7.301e-06	connection.py:93(_set
2524	0.009084	3.599e-06	0.01238	4.905e-06	request.py:197(body_
1	9.34e-05	9.34e-05	0.0123	0.0123	utils.py:1(<module>)
62	0.0003091	4.985e-06	0.01224	0.0001975	<frozen importlib._bo
46958	0.008469	1.804e-07	0.01214	2.586e-07	unicode_block.py:449
71429	0.01211	1.696e-07	0.01211	1.696e-07	~:0(<method 'isascii' c
9398	0.00867	9.226e-07	0.01211	1.288e-06	connection.py:169(ho
2525	0.00538	2.13e-06	0.01209	4.789e-06	feedparser.py:71(clos
1	0.0001296	0.0001296	0.01182	0.01182	_add_newdocs.py:1(<
1718	0.003932	2.289e-06	0.01179	6.863e-06	ssl_.py:487(is_ipaddr
1	0.0001318	0.0001318	0.01167	0.01167	numeric.py:1(<modul
45462	0.01141	2.509e-07	0.01141	2.509e-07	~:0(<method 'upper' o
2525	0.01136	4.499e-06	0.01136	4.499e-06	feedparser.py:54(__in
2540	0.00574	2.26e-06	0.01128	4.44e-06	parse.py:976(quote_fr
148	0.008026	5.423e-05	0.01127	7.616e-05	detector.py:99(append
1	8.1e-06	8.1e-06	0.01127	0.01127	api.py:1(<module>)
2528	0.003309	1.309e-06	0.01121	4.432e-06	models.py:769(is_red

ncalls	tottime	percall	cumtime	percall	
14	0.0005454	3.896e-05	0.0111	0.0007925	typing.py:2951(__nev
350	0.0005221	1.492e-06	0.01107	3.162e-05	function_base.py:490(
1	2.07e-05	2.07e-05	0.01101	0.01101	sequential.py:1(<mod
19684	0.006429	3.266e-07	0.01095	5.564e-07	queue.py:312(_get)
1	2.4e-05	2.4e-05	0.01092	0.01092	__init__.py:1(<modul
727	0.001253	1.724e-06	0.01084	1.491e-05	threading.py:630(set)
1112	0.0004416	3.971e-07	0.01084	9.749e-06	<frozen importlib._bo
30272	0.007905	2.611e-07	0.01078	3.56e-07	connection.py:412(<g
66	0.01056	0.00016	0.01066	0.0001616	~:0(<built-in method _
627	0.0005607	8.943e-07	0.01063	1.695e-05	<frozen importlib._bo
6741	0.007682	1.14e-06	0.01061	1.575e-06	~:0(<method '_checkF
43403	0.01059	2.439e-07	0.01059	2.439e-07	~:0(<method 'items' o
1	2.2e-05	2.2e-05	0.01047	0.01047	detector.py:1(<modul
1	2.74e-05	2.74e-05	0.01045	0.01045	__init__.py:1(<modul
19714	0.006609	3.352e-07	0.0104	5.278e-07	queue.py:309(_put)
566	0.0006682	1.181e-06	0.0104	1.837e-05	<frozen importlib._bo
1	7.3e-06	7.3e-06	0.01036	0.01036	__init__.py:1(<modul
2525	0.01031	4.082e-06	0.01031	4.082e-06	socket.py:700(__init_
1	3.63e-05	3.63e-05	0.01031	0.01031	sessions.py:1(<modul
46833	0.01029	2.198e-07	0.01029	2.198e-07	~:0(<method '__enter_
7644	0.01021	1.336e-06	0.01029	1.346e-06	~:0(<method 'subn' of
1	1.04e-05	1.04e-05	0.01029	0.01029	__init__.py:1(<modul
2524	0.005077	2.011e-06	0.01023	4.053e-06	cookiejar.py:1735(cle
2525	0.006941	2.749e-06	0.01017	4.029e-06	socket.py:788(close)
1	1.87e-05	1.87e-05	0.01017	0.01017	__init__.py:1(<modul
5048	0.004728	9.367e-07	0.01015	2.01e-06	cookies.py:358(update
17665	0.006828	3.865e-07	0.01009	5.711e-07	client.py:1066(_outpu
1720	0.01001	5.823e-06	0.01001	5.823e-06	~:0(<method 'setsocko
1438	0.001278	8.889e-07	0.01	6.956e-06	threading.py:438(noti
1	3.77e-05	3.77e-05	0.009979	0.009979	__init__.py:1(<modul
1	5.43e-05	5.43e-05	0.009956	0.009956	statistics.py:1(<modul
373	0.005467	1.466e-05	0.00994	2.665e-05	inspect.py:789(cleand
1	6.89e-05	6.89e-05	0.00993	0.00993	cookiejar.py:1(<modu
5570	0.004059	7.287e-07	0.009921	1.781e-06	~:0(<built-in method l
2525	0.009915	3.927e-06	0.009915	3.927e-06	~:0(<method 'write' o
36822	0.009841	2.673e-07	0.009841	2.673e-07	~:0(<method 'rpartitio
1	2.05e-05	2.05e-05	0.009827	0.009827	StatusAnaliser.py:1(<
555	0.009701	1.748e-05	0.009732	1.753e-05	~:0(<method '__exit_
1	1.04e-05	1.04e-05	0.00968	0.00968	api.py:1(<module>)
1	2.34e-05	2.34e-05	0.009653	0.009653	ElementTree.py:1204(
2525/2521	0.009659	3.831e-06	0.009647	3.827e-06	~:0(<method 'Close' o
1	4.28e-05	4.28e-05	0.009628	0.009628	ElementTree.py:553(f
1	0.001399	0.001399	0.009584	0.009584	~:0(<method '__parse_

nCalls	Total Time	Per Call	Cumulative Time	Per Call	
350	0.0003721	1.063e-06	0.009414	2.69e-05	function_base.py:474()
1	4.38e-05	4.38e-05	0.009376	0.009376	adapters.py:1(<module>)
1	7.36e-05	7.36e-05	0.009372	0.009372	request.py:1(<module>)
6767	0.005334	7.883e-07	0.009322	1.378e-06	~:0(<function ZipExtL
1	4.91e-05	4.91e-05	0.00932	0.00932	_main.py:1(<module>)
68434	0.009258	1.353e-07	0.009258	1.353e-07	~:0(<method 'popleft'
2524	0.004655	1.844e-06	0.009179	3.637e-06	_collections.py:93(__
1	6.4e-06	6.4e-06	0.008988	0.008988	util.py:1(<module>)
2525	0.0081	3.208e-06	0.008945	3.542e-06	parse.py:716(unquote_
1	1.21e-05	1.21e-05	0.00884	0.00884	translate.py:1(<module>)
2524	0.004165	1.65e-06	0.008809	3.49e-06	retry.py:403(is_retry)
93545	0.008662	9.26e-08	0.008662	9.26e-08	~:0(<method 'bit_leng
1	2.43e-05	2.43e-05	0.008575	0.008575	vader.py:336(__init__
1	6.42e-05	6.42e-05	0.008476	0.008476	__init__.py:1(<modul
4246	0.008458	1.992e-06	0.008458	1.992e-06	~:0(<built-in method :
15	5.9e-05	3.933e-06	0.008451	0.0005634	typing.py:2920(__make
1719	0.007815	4.546e-06	0.00843	4.904e-06	weakref.py:468(__init
1	8.95e-05	8.95e-05	0.008424	0.008424	_colorize.py:1(<modu
1	6.12e-05	6.12e-05	0.008407	0.008407	ElementTree.py:1(<m
1	2.93e-05	2.93e-05	0.00836	0.00836	api.py:1(<module>)
1718	0.008261	4.809e-06	0.008261	4.809e-06	ssl.py:541(minimum_
83	0.008247	9.936e-05	0.008247	9.936e-05	~:0(<built-in method i
39492	0.008227	2.083e-07	0.008229	2.084e-07	~:0(<built-in method l
1	5.87e-05	5.87e-05	0.008194	0.008194	WorkTypeAnalyzer.py
1719	0.004059	2.361e-06	0.008133	4.731e-06	timeout.py:172(from_
56	0.004402	7.86e-05	0.008124	0.0001451	~:0(<method 'read' of
1	4.81e-05	4.81e-05	0.008122	0.008122	__init__.py:1(<modul
5050	0.00417	8.256e-07	0.008105	1.605e-06	feedparser.py:123(pus
264	0.0005489	2.079e-06	0.008094	3.066e-05	overrides.py:145(decc
1	5.07e-05	5.07e-05	0.008002	0.008002	pydoc.py:1(<module>)
5	3.18e-05	6.36e-06	0.008001	0.0016	dataclasses.py:1359(w
5	0.0002942	5.884e-05	0.007969	0.001594	dataclasses.py:934(_p
2520	0.005487	2.177e-06	0.007851	3.116e-06	models.py:258(__init
62	0.0009736	1.57e-05	0.007835	0.0001264	<frozen importlib._bo
13748	0.005412	3.937e-07	0.007761	5.645e-07	retry.py:253(<genexp
2	0.007739	0.00387	0.007739	0.00387	~:0(<built-in method
1	2.94e-05	2.94e-05	0.007696	0.007696	shape_base.py:1(<mo
1719	0.007678	4.467e-06	0.007678	4.467e-06	~:0(<method 'getsock
1	1.2e-05	1.2e-05	0.00764	0.00764	__init__.py:1(<modul
3436	0.00592	1.723e-06	0.007534	2.193e-06	sessions.py:799(moun
1624	0.001544	9.504e-07	0.007515	4.628e-06	<frozen importlib._bo
1	1.56e-05	1.56e-05	0.007465	0.007465	__init__.py:1(<modul
1	3.41e-05	3.41e-05	0.007365	0.007365	cd.py:1(<module>)

ncalls	tottime	percall	cumtime	percall	
1	2.18e-05	2.18e-05	0.007346	0.007346	utils.py:1(<module>)
26699	0.007325	2.743e-07	0.007325	2.743e-07	~:0(<method 'isalpha'>)
1	0.002547	0.002547	0.00728	0.00728	_regex_core.py:1(<module>)
711	0.0005654	7.952e-07	0.007189	1.011e-05	thread.py:219(_adjust)
4243	0.005302	1.249e-06	0.007165	1.689e-06	_init__.py:1498(debu
1005	0.004606	4.583e-06	0.007147	7.112e-06	_compiler.py:248(_op
2524	0.004852	1.922e-06	0.007106	2.815e-06	sessions.py:781(get_a
1719	0.004839	2.815e-06	0.007048	4.1e-06	_collections.py:100(_
25543	0.006936	2.715e-07	0.006936	2.715e-07	~:0(<method 'pop' of '
3436	0.003692	1.074e-06	0.006831	1.988e-06	ssl_.py:186(resolve_c
1719	0.006758	3.931e-06	0.006758	3.931e-06	~:0(<method 'getpeeri
2525	0.005017	1.987e-06	0.006723	2.663e-06	feedparser.py:197(_ne
1	9.28e-05	9.28e-05	0.00671	0.00671	ssl.py:1(<module>)
2524	0.004821	1.91e-06	0.006703	2.656e-06	timeout.py:245(read_1
1	0.003823	0.003823	0.006629	0.006629	vader.py:344(make_le
46833	0.006598	1.409e-07	0.006598	1.409e-07	~:0(<method '__exit__
25873	0.006476	2.503e-07	0.006476	2.503e-07	~:0(<method 'pop' of '
63	0.006432	0.0001021	0.006432	0.0001021	~:0(<built-in method i
20284	0.00641	3.16e-07	0.00641	3.16e-07	~:0(<method 'values'>
15124	0.004863	3.215e-07	0.006352	4.2e-07	_internal_utils.py:25(t
62	0.0003176	5.123e-06	0.006303	0.0001017	<frozen zipimport>:6'
5185/5096	0.002215	4.347e-07	0.006293	1.235e-06	<frozen abc>:121(__s
1	6.4e-06	6.4e-06	0.00624	0.00624	_init__.py:1(<modul
2524	0.006184	2.45e-06	0.006184	2.45e-06	client.py:949(_wrap_i
1	2.76e-05	2.76e-05	0.006148	0.006148	header.py:1(<module>
2524	0.00383	1.517e-06	0.006035	2.391e-06	cookiejar.py:1298(_cc
10105	0.00596	5.898e-07	0.00596	5.898e-07	~:0(<built-in method i
14334	0.005958	4.157e-07	0.005958	4.157e-07	cookiejar.py:1754(__i
5	9.56e-05	1.912e-05	0.005955	0.001191	dataclasses.py:478(ad
3276	0.005844	1.784e-06	0.005844	1.784e-06	~:0(<method 'update'
6762	0.005836	8.631e-07	0.005836	8.631e-07	hooks.py:15(default_h
567	0.001123	1.981e-06	0.005823	1.027e-05	<frozen importlib._bo
6933	0.005174	7.462e-07	0.00578	8.337e-07	~:0(<method 'extend'
22	5e-05	2.273e-06	0.005771	0.0002623	<frozen importlib._bo
86	7.75e-05	9.012e-07	0.00576	6.697e-05	<frozen importlib._bo
56123	0.005746	1.024e-07	0.005746	1.024e-07	~:0(<method 'isupper'
1	0.0002139	0.0002139	0.00572	0.00572	packages.py:1(<modu
2520	0.003414	1.355e-06	0.005659	2.246e-06	models.py:393(prepar
1624	0.002555	1.573e-06	0.005655	3.482e-06	<frozen importlib._bo
62	0.0002148	3.465e-06	0.005632	9.083e-05	<frozen importlib._bo
2524	0.005203	2.061e-06	0.005551	2.199e-06	models.py:799(iter_cc
2151	0.005524	2.568e-06	0.005524	2.568e-06	~:0(<method 'release'
2524	0.003814	1.511e-06	0.005511	2.183e-06	utils.py:626(unquote_

nCalls	Total Time	Per Call	Cumulative Time	Per Call	
352	0.001152	3.273e-06	0.005446	1.547e-05	_compiler.py:525(_co
148	0.004738	3.201e-05	0.005376	3.633e-05	detector.py:114(cleani
2524	0.003635	1.44e-06	0.005367	2.126e-06	response.py:1287(clos
2520	0.003594	1.426e-06	0.005332	2.116e-06	parse.py:1003(urlenc
1	1.52e-05	1.52e-05	0.005328	0.005328	_init__.py:1(<modul
14761	0.003071	2.081e-07	0.005294	3.587e-07	_parser.py:261(get)
1323	0.0007777	5.878e-07	0.005255	3.972e-06	vader.py:519(_never_
1	3.27e-05	3.27e-05	0.005241	0.005241	_internal.py:1(<modu
2520	0.0009059	3.595e-07	0.005236	2.078e-06	<frozen_collections_:
2520	0.00204	8.094e-07	0.005198	2.063e-06	parse.py:156(username
5050	0.005159	1.022e-06	0.005159	1.022e-06	~:0(<method 'read' of
1718	0.003536	2.058e-06	0.00515	2.997e-06	ssl.py:555(options)
27827	0.005131	1.844e-07	0.005131	1.844e-07	~:0(<method 'endswit
14267	0.003579	2.509e-07	0.005094	3.57e-07	_parser.py:168(_geti
1	1.46e-05	1.46e-05	0.005072	0.005072	_init__.py:1(<modul
1419	0.002478	1.746e-06	0.00507	3.573e-06	_base.py:171(_yield_1
1	4.43e-05	4.43e-05	0.005038	0.005038	chart.py:1(<module>)
1	3.4e-06	3.4e-06	0.005027	0.005027	certs.py:1(<module>)
1	1.15e-05	1.15e-05	0.005025	0.005025	_init__.py:1(<modul
9266	0.005004	5.4e-07	0.005004	5.4e-07	socket.py:750(readabl
1719	0.001569	9.125e-07	0.004957	2.884e-06	socket.py:529(type)
2524	0.003344	1.325e-06	0.004948	1.96e-06	poolmanager.py:388(_
16367	0.004902	2.995e-07	0.004902	2.995e-07	~:0(<method '__enter_
20327	0.004844	2.383e-07	0.004844	2.383e-07	~:0(<method 'values' o
711	0.0005004	7.038e-07	0.004803	6.755e-06	_base.py:322(__init__
4156	0.003266	7.858e-07	0.004782	1.151e-06	response.py:395(put)
1	5.6e-06	5.6e-06	0.004717	0.004717	panlex_lite.py:1(<mo
1	0.0003544	0.0003544	0.004696	0.004696	_array_like.py:1(<mo
4243	0.004672	1.101e-06	0.004672	1.101e-06	~:0(<method 'pop' of '
2524	0.00378	1.497e-06	0.004644	1.84e-06	retry.py:395(_is_meth
6767	0.003602	5.323e-07	0.004639	6.855e-07	timeout.py:126(resolv
1	5.96e-05	5.96e-05	0.004629	0.004629	shutil.py:1(<module>)
567	0.001723	3.039e-06	0.004588	8.092e-06	<frozen importlib._bo
1	2.58e-05	2.58e-05	0.004579	0.004579	_char_codes.py:1(<m
50	4.78e-05	9.56e-07	0.004551	9.102e-05	typing.py:570(__gett
606	0.00455	7.508e-06	0.00455	7.508e-06	~:0(<method 'sub' of '
149	0.000557	3.738e-06	0.004522	3.035e-05	typing.py:1327(__init
1323	0.00205	1.549e-06	0.004477	3.384e-06	vader.py:220(negated)
3488	0.002606	7.472e-07	0.004465	1.28e-06	<frozen importlib._bo
2524	0.001161	4.601e-07	0.004454	1.765e-06	parse.py:175(port)
1	1.45e-05	1.45e-05	0.004442	0.004442	ngram.py:1(<module>
711	0.00105	1.476e-06	0.004435	6.237e-06	threading.py:482(acqu
22	0.0001402	6.373e-06	0.004401	0.0002001	<frozen importlib._bo

ncalls	tottime	percall	cumtime	percall	
4/3	0.0001148	3.827e-05	0.004389	0.001463	data.py:467(find)
1	0.000111	0.000111	0.004388	0.004388	fromnumeric.py:1(<m
10815	0.004381	4.051e-07	0.004381	4.051e-07	~:0(<method 'acquire'
265	0.000328	1.238e-06	0.004376	1.651e-05	<frozen abc:>:105(__
229	0.0005073	2.215e-06	0.004353	1.901e-05	overrides.py:86(verify
4214	0.003385	8.033e-07	0.004343	1.031e-06	response.py:9(is_fp_c
417	0.0008859	2.124e-06	0.004333	1.039e-05	response.py:356(_get_
5996	0.004313	7.193e-07	0.004313	7.193e-07	~:0(<method 'split' of
1114	0.001636	1.469e-06	0.004297	3.857e-06	<frozen importlib._bo
1	2.2e-05	2.2e-05	0.004285	0.004285	__init__.py:1(<modul
5	0.0001768	3.536e-05	0.004283	0.0008566	_main.py:449(_compi
1719	0.00301	1.751e-06	0.004282	2.491e-06	ssl.py:661(verify_flag
1	7.2e-06	7.2e-06	0.00428	0.00428	__init__.py:1(<modul
1624	0.002529	1.557e-06	0.00427	2.629e-06	<frozen importlib._bo
1	1.13e-05	1.13e-05	0.004256	0.004256	brill.py:1(<module>)
10443	0.002641	2.529e-07	0.004209	4.03e-07	~:0(<built-in method l
3436	0.004171	1.214e-06	0.004171	1.214e-06	adapters.py:116(__ini
1	1.39e-05	1.39e-05	0.004168	0.004168	__init__.py:1(<modul
2524	0.002094	8.294e-07	0.00412	1.632e-06	models.py:334(__init_
5185/5096	0.00404	7.929e-07	0.004104	8.054e-07	~:0(<built-in method _
6741	0.004079	6.051e-07	0.004079	6.051e-07	~:0(<method '_checkC
50	0.0004241	8.482e-06	0.004077	8.154e-05	typing.py:749(Literal)
2525	0.003245	1.285e-06	0.003988	1.579e-06	client.py:442(flush)
1	4.6e-05	4.6e-05	0.003962	0.003962	models.py:1(<module>
5050	0.003936	7.793e-07	0.003936	7.793e-07	~:0(<method 'extend'
7644	0.003914	5.121e-07	0.003914	5.121e-07	~:0(<method 'decode'
1	5.13e-05	5.13e-05	0.003905	0.003905	_npyio_impl.py:1(<m
4	2.08e-05	5.2e-06	0.003896	0.0009741	_main.py:349(compile
1	1.82e-05	1.82e-05	0.003894	0.003894	discourse.py:1(<modu
11779	0.003891	3.303e-07	0.003891	3.303e-07	~:0(<method '__exit_
1719	0.003883	2.259e-06	0.003883	2.259e-06	~:0(<method '_set_alpha
10396	0.00388	3.732e-07	0.00388	3.732e-07	~:0(<method 'groups'
1	4.99e-05	4.99e-05	0.003879	0.003879	parse.py:1(<module>)
9286	0.00375	4.038e-07	0.00375	4.038e-07	cookiejar.py:885(__in
53	0.0001569	2.96e-06	0.003749	7.073e-05	_add_newdocs.py:338
1	7.62e-05	7.62e-05	0.003748	0.003748	socket.py:1(<module>
8486	0.003745	4.413e-07	0.003745	4.413e-07	~:0(<method 'copy' of
1624	0.002651	1.632e-06	0.003744	2.305e-06	<frozen importlib._bo
637	0.003736	5.865e-06	0.003736	5.865e-06	~:0(<method 'strftime'
55	0.000146	2.655e-06	0.003716	6.757e-05	<frozen codecs:>:322(
2524	0.003714	1.471e-06	0.003714	1.471e-06	response.py:388(__ini
1	4.5e-06	4.5e-06	0.003637	0.003637	__init__.py:1(<modul
7572	0.003615	4.774e-07	0.003615	4.774e-07	utils.py:214(<genexpr

nCalls	Total Time	Per Call	Cumulative Time	Per Call	Function
458	0.0004988	1.089e-06	0.003602	7.864e-06	_inspect.py:97(getarg)
1	8.2e-06	8.2e-06	0.003589	0.003589	_init__.py:1(<module '_
55	0.00357	6.491e-05	0.00357	6.491e-05	~:0(<built-in method _
1	4.19e-05	4.19e-05	0.003569	0.003569	platform.py:1(<modul
359	0.0007808	2.175e-06	0.003551	9.891e-06	typing.py:184(_type_c
149	0.002492	1.673e-05	0.00354	2.376e-05	vader.py:458(_but_ch
2524	0.001907	7.555e-07	0.003528	1.398e-06	hooks.py:22(dispatch_
1	2.28e-05	2.28e-05	0.003515	0.003515	_init__.py:1(<modul
29223	0.003448	1.18e-07	0.003448	1.18e-07	parse.py:108(_noop)
149	0.0007953	5.338e-06	0.003448	2.314e-05	vader.py:596(score_v
417	0.0007498	1.798e-06	0.003448	8.267e-06	response.py:132(__ini
1	8.7e-06	8.7e-06	0.00343	0.00343	destructive.py:1(<moc
1	9.46e-05	9.46e-05	0.003403	0.003403	_init__.py:1(<modul
1	2.28e-05	2.28e-05	0.003382	0.003382	destructive.py:37(NL)
18	0.001458	8.099e-05	0.003365	0.0001869	enum.py:1739(conver
2520	0.002166	8.594e-07	0.003361	1.334e-06	_internal_utils.py:38(i
2524	0.002373	9.401e-07	0.003356	1.33e-06	cookiejar.py:1291(__c
2524	0.003347	1.326e-06	0.003347	1.326e-06	parse.py:566(_urlunsp
5048	0.001686	3.339e-07	0.003341	6.617e-07	message.py:211(is_m
27873	0.003316	1.19e-07	0.003316	1.19e-07	timeout.py:130(_valid
2540	0.003281	1.292e-06	0.003281	1.292e-06	~:0(<method 'rstrip' o
14648	0.003244	2.215e-07	0.003244	2.215e-07	~:0(<method '__exit__
1	6.3e-06	6.3e-06	0.00323	0.00323	_init__.py:1(<modul
2525	0.001805	7.149e-07	0.003187	1.262e-06	message.py:337(set_p
2520	0.002073	8.228e-07	0.003177	1.261e-06	sessions.py:91(merge_
1	1.27e-05	1.27e-05	0.003169	0.003169	core.py:21(where)
30	0.0003646	1.215e-05	0.003165	0.0001055	enum.py:479(__new__
2520	0.002438	9.675e-07	0.003159	1.253e-06	parse.py:193(_userinf
2524	0.002144	8.496e-07	0.003145	1.246e-06	timeout.py:202(start_
2525	0.001428	5.654e-07	0.003133	1.241e-06	client.py:1278(_valida
1	2.33e-05	2.33e-05	0.003129	0.003129	queue.py:1(<module>
2525	0.001945	7.701e-07	0.003128	1.239e-06	client.py:1269(_valida
55	0.003126	5.683e-05	0.003126	5.683e-05	~:0(<method 'close' o
11779	0.003123	2.651e-07	0.003123	2.651e-07	~:0(<method '__enter__
2525	0.001538	6.09e-07	0.003097	1.226e-06	client.py:1265(_encod
22	6.58e-05	2.991e-06	0.003097	0.0001408	<frozen importlib._bo
1	1.91e-05	1.91e-05	0.003091	0.003091	featstruct.py:2147(Fea
5050	0.003045	6.03e-07	0.003045	6.03e-07	~:0(<method 'truncate
1	7.04e-05	7.04e-05	0.003044	0.003044	numerictypes.py:1(<n
1	1.67e-05	1.67e-05	0.003041	0.003041	agreement.py:1(<mod
22	0.003014	0.000137	0.003014	0.000137	~:0(<built-in method i
1	1.4e-06	1.4e-06	0.003008	0.003008	_common.py:33(wrap
1	3.9e-06	3.9e-06	0.003006	0.003006	_common.py:51(files)

ncalls	tottime	percall	cumtime	percall	
3437	0.002991	8.703e-07	0.002991	8.703e-07	ssl.py:677(verify_moc
121	0.001061	8.771e-06	0.002988	2.469e-05	downloader.py:265(fr
872	0.001172	1.344e-06	0.002987	3.425e-06	enum.py:1593(__and_
1	7.6e-06	7.6e-06	0.002984	0.002984	treebank.py:1(<modul
1	9.2e-06	9.2e-06	0.002981	0.002981	_common.py:108(fro
1	1.62e-05	1.62e-05	0.00298	0.00298	__init__.py:1(<modul
2534/771	0.002419	3.137e-06	0.002979	3.864e-06	_parser.py:178(getwi
2525	0.001785	7.069e-07	0.002964	1.174e-06	feedparser.py:210(_pc
1719	0.002444	1.422e-06	0.002951	1.717e-06	socket.py:513(detach)
12	0.0005031	4.193e-05	0.002935	0.0002446	enum.py:879(__conver
954	0.001849	1.939e-06	0.002929	3.071e-06	response.py:1328(__up
1	5e-05	5e-05	0.002923	0.002923	request.py:1(<module
5040	0.001839	3.649e-07	0.002905	5.763e-07	structures.py:60(__ler
1	2.6e-06	2.6e-06	0.0029	0.0029	toktok.py:1(<module>
1720	0.001518	8.823e-07	0.002898	1.685e-06	client.py:1286(__valida
18263	0.002887	1.581e-07	0.002887	1.581e-07	_parser.py:240(__nex
7644	0.002869	3.753e-07	0.002869	3.753e-07	~:0(<method 'count' o
1	1.76e-05	1.76e-05	0.002867	0.002867	toktok.py:29(ToktokT
1	2.22e-05	2.22e-05	0.002833	0.002833	treebank.py:216(Tree
458	0.002679	5.849e-06	0.002808	6.131e-06	_inspect.py:66(getarg
629	0.0003488	5.545e-07	0.002808	4.463e-06	<frozen importlib._bo
1	3.12e-05	3.12e-05	0.002797	0.002797	_methods.py:1(<modu
547/544	0.0006472	1.19e-06	0.002796	5.139e-06	<frozen importlib._bo
1718	0.002786	1.622e-06	0.002786	1.622e-06	ssl.py:559(options)
1	1.83e-05	1.83e-05	0.002786	0.002786	boxer.py:1(<module>
1	5.09e-05	5.09e-05	0.002777	0.002777	subprocess.py:1(<mod
1	7.4e-06	7.4e-06	0.002765	0.002765	core.py:1(<module>)
1	1.01e-05	1.01e-05	0.002757	0.002757	__init__.py:1(<modul
1	0.0002305	0.0002305	0.002748	0.002748	_dtype_like.py:1(<mc
8834	0.002735	3.096e-07	0.002735	3.096e-07	~:0(<built-in method i
1	3.52e-05	3.52e-05	0.002725	0.002725	_polynomial_impl.py:
27	0.002716	0.0001006	0.002716	0.0001006	~:0(<built-in method l
418	0.002706	6.474e-06	0.002706	6.474e-06	~:0(<built-in method :
10100	0.002692	2.666e-07	0.002692	2.666e-07	~:0(<method 'seek' of
1	1.89e-05	1.89e-05	0.002692	0.002692	configparser.py:1(<m
711	0.001753	2.466e-06	0.002688	3.78e-06	_base.py:422(result)
1	9.3e-06	9.3e-06	0.002674	0.002674	models.py:1(<module
160	0.001146	7.164e-06	0.002656	1.66e-05	typing.py:260(__collec
5050	0.00265	5.247e-07	0.00265	5.247e-07	message.py:150(__ini
1	1.94e-05	1.94e-05	0.002646	0.002646	_globals.py:1(<modul
417	0.0006851	1.643e-06	0.002623	6.289e-06	response.py:656(__flus
10815	0.002611	2.415e-07	0.002611	2.415e-07	~:0(<method 'release'
4631	0.002061	4.45e-07	0.002605	5.625e-07	response.py:494(<gen

nCalls	Total Time	Per Call	Cumulative Time	Per Call	File:Line
1	1.14e-05	1.14e-05	0.002568	0.002568	xmlreader.py:1(<mod:
10286	0.002557	2.486e-07	0.002557	2.486e-07	~:0(<method 'count' o
12145	0.002554	2.103e-07	0.002554	2.103e-07	client.py:453(isclosed
10084	0.002528	2.507e-07	0.002528	2.507e-07	~:0(<method 'items' o
1	8.7e-06	8.7e-06	0.002515	0.002515	reextract.py:1(<mod:
7	8.49e-05	1.213e-05	0.002492	0.000356	argparse.py:1505(add
800	0.0006357	7.946e-07	0.002484	3.105e-06	models.py:730(__boo
629	0.001052	1.673e-06	0.002459	3.909e-06	<frozen importlib._bo
7	7.26e-05	1.037e-05	0.002455	0.0003507	typing.py:2927(__mak
627	0.0003181	5.073e-07	0.002445	3.9e-06	<frozen importlib._bo
1	1.63e-05	1.63e-05	0.002443	0.002443	fractions.py:1(<mod:
1	1.07e-05	1.07e-05	0.002436	0.002436	decimal.py:1(<mod:
2687	0.002376	8.844e-07	0.002406	8.955e-07	~:0(<method 'sort' of '
1	3.94e-05	3.94e-05	0.002406	0.002406	ngram.py:23(NGram)
5048	0.002368	4.691e-07	0.002368	4.691e-07	response.py:554(retrie
16/5	2.97e-05	5.94e-06	0.002365	0.0004729	_regex_core.py:452(_
19/5	0.0001236	2.472e-05	0.002345	0.000469	_regex_core.py:462(p
295	0.0006415	2.175e-06	0.002332	7.905e-06	random.py:128(seed)
1	4.3e-06	4.3e-06	0.002325	0.002325	__init__.py:50(__geta
2524	0.00153	6.062e-07	0.002322	9.2e-07	request.py:142(set_fil
18516	0.002298	1.241e-07	0.002298	1.241e-07	ssl.py:1117(__checkCl
1	2.79e-05	2.79e-05	0.002279	0.002279	hashlib.py:1(<module
445	0.0001586	3.564e-07	0.002277	5.116e-06	typing.py:175(__type_
1	2.29e-05	2.29e-05	0.002261	0.002261	core.py:1(<module>)
1	6.5e-06	6.5e-06	0.00224	0.00224	libre.py:1(<module>)
3432	0.002238	6.522e-07	0.002238	6.522e-07	~:0(<method 'clear' of
906	0.001115	1.231e-06	0.002233	2.465e-06	models.py:754(ok)
1718	0.002218	1.291e-06	0.002218	1.291e-06	connection.py:361(pr
1	5.4e-06	5.4e-06	0.002204	0.002204	__init__.py:1(<modul
1022	0.001232	1.206e-06	0.00219	2.143e-06	random.py:557(gauss)
11/6	3.8e-05	6.333e-06	0.002183	0.0003639	_regex_core.py:850(p
1	2.58e-05	2.58e-05	0.002179	0.002179	connection.py:1(<mod
1	8.9e-06	8.9e-06	0.002176	0.002176	base64mime.py:1(<m
23	2.71e-05	1.178e-06	0.002165	9.411e-05	overrides.py:184(decc
4156	0.002161	5.2e-07	0.002161	5.2e-07	~:0(<method 'write' o
14	3.65e-05	2.607e-06	0.002155	0.0001539	argparse.py:2724(__ge
70	0.000163	2.329e-06	0.002145	3.064e-05	typing.py:1356(__geti
148	9.48e-05	6.405e-07	0.002144	1.448e-05	detector_factory.py:98
1	1.13e-05	1.13e-05	0.002113	0.002113	__init__.py:1(<modul
1	6.8e-06	6.8e-06	0.00211	0.00211	adapters.py:28(get_r
1	2.8e-06	2.8e-06	0.002103	0.002103	adapters.py:149(__nat
1	9.6e-06	9.6e-06	0.0021	0.0021	adapters.py:144(__rea
149	0.001204	8.077e-06	0.002097	1.407e-05	vader.py:313(allcap_d

ncalls	tottime	percall	cumtime	percall	
1	5.46e-05	5.46e-05	0.002091	0.002091	dbapi2.py:1(<module:>)
1	4.6e-06	4.6e-06	0.002087	0.002087	<frozen importlib._bo
5040	0.002061	4.09e-07	0.002061	4.09e-07	~:0(<method 'update'
50	0.0001071	2.142e-06	0.002056	4.112e-05	typing.py:952(_make_
148	0.0002176	1.47e-06	0.002049	1.384e-05	detector_factory.py:1(
5156	0.002031	3.939e-07	0.002031	3.939e-07	_request_methods.py:
1718	0.002009	1.169e-06	0.002009	1.169e-06	ssl.py:569(hostname_
1	2.25e-05	2.25e-05	0.001992	0.001992	maxent.py:1(<module
1	5.22e-05	5.22e-05	0.001988	0.001988	_os.py:1(<module>)
1719	0.001969	1.145e-06	0.001969	1.145e-06	ssl.py:665(verify_flag
92	0.000606	6.587e-06	0.001962	2.133e-05	enum.py:238(__set_n:
134	3.12e-05	2.328e-07	0.001962	1.464e-05	messages.py:19(get_s
1	1.31e-05	1.31e-05	0.001922	0.001922	data.py:734(load)
50	6.62e-05	1.324e-06	0.001919	3.838e-05	annotationlib.py:239(
1	2.6e-05	2.6e-05	0.001909	0.001909	plaintext.py:1(<modu
1	0.0001616	0.0001616	0.001895	0.001895	typing.py:1(<module>
711	0.0009471	1.332e-06	0.001881	2.646e-06	_base.py:491(set_run
1	2.71e-05	2.71e-05	0.001878	0.001878	filepost.py:1(<module
3	4.13e-05	1.377e-05	0.001877	0.0006258	__init__.py:71(search
1	0.0002022	0.0002022	0.001874	0.001874	messages.py:7(__init_
1	2.84e-05	2.84e-05	0.001874	0.001874	poolmanager.py:1(<m
524	0.001002	1.911e-06	0.001873	3.574e-06	<frozen importlib._bo
4243	0.00186	4.383e-07	0.001864	4.393e-07	__init__.py:1765(isEr
1	1.88e-05	1.88e-05	0.001841	0.001841	drt.py:1(<module>)
148	0.0004225	2.855e-06	0.001831	1.237e-05	detector.py:56(__init_
1624	0.001292	7.956e-07	0.00183	1.127e-06	<frozen importlib._bo
449	0.001173	2.612e-06	0.001823	4.06e-06	vader.py:470(_idioms
10084	0.001801	1.786e-07	0.001801	1.786e-07	<frozen _collections :
1	7.1e-06	7.1e-06	0.001791	0.001791	immutable.py:1(<moc
1719	0.001779	1.035e-06	0.001779	1.035e-06	~:0(<method 'append'
1	1.4e-05	1.4e-05	0.001772	0.001772	message.py:1(<modul
1	2.49e-05	2.49e-05	0.001765	0.001765	lexicon.py:1(<module
5048	0.00176	3.486e-07	0.00176	3.486e-07	~:0(<built-in method t
1	1.8e-06	1.8e-06	0.001749	0.001749	<frozen importlib._bo
8168	0.001237	1.515e-07	0.00171	2.093e-07	_parser.py:256(match
1	1.21e-05	1.21e-05	0.001694	0.001694	__init__.py:1(<modul
1807	0.001688	9.343e-07	0.001688	9.343e-07	~:0(<method 'extend'
1	0.0002037	0.0002037	0.001686	0.001686	grammar.py:1(<modu
5065	0.001683	3.324e-07	0.001683	3.324e-07	~:0(<method 'keys' of
3660	0.001154	3.154e-07	0.001674	4.574e-07	~:0(<built-in method l
1	9.4e-06	9.4e-06	0.001672	0.001672	data.py:944(__open)
22	9.52e-05	4.327e-06	0.001668	7.581e-05	<frozen importlib._bo
1	2.85e-05	2.85e-05	0.001665	0.001665	<frozen posixpath>:1(

ncalls	tottime	percall	cumtime	percall	
1	1.11e-05	1.11e-05	0.001665	0.001665	xmldocs.py:1(<modul
12555	0.001652	1.316e-07	0.001652	1.316e-07	response.py:392(__le
15	6.42e-05	4.28e-06	0.001649	0.00011	threading.py:974(start
1	4.37e-05	4.37e-05	0.001649	0.001649	_type_check_impl.py:
1	1.63e-05	1.63e-05	0.001641	0.001641	textwrap.py:1(<modu
7580	0.001636	2.158e-07	0.001636	2.158e-07	cookiejar.py:44(__debu
1	7e-05	7e-05	0.001632	0.001632	cookies.py:1(<module
1	5.8e-06	5.8e-06	0.001626	0.001626	xmldocs.py:81(XMLC
705	0.0008219	1.166e-06	0.001616	2.292e-06	threading.py:641(clea
210	0.0008998	4.285e-06	0.001606	7.646e-06	StatusAnaliser.py:407
4	1.88e-05	4.7e-06	0.001598	0.0003994	sessions.py:302(rebui
1	2.12e-05	2.12e-05	0.001597	0.001597	textwrap.py:17(TextW
4	3.95e-05	9.875e-06	0.001572	0.000393	configparser.py:735(r
14	4.19e-05	2.993e-06	0.001567	0.0001119	_regex_core.py:1511(
1	3.02e-05	3.02e-05	0.001564	0.001564	_arraysetops_impl.py:
351	0.0007993	2.277e-06	0.001555	4.431e-06	functools.py:35(updat
1	1.63e-05	1.63e-05	0.001555	0.001555	snowball.py:1(<modu
1	8.1e-06	8.1e-06	0.001538	0.001538	template.py:1(<modul
295	0.001524	5.166e-06	0.001524	5.166e-06	~:0(<function Random
1	2.5e-05	2.5e-05	0.001523	0.001523	ScoringSys.py:516(sa
1572	0.0009593	6.102e-07	0.001521	9.674e-07	<frozen importlib._bo
1718	0.001517	8.829e-07	0.001517	8.829e-07	utils.py:881(default_u
4	2.82e-05	7.05e-06	0.001517	0.0003793	utils.py:854(resolve_f
1	3.52e-05	3.52e-05	0.001516	0.001516	pickle.py:1(<module>
14	9.77e-05	6.979e-06	0.0015	0.0001071	argparse.py:164(__ini
524	0.0006846	1.306e-06	0.00149	2.844e-06	<frozen importlib._bo
1	8.3e-06	8.3e-06	0.001479	0.001479	format.py:1(<module>
409	0.0001603	3.919e-07	0.001477	3.611e-06	_parser.py:98(closegr
1	6e-06	6e-06	0.001466	0.001466	readers.py:1(<module
29	2.61e-05	9e-07	0.001447	4.989e-05	inspect.py:3309(signa
2546	0.001436	5.641e-07	0.001436	5.641e-07	~:0(<method 'cast' of '
149	0.0001345	9.027e-07	0.001434	9.621e-06	random.py:119(__init
1	9.6e-06	9.6e-06	0.001433	0.001433	malt.py:1(<module>)
7	1.32e-05	1.886e-06	0.001428	0.000204	__init__.py:188(__safe
38/30	0.0002288	7.627e-06	0.001427	4.755e-05	inspect.py:2403(_sign
1	1.66e-05	1.66e-05	0.001425	0.001425	decoder.py:1(<module
146	0.001244	8.521e-06	0.001423	9.747e-06	detector.py:234(__sort
2520	0.001421	5.64e-07	0.001421	5.64e-07	models.py:572(prepar
3342	0.0009643	2.885e-07	0.001421	4.253e-07	<frozen importlib._bo
29	3.75e-05	1.293e-06	0.001421	4.899e-05	inspect.py:3022(from_
7	5.1e-05	7.286e-06	0.001415	0.0002021	<frozen ntpath>:705(t
2525	0.001236	4.895e-07	0.001393	5.515e-07	socket.py:497(__decref
5056	0.001372	2.713e-07	0.001372	2.713e-07	utils.py:733(set_envir

ncalls	tottime	percall	cumtime	percall	
1	8.93e-05	8.93e-05	0.00137	0.00137	_function_base_impl_
1	1.08e-05	1.08e-05	0.001368	0.001368	printoptions.py:1(<mc
1	4.2e-06	4.2e-06	0.001366	0.001366	em.py:1(<module>)
4878	0.0009335	1.914e-07	0.001361	2.789e-07	_parser.py:164(__len_
1	2.5e-05	2.5e-05	0.001354	0.001354	chunked.py:1(<modul
1294	0.0007567	5.848e-07	0.001348	1.042e-06	typing.py:1272(__seta
2520	0.001345	5.337e-07	0.001345	5.337e-07	~:0(<built-in method l
28	9.39e-05	3.354e-06	0.001335	4.768e-05	argparse.py:195(__set
22	0.001333	6.06e-05	0.001333	6.06e-05	~:0(<built-in method i
3870	0.0008704	2.249e-07	0.001329	3.434e-07	_parser.py:176(appen
1	3.99e-05	3.99e-05	0.001319	0.001319	data.py:1(<module>)
22	2.7e-05	1.227e-06	0.001319	5.996e-05	<frozen importlib._bo
289	0.001177	4.071e-06	0.001317	4.556e-06	_compiler.py:400(__ml
1	7.9e-06	7.9e-06	0.001317	0.001317	mymemory_translated
2	1.54e-05	7.7e-06	0.001309	0.0006546	data.py:382(__init__)
417	0.0002307	5.532e-07	0.001304	3.126e-06	response.py:191(flush
1624	0.0009364	5.766e-07	0.001301	8.012e-07	<frozen importlib._bo
10112	0.001297	1.282e-07	0.001297	1.282e-07	cookies.py:117(info)
1005	0.0008695	8.652e-07	0.001292	1.285e-06	_compiler.py:221(__co
1	1.58e-05	1.58e-05	0.001284	0.001284	overrides.py:1(<modu
1	1.19e-05	1.19e-05	0.001284	0.001284	api.py:1(<module>)
2	2.03e-05	1.015e-05	0.001275	0.0006374	data.py:1017(__init__)
1624	0.001271	7.823e-07	0.001271	7.823e-07	<frozen importlib._bo
16	0.001262	7.889e-05	0.001262	7.889e-05	~:0(<built-in method i
1	1.03e-05	1.03e-05	0.001262	0.001262	_zstdfile.py:1(<modu
1	1.2e-05	1.2e-05	0.00126	0.00126	idna.py:1(<module>)
1027	0.0004229	4.118e-07	0.001258	1.225e-06	_compiler.py:412(__sir
1	9.6e-06	9.6e-06	0.001249	0.001249	__init__.py:1(<modul
5587	0.001244	2.227e-07	0.001244	2.227e-07	~:0(<method 'append'
28	0.0002052	7.329e-06	0.001234	4.407e-05	_colorize.py:275(can
1	1.75e-05	1.75e-05	0.001234	0.001234	charset.py:1(<module>)
5044	0.001225	2.428e-07	0.001225	2.428e-07	connection.py:347(is_
1	4.53e-05	4.53e-05	0.001224	0.001224	utils.py:1(<module>)
5157	0.001214	2.354e-07	0.001214	2.354e-07	~:0(<method 'gettime
2	3.8e-05	1.9e-05	0.001208	0.0006038	__init__.py:1401(__ir
3354	0.0008017	2.39e-07	0.001202	3.584e-07	_parser.py:293(tell)
6767	0.001191	1.76e-07	0.001191	1.76e-07	timeout.py:227(conne
3946	0.001184	3e-07	0.001184	3e-07	~:0(<built-in method i
14	7.16e-05	5.114e-06	0.001184	8.456e-05	_regex_core.py:1577(
1	2.36e-05	2.36e-05	0.001175	0.001175	argparse.py:1865(__ir
55	0.0006834	1.243e-05	0.001173	2.132e-05	textwrap.py:416(dede
5056	0.001169	2.311e-07	0.001169	2.311e-07	cookies.py:110(__init
2078	0.001168	5.62e-07	0.001168	5.62e-07	~:0(<method 'getvalu

ncalls	tottime	percall	cumtime	percall	
1	3.03e-05	3.03e-05	0.001165	0.001165	earleychart.py:1(<module>)
1	1.1e-05	1.1e-05	0.001159	0.001159	bz2.py:1(<module>)
1	1.9e-05	1.9e-05	0.001157	0.001157	glob.py:1(<module>)
1431	0.0007179	5.017e-07	0.001149	8.032e-07	threading.py:325(_acquire)
619	0.0002476	4e-07	0.001147	1.853e-06	<frozen importlib._bootstrap>
1	9e-06	9e-06	0.001144	0.001144	wait.py:1(<module>)
1	8.6e-06	8.6e-06	0.00114	0.00114	_regex_core.py:1185(_compile)
910	0.0008255	9.071e-07	0.001123	1.234e-06	models.py:999(raise_ignored)
1	2.16e-05	2.16e-05	0.001112	0.001112	base64.py:1(<module>)
1321	0.000707	5.352e-07	0.00111	8.403e-07	util.py:1287(pairwise)
1	1.59e-05	1.59e-05	0.001107	0.001107	ipaddress.py:1(<module>)
15	0.001097	7.312e-05	0.001097	7.312e-05	~::0(<built-in method open()>)
70	6.73e-05	9.614e-07	0.001094	1.563e-05	typing.py:1478(copy deepcopy)
418	0.001076	2.574e-06	0.001076	2.574e-06	~::0(<method 'flush' of '_io.BufferedReader' object>)
1719	0.001075	6.253e-07	0.001075	6.253e-07	~::0(<method 'fileno' of '_io.BufferedReader' object>)
1	1.75e-05	1.75e-05	0.00107	0.00107	glue.py:1(<module>)
1	7.4e-06	7.4e-06	0.00106	0.00106	parented.py:1(<module>)
149	0.001053	7.066e-06	0.001053	7.066e-06	vader.py:578(_sift_sentence)
1	5.39e-05	5.39e-05	0.001052	0.001052	_add_newdocs_scalar
1	5.4e-06	5.4e-06	0.001049	0.001049	_regex_core.py:1166(_compile)
1	1.65e-05	1.65e-05	0.001041	0.001041	warnings.py:1(<module>)
1	9.3e-06	9.3e-06	0.00104	0.00104	__init__.py:1(<module>)
1719	0.001037	6.032e-07	0.001037	6.032e-07	~::0(<built-in method open()>)
1	1.45e-05	1.45e-05	0.001036	0.001036	regexp.py:1(<module>)
1	2.33e-05	2.33e-05	0.001034	0.001034	retry.py:1(<module>)
1	5.8e-06	5.8e-06	0.001032	0.001032	pydoc.py:534(Doc)
3512	0.0006886	1.961e-07	0.00103	2.934e-07	internals.py:959(__getstate__)
79	7.82e-05	9.899e-07	0.001024	1.297e-05	_regex_core.py:1600(_compile)
1	0.0001992	0.0001992	0.001022	0.001022	six.py:1(<module>)
4/1	3.3e-06	3.3e-06	0.001022	0.001022	__init__.py:501(get_persistent)
4/1	4.4e-06	4.4e-06	0.001021	0.001021	__init__.py:489(get_persistent)
1	1.24e-05	1.24e-05	0.001019	0.001019	fields.py:1(<module>)
4/1	4.04e-05	4.04e-05	0.001018	0.001018	__init__.py:271(explicit)
121	0.0003945	3.26e-06	0.001015	8.391e-06	downloader.py:196(__init__)
3494	0.001012	2.896e-07	0.001012	2.896e-07	response.py:187(has_error)
1	1.76e-05	1.76e-05	0.001011	0.001011	transitionparser.py:1(<module>)
2524	0.001009	3.998e-07	0.001009	3.998e-07	~::0(<built-in method len()>)
1	4.91e-05	4.91e-05	0.001002	0.001002	twodim_base_impl.py:1(<module>)
148	0.0001468	9.919e-07	0.0009915	6.699e-06	ngram.py:99(normalize)
7	1.71e-05	2.443e-06	0.0009879	0.0001411	argparse.py:1743(_check_value)
9	0.0002815	3.128e-05	0.0009859	0.0001095	internals.py:1009(find)
5/1	1.01e-05	1.01e-05	0.0009838	0.0009838	__init__.py:594(get_c)
1	1.86e-05	1.86e-05	0.0009812	0.0009812	lzma.py:1(<module>)

ncalls	tottime	percall	cumtime	percall	
2	6.65e-05	3.325e-05	0.0009786	0.0004893	__init__.py:1517(_Re
9	7.46e-05	8.289e-06	0.0009781	0.0001087	internals.py:407(deco
1	1.81e-05	1.81e-05	0.0009763	0.0009763	__init__.py:509(_init_
1	1.43e-05	1.43e-05	0.0009696	0.0009696	socks.py:1(<module>
7	0.0001899	2.713e-05	0.0009657	0.000138	downloader.py:305(fr
5568	0.0009655	1.734e-07	0.0009655	1.734e-07	<frozen importlib._bo
1	1.46e-05	1.46e-05	0.0009634	0.0009634	api.py:1(<module>)
1	1.94e-05	1.94e-05	0.0009577	0.0009577	__init__.py:1(<modul
1	1.86e-05	1.86e-05	0.0009513	0.0009513	corenlp.py:1(<module
186	0.0001691	9.091e-07	0.0009431	5.07e-06	typing.py:1211(__init_
1	5.9e-06	5.9e-06	0.0009428	0.0009428	scimath.py:1(<module
90	0.0004501	5.001e-06	0.0009344	1.038e-05	typing.py:1713(__has
1022	0.0007714	7.548e-07	0.0009333	9.132e-07	detector.py:173(__init_
1	5.2e-06	5.2e-06	0.0009332	0.0009332	__init__.py:1(<modul
1	4.63e-05	4.63e-05	0.0009317	0.0009317	_common.py:1(<mod
14	7.12e-05	5.086e-06	0.0009265	6.618e-05	typing.py:1353(__ror_
1	1.79e-05	1.79e-05	0.0009254	0.0009254	configparser.py:606(R
1	2.58e-05	2.58e-05	0.000921	0.000921	random.py:1(<module
1	2.62e-05	2.62e-05	0.0009181	0.0009181	combinator.py:1(<mo
622	0.0005801	9.326e-07	0.0009111	1.465e-06	<frozen importlib._bo
1	4.2e-06	4.2e-06	0.0009101	0.0009101	__init__.py:477(StrFc
1	1.69e-05	1.69e-05	0.0009064	0.0009064	connection.py:114(h
1	3.2e-06	3.2e-06	0.0009014	0.0009014	data.py:433(open)
1718	0.0009011	5.245e-07	0.0009011	5.245e-07	ssl_.py:209(resolve_s:
1	8.5e-06	8.5e-06	0.000898	0.000898	data.py:1027(read)
1	1.16e-05	1.16e-05	0.0008971	0.0008971	mace.py:1(<module>)
2525	0.0008909	3.528e-07	0.0008909	3.528e-07	parser.py:17(__init__)
1720	0.0008882	5.164e-07	0.0008888	5.167e-07	client.py:926(_get_ho
55	0.0001234	2.244e-06	0.0008829	1.605e-05	lang_profile.py:17(__
2092	0.0008803	4.208e-07	0.0008803	4.208e-07	~:0(<method 'pop' of '
30	0.0003067	1.022e-05	0.0008783	2.928e-05	inspect.py:2297(__sign
1840	0.0004762	2.588e-07	0.0008739	4.749e-07	typing.py:1026(__is_u
1	1.14e-05	1.14e-05	0.0008669	0.0008669	association.py:1(<mo
1	1.11e-05	1.11e-05	0.0008631	0.0008631	pl196x.py:1(<module
265	0.0008622	3.254e-06	0.0008622	3.254e-06	~:0(<built-in method _
62	0.0003093	4.989e-06	0.0008591	1.386e-05	<frozen importlib._bo
94	0.0001263	1.344e-06	0.0008512	9.055e-06	_regex_core.py:1641(
1	1.81e-05	1.81e-05	0.0008449	0.0008449	readers.py:1(<module
1624	0.0005036	3.101e-07	0.0008415	5.182e-07	<frozen importlib._bo
166	0.0003861	2.326e-06	0.000823	4.958e-06	enum.py:341(__setitem
1	3.76e-05	3.76e-05	0.0008212	0.0008212	__init__.py:1(<modul
1	1.03e-05	1.03e-05	0.0008169	0.0008169	toolbox.py:1(<module
21	6.37e-05	3.033e-06	0.0008147	3.88e-05	typing.py:1963(__nev

ncalls	tottime	percall	cumtime	percall	
1422	0.0008146	5.729e-07	0.0008146	5.729e-07	~:0(<method 'remove'
1	1.44e-05	1.44e-05	0.0008133	0.0008133	__init__.py:1665(read
1	0.0001763	0.0001763	0.000811	0.000811	constant.py:1(<modul
629	0.0007974	1.268e-06	0.0007974	1.268e-06	~:0(<built-in method i
1	1.87e-05	1.87e-05	0.000789	0.000789	tagged.py:1(<module>
595	0.0003061	5.145e-07	0.0007875	1.324e-06	<frozen importlib._bo
1	7.1e-06	7.1e-06	0.0007869	0.0007869	util.py:1(<module>)
1809	0.0005087	2.812e-07	0.0007812	4.318e-07	<frozen importlib._bo
1	2.39e-05	2.39e-05	0.0007794	0.0007794	_base.py:1(<module>
1	1.94e-05	1.94e-05	0.0007781	0.0007781	__init__.py:395(__init_
1	1.99e-05	1.99e-05	0.0007769	0.0007769	_format_impl.py:1(<r
1	5.3e-06	5.3e-06	0.0007697	0.0007697	encoders.py:1(<modu
1	6.4e-06	6.4e-06	0.0007665	0.0007665	scikitlearn.py:1(<mod
1	7.6e-06	7.6e-06	0.0007656	0.0007656	bllip.py:1(<module>)
2099	0.000765	3.645e-07	0.000765	3.645e-07	~:0(<method 'format'
24	5.59e-05	2.329e-06	0.0007614	3.173e-05	textwrap.py:347(wrap
1	2.48e-05	2.48e-05	0.0007612	0.0007612	ElementPath.py:1(<m
20	6.15e-05	3.075e-06	0.0007546	3.773e-05	textwrap.py:386(fill)
70	0.00015	2.143e-06	0.0007525	1.075e-05	typing.py:1387(_dete
1	3.29e-05	3.29e-05	0.0007496	0.0007496	calendar.py:1(<modul
1	8e-06	8e-06	0.000742	0.000742	gale_church.py:1(<mo
128	0.0004424	3.456e-06	0.0007376	5.763e-06	StatusAnaliser.py:436
1719	0.0007368	4.286e-07	0.0007368	4.286e-07	connection.py:103(all
677	0.0004753	7.021e-07	0.0007367	1.088e-06	__parser.py:372(_esca
1	1.18e-05	1.18e-05	0.0007362	0.0007362	api.py:1(<module>)
1	6.9e-06	6.9e-06	0.000735	0.000735	crf.py:1(<module>)
1719	0.0007342	4.271e-07	0.0007342	4.271e-07	connection.py:188(ho
1553	0.0004514	2.907e-07	0.0007339	4.726e-07	typing.py:1198(_is_du
1	1.38e-05	1.38e-05	0.0007332	0.0007332	typing.py:3027(Name
619	0.0007325	1.183e-06	0.0007325	1.183e-06	~:0(<built-in method _
2	0.0001526	7.63e-05	0.0007307	0.0003654	lexicon.py:241(fromst
2340	0.0007292	3.116e-07	0.0007292	3.116e-07	~:0(<method 'remove'
1	1.8e-05	1.8e-05	0.0007249	0.0007249	punkt.py:1(<module>)
1	0.0001565	0.0001565	0.0007148	0.0007148	logic.py:1(<module>)
629	0.0004184	6.652e-07	0.0007132	1.134e-06	__parser.py:449(_uniq)
2644	0.0005556	2.101e-07	0.0007093	2.683e-07	vader.py:225(<genexp
6	2.27e-05	3.783e-06	0.0007081	0.000118	downloader.py:663(_c
1	9e-06	9e-06	0.0007056	0.0007056	api.py:1(<module>)
1	5.7e-06	5.7e-06	0.0006945	0.0006945	__init__.py:444(Perce
83	0.0003893	4.69e-06	0.0006911	8.327e-06	StatusAnaliser.py:79(-
2054	0.0006877	3.348e-07	0.0006877	3.348e-07	~:0(<built-in method _
5224	0.0006821	1.306e-07	0.0006821	1.306e-07	typing.py:1703(<gene
1	1.03e-05	1.03e-05	0.0006821	0.0006821	downloader.py:837(st

ncalls	tottime	percall	cumtime	percall	
20	2.46e-05	1.23e-06	0.0006815	3.408e-05	textwrap.py:361(fill)
1	8.2e-06	8.2e-06	0.0006777	0.0006777	util.py:1(<module>)
520	0.0004662	8.965e-07	0.0006763	1.301e-06	vader.py:438(_least_c
210	0.0004339	2.066e-06	0.0006747	3.213e-06	<frozen ntpath>:99(jo
1	1.76e-05	1.76e-05	0.0006689	0.0006689	panlex_swadesh.py:1(
1	1.05e-05	1.05e-05	0.0006686	0.0006686	base.py:1(<module>)
1	1.51e-05	1.51e-05	0.0006659	0.0006659	downloader.py:871(_f
532	0.0005786	1.088e-06	0.0006656	1.251e-06	enum.py:810(_setatt:
1040	0.0006605	6.351e-07	0.0006605	6.351e-07	<frozen importlib._bo
622	0.0004934	7.932e-07	0.0006597	1.061e-06	<frozen importlib._bo
2545	0.0006584	2.587e-07	0.0006584	2.587e-07	~:0(<method 'end' of '
5050	0.0006578	1.303e-07	0.0006578	1.303e-07	feedparser.py:126(_i
1	5.6e-06	5.6e-06	0.0006568	0.0006568	__init__.py:1059(read
1	1.23e-05	1.23e-05	0.0006562	0.0006562	snowball.py:304(Arač
1	1.25e-05	1.25e-05	0.0006512	0.0006512	__init__.py:1141(_rea
1718	0.0006473	3.768e-07	0.0006473	3.768e-07	connection.py:368(pr
710	0.0004419	6.224e-07	0.0006471	9.114e-07	_base.py:59(add_resu
178	0.0004297	2.414e-06	0.0006453	3.625e-06	~:0(<built-in method l
1431	0.0004372	3.055e-07	0.0006451	4.508e-07	threading.py:322(_rel
596	0.0006428	1.079e-06	0.0006428	1.079e-06	~:0(<built-in method l
4	6.08e-05	1.52e-05	0.000638	0.0001595	configparser.py:647(_
1	2.04e-05	2.04e-05	0.0006351	0.0006351	bracket_parse.py:1(<r
426/331	0.0004788	1.447e-06	0.0006301	1.904e-06	_compiler.py:450(_ge
1	5.4e-06	5.4e-06	0.0006294	0.0006294	_collections.py:1(<mc
2524	0.0006251	2.477e-07	0.0006251	2.477e-07	proxy.py:11(connectic
1	1.87e-05	1.87e-05	0.0006251	0.0006251	message.py:135(Mess
39	0.0002458	6.303e-06	0.0006238	1.599e-05	enum.py:1445(_missi
1	3.72e-05	3.72e-05	0.0006216	0.0006216	_collections.py:1(<mc
409	0.0003155	7.714e-07	0.0006178	1.511e-06	_parser.py:86(opengrc
1	1.3e-05	1.3e-05	0.0006158	0.0006158	scanner.py:1(<module
1809	0.000423	2.338e-07	0.0006094	3.369e-07	<frozen importlib._bo
2642	0.0004682	1.772e-07	0.0006082	2.302e-07	vader.py:228(<genexp
1	4.3e-06	4.3e-06	0.0006065	0.0006065	array_utils.py:1(<moc
373	0.0006006	1.61e-06	0.0006006	1.61e-06	~:0(<built-in method i
381	0.0003749	9.84e-07	0.0006004	1.576e-06	_parser.py:312(_class
1	1.91e-05	1.91e-05	0.0005995	0.0005995	pkgutil.py:1(<module
1	0.0005979	0.0005979	0.0005979	0.0005979	ngram.py:253(_init_c
28	0.0005963	2.13e-05	0.0005963	2.13e-05	~:0(<built-in method i
1	1.76e-05	1.76e-05	0.0005894	0.0005894	comparative_sents.py
10655	0.0005834	5.475e-08	0.0005834	5.475e-08	six.py:651(u)
1	1.76e-05	1.76e-05	0.0005799	0.0005799	reviews.py:1(<modul
1	5.2e-06	5.2e-06	0.000574	0.000574	verbnet.py:1(<module
834	0.0004032	4.835e-07	0.0005728	6.868e-07	response.py:1319(sup

ncalls	tottime	percall	cumtime	percall	
1	2.63e-05	2.63e-05	0.0005703	0.0005703	downloader.py:1(<mo
1	4.93e-05	4.93e-05	0.0005678	0.0005678	signal.py:1(<module>
4	1.36e-05	3.4e-06	0.0005665	0.0001416	ssl.py:399(__new__)
1	1.12e-05	1.12e-05	0.0005631	0.0005631	request.py:287(__init_
3153	0.0005549	1.76e-07	0.0005549	1.76e-07	~:0(<method 'find' of
4055	0.000552	1.361e-07	0.000552	1.361e-07	~:0(<built-in method _
1	8.2e-06	8.2e-06	0.0005508	0.0005508	verbnet.py:22(Verbne
4	0.0005487	0.0001372	0.0005487	0.0001372	~:0(<built-in method _
70	0.0001853	2.647e-06	0.000547	7.814e-06	typing.py:1416(_mak
1323	0.0003979	3.008e-07	0.0005457	4.125e-07	vader.py:243(scalar_i
547	0.0005436	9.938e-07	0.0005436	9.938e-07	<frozen importlib._bo
2525	0.0005435	2.152e-07	0.0005435	2.152e-07	~:0(<function HTTPR
1	3.1e-06	3.1e-06	0.0005431	0.0005431	<frozen importlib.util
1	0.0001155	0.0001155	0.0005387	0.0005387	__init__.py:120(dump
10	0.0002769	2.769e-05	0.0005376	5.376e-05	request.py:406(add_h
1	5.6e-06	5.6e-06	0.0005325	0.0005325	error.py:1(<module>)
27	8.72e-05	3.23e-06	0.0005307	1.966e-05	_add_newdocs_scalar
2524	0.0005292	2.097e-07	0.0005292	2.097e-07	adapters.py:555(add_l
1719	0.0005229	3.042e-07	0.0005229	3.042e-07	ssl.py:1121(__check_c
2524	0.0005211	2.065e-07	0.0005211	2.065e-07	connectionpool.py:33
4055	0.0005153	1.271e-07	0.0005153	1.271e-07	~:0(<built-in method _
2617	0.0005144	1.966e-07	0.0005144	1.966e-07	~:0(<method 'rfind' of
3308	0.0005139	1.554e-07	0.0005139	1.554e-07	~:0(<built-in method _
1	2.97e-05	2.97e-05	0.0005121	0.0005121	probability.py:1(<moc
1	1.01e-05	1.01e-05	0.0005075	0.0005075	request.py:311(full_u
1719	0.0005067	2.948e-07	0.0005067	2.948e-07	~:0(<function socket.c
1594	0.0004224	2.65e-07	0.0005058	3.173e-07	~:0(<built-in method :
4	2.32e-05	5.8e-06	0.0005055	0.0001264	configparser.py:1051(
1	8e-06	8e-06	0.0004924	0.0004924	regexp.py:21(ChunkS
1	1.03e-05	1.03e-05	0.0004913	0.0004913	request.py:342(__parse
14	6.7e-05	4.786e-06	0.0004883	3.488e-05	shutil.py:1511(get_ter
1	9.6e-06	9.6e-06	0.0004874	0.0004874	_internal_utils.py:1(<
1	0.0004593	0.0004593	0.0004831	0.0004831	yandex.py:1(<module
1902	0.0004696	2.469e-07	0.0004789	2.518e-07	~:0(<method 'add' of '
2520	0.0004735	1.879e-07	0.0004735	1.879e-07	models.py:216(<gene
1	9.1e-06	9.1e-06	0.000473	0.000473	__init__.py:126(Entry
4	1.08e-05	2.7e-06	0.0004698	0.0001175	sessions.py:282(rebui
3	3.8e-06	1.267e-06	0.0004689	0.0001563	gettext.py:627(gettext
149	0.0001725	1.158e-06	0.0004672	3.136e-06	vader.py:548(__punctu
524	0.0004659	8.891e-07	0.0004659	8.891e-07	~:0(<built-in method _
3	1.02e-05	3.4e-06	0.0004651	0.000155	gettext.py:587(dgette
237	0.0003553	1.499e-06	0.0004644	1.959e-06	StatusAnaliser.py:382
1	2.53e-05	2.53e-05	0.0004589	0.0004589	ipaddress.py:2369(__I

ncalls	tottime	percall	cumtime	percall	
1	1.27e-05	1.27e-05	0.0004577	0.0004577	sinica_treebank.py:1(
1	6.4e-06	6.4e-06	0.0004569	0.0004569	cistem.py:1(<module>
32/29	0.0001827	6.3e-06	0.000455	1.569e-05	_regex_core.py:3917(
3	1.51e-05	5.033e-06	0.0004544	0.0001515	gettext.py:528(transla
98	0.0001944	1.984e-06	0.0004537	4.63e-06	enum.py:1040(_add_1
47/44	0.0001026	2.332e-06	0.0004474	1.017e-05	lexicon.py:209(augPa
3	4.28e-05	1.427e-05	0.0004393	0.0001464	gettext.py:488(find)
15	0.0001027	6.847e-06	0.0004353	2.902e-05	typing.py:1111(_gene
417	0.0003334	7.995e-07	0.0004348	1.043e-06	response.py:91(is_res
9	2.89e-05	3.211e-06	0.0004341	4.823e-05	internals.py:374(_add
110	0.0001168	1.062e-06	0.0004337	3.943e-06	_regex_core.py:2588(
35	6.84e-05	1.954e-06	0.0004336	1.239e-05	ipaddress.py:2293(_i
1	1.14e-05	1.14e-05	0.0004321	0.0004321	detector.py:13(Detecto
1536	0.0002985	1.943e-07	0.0004297	2.798e-07	_parser.py:83(groups)
1	2.31e-05	2.31e-05	0.000428	0.000428	status_codes.py:1(<m
1	1.09e-05	1.09e-05	0.0004251	0.0004251	cistem.py:16(Cistem)
24	1.79e-05	7.458e-07	0.0004248	1.77e-05	<frozen importlib._bo
4	0.0001834	4.585e-05	0.0004214	0.0001054	configparser.py:1073(
1	4.71e-05	4.71e-05	0.0004099	0.0004099	downloader.py:2233(r
1719	0.0004086	2.377e-07	0.0004086	2.377e-07	queue.py:303(__init__)
352	0.0002447	6.952e-07	0.0004038	1.147e-06	_parser.py:231(__init__
1	8.96e-05	8.96e-05	0.0004006	0.0004006	status_codes.py:109(_
726	0.0003964	5.46e-07	0.0003964	5.46e-07	~:0(<method 'get_nov
24	0.000379	1.579e-05	0.0003962	1.651e-05	~:0(<built-in method _
20	9.33e-05	4.665e-06	0.000389	1.945e-05	typing.py:2114(__init__
2386	0.0003887	1.629e-07	0.0003887	1.629e-07	_parser.py:113(__init__
140	5.57e-05	3.979e-07	0.0003827	2.734e-06	_colorize.py:277(_saf
682	0.0003745	5.491e-07	0.0003745	5.491e-07	~:0(<built-in method :
3	1.24e-05	4.133e-06	0.0003724	0.0001241	_py_warnings.py:254(
25	5.53e-05	2.212e-06	0.0003653	1.461e-05	dtypes.py:30(_add_dt
1624	0.0003647	2.246e-07	0.0003647	2.246e-07	~:0(<built-in method _
24	4.11e-05	1.713e-06	0.0003636	1.515e-05	textwrap.py:341(_spli
2524	0.0003617	1.433e-07	0.0003617	1.433e-07	typing.py:2286(cast)
19/5	3.55e-05	7.1e-06	0.0003614	7.228e-05	_regex_core.py:3514(
402	0.0003584	8.915e-07	0.0003584	8.915e-07	~:0(<method 'expandt
10	3.94e-05	3.94e-06	0.000358	3.58e-05	typing.py:1538(__geti
1	9.5e-06	9.5e-06	0.0003565	0.0003565	<frozen os>:211(mak
1	4.43e-05	4.43e-05	0.0003543	0.0003543	_shape_base_impl.py:
1	2.21e-05	2.21e-05	0.0003533	0.0003533	wordnet.py:1(<modul
274	5.7e-05	2.08e-07	0.0003528	1.288e-06	encoder.py:424(_itere
1	7.7e-06	7.7e-06	0.0003524	0.0003524	punkt.py:394(PunktTc
2524	0.0003523	1.396e-07	0.0003523	1.396e-07	cookies.py:87(get_nev
32	1.9e-05	5.938e-07	0.0003522	1.101e-05	__init__.py:164(matcl

ncalls	tottime	percall	cumtime	percall	
1	1.39e-05	1.39e-05	0.0003518	0.0003518	evaluate.py:1(<module>)
14	0.0003517	2.512e-05	0.0003517	2.512e-05	~:0(<built-in method int.__new__>)
1091	0.0002741	2.512e-07	0.0003499	3.207e-07	_parser.py:172(__setitem__)
3	7.9e-06	2.633e-06	0.0003491	0.0001164	_regex_core.py:995(pattern)
2834	0.0003479	1.228e-07	0.0003479	1.228e-07	~:0(<method 'isspace'>)
1	2.52e-05	2.52e-05	0.0003423	0.0003423	timeout.py:1(<module>)
1	2.72e-05	2.72e-05	0.000342	0.000342	encoder.py:1(<module>)
24	0.0002163	9.013e-06	0.0003419	1.425e-05	textwrap.py:238(_wra)
1	2.3e-06	2.3e-06	0.0003358	0.0003358	request.py:908(AbstractRequest)
1	5.2e-06	5.2e-06	0.0003347	0.0003347	lin.py:1(<module>)
588	0.000333	5.663e-07	0.000333	5.663e-07	~:0(<built-in method int.__new__>)
1431	0.0003302	2.307e-07	0.0003302	2.307e-07	~:0(<method 'remove'>)
545	0.000185	3.394e-07	0.0003288	6.033e-07	internals.py:901(__new__)
1	1.07e-05	1.07e-05	0.0003275	0.0003275	agreement.py:83(Announcement)
37	6.39e-05	1.727e-06	0.0003273	8.846e-06	typing.py:1527(__init__)
1	5e-06	5e-06	0.0003272	0.0003272	downloader.py:472(__init__)
1	5.29e-05	5.29e-05	0.0003259	0.0003259	threading.py:1(<module>)
259	0.0001812	6.996e-07	0.0003239	1.251e-06	typing.py:1262(__getattribute__)
12	8.7e-05	7.25e-06	0.0003236	2.697e-05	enum.py:465(__prepare__)
1	1.68e-05	1.68e-05	0.0003222	0.0003222	downloader.py:1034(download)
1	1.6e-05	1.6e-05	0.0003164	0.0003164	ipaddress.py:1565(__If)
1	0.0002063	0.0002063	0.0003147	0.0003147	_type_aliases.py:1(<new type>)
1	0.0002919	0.0002919	0.0003124	0.0003124	entities.py:1(<module>)
24	3.05e-05	1.271e-06	0.0003105	1.294e-05	<frozen importlib._bootstrap>
1	1.07e-05	1.07e-05	0.0003098	0.0003098	cookiejar.py:1247(CookieJar)
10	0.0001381	1.381e-05	0.0003079	3.079e-05	annotationlib.py:633(annotation)
2	0.0002308	0.0001154	0.0003028	0.0001514	downloader.py:753(shadow)
555	0.0002992	5.391e-07	0.0002992	5.391e-07	~:0(<method '__enter__'>)
16	0.0002992	1.87e-05	0.0002992	1.87e-05	~:0(<built-in method len>)
1	4.17e-05	4.17e-05	0.0002979	0.0002979	arrayprint.py:1(<module>)
120	0.0001638	1.365e-06	0.0002966	2.472e-06	inspect.py:2670(__init__)
1	3.5e-06	3.5e-06	0.0002964	0.0002964	lin.py:15(LinThesaurus)
735	0.0002963	4.031e-07	0.0002963	4.031e-07	~:0(<method 'reverse'>)
121	8.43e-05	6.967e-07	0.0002962	2.448e-06	<frozen ntpath>:243(s)
848/274	0.0002281	8.325e-07	0.0002949	1.076e-06	encoder.py:337(__iter__)
21	4.82e-05	2.295e-06	0.0002941	1.4e-05	ipaddress.py:1498(__init__)
1	3.46e-05	3.46e-05	0.0002938	0.0002938	_nanfunctions_implementation
426	0.0002057	4.829e-07	0.0002909	6.829e-07	enum.py:77(__is_private__)
1	1.55e-05	1.55e-05	0.0002906	0.0002906	propbank.py:1(<module>)
1	1.73e-05	1.73e-05	0.0002886	0.0002886	_distributor_init.py:1()
1	2.47e-05	2.47e-05	0.0002881	0.0002881	abc.py:1(<module>)
352	0.0002872	8.159e-07	0.0002872	8.159e-07	~:0(<built-in method len>)
48	6.83e-05	1.423e-06	0.0002867	5.973e-06	functools.py:593(decode)

nCalls	Total Time	Per Call	Cumulative Time	Per Call	File/Function
1	7.9e-06	7.9e-06	0.0002866	0.0002866	text.py:313(Text)
1	0.0002865	0.0002865	0.0002865	0.0002865	~:0(<method 'set_def
4	6.97e-05	1.743e-05	0.0002856	7.14e-05	configparser.py:1368(
22	2.17e-05	9.864e-07	0.0002846	1.294e-05	_regex_core.py:1945(
41	0.0001259	3.071e-06	0.0002842	6.932e-06	dataclasses.py:773(_g
20	5.12e-05	2.56e-06	0.0002827	1.414e-05	~:0(<method '__init_s
995	0.0001774	1.783e-07	0.0002821	2.835e-07	typing.py:1341(__eq_
38	1.49e-05	3.921e-07	0.0002733	7.192e-06	<frozen abc>:110(reg
11	2.56e-05	2.327e-06	0.0002722	2.475e-05	typing.py:1562(copy_
181	4.8e-05	2.652e-07	0.0002714	1.499e-06	enum.py:1435(__iter_n
104	6.93e-05	6.663e-07	0.0002703	2.599e-06	typing.py:1035(__type_
350	0.0001642	4.691e-07	0.0002702	7.72e-07	function_base.py:456(
1321	0.0002694	2.039e-07	0.0002694	2.039e-07	~:0(<built-in method i
1	8.7e-06	8.7e-06	0.0002661	0.0002661	vader.py:1(<module>)
1	1.56e-05	1.56e-05	0.0002656	0.0002656	argparse.py:1(<modul
1	7.8e-06	7.8e-06	0.0002651	0.0002651	parse.py:1124(__splitt
24	0.0002649	1.104e-05	0.0002649	1.104e-05	~:0(<built-in method _
2	1.81e-05	9.05e-06	0.0002649	0.0001325	_regex_core.py:2143(
16	0.0001215	7.594e-06	0.0002638	1.649e-05	threading.py:879(__in
24	4.73e-05	1.971e-06	0.0002628	1.095e-05	textwrap.py:157(__spli
50	0.0001487	2.974e-06	0.0002623	5.246e-06	typing.py:365(__flatter
711	0.0002618	3.682e-07	0.0002618	3.682e-07	_base.py:331(__invoke
38	3.43e-05	9.026e-07	0.0002584	6.8e-06	~:0(<built-in method _
354	0.0001449	4.093e-07	0.0002569	7.257e-07	enum.py:36(__deser
595	0.0002547	4.281e-07	0.0002547	4.281e-07	~:0(<built-in method _
1	2.52e-05	2.52e-05	0.0002501	0.0002501	chart.py:1(<module>)
1	1.94e-05	1.94e-05	0.0002493	0.0002493	contextlib.py:1(<mod
704	0.0001782	2.531e-07	0.0002476	3.517e-07	_compiler.py:587(isst
229	0.0001857	8.109e-07	0.0002468	1.078e-06	_compiler.py:481(__ge
3	7.5e-06	2.5e-06	0.0002457	8.19e-05	_regex_core.py:370(__
4	1.54e-05	3.85e-06	0.000245	6.125e-05	configparser.py:586(
89/7	4.94e-05	7.057e-06	0.000244	3.486e-05	_regex_core.py:1992(
711	0.0002438	3.429e-07	0.0002438	3.429e-07	~:0(<method '__is_owr
1168	0.0002422	2.074e-07	0.0002422	2.074e-07	~:0(<method 'random'
52	5.53e-05	1.063e-06	0.0002399	4.613e-06	ipaddress.py:1916(__i
1716	0.0002382	1.388e-07	0.0002382	1.388e-07	sessions.py:451(__ent
12	4.25e-05	3.542e-06	0.0002368	1.973e-05	__init__.py:2129(getI
465	0.0001948	4.189e-07	0.0002355	5.065e-07	enum.py:46(__is_und
2	1.68e-05	8.4e-06	0.0002345	0.0001173	statistics.py:158(meas
1	1.07e-05	1.07e-05	0.0002328	0.0002328	switchboard.py:1(<m
1	0.0002304	0.0002304	0.0002304	0.0002304	idnadata.py:1(<modul
545	0.0001713	3.143e-07	0.0002282	4.187e-07	internals.py:912(__ini
622	0.0002266	3.643e-07	0.0002266	3.643e-07	<frozen importlib._bo

ncalls	tottime	percall	cumtime	percall	
1624	0.0002263	1.393e-07	0.0002263	1.393e-07	<frozen importlib._bo
1	4.95e-05	4.95e-05	0.0002247	0.0002247	_scimath_impl.py:1(<
1	9.9e-06	9.9e-06	0.0002246	0.0002246	errors.py:1(<module>
1	0.0001929	0.0001929	0.0002222	0.0002222	quoprimime.py:1(<mo
565/546	0.0001549	2.837e-07	0.0002208	4.044e-07	typing.py:1347(_has
25	0.0002199	8.796e-06	0.0002199	8.796e-06	~:0(<method 'split' of
7	4.63e-05	6.614e-06	0.0002157	3.081e-05	data.py:202(normalize
11/7	1.55e-05	2.214e-06	0.000215	3.071e-05	_regex_core.py:3593(
2	3.9e-06	1.95e-06	0.000215	0.0001075	_regex_core.py:2237(
1	2.21e-05	2.21e-05	0.0002143	0.0002143	featurechart.py:1(<mc
1	1.78e-05	1.78e-05	0.0002143	0.0002143	downloader.py:2244(
1	4.2e-06	4.2e-06	0.000214	0.000214	parse.py:1145(_splith
1	0.0002136	0.0002136	0.0002136	0.0002136	stringprep.py:1(<mod
13	1.88e-05	1.446e-06	0.000212	1.631e-05	_regex_core.py:3730(
3	1.61e-05	5.367e-06	0.0002109	7.03e-05	_regex_core.py:380(_
26	9.43e-05	3.627e-06	0.0002106	8.1e-06	typing.py:1160(_gene
166	6.95e-05	4.187e-07	0.0002094	1.261e-06	~:0(<built-in method l
5	8.4e-06	1.68e-06	0.000209	4.18e-05	inspect.py:3245(_str
458	0.0001196	2.611e-07	0.0002084	4.55e-07	<string>:1(<lambda>)
1	1.05e-05	1.05e-05	0.0002066	0.0002066	api.py:1(<module>)
4	0.0002065	5.163e-05	0.0002065	5.163e-05	~:0(<method 'sendall'
1	1.69e-05	1.69e-05	0.0002055	0.0002055	vader.py:33(VaderCor
5	4.77e-05	9.54e-06	0.0002006	4.012e-05	inspect.py:3248(forma
729	0.0001992	2.733e-07	0.0001992	2.733e-07	~:0(<method 'put' of '
417	0.0001989	4.77e-07	0.0001989	4.77e-07	~:0(<method 'flush' of
1	1.09e-05	1.09e-05	0.000197	0.000197	_regex_core.py:73(Re
1	2.66e-05	2.66e-05	0.0001959	0.0001959	framenet.py:1(<modu
1	3.4e-06	3.4e-06	0.000195	0.000195	switchboard.py:38(Sw
1	1.56e-05	1.56e-05	0.0001949	0.0001949	__init__.py:91(_delve
34	2.16e-05	6.353e-07	0.0001933	5.685e-06	_regex_core.py:419(n
62	0.0001669	2.692e-06	0.0001931	3.115e-06	lexicon.py:179(parseF
12	7.38e-05	6.15e-06	0.0001922	1.602e-05	__init__.py:1362(getI
1	0.0001452	0.0001452	0.000192	0.000192	StatusAnaliser.py:246
3	0.0001019	3.397e-05	0.0001896	6.32e-05	_base.py:149(_create_
2	6.5e-05	3.25e-05	0.0001893	9.465e-05	typing.py:3125(__nev
1	5e-06	5e-06	0.0001879	0.0001879	propbank.py:475(Prop
19	5.12e-05	2.695e-06	0.0001875	9.868e-06	_regex_core.py:1731(
400	0.0001333	3.333e-07	0.000186	4.65e-07	_regex_core.py:4291(
21	4.23e-05	2.014e-06	0.0001857	8.843e-06	typing.py:1982(__init
1	5.34e-05	5.34e-05	0.0001854	0.0001854	hmac.py:1(<module>)
1	6.1e-06	6.1e-06	0.0001843	0.0001843	util.py:1(<module>)
1	8.9e-06	8.9e-06	0.0001842	0.0001842	lang_profile.py:1(<mo
121	0.0001196	9.884e-07	0.0001841	1.521e-06	<frozen genericpath>:

nCalls	Total Time	Per Call	Cumulative Time	Per Call (%)	Function / File
1	5.1e-06	5.1e-06	0.0001841	0.0001841	tree.py:1(<module>)
34	0.0001285	3.779e-06	0.0001837	5.403e-06	inspect.py:2962(__init__)
5	7.2e-06	1.44e-06	0.0001837	3.674e-05	__init__.py:270(finda
1	1.83e-05	1.83e-05	0.0001821	0.0001821	_meta.py:1(<module>)
1103	0.0001811	1.642e-07	0.0001811	1.642e-07	~:0(<method 'get' of 'r
1	4.5e-06	4.5e-06	0.0001811	0.0001811	punkt.py:185(PunktL
149	0.0001213	8.141e-07	0.00018	1.208e-06	vader.py:235(normaliz
26	8.81e-05	3.388e-06	0.0001795	6.904e-06	<frozen importlib._bo
1	1.19e-05	1.19e-05	0.0001785	0.0001785	csv.py:1(<module>)
737	0.0001778	2.412e-07	0.0001778	2.412e-07	~:0(<built-in method i
27	3.51e-05	1.3e-06	0.0001774	6.57e-06	_regex_core.py:1256(
1	1.54e-05	1.54e-05	0.0001773	0.0001773	logic.py:27(Tokens)
5	6.92e-05	1.384e-05	0.0001771	3.542e-05	dataclasses.py:618(__i
1	0.0001604	0.0001604	0.0001765	0.0001765	glob.py:1(<module>)
2	3.34e-05	1.67e-05	0.0001765	8.825e-05	statistics.py:1443(_su
149	9.48e-05	6.362e-07	0.000174	1.168e-06	vader.py:555(__amplif
1	1.82e-05	1.82e-05	0.0001732	0.0001732	abc.py:1(<module>)
206	8.93e-05	4.335e-07	0.0001718	8.34e-07	enum.py:1425(__iter_n
130	0.0001717	1.321e-06	0.0001717	1.321e-06	~:0(<built-in method i
1	1.85e-05	1.85e-05	0.0001716	0.0001716	models.py:1(<module
31	2.77e-05	8.935e-07	0.0001709	5.513e-06	ipaddress.py:1272(__i
1	1.43e-05	1.43e-05	0.0001709	0.0001709	_nested_sequence.py:
14	2.82e-05	2.014e-06	0.0001707	1.219e-05	hashlib.py:126(__get_
1	1.65e-05	1.65e-05	0.0001702	0.0001702	_encoded_words.py:1
1	1.2e-05	1.2e-05	0.0001696	0.0001696	fnmatch.py:1(<modul
1	7.8e-06	7.8e-06	0.0001696	0.0001696	_adapters.py:1(<modu
426	0.000138	3.239e-07	0.0001679	3.941e-07	enum.py:57(__is_sunde
352	0.0001337	3.798e-07	0.0001669	4.741e-07	_parser.py:947(fix_fla
16	2.74e-05	1.713e-06	0.0001651	1.032e-05	parse.py:954(quote_p
458	9.99e-05	2.181e-07	0.0001641	3.583e-07	_inspect.py:13(ismeth
11/7	4.35e-05	6.214e-06	0.0001639	2.341e-05	_regex_core.py:3526(
462	0.000163	3.528e-07	0.000163	3.528e-07	~:0(<built-in method i
1	8.7e-06	8.7e-06	0.0001623	0.0001623	_ufunclike_impl.py:10
1	2.9e-06	2.9e-06	0.0001606	0.0001606	lang_profile.py:10(La
1	1.05e-05	1.05e-05	0.0001581	0.0001581	translate.py:22(__init_
1	1.8e-06	1.8e-06	0.0001579	0.0001579	featstruct.py:2073(Ra
1	1.79e-05	1.79e-05	0.0001573	0.0001573	tree.py:28(Tree)
35	9.43e-05	2.694e-06	0.000157	4.486e-06	ipaddress.py:1647(__ip
1	8.8e-06	8.8e-06	0.0001558	0.0001558	decorators.py:1(<mod
9	1.96e-05	2.178e-06	0.0001555	1.728e-05	~:0(<method 'findall'
584	0.0001554	2.661e-07	0.0001554	2.661e-07	~:0(<built-in method i
60	0.0001056	1.76e-06	0.0001542	2.57e-06	_parser.py:274(getunt
4	2.94e-05	7.35e-06	0.0001508	3.77e-05	models.py:382(copy)

nCalls	Total Time	Per Call	Cumulative Time	Per Call	
1	1.54e-05	1.54e-05	0.0001502	0.0001502	struct.py:1(<module>)
18	7.3e-05	4.056e-06	0.0001494	8.3e-06	functools.py:188(total)
1942	0.0001488	7.662e-08	0.0001488	7.662e-08	typing.py:1331(<gen>)
816	0.0001481	1.815e-07	0.0001481	1.815e-07	~:0(<built-in method int>)
1	2.59e-05	2.59e-05	0.0001481	0.0001481	records.py:1(<module>)
1	4.2e-06	4.2e-06	0.000147	0.000147	decorators.py:163(decorate)
1	6e-06	6e-06	0.0001469	0.0001469	mymemory_translated
69	2.27e-05	3.29e-07	0.0001467	2.126e-06	status_codes.py:122(<gen>)
343/1	0.0001172	0.0001172	0.0001458	0.0001458	__config__.py:19(_close)
1	7.7e-06	7.7e-06	0.0001442	0.0001442	numbers.py:1(<module>)
1	1.5e-05	1.5e-05	0.0001433	0.0001433	heapq.py:1(<module>)
711	0.0001426	2.006e-07	0.0001426	2.006e-07	base.py:392(__get_r)
1	5e-06	5e-06	0.000142	0.000142	decorators.py:108(upcall)
10	4.31e-05	4.31e-06	0.0001419	1.419e-05	functools.py:922(register)
400	8e-05	2e-07	0.0001415	3.538e-07	annotationlib.py:257(annotation)
1	1.89e-05	1.89e-05	0.00014	0.00014	_py_warnings.py:1(<gen>)
159	0.0001399	8.799e-07	0.0001399	8.799e-07	enum.py:745(__delattr__)
1	7.8e-06	7.8e-06	0.0001399	0.0001399	base.py:16(__init__)
1	1.47e-05	1.47e-05	0.0001397	0.0001397	__init__.py:175(Comma)
1	8.2e-06	8.2e-06	0.0001393	0.0001393	__init__.py:1(<module>)
1	1.18e-05	1.18e-05	0.0001391	0.0001391	linearlogic.py:1(<module>)
1736	0.0001386	7.984e-08	0.0001386	7.984e-08	typing.py:777(<genexpr>)
17	0.0001074	6.318e-06	0.0001384	8.141e-06	typing.py:1828(__get_j)
3	7.64e-05	2.547e-05	0.000138	4.6e-05	base.py:141(__enter__)
7	1.04e-05	1.486e-06	0.000137	1.957e-05	__init__.py:174(search)
22	2.14e-05	9.727e-07	0.0001367	6.214e-06	ipaddress.py:1182(__ip)
1	1.48e-05	1.48e-05	0.0001367	0.0001367	decorators.py:44(getitem)
2	3.42e-05	1.71e-05	0.0001359	6.795e-05	ElementPath.py:410(filter)
7/4	7e-06	1.75e-06	0.0001352	3.38e-05	regex_core.py:3073(replace)
24	4.3e-05	1.792e-06	0.000135	5.625e-06	enum.py:927(__get_member__)
375	0.0001347	3.592e-07	0.0001347	3.592e-07	~:0(<built-in method int>)
4	2.48e-05	6.2e-06	0.0001347	3.368e-05	textwrap.py:373(wrap)
1	9.5e-06	9.5e-06	0.0001346	0.0001346	<frozen ntpath>:649(__init__)
4	4.29e-05	1.073e-05	0.0001313	3.283e-05	request.py:1648(url2path)
2	6.1e-06	3.05e-06	0.0001309	6.545e-05	regex_core.py:2217(replace)
31	1.78e-05	5.742e-07	0.0001308	4.219e-06	regex_core.py:3762(replace)
458	8.65e-05	1.889e-07	0.0001307	2.854e-07	inspect.py:26(isfunction)
42	0.000108	2.571e-06	0.0001304	3.105e-06	typing.py:3813(__getitem__)
1	9.1e-06	9.1e-06	0.00013	0.00013	regexp.py:1(<module>)
1	4.5e-06	4.5e-06	0.0001299	0.0001299	request.py:764(__init__)
458	8.81e-05	1.924e-07	0.0001293	2.823e-07	inspect.py:41(iscode)
3	2.44e-05	8.133e-06	0.000129	4.3e-05	argparse.py:1420(__init__)
5	7.6e-06	1.52e-06	0.000128	2.56e-05	enum.py:1615(__invert__)

ncalls	tottime	percall	cumtime	percall	
2	7.5e-06	3.75e-06	0.0001279	6.395e-05	functools.py:978(wrap_
37	4.06e-05	1.097e-06	0.0001273	3.441e-06	annotationlib.py:831(
1	1.74e-05	1.74e-05	0.0001272	0.0001272	_nbit_base.py:1(<modu
238	7.05e-05	2.962e-07	0.0001271	5.34e-07	StatusAnaliser.py:495
12	1.23e-05	1.025e-06	0.0001269	1.057e-05	_regex_core.py:2951(
1	9.8e-06	9.8e-06	0.0001268	0.0001268	_iotoools.py:1(<modul
102	0.0001093	1.072e-06	0.000126	1.235e-06	_compiler.py:421(_ge
39	4.82e-05	1.236e-06	0.0001258	3.226e-06	inspect.py:2760(_forn
12	2.54e-05	2.117e-06	0.0001258	1.048e-05	inspect.py:1904(_sign
12	2.38e-05	1.983e-06	0.0001255	1.046e-05	configparser.py:1111(
1	1.6e-05	1.6e-05	0.0001253	0.0001253	_stride_tricks_impl.py
68	5.21e-05	7.662e-07	0.000124	1.824e-06	status_codes.py:116(d
5	9.4e-06	1.88e-06	0.0001232	2.464e-05	_regex_core.py:4460(
3	7.64e-05	2.547e-05	0.0001219	4.063e-05	_base.py:145(__exit__
1	4.3e-06	4.3e-06	0.0001214	0.0001214	_adapters.py:40(Comj
1	2.3e-06	2.3e-06	0.000121	0.000121	configparser.py:411(B
149	5.78e-05	3.879e-07	0.0001207	8.101e-07	vader.py:565(_amplif
1	1.47e-05	1.47e-05	0.0001202	0.0001202	prover9.py:1(<module
236	6.86e-05	2.907e-07	0.0001183	5.013e-07	socket.py:91(<lambda
1	4.9e-06	4.9e-06	0.0001174	0.0001174	typing.py:2898(<gene
3	4.6e-06	1.533e-06	0.0001169	3.897e-05	_base.py:138(__init__
584	0.0001161	1.988e-07	0.0001161	1.988e-07	~:0(<built-in method i
8	2.96e-05	3.7e-06	0.0001161	1.451e-05	typing.py:385(decorat
241	0.0001158	4.805e-07	0.0001158	4.805e-07	~:0(<method 'update'
15	7.4e-05	4.933e-06	0.0001152	7.68e-06	_regex_core.py:3949(
1	2.02e-05	2.02e-05	0.0001152	0.0001152	tempfile.py:1(<modul
1	1.44e-05	1.44e-05	0.0001152	0.0001152	gzip.py:1(<module>)
1	8.8e-06	8.8e-06	0.000115	0.000115	api.py:1(<module>)
56	5.17e-05	9.232e-07	0.0001134	2.025e-06	ipaddress.py:528(_spl
289	0.0001131	3.913e-07	0.0001131	3.913e-07	~:0(<method 'translate
1	2.22e-05	2.22e-05	0.0001131	0.0001131	wordnet.py:1115(Wor
1	1.68e-05	1.68e-05	0.0001131	0.0001131	function_base.py:1(<
1	1.07e-05	1.07e-05	0.000112	0.000112	ibm1.py:1(<module>)
2	2.3e-05	1.15e-05	0.0001108	5.54e-05	__init__.py:331(_End
25	1.34e-05	5.36e-07	0.0001096	4.384e-06	_regex_core.py:429(n
2	1.61e-05	8.05e-06	0.0001093	5.465e-05	__init__.py:183(dump
10	4.08e-05	4.08e-06	0.0001091	1.091e-05	contextlib.py:276(con
1	6.7e-06	6.7e-06	0.000109	0.000109	nkjp.py:1(<module>)
1	1.08e-05	1.08e-05	0.0001085	0.0001085	collections.py:1(<mod
1	1.43e-05	1.43e-05	0.0001081	0.0001081	resolution.py:1(<mod
627	0.0001077	1.718e-07	0.0001077	1.718e-07	<frozen importlib._bo
1	4.9e-06	4.9e-06	0.0001077	0.0001077	sexpr.py:1(<module>)
1	2.5e-05	2.5e-05	0.0001076	0.0001076	__init__.py:1671(ope

ncalls	tottime	percall	cumtime	percall	
1	2.16e-05	2.16e-05	0.0001064	0.0001064	_histograms_impl.py:
6	2.74e-05	4.567e-06	0.0001061	1.768e-05	abc.py:25(_register)
1	0.000106	0.000106	0.000106	0.000106	~:0(<built-in method i
1	9.7e-06	9.7e-06	0.000106	0.000106	pchart.py:1(<module>
547	0.0001057	1.932e-07	0.0001057	1.932e-07	<frozen importlib._bo
2	1.5e-05	7.5e-06	0.0001057	5.285e-05	functools.py:893(disp
1	9.6e-06	9.6e-06	0.0001057	0.0001057	_endian.py:1(<modul
716/655	9.51e-05	1.452e-07	0.0001054	1.609e-07	~:0(<built-in method l
192	7.85e-05	4.089e-07	0.000105	5.469e-07	_regex_core.py:4148(
1	6.47e-05	6.47e-05	0.0001045	0.0001045	StatusAnaliser.py:107
19	3.02e-05	1.589e-06	0.0001045	5.5e-06	_regex_core.py:1720(
1	6.7e-06	6.7e-06	0.0001044	0.0001044	exceptions.py:1(<moc
1	4.3e-06	4.3e-06	0.0001039	0.0001039	__init__.py:241(split)
6	0.0001036	1.727e-05	0.0001036	1.727e-05	~:0(<method 'update'
1	5.8e-06	5.8e-06	0.0001034	0.0001034	api.py:18(ChunkParse
352	0.000103	2.926e-07	0.000103	2.926e-07	_parser.py:77(__init__
1	1.35e-05	1.35e-05	0.0001012	0.0001012	cookies.py:1(<modul
1	9.51e-05	9.51e-05	0.0001003	0.0001003	__init__.py:626(Path)
52	7.11e-05	1.367e-06	9.89e-05	1.902e-06	functools.py:553(lru_
55	8.11e-05	1.475e-06	9.86e-05	1.793e-06	<frozen codecs>:312(
24	2.56e-05	1.067e-06	9.76e-05	4.067e-06	~:0(<method '__typin
1	1.54e-05	1.54e-05	9.68e-05	9.68e-05	named_entity.py:1(<n
66	7.53e-05	1.141e-06	9.64e-05	1.461e-06	<frozen importlib._bo
1	8.8e-06	8.8e-06	9.62e-05	9.62e-05	nonprojectivedepende
564	9.61e-05	1.704e-07	9.61e-05	1.704e-07	_compiler.py:33(_con
1	3.02e-05	3.02e-05	9.57e-05	9.57e-05	cp437.py:1(<module>
1	7.4e-06	7.4e-06	9.53e-05	9.53e-05	_exceptions.py:1(<moc
655	9.52e-05	1.453e-07	9.52e-05	1.453e-07	_compiler.py:442(_ge
235	5.47e-05	2.328e-07	9.51e-05	4.047e-07	socket.py:86(<lambda
7/4	1.2e-05	3e-06	9.47e-05	2.368e-05	_regex_core.py:3100(
2	3.8e-06	1.9e-06	9.4e-05	4.7e-05	_regex_core.py:2193(
234	5.61e-05	2.397e-07	9.39e-05	4.013e-07	socket.py:81(<lambda
49	5.38e-05	1.098e-06	9.39e-05	1.916e-06	inspect.py:662(unwrap
1	9.37e-05	9.37e-05	9.37e-05	9.37e-05	~:0(<method 'bind' of
1	8.8e-06	8.8e-06	9.37e-05	9.37e-05	api.py:24(TaggerI)
1	6.2e-06	6.2e-06	9.33e-05	9.33e-05	mixins.py:1(<module>
14/7	2.59e-05	3.7e-06	9.28e-05	1.326e-05	configparser.py:813(g
1	1.21e-05	1.21e-05	9.28e-05	9.28e-05	treebank.py:29(Treeba
1	3.1e-06	3.1e-06	9.21e-05	9.21e-05	typing.py:2909(<gene
50	1.68e-05	3.36e-07	9.18e-05	1.836e-06	typing.py:351(_dedup
30	5.68e-05	1.893e-06	9.16e-05	3.053e-06	dataclasses.py:445(ad
34	2.03e-05	5.971e-07	9.12e-05	2.682e-06	_regex_core.py:3608(
1	1.5e-06	1.5e-06	9.06e-05	9.06e-05	configparser.py:483(E

ncalls	tottime	percall	cumtime	percall	
1	6.93e-05	6.93e-05	9.03e-05	9.03e-05	_compat_pickle.py:1()
8	4.5e-06	5.625e-07	9.02e-05	1.128e-05	typing.py:380(_tp_cac
237	5.2e-05	2.194e-07	8.98e-05	3.789e-07	socket.py:96(<lambda
2	1.23e-05	6.15e-06	8.95e-05	4.475e-05	encoder.py:183(encode
24	6.84e-05	2.85e-06	8.87e-05	3.696e-06	enum.py:968(_find_d
8	4.4e-05	5.5e-06	8.85e-05	1.106e-05	_py_warnings.py:320()
1	5.97e-05	5.97e-05	8.77e-05	8.77e-05	__init__.py:886(blas_
711	8.74e-05	1.229e-07	8.74e-05	1.229e-07	thread.py:56(resolve_
1	1.01e-05	1.01e-05	8.7e-05	8.7e-05	tableau.py:1(<module
1	1.9e-06	1.9e-06	8.69e-05	8.69e-05	configparser.py:1358()
37	3.92e-05	1.059e-06	8.67e-05	2.343e-06	annotationlib.py:1044
65	3.83e-05	5.892e-07	8.63e-05	1.328e-06	lexicon.py:153(nextC:
1	1.47e-05	1.47e-05	8.59e-05	8.59e-05	getlimits.py:1(<modu
25	4.84e-05	1.936e-06	8.44e-05	3.376e-06	_compiler.py:405(_by
3	8.13e-05	2.71e-05	8.42e-05	2.807e-05	encoder.py:205(itern
1	2.26e-05	2.26e-05	8.39e-05	8.39e-05	thread.py:1(<module>
1	1.37e-05	1.37e-05	8.38e-05	8.38e-05	nombank.py:1(<modu
88	6.08e-05	6.909e-07	8.34e-05	9.477e-07	ipaddress.py:1208(_p:
2	6.4e-06	3.2e-06	8.34e-05	4.17e-05	hashlib.py:82(__get_k
1	3.8e-06	3.8e-06	8.29e-05	8.29e-05	sexpr.py:79(__init__)
1	8.7e-06	8.7e-06	8.28e-05	8.28e-05	functools.py:849(_fin
1	6.9e-06	6.9e-06	8.28e-05	8.28e-05	mte.py:1(<module>)
16	1.93e-05	1.206e-06	8.27e-05	5.169e-06	cp1252.py:22(decode)
5	1.48e-05	2.96e-06	8.27e-05	1.654e-05	_py_warnings.py:294()
1	8.5e-06	8.5e-06	8.23e-05	8.23e-05	contextvars.py:1(<mo
12	1.42e-05	1.183e-06	8.17e-05	6.808e-06	_regex_core.py:2980()
1	4.1e-06	4.1e-06	8.14e-05	8.14e-05	calendar.py:60(Month
66	6.64e-05	1.006e-06	8.12e-05	1.23e-06	__init__.py:26(__new
711	8.1e-05	1.139e-07	8.1e-05	1.139e-07	thread.py:77(__init__
4	5.4e-06	1.35e-06	8.06e-05	2.015e-05	_regex_core.py:2007()
3	4.7e-05	1.567e-05	7.99e-05	2.663e-05	thread.py:161(__init__
1	8.8e-06	8.8e-06	7.97e-05	7.97e-05	__init__.py:222(Strat
1	1.34e-05	1.34e-05	7.95e-05	7.95e-05	threading.py:1392(__i
6	2.54e-05	4.233e-06	7.87e-05	1.312e-05	gettext.py:231(_expar
12	2.1e-05	1.75e-06	7.87e-05	6.558e-06	configparser.py:602(w
1	1.75e-05	1.75e-05	7.86e-05	7.86e-05	auth.py:1(<module>)
109	6.1e-05	5.596e-07	7.85e-05	7.202e-07	__init__.py:28(decora
1	5.9e-06	5.9e-06	7.79e-05	7.79e-05	datetime.py:1(<modul
365	7.74e-05	2.121e-07	7.74e-05	2.121e-07	~:0(<method 'isidentif
15	1.33e-05	8.867e-07	7.65e-05	5.1e-06	threading.py:1056(_se
8	4.76e-05	5.95e-06	7.64e-05	9.55e-06	configparser.py:1291()
19	3.01e-05	1.584e-06	7.64e-05	4.021e-06	threading.py:602(__in
6	5.78e-05	9.633e-06	7.6e-05	1.267e-05	numeric.py:2750(exte

ncalls	tottime	percall	cumtime	percall	
264	7.58e-05	2.871e-07	7.58e-05	2.871e-07	overrides.py:108(arra
4	2.01e-05	5.025e-06	7.56e-05	1.89e-05	inspect.py:2021(_sign
76	4.28e-05	5.632e-07	7.49e-05	9.855e-07	url.py:242(<lambda>)
238	4.85e-05	2.038e-07	7.48e-05	3.143e-07	StatusAnaliser.py:499
1	8e-07	8e-07	7.47e-05	7.47e-05	_regex_core.py:2523(
4	1.06e-05	2.65e-06	7.46e-05	1.865e-05	configparser.py:1303(
1	3.3e-06	3.3e-06	7.43e-05	7.43e-05	ipipan.py:1(<module>
11	4.74e-05	4.309e-06	7.41e-05	6.736e-06	<frozen ntpath>:222(s
1	1.5e-05	1.5e-05	7.41e-05	7.41e-05	readers.py:23(__init_
1	1.3e-05	1.3e-05	7.35e-05	7.35e-05	functools.py:807(_cor
1	1.16e-05	1.16e-05	7.33e-05	7.33e-05	perceptron.py:1(<moc
619	7.29e-05	1.178e-07	7.29e-05	1.178e-07	<frozen importlib._bo
70	3.75e-05	5.357e-07	7.29e-05	1.041e-06	typing.py:341(_unpac
1	2.49e-05	2.49e-05	7.29e-05	7.29e-05	inspect.py:1228(getfu
5	1.58e-05	3.16e-06	7.26e-05	1.452e-05	dataclasses.py:676(_fi
1	1.09e-05	1.09e-05	7.24e-05	7.24e-05	projectivedependency
1	9.4e-06	9.4e-06	7.24e-05	7.24e-05	bleu_score.py:1(<moc
1	7.23e-05	7.23e-05	7.23e-05	7.23e-05	~:0(<built-in method
4	1.9e-06	4.75e-07	7.23e-05	1.808e-05	_regex_core.py:2524(
1	5.5e-06	5.5e-06	7.22e-05	7.22e-05	rule.py:1(<module>)
1	2.1e-06	2.1e-06	7.21e-05	7.21e-05	argparse.py:2000(pars
1	2.25e-05	2.25e-05	7.19e-05	7.19e-05	mimetypes.py:1(<moc
1	3.94e-05	3.94e-05	7.1e-05	7.1e-05	umath.py:1(<module>
496	7.07e-05	1.425e-07	7.07e-05	1.425e-07	<frozen importlib._bo
238	4.51e-05	1.895e-07	7.04e-05	2.958e-07	StatusAnaliser.py:497
2	4.06e-05	2.03e-05	7.04e-05	3.52e-05	ElementPath.py:360(i
3	3.1e-06	1.033e-06	7.04e-05	2.347e-05	_regex_core.py:3697(
1	5.4e-06	5.4e-06	7e-05	7e-05	argparse.py:2010(pars
305	6.99e-05	2.292e-07	6.99e-05	2.292e-07	~:0(<method '__conta
1	7.5e-06	7.5e-06	6.99e-05	6.99e-05	ibm5.py:1(<module>)
41	2.65e-05	6.463e-07	6.92e-05	1.688e-06	dataclasses.py:699(_is
1	1.11e-05	1.11e-05	6.92e-05	6.92e-05	wordlist.py:1(<modul
21	1.64e-05	7.81e-07	6.89e-05	3.281e-06	overrides.py:25(get_a
185	6.77e-05	3.659e-07	6.77e-05	3.659e-07	~:0(<built-in method :
1	1.23e-05	1.23e-05	6.71e-05	6.71e-05	bisect.py:1(<module>
629	6.7e-05	1.065e-07	6.7e-05	1.065e-07	~:0(<built-in method l
1	1.22e-05	1.22e-05	6.69e-05	6.69e-05	conll.py:1(<module>)
546	6.66e-05	1.22e-07	6.66e-05	1.22e-07	<frozen importlib._bo
1	2.39e-05	2.39e-05	6.64e-05	6.64e-05	mixins.py:60(NDArra
25	1.24e-05	4.96e-07	6.64e-05	2.656e-06	typing.py:1543(<gene
1	8.6e-06	8.6e-06	6.64e-05	6.64e-05	ibm_model.py:1(<mo
21	6.62e-05	3.152e-06	6.62e-05	3.152e-06	~:0(<built-in method
77	4.47e-05	5.805e-07	6.56e-05	8.519e-07	enum.py:186(__get_

nCalls	Total Time	Per Call	Cumulative Time	Per Call (%)	Function Name
4	5.9e-06	1.475e-06	6.56e-05	1.64e-05	__init__.py:2166(_fpc
1	5.4e-06	5.4e-06	6.52e-05	6.52e-05	unicode_escape.py:1(
7	1.03e-05	1.471e-06	6.51e-05	9.3e-06	<frozen ntpath>:261(c
1	2.74e-05	2.74e-05	6.46e-05	6.46e-05	argparse.py:2013(_pa
4	3.75e-05	9.375e-06	6.44e-05	1.61e-05	functools.py:875(sing
35	2.91e-05	8.314e-07	6.43e-05	1.837e-06	ipaddress.py:1627(_m
1	1.74e-05	1.74e-05	6.42e-05	6.42e-05	util.py:1(<module>)
7	6.4e-06	9.143e-07	6.41e-05	9.157e-06	argparse.py:1979(_ad
1	5.3e-06	5.3e-06	6.4e-05	6.4e-05	typing.py:1623(__geti
14	5.5e-06	3.929e-07	6.39e-05	4.564e-06	_regex_core.py:3698(
1	2.14e-05	2.14e-05	6.35e-05	6.35e-05	__init__.py:822(_sani
15	6.32e-05	4.213e-06	6.32e-05	4.213e-06	~:0(<built-in method
15	2.91e-05	1.94e-06	6.31e-05	4.207e-06	threading.py:529(rele
12	2.9e-05	2.417e-06	6.3e-05	5.25e-06	_regex_core.py:558(a
1	6.5e-06	6.5e-06	6.21e-05	6.21e-05	aligned.py:1(<module
1	3.9e-06	3.9e-06	6.2e-05	6.2e-05	_streams.py:1(<modu
1	6.2e-06	6.2e-06	6.19e-05	6.19e-05	stanford.py:1(<modul
1	6.7e-06	6.7e-06	6.17e-05	6.17e-05	numerictypes.py:626(
1	5.3e-06	5.3e-06	6.16e-05	6.16e-05	_globals.py:66(__Copy
86	4.78e-05	5.558e-07	6.14e-05	7.14e-07	util.py:51(__init__)
12	4.56e-05	3.8e-06	6.1e-05	5.083e-06	enum.py:995(__find_n
4	8.6e-06	2.15e-06	6.08e-05	1.52e-05	cookies.py:440(__copy
1	9.4e-06	9.4e-06	6.07e-05	6.07e-05	vocabulary.py:1(<mod
1	4.1e-06	4.1e-06	6.07e-05	6.07e-05	simple.py:1(<module>
1	3.1e-06	3.1e-06	6.06e-05	6.06e-05	_exceptions.py:1(<mc
273	5.98e-05	2.19e-07	5.98e-05	2.19e-07	~:0(<method 'write' of
24	2.65e-05	1.104e-06	5.97e-05	2.487e-06	textwrap.py:143(__mu
7/1	3.35e-05	3.35e-05	5.95e-05	5.95e-05	functools.py:762(c3_
24	5.57e-05	2.321e-06	5.91e-05	2.463e-06	<frozen importlib._bo
11	4.12e-05	3.745e-06	5.9e-05	5.364e-06	__init__.py:1410(__fix
3	1.31e-05	4.367e-06	5.83e-05	1.943e-05	typing.py:1350(__or_
1	3.6e-06	3.6e-06	5.82e-05	5.82e-05	senna.py:1(<module>)
1	2.27e-05	2.27e-05	5.81e-05	5.81e-05	ycoo.py:1(<module>)
7	1.5e-05	2.143e-06	5.77e-05	8.243e-06	argparse.py:1784(__ad
1	1.72e-05	1.72e-05	5.75e-05	5.75e-05	ssltransport.py:1(<mo
1	6.9e-06	6.9e-06	5.75e-05	5.75e-05	stack_decoder.py:1(<1
134	3.91e-05	2.918e-07	5.68e-05	4.239e-07	messages.py:14(get_s
1	6.2e-06	6.2e-06	5.66e-05	5.66e-05	ibm2.py:1(<module>)
206	4.72e-05	2.291e-07	5.64e-05	2.738e-07	enum.py:114(__iter_bit
2	3.1e-05	1.55e-05	5.64e-05	2.82e-05	typing.py:2313(get_ty
140	3.18e-05	2.271e-07	5.62e-05	4.014e-07	typing.py:1382(<gene
2	1.31e-05	6.55e-06	5.6e-05	2.8e-05	__init__.py:114(__getu
416	5.57e-05	1.339e-07	5.57e-05	1.339e-07	~:0(<method 'get' of '

ncalls	tottime	percall	cumtime	percall	
1	8.3e-06	8.3e-06	5.56e-05	5.56e-05	opinion_lexicon.py:1(
546	5.54e-05	1.015e-07	5.54e-05	1.015e-07	<frozen importlib._bo
1	4.3e-06	4.3e-06	5.53e-05	5.53e-05	handler.py:1(<module
1	1.04e-05	1.04e-05	5.51e-05	5.51e-05	__init__.py:344(_rese
1	1.11e-05	1.11e-05	5.49e-05	5.49e-05	chazen.py:1(<module>
9	7.8e-06	8.667e-07	5.48e-05	6.089e-06	_regex_core.py:3792(
19	5.11e-05	2.689e-06	5.47e-05	2.879e-06	typing.py:2637(overl
428	5.44e-05	1.271e-07	5.44e-05	1.271e-07	~:0(<built-in method l
3	8.5e-06	2.833e-06	5.44e-05	1.813e-05	__init__.py:896(read)
1	2.5e-05	2.5e-05	5.43e-05	5.43e-05	_policybase.py:108(_e
1	6.8e-06	6.8e-06	5.41e-05	5.41e-05	ibm4.py:1(<module>)
3	3e-06	1e-06	5.41e-05	1.803e-05	_regex_core.py:3162(
1	6.6e-06	6.6e-06	5.38e-05	5.38e-05	bcp47.py:1(<module>)
1	1.85e-05	1.85e-05	5.36e-05	5.36e-05	dependency.py:1(<mc
1	9.9e-06	9.9e-06	5.35e-05	5.35e-05	memmap.py:1(<modu
2	8.1e-06	4.05e-06	5.34e-05	2.67e-05	argparse.py:1564(add
18	7e-06	3.889e-07	5.34e-05	2.967e-06	_regex_core.py:3394(
8	1.2e-05	1.5e-06	5.27e-05	6.588e-06	inspect.py:1719(getatt
1	5.9e-06	5.9e-06	5.26e-05	5.26e-05	netrc.py:1(<module>)
5	2.36e-05	4.72e-06	5.23e-05	1.046e-05	__init__.py:931(__ini
1	8.5e-06	8.5e-06	5.22e-05	5.22e-05	pprint.py:1(<module>)
1	9.3e-06	9.3e-06	5.21e-05	5.21e-05	semcor.py:1(<module
1	6.6e-06	6.6e-06	5.21e-05	5.21e-05	structures.py:1(<modu
1	6.8e-06	6.8e-06	5.2e-05	5.2e-05	ibm3.py:1(<module>)
1	6.5e-06	6.5e-06	5.2e-05	5.2e-05	wait.py:95(wait_for_s
1	2.8e-06	2.8e-06	5.2e-05	5.2e-05	calendar.py:77(Day)
1	6.3e-06	6.3e-06	5.16e-05	5.16e-05	__init__.py:222(is_py
1	5.3e-06	5.3e-06	5.15e-05	5.15e-05	regexp.py:75(Regexp'
41	3.43e-05	8.366e-07	5.13e-05	1.251e-06	inspect.py:1333(form:
1	9.4e-06	9.4e-06	5.13e-05	5.13e-05	__init__.py:386(paren
1	8.9e-06	8.9e-06	5.13e-05	5.13e-05	hmm.py:1(<module>)
2	1.84e-05	9.2e-06	5.1e-05	2.55e-05	__init__.py:346(drive
6	5.08e-05	8.467e-06	5.08e-05	8.467e-06	~:0(<built-in method :
47	3.29e-05	7e-07	5.08e-05	1.081e-06	typing.py:2469(get_o
4	6.8e-06	1.7e-06	5.06e-05	1.265e-05	inspect.py:3040(repla
1	4.1e-06	4.1e-06	5.03e-05	5.03e-05	response.py:1(<modu
4	1.89e-05	4.725e-06	4.98e-05	1.245e-05	cookies.py:428(copy)
1	5e-06	5e-06	4.97e-05	4.97e-05	smoothing.py:1(<mod
41	3.16e-05	7.707e-07	4.95e-05	1.207e-06	dataclasses.py:539(_fi
1	8.1e-06	8.1e-06	4.94e-05	4.94e-05	_datasource.py:1(<mc
1	5e-06	5e-06	4.94e-05	4.94e-05	typing.py:1637(__geti
1	6.3e-06	6.3e-06	4.93e-05	4.93e-05	util.py:1(<module>)
2	1.38e-05	6.9e-06	4.92e-05	2.46e-05	__init__.py:415(__ini

ncalls	tottime	percall	cumtime	percall	
1	2.6e-06	2.6e-06	4.92e-05	4.92e-05	isri.py:1(<module>)
5	7.1e-06	1.42e-06	4.9e-05	9.8e-06	__init__.py:2048(clos
1	9.6e-06	9.6e-06	4.89e-05	4.89e-05	ieer.py:1(<module>)
1	5.1e-06	5.1e-06	4.88e-05	4.88e-05	recursivedescent.py:1
30	3.45e-05	1.15e-06	4.85e-05	1.617e-06	_parser.py:265(getwh
1	1.57e-05	1.57e-05	4.85e-05	4.85e-05	senseval.py:1(<modul
15	3.1e-05	2.067e-06	4.84e-05	3.227e-06	threading.py:1087(_de
1	1.53e-05	1.53e-05	4.84e-05	4.84e-05	downloader.py:1282(I
6	1.28e-05	2.133e-06	4.82e-05	8.033e-06	locale.py:386(normali
4	1.58e-05	3.95e-06	4.81e-05	1.203e-05	configparser.py:1125(
12	2.98e-05	2.483e-06	4.78e-05	3.983e-06	__init__.py:1478(_ir
35	1.97e-05	5.629e-07	4.78e-05	1.366e-06	dataclasses.py:870(_s
1	1.39e-05	1.39e-05	4.77e-05	4.77e-05	utils_impl.py:1(<mo
1	4.1e-06	4.1e-06	4.77e-05	4.77e-05	bnc.py:1(<module>)
1	4.11e-05	4.11e-05	4.75e-05	4.75e-05	pydoc.py:1844(Helpe
6	2.77e-05	4.617e-06	4.74e-05	7.9e-06	__init__.py:43(norma
379	4.73e-05	1.248e-07	4.73e-05	1.248e-07	~:0(<built-in method
7	1.05e-05	1.5e-06	4.7e-05	6.714e-06	configparser.py:428(b
5	4.69e-05	9.38e-06	4.69e-05	9.38e-06	~:0(<built-in method i
1	4.1e-06	4.1e-06	4.69e-05	4.69e-05	sentiwordnet.py:1(<m
6	1.14e-05	1.9e-06	4.68e-05	7.8e-06	enum.py:1206(__add_
150	3.54e-05	2.36e-07	4.66e-05	3.107e-07	inspect.py:3017(<gen
1	1.22e-05	1.22e-05	4.64e-05	4.64e-05	ufunc_config.py:1(<
1	9.1e-06	9.1e-06	4.63e-05	4.63e-05	dependencygraph.py:1
8	2.46e-05	3.075e-06	4.61e-05	5.763e-06	configparser.py:1143(
1	1.02e-05	1.02e-05	4.59e-05	4.59e-05	toolbox.py:1(<module
286	4.58e-05	1.601e-07	4.58e-05	1.601e-07	_regex_core.py:1942(
7	3.24e-05	4.629e-06	4.57e-05	6.529e-06	argparse.py:665(_exp
1	8.4e-06	8.4e-06	4.56e-05	4.56e-05	typing.py:1652(__geti
1	1.29e-05	1.29e-05	4.53e-05	4.53e-05	saxutils.py:1(<module
41	3.39e-05	8.268e-07	4.52e-05	1.102e-06	dataclasses.py:391(fie
1	5.4e-06	5.4e-06	4.52e-05	4.52e-05	texttiling.py:1(<modu
1	4.7e-06	4.7e-06	4.52e-05	4.52e-05	shiftreduce.py:1(<mod
2	1.05e-05	5.25e-06	4.5e-05	2.25e-05	argparse.py:1754(__ir
56	2.81e-05	5.018e-07	4.49e-05	8.018e-07	ipaddress.py:156(__spl
185	4.43e-05	2.395e-07	4.43e-05	2.395e-07	__init__.py:435(<gen
80	4.43e-05	5.537e-07	4.43e-05	5.537e-07	~:0(<method '__typin
1	1.5e-06	1.5e-06	4.41e-05	4.41e-05	__init__.py:1094(__up
86	3.76e-05	4.372e-07	4.4e-05	5.116e-07	six.py:146(__init__)
2	4.31e-05	2.155e-05	4.39e-05	2.195e-05	__init__.py:269(POIN
1	5.9e-06	5.9e-06	4.39e-05	4.39e-05	brill_trainer.py:1(<mc
5	2.65e-05	5.3e-06	4.38e-05	8.76e-06	<frozen abc>:146(upd
12	1.26e-05	1.05e-06	4.34e-05	3.617e-06	configparser.py:579(_

nCalls	Total Time	Per Call	Cumulative Time	Per Call	
1	6.6e-06	6.6e-06	4.34e-05	4.34e-05	request.py:269(request)
73	2.55e-05	3.493e-07	4.33e-05	5.932e-07	pickle.py:190(<genex>)
1	6.6e-06	6.6e-06	4.3e-05	4.3e-05	ipipan.py:25(IPIPANC)
11	2.73e-05	2.482e-06	4.27e-05	3.882e-06	typing.py:2244(runtin)
3	7.2e-06	2.4e-06	4.25e-05	1.417e-05	typing.py:564(__getitem__)
3	4.23e-05	1.41e-05	4.23e-05	1.41e-05	_base.py:217(<genex>)
1	3.4e-06	3.4e-06	4.23e-05	4.23e-05	ssl.py:415(Purpose)
2	7.5e-06	3.75e-06	4.22e-05	2.11e-05	data.py:146(normalize)
1	9.6e-06	9.6e-06	4.21e-05	4.21e-05	weka.py:1(<module>)
33	4.19e-05	1.27e-06	4.19e-05	1.27e-06	~:0(<method 'translate'
21	1.95e-05	9.286e-07	4.18e-05	1.99e-06	ipaddress.py:1156(_m)
1	1.17e-05	1.17e-05	4.17e-05	4.17e-05	_base.py:546(set_exc)
5	9.8e-06	1.96e-06	4.16e-05	8.32e-06	fractions.py:697(forw)
7	2.12e-05	3.029e-06	4.15e-05	5.929e-06	argparse.py:1574(_ad)
7	1.8e-05	2.571e-06	4.15e-05	5.929e-06	statistics.py:1495(<ge
8	1.55e-05	1.938e-06	4.07e-05	5.087e-06	inspect.py:1680(_che
60	2.46e-05	4.1e-07	4.01e-05	6.683e-07	_parser.py:304(check_
1	6.7e-06	6.7e-06	3.94e-05	3.94e-05	nkjp.py:32(NKJPCorf
169	3.93e-05	2.325e-07	3.93e-05	2.325e-07	language.py:7(__init__
12	3.08e-05	2.567e-06	3.9e-05	3.25e-06	enum.py:917(_check_
130	2.73e-05	2.1e-07	3.9e-05	3e-07	ssl.py:125(<lambda>)
9	2.35e-05	2.611e-06	3.9e-05	4.333e-06	~:0(<built-in method _
1	7.2e-06	7.2e-06	3.88e-05	3.88e-05	crubadan.py:1(<modu
2	2.55e-05	1.275e-05	3.87e-05	1.935e-05	numeric.py:170(ones)
4	2.2e-06	5.5e-07	3.87e-05	9.675e-06	__init__.py:595(PYFL
1	1.01e-05	1.01e-05	3.84e-05	3.84e-05	timit.py:1(<module>)
2	9.5e-06	4.75e-06	3.83e-05	1.915e-05	fractions.py:711(rever
1	5.8e-06	5.8e-06	3.82e-05	3.82e-05	_colorize.py:243(no_c
47	2.42e-05	5.149e-07	3.73e-05	7.936e-07	ipaddress.py:1760(_p;
4	3.66e-05	9.15e-06	3.71e-05	9.275e-06	logic.py:102(__init__
1	5.2e-06	5.2e-06	3.71e-05	3.71e-05	_collections.py:39(_S
1	9.4e-06	9.4e-06	3.7e-05	3.7e-05	ssl_match_hostname.py
13	1.52e-05	1.169e-06	3.69e-05	2.838e-06	mixins.py:45(__numeri
1	8.3e-06	8.3e-06	3.67e-05	3.67e-05	codeop.py:1(<module>
7/4	3.9e-06	9.75e-07	3.67e-05	9.175e-06	_regex_core.py:3078(
7	2.24e-05	3.2e-06	3.66e-05	5.229e-06	argparse.py:637(_form
6	8.6e-06	1.433e-06	3.64e-05	6.067e-06	ipipan.py:14(__parse_a
1	3.4e-06	3.4e-06	3.64e-05	3.64e-05	__config__.py:14(Dis
94	3.62e-05	3.851e-07	3.62e-05	3.851e-07	~:0(<built-in method l
6	3.61e-05	6.017e-06	3.61e-05	6.017e-06	porter.py:86(__init__)
1	1.01e-05	1.01e-05	3.61e-05	3.61e-05	typing.py:1619(copy_
1	1.31e-05	1.31e-05	3.6e-05	3.6e-05	sentiment_analyzer.py
1	6.8e-06	6.8e-06	3.6e-05	3.6e-05	repp.py:1(<module>)

ncalls	tottime	percall	cumtime	percall	
7	2.42e-05	3.457e-06	3.59e-05	5.129e-06	argparse.py:1661(_get_
1	2.19e-05	2.19e-05	3.58e-05	3.58e-05	ssl.py:978(SSLocket
1	1.05e-05	1.05e-05	3.57e-05	3.57e-05	rte.py:1(<module>)
1	1.18e-05	1.18e-05	3.56e-05	3.56e-05	_future__.py:1(<mod
7	1.14e-05	1.629e-06	3.56e-05	5.086e-06	configparser.py:441(_
19	2.91e-05	1.532e-06	3.53e-05	1.858e-06	_regex_core.py:1699(
3	1.62e-05	5.4e-06	3.53e-05	1.177e-05	typing.py:743(Option
1	3.3e-06	3.3e-06	3.52e-05	3.52e-05	api.py:1(<module>)
9	5.5e-06	6.111e-07	3.51e-05	3.9e-06	overrides.py:30(finali
19/5	1.58e-05	3.16e-06	3.49e-05	6.98e-06	_regex_core.py:3510(
1	1.17e-05	1.17e-05	3.49e-05	3.49e-05	_init__.py:61(Sectio
1	9.5e-06	9.5e-06	3.49e-05	3.49e-05	indian.py:1(<module>
1	1.85e-05	1.85e-05	3.48e-05	3.48e-05	<frozen os>:44(_get_
334	3.45e-05	1.033e-07	3.45e-05	1.033e-07	~:0(<built-in method
16	2.34e-05	1.463e-06	3.45e-05	2.156e-06	<frozen ntpath>:80(is
1	1.56e-05	1.56e-05	3.44e-05	3.44e-05	_scalars.py:1(<modul
5	1.29e-05	2.58e-06	3.41e-05	6.82e-06	dataclasses.py:891(_h
1	1.22e-05	1.22e-05	3.41e-05	3.41e-05	pros_cons.py:1(<mod
12	3.4e-05	2.833e-06	3.4e-05	2.833e-06	~:0(<method 'seek' of
158	3.39e-05	2.146e-07	3.39e-05	2.146e-07	<frozen abc>:7(abstra
10	1.44e-05	1.44e-06	3.38e-05	3.38e-06	<frozen ntpath>:50(nc
10	3e-05	3e-06	3.37e-05	3.37e-06	annotationlib.py:774(
30	2.45e-05	8.167e-07	3.33e-05	1.11e-06	threading.py:1469(cu
1	5.3e-06	5.3e-06	3.31e-05	3.31e-05	_parseaddr.py:1(<mod
1	2.2e-06	2.2e-06	3.3e-05	3.3e-05	internals.py:1089(is_v
1	3.26e-05	3.26e-05	3.29e-05	3.29e-05	unicode_block.py:1(<
1	4.9e-06	4.9e-06	3.29e-05	3.29e-05	<frozen ntpath>:607(
8	1.68e-05	2.1e-06	3.28e-05	4.1e-06	_regex_core.py:411(_
12	1.81e-05	1.508e-06	3.27e-05	2.725e-06	typing.py:1503(__mrc
1	1.19e-05	1.19e-05	3.27e-05	3.27e-05	categorized_sents.py:
5	7.9e-06	1.58e-06	3.27e-05	6.54e-06	nkjp.py:17(__parse_arg
1	4.8e-06	4.8e-06	3.27e-05	3.27e-05	legality_principle.py:1
140	3.25e-05	2.321e-07	3.25e-05	2.321e-07	typing.py:1702(__valu
1	2.5e-06	2.5e-06	3.24e-05	3.24e-05	feature.py:1(<module>
1	1.82e-05	1.82e-05	3.23e-05	3.23e-05	response.py:689(HTT
1	4.5e-06	4.5e-06	3.23e-05	3.23e-05	_init__.py:251(__str
109	3.22e-05	2.954e-07	3.22e-05	2.954e-07	_init__.py:17(set_m
12	8.3e-06	6.917e-07	3.22e-05	2.683e-06	_regex_core.py:606(p
1	4e-06	4e-06	3.22e-05	3.22e-05	_init__.py:529(__get
1	6e-06	6e-06	3.21e-05	3.21e-05	_array_api_info.py:1(
1	6.3e-06	6.3e-06	3.2e-05	3.2e-05	stanford_segmenter.py
1	1.39e-05	1.39e-05	3.18e-05	3.18e-05	nps_chat.py:1(<modu
5	9.1e-06	1.82e-06	3.18e-05	6.36e-06	_regex_core.py:4359(

ncalls	tottime	percall	cumtime	percall	
148	3.17e-05	2.142e-07	3.17e-05	2.142e-07	ngram.py:27(__init__)
1	1.73e-05	1.73e-05	3.14e-05	3.14e-05	subprocess.py:758(Po
134/130	3.13e-05	2.408e-07	3.13e-05	2.408e-07	ElementPath.py:165(s
4	1.06e-05	2.65e-06	3.12e-05	7.8e-06	_colorize.py:141(no_
3	4.6e-06	1.533e-06	3.11e-05	1.037e-05	_regex_core.py:3191(
24	1.84e-05	7.667e-07	3.09e-05	1.287e-06	numerictypes.py:594(
13	1.23e-05	9.462e-07	3.09e-05	2.377e-06	__init__.py:305(escap
2	1.03e-05	5.15e-06	3.09e-05	1.545e-05	__init__.py:601(__ini
1	3.8e-06	3.8e-06	3.09e-05	3.09e-05	api.py:1(<module>)
2	7.9e-06	3.95e-06	3.07e-05	1.535e-05	__init__.py:74(CFUN
4	2.45e-05	6.125e-06	3.06e-05	7.65e-06	configparser.py:1174(
1	8.6e-06	8.6e-06	3.06e-05	3.06e-05	ppattach.py:1(<modul
1	3.05e-05	3.05e-05	3.05e-05	3.05e-05	__init__.py:78(PurePa
29	2.54e-05	8.759e-07	3.05e-05	1.052e-06	_regex_core.py:3716(
108	2.11e-05	1.954e-07	3.05e-05	2.824e-07	constant.py:398(<lam
1	4.9e-06	4.9e-06	3.05e-05	3.05e-05	__init__.py:1193(clos
21	1.94e-05	9.238e-07	3.04e-05	1.448e-06	_parser.py:887(__parse
4	2.15e-05	5.375e-06	3.03e-05	7.575e-06	configparser.py:326(
112	2.03e-05	1.813e-07	3.03e-05	2.705e-07	typing.py:1707(__eq_
1	8.6e-06	8.6e-06	3.03e-05	3.03e-05	<frozen os>:1160(add
100	3.02e-05	3.02e-07	3.02e-05	3.02e-07	~:0(<method 'group' c
5	2.7e-06	5.4e-07	3.02e-05	6.04e-06	_regex_core.py:3011(
16	1.38e-05	8.625e-07	3.01e-05	1.881e-06	<frozen _collections_.:
1	3.3e-06	3.3e-06	3.01e-05	3.01e-05	messages.py:1(<modu
1	2.99e-05	2.99e-05	2.99e-05	2.99e-05	~:0(<method 'disable'
92	2.09e-05	2.272e-07	2.99e-05	3.25e-07	enum.py:68(__is_inter
1	3.7e-06	3.7e-06	2.98e-05	2.98e-05	__init__.py:209(Deco
16	2.13e-05	1.331e-06	2.97e-05	1.856e-06	_weakrefset.py:45(adde
130	1.92e-05	1.477e-07	2.97e-05	2.285e-07	ssl.py:140(<lambda>)
130	1.86e-05	1.431e-07	2.96e-05	2.277e-07	ssl.py:135(<lambda>)
130	1.87e-05	1.438e-07	2.94e-05	2.262e-07	ssl.py:145(<lambda>)
1	1.6e-06	1.6e-06	2.94e-05	2.94e-05	exceptions.py:1(<moc
32	1.71e-05	5.344e-07	2.93e-05	9.156e-07	_regex_core.py:1935(
1	1.69e-05	1.69e-05	2.92e-05	2.92e-05	argparse.py:2051(__pa
5	1.01e-05	2.02e-06	2.92e-05	5.84e-06	_regex_core.py:3577(
17	2.91e-05	1.712e-06	2.91e-05	1.712e-06	weakref.py:334(__set
3	8.2e-06	2.733e-06	2.91e-05	9.7e-06	locale.py:352(__repla
1	5.5e-06	5.5e-06	2.91e-05	2.91e-05	tnt.py:1(<module>)
4	3.7e-06	9.25e-07	2.91e-05	7.275e-06	parse.py:338(geturl)
1	3.1e-06	3.1e-06	2.9e-05	2.9e-05	timeout.py:14(__TYPE
1	9.3e-06	9.3e-06	2.89e-05	2.89e-05	__init__.py:716(FastP
1	6.8e-06	6.8e-06	2.89e-05	2.89e-05	sonority_sequencing.p
1	2.6e-06	2.6e-06	2.89e-05	2.89e-05	arlstem2.py:1(<modul

ncalls	tottime	percall	cumtime	percall	
1	1.05e-05	1.05e-05	2.88e-05	2.88e-05	logic.py:946(Expression)
1	7.8e-06	7.8e-06	2.88e-05	2.88e-05	connectionpool.py:231
1	7.3e-06	7.3e-06	2.88e-05	2.88e-05	probe.py:1(<module>)
1	9.3e-06	9.3e-06	2.87e-05	2.87e-05	lepor.py:1(<module>)
1	4.2e-06	4.2e-06	2.87e-05	2.87e-05	typing.py:526(_SpecialForm)
9	1.85e-05	2.056e-06	2.86e-05	3.178e-06	statistics.py:803(decode)
30	1.77e-05	5.9e-07	2.85e-05	9.5e-07	signal.py:9(<lambda>)
9	2.33e-05	2.589e-06	2.84e-05	3.156e-06	fractions.py:206(__ne__)
28	2.81e-05	1.004e-06	2.81e-05	1.004e-06	~:0(<built-in method int.__new__>)
14	1.83e-05	1.307e-06	2.81e-05	2.007e-06	__init__.py:146(_check_type)
1	1.29e-05	1.29e-05	2.81e-05	2.81e-05	lang_detect_exception.py:1
130	1.81e-05	1.392e-07	2.8e-05	2.154e-07	ssl.py:130(<lambda>)
12	1.24e-05	1.033e-06	2.8e-05	2.333e-06	configparser.py:599(section)
1	2.9e-06	2.9e-06	2.8e-05	2.8e-05	porter.py:1(<module>)
50	2.21e-05	4.42e-07	2.78e-05	5.56e-07	annotationlib.py:68(__init__)
1	8.2e-06	8.2e-06	2.78e-05	2.78e-05	__init__.py:654(Distribution)
194	2.76e-05	1.423e-07	2.76e-05	1.423e-07	status_codes.py:117(<lambda>)
1	3.5e-06	3.5e-06	2.76e-05	2.76e-05	jsontags.py:1(<module>)
1	5.7e-06	5.7e-06	2.74e-05	2.74e-05	decisiontree.py:1(<module>)
8	2.18e-05	2.725e-06	2.73e-05	3.413e-06	colorize.py:128(__pc)
1	2.5e-06	2.5e-06	2.73e-05	2.73e-05	arlstem.py:1(<module>)
130	1.68e-05	1.292e-07	2.71e-05	2.085e-07	ssl.py:150(<lambda>)
1	4.7e-06	4.7e-06	2.7e-05	2.7e-05	viterbi.py:1(<module>)
1	2.62e-05	2.62e-05	2.69e-05	2.69e-05	connection.py:82(HTTPEngine)
1	2.3e-06	2.3e-06	2.68e-05	2.68e-05	regexp.py:1(<module>)
1	5.8e-06	5.8e-06	2.67e-05	2.67e-05	senna.py:1(<module>)
33	1.87e-05	5.667e-07	2.66e-05	8.061e-07	parse.py:894(__missing__)
11	1.61e-05	1.464e-06	2.65e-05	2.409e-06	regex_core.py:2617(__init__)
1	1.25e-05	1.25e-05	2.65e-05	2.65e-05	__init__.py:948(__init__)
1	8.5e-06	8.5e-06	2.65e-05	2.65e-05	prettyprinter.py:1(<module>)
1	9.8e-06	9.8e-06	2.64e-05	2.64e-05	ipaddress.py:1266(IPv4Address)
1	4e-06	4e-06	2.6e-05	2.6e-05	kmeans.py:1(<module>)
1	3.6e-06	3.6e-06	2.59e-05	2.59e-05	gaac.py:1(<module>)
1	4.1e-06	4.1e-06	2.58e-05	2.58e-05	api.py:1(<module>)
15	1.63e-05	1.087e-06	2.57e-05	1.713e-06	threading.py:1049(__enter__)
32	1.4e-05	4.375e-07	2.56e-05	8e-07	__init__.py:254(__subclasses__)
1	3.9e-06	3.9e-06	2.56e-05	2.56e-05	hunpos.py:1(<module>)
1	7.3e-06	7.3e-06	2.55e-05	2.55e-05	base.py:80(add_excluded)
7	1.56e-05	2.229e-06	2.54e-05	3.629e-06	<frozen_collections_subscript>
1	1.72e-05	1.72e-05	2.53e-05	2.53e-05	fractions.py:182(Fraction)
12	2.11e-05	1.758e-06	2.52e-05	2.1e-06	inspect.py:1706(_shallow_copy)
1	1.2e-06	1.2e-06	2.49e-05	2.49e-05	__init__.py:907(close)
5	1.72e-05	3.44e-06	2.48e-05	4.96e-06	dataclasses.py:415(__init__)

ncalls	tottime	percall	cumtime	percall	
1	2e-06	2e-06	2.48e-05	2.48e-05	_regex_core.py:2210(
1	7e-06	7e-06	2.47e-05	2.47e-05	childe.py:1(<module
1	4.7e-06	4.7e-06	2.47e-05	2.47e-05	twitter.py:1(<module>
1	4e-06	4e-06	2.47e-05	2.47e-05	probabilistic.py:1(<m
1	4.6e-06	4.6e-06	2.45e-05	2.45e-05	_add_newdocs_scalar
2	5.7e-06	2.85e-06	2.44e-05	1.22e-05	_init__.py:288(_End
3	7.9e-06	2.633e-06	2.43e-05	8.1e-06	_base.py:71(__init__)
1	4.4e-06	4.4e-06	2.42e-05	2.42e-05	rslp.py:1(<module>)
1	3.3e-06	3.3e-06	2.42e-05	2.42e-05	mwe.py:1(<module>)
1	2.6e-06	2.6e-06	2.41e-05	2.41e-05	lancaster.py:1(<modu
2	2.4e-05	1.2e-05	2.4e-05	1.2e-05	~:0(<built-in method
1	6.3e-06	6.3e-06	2.4e-05	2.4e-05	_dtype.py:1(<module
1	1.9e-06	1.9e-06	2.39e-05	2.39e-05	wordnet.py:1(<modul
14	1.63e-05	1.164e-06	2.38e-05	1.7e-06	configparser.py:1192(
1	8.3e-06	8.3e-06	2.38e-05	2.38e-05	_asarray.py:1(<modul
7	2.11e-05	3.014e-06	2.35e-05	3.357e-06	functools.py:735(_c3_
5	1.43e-05	2.86e-06	2.35e-05	4.7e-06	reprlib.py:12(decorati
32	2.34e-05	7.313e-07	2.34e-05	7.313e-07	functools.py:65(wrap
1	2.34e-05	2.34e-05	2.34e-05	2.34e-05	~:0(<built-in method i
2	1.64e-05	8.2e-06	2.34e-05	1.17e-05	_linalg.py:84(__annot
88	2.33e-05	2.648e-07	2.33e-05	2.648e-07	~:0(<method 'insert' o
26	1.73e-05	6.654e-07	2.33e-05	8.962e-07	ipaddress.py:469(_pre
1	2.24e-05	2.24e-05	2.31e-05	2.31e-05	_init__.py:352(Distr
25	2.3e-05	9.2e-07	2.3e-05	9.2e-07	~:0(<method 'tolist' of
31	1.53e-05	4.935e-07	2.29e-05	7.387e-07	typing.py:1125(<gen
3	1.34e-05	4.467e-06	2.29e-05	7.633e-06	ScoringSys.py:59(_sa
1	2.28e-05	2.28e-05	2.28e-05	2.28e-05	~:0(<built-in method i
15	1.83e-05	1.22e-06	2.28e-05	1.52e-06	thread.py:54(create_c
1	4.8e-06	4.8e-06	2.28e-05	2.28e-05	knbc.py:1(<module>)
1	4.7e-06	4.7e-06	2.28e-05	2.28e-05	util.py:1(<module>)
125	2.26e-05	1.808e-07	2.26e-05	1.808e-07	~:0(<built-in method l
2	1.56e-05	7.8e-06	2.24e-05	1.12e-05	_linalg.py:100(__ann
61	2.22e-05	3.639e-07	2.22e-05	3.639e-07	<frozen codecs>:263(
1	4.6e-06	4.6e-06	2.22e-05	2.22e-05	naivebayes.py:1(<mo
10	2.21e-05	2.21e-06	2.21e-05	2.21e-06	annotationlib.py:590(
1	1.59e-05	1.59e-05	2.21e-05	2.21e-05	ssl.py:422(SSLConte
1	5.7e-06	5.7e-06	2.21e-05	2.21e-05	_pytesttester.py:1(<m
3	8.1e-06	2.7e-06	2.19e-05	7.3e-06	_regex_core.py:625(p
1	3.5e-06	3.5e-06	2.19e-05	2.19e-05	_ufunc.py:1(<module
12	2.18e-05	1.817e-06	2.18e-05	1.817e-06	enum.py:333(__init__
28	2.17e-05	7.75e-07	2.17e-05	7.75e-07	encoder.py:224(floats
52/10	9.2e-06	9.2e-07	2.17e-05	2.17e-06	_regex_core.py:1998(
1	4.6e-06	4.6e-06	2.16e-05	2.16e-05	api.py:1(<module>)

ncalls	tottime	percall	cumtime	percall	
1	4.3e-06	4.3e-06	2.16e-05	2.16e-05	_arrayterator_impl.py
23	1.59e-05	6.913e-07	2.15e-05	9.348e-07	regex_core.py:2012(
1	1.16e-05	1.16e-05	2.14e-05	2.14e-05	request.py:1242(do_re
1	7.7e-06	7.7e-06	2.14e-05	2.14e-05	string_category.py:1(<
65	1.53e-05	2.354e-07	2.13e-05	3.277e-07	inspect.py:267(isfunc
1	1.36e-05	1.36e-05	2.13e-05	2.13e-05	ssltransport.py:22(SSI
1	3.3e-06	3.3e-06	2.12e-05	2.12e-05	udhr.py:1(<module>)
1	2.11e-05	2.11e-05	2.11e-05	2.11e-05	pickle.py:418(_Pickle
66	2.11e-05	3.197e-07	2.11e-05	3.197e-07	~:0(<method 'to_byte:
8	1.67e-05	2.087e-06	2.11e-05	2.638e-06	_py_warnings.py:111(
1	5.8e-06	5.8e-06	2.11e-05	2.11e-05	linearlogic.py:74(Exp
1	2.9e-06	2.9e-06	2.11e-05	2.11e-05	lfg.py:1(<module>)
1	2.01e-05	2.01e-05	2.1e-05	2.1e-05	response.py:451(Base
1	7.3e-06	7.3e-06	2.1e-05	2.1e-05	drt.py:188(DrtExpress
4	7e-06	1.75e-06	2.1e-05	5.25e-06	regex_core.py:3700(
1	2.6e-06	2.6e-06	2.1e-05	2.1e-05	version.py:1(<modul
77	2.09e-05	2.714e-07	2.09e-05	2.714e-07	enum.py:1323(value)
1	5.9e-06	5.9e-06	2.09e-05	2.09e-05	deepl.py:1(<module>)
1	8.7e-06	8.7e-06	2.08e-05	2.08e-05	cmudict.py:1(<modul
5	1.39e-05	2.78e-06	2.07e-05	4.14e-06	fractions.py:794(_add
1	6.8e-06	6.8e-06	2.07e-05	2.07e-05	microsoft.py:1(<modu
1	2.06e-05	2.06e-05	2.06e-05	2.06e-05	mimetypes.py:447(_d
47	1.64e-05	3.489e-07	2.06e-05	4.383e-07	six.py:110(__init__)
1	3e-06	3e-06	2.06e-05	2.06e-05	regex_core.py:1339(
1	2.05e-05	2.05e-05	2.05e-05	2.05e-05	~:0(<built-in method i
1	8.9e-06	8.9e-06	2.05e-05	2.05e-05	meta.py:11(Package)
54	2.04e-05	3.778e-07	2.04e-05	3.778e-07	~:0(<built-in method i
14	1.72e-05	1.229e-06	2.04e-05	1.457e-06	regexp.py:102(__init_
1	5.4e-06	5.4e-06	2.04e-05	2.04e-05	rte_classify.py:1(<mo
1	4.9e-06	4.9e-06	2.04e-05	2.04e-05	counter.py:1(<module>)
1	4.8e-06	4.8e-06	2.03e-05	2.03e-05	api.py:1(<module>)
12	8.1e-06	6.75e-07	2.02e-05	1.683e-06	configparser.py:587(<
1	2.01e-05	2.01e-05	2.01e-05	2.01e-05	pickle.py:1250(_Unpi
1	1.93e-05	1.93e-05	1.99e-05	1.99e-05	__init__.py:1371(Zipl
16	6.5e-06	4.063e-07	1.99e-05	1.244e-06	_add_newdocs_scalar
1	2.6e-06	2.6e-06	1.99e-05	1.99e-05	minimalset.py:1(<mod
1	1.98e-05	1.98e-05	1.98e-05	1.98e-05	~:0(<built-in method i
1	1.52e-05	1.52e-05	1.98e-05	1.98e-05	typing.py:3479(IO)
3	8.5e-06	2.833e-06	1.98e-05	6.6e-06	threading.py:471(__in
4	8.1e-06	2.025e-06	1.98e-05	4.95e-06	<frozen ntpath>:573(ε
1	4.2e-06	4.2e-06	1.98e-05	1.98e-05	positivenaivebayes.py
9	1.39e-05	1.544e-06	1.97e-05	2.189e-06	annotationlib.py:275(
54	1.95e-05	3.611e-07	1.95e-05	3.611e-07	six.py:182(_add_mod

ncalls	tottime	percall	cumtime	percall	
1	1.95e-05	1.95e-05	1.95e-05	1.95e-05	logic.py:1(<module>)
42	1.95e-05	4.643e-07	1.95e-05	4.643e-07	~:0(<method 'fileno' o
19	1.66e-05	8.737e-07	1.95e-05	1.026e-06	_regex_core.py:3317(
5	1.12e-05	2.24e-06	1.95e-05	3.9e-06	lazyimport.py:62(_ir
1	2.5e-06	2.5e-06	1.93e-05	1.93e-05	_dtype_ctypes.py:1(<
37	1.49e-05	4.027e-07	1.92e-05	5.189e-07	argparse.py:1474(regi
1	1.9e-06	1.9e-06	1.92e-05	1.92e-05	request.py:44(_TYPE
16	1.91e-05	1.194e-06	1.91e-05	1.194e-06	threading.py:1307(_m
2	1.28e-05	6.4e-06	1.89e-05	9.45e-06	_init__.py:330(_raw
6	1.22e-05	2.033e-06	1.89e-05	3.15e-06	_policybase.py:103(_
1	4.4e-06	4.4e-06	1.89e-05	1.89e-05	textcat.py:1(<module>
1	1.32e-05	1.32e-05	1.88e-05	1.88e-05	_collections.py:204(H
41	1.3e-05	3.171e-07	1.88e-05	4.585e-07	_regex_core.py:3503(
4	1.07e-05	2.675e-06	1.88e-05	4.7e-06	_init__.py:437(_ini
46	1.87e-05	4.065e-07	1.87e-05	4.065e-07	_add_newdocs_scalar
3	1.7e-06	5.667e-07	1.87e-05	6.233e-06	functools.py:931(<lan
2	7.4e-06	3.7e-06	1.85e-05	9.25e-06	_init__.py:125(joinu
1	1.84e-05	1.84e-05	1.84e-05	1.84e-05	pprint.py:112(PrettyP
2	5.7e-06	2.85e-06	1.84e-05	9.2e-06	_init__.py:458(valid
1	3.2e-06	3.2e-06	1.84e-05	1.84e-05	client.py:1459(_init_
2	1.24e-05	6.2e-06	1.83e-05	9.15e-06	_linalg.py:88(__annot
20	1.81e-05	9.05e-07	1.81e-05	9.05e-07	~:0(<built-in method :
1	3.1e-06	3.1e-06	1.81e-05	1.81e-05	confusionmatrix.py:1(
41	1.79e-05	4.366e-07	1.79e-05	4.366e-07	dataclasses.py:527(_fi
1	1.54e-05	1.54e-05	1.79e-05	1.79e-05	ipaddress.py:666(_Ba
13	8.6e-06	6.615e-07	1.79e-05	1.377e-06	jsontags.py:24(registe
2	7.1e-06	3.55e-06	1.78e-05	8.9e-06	_regex_core.py:2250(
1	2.5e-06	2.5e-06	1.78e-05	1.78e-05	_init__.py:1278(_ir
149	1.77e-05	1.188e-07	1.77e-05	1.188e-07	enum.py:1442(<lamb
46	1.1e-05	2.391e-07	1.77e-05	3.848e-07	dataclasses.py:681(<g
1	1.2e-06	1.2e-06	1.74e-05	1.74e-05	lazyimport.py:1(<moc
16	1.07e-05	6.688e-07	1.73e-05	1.081e-06	threading.py:1053(_se
1	3.4e-06	3.4e-06	1.73e-05	1.73e-05	paice.py:1(<module>)
116	1.71e-05	1.474e-07	1.71e-05	1.474e-07	message.py:644(get_c
1	6.2e-06	6.2e-06	1.71e-05	1.71e-05	decorators.py:29(__le
1	1.7e-05	1.7e-05	1.7e-05	1.7e-05	client.py:819(HTTPC
1	1.02e-05	1.02e-05	1.7e-05	1.7e-05	ipaddress.py:1910(IPv
4	9.6e-06	2.4e-06	1.7e-05	4.25e-06	inspect.py:2047(_sign
1	1.43e-05	1.43e-05	1.68e-05	1.68e-05	cp437.py:33(getregen
2	1.16e-05	5.8e-06	1.68e-05	8.4e-06	_linalg.py:96(__annot
3	1.5e-06	5e-07	1.67e-05	5.567e-06	_regex_core.py:3169(
35	1.2e-05	3.429e-07	1.66e-05	4.743e-07	ipaddress.py:1890(_sp
1	6.5e-06	6.5e-06	1.66e-05	1.66e-05	exceptions.py:34(__in

ncalls	tottime	percall	cumtime	percall	
3	6.3e-06	2.1e-06	1.64e-05	5.467e-06	_base.py:55(__init__)
1	1.58e-05	1.58e-05	1.63e-05	1.63e-05	iotools.py:452(StringI)
1	7.5e-06	7.5e-06	1.63e-05	1.63e-05	featstruct.py:921(Feat
89	1.62e-05	1.82e-07	1.62e-05	1.82e-07	enum.py:90(_is_singl
1	1.41e-05	1.41e-05	1.62e-05	1.62e-05	threading.py:868(Thread
1	5.1e-06	5.1e-06	1.61e-05	1.61e-05	__init__.py:269(front
257	1.6e-05	6.226e-08	1.6e-05	6.226e-08	hmac.py:21(<genexpr
1	1.57e-05	1.57e-05	1.6e-05	1.6e-05	multiarray.py:81(_ove
18	1.38e-05	7.667e-07	1.6e-05	8.889e-07	__init__.py:205(_che
1	1.28e-05	1.28e-05	1.6e-05	1.6e-05	_nbit.py:1(<module>)
2	1.11e-05	5.55e-06	1.6e-05	8e-06	linalg.py:92(__annot
8	9.1e-06	1.138e-06	1.6e-05	2e-06	ElementPath.py:74(xp
11	3.3e-06	3e-07	1.6e-05	1.455e-06	_regex_core.py:4330(
7/4	6.1e-06	1.525e-06	1.59e-05	3.975e-06	_regex_core.py:3069(
7	1.58e-05	2.257e-06	1.58e-05	2.257e-06	~:0(<method 'findall'
103	1.58e-05	1.534e-07	1.58e-05	1.534e-07	~:0(<built-in method l
15	1.16e-05	7.733e-07	1.58e-05	1.053e-06	_weakrefset.py:15(__re
31	1.57e-05	5.065e-07	1.57e-05	5.065e-07	~:0(<method 'setter'
18	1.08e-05	6e-07	1.57e-05	8.722e-07	lexicon.py:163(parseA
1	6.3e-06	6.3e-06	1.56e-05	1.56e-05	_add_newdocs_scalar
71	1.55e-05	2.183e-07	1.55e-05	2.183e-07	<frozen_collections:_
13	1.55e-05	1.192e-06	1.55e-05	1.192e-06	featstruct.py:574(_che
16	1.16e-05	7.25e-07	1.55e-05	9.688e-07	request.py:583(__lt__
1	1.9e-06	1.9e-06	1.54e-05	1.54e-05	typing.py:1526(__Spec
3	1.53e-05	5.1e-06	1.53e-05	5.1e-06	~:0(<built-in method _
1	3.7e-06	3.7e-06	1.53e-05	1.53e-05	linearlogic.py:30(__in
12	1.37e-05	1.142e-06	1.52e-05	1.267e-06	enum.py:946(__find_d
2	5.9e-06	2.95e-06	1.52e-05	7.6e-06	statistics.py:1613(__co
1	2.4e-06	2.4e-06	1.52e-05	1.52e-05	typing.py:1301(__Gen
76	1.51e-05	1.987e-07	1.51e-05	1.987e-07	~:0(<method 'isalnum'
1	4.2e-06	4.2e-06	1.51e-05	1.51e-05	messages.py:4(Messa
82	1.49e-05	1.817e-07	1.49e-05	1.817e-07	~:0(<built-in method l
1	4.3e-06	4.3e-06	1.49e-05	1.49e-05	_common.py:19(pack
41	1.47e-05	3.585e-07	1.47e-05	3.585e-07	dataclasses.py:599(__ii
257	1.46e-05	5.681e-08	1.46e-05	5.681e-08	hmac.py:22(<genexpr
4	9.9e-06	2.475e-06	1.46e-05	3.65e-06	__init__.py:561(__deco
159	1.45e-05	9.119e-08	1.45e-05	9.119e-08	inspect.py:2723(name
2	2.2e-06	1.1e-06	1.45e-05	7.25e-06	_regex_core.py:2139(
1	1.2e-06	1.2e-06	1.44e-05	1.44e-05	typing.py:1618(__Calla
119	1.43e-05	1.202e-07	1.43e-05	1.202e-07	~:0(<method 'isdigit'
4	1.27e-05	3.175e-06	1.43e-05	3.575e-06	__init__.py:263(__exte
12	9.6e-06	8e-07	1.43e-05	1.192e-06	configparser.py:576(_
1	2.5e-06	2.5e-06	1.43e-05	1.43e-05	__init__.py:1177(__rea

ncalls	tottime	percall	cumtime	percall	
1	7.5e-06	7.5e-06	1.42e-05	1.42e-05	featstruct.py:598(Feat
3	5.7e-06	1.9e-06	1.42e-05	4.733e-06	six.py:96(__get__)
3	2.6e-06	8.667e-07	1.42e-05	4.733e-06	_regex_core.py:3734(
1	2e-06	2e-06	1.42e-05	1.42e-05	evaluate.py:1(<modul
1	1.41e-05	1.41e-05	1.41e-05	1.41e-05	retry.py:41(Retry)
1	1.41e-05	1.41e-05	1.41e-05	1.41e-05	_string_helpers.py:1(<
15	1.17e-05	7.8e-07	1.41e-05	9.4e-07	_regex_core.py:3379(
26	9.5e-06	3.654e-07	1.41e-05	5.423e-07	configparser.py:922(o
1	7.3e-06	7.3e-06	1.41e-05	1.41e-05	pydoc.py:634(HTML)
1	1.4e-05	1.4e-05	1.4e-05	1.4e-05	defmatrix.py:73(matri
2	4.5e-06	2.25e-06	1.39e-05	6.95e-06	arrayprint.py:577(dec
1	4.5e-06	4.5e-06	1.38e-05	1.38e-05	argparse.py:157(Help
2	2.7e-06	1.35e-06	1.38e-05	6.9e-06	<frozen ntpath>:254(t
2	1.01e-05	5.05e-06	1.37e-05	6.85e-06	_init__.py:281(_pars
5	7.2e-06	1.44e-06	1.37e-05	2.74e-06	argparse.py:966(__ini
1	6.5e-06	6.5e-06	1.37e-05	1.37e-05	drt.py:61(__init__)
1	1e-06	1e-06	1.37e-05	1.37e-05	typing.py:1651(_Tupl
111	1.36e-05	1.225e-07	1.36e-05	1.225e-07	enum.py:902(<lambd:
10	1.09e-05	1.09e-06	1.35e-05	1.35e-06	annotationlib.py:819(g
5	6.3e-06	1.26e-06	1.35e-05	2.7e-06	locale.py:635(getpref
1	1.8e-06	1.8e-06	1.35e-05	1.35e-05	_init__.py:1120(__ir
5	1e-05	2e-06	1.34e-05	2.68e-06	_init__.py:899(__addl
24	9.1e-06	3.792e-07	1.34e-05	5.583e-07	_regex_core.py:2942(
6	5.3e-06	8.833e-07	1.34e-05	2.233e-06	typing.py:3102(__get_
1	1.25e-05	1.25e-05	1.33e-05	1.33e-05	socket.py:218(socket)
1	8.1e-06	8.1e-06	1.32e-05	1.32e-05	_colorize.py:211(Thei
24	1.31e-05	5.458e-07	1.31e-05	5.458e-07	textwrap.py:112(__ini
1	1.31e-05	1.31e-05	1.31e-05	1.31e-05	timeout.py:25(Timeou
64	1.31e-05	2.047e-07	1.31e-05	2.047e-07	~:0(<built-in method
10	1.31e-05	1.31e-06	1.31e-05	1.31e-06	~:0(<built-in method
2	1.21e-05	6.05e-06	1.31e-05	6.55e-06	decoder.py:31(__init_
3	9.5e-06	3.167e-06	1.31e-05	4.367e-06	thread.py:157(prepare
30	1.3e-05	4.333e-07	1.3e-05	4.333e-07	threading.py:1187(da
7	1.3e-05	1.857e-06	1.3e-05	1.857e-06	argparse.py:879(__ini
2	6.3e-06	3.15e-06	1.3e-05	6.5e-06	enum.py:1708(global_
7	6e-06	8.571e-07	1.3e-05	1.857e-06	argparse.py:1693(po
2	3.9e-06	1.95e-06	1.3e-05	6.5e-06	_init__.py:157(with_
1	1.1e-06	1.1e-06	1.3e-05	1.3e-05	language.py:1(<modu
23	1.29e-05	5.609e-07	1.29e-05	5.609e-07	~:0(<built-in method
17	7.9e-06	4.647e-07	1.29e-05	7.588e-07	ssl.py:972(__sslcopypdc
1	4.6e-06	4.6e-06	1.29e-05	1.29e-05	parse.py:972(__byte_q
2	1.28e-05	6.4e-06	1.28e-05	6.4e-06	~:0(<built-in method
2	9.8e-06	4.9e-06	1.28e-05	6.4e-06	charset.py:206(__init_

ncalls	tottime	percall	cumtime	percall	
1	3.7e-06	3.7e-06	1.28e-05	1.28e-05	__init__.py:851(_get_
3	1.27e-05	4.233e-06	1.27e-05	4.233e-06	signal.py:51(decorato
1	6.7e-06	6.7e-06	1.27e-05	1.27e-05	tagged.py:23(TaggedC
1	8e-07	8e-07	1.27e-05	1.27e-05	typing.py:1587(__init
7	9.1e-06	1.3e-06	1.26e-05	1.8e-06	_regex_core.py:4378(
4	1.7e-06	4.25e-07	1.26e-05	3.15e-06	_regex_core.py:3615(
1	1.19e-05	1.19e-05	1.25e-05	1.25e-05	association.py:45(Ngr
3	9.7e-06	3.233e-06	1.25e-05	4.167e-06	__init__.py:135(__ini
1	8.1e-06	8.1e-06	1.25e-05	1.25e-05	idna.py:378(getregent
1	1.23e-05	1.23e-05	1.23e-05	1.23e-05	client.py:252(HTTPR
40	9.6e-06	2.4e-07	1.23e-05	3.075e-07	lexicon.py:170(parseS
20	1.22e-05	6.1e-07	1.22e-05	6.1e-07	mixins.py:17(_binary_
1	1.22e-05	1.22e-05	1.22e-05	1.22e-05	~:0(<method 'dot' of 'i
1	1.21e-05	1.21e-05	1.21e-05	1.21e-05	framenet.py:1073(Fra
42	1.19e-05	2.833e-07	1.19e-05	2.833e-07	api.py:257(__init__)
1	1.19e-05	1.19e-05	1.19e-05	1.19e-05	~:0(<method 'match' c
11	8.7e-06	7.909e-07	1.19e-05	1.082e-06	<frozen ntpath>:34(_x
4	5.6e-06	1.4e-06	1.19e-05	2.975e-06	regexp.py:195(__init_
1	1.6e-06	1.6e-06	1.19e-05	1.19e-05	six.py:194(find_spec)
1	1.18e-05	1.18e-05	1.18e-05	1.18e-05	tempfile.py:706(Spo
9	7.4e-06	8.222e-07	1.18e-05	1.311e-06	__init__.py:196(__ne
1	1.17e-05	1.17e-05	1.17e-05	1.17e-05	connectionpool.py:12
3	1.17e-05	3.9e-06	1.17e-05	3.9e-06	getlimits.py:412(__ini
1	1.01e-05	1.01e-05	1.17e-05	1.17e-05	request.py:285(Reque
1	4.4e-06	4.4e-06	1.17e-05	1.17e-05	argparse.py:1818(__pr
1	1.16e-05	1.16e-05	1.16e-05	1.16e-05	models.py:13(Charset
1	3.3e-06	3.3e-06	1.16e-05	1.16e-05	_regex_core.py:437(n
3	3.1e-06	1.033e-06	1.16e-05	3.867e-06	typing.py:1661(<gene
1	1.15e-05	1.15e-05	1.15e-05	1.15e-05	glob.py:518(_StringG
1	9.3e-06	9.3e-06	1.15e-05	1.15e-05	getlimits.py:60(finfo)
1	1.14e-05	1.14e-05	1.14e-05	1.14e-05	queue.py:40(Queue)
1	1.14e-05	1.14e-05	1.14e-05	1.14e-05	util.py:32(StreamBacl
5	9.5e-06	1.9e-06	1.14e-05	2.28e-06	dataclasses.py:424(_tu
41	1.13e-05	2.756e-07	1.13e-05	2.756e-07	dataclasses.py:294(_
170	1.13e-05	6.647e-08	1.13e-05	6.647e-08	_regex_core.py:2608(
1	1.05e-05	1.05e-05	1.13e-05	1.13e-05	__init__.py:58(check
1	7.8e-06	7.8e-06	1.13e-05	1.13e-05	legacy.py:1(<module>
3	1.12e-05	3.733e-06	1.12e-05	3.733e-06	~:0(<method 'splitline
1	9.2e-06	9.2e-06	1.12e-05	1.12e-05	_shape.py:1(<module>
1	7.3e-06	7.3e-06	1.12e-05	1.12e-05	aligned.py:18(Aligned
15	1.11e-05	7.4e-07	1.11e-05	7.4e-07	weakref.py:311(remov
3	8.6e-06	2.867e-06	1.11e-05	3.7e-06	lexicon.py:133(match
6	1.1e-05	1.833e-06	1.1e-05	1.833e-06	~:0(<method 'tell' of '

nCalls	Total Time	Per Call	Cumulative Time	Per Call (%)	File:Line
1	1.05e-05	1.05e-05	1.1e-05	1.1e-05	ssl.py:792(SSLObject)
1	9e-06	9e-06	1.1e-05	1.1e-05	dbapi2.py:54(register_
2	3.1e-06	1.55e-06	1.09e-05	5.45e-06	_regex_core.py:362(is
108	1.08e-05	1e-07	1.08e-05	1e-07	_regex_core.py:1725(
1	9.5e-06	9.5e-06	1.08e-05	1.08e-05	_polynomial_impl.py:
4	5.1e-06	1.275e-06	1.08e-05	2.7e-06	regexp.py:168(__init_
14	1.06e-05	7.571e-07	1.06e-05	7.571e-07	__init__.py:1019(__g
133	1.06e-05	7.97e-08	1.06e-05	7.97e-08	six.py:93(__init__)
1	1.3e-06	1.3e-06	1.06e-05	1.06e-05	_internal.py:253(_mis
17	1.04e-05	6.118e-07	1.04e-05	6.118e-07	enum.py:788(__meml
4	1.04e-05	2.6e-06	1.04e-05	2.6e-06	sessions.py:333(rebui
1	1.04e-05	1.04e-05	1.04e-05	1.04e-05	_regex_core.py:2134(
1	8.2e-06	8.2e-06	1.04e-05	1.04e-05	numbers.py:57(Comp
1	6.7e-06	6.7e-06	1.04e-05	1.04e-05	textwrap.py:447(inde
1	1.03e-05	1.03e-05	1.03e-05	1.03e-05	models.py:640(Respo
2	7.8e-06	3.9e-06	1.03e-05	5.15e-06	_regex_core.py:2417(
1	5.8e-06	5.8e-06	1.03e-05	1.03e-05	plaintext.py:20(Plain
1	1.02e-05	1.02e-05	1.02e-05	1.02e-05	ipaddress.py:383(IPA
4	6.8e-06	1.7e-06	1.02e-05	2.55e-06	ElementPath.py:153(r
1	2.7e-06	2.7e-06	1.02e-05	1.02e-05	__init__.py:903(hugej
41	1.01e-05	2.463e-07	1.01e-05	2.463e-07	dataclasses.py:704(__is
22	1.01e-05	4.591e-07	1.01e-05	4.591e-07	_type_aliases.py:128(
1	9.9e-06	9.9e-06	1.01e-05	1.01e-05	__init__.py:1847(Log
1	9.6e-06	9.6e-06	1.01e-05	1.01e-05	cookies.py:236(Morse
112	1e-05	8.929e-08	1e-05	8.929e-08	ipaddress.py:569(__in
1	8.9e-06	8.9e-06	1e-05	1e-05	response.py:1(<modu
6	6e-06	1e-06	9.9e-06	1.65e-06	statistics.py:1587(__ex
1	9.8e-06	9.8e-06	9.8e-06	9.8e-06	models.py:313(Prepar
1	9.8e-06	9.8e-06	9.8e-06	9.8e-06	_base.py:319(Future)
7	6e-06	8.571e-07	9.8e-06	1.4e-06	weakref.py:397(popit
1	9.7e-06	9.7e-06	9.7e-06	9.7e-06	<frozen codecs>:1081
125	9.7e-06	7.76e-08	9.7e-06	7.76e-08	inspect.py:2735(kind)
17	9.7e-06	5.706e-07	9.7e-06	5.706e-07	~:0(<built-in method _
1	9.5e-06	9.5e-06	9.7e-06	9.7e-06	wait.py:82(__have_wo
1	6.4e-06	6.4e-06	9.7e-06	9.7e-06	_array_utils_impl.py:
1	9.6e-06	9.6e-06	9.6e-06	9.6e-06	adapters.py:143(HTT
1	9.6e-06	9.6e-06	9.6e-06	9.6e-06	ElementTree.py:1790(
1	9.1e-06	9.1e-06	9.6e-06	9.6e-06	__init__.py:410(ZipIn
3	8.2e-06	2.733e-06	9.6e-06	3.2e-06	<frozen codecs>:94(_
1	7.7e-06	7.7e-06	9.6e-06	9.6e-06	__init__.py:870(Meta
1	4.5e-06	4.5e-06	9.6e-06	9.6e-06	_ufunc_config.py:472
59	9.5e-06	1.61e-07	9.5e-06	1.61e-07	annotationlib.py:228(
47	9.5e-06	2.021e-07	9.5e-06	2.021e-07	~:0(<method 'issupers

nCalls	Total Time	Per Call	Cumulative Time	Per Call	
12	6.3e-06	5.25e-07	9.5e-06	7.917e-07	_regex_core.py:2948(
4	9.4e-06	2.35e-06	9.4e-06	2.35e-06	<frozen_collections_:
1	9.4e-06	9.4e-06	9.4e-06	9.4e-06	statistics.py:1218(Nor
1	2.6e-06	2.6e-06	9.4e-06	9.4e-06	_init__.py:472(__get
1	5.6e-06	5.6e-06	9.3e-06	9.3e-06	weakref.py:104(__init
1	2.1e-06	2.1e-06	9.3e-06	9.3e-06	_init__.py:276(__fron
14	5.7e-06	4.071e-07	9.2e-06	6.571e-07	argparse.py:1478(__re
2	5e-06	2.5e-06	9.2e-06	4.6e-06	<frozen os>:1133(__s
4	8e-06	2e-06	9.1e-06	2.275e-06	data.py:119(split_reso
10	7.1e-06	7.1e-07	9.1e-06	9.1e-07	typing.py:310(__check
1	7.3e-06	7.3e-06	9e-06	9e-06	platform.py:938(unar
5	5.5e-06	1.1e-06	9e-06	1.8e-06	_regex_core.py:846(p
1	2.7e-06	2.7e-06	9e-06	9e-06	_regex_core.py:1149(
1	1e-06	1e-06	9e-06	9e-06	functools.py:726(cach
1	8.9e-06	8.9e-06	8.9e-06	8.9e-06	subprocess.py:476(CC
14	6.4e-06	4.571e-07	8.9e-06	6.357e-07	_regex_core.py:3061(
11	5.1e-06	4.636e-07	8.9e-06	8.091e-07	typing.py:1134(<gen
17	8.8e-06	5.176e-07	8.8e-06	5.176e-07	_init__.py:820(__ini
1	8.8e-06	8.8e-06	8.8e-06	8.8e-06	_init__.py:922(Hand
1	8.8e-06	8.8e-06	8.8e-06	8.8e-06	_request_methods.py:
6	8.8e-06	1.467e-06	8.8e-06	1.467e-06	~:0(<built-in method i
1	7.1e-06	7.1e-06	8.8e-06	8.8e-06	argparse.py:2223(con
7	6.3e-06	9e-07	8.8e-06	1.257e-06	argparse.py:630(form
56	8.7e-06	1.554e-07	8.7e-06	1.554e-07	enum.py:780(<genexp
26	8.7e-06	3.346e-07	8.7e-06	3.346e-07	ipaddress.py:426(__ip
1	8.7e-06	8.7e-06	8.7e-06	8.7e-06	cookiejar.py:875(Def
1	8.7e-06	8.7e-06	8.7e-06	8.7e-06	sessions.py:356(Session
1	8.7e-06	8.7e-06	8.7e-06	8.7e-06	ElementTree.py:126(I
1	8.7e-06	8.7e-06	8.7e-06	8.7e-06	collocations.py:47(Ab
2	8.7e-06	4.35e-06	8.7e-06	4.35e-06	lang_detect_exceptior
30	8.7e-06	2.9e-07	8.7e-06	2.9e-07	~:0(<method 'items' o
2	7e-06	3.5e-06	8.7e-06	4.35e-06	~:0(<built-in method _
1	5.3e-06	5.3e-06	8.7e-06	8.7e-06	ScoringSys.py:382(lo
1	8.6e-06	8.6e-06	8.6e-06	8.6e-06	records.py:279(recarr
1	8.6e-06	8.6e-06	8.6e-06	8.6e-06	hmm.py:103(HiddenM
4	8.6e-06	2.15e-06	8.6e-06	2.15e-06	~:0(<built-in method i
2	5.3e-06	2.65e-06	8.6e-06	4.3e-06	typing.py:1230(__mrc
92	8.5e-06	9.239e-08	8.5e-06	9.239e-08	enum.py:235(__init__
1	8.5e-06	8.5e-06	8.5e-06	8.5e-06	ipaddress.py:1607(__B
86	8.5e-06	9.884e-08	8.5e-06	9.884e-08	_compat_pickle.py:16
1	8.5e-06	8.5e-06	8.5e-06	8.5e-06	mte.py:34(MTEFileR
1	7.5e-06	7.5e-06	8.5e-06	8.5e-06	stack_decoder.py:49(\$
2	7.4e-06	3.7e-06	8.5e-06	4.25e-06	numbers.py:308(__flc

ncalls	tottime	percall	cumtime	percall	
1	7e-06	7e-06	8.5e-06	8.5e-06	wordlist.py:38(Nonbr
1	8.4e-06	8.4e-06	8.4e-06	8.4e-06	_init__.py:1463(Log
6	7.6e-06	1.267e-06	8.4e-06	1.4e-06	_exceptions.py:16(_di
4	5.5e-06	1.375e-06	8.4e-06	2.1e-06	inspect.py:2394(_desc
1	7.2e-06	7.2e-06	8.3e-06	8.3e-06	typing.py:3592(TextI
1	5.7e-06	5.7e-06	8.3e-06	8.3e-06	parse.py:887(_init_
1	8.2e-06	8.2e-06	8.2e-06	8.2e-06	traceback.py:1004(Tr
1	8.2e-06	8.2e-06	8.2e-06	8.2e-06	message.py:983(MIM
1	8.2e-06	8.2e-06	8.2e-06	8.2e-06	downloader.py:431(D
1	8.2e-06	8.2e-06	8.2e-06	8.2e-06	~:0(<built-in method
1	6.3e-06	6.3e-06	8.2e-06	8.2e-06	chrf_score.py:1(<mod
1	5.8e-06	5.8e-06	8.2e-06	8.2e-06	intranges.py:1(<modu
7	8.1e-06	1.157e-06	8.1e-06	1.157e-06	fractions.py:616(_ope
1	8.1e-06	8.1e-06	8.1e-06	8.1e-06	maxent.py:678(GISEr
1	7.8e-06	7.8e-06	8.1e-06	8.1e-06	calendar.py:96(_locali
4	6.3e-06	1.575e-06	8.1e-06	2.025e-06	_init__.py:391(_sani
1	5.4e-06	5.4e-06	8.1e-06	8.1e-06	unicode_escape.py:37
1	7.8e-06	7.8e-06	8e-06	8e-06	abc.py:83(InspectLoa
1	6.9e-06	6.9e-06	8e-06	8e-06	dependency.py:16(De
1	7.9e-06	7.9e-06	7.9e-06	7.9e-06	_zstdfile.py:20(ZstdFi
1	7.8e-06	7.8e-06	7.8e-06	7.8e-06	data.py:1054(Seekabl
6	7.8e-06	1.3e-06	7.8e-06	1.3e-06	six.py:131(__init__)
1	7.8e-06	7.8e-06	7.8e-06	7.8e-06	~:0(<built-in method
8	5.8e-06	7.25e-07	7.8e-06	9.75e-07	warnings.py:80(__ent
1	1.8e-06	1.8e-06	7.8e-06	7.8e-06	ipaddress.py:1483(IPv
14	7.7e-06	5.5e-07	7.7e-06	5.5e-07	mixins.py:27(_reflect
4	5e-06	1.25e-06	7.7e-06	1.925e-06	inspect.py:2061(_sign
1	1.5e-06	1.5e-06	7.7e-06	7.7e-06	_common.py:80(__)
1	7.6e-06	7.6e-06	7.6e-06	7.6e-06	_init__.py:204(Path)
25	7.6e-06	3.04e-07	7.6e-06	3.04e-07	lazyimport.py:119(__:
1	7.6e-06	7.6e-06	7.6e-06	7.6e-06	wordnet.py:355(Synse
2	7.6e-06	3.8e-06	7.6e-06	3.8e-06	~:0(<built-in method i
6	6.9e-06	1.15e-06	7.6e-06	1.267e-06	_nbit_base.py:57(__ir
2	5.7e-06	2.85e-06	7.6e-06	3.8e-06	_init__.py:958(creat
1	2.4e-06	2.4e-06	7.6e-06	7.6e-06	argparse.py:1028(__ir
14	7.5e-06	5.357e-07	7.5e-06	5.357e-07	_init__.py:1009(__ir
28	7.5e-06	2.679e-07	7.5e-06	2.679e-07	typing.py:2960(<gene
1	7.2e-06	7.2e-06	7.5e-06	7.5e-06	feature.py:13(Feature
1	6.5e-06	6.5e-06	7.5e-06	7.5e-06	abc.py:62(Traversal
7	6e-06	8.571e-07	7.5e-06	1.071e-06	downloader.py:287(__
2	5.2e-06	2.6e-06	7.5e-06	3.75e-06	_init__.py:691(__ini
1	1.8e-06	1.8e-06	7.5e-06	7.5e-06	_ufunc_config.py:488
5	7.4e-06	1.48e-06	7.4e-06	1.48e-06	weakref.py:309(__init

ncalls	tottime	percall	cumtime	percall	
1	7.4e-06	7.4e-06	7.4e-06	7.4e-06	_policybase.py:288(C
2	5.1e-06	2.55e-06	7.4e-06	3.7e-06	fractions.py:842(_div
1	1.5e-06	1.5e-06	7.4e-06	7.4e-06	argparse.py:1208(_Su
1	7.3e-06	7.3e-06	7.3e-06	7.3e-06	punkt.py:1239(PunktS
1	5.9e-06	5.9e-06	7.3e-06	7.3e-06	_policybase.py:121(P
18	7.2e-06	4e-07	7.2e-06	4e-07	enum.py:1723(_simpl
12	7.2e-06	6e-07	7.2e-06	6e-07	functools.py:1096(__i
28	7.2e-06	2.571e-07	7.2e-06	2.571e-07	colorize.py:323(get_
5	7.2e-06	1.44e-06	7.2e-06	1.44e-06	~:0(<built-in method _
3	7.2e-06	2.4e-06	7.2e-06	2.4e-06	~:0(<built-in method i
1	5.9e-06	5.9e-06	7.2e-06	7.2e-06	proxy.py:1(<module>
1	5.3e-06	5.3e-06	7.2e-06	7.2e-06	twitter.py:21(TwitterC
1	3.8e-06	3.8e-06	7.2e-06	7.2e-06	pydoc.py:1259(TextD
1	2.7e-06	2.7e-06	7.2e-06	7.2e-06	<string>:1(__create_f
1	1.4e-06	1.4e-06	7.2e-06	7.2e-06	__init__.py:164(joinp
14	7.1e-06	5.071e-07	7.1e-06	5.071e-07	typing.py:3095(_nam
1	7.1e-06	7.1e-06	7.1e-06	7.1e-06	lzma.py:38(LZMAFil
1	7.1e-06	7.1e-06	7.1e-06	7.1e-06	_expired_attrs_2_0.py
1	7.1e-06	7.1e-06	7.1e-06	7.1e-06	StatusAnaliser.py:43(.)
1	7.1e-06	7.1e-06	7.1e-06	7.1e-06	conll.py:22(ConllCor
1	5.9e-06	5.9e-06	7.1e-06	7.1e-06	mapping.py:1(<modu
5	5.8e-06	1.16e-06	7.1e-06	1.42e-06	copyreg.py:12(pickle)
4	5.4e-06	1.35e-06	7.1e-06	1.775e-06	models.py:1028(close
1	7e-06	7e-06	7e-06	7e-06	url.py:80(Url)
1	7e-06	7e-06	7e-06	7e-06	mimetypes.py:59(Min
1	7e-06	7e-06	7e-06	7e-06	propbank.py:166(Prop
1	7e-06	7e-06	7e-06	7e-06	WorkTypeAnalyzer.py
2	3.6e-06	1.8e-06	7e-06	3.5e-06	<string>:2(__init__)
1	6.9e-06	6.9e-06	6.9e-06	6.9e-06	readers.py:64(Multipl
1	6.8e-06	6.8e-06	6.8e-06	6.8e-06	decisiontree.py:20(De
49	6.8e-06	1.388e-07	6.8e-06	1.388e-07	~:0(<built-in method :
7	5.4e-06	7.714e-07	6.8e-06	9.714e-07	fractions.py:361(_fron
1	5.3e-06	5.3e-06	6.8e-06	6.8e-06	nist_score.py:1(<mod
1	3.8e-06	3.8e-06	6.8e-06	6.8e-06	pydoc.py:594(__init__
1	6.7e-06	6.7e-06	6.7e-06	6.7e-06	probability.py:57(Freq
1	6.7e-06	6.7e-06	6.7e-06	6.7e-06	preprocessing.py:1(<r
6	6.7e-06	1.117e-06	6.7e-06	1.117e-06	chart.py:1158(__init__
29	6.7e-06	2.31e-07	6.7e-06	2.31e-07	~:0(<method 'discard'
1	6.3e-06	6.3e-06	6.7e-06	6.7e-06	contextlib.py:17(Abst
1	5.9e-06	5.9e-06	6.7e-06	6.7e-06	chunked.py:26(Chunk
3	5.2e-06	1.733e-06	6.7e-06	2.233e-06	__init__.py:1683(addl
1	3.9e-06	3.9e-06	6.7e-06	6.7e-06	reviews.py:154(Revie
1	6.6e-06	6.6e-06	6.6e-06	6.6e-06	__init__.py:306(Pack

ncalls	tottime	percall	cumtime	percall	
1	6.6e-06	6.6e-06	6.6e-06	6.6e-06	grammar.py:446(CFG
16	6.6e-06	4.125e-07	6.6e-06	4.125e-07	~:0(<built-in method
11	6.6e-06	6e-07	6.6e-06	6e-07	~:0(<method 'values'
1	5.9e-06	5.9e-06	6.6e-06	6.6e-06	csv.py:144(DictReade
4	3.9e-06	9.75e-07	6.6e-06	1.65e-06	typing.py:2444(_strip,
1	6.5e-06	6.5e-06	6.5e-06	6.5e-06	connection.py:603(HI
1	6.5e-06	6.5e-06	6.5e-06	6.5e-06	__init__.py:1111(Stre
1	6.5e-06	6.5e-06	6.5e-06	6.5e-06	__init__.py:250(Entry
1	6.5e-06	6.5e-06	6.5e-06	6.5e-06	_collections.py:63(Re
1	6.5e-06	6.5e-06	6.5e-06	6.5e-06	cookiejar.py:744(Coo
1	6.5e-06	6.5e-06	6.5e-06	6.5e-06	_inspect.py:1(<modul
1	6.5e-06	6.5e-06	6.5e-06	6.5e-06	ElementTree.py:1398(t
1	6.5e-06	6.5e-06	6.5e-06	6.5e-06	ibm_model.py:60(IBM
14	6.5e-06	4.643e-07	6.5e-06	4.643e-07	~:0(<method 'islower'
1	6e-06	6e-06	6.5e-06	6.5e-06	__init__.py:479(__get
1	6.4e-06	6.4e-06	6.4e-06	6.4e-06	_index_tricks_impl.py
1	5.2e-06	5.2e-06	6.4e-06	6.4e-06	_functional.py:1(<mo
1	5.2e-06	5.2e-06	6.4e-06	6.4e-06	parented.py:21(Abstract
12	4.8e-06	4e-07	6.4e-06	5.333e-07	functools.py:916(is_
1	6.3e-06	6.3e-06	6.3e-06	6.3e-06	_colorize.py:116(Thei
1	6.3e-06	6.3e-06	6.3e-06	6.3e-06	tempfile.py:885(Temp
25	6.3e-06	2.52e-07	6.3e-06	2.52e-07	language.py:16(__lt__
2	6.3e-06	3.15e-06	6.3e-06	3.15e-06	~:0(<method 'isoform
12	4.4e-06	3.667e-07	6.3e-06	5.25e-07	_regex_core.py:2956(
24	6.2e-06	2.583e-07	6.2e-06	2.583e-07	typing.py:2119(<gene
1	6.2e-06	6.2e-06	6.2e-06	6.2e-06	__init__.py:554(Form
1	6.2e-06	6.2e-06	6.2e-06	6.2e-06	bz2.py:26(BZ2File)
1	6.2e-06	6.2e-06	6.2e-06	6.2e-06	featstruct.py:110(Feat
1	5e-06	5e-06	6.2e-06	6.2e-06	numbers.py:172(Real)
1	4.8e-06	4.8e-06	6.2e-06	6.2e-06	numbers.py:319(Integ
1	4.4e-06	4.4e-06	6.2e-06	6.2e-06	pros_cons.py:34(Pros
9	6.1e-06	6.778e-07	6.1e-06	6.778e-07	internals.py:395(depr
1	6.1e-06	6.1e-06	6.1e-06	6.1e-06	repp.py:21(ReppToke
1	6.1e-06	6.1e-06	6.1e-06	6.1e-06	tadm.py:1(<module>)
1	5.7e-06	5.7e-06	6.1e-06	6.1e-06	ipaddress.py:2202(IPV
1	6e-06	6e-06	6e-06	6e-06	dependencygraph.py::
1	6e-06	6e-06	6e-06	6e-06	~:0(<method 'hexdige
4	4e-06	1e-06	6e-06	1.5e-06	configparser.py:925(h
1	5.9e-06	5.9e-06	5.9e-06	5.9e-06	threading.py:1360(Tir
9	5.9e-06	6.556e-07	5.9e-06	6.556e-07	request.py:576(add_p
13	5.9e-06	4.538e-07	5.9e-06	4.538e-07	mixins.py:37(_inplace
1	5.9e-06	5.9e-06	5.9e-06	5.9e-06	thread.py:150(Thread
1	5.9e-06	5.9e-06	5.9e-06	5.9e-06	StatusAnaliser.py:350

ncalls	tottime	percall	cumtime	percall	
38	5.9e-06	1.553e-07	5.9e-06	1.553e-07	~:0(<built-in method _
2	4.6e-06	2.3e-06	5.9e-06	2.95e-06	_regex_core.py:2647(
1	1.3e-06	1.3e-06	5.9e-06	5.9e-06	_regex_core.py:2973(
46	5.8e-06	1.261e-07	5.8e-06	1.261e-07	dataclasses.py:1117(<
46	5.8e-06	1.261e-07	5.8e-06	1.261e-07	dataclasses.py:1181(<
13	4.1e-06	3.154e-07	5.8e-06	4.462e-07	inspect.py:184(isclass
8	3.8e-06	4.75e-07	5.8e-06	7.25e-07	configparser.py:1410(
1	3.7e-06	3.7e-06	5.8e-06	5.8e-06	categorized_sents.py:2
1	2.1e-06	2.1e-06	5.8e-06	5.8e-06	_regex_core.py:4407(
1	5.7e-06	5.7e-06	5.7e-06	5.7e-06	random.py:103(Randc
9	5.7e-06	6.333e-07	5.7e-06	6.333e-07	data.py:576(<genexpr
1	5.7e-06	5.7e-06	5.7e-06	5.7e-06	regexp.py:257(Regexj
1	5.7e-06	5.7e-06	5.7e-06	5.7e-06	~:0(<method 'reset' of
2	4.4e-06	2.2e-06	5.7e-06	2.85e-06	request.py:373(add_u
5	2.9e-06	5.8e-07	5.7e-06	1.14e-06	cp437.py:14(decode)
20	5.6e-06	2.8e-07	5.6e-06	2.8e-07	<frozen importlib._bo
26	5.6e-06	2.154e-07	5.6e-06	2.154e-07	ipaddress.py:410(_chc
1	5.6e-06	5.6e-06	5.6e-06	5.6e-06	calendar.py:115(_loca
1	5.6e-06	5.6e-06	5.6e-06	5.6e-06	internals.py:888(Elem
15	5.6e-06	3.733e-07	5.6e-06	3.733e-07	_regex_core.py:3425(
1	5.6e-06	5.6e-06	5.6e-06	5.6e-06	_regex_core.py:3502(
1	5e-06	5e-06	5.6e-06	5.6e-06	_init__.py:1434(_fix
4	4.6e-06	1.15e-06	5.6e-06	1.4e-06	configparser.py:1016(
8	4.4e-06	5.5e-07	5.6e-06	7e-07	warnings.py:84(__exi
24	5.5e-06	2.292e-07	5.5e-06	2.292e-07	_parser.py:166(_deli
1	5.5e-06	5.5e-06	5.5e-06	5.5e-06	_init__.py:6(HTTPS
1	5.5e-06	5.5e-06	5.5e-06	5.5e-06	client.py:1454(HTTP:
1	5.5e-06	5.5e-06	5.5e-06	5.5e-06	request.py:395(__init_
1	5.5e-06	5.5e-06	5.5e-06	5.5e-06	gzip.py:147(GzipFile)
1	5.5e-06	5.5e-06	5.5e-06	5.5e-06	distance.py:1(<modul
1	5.5e-06	5.5e-06	5.5e-06	5.5e-06	platform.py:882(_Pro
42	5.5e-06	1.31e-07	5.5e-06	1.31e-07	_compat_pickle.py:16
1	4.5e-06	4.5e-06	5.5e-06	5.5e-06	_os.py:314(_PathInfo
46	5.4e-06	1.174e-07	5.4e-06	1.174e-07	dataclasses.py:419(<g
1	5.4e-06	5.4e-06	5.4e-06	5.4e-06	_init__.py:899(PathI
1	5.4e-06	5.4e-06	5.4e-06	5.4e-06	ElementTree.py:1520(t
1	5.4e-06	5.4e-06	5.4e-06	5.4e-06	_init__.py:158(py_o
1	5.4e-06	5.4e-06	5.4e-06	5.4e-06	pager.py:1(<module>
1	5.4e-06	5.4e-06	5.4e-06	5.4e-06	handler.py:47(Conten
1	5.4e-06	5.4e-06	5.4e-06	5.4e-06	api.py:83(CCGVar)
1	2.2e-06	2.2e-06	5.4e-06	5.4e-06	six.py:236(create_mo
4	5.3e-06	1.325e-06	5.3e-06	1.325e-06	encoder.py:105(__init
17	5.3e-06	3.118e-07	5.3e-06	3.118e-07	typing.py:529(__init_

ncalls	tottime	percall	cumtime	percall	
1	5.3e-06	5.3e-06	5.3e-06	5.3e-06	__init__.py:64(Templ
1	5.3e-06	5.3e-06	5.3e-06	5.3e-06	header.py:417(_Value
1	5.3e-06	5.3e-06	5.3e-06	5.3e-06	punkt.py:635(PunktTr
5	5.3e-06	1.06e-06	5.3e-06	1.06e-06	_main.py:471(compla
5	5.1e-06	1.02e-06	5.3e-06	1.06e-06	_regex_core.py:4112(
6	4.2e-06	7e-07	5.3e-06	8.833e-07	_regex_core.py:3153(
1	1.6e-06	1.6e-06	5.3e-06	5.3e-06	__init__.py:1836(__ir
41	5.2e-06	1.268e-07	5.2e-06	1.268e-07	dataclasses.py:710(_is
2	5.2e-06	2.6e-06	5.2e-06	2.6e-06	reprlib.py:51(__init__
1	5.2e-06	5.2e-06	5.2e-06	5.2e-06	traceback.py:434(Stac
1	5.2e-06	5.2e-06	5.2e-06	5.2e-06	_regex_core.py:4110(
1	5.2e-06	5.2e-06	5.2e-06	5.2e-06	maxent.py:78(Maxent
1	5.2e-06	5.2e-06	5.2e-06	5.2e-06	named_entity.py:122(
1	5.2e-06	5.2e-06	5.2e-06	5.2e-06	ribes_score.py:1(<mo
18	5.2e-06	2.889e-07	5.2e-06	2.889e-07	api.py:310(__init__)
14	5.2e-06	3.714e-07	5.2e-06	3.714e-07	argparse.py:220(__ini
1	5.2e-06	5.2e-06	5.2e-06	5.2e-06	WorkTypeAnalyzer.py
7	5.2e-06	7.429e-07	5.2e-06	7.429e-07	~:0(<built-in method l
1	3.2e-06	3.2e-06	5.2e-06	5.2e-06	six.py:498(Module_si
1	1.4e-06	1.4e-06	5.2e-06	5.2e-06	argparse.py:1003(__ir
12	5.1e-06	4.25e-07	5.1e-06	4.25e-07	configparser.py:1101(
1	5.1e-06	5.1e-06	5.1e-06	5.1e-06	quopri.py:1(<module>
1	5.1e-06	5.1e-06	5.1e-06	5.1e-06	parse.py:152(_Netloc
1	5.1e-06	5.1e-06	5.1e-06	5.1e-06	__init__.py:934(ZipE
1	5.1e-06	5.1e-06	5.1e-06	5.1e-06	_itertools.py:1(<modu
1	5.1e-06	5.1e-06	5.1e-06	5.1e-06	cookies.py:446(BaseC
1	5.1e-06	5.1e-06	5.1e-06	5.1e-06	models.py:84(Request
23	5.1e-06	2.217e-07	5.1e-06	2.217e-07	overrides.py:180(array
1	5.1e-06	5.1e-06	5.1e-06	5.1e-06	tableau.py:41(Tableau
7	5.1e-06	7.286e-07	5.1e-06	7.286e-07	argparse.py:1706(_ch
1	4.6e-06	4.6e-06	5.1e-06	5.1e-06	__init__.py:1338(Mar
5	4.3e-06	8.6e-07	5.1e-06	1.02e-06	ScoringSys.py:444(<g
5	4e-06	8e-07	5.1e-06	1.02e-06	_policybase.py:113(<
3	3.3e-06	1.1e-06	5.1e-06	1.7e-06	argparse.py:1697(_ge
1	3.1e-06	3.1e-06	5.1e-06	5.1e-06	comparative_sents.py
1	5e-06	5e-06	5e-06	5e-06	traceback.py:278(Fra
1	5e-06	5e-06	5e-06	5e-06	cookies.py:176(Request
1	5e-06	5e-06	5e-06	5e-06	recursivedescent.py:3
4	5e-06	1.25e-06	5e-06	1.25e-06	~:0(<built-in method i
1	2.4e-06	2.4e-06	5e-06	5e-06	typing.py:1880(_ calle
1	2.3e-06	2.3e-06	5e-06	5e-06	argparse.py:1160(__ir
1	4.9e-06	4.9e-06	4.9e-06	4.9e-06	hmac.py:42(HMAC)
1	4.9e-06	4.9e-06	4.9e-06	4.9e-06	chart.py:225(TreeEdg

ncalls	tottime	percall	cumtime	percall	
1	4.9e-06	4.9e-06	4.9e-06	4.9e-06	wordnet.py:134(_Wor
1	4.9e-06	4.9e-06	4.9e-06	4.9e-06	downloader.py:187(Pa
18	4.9e-06	2.722e-07	4.9e-06	2.722e-07	api.py:156(__init__)
15	4.9e-06	3.267e-07	4.9e-06	3.267e-07	~:0(<built-in method i
1	4.9e-06	4.9e-06	4.9e-06	4.9e-06	~:0(<built-in method _
1	3.9e-06	3.9e-06	4.9e-06	4.9e-06	stride_tricks.py:1(<m
3	3.8e-06	1.267e-06	4.9e-06	1.633e-06	ScoringSys.py:79(_to
4	3.7e-06	9.25e-07	4.9e-06	1.225e-06	_regex_core.py:3590(
1	3.6e-06	3.6e-06	4.9e-06	4.9e-06	gleu_score.py:1(<moc
1	2.2e-06	2.2e-06	4.9e-06	4.9e-06	<frozen_collections_:
1	1e-06	1e-06	4.9e-06	4.9e-06	_regex_core.py:2605(
1	4.8e-06	4.8e-06	4.8e-06	4.8e-06	socket.py:683(Socket)
1	4.8e-06	4.8e-06	4.8e-06	4.8e-06	response.py:250(Zstd)
1	4.8e-06	4.8e-06	4.8e-06	4.8e-06	_meta.py:47(SimpleP
1	4.8e-06	4.8e-06	4.8e-06	4.8e-06	poolmanager.py:162(I
1	4.8e-06	4.8e-06	4.8e-06	4.8e-06	perceptron.py:28(Ave
1	4.8e-06	4.8e-06	4.8e-06	4.8e-06	shiftreduce.py:17(Shif
1	3.7e-06	3.7e-06	4.8e-06	4.8e-06	abc.py:16(ResourceRe
4	3.6e-06	9e-07	4.8e-06	1.2e-06	dataclasses.py:336(_
5	4.7e-06	9.4e-07	4.7e-06	9.4e-07	enum.py:776(__iter__)
1	4.7e-06	4.7e-06	4.7e-06	4.7e-06	_exceptions.py:42(SA
1	4.7e-06	4.7e-06	4.7e-06	4.7e-06	megam.py:1(<module
7	4.7e-06	6.714e-07	4.7e-06	6.714e-07	argparse.py:622(_met
15	4.7e-06	3.133e-07	4.7e-06	3.133e-07	thread.py:64(initialize
1	4.7e-06	4.7e-06	4.7e-06	4.7e-06	~:0(<built-in method _
1	4.7e-06	4.7e-06	4.7e-06	4.7e-06	~:0(<built-in method _
1	3.7e-06	3.7e-06	4.7e-06	4.7e-06	api.py:14(AbstractCC
4	3.6e-06	9e-07	4.7e-06	1.175e-06	typing.py:433(_eval_t
1	4.6e-06	4.6e-06	4.6e-06	4.6e-06	response.py:374(Byte
1	4.6e-06	4.6e-06	4.6e-06	4.6e-06	semcor.py:19(Semcor
1	4.6e-06	4.6e-06	4.6e-06	4.6e-06	help.py:1(<module>)
4	4.6e-06	1.15e-06	4.6e-06	1.15e-06	~:0(<built-in method :
1	3.6e-06	3.6e-06	4.6e-06	4.6e-06	subprocess.py:132(Ca
1	3.6e-06	3.6e-06	4.6e-06	4.6e-06	probability.py:493(Pr
1	2.5e-06	2.5e-06	4.6e-06	4.6e-06	_init__.py:883(seek)
2	1.8e-06	9e-07	4.6e-06	2.3e-06	six.py:164(_resolve)
1	4.5e-06	4.5e-06	4.5e-06	4.5e-06	_colorize.py:158(Arg
1	4.5e-06	4.5e-06	4.5e-06	4.5e-06	_init__.py:199(_Exti
1	4.5e-06	4.5e-06	4.5e-06	4.5e-06	readers.py:137(Name
1	4.5e-06	4.5e-06	4.5e-06	4.5e-06	util.py:51(ChunkScor
1	4.5e-06	4.5e-06	4.5e-06	4.5e-06	weka.py:83(WekaClas
1	4.5e-06	4.5e-06	4.5e-06	4.5e-06	mace.py:22(MaceCon
1	4.5e-06	4.5e-06	4.5e-06	4.5e-06	glue.py:36(GlueForm

nCalls	Total Time	Per Call	Cumulative Time	Per Call (%)	Function
1	4.5e-06	4.5e-06	4.5e-06	4.5e-06	bcp47.py:15(BCP47C
34	4.5e-06	1.324e-07	4.5e-06	1.324e-07	lexicon.py:57(__init__
15	4.5e-06	3e-07	4.5e-06	3e-07	thread.py:60(__init__
1	4.5e-06	4.5e-06	4.5e-06	4.5e-06	~:0(<built-in method
4	4.4e-06	1.1e-06	4.4e-06	1.1e-06	configparser.py:568(_
30	4.4e-06	1.467e-07	4.4e-06	1.467e-07	threading.py:615(is_s
1	4.4e-06	4.4e-06	4.4e-06	4.4e-06	__init__.py:821(Prepa
1	4.4e-06	4.4e-06	4.4e-06	4.4e-06	probe.py:6(HTTP2P:
1	4.4e-06	4.4e-06	4.4e-06	4.4e-06	_regex_core.py:3310(
1	4.4e-06	4.4e-06	4.4e-06	4.4e-06	association.py:164(Bi
1	4.4e-06	4.4e-06	4.4e-06	4.4e-06	lfg.py:14(FStructure)
1	4.4e-06	4.4e-06	4.4e-06	4.4e-06	brill.py:189(BrillTagg
1	4.4e-06	4.4e-06	4.4e-06	4.4e-06	_base.py:105(_AllCor
1	3.6e-06	3.6e-06	4.4e-06	4.4e-06	api.py:14(ClusterI)
1	3.4e-06	3.4e-06	4.4e-06	4.4e-06	npyio.py:1(<module>
3	3.2e-06	1.067e-06	4.4e-06	1.467e-06	__init__.py:637(_ne
1	1.9e-06	1.9e-06	4.4e-06	4.4e-06	<frozen_collections_>
1	4.3e-06	4.3e-06	4.3e-06	4.3e-06	util.py:1(<module>)
1	4.3e-06	4.3e-06	4.3e-06	4.3e-06	connectionpool.py:67
1	4.3e-06	4.3e-06	4.3e-06	4.3e-06	__init__.py:662(Conte
1	4.3e-06	4.3e-06	4.3e-06	4.3e-06	__init__.py:101(Comj
1	4.3e-06	4.3e-06	4.3e-06	4.3e-06	calendar.py:194(Caler
14	4.3e-06	3.071e-07	4.3e-06	3.071e-07	_regex_core.py:3139(
1	4.3e-06	4.3e-06	4.3e-06	4.3e-06	api.py:163(Alignment
1	4.3e-06	4.3e-06	4.3e-06	4.3e-06	porter.py:28(PorterSte
1	4.3e-06	4.3e-06	4.3e-06	4.3e-06	sentiment_analyzer.py
1	4.1e-06	4.1e-06	4.3e-06	4.3e-06	typing.py:2898(Suppce
1	4e-06	4e-06	4.3e-06	4.3e-06	sequential.py:106(Cor
1	3.9e-06	3.9e-06	4.3e-06	4.3e-06	exceptions.py:17(_in
5	4.2e-06	8.4e-07	4.2e-06	8.4e-07	__init__.py:1308(appc
1	4.2e-06	4.2e-06	4.2e-06	4.2e-06	threading.py:278(Con
1	4.2e-06	4.2e-06	4.2e-06	4.2e-06	glob.py:331(_Globbe
1	4.2e-06	4.2e-06	4.2e-06	4.2e-06	fields.py:153(Request
31	4.2e-06	1.355e-07	4.2e-06	1.355e-07	signal.py:16(<lambda
1	4.2e-06	4.2e-06	4.2e-06	4.2e-06	util.py:1(<module>)
1	4.2e-06	4.2e-06	4.2e-06	4.2e-06	rule.py:93(Rule)
1	4.2e-06	4.2e-06	4.2e-06	4.2e-06	arlstem2.py:33(ARLS
1	4.2e-06	4.2e-06	4.2e-06	4.2e-06	~:0(<built-in method i
5	4.2e-06	8.4e-07	4.2e-06	8.4e-07	~:0(<built-in method l
1	4.1e-06	4.1e-06	4.1e-06	4.1e-06	decoder.py:292(__init
1	4.1e-06	4.1e-06	4.1e-06	4.1e-06	inspect.py:1687(_shac
1	4.1e-06	4.1e-06	4.1e-06	4.1e-06	configparser.py:305(P
1	4.1e-06	4.1e-06	4.1e-06	4.1e-06	getlimits.py:354(iinfo

nCalls	Total Time	Per Call	Cumulative Time	Per Call (%)	Function / File
1	4.1e-06	4.1e-06	4.1e-06	4.1e-06	text.py:39(ContextInd
1	2e-06	2e-06	4.1e-06	4.1e-06	_adapters.py:163(wra
1	4e-06	4e-06	4e-06	4e-06	_os.py:487(DirEntryI
1	4e-06	4e-06	4e-06	4e-06	_os.py:394(_Window:
1	4e-06	4e-06	4e-06	4e-06	argparse.py:1840(Arg
1	4e-06	4e-06	4e-06	4e-06	ElementTree.py:470(C
1	4e-06	4e-06	4e-06	4e-06	probability.py:634(Ra
1	4e-06	4e-06	4e-06	4e-06	text.py:130(Concorda
1	4e-06	4e-06	4e-06	4e-06	text.py:699(TextColle
1	4e-06	4e-06	4e-06	4e-06	api.py:262(Categorize
1	4e-06	4e-06	4e-06	4e-06	timit.py:129(TimitCor
1	3.7e-06	3.7e-06	4e-06	4e-06	rule.py:18(TagRule)
5	3e-06	6e-07	4e-06	8e-07	contextlib.py:450(__e
1	2.6e-06	2.6e-06	4e-06	4e-06	wsd.py:1(<module>)
1	2e-06	2e-06	4e-06	4e-06	regexp.py:179(__init_
2	3.9e-06	1.95e-06	3.9e-06	1.95e-06	weakref.py:325(__get
1	3.9e-06	3.9e-06	3.9e-06	3.9e-06	typing.py:3409(NewT
1	3.9e-06	3.9e-06	3.9e-06	3.9e-06	exceptions.py:166(Na
1	3.9e-06	3.9e-06	3.9e-06	3.9e-06	ipaddress.py:1134(_B
1	3.9e-06	3.9e-06	3.9e-06	3.9e-06	ssl.py:394(_ASN1Obj
1	3.9e-06	3.9e-06	3.9e-06	3.9e-06	_exceptions.py:108(_
1	3.9e-06	3.9e-06	3.9e-06	3.9e-06	logic.py:99(LogicPars
1	3.9e-06	3.9e-06	3.9e-06	3.9e-06	snowball.py:1260(Eng
1	3.9e-06	3.9e-06	3.9e-06	3.9e-06	brill_trainer.py:21(Bri
1	3.9e-06	3.9e-06	3.9e-06	3.9e-06	api.py:15(AignedSen
6	3.9e-06	6.5e-07	3.9e-06	6.5e-07	~:0(<method 'as_integ
7	2.5e-06	3.571e-07	3.9e-06	5.571e-07	_regex_core.py:4404(
1	3.8e-06	3.8e-06	3.8e-06	3.8e-06	threading.py:591(Eve
1	3.8e-06	3.8e-06	3.8e-06	3.8e-06	_parseaddr.py:214(Ad
1	3.8e-06	3.8e-06	3.8e-06	3.8e-06	glob.py:533(_PathGlc
1	3.8e-06	3.8e-06	3.8e-06	3.8e-06	transforms.py:1(<moc
1	3.8e-06	3.8e-06	3.8e-06	3.8e-06	regexp.py:968(Regexj
1	3.8e-06	3.8e-06	3.8e-06	3.8e-06	thread.py:76(_WorkIt
7	3.8e-06	5.429e-07	3.8e-06	5.429e-07	~:0(<method 'popitem
6	3.8e-06	6.333e-07	3.8e-06	6.333e-07	~:0(<method 'rsplit' o
1	3.8e-06	3.8e-06	3.8e-06	3.8e-06	~:0(<built-in method
1	3.6e-06	3.6e-06	3.8e-06	3.8e-06	contextlib.py:41(Abst
6	3.1e-06	5.167e-07	3.8e-06	6.333e-07	typing.py:1031(_is_ty
2	2.9e-06	1.45e-06	3.8e-06	1.9e-06	request.py:350(get_m
1	3.7e-06	3.7e-06	3.7e-06	3.7e-06	__init__.py:1190(File
1	3.7e-06	3.7e-06	3.7e-06	3.7e-06	ElementTree.py:518(F
1	3.7e-06	3.7e-06	3.7e-06	3.7e-06	_arrayerator_impl.py
1	3.7e-06	3.7e-06	3.7e-06	3.7e-06	_regex_core.py:1941(

nCalls	Total Time	Per Call	Cumulative Time	Per Call (%)	Function
29	3.7e-06	1.276e-07	3.7e-06	1.276e-07	_regex_core.py:3817()
1	3.7e-06	3.7e-06	3.7e-06	3.7e-06	discourse.py:169(Disc
1	3.7e-06	3.7e-06	3.7e-06	3.7e-06	chart.py:103(CCGLea
1	3.7e-06	3.7e-06	3.7e-06	3.7e-06	WorkTypeAnalyzer.py
17	3.7e-06	2.176e-07	3.7e-06	2.176e-07	~:0(<method 'read' of
1	2.6e-06	2.6e-06	3.7e-06	3.7e-06	weakref.py:235(updat
1	9e-07	9e-07	3.7e-06	3.7e-06	_regex_core.py:3136(
1	3.6e-06	3.6e-06	3.6e-06	3.6e-06	parser.py:67(HeaderP
1	3.6e-06	3.6e-06	3.6e-06	3.6e-06	_init__.py:525(Libra
1	3.6e-06	3.6e-06	3.6e-06	3.6e-06	casual.py:306(TweetT
1	3.6e-06	3.6e-06	3.6e-06	3.6e-06	texttiling.py:24(TextT
1	3.6e-06	3.6e-06	3.6e-06	3.6e-06	nombank.py:170(Non
1	3.6e-06	3.6e-06	3.6e-06	3.6e-06	chomsky.py:1(<modu
3	3.6e-06	1.2e-06	3.6e-06	1.2e-06	thread.py:49(prepare)
1	2.7e-06	2.7e-06	3.6e-06	3.6e-06	_functools.py:6(metho
1	3.5e-06	3.5e-06	3.5e-06	3.5e-06	poolmanager.py:56(Po
10	3.5e-06	3.5e-07	3.5e-06	3.5e-07	annotationlib.py:611(t
1	3.5e-06	3.5e-06	3.5e-06	3.5e-06	response.py:68(addin1
1	3.5e-06	3.5e-06	3.5e-06	3.5e-06	cookies.py:23(MockR
5	3.5e-06	7e-07	3.5e-06	7e-07	_regex_core.py:4214(
1	3.5e-06	3.5e-06	3.5e-06	3.5e-06	probability.py:1833(C
1	3.5e-06	3.5e-06	3.5e-06	3.5e-06	_nested_sequence.py:
1	3.5e-06	3.5e-06	3.5e-06	3.5e-06	boxer.py:336(BoxerO
1	3.5e-06	3.5e-06	3.5e-06	3.5e-06	xmlreader.py:276(Att
1	3.5e-06	3.5e-06	3.5e-06	3.5e-06	util.py:1(<module>)
1	3.5e-06	3.5e-06	3.5e-06	3.5e-06	api.py:22(CorpusRea
1	3.5e-06	3.5e-06	3.5e-06	3.5e-06	thread.py:47(WorkerC
1	3.1e-06	3.1e-06	3.5e-06	3.5e-06	ipaddress.py:1416(IPv
3	2.9e-06	9.667e-07	3.5e-06	1.167e-06	<frozen importlib._bo
1	2.9e-06	2.9e-06	3.5e-06	3.5e-06	error.py:35(HTTPErr
1	2.8e-06	2.8e-06	3.5e-06	3.5e-06	base.py:10(BaseProvi
1	2.6e-06	2.6e-06	3.5e-06	3.5e-06	six.py:219(is_package
2	1.9e-06	9.5e-07	3.5e-06	1.75e-06	_init__.py:322(get_d
3	1.4e-06	4.667e-07	3.5e-06	1.167e-06	_regex_core.py:3159(
24	3.4e-06	1.417e-07	3.4e-06	1.417e-07	<frozen importlib._bo
1	3.4e-06	3.4e-06	3.4e-06	3.4e-06	iterators.py:1(<modul
4	3.4e-06	8.5e-07	3.4e-06	8.5e-07	ElementPath.py:108(_
1	3.4e-06	3.4e-06	3.4e-06	3.4e-06	_internal.py:262(_ctyj
1	3.4e-06	3.4e-06	3.4e-06	3.4e-06	_npyio_impl.py:115(r
1	3.4e-06	3.4e-06	3.4e-06	3.4e-06	parented.py:406(Mult
1	3.4e-06	3.4e-06	3.4e-06	3.4e-06	immutable.py:77(Imm
1	3.4e-06	3.4e-06	3.4e-06	3.4e-06	prettyprinter.py:45(Tr
1	3.4e-06	3.4e-06	3.4e-06	3.4e-06	immutable.py:16(Imm

nCalls	Total Time	Per Call	Cumulative Time	Per Call	File/Function
1	3.4e-06	3.4e-06	3.4e-06	3.4e-06	featurechart.py:46(Fee
1	3.4e-06	3.4e-06	3.4e-06	3.4e-06	glue.py:153(GlueDict
1	3.4e-06	3.4e-06	3.4e-06	3.4e-06	opinion_lexicon.py:38
15	3.4e-06	2.267e-07	3.4e-06	2.267e-07	~:0(<method 'index' o
1	2.9e-06	2.9e-06	3.4e-06	3.4e-06	parse.py:1103(unwrap
1	2.1e-06	2.1e-06	3.4e-06	3.4e-06	gdfa.py:1(<module>)
1	2e-06	2e-06	3.4e-06	3.4e-06	_regex_core.py:3017(
1	1.2e-06	1.2e-06	3.4e-06	3.4e-06	pydoc.py:1229(__init_
8	3.3e-06	4.125e-07	3.3e-06	4.125e-07	<frozen_collections_
1	3.3e-06	3.3e-06	3.3e-06	3.3e-06	contextlib.py:472(_Ba
1	3.3e-06	3.3e-06	3.3e-06	3.3e-06	typing.py:2950(Name
1	3.3e-06	3.3e-06	3.3e-06	3.3e-06	feedparser.py:46(Buff
1	3.3e-06	3.3e-06	3.3e-06	3.3e-06	models.py:245(Charr
1	3.3e-06	3.3e-06	3.3e-06	3.3e-06	skolemize.py:1(<mod
1	3.3e-06	3.3e-06	3.3e-06	3.3e-06	_regex_core.py:2074(
1	3.3e-06	3.3e-06	3.3e-06	3.3e-06	viterbi.py:19(ViterbiP
1	3.3e-06	3.3e-06	3.3e-06	3.3e-06	wordnet.py:11(WordN
1	3.3e-06	3.3e-06	3.3e-06	3.3e-06	StatusAnaliser.py:509
1	3e-06	3e-06	3.3e-06	3.3e-06	sequential.py:34(Sequ
1	2.2e-06	2.2e-06	3.3e-06	3.3e-06	<frozen importlib._bo
3	2.1e-06	7e-07	3.3e-06	1.1e-06	_parser.py:295(seek)
4	1.8e-06	4.5e-07	3.3e-06	8.25e-07	inspect.py:196(ismeth
1	3.2e-06	3.2e-06	3.2e-06	3.2e-06	_colorize.py:17(ANSI
10	3.2e-06	3.2e-07	3.2e-06	3.2e-07	_future_.py:83(__ir
1	3.2e-06	3.2e-06	3.2e-06	3.2e-06	threading.py:684(Bari
1	3.2e-06	3.2e-06	3.2e-06	3.2e-06	queue.py:316(PySim
1	3.2e-06	3.2e-06	3.2e-06	3.2e-06	pickle.py:193(Frame
2	3.2e-06	1.6e-06	3.2e-06	1.6e-06	_dtype_like.py:35(__
1	3.2e-06	3.2e-06	3.2e-06	3.2e-06	_regex_core.py:2938(
1	3.2e-06	3.2e-06	3.2e-06	3.2e-06	template.py:62(Templ
1	3.2e-06	3.2e-06	3.2e-06	3.2e-06	chart.py:430(Chart)
1	3.2e-06	3.2e-06	3.2e-06	3.2e-06	bllip.py:114(BllipPars
1	3.2e-06	3.2e-06	3.2e-06	3.2e-06	projectivedependency
1	3.2e-06	3.2e-06	3.2e-06	3.2e-06	glue.py:540(Glue)
1	3.2e-06	3.2e-06	3.2e-06	3.2e-06	nps_chat.py:19(NPSC
1	3.2e-06	3.2e-06	3.2e-06	3.2e-06	arlstem.py:32(ARLST
1	3.2e-06	3.2e-06	3.2e-06	3.2e-06	detector_factory.py:15
1	2.2e-06	2.2e-06	3.2e-06	3.2e-06	six.py:205(load_modu
1	3.1e-06	3.1e-06	3.1e-06	3.1e-06	typing.py:1201(Base
1	3.1e-06	3.1e-06	3.1e-06	3.1e-06	typing.py:3627(<gene
6	3.1e-06	5.167e-07	3.1e-06	5.167e-07	_init__.py:1302(__ir
1	3.1e-06	3.1e-06	3.1e-06	3.1e-06	iotoools.py:229(Name
1	3.1e-06	3.1e-06	3.1e-06	3.1e-06	_datasource.py:532(R

ncalls	tottime	percall	cumtime	percall	
2	3.1e-06	1.55e-06	3.1e-06	1.55e-06	featstruct.py:2002(__i
1	3.1e-06	3.1e-06	3.1e-06	3.1e-06	xmlreader.py:163(Loc
1	3.1e-06	3.1e-06	3.1e-06	3.1e-06	ibm4.py:118(IBMMo
1	3.1e-06	3.1e-06	3.1e-06	3.1e-06	wordlist.py:97(Unich
1	3.1e-06	3.1e-06	3.1e-06	3.1e-06	knbc.py:24(KNBCorp
1	3.1e-06	3.1e-06	3.1e-06	3.1e-06	WorkTypeAnalyzer.py
15	3.1e-06	2.067e-07	3.1e-06	2.067e-07	thread.py:68(finalize)
1	3.1e-06	3.1e-06	3.1e-06	3.1e-06	~:0(<built-in method i
2	2.3e-06	1.15e-06	3.1e-06	1.55e-06	__init__.py:261(_forn
1	3e-06	3e-06	3e-06	3e-06	_weakrefset.py:12(__
1	3e-06	3e-06	3e-06	3e-06	configparser.py:573(_
1	3e-06	3e-06	3e-06	3e-06	_colorize.py:190(Trac
1	3e-06	3e-06	3e-06	3e-06	feedparser.py:136(Fee
1	3e-06	3e-06	3e-06	3e-06	header.py:184(Header
1	3e-06	3e-06	3e-06	3e-06	connectionpool.py:96.
2	3e-06	1.5e-06	3e-06	1.5e-06	request.py:1231(__ini
1	3e-06	3e-06	3e-06	3e-06	logic.py:1213(Applic
1	3e-06	3e-06	3e-06	3e-06	evaluate.py:115(Valua
1	3e-06	3e-06	3e-06	3e-06	data.py:975(LazyLoa
1	3e-06	3e-06	3e-06	3e-06	saxutils.py:227(XML)
1	3e-06	3e-06	3e-06	3e-06	_regex_core.py:2655(
1	3e-06	3e-06	3e-06	3e-06	_regex_core.py:3150(
11	3e-06	2.727e-07	3e-06	2.727e-07	_regex_core.py:3307(
1	3e-06	3e-06	3e-06	3e-06	naivebayes.py:43(Nai
1	3e-06	3e-06	3e-06	3e-06	recursivedescent.py:1'
1	3e-06	3e-06	3e-06	3e-06	bnc.py:163(BNCWor
1	3e-06	3e-06	3e-06	3e-06	mte.py:210(MTECorp
1	3e-06	3e-06	3e-06	3e-06	~:0(<built-in method _
1	2.7e-06	2.7e-06	3e-06	3e-06	stanford.py:31(Stanfo
4	2.5e-06	6.25e-07	3e-06	7.5e-07	inspect.py:431(isbuilt
1	2.2e-06	2.2e-06	3e-06	3e-06	_encoded_words.py:7
1	2.2e-06	2.2e-06	3e-06	3e-06	api.py:72(TheoremTo
1	1.8e-06	1.8e-06	3e-06	3e-06	__init__.py:1343(__ir
1	2.9e-06	2.9e-06	2.9e-06	2.9e-06	_colorize.py:175(Synt
5	2.9e-06	5.8e-07	2.9e-06	5.8e-07	reprlib.py:9(recursive_
38	2.9e-06	7.632e-08	2.9e-06	7.632e-08	inspect.py:2727(defau
1	2.9e-06	2.9e-06	2.9e-06	2.9e-06	__init__.py:1279(Zip
1	2.9e-06	2.9e-06	2.9e-06	2.9e-06	request.py:1050(Abst
1	2.9e-06	2.9e-06	2.9e-06	2.9e-06	models.py:206(Reque
5	2.9e-06	5.8e-07	2.9e-06	5.8e-07	_pytesttester.py:75(_
1	2.9e-06	2.9e-06	2.9e-06	2.9e-06	featstruct.py:1995(Fee
1	2.9e-06	2.9e-06	2.9e-06	2.9e-06	rte_classify.py:25(RT)
1	2.9e-06	2.9e-06	2.9e-06	2.9e-06	util.py:1(<module>)

ncalls	tottime	percall	cumtime	percall	
1	2.9e-06	2.9e-06	2.9e-06	2.9e-06	api.py:250(PrimitiveC
1	2.9e-06	2.9e-06	2.9e-06	2.9e-06	minimalset.py:11(Mir
1	2.9e-06	2.9e-06	2.9e-06	2.9e-06	~:0(<built-in method
1	2.6e-06	2.6e-06	2.9e-06	2.9e-06	api.py:20(TokenizerI)
1	2.5e-06	2.5e-06	2.9e-06	2.9e-06	request.py:355(get_fu
1	2.1e-06	2.1e-06	2.9e-06	2.9e-06	statistics.py:810(norm
3	1.9e-06	6.333e-07	2.9e-06	9.667e-07	six.py:85(_import_mc
8	2.8e-06	3.5e-07	2.8e-06	3.5e-07	_py_warnings.py:89(_
5	2.8e-06	5.6e-07	2.8e-06	5.6e-07	ScoringSys.py:484(<g
1	2.8e-06	2.8e-06	2.8e-06	2.8e-06	header.py:545(_Accu
1	2.8e-06	2.8e-06	2.8e-06	2.8e-06	_policybase.py:27(_P
1	2.8e-06	2.8e-06	2.8e-06	2.8e-06	_regex_core.py:2581(
1	2.8e-06	2.8e-06	2.8e-06	2.8e-06	sessions.py:106(Session
1	2.8e-06	2.8e-06	2.8e-06	2.8e-06	ElementTree.py:1281(e
1	2.8e-06	2.8e-06	2.8e-06	2.8e-06	memmap.py:23(memm
1	2.8e-06	2.8e-06	2.8e-06	2.8e-06	_version.py:13(Nump
1	2.8e-06	2.8e-06	2.8e-06	2.8e-06	paice.py:216(Paice)
1	2.8e-06	2.8e-06	2.8e-06	2.8e-06	_regex_core.py:3715(
1	2.8e-06	2.8e-06	2.8e-06	2.8e-06	perceptron.py:122(Pei
1	2.8e-06	2.8e-06	2.8e-06	2.8e-06	sequential.py:491(Re
1	2.8e-06	2.8e-06	2.8e-06	2.8e-06	weka.py:246(ARFF_F
1	2.8e-06	2.8e-06	2.8e-06	2.8e-06	stanford.py:176(Stanf
1	2.8e-06	2.8e-06	2.8e-06	2.8e-06	probabilistic.py:22(Pr
1	2.8e-06	2.8e-06	2.8e-06	2.8e-06	bleu_score.py:508(Sr
1	2.8e-06	2.8e-06	2.8e-06	2.8e-06	framenet.py:759(AttrI
1	2.5e-06	2.5e-06	2.8e-06	2.8e-06	request.py:596(http_re
1	2.5e-06	2.5e-06	2.8e-06	2.8e-06	api.py:47(ModelBuild
1	2.4e-06	2.4e-06	2.8e-06	2.8e-06	subprocess.py:169(Tii
2	2.2e-06	1.1e-06	2.8e-06	1.4e-06	_parser.py:100(check_
1	2.2e-06	2.2e-06	2.8e-06	2.8e-06	version.py:1(<module
1	2.7e-06	2.7e-06	2.7e-06	2.7e-06	typing.py:1960(_Prot
5	2.7e-06	5.4e-07	2.7e-06	5.4e-07	contextlib.py:444(__i
1	2.7e-06	2.7e-06	2.7e-06	2.7e-06	_version.py:1(<modu
1	2.7e-06	2.7e-06	2.7e-06	2.7e-06	ssl.py:159(TLSVersio
1	2.7e-06	2.7e-06	2.7e-06	2.7e-06	response.py:300(Mult
1	2.7e-06	2.7e-06	2.7e-06	2.7e-06	connection.py:891(_V
1	2.7e-06	2.7e-06	2.7e-06	2.7e-06	_functools.py:1(<mod
1	2.7e-06	2.7e-06	2.7e-06	2.7e-06	structures.py:86(__ini
2	2.7e-06	1.35e-06	2.7e-06	1.35e-06	_dtype_like.py:29(__
1	2.7e-06	2.7e-06	2.7e-06	2.7e-06	sequential.py:221(Def
1	2.7e-06	2.7e-06	2.7e-06	2.7e-06	hunpos.py:26(Hunpos
1	2.7e-06	2.7e-06	2.7e-06	2.7e-06	childe.py:26(CHILD
1	2.7e-06	2.7e-06	2.7e-06	2.7e-06	lancaster.py:17(Lanca

ncalls	tottime	percall	cumtime	percall	
1	2.7e-06	2.7e-06	2.7e-06	2.7e-06	snowball.py:1776(Fin
1	2.7e-06	2.7e-06	2.7e-06	2.7e-06	util.py:176(Dendrogr
3	2.7e-06	9e-07	2.7e-06	9e-07	~:0(<built-in method :
1	2.3e-06	2.3e-06	2.7e-06	2.7e-06	configparser.py:1041(
5	2.3e-06	4.6e-07	2.7e-06	5.4e-07	_regex_core.py:4334(
1	2.2e-06	2.2e-06	2.7e-06	2.7e-06	version.py:1(<module
1	2.1e-06	2.1e-06	2.7e-06	2.7e-06	parse.py:1255(_splitta
4	2e-06	5e-07	2.7e-06	6.75e-07	client.py:1342(<gene
4	2e-06	5e-07	2.7e-06	6.75e-07	_regex_core.py:2135(
1	1.8e-06	1.8e-06	2.7e-06	2.7e-06	request.py:60(make_h
12	2.6e-06	2.167e-07	2.6e-06	2.167e-07	functools.py:1102(__s
1	2.6e-06	2.6e-06	2.6e-06	2.6e-06	configparser.py:1288(
1	2.6e-06	2.6e-06	2.6e-06	2.6e-06	csv.py:233(Sniffer)
1	2.6e-06	2.6e-06	2.6e-06	2.6e-06	__init__.py:1751(getF
1	2.6e-06	2.6e-06	2.6e-06	2.6e-06	response.py:54(Conte
1	2.6e-06	2.6e-06	2.6e-06	2.6e-06	collocations.py:201(T
1	2.6e-06	2.6e-06	2.6e-06	2.6e-06	probability.py:1360(S
4	2.6e-06	6.5e-07	2.6e-06	6.5e-07	__init__.py:596(CFun
1	2.6e-06	2.6e-06	2.6e-06	2.6e-06	_regex_core.py:3876(
1	2.6e-06	2.6e-06	2.6e-06	2.6e-06	_regex_core.py:3060(
1	2.6e-06	2.6e-06	2.6e-06	2.6e-06	corenlp.py:40(CoreNI
1	2.6e-06	2.6e-06	2.6e-06	2.6e-06	ibm_model.py:383(AI
22	2.6e-06	1.182e-07	2.6e-06	1.182e-07	~:0(<built-in method _
1	2.6e-06	2.6e-06	2.6e-06	2.6e-06	~:0(<method 'union' o
1	2.6e-06	2.6e-06	2.6e-06	2.6e-06	~:0(<built-in method _
1	2.6e-06	2.6e-06	2.6e-06	2.6e-06	~:0(<built-in method _
1	2.3e-06	2.3e-06	2.6e-06	2.6e-06	util.py:21(VectorSpac
2	2.1e-06	1.05e-06	2.6e-06	1.3e-06	lexicon.py:89(__init_
5	2.5e-06	5e-07	2.5e-06	5e-07	dataclasses.py:1342(d
1	2.5e-06	2.5e-06	2.5e-06	2.5e-06	client.py:1539(LineTc
1	2.5e-06	2.5e-06	2.5e-06	2.5e-06	response.py:66(Deflat
1	2.5e-06	2.5e-06	2.5e-06	2.5e-06	xmlreader.py:11(XMI
1	2.5e-06	2.5e-06	2.5e-06	2.5e-06	chart.py:360(LeafEdg
1	2.5e-06	2.5e-06	2.5e-06	2.5e-06	shiftreduce.py:285(St
1	2.5e-06	2.5e-06	2.5e-06	2.5e-06	plaintext.py:149(Cate
1	2.5e-06	2.5e-06	2.5e-06	2.5e-06	argparse.py:1418(_Ac
1	2.5e-06	2.5e-06	2.5e-06	2.5e-06	~:0(<built-in method _
1	2.5e-06	2.5e-06	2.5e-06	2.5e-06	~:0(<built-in method _
1	2e-06	2e-06	2.5e-06	2.5e-06	api.py:20(Smoothing)
1	2e-06	2e-06	2.5e-06	2.5e-06	discourse.py:62(Read
1	1.8e-06	1.8e-06	2.5e-06	2.5e-06	data.py:255(PathPoint
1	1.7e-06	1.7e-06	2.5e-06	2.5e-06	api.py:92(__init__)
4	2.4e-06	6e-07	2.4e-06	6e-07	dataclasses.py:654(<g

nCalls	Total Time	Per Call	Cumulative Time	Per Call (%)	Function
1	2.4e-06	2.4e-06	2.4e-06	2.4e-06	typing.py:1665(_Unic
2	2.4e-06	1.2e-06	2.4e-06	1.2e-06	_init__.py:272(_hand
1	2.4e-06	2.4e-06	2.4e-06	2.4e-06	_init__.py:49(_PathF
4	2.4e-06	6e-07	2.4e-06	6e-07	cookiejar.py:1270(set_
5	2.4e-06	4.8e-07	2.4e-06	4.8e-07	_regex_core.py:4421(
1	2.4e-06	2.4e-06	2.4e-06	2.4e-06	arrayprint.py:1455(Sti
1	2.4e-06	2.4e-06	2.4e-06	2.4e-06	segmentation.py:1(<n
1	2.4e-06	2.4e-06	2.4e-06	2.4e-06	collections.py:113(Ab
1	2.4e-06	2.4e-06	2.4e-06	2.4e-06	_regex_core.py:2526(
1	2.4e-06	2.4e-06	2.4e-06	2.4e-06	chart.py:1340(ChartP
1	2.4e-06	2.4e-06	2.4e-06	2.4e-06	malt.py:94(MaltParse
1	2.4e-06	2.4e-06	2.4e-06	2.4e-06	api.py:182(BaseTheor
1	2.4e-06	2.4e-06	2.4e-06	2.4e-06	ipipan.py:243(IPIPAN
1	2.4e-06	2.4e-06	2.4e-06	2.4e-06	udhr.py:9(UdhrCorpu
1	2e-06	2e-06	2.4e-06	2.4e-06	api.py:26(Prover)
1	1.9e-06	1.9e-06	2.4e-06	2.4e-06	numbers.py:292(Ratio
1	2.3e-06	2.3e-06	2.3e-06	2.3e-06	exceptions.py:142(Ne
1	2.3e-06	2.3e-06	2.3e-06	2.3e-06	_init__.py:738(LZM
1	2.3e-06	2.3e-06	2.3e-06	2.3e-06	poolmanager.py:506(I
1	2.3e-06	2.3e-06	2.3e-06	2.3e-06	_adapters.py:46(SpecI
1	2.3e-06	2.3e-06	2.3e-06	2.3e-06	drt.py:43(DrtTokens)
1	2.3e-06	2.3e-06	2.3e-06	2.3e-06	logic.py:694(Type)
1	2.3e-06	2.3e-06	2.3e-06	2.3e-06	sequential.py:567(Cla
1	2.3e-06	2.3e-06	2.3e-06	2.3e-06	parsing.py:1(<module
1	2.3e-06	2.3e-06	2.3e-06	2.3e-06	pchart.py:156(Bottom
1	2.3e-06	2.3e-06	2.3e-06	2.3e-06	transitionparser.py:29
1	2.3e-06	2.3e-06	2.3e-06	2.3e-06	ibm1.py:75(IBMMMod
1	2.3e-06	2.3e-06	2.3e-06	2.3e-06	propbank.py:374(Prop
1	2.3e-06	2.3e-06	2.3e-06	2.3e-06	toolbox.py:20(Toolbo
1	2.3e-06	2.3e-06	2.3e-06	2.3e-06	panlex_swadesh.py:3
1	2.3e-06	2.3e-06	2.3e-06	2.3e-06	snowball.py:4500(Rus
1	2.3e-06	2.3e-06	2.3e-06	2.3e-06	api.py:148(Direction)
21	2.3e-06	1.095e-07	2.3e-06	1.095e-07	~:0(<built-in method _
1	2e-06	2e-06	2.3e-06	2.3e-06	abc.py:153(Traversab
1	1.9e-06	1.9e-06	2.3e-06	2.3e-06	typing.py:166(__getat
1	1.9e-06	1.9e-06	2.3e-06	2.3e-06	globals.py:53(__new
1	1.9e-06	1.9e-06	2.3e-06	2.3e-06	api.py:13(StemmerI)
1	1.8e-06	1.8e-06	2.3e-06	2.3e-06	typing.py:3578(Binar
4	1.6e-06	4e-07	2.3e-06	5.75e-07	~:0(<method 'index' o
1	1.4e-06	1.4e-06	2.3e-06	2.3e-06	_index_tricks_impl.py
5	2.2e-06	4.4e-07	2.2e-06	4.4e-07	dataclasses.py:420(<g
1	2.2e-06	2.2e-06	2.2e-06	2.2e-06	contextlib.py:631(Asy
1	2.2e-06	2.2e-06	2.2e-06	2.2e-06	csv.py:198(DictWriter

ncalls	tottime	percall	cumtime	percall	
7	2.2e-06	3.143e-07	2.2e-06	3.143e-07	typing.py:2695(final)
2	2.2e-06	1.1e-06	2.2e-06	1.1e-06	__init__.py:451(__ini
1	2.2e-06	2.2e-06	2.2e-06	2.2e-06	threading.py:146(_RL
1	2.2e-06	2.2e-06	2.2e-06	2.2e-06	_streams.py:33(Decor
1	2.2e-06	2.2e-06	2.2e-06	2.2e-06	response.py:131(Gzip
1	2.2e-06	2.2e-06	2.2e-06	2.2e-06	__init__.py:770(Look
1	2.2e-06	2.2e-06	2.2e-06	2.2e-06	request.py:1505(FTPFI
1	2.2e-06	2.2e-06	2.2e-06	2.2e-06	_adapters.py:81(Child
3	2.2e-06	7.333e-07	2.2e-06	7.333e-07	signal.py:50(__wraps)
1	2.2e-06	2.2e-06	2.2e-06	2.2e-06	collocations.py:150(B
2	2.2e-06	1.1e-06	2.2e-06	1.1e-06	__init__.py:456(__Fun
1	2.2e-06	2.2e-06	2.2e-06	2.2e-06	pydoc.py:592(HTML)
1	2.2e-06	2.2e-06	2.2e-06	2.2e-06	drt.py:776(DrtConcat
1	2.2e-06	2.2e-06	2.2e-06	2.2e-06	vocabulary.py:37(Voc
24	2.2e-06	9.167e-08	2.2e-06	9.167e-08	_regex_core.py:1965(
1	2.2e-06	2.2e-06	2.2e-06	2.2e-06	saxutils.py:112(XML)
1	2.2e-06	2.2e-06	2.2e-06	2.2e-06	jsontags.py:42(JSON)
1	2.2e-06	2.2e-06	2.2e-06	2.2e-06	sequential.py:260(Ngi
1	2.2e-06	2.2e-06	2.2e-06	2.2e-06	brill.py:21(Word)
1	2.2e-06	2.2e-06	2.2e-06	2.2e-06	crf.py:23(CRFTagger)
1	2.2e-06	2.2e-06	2.2e-06	2.2e-06	nonprojectivedepende
1	2.2e-06	2.2e-06	2.2e-06	2.2e-06	linearlogic.py:200(Im
1	2.2e-06	2.2e-06	2.2e-06	2.2e-06	ibm5.py:129(IBMMo
1	2.2e-06	2.2e-06	2.2e-06	2.2e-06	bleu_score.py:19(Frac
1	2.2e-06	2.2e-06	2.2e-06	2.2e-06	api.py:421(SyntaxCor
6	2.2e-06	3.667e-07	2.2e-06	3.667e-07	wordnet.py:1132(<gen
1	2.2e-06	2.2e-06	2.2e-06	2.2e-06	nkjp.py:283(NKJPCo
1	2.2e-06	2.2e-06	2.2e-06	2.2e-06	chart.py:58(CCGEdge
7	2.2e-06	3.143e-07	2.2e-06	3.143e-07	argparse.py:704(_get_
3	2.2e-06	7.333e-07	2.2e-06	7.333e-07	~:0(<method 'capitaliz
4	2.2e-06	5.5e-07	2.2e-06	5.5e-07	~:0(<built-in method :
1	2.2e-06	2.2e-06	2.2e-06	2.2e-06	~:0(<built-in method _
1	2e-06	2e-06	2.2e-06	2.2e-06	api.py:73(LanguageM
1	2e-06	2e-06	2.2e-06	2.2e-06	api.py:69(StringToker
1	1.7e-06	1.7e-06	2.2e-06	2.2e-06	_index_tricks_impl.py
1	1.6e-06	1.6e-06	2.2e-06	2.2e-06	_regex_core.py:1133(
1	1.6e-06	1.6e-06	2.2e-06	2.2e-06	template.py:17(BrillT
9	2.1e-06	2.333e-07	2.1e-06	2.333e-07	statistics.py:801(regis
1	2.1e-06	2.1e-06	2.1e-06	2.1e-06	_py_warnings.py:571(
1	2.1e-06	2.1e-06	2.1e-06	2.1e-06	errors.py:97(NonPrint
1	2.1e-06	2.1e-06	2.1e-06	2.1e-06	ipaddress.py:558(_Ba
1	2.1e-06	2.1e-06	2.1e-06	2.1e-06	__init__.py:49(Packag
1	2.1e-06	2.1e-06	2.1e-06	2.1e-06	__init__.py:324(FileH

ncalls	tottime	percall	cumtime	percall	
1	2.1e-06	2.1e-06	2.1e-06	2.1e-06	__init__.py:2173(PyZ
1	2.1e-06	2.1e-06	2.1e-06	2.1e-06	_regex_core.py:4007(
1	2.1e-06	2.1e-06	2.1e-06	2.1e-06	_regex_core.py:3372(
4	2.1e-06	5.25e-07	2.1e-06	5.25e-07	cookies.py:435(get_p
1	2.1e-06	2.1e-06	2.1e-06	2.1e-06	collocations.py:269(Q
1	2.1e-06	2.1e-06	2.1e-06	2.1e-06	_ufunc_config.py:462
1	2.1e-06	2.1e-06	2.1e-06	2.1e-06	_internal.py:591(_Str
1	2.1e-06	2.1e-06	2.1e-06	2.1e-06	_datasource.py:195(D
1	2.1e-06	2.1e-06	2.1e-06	2.1e-06	counter.py:18(NgramC
1	2.1e-06	2.1e-06	2.1e-06	2.1e-06	senna.py:62(SennaCh
1	2.1e-06	2.1e-06	2.1e-06	2.1e-06	maxent.py:476(Binary
1	2.1e-06	2.1e-06	2.1e-06	2.1e-06	positivenaivebayes.py
1	2.1e-06	2.1e-06	2.1e-06	2.1e-06	chart.py:54(EdgeI)
1	2.1e-06	2.1e-06	2.1e-06	2.1e-06	parented.py:277(Pare
1	2.1e-06	2.1e-06	2.1e-06	2.1e-06	transitionparser.py:26
1	2.1e-06	2.1e-06	2.1e-06	2.1e-06	rte.py:111(RTECorpu
1	2.1e-06	2.1e-06	2.1e-06	2.1e-06	sentiwordnet.py:110(\$
1	2.1e-06	2.1e-06	2.1e-06	2.1e-06	isri.py:36(ISRISTemm
1	2.1e-06	2.1e-06	2.1e-06	2.1e-06	framenet.py:1039(Pre
1	1.7e-06	1.7e-06	2.1e-06	2.1e-06	adapters.py:12(__ini
2	1.5e-06	7.5e-07	2.1e-06	1.05e-06	__init__.py:1629(geti
2	1.3e-06	6.5e-07	2.1e-06	1.05e-06	_regex_core.py:2611(
1	1.3e-06	1.3e-06	2.1e-06	2.1e-06	_regex_core.py:3456(
1	2e-06	2e-06	2e-06	2e-06	__init__.py:286(LogR
1	2e-06	2e-06	2e-06	2e-06	_colorize.py:158(__ar
1	2e-06	2e-06	2e-06	2e-06	__init__.py:736(Buffe
1	2e-06	2e-06	2e-06	2e-06	__init__.py:203(Form
1	2e-06	2e-06	2e-06	2e-06	exceptions.py:29(Poo
1	2e-06	2e-06	2e-06	2e-06	parse.py:361(__fix_res
1	2e-06	2e-06	2e-06	2e-06	glob.py:7(Translator)
1	2e-06	2e-06	2e-06	2e-06	cookiejar.py:842(Coo
1	2e-06	2e-06	2e-06	2e-06	request.py:760(Proxy)
1	2e-06	2e-06	2e-06	2e-06	confusionmatrix.py:1
1	2e-06	2e-06	2e-06	2e-06	drt.py:291(DRS)
1	2e-06	2e-06	2e-06	2e-06	drt.py:1085(DrsDraw
1	2e-06	2e-06	2e-06	2e-06	logic.py:802(AnyType
1	2e-06	2e-06	2e-06	2e-06	data.py:376(ZipFilePa
19	2e-06	1.053e-07	2e-06	1.053e-07	_regex_core.py:1971(
1	2e-06	2e-06	2e-06	2e-06	api.py:15(ParserI)
1	2e-06	2e-06	2e-06	2e-06	chart.py:1529(Steppin
1	2e-06	2e-06	2e-06	2e-06	corenlp.py:177(Gener
1	2e-06	2e-06	2e-06	2e-06	earleychart.py:126(Fe
1	2e-06	2e-06	2e-06	2e-06	pchart.py:55(Probabil

nCalls	Total Time	Per Call	Cumulative Time	Per Call (%)	Function
1	2e-06	2e-06	2e-06	2e-06	api.py:504(ParallelPr
1	2e-06	2e-06	2e-06	2e-06	discourse.py:131(DrtC
1	2e-06	2e-06	2e-06	2e-06	resolution.py:108(Res
1	2e-06	2e-06	2e-06	2e-06	ibm2.py:59(IBMMMod
1	2e-06	2e-06	2e-06	2e-06	tagged.py:255(Taggec
1	2e-06	2e-06	2e-06	2e-06	mte.py:173(MTETagC
1	2e-06	2e-06	2e-06	2e-06	wordfinder.py:1(<mod
5	2e-06	4e-07	2e-06	4e-07	six.py:186(_get_modu
12	2e-06	1.667e-07	2e-06	1.667e-07	~:0(<method 'start' of
1	2e-06	2e-06	2e-06	2e-06	~:0(<built-in method
8	2e-06	2.5e-07	2e-06	2.5e-07	~:0(<method 'has_def
8	2e-06	2.5e-07	2e-06	2.5e-07	~:0(<method 'removej
8	2e-06	2.5e-07	2e-06	2.5e-07	~:0(<built-in method
1	2e-06	2e-06	2e-06	2e-06	~:0(<method 'set' of '
1	1.5e-06	1.5e-06	2e-06	2e-06	statistics.py:884(quart
1	1.5e-06	1.5e-06	2e-06	2e-06	typing.py:3646(_Iden
1	8e-07	8e-07	2e-06	2e-06	six.py:119(_resolve)
1	1.9e-06	1.9e-06	1.9e-06	1.9e-06	encoder.py:263(_mak
1	1.9e-06	1.9e-06	1.9e-06	1.9e-06	encoder.py:74(JSONE
1	1.9e-06	1.9e-06	1.9e-06	1.9e-06	_colorize.py:202(Unit
3	1.9e-06	6.333e-07	1.9e-06	6.333e-07	typing.py:543(__repr_
1	1.9e-06	1.9e-06	1.9e-06	1.9e-06	__init__.py:815(Filter
1	1.9e-06	1.9e-06	1.9e-06	1.9e-06	charset.py:162(Charse
1	1.9e-06	1.9e-06	1.9e-06	1.9e-06	__init__.py:872(__ini
1	1.9e-06	1.9e-06	1.9e-06	1.9e-06	__init__.py:871(_Sha
1	1.9e-06	1.9e-06	1.9e-06	1.9e-06	tempfile.py:433(_Ter
1	1.9e-06	1.9e-06	1.9e-06	1.9e-06	_regex_core.py:3449(
1	1.9e-06	1.9e-06	1.9e-06	1.9e-06	adapters.py:113(Base
1	1.9e-06	1.9e-06	1.9e-06	1.9e-06	__init__.py:336(c_wc
2	1.9e-06	9.5e-07	1.9e-06	9.5e-07	_index_tricks_impl.py
2	1.9e-06	9.5e-07	1.9e-06	9.5e-07	_arraysetops_impl.py:
1	1.9e-06	1.9e-06	1.9e-06	1.9e-06	collections.py:19(Ord
1	1.9e-06	1.9e-06	1.9e-06	1.9e-06	grammar.py:85(Nonte
1	1.9e-06	1.9e-06	1.9e-06	1.9e-06	casual.py:332(__init_
1	1.9e-06	1.9e-06	1.9e-06	1.9e-06	maxent.py:795(Typed
1	1.9e-06	1.9e-06	1.9e-06	1.9e-06	projectivedependency
1	1.9e-06	1.9e-06	1.9e-06	1.9e-06	api.py:260(BaseProve
1	1.9e-06	1.9e-06	1.9e-06	1.9e-06	prover9.py:389(Prove
1	1.9e-06	1.9e-06	1.9e-06	1.9e-06	resolution.py:174(Cla
1	1.9e-06	1.9e-06	1.9e-06	1.9e-06	ycoe.py:30(YCOECoi
1	1.9e-06	1.9e-06	1.9e-06	1.9e-06	nombank.py:330(Non
1	1.9e-06	1.9e-06	1.9e-06	1.9e-06	nombank.py:367(Non
1	1.9e-06	1.9e-06	1.9e-06	1.9e-06	crubadan.py:29(Crub

ncalls	tottime	percall	cumtime	percall	
1	1.9e-06	1.9e-06	1.9e-06	1.9e-06	pl196x.py:92(Pl196xC
1	1.9e-06	1.9e-06	1.9e-06	1.9e-06	combinator.py:54(For
1	1.9e-06	1.9e-06	1.9e-06	1.9e-06	vader.py:331(Sentime
1	1.5e-06	1.5e-06	1.9e-06	1.9e-06	typing.py:2909(Supp
4	1.5e-06	3.75e-07	1.9e-06	4.75e-07	typing.py:3138(<gene
1	1.5e-06	1.5e-06	1.9e-06	1.9e-06	combinator.py:16(Unc
13	1.8e-06	1.385e-07	1.8e-06	1.385e-07	typing.py:501(__init_
1	1.8e-06	1.8e-06	1.8e-06	1.8e-06	__init__.py:511(String
1	1.8e-06	1.8e-06	1.8e-06	1.8e-06	__init__.py:1272(_Stc
1	1.8e-06	1.8e-06	1.8e-06	1.8e-06	traceback.py:981(_Ex
1	1.8e-06	1.8e-06	1.8e-06	1.8e-06	__init__.py:1290(Posi
4	1.8e-06	4.5e-07	1.8e-06	4.5e-07	request.py:305(full_u
1	1.8e-06	1.8e-06	1.8e-06	1.8e-06	_collections.py:27(Pa
3	1.8e-06	6e-07	1.8e-06	6e-07	request.py:377(has_he
1	1.8e-06	1.8e-06	1.8e-06	1.8e-06	tempfile.py:132(_Ran
1	1.8e-06	1.8e-06	1.8e-06	1.8e-06	_adapters.py:112(Orp
1	1.8e-06	1.8e-06	1.8e-06	1.8e-06	auth.py:107(HTTPDiq
1	1.8e-06	1.8e-06	1.8e-06	1.8e-06	ElementTree.py:1101(
1	1.8e-06	1.8e-06	1.8e-06	1.8e-06	__init__.py:394(CDL
1	1.8e-06	1.8e-06	1.8e-06	1.8e-06	_function_base_impl.
1	1.8e-06	1.8e-06	1.8e-06	1.8e-06	_array_api_info.py:30
1	1.8e-06	1.8e-06	1.8e-06	1.8e-06	boxer.py:59(Boxer)
1	1.8e-06	1.8e-06	1.8e-06	1.8e-06	data.py:296(FileSyste
11	1.8e-06	1.636e-07	1.8e-06	1.636e-07	_regex_core.py:3304(
1	1.8e-06	1.8e-06	1.8e-06	1.8e-06	legality_principle.py:4
1	1.8e-06	1.8e-06	1.8e-06	1.8e-06	scikitlearn.py:46(Skle
1	1.8e-06	1.8e-06	1.8e-06	1.8e-06	tnt.py:23(TnT)
1	1.8e-06	1.8e-06	1.8e-06	1.8e-06	ibm3.py:87(IBMMMod
1	1.8e-06	1.8e-06	1.8e-06	1.8e-06	propbank.py:18(Prop
1	1.8e-06	1.8e-06	1.8e-06	1.8e-06	wordnet.py:223(Lemr
1	1.8e-06	1.8e-06	1.8e-06	1.8e-06	nombank.py:18(Noml
1	1.8e-06	1.8e-06	1.8e-06	1.8e-06	chart.py:261(CCGCh
1	1.8e-06	1.8e-06	1.8e-06	1.8e-06	_base.py:563(Execut
1	1.8e-06	1.8e-06	1.8e-06	1.8e-06	~:0(<built-in method i
1	1.8e-06	1.8e-06	1.8e-06	1.8e-06	~:0(<method 'union' o
1	1.5e-06	1.5e-06	1.8e-06	1.8e-06	typing.py:2843(Supp
7	1.5e-06	2.143e-07	1.8e-06	2.571e-07	_regex_core.py:2262(
1	1.5e-06	1.5e-06	1.8e-06	1.8e-06	api.py:150(ModelBuil
2	1.4e-06	7e-07	1.8e-06	9e-07	__init__.py:2044(_d
1	1.4e-06	1.4e-06	1.8e-06	1.8e-06	abc.py:64(ResourceLoc
1	1.4e-06	1.4e-06	1.8e-06	1.8e-06	_base.py:62(add_exce
1	1.1e-06	1.1e-06	1.8e-06	1.8e-06	<frozen importlib._bo
5	1.7e-06	3.4e-07	1.7e-06	3.4e-07	dataclasses.py:437(__

ncalls	tottime	percall	cumtime	percall	
1	1.7e-06	1.7e-06	1.7e-06	1.7e-06	random.py:225(__init__)
2	1.7e-06	8.5e-07	1.7e-06	8.5e-07	statistics.py:1555(__co__)
1	1.7e-06	1.7e-06	1.7e-06	1.7e-06	configparser.py:1256(
8	1.7e-06	2.125e-07	1.7e-06	2.125e-07	configparser.py:1251(
1	1.7e-06	1.7e-06	1.7e-06	1.7e-06	typing.py:1777(Unpack
1	1.7e-06	1.7e-06	1.7e-06	1.7e-06	__init__.py:187(HTTP)
1	1.7e-06	1.7e-06	1.7e-06	1.7e-06	exceptions.py:261(Inc
1	1.7e-06	1.7e-06	1.7e-06	1.7e-06	__init__.py:44(Frame)
1	1.7e-06	1.7e-06	1.7e-06	1.7e-06	probe.py:13(__init__)
1	1.7e-06	1.7e-06	1.7e-06	1.7e-06	calendar.py:330(TextC
1	1.7e-06	1.7e-06	1.7e-06	1.7e-06	structures.py:13(Case
1	1.7e-06	1.7e-06	1.7e-06	1.7e-06	calendar.py:450(HTM
1	1.7e-06	1.7e-06	1.7e-06	1.7e-06	internals.py:427(Depr
1	1.7e-06	1.7e-06	1.7e-06	1.7e-06	subprocess.py:221(Ha
1	1.7e-06	1.7e-06	1.7e-06	1.7e-06	records.py:196(record
1	1.7e-06	1.7e-06	1.7e-06	1.7e-06	association.py:253(Tr
1	1.7e-06	1.7e-06	1.7e-06	1.7e-06	drt.py:58(DrtParser)
1	1.7e-06	1.7e-06	1.7e-06	1.7e-06	logic.py:1767(Negate
1	1.7e-06	1.7e-06	1.7e-06	1.7e-06	evaluate.py:251(Assig
1	1.7e-06	1.7e-06	1.7e-06	1.7e-06	grammar.py:254(Prod
1	1.7e-06	1.7e-06	1.7e-06	1.7e-06	text.py:257(TokenSea
1	1.7e-06	1.7e-06	1.7e-06	1.7e-06	grammar.py:894(Feat
1	1.7e-06	1.7e-06	1.7e-06	1.7e-06	grammar.py:1078(Dej
1	1.7e-06	1.7e-06	1.7e-06	1.7e-06	_regex_core.py:3909(
1	1.7e-06	1.7e-06	1.7e-06	1.7e-06	xmlreader.py:187(Inp
1	1.7e-06	1.7e-06	1.7e-06	1.7e-06	sequential.py:421(Aff
1	1.7e-06	1.7e-06	1.7e-06	1.7e-06	maxent.py:739(TadmI
1	1.7e-06	1.7e-06	1.7e-06	1.7e-06	chart.py:914(ChartRu
1	1.7e-06	1.7e-06	1.7e-06	1.7e-06	transitionparser.py:17
1	1.7e-06	1.7e-06	1.7e-06	1.7e-06	tableau.py:567(Debug
1	1.7e-06	1.7e-06	1.7e-06	1.7e-06	kmeans.py:21(KMean
1	1.7e-06	1.7e-06	1.7e-06	1.7e-06	panlex_lite.py:20(Pan
1	1.7e-06	1.7e-06	1.7e-06	1.7e-06	util.py:20(LazyCorpu
1	1.7e-06	1.7e-06	1.7e-06	1.7e-06	lazyimport.py:25(Laz
1	1.7e-06	1.7e-06	1.7e-06	1.7e-06	snowball.py:34(Snow
4	1.7e-06	4.25e-07	1.7e-06	4.25e-07	combinator.py:62(__in
1	1.7e-06	1.7e-06	1.7e-06	1.7e-06	yandex.py:8(YandexP
1	1.7e-06	1.7e-06	1.7e-06	1.7e-06	six.py:169(__SixMetaF
1	1.6e-06	1.6e-06	1.7e-06	1.7e-06	ScoringSys.py:72(lir
1	1.5e-06	1.5e-06	1.7e-06	1.7e-06	abc.py:136(Execution
1	1.4e-06	1.4e-06	1.7e-06	1.7e-06	threading.py:1534(_re
1	1.3e-06	1.3e-06	1.7e-06	1.7e-06	probability.py:2143(C
1	1.2e-06	1.2e-06	1.7e-06	1.7e-06	api.py:122(ProverCon

nCalls	Total Time	Per Call	Cumulative Time	Per Call (%)	Function
1	9e-07	9e-07	1.7e-06	1.7e-06	request.py:366(has_pi)
1	1.6e-06	1.6e-06	1.6e-06	1.6e-06	csv.py:87(Dialect)
1	1.6e-06	1.6e-06	1.6e-06	1.6e-06	_future__.py:81(_Fe
8	1.6e-06	2e-07	1.6e-06	2e-07	_py_warnings.py:71(
1	1.6e-06	1.6e-06	1.6e-06	1.6e-06	exceptions.py:84(Max
1	1.6e-06	1.6e-06	1.6e-06	1.6e-06	parser.py:16(Parser)
1	1.6e-06	1.6e-06	1.6e-06	1.6e-06	request.py:394(Opene
2	1.6e-06	8e-07	1.6e-06	8e-07	_regex_core.py:2178(
1	1.6e-06	1.6e-06	1.6e-06	1.6e-06	models.py:230(Reque
1	1.6e-06	1.6e-06	1.6e-06	1.6e-06	internals.py:476(Cour
1	1.6e-06	1.6e-06	1.6e-06	1.6e-06	probability.py:1147(C
1	1.6e-06	1.6e-06	1.6e-06	1.6e-06	_ufunc_config.py:386
4	1.6e-06	4e-07	1.6e-06	4e-07	__init__.py:526(__ini
2	1.6e-06	8e-07	1.6e-06	8e-07	__init__.py:310(get_p
1	1.6e-06	1.6e-06	1.6e-06	1.6e-06	logic.py:1598(Variabl
1	1.6e-06	1.6e-06	1.6e-06	1.6e-06	drt.py:717(DrtBinaryI
1	1.6e-06	1.6e-06	1.6e-06	1.6e-06	logic.py:1491(Individ
1	1.6e-06	1.6e-06	1.6e-06	1.6e-06	logic.py:1415(Abstract
1	1.6e-06	1.6e-06	1.6e-06	1.6e-06	_regex_core.py:3820(
1	1.6e-06	1.6e-06	1.6e-06	1.6e-06	_exceptions.py:5(SAY
1	1.6e-06	1.6e-06	1.6e-06	1.6e-06	senna.py:47(Senna)
1	1.6e-06	1.6e-06	1.6e-06	1.6e-06	textcat.py:47(TextCat)
1	1.6e-06	1.6e-06	1.6e-06	1.6e-06	tableau.py:429(Agend
1	1.6e-06	1.6e-06	1.6e-06	1.6e-06	toolbox.py:21(Standar
1	1.6e-06	1.6e-06	1.6e-06	1.6e-06	sentiwordnet.py:43(Sen
1	1.6e-06	1.6e-06	1.6e-06	1.6e-06	gaac.py:16(GAAClusi
1	1.6e-06	1.6e-06	1.6e-06	1.6e-06	reviews.py:77(Review
1	1.6e-06	1.6e-06	1.6e-06	1.6e-06	downloader.py:280(Co
1	1.6e-06	1.6e-06	1.6e-06	1.6e-06	mymemory_translatec
1	1.6e-06	1.6e-06	1.6e-06	1.6e-06	deepl.py:11(DeepLPro
1	1.6e-06	1.6e-06	1.6e-06	1.6e-06	~:0(<built-in method
8	1.6e-06	2e-07	1.6e-06	2e-07	~:0(<built-in method
1	1.4e-06	1.4e-06	1.6e-06	1.6e-06	argparse.py:2410(_ma
1	1.3e-06	1.3e-06	1.6e-06	1.6e-06	client.py:835(_get_co
1	6e-07	6e-07	1.6e-06	1.6e-06	_index_tricks_impl.py
1	6e-07	6e-07	1.6e-06	1.6e-06	__init__.py:634(get_c
3	1.5e-06	5e-07	1.5e-06	5e-07	__init__.py:810(_che
1	1.5e-06	1.5e-06	1.5e-06	1.5e-06	typing.py:2130(_Ann
1	1.5e-06	1.5e-06	1.5e-06	1.5e-06	client.py:1506(Incom
1	1.5e-06	1.5e-06	1.5e-06	1.5e-06	ssl.py:185(_TLSAlert
1	1.5e-06	1.5e-06	1.5e-06	1.5e-06	models.py:316(CliDet
1	1.5e-06	1.5e-06	1.5e-06	1.5e-06	cookiejar.py:1777(File
1	1.5e-06	1.5e-06	1.5e-06	1.5e-06	calendar.py:46(__geta

nCalls	Total Time	Per Call	Cumulative Time	Per Call (%)	Function
1	1.5e-06	1.5e-06	1.5e-06	1.5e-06	_adapters.py:7(SpecL
3	1.5e-06	5e-07	1.5e-06	5e-07	internals.py:481(__ini
1	1.5e-06	1.5e-06	1.5e-06	1.5e-06	arrayprint.py:1424(Ti
1	1.5e-06	1.5e-06	1.5e-06	1.5e-06	_internal.py:211(dum
1	1.5e-06	1.5e-06	1.5e-06	1.5e-06	_index_tricks_impl.py
2	1.5e-06	7.5e-07	1.5e-06	7.5e-07	_arraysetops_impl.py:
1	1.5e-06	1.5e-06	1.5e-06	1.5e-06	iotools.py:133(LineS
4	1.5e-06	3.75e-07	1.5e-06	3.75e-07	mixins.py:52(__unary_
1	1.5e-06	1.5e-06	1.5e-06	1.5e-06	logic.py:706(Comple
1	1.5e-06	1.5e-06	1.5e-06	1.5e-06	drt.py:600(DrtProposi
12	1.5e-06	1.25e-07	1.5e-06	1.25e-07	_regex_core.py:1995(
1	1.5e-06	1.5e-06	1.5e-06	1.5e-06	stanford_segmenter.py
1	1.5e-06	1.5e-06	1.5e-06	1.5e-06	api.py:28(ClassifierI)
1	1.5e-06	1.5e-06	1.5e-06	1.5e-06	stanford.py:139(Stanf
1	1.5e-06	1.5e-06	1.5e-06	1.5e-06	earleychart.py:61(Inc
1	1.5e-06	1.5e-06	1.5e-06	1.5e-06	featurechart.py:423(F
1	1.5e-06	1.5e-06	1.5e-06	1.5e-06	linearlogic.py:91(Ato
1	1.5e-06	1.5e-06	1.5e-06	1.5e-06	bracket_parse.py:26(E
1	1.5e-06	1.5e-06	1.5e-06	1.5e-06	bnc.py:14(BNCCorpu
1	1.5e-06	1.5e-06	1.5e-06	1.5e-06	chasen.py:14(Chasen
1	1.5e-06	1.5e-06	1.5e-06	1.5e-06	panlex_lite.py:129(Mi
1	1.5e-06	1.5e-06	1.5e-06	1.5e-06	stack_decoder.py:338(
1	1.5e-06	1.5e-06	1.5e-06	1.5e-06	unicode_escape.py:13
8	1.5e-06	1.875e-07	1.5e-06	1.875e-07	six.py:80(__add_doc)
4	1.5e-06	3.75e-07	1.5e-06	3.75e-07	~:0(<method 'copy' of
1	1.3e-06	1.3e-06	1.5e-06	1.5e-06	ssl_.py:56(__has_ne
1	1.2e-06	1.2e-06	1.5e-06	1.5e-06	typing.py:2854(Supp
1	1.4e-06	1.4e-06	1.4e-06	1.4e-06	random.py:888(Syste
1	1.4e-06	1.4e-06	1.4e-06	1.4e-06	decoder.py:262(JSON
5	1.4e-06	2.8e-07	1.4e-06	2.8e-07	configparser.py:719(h
1	1.4e-06	1.4e-06	1.4e-06	1.4e-06	_py_warnings.py:67(
3	1.4e-06	4.667e-07	1.4e-06	4.667e-07	__init__.py:2281(cre
1	1.4e-06	1.4e-06	1.4e-06	1.4e-06	_colorize.py:175(__ar
1	1.4e-06	1.4e-06	1.4e-06	1.4e-06	__init__.py:2265(Nul
1	1.4e-06	1.4e-06	1.4e-06	1.4e-06	threading.py:1437(_D
1	1.4e-06	1.4e-06	1.4e-06	1.4e-06	exceptions.py:58(Pro
1	1.4e-06	1.4e-06	1.4e-06	1.4e-06	exceptions.py:283(Inv
1	1.4e-06	1.4e-06	1.4e-06	1.4e-06	client.py:1544(Remot
1	1.4e-06	1.4e-06	1.4e-06	1.4e-06	_base_connection.py:
1	1.4e-06	1.4e-06	1.4e-06	1.4e-06	_base_connection.py:
1	1.4e-06	1.4e-06	1.4e-06	1.4e-06	_collections.py:156(H
1	1.4e-06	1.4e-06	1.4e-06	1.4e-06	_os.py:450(__PosixPat
1	1.4e-06	1.4e-06	1.4e-06	1.4e-06	response.py:14(addba

ncalls	tottime	percall	cumtime	percall	
1	1.4e-06	1.4e-06	1.4e-06	1.4e-06	subprocess.py:198(ST
1	1.4e-06	1.4e-06	1.4e-06	1.4e-06	internals.py:158(Read
1	1.4e-06	1.4e-06	1.4e-06	1.4e-06	probability.py:1695(K
1	1.4e-06	1.4e-06	1.4e-06	1.4e-06	probability.py:1583(N
1	1.4e-06	1.4e-06	1.4e-06	1.4e-06	_pytesttester.py:45(Py
1	1.4e-06	1.4e-06	1.4e-06	1.4e-06	_dtype_like.py:44(_H
2	1.4e-06	7e-07	1.4e-06	7e-07	_arraysetops_impl.py:
1	1.4e-06	1.4e-06	1.4e-06	1.4e-06	association.py:313(Qu
1	1.4e-06	1.4e-06	1.4e-06	1.4e-06	smoothing.py:78(Kne
1	1.4e-06	1.4e-06	1.4e-06	1.4e-06	_regex_core.py:3846(
1	1.4e-06	1.4e-06	1.4e-06	1.4e-06	_regex_core.py:3218(
1	1.4e-06	1.4e-06	1.4e-06	1.4e-06	handler.py:22(ErrorH
1	1.4e-06	1.4e-06	1.4e-06	1.4e-06	brill.py:35(Pos)
1	1.4e-06	1.4e-06	1.4e-06	1.4e-06	hmm.py:836(HiddenN
1	1.4e-06	1.4e-06	1.4e-06	1.4e-06	api.py:592(TheoremT
1	1.4e-06	1.4e-06	1.4e-06	1.4e-06	prover9.py:112(Prove
1	1.4e-06	1.4e-06	1.4e-06	1.4e-06	prover9.py:307(Prove
1	1.4e-06	1.4e-06	1.4e-06	1.4e-06	linearlogic.py:27(Line
1	1.4e-06	1.4e-06	1.4e-06	1.4e-06	linearlogic.py:15(Tok
1	1.4e-06	1.4e-06	1.4e-06	1.4e-06	api.py:295(PhraseTab
1	1.4e-06	1.4e-06	1.4e-06	1.4e-06	ibm_model.py:518(Co
1	1.4e-06	1.4e-06	1.4e-06	1.4e-06	ibm5.py:576(Model5C
1	1.4e-06	1.4e-06	1.4e-06	1.4e-06	bracket_parse.py:125(
2	1.4e-06	7e-07	1.4e-06	7e-07	downloader.py:415(_
1	1.4e-06	1.4e-06	1.4e-06	1.4e-06	stack_decoder.py:452(
1	1.4e-06	1.4e-06	1.4e-06	1.4e-06	em.py:16(EMClustere
1	1.4e-06	1.4e-06	1.4e-06	1.4e-06	lexicon.py:45(Token)
1	1.4e-06	1.4e-06	1.4e-06	1.4e-06	api.py:5(LibreTransla
7	1.4e-06	2e-07	1.4e-06	2e-07	chart.py:163(__init__
1	1.4e-06	1.4e-06	1.4e-06	1.4e-06	netrc.py:79(netrc)
4	1.4e-06	3.5e-07	1.4e-06	3.5e-07	~:0(<built-in method
1	1.1e-06	1.1e-06	1.4e-06	1.4e-06	combinator.py:37(Dir
5	1.3e-06	2.6e-07	1.3e-06	2.6e-07	dataclasses.py:359(__
10	1.3e-06	1.3e-07	1.3e-06	1.3e-07	inspect.py:3036(return
1	1.3e-06	1.3e-06	1.3e-06	1.3e-06	_py_warnings.py:593(
1	1.3e-06	1.3e-06	1.3e-06	1.3e-06	__init__.py:778(Filter
1	1.3e-06	1.3e-06	1.3e-06	1.3e-06	threading.py:459(Sem
1	1.3e-06	1.3e-06	1.3e-06	1.3e-06	__init__.py:1(<modul
1	1.3e-06	1.3e-06	1.3e-06	1.3e-06	ssl.py:227(_TLSMess
1	1.3e-06	1.3e-06	1.3e-06	1.3e-06	retry.py:33(RequestHi
1	1.3e-06	1.3e-06	1.3e-06	1.3e-06	queue.py:281(Priority
1	1.3e-06	1.3e-06	1.3e-06	1.3e-06	exceptions.py:12(Req
1	1.3e-06	1.3e-06	1.3e-06	1.3e-06	exceptions.py:31(JSO

nCalls	Total Time	Per Call	Cumulative Time	Per Call (%)	Function
1	1.3e-06	1.3e-06	1.3e-06	1.3e-06	cookiejar.py:1860(LW)
1	1.3e-06	1.3e-06	1.3e-06	1.3e-06	readers.py:38(ZipRea...)
1	1.3e-06	1.3e-06	1.3e-06	1.3e-06	readers.py:22(FileRea...)
1	1.3e-06	1.3e-06	1.3e-06	1.3e-06	ElementTree.py:529(_...
1	1.3e-06	1.3e-06	1.3e-06	1.3e-06	probability.py:983(He...
1	1.3e-06	1.3e-06	1.3e-06	1.3e-06	probability.py:1217(W...
1	1.3e-06	1.3e-06	1.3e-06	1.3e-06	ElementPath.py:350(_...
1	1.3e-06	1.3e-06	1.3e-06	1.3e-06	probability.py:596(Un...
1	1.3e-06	1.3e-06	1.3e-06	1.3e-06	probability.py:686(Di...
1	1.3e-06	1.3e-06	1.3e-06	1.3e-06	probability.py:764(MI...
2	1.3e-06	6.5e-07	1.3e-06	6.5e-07	__init__.py:103(CFun...
1	1.3e-06	1.3e-06	1.3e-06	1.3e-06	_datasource.py:72(_F...
1	1.3e-06	1.3e-06	1.3e-06	1.3e-06	logic.py:621(Variable...
1	1.3e-06	1.3e-06	1.3e-06	1.3e-06	boxer.py:1038(BoxerI...
6	1.3e-06	2.167e-07	1.3e-06	2.167e-07	_regex_core.py:621(is...
1	1.3e-06	1.3e-06	1.3e-06	1.3e-06	_regex_core.py:2040(...
1	1.3e-06	1.3e-06	1.3e-06	1.3e-06	gzip.py:526(_GzipRe...
1	1.3e-06	1.3e-06	1.3e-06	1.3e-06	logic.py:1811(BinaryI...
1	1.3e-06	1.3e-06	1.3e-06	1.3e-06	smoothing.py:36(Witt...
7	1.3e-06	1.857e-07	1.3e-06	1.857e-07	_regex_core.py:2471(...
1	1.3e-06	1.3e-06	1.3e-06	1.3e-06	_regex_core.py:2786(...
1	1.3e-06	1.3e-06	1.3e-06	1.3e-06	punkt.py:534(PunktBa...
1	1.3e-06	1.3e-06	1.3e-06	1.3e-06	punkt.py:335(PunktPa...
1	1.3e-06	1.3e-06	1.3e-06	1.3e-06	featurechart.py:162(F...
1	1.3e-06	1.3e-06	1.3e-06	1.3e-06	named_entity.py:31(N...
1	1.3e-06	1.3e-06	1.3e-06	1.3e-06	plaintext.py:183(Euro...
1	1.3e-06	1.3e-06	1.3e-06	1.3e-06	downloader.py:422(_...
1	1.3e-06	1.3e-06	1.3e-06	1.3e-06	gale_church.py:78(La...
2	1.3e-06	6.5e-07	1.3e-06	6.5e-07	~:0(<method 'clear' of...
3	1.3e-06	4.333e-07	1.3e-06	4.333e-07	~:0(<method 'title' of...
1	1.1e-06	1.1e-06	1.3e-06	1.3e-06	typing.py:2876(Supp...
1	1.1e-06	1.1e-06	1.3e-06	1.3e-06	typing.py:2887(Supp...
1	1e-06	1e-06	1.3e-06	1.3e-06	typing.py:2865(Supp...
4	1e-06	2.5e-07	1.3e-06	3.25e-07	_regex_core.py:2651(...
1	9e-07	9e-07	1.3e-06	1.3e-06	_index_tricks_impl.py...
1	1.2e-06	1.2e-06	1.2e-06	1.2e-06	<frozen os>:1144(__...
10	1.2e-06	1.2e-07	1.2e-06	1.2e-07	inspect.py:3032(paran...
1	1.2e-06	1.2e-06	1.2e-06	1.2e-06	_colorize.py:211(__ar...
1	1.2e-06	1.2e-06	1.2e-06	1.2e-06	codeop.py:104(Comp...
1	1.2e-06	1.2e-06	1.2e-06	1.2e-06	__init__.py:1296(Plac...
1	1.2e-06	1.2e-06	1.2e-06	1.2e-06	exceptions.py:42(Req...
1	1.2e-06	1.2e-06	1.2e-06	1.2e-06	threading.py:1390(_M...
1	1.2e-06	1.2e-06	1.2e-06	1.2e-06	client.py:183(HTTPM...

ncalls	tottime	percall	cumtime	percall	
1	1.2e-06	1.2e-06	1.2e-06	1.2e-06	_parseaddr.py:515(Ad
1	1.2e-06	1.2e-06	1.2e-06	1.2e-06	_streams.py:9(BaseSt
1	1.2e-06	1.2e-06	1.2e-06	1.2e-06	queue.py:300(LifoQu
1	1.2e-06	1.2e-06	1.2e-06	1.2e-06	abc.py:36(MetaPathFi
1	1.2e-06	1.2e-06	1.2e-06	1.2e-06	request.py:613(HTTP
1	1.2e-06	1.2e-06	1.2e-06	1.2e-06	request.py:1763(ftpwi
1	1.2e-06	1.2e-06	1.2e-06	1.2e-06	_regex_core.py:3342(
1	1.2e-06	1.2e-06	1.2e-06	1.2e-06	structures.py:83(Look
1	1.2e-06	1.2e-06	1.2e-06	1.2e-06	auth.py:99(HTTPProx
1	1.2e-06	1.2e-06	1.2e-06	1.2e-06	_conversions.py:1(<m
1	1.2e-06	1.2e-06	1.2e-06	1.2e-06	_globals.py:99(_Signa
1	1.2e-06	1.2e-06	1.2e-06	1.2e-06	_globals.py:32(_NoVa
1	1.2e-06	1.2e-06	1.2e-06	1.2e-06	_linalg.py:84(EigResu
1	1.2e-06	1.2e-06	1.2e-06	1.2e-06	_index_tricks_impl.py
1	1.2e-06	1.2e-06	1.2e-06	1.2e-06	_dtype_like.py:49(_H
1	1.2e-06	1.2e-06	1.2e-06	1.2e-06	evaluate.py:380(Mode
1	1.2e-06	1.2e-06	1.2e-06	1.2e-06	gzip.py:83(_PaddedFi
1	1.2e-06	1.2e-06	1.2e-06	1.2e-06	destructive.py:18(Mac
1	1.2e-06	1.2e-06	1.2e-06	1.2e-06	util.py:95(CJKChars)
1	1.2e-06	1.2e-06	1.2e-06	1.2e-06	sonority_sequencing.p
1	1.2e-06	1.2e-06	1.2e-06	1.2e-06	maxent.py:356(Maxen
1	1.2e-06	1.2e-06	1.2e-06	1.2e-06	senna.py:45(SennaTa
1	1.2e-06	1.2e-06	1.2e-06	1.2e-06	regexp.py:1134(Rege
1	1.2e-06	1.2e-06	1.2e-06	1.2e-06	featurechart.py:309(F
1	1.2e-06	1.2e-06	1.2e-06	1.2e-06	evaluate.py:12(Depen
1	1.2e-06	1.2e-06	1.2e-06	1.2e-06	nonprojectivedepende
1	1.2e-06	1.2e-06	1.2e-06	1.2e-06	projectivedependency
1	1.2e-06	1.2e-06	1.2e-06	1.2e-06	projectivedependency
1	1.2e-06	1.2e-06	1.2e-06	1.2e-06	named_entity.py:320(
1	1.2e-06	1.2e-06	1.2e-06	1.2e-06	linearlogic.py:365(Bir
1	1.2e-06	1.2e-06	1.2e-06	1.2e-06	resolution.py:529(Bin
1	1.2e-06	1.2e-06	1.2e-06	1.2e-06	mace.py:229(Mace)
1	1.2e-06	1.2e-06	1.2e-06	1.2e-06	linearlogic.py:289(Ap
1	1.2e-06	1.2e-06	1.2e-06	1.2e-06	ieer.py:42(IEERDocu
1	1.2e-06	1.2e-06	1.2e-06	1.2e-06	sinica_treebank.py:52
1	1.2e-06	1.2e-06	1.2e-06	1.2e-06	string_category.py:29
1	1.2e-06	1.2e-06	1.2e-06	1.2e-06	ieer.py:63(IEERCorpu
1	1.2e-06	1.2e-06	1.2e-06	1.2e-06	indian.py:26(IndianCo
1	1.2e-06	1.2e-06	1.2e-06	1.2e-06	framenet.py:888(Futu
1	1.2e-06	1.2e-06	1.2e-06	1.2e-06	opinion_lexicon.py:53
1	1.2e-06	1.2e-06	1.2e-06	1.2e-06	downloader.py:1117(I
1	1.2e-06	1.2e-06	1.2e-06	1.2e-06	libre.py:8(LibreProvic
1	1.2e-06	1.2e-06	1.2e-06	1.2e-06	api.py:303(Functional

ncalls	tottime	percall	cumtime	percall	
1	1.2e-06	1.2e-06	1.2e-06	1.2e-06	argparse.py:1991(_get_current_config)
1	1.2e-06	1.2e-06	1.2e-06	1.2e-06	netrc.py:23(NetrnPars)
1	1.2e-06	1.2e-06	1.2e-06	1.2e-06	netrc.py:35(_netrclex)
8	1.2e-06	1.5e-07	1.2e-06	1.5e-07	~:0(<built-in method __init__)
1	1e-06	1e-06	1.2e-06	1.2e-06	statistics.py:901(triwe)
1	9e-07	9e-07	1.2e-06	1.2e-06	calendar.py:200(__init__)
3	9e-07	3e-07	1.2e-06	4e-07	_regex_core.py:2644(_compile)
1	7e-07	7e-07	1.2e-06	1.2e-06	_init__.py:1358(dispatcher)
1	1.1e-06	1.1e-06	1.1e-06	1.1e-06	traceback.py:98(_Sentry)
1	1.1e-06	1.1e-06	1.1e-06	1.1e-06	_colorize.py:190(_arange)
1	1.1e-06	1.1e-06	1.1e-06	1.1e-06	_init__.py:1830(Roo)
1	1.1e-06	1.1e-06	1.1e-06	1.1e-06	parser.py:75(BytesParser)
1	1.1e-06	1.1e-06	1.1e-06	1.1e-06	parse.py:879(_Quoter)
1	1.1e-06	1.1e-06	1.1e-06	1.1e-06	parse.py:220(_Netloc)
1	1.1e-06	1.1e-06	1.1e-06	1.1e-06	ipaddress.py:2277(IPv4Address)
1	1.1e-06	1.1e-06	1.1e-06	1.1e-06	parse.py:323(DefragR)
1	1.1e-06	1.1e-06	1.1e-06	1.1e-06	_init__.py:1302(WinError)
1	1.1e-06	1.1e-06	1.1e-06	1.1e-06	_init__.py:332(DeprWarning)
1	1.1e-06	1.1e-06	1.1e-06	1.1e-06	_init__.py:606(PureIMAP)
1	1.1e-06	1.1e-06	1.1e-06	1.1e-06	_init__.py:761(LZM)
1	1.1e-06	1.1e-06	1.1e-06	1.1e-06	_collections.py:5(FreeList)
1	1.1e-06	1.1e-06	1.1e-06	1.1e-06	calendar.py:32(IllegalOperation)
1	1.1e-06	1.1e-06	1.1e-06	1.1e-06	cookies.py:103(Mock)
1	1.1e-06	1.1e-06	1.1e-06	1.1e-06	auth.py:69(AuthBase)
1	1.1e-06	1.1e-06	1.1e-06	1.1e-06	auth.py:76(HTTPBasicAuth)
1	1.1e-06	1.1e-06	1.1e-06	1.1e-06	hooks.py:1(<module>)
2	1.1e-06	5.5e-07	1.1e-06	5.5e-07	ElementPath.py:352(_path)
1	1.1e-06	1.1e-06	1.1e-06	1.1e-06	probability.py:810(Licence)
1	1.1e-06	1.1e-06	1.1e-06	1.1e-06	pickle.py:256(_Unframed)
1	1.1e-06	1.1e-06	1.1e-06	1.1e-06	records.py:56(format)
1	1.1e-06	1.1e-06	1.1e-06	1.1e-06	_nbit_base.py:7(NBit)
1	1.1e-06	1.1e-06	1.1e-06	1.1e-06	_dtype_like.py:29(_D)
1	1.1e-06	1.1e-06	1.1e-06	1.1e-06	association.py:449(Cc)
1	1.1e-06	1.1e-06	1.1e-06	1.1e-06	pprint.py:84(_safe_repr)
1	1.1e-06	1.1e-06	1.1e-06	1.1e-06	featstruct.py:2102(Cutter)
1	1.1e-06	1.1e-06	1.1e-06	1.1e-06	boxer.py:1097(Boxer)
1	1.1e-06	1.1e-06	1.1e-06	1.1e-06	logic.py:1691(Lambda)
1	1.1e-06	1.1e-06	1.1e-06	1.1e-06	grammar.py:396(Prob)
1	1.1e-06	1.1e-06	1.1e-06	1.1e-06	grammar.py:1049(Feature)
1	1.1e-06	1.1e-06	1.1e-06	1.1e-06	grammar.py:1226(PC)
1	1.1e-06	1.1e-06	1.1e-06	1.1e-06	xmlreader.py:91(Increment)
1	1.1e-06	1.1e-06	1.1e-06	1.1e-06	handler.py:345(Lexical)
1	1.1e-06	1.1e-06	1.1e-06	1.1e-06	mwe.py:35(MWETok)

nCalls	Total Time	Per Call	Cumulative Time	Per Call (%)	Function
1	1.1e-06	1.1e-06	1.1e-06	1.1e-06	maxent.py:1501(Tadn
1	1.1e-06	1.1e-06	1.1e-06	1.1e-06	api.py:92(MultiClassi
1	1.1e-06	1.1e-06	1.1e-06	1.1e-06	maxent.py:429(Functi
1	1.1e-06	1.1e-06	1.1e-06	1.1e-06	earleychart.py:287(Inc
1	1.1e-06	1.1e-06	1.1e-06	1.1e-06	featurechart.py:527(Tr
1	1.1e-06	1.1e-06	1.1e-06	1.1e-06	nonprojectivedepende
1	1.1e-06	1.1e-06	1.1e-06	1.1e-06	tableau.py:603(Categ
1	1.1e-06	1.1e-06	1.1e-06	1.1e-06	tagged.py:229(Catego
1	1.1e-06	1.1e-06	1.1e-06	1.1e-06	xmldocs.py:24(XMLC
1	1.1e-06	1.1e-06	1.1e-06	1.1e-06	nkjp.py:362(NKJPCo
1	1.1e-06	1.1e-06	1.1e-06	1.1e-06	comparative_sents.py
1	1.1e-06	1.1e-06	1.1e-06	1.1e-06	snowball.py:908(Dami
1	1.1e-06	1.1e-06	1.1e-06	1.1e-06	regexp.py:14(Regexp
1	1.1e-06	1.1e-06	1.1e-06	1.1e-06	util.py:133(_Dendrog
5	1.1e-06	2.2e-07	1.1e-06	2.2e-07	combinator.py:84(__i
1	1.1e-06	1.1e-06	1.1e-06	1.1e-06	detector_factory.py:31
1	1.1e-06	1.1e-06	1.1e-06	1.1e-06	microsoft.py:11(Micro
1	1.1e-06	1.1e-06	1.1e-06	1.1e-06	argparse.py:926(Bool
1	1.1e-06	1.1e-06	1.1e-06	1.1e-06	_base.py:68(_AsCom
1	1.1e-06	1.1e-06	1.1e-06	1.1e-06	~:0(<built-in method
2	1.1e-06	5.5e-07	1.1e-06	5.5e-07	~:0(<method 'deleter'
4	1.1e-06	2.75e-07	1.1e-06	2.75e-07	~:0(<method 'clear' of
5	1.1e-06	2.2e-07	1.1e-06	2.2e-07	~:0(<method 'mro' of
1	1e-06	1e-06	1e-06	1e-06	inspect.py:188(ismeth
2	1e-06	5e-07	1e-06	5e-07	functools.py:816(is_re
1	1e-06	1e-06	1e-06	1e-06	decoder.py:20(JSONI
1	1e-06	1e-06	1e-06	1e-06	configparser.py:559(_
1	1e-06	1e-06	1e-06	1e-06	contextlib.py:342(clos
1	1e-06	1e-06	1e-06	1e-06	statistics.py:829(sigm
1	1e-06	1e-06	1e-06	1e-06	typing.py:3124(_Type
1	1e-06	1e-06	1e-06	1e-06	_py_warnings.py:52(_
1	1e-06	1e-06	1e-06	1e-06	_py_warnings.py:678(_
1	1e-06	1e-06	1e-06	1e-06	codeop.py:125(Compr
1	1e-06	1e-06	1e-06	1e-06	threading.py:546(Bou
1	1e-06	1e-06	1e-06	1e-06	exceptions.py:324(He
1	1e-06	1e-06	1e-06	1e-06	client.py:1495(Unkno
1	1e-06	1e-06	1e-06	1e-06	message.py:1206(Em
1	1e-06	1e-06	1e-06	1e-06	__init__.py:83(Initiali
4	1e-06	2.5e-07	1e-06	2.5e-07	__init__.py:1718(<lar
1	1e-06	1e-06	1e-06	1e-06	__init__.py:914(_Tell
1	1e-06	1e-06	1e-06	1e-06	abc.py:52(PathEntryF
1	1e-06	1e-06	1e-06	1e-06	request.py:1229(Abst
1	1e-06	1e-06	1e-06	1e-06	request.py:1562(Cach

ncalls	tottime	percall	cumtime	percall	
1	1e-06	1e-06	1e-06	1e-06	request.py:877(HTTP
1	1e-06	1e-06	1e-06	1e-06	tempfile.py:487(_Ter
1	1e-06	1e-06	1e-06	1e-06	calendar.py:651(_CLI
1	1e-06	1e-06	1e-06	1e-06	cookiejar.py:1981(Mc
1	1e-06	1e-06	1e-06	1e-06	request.py:573(BaseH
1	1e-06	1e-06	1e-06	1e-06	request.py:1347(HTT
1	1e-06	1e-06	1e-06	1e-06	_adapters.py:20(Trav
1	1e-06	1e-06	1e-06	1e-06	_exceptions.py:37(_U
1	1e-06	1e-06	1e-06	1e-06	_exceptions.py:52(_U
1	1e-06	1e-06	1e-06	1e-06	arrayprint.py:977(Flo
1	1e-06	1e-06	1e-06	1e-06	_init__.py:305(_Poir
1	1e-06	1e-06	1e-06	1e-06	_endian.py:23(_swapI
1	1e-06	1e-06	1e-06	1e-06	_index_tricks_impl.py
1	1e-06	1e-06	1e-06	1e-06	_index_tricks_impl.py
1	1e-06	1e-06	1e-06	1e-06	_array_like.py:31(_St
1	1e-06	1e-06	1e-06	1e-06	_arraysetops_impl.py:
1	1e-06	1e-06	1e-06	1e-06	_npyio_impl.py:50(B:
1	1e-06	1e-06	1e-06	1e-06	collections.py:246(La
1	1e-06	1e-06	1e-06	1e-06	collections.py:610(Tri
1	1e-06	1e-06	1e-06	1e-06	pydoc.py:1227(TextR
1	1e-06	1e-06	1e-06	1e-06	spearman.py:1(<modu
1	1e-06	1e-06	1e-06	1e-06	boxer.py:1162(BoxerI
1	1e-06	1e-06	1e-06	1e-06	boxer.py:1126(BoxerI
5	1e-06	2e-07	1e-06	2e-07	_main.py:642(<genex
1	1e-06	1e-06	1e-06	1e-06	_regex_core.py:30(erri
1	1e-06	1e-06	1e-06	1e-06	grammar.py:214(Feat
1	1e-06	1e-06	1e-06	1e-06	smoothing.py:55(Abs
1	1e-06	1e-06	1e-06	1e-06	data.py:1006(OpenOn
1	1e-06	1e-06	1e-06	1e-06	jsontags.py:32(JSONT
1	1e-06	1e-06	1e-06	1e-06	discourse.py:103(Cfg)
1	1e-06	1e-06	1e-06	1e-06	pchart.py:50(Probabil
1	1e-06	1e-06	1e-06	1e-06	nonprojectivedepende
1	1e-06	1e-06	1e-06	1e-06	regexp.py:398(Chunk
1	1e-06	1e-06	1e-06	1e-06	api.py:314(BaseMode
1	1e-06	1e-06	1e-06	1e-06	util.py:377(Concatena
1	1e-06	1e-06	1e-06	1e-06	cmudict.py:53(CMUI
1	1e-06	1e-06	1e-06	1e-06	rte.py:54(RTEPair)
1	1e-06	1e-06	1e-06	1e-06	toolbox.py:141(Toolb
1	1e-06	1e-06	1e-06	1e-06	propbank.py:317(Prop
1	1e-06	1e-06	1e-06	1e-06	pl196x.py:23(TEICor
1	1e-06	1e-06	1e-06	1e-06	switchboard.py:14(Sw
1	1e-06	1e-06	1e-06	1e-06	framenet.py:859(Spec
1	1e-06	1e-06	1e-06	1e-06	snowball.py:2766(Hu

ncalls	tottime	percall	cumtime	percall	
1	1e-06	1e-06	1e-06	1e-06	rslp.py:36(RSLPStem
2	1e-06	5e-07	1e-06	5e-07	api.py:111(reset_id)
1	1e-06	1e-06	1e-06	1e-06	constants.py:1(<modu
1	1e-06	1e-06	1e-06	1e-06	lang_detect_exceptior
1	1e-06	1e-06	1e-06	1e-06	translate.py:21(Transl
1	1e-06	1e-06	1e-06	1e-06	vader.py:263(SentiTe
1	1e-06	1e-06	1e-06	1e-06	cp437.py:9(Codec)
1	1e-06	1e-06	1e-06	1e-06	_base.py:53(_Waiter)
1	1e-06	1e-06	1e-06	1e-06	argparse.py:109(_Attr
2	1e-06	5e-07	1e-06	5e-07	~:0(<built-in method
2	1e-06	5e-07	1e-06	5e-07	~:0(<built-in method
1	8e-07	8e-07	1e-06	1e-06	_regex_core.py:3097(
2	9e-07	4.5e-07	9e-07	4.5e-07	_parser.py:103(checkl
1	9e-07	9e-07	9e-07	9e-07	statistics.py:841(recta
8	9e-07	1.125e-07	9e-07	1.125e-07	configparser.py:404(b
1	9e-07	9e-07	9e-07	9e-07	csv.py:118(excel)
1	9e-07	9e-07	9e-07	9e-07	exceptions.py:109(Ho
1	9e-07	9e-07	9e-07	9e-07	exceptions.py:196(Lo
1	9e-07	9e-07	9e-07	9e-07	exceptions.py:206(UF
1	9e-07	9e-07	9e-07	9e-07	client.py:946(set_debi
1	9e-07	9e-07	9e-07	9e-07	parse.py:190(_Netloc
1	9e-07	9e-07	9e-07	9e-07	parse.py:331(SplitRes
1	9e-07	9e-07	9e-07	9e-07	_init__.py:616(PureV
1	9e-07	9e-07	9e-07	9e-07	connection.py:1081(E
1	9e-07	9e-07	9e-07	9e-07	abc.py:186(SourceLoc
1	9e-07	9e-07	9e-07	9e-07	request.py:803(HTTP
1	9e-07	9e-07	9e-07	9e-07	request.py:1452(FileE
1	9e-07	9e-07	9e-07	9e-07	calendar.py:39(Illegal
1	9e-07	9e-07	9e-07	9e-07	calendar.py:610(Loca
4	9e-07	2.25e-07	9e-07	2.25e-07	request.py:1485(_is_lo
1	9e-07	9e-07	9e-07	9e-07	_regex_core.py:3465(
1	9e-07	9e-07	9e-07	9e-07	idna.py:178(Codec)
1	9e-07	9e-07	9e-07	9e-07	probability.py:2182(C
1	9e-07	9e-07	9e-07	9e-07	probability.py:2307(P
1	9e-07	9e-07	9e-07	9e-07	_index_tricks_impl.p
1	9e-07	9e-07	9e-07	9e-07	_linalg.py:88(EighRe
1	9e-07	9e-07	9e-07	9e-07	_linalg.py:92(QRResu
1	9e-07	9e-07	9e-07	9e-07	_linalg.py:96(Slogdet
1	9e-07	9e-07	9e-07	9e-07	_linalg.py:100(SVDR
1	9e-07	9e-07	9e-07	9e-07	_index_tricks_impl.p
1	9e-07	9e-07	9e-07	9e-07	_array_like.py:36(_St
2	9e-07	4.5e-07	9e-07	4.5e-07	_index_tricks_impl.p
1	9e-07	9e-07	9e-07	9e-07	_stride_tricks_impl.p

ncalls	tottime	percall	cumtime	percall	
1	9e-07	9e-07	9e-07	9e-07	_arraysetops_impl.py:
1	9e-07	9e-07	9e-07	9e-07	_arraysetops_impl.py:
1	9e-07	9e-07	9e-07	9e-07	introspect.py:1(<modu
1	9e-07	9e-07	9e-07	9e-07	_utils_impl.py:126(_I
1	9e-07	9e-07	9e-07	9e-07	_datasource.py:97(_i
1	9e-07	9e-07	9e-07	9e-07	pydoc.py:453(ErrorDi
1	9e-07	9e-07	9e-07	9e-07	collections.py:337(La
1	9e-07	9e-07	9e-07	9e-07	boxer.py:802(BoxerD
1	9e-07	9e-07	9e-07	9e-07	boxer.py:1001(Abstra
1	9e-07	9e-07	9e-07	9e-07	boxer.py:1265(BoxerI
1	9e-07	9e-07	9e-07	9e-07	boxer.py:1305(BoxerI
1	9e-07	9e-07	9e-07	9e-07	boxer.py:1347(BoxerI
1	9e-07	9e-07	9e-07	9e-07	boxer.py:1402(BoxerC
1	9e-07	9e-07	9e-07	9e-07	featstruct.py:1860(Sul
1	9e-07	9e-07	9e-07	9e-07	_regex_core.py:2059(
1	9e-07	9e-07	9e-07	9e-07	models.py:30(Lidston
1	9e-07	9e-07	9e-07	9e-07	logic.py:1543(Consta
1	9e-07	9e-07	9e-07	9e-07	_regex_core.py:2011(
1	9e-07	9e-07	9e-07	9e-07	xmlreader.py:338(Att
1	9e-07	9e-07	9e-07	9e-07	sexpr.py:57(SExprTol
1	9e-07	9e-07	9e-07	9e-07	simple.py:82(LineTok
1	9e-07	9e-07	9e-07	9e-07	util.py:100(CutoffChe
1	9e-07	9e-07	9e-07	9e-07	senna.py:120(SennaN
1	9e-07	9e-07	9e-07	9e-07	chart.py:961(Abstract
1	9e-07	9e-07	9e-07	9e-07	api.py:369(TheoremT
1	9e-07	9e-07	9e-07	9e-07	api.py:451(ModelBuil
1	9e-07	9e-07	9e-07	9e-07	pchart.py:132(SingleE
1	9e-07	9e-07	9e-07	9e-07	prover9.py:47(Prover
1	9e-07	9e-07	9e-07	9e-07	api.py:548(ParallelPrc
1	9e-07	9e-07	9e-07	9e-07	prover9.py:70(Prover
1	9e-07	9e-07	9e-07	9e-07	resolution.py:38(Reso
1	9e-07	9e-07	9e-07	9e-07	ibm5.py:635(Slots)
1	9e-07	9e-07	9e-07	9e-07	metrics.py:1(<module
1	9e-07	9e-07	9e-07	9e-07	wordlist.py:13(WordL
1	9e-07	9e-07	9e-07	9e-07	senseval.py:49(Sensev
1	9e-07	9e-07	9e-07	9e-07	ppattach.py:45(PPAtt
1	9e-07	9e-07	9e-07	9e-07	senseval.py:33(Sensev
1	9e-07	9e-07	9e-07	9e-07	conll.py:413(ConllSR
1	9e-07	9e-07	9e-07	9e-07	ppattach.py:62(PPAtt
1	9e-07	9e-07	9e-07	9e-07	toolbox.py:324(Toolb
1	9e-07	9e-07	9e-07	9e-07	propbank.py:337(Prof
1	9e-07	9e-07	9e-07	9e-07	nkjp.py:181(NKJPCo
1	9e-07	9e-07	9e-07	9e-07	mte.py:17(MTECorpu

ncalls	tottime	percall	cumtime	percall	
1	9e-07	9e-07	9e-07	9e-07	snowball.py:2118(Fre
1	9e-07	9e-07	9e-07	9e-07	snowball.py:172(_Sca
1	9e-07	9e-07	9e-07	9e-07	snowball.py:214(_Sta
1	9e-07	9e-07	9e-07	9e-07	six.py:108(MovedMo
1	9e-07	9e-07	9e-07	9e-07	combinator.py:147(Ur
1	9e-07	9e-07	9e-07	9e-07	lexicon.py:80(CCGLe
1	9e-07	9e-07	9e-07	9e-07	six.py:178(__init__)
1	9e-07	9e-07	9e-07	9e-07	unicode_escape.py:20
1	9e-07	9e-07	9e-07	9e-07	argparse.py:714(RawI
1	9e-07	9e-07	9e-07	9e-07	language.py:1(Language
1	9e-07	9e-07	9e-07	9e-07	~:0(<method 'copy' of
1	7e-07	7e-07	9e-07	9e-07	_policybase.py:50(__i
1	5e-07	5e-07	9e-07	9e-07	_adapters.py:16(__get
2	8e-07	4e-07	8e-07	4e-07	inspect.py:2731(annotation)
1	8e-07	8e-07	8e-07	8e-07	contextlib.py:775(null)
1	8e-07	8e-07	8e-07	8e-07	typing.py:2077(Protocol)
1	8e-07	8e-07	8e-07	8e-07	configparser.py:176(E
1	8e-07	8e-07	8e-07	8e-07	typing.py:576(__AnyM
1	8e-07	8e-07	8e-07	8e-07	numbers.py:37(Numb
1	8e-07	8e-07	8e-07	8e-07	typing.py:3738(<gene
1	8e-07	8e-07	8e-07	8e-07	csv.py:133(unix_diale
1	8e-07	8e-07	8e-07	8e-07	__init__.py:1354(dis
1	8e-07	8e-07	8e-07	8e-07	<string>:2(__annotate
1	8e-07	8e-07	8e-07	8e-07	__init__.py:55(__Temp
1	8e-07	8e-07	8e-07	8e-07	exceptions.py:18(HTTP)
1	8e-07	8e-07	8e-07	8e-07	_colorize.py:202(__ar
1	8e-07	8e-07	8e-07	8e-07	threading.py:1408(__D
1	8e-07	8e-07	8e-07	8e-07	exceptions.py:303(Pro
1	8e-07	8e-07	8e-07	8e-07	feedparser.py:533(Byt
1	8e-07	8e-07	8e-07	8e-07	client.py:1532(BadSta
1	8e-07	8e-07	8e-07	8e-07	parse.py:136(__Result
1	8e-07	8e-07	8e-07	8e-07	ssl.py:170(__TLSCont
1	8e-07	8e-07	8e-07	8e-07	request.py:192(Chunk
1	8e-07	8e-07	8e-07	8e-07	response.py:125(Gzip
1	8e-07	8e-07	8e-07	8e-07	__init__.py:176(FastL
1	8e-07	8e-07	8e-07	8e-07	request.py:1356(HTT
5	8e-07	1.6e-07	8e-07	1.6e-07	request.py:324(data)
2	8e-07	4e-07	8e-07	4e-07	calendar.py:120(__ini
1	8e-07	8e-07	8e-07	8e-07	error.py:19(URLError
1	8e-07	8e-07	8e-07	8e-07	cookies.py:586(Simpl
1	8e-07	8e-07	8e-07	8e-07	response.py:37(addcl
1	8e-07	8e-07	8e-07	8e-07	__common.py:81(__an
1	8e-07	8e-07	8e-07	8e-07	exceptions.py:108(Ax

nCalls	Total Time	Per Call	Cumulative Time	Per Call (%)	Function / File
1	8e-07	8e-07	8e-07	8e-07	arrayprint.py:1304(Int)
1	8e-07	8e-07	8e-07	8e-07	arrayprint.py:1392(Dict)
1	8e-07	8e-07	8e-07	8e-07	_index_tricks_impl.py
1	8e-07	8e-07	8e-07	8e-07	collections.py:561(List)
1	8e-07	8e-07	8e-07	8e-07	util.py:182(Index)
1	8e-07	8e-07	8e-07	8e-07	boxer.py:1214(Boxer)
1	8e-07	8e-07	8e-07	8e-07	logic.py:1913(Equality)
1	8e-07	8e-07	8e-07	8e-07	logic.py:759(BasicType)
1	8e-07	8e-07	8e-07	8e-07	logic.py:1721(Quantifier)
1	8e-07	8e-07	8e-07	8e-07	data.py:342(BufferedWriter)
1	8e-07	8e-07	8e-07	8e-07	_regex_core.py:4356(Regex)
1	8e-07	8e-07	8e-07	8e-07	sequential.py:395(Triplet)
1	8e-07	8e-07	8e-07	8e-07	regexp.py:156(Whitespace)
1	8e-07	8e-07	8e-07	8e-07	sequential.py:327(Union)
1	8e-07	8e-07	8e-07	8e-07	corenlp.py:431(CoreNLP)
1	8e-07	8e-07	8e-07	8e-07	earleychart.py:193(CCG)
1	8e-07	8e-07	8e-07	8e-07	chart.py:1126(TopDown)
1	8e-07	8e-07	8e-07	8e-07	earleychart.py:180(CCGRule)
1	8e-07	8e-07	8e-07	8e-07	earleychart.py:394(Intersection)
1	8e-07	8e-07	8e-07	8e-07	api.py:403(ProverConstruction)
1	8e-07	8e-07	8e-07	8e-07	nonprojectivedependency.py
1	8e-07	8e-07	8e-07	8e-07	regexp.py:806(Chunk)
1	8e-07	8e-07	8e-07	8e-07	ibm2.py:298(Model2)
1	8e-07	8e-07	8e-07	8e-07	ibm4.py:451(Model4)
1	8e-07	8e-07	8e-07	8e-07	wordlist.py:26(Swadesh)
1	8e-07	8e-07	8e-07	8e-07	senseval.py:68(Sense)
1	8e-07	8e-07	8e-07	8e-07	conll.py:491(ConllSR)
1	8e-07	8e-07	8e-07	8e-07	bracket_parse.py:165(Bracket)
1	8e-07	8e-07	8e-07	8e-07	dependency.py:72(Dependency)
1	8e-07	8e-07	8e-07	8e-07	chasen.py:68(Chasen)
1	8e-07	8e-07	8e-07	8e-07	semeor.py:247(Semcor)
1	8e-07	8e-07	8e-07	8e-07	reviews.py:130(Reviews)
1	8e-07	8e-07	8e-07	8e-07	downloader.py:348(_Download)
1	8e-07	8e-07	8e-07	8e-07	snowball.py:115(_Latin)
1	8e-07	8e-07	8e-07	8e-07	snowball.py:3178(Italian)
1	8e-07	8e-07	8e-07	8e-07	snowball.py:3553(Norwegian)
1	8e-07	8e-07	8e-07	8e-07	snowball.py:5737(Swedish)
1	8e-07	8e-07	8e-07	8e-07	downloader.py:2126(_Download)
1	8e-07	8e-07	8e-07	8e-07	six.py:91(_LazyDescriptor)
2	8e-07	4e-07	8e-07	4e-07	six.py:199(__get_moc)
1	8e-07	8e-07	8e-07	8e-07	chart.py:155(BinaryChart)
1	8e-07	8e-07	8e-07	8e-07	api.py:103(new_id)
1	8e-07	8e-07	8e-07	8e-07	argparse.py:1158(_HelpAction)

nCalls	Total Time	Per Call	Cumulative Time	Per Call (%)	File/Function
1	8e-07	8e-07	8e-07	8e-07	argparse.py:1337(File)
1	8e-07	8e-07	8e-07	8e-07	argparse.py:1752(_Ar
1	8e-07	8e-07	8e-07	8e-07	~:0(<built-in method i
1	8e-07	8e-07	8e-07	8e-07	~:0(<built-in method i
4	8e-07	2e-07	8e-07	2e-07	~:0(<built-in method l
2	7e-07	3.5e-07	7e-07	3.5e-07	statistics.py:865(_new
4	7e-07	1.75e-07	7e-07	1.75e-07	configparser.py:592(<
1	7e-07	7e-07	7e-07	7e-07	typing.py:1586(_Depi
1	7e-07	7e-07	7e-07	7e-07	configparser.py:395(l
1	7e-07	7e-07	7e-07	7e-07	configparser.py:585(_
1	7e-07	7e-07	7e-07	7e-07	contextlib.py:367(aclc
1	7e-07	7e-07	7e-07	7e-07	contextlib.py:66(Cont
1	7e-07	7e-07	7e-07	7e-07	typing.py:165(_LazyA
1	7e-07	7e-07	7e-07	7e-07	typing.py:424(_Sentir
1	7e-07	7e-07	7e-07	7e-07	warnings.py:79(_Locl
1	7e-07	7e-07	7e-07	7e-07	errors.py:37(Message
1	7e-07	7e-07	7e-07	7e-07	parser.py:122(BytesH
2	7e-07	3.5e-07	7e-07	3.5e-07	_init__.py:364(_tail)
1	7e-07	7e-07	7e-07	7e-07	request.py:328(data)
1	7e-07	7e-07	7e-07	7e-07	request.py:1376(HTT
1	7e-07	7e-07	7e-07	7e-07	ElementTree.py:107(I
1	7e-07	7e-07	7e-07	7e-07	idna.py:272(Incremen
1	7e-07	7e-07	7e-07	7e-07	_exceptions.py:31(UF
1	7e-07	7e-07	7e-07	7e-07	_exceptions.py:92(_U
1	7e-07	7e-07	7e-07	7e-07	arrayprint.py:1333(Cc
1	7e-07	7e-07	7e-07	7e-07	arrayprint.py:1366(_T
1	7e-07	7e-07	7e-07	7e-07	_internal.py:257(c_vo
1	7e-07	7e-07	7e-07	7e-07	_init__.py:255(c_cha
1	7e-07	7e-07	7e-07	7e-07	_init__.py:485(PyDI
1	7e-07	7e-07	7e-07	7e-07	_linalg.py:114(LinAlg
1	7e-07	7e-07	7e-07	7e-07	_dtype_like.py:35(_D
1	7e-07	7e-07	7e-07	7e-07	pydoc.py:1660(_Plain
1	7e-07	7e-07	7e-07	7e-07	pydoc.py:2245(Modu
1	7e-07	7e-07	7e-07	7e-07	collections.py:287(La
1	7e-07	7e-07	7e-07	7e-07	collections.py:474(La
1	7e-07	7e-07	7e-07	7e-07	featstruct.py:1332(_U
1	7e-07	7e-07	7e-07	7e-07	featstruct.py:1900(Fea
1	7e-07	7e-07	7e-07	7e-07	boxer.py:1439(Boxer
1	7e-07	7e-07	7e-07	7e-07	boxer.py:1375(BoxerC
1	7e-07	7e-07	7e-07	7e-07	drt.py:561(DrtAbstrac
1	7e-07	7e-07	7e-07	7e-07	models.py:14(MLE)
1	7e-07	7e-07	7e-07	7e-07	data.py:362(GzipFile
1	7e-07	7e-07	7e-07	7e-07	grammar.py:1173(Pro

nCalls	Total Time	Per Call	Cumulative Time	Per Call (%)	Description
1	7e-07	7e-07	7e-07	7e-07	logic.py:778(EntityTy
1	7e-07	7e-07	7e-07	7e-07	logic.py:1873(AndEx)
1	7e-07	7e-07	7e-07	7e-07	grammar.py:378(Depo
1	7e-07	7e-07	7e-07	7e-07	_regex_core.py:3185(
1	7e-07	7e-07	7e-07	7e-07	gzip.py:129(_WriteBu
1	7e-07	7e-07	7e-07	7e-07	models.py:63(StupidE
1	7e-07	7e-07	7e-07	7e-07	handler.py:208(DTDF
1	7e-07	7e-07	7e-07	7e-07	simple.py:42(SpaceTc
1	7e-07	7e-07	7e-07	7e-07	punkt.py:1737(Punkt]
1	7e-07	7e-07	7e-07	7e-07	simple.py:68(CharToI
1	7e-07	7e-07	7e-07	7e-07	sequential.py:369(Big
1	7e-07	7e-07	7e-07	7e-07	texttiling.py:377(Tokc
1	7e-07	7e-07	7e-07	7e-07	texttiling.py:394(Toke
1	7e-07	7e-07	7e-07	7e-07	chart.py:1045(SingleF
1	7e-07	7e-07	7e-07	7e-07	corenlp.py:595(CoreN
1	7e-07	7e-07	7e-07	7e-07	earleychart.py:201(Sc
1	7e-07	7e-07	7e-07	7e-07	dependencygraph.py:4
1	7e-07	7e-07	7e-07	7e-07	util.py:148(TestGram
1	7e-07	7e-07	7e-07	7e-07	regexp.py:527(Merge)
1	7e-07	7e-07	7e-07	7e-07	tableau.py:412(Tablea
1	7e-07	7e-07	7e-07	7e-07	glue.py:731(DrtGlueF
1	7e-07	7e-07	7e-07	7e-07	ibm3.py:328(Model3C
1	7e-07	7e-07	7e-07	7e-07	timit.py:480(SpeakerI
1	7e-07	7e-07	7e-07	7e-07	indian.py:72(IndianCo
1	7e-07	7e-07	7e-07	7e-07	tagged.py:313(MacM
1	7e-07	7e-07	7e-07	7e-07	chunked.py:205(Chun
1	7e-07	7e-07	7e-07	7e-07	propbank.py:356(Prop
1	7e-07	7e-07	7e-07	7e-07	ycoe.py:134(YCOEP
1	7e-07	7e-07	7e-07	7e-07	bnc.py:152(BNCSent
1	7e-07	7e-07	7e-07	7e-07	wordnet.py:2400(Wor
1	7e-07	7e-07	7e-07	7e-07	aligned.py:114(Aligne
1	7e-07	7e-07	7e-07	7e-07	nkjp.py:243(XML_Tc
1	7e-07	7e-07	7e-07	7e-07	snowball.py:2611(Ger
1	7e-07	7e-07	7e-07	7e-07	snowball.py:5340(Spa
1	7e-07	7e-07	7e-07	7e-07	snowball.py:1069(Du
1	7e-07	7e-07	7e-07	7e-07	snowball.py:3674(Por
1	7e-07	7e-07	7e-07	7e-07	snowball.py:4019(Roi
1	7e-07	7e-07	7e-07	7e-07	chart.py:216(Backwar
1	7e-07	7e-07	7e-07	7e-07	combinator.py:101(U1
1	7e-07	7e-07	7e-07	7e-07	combinator.py:215(U1
1	7e-07	7e-07	7e-07	7e-07	combinator.py:279(U1
1	7e-07	7e-07	7e-07	7e-07	six.py:129(_LazyMod
1	7e-07	7e-07	7e-07	7e-07	babelfish.py:1(<modu

ncalls	tottime	percall	cumtime	percall	
1	7e-07	7e-07	7e-07	7e-07	cp437.py:17(_Increme
1	7e-07	7e-07	7e-07	7e-07	argparse.py:218(_Sec
1	7e-07	7e-07	7e-07	7e-07	_base.py:90(_FirstCo
1	7e-07	7e-07	7e-07	7e-07	argparse.py:828(Acti
1	7e-07	7e-07	7e-07	7e-07	argparse.py:1179(_Ve
1	7e-07	7e-07	7e-07	7e-07	argparse.py:1796(_Mi
1	5e-07	5e-07	7e-07	7e-07	_colorize.py:347(set_
1	6e-07	6e-07	6e-07	6e-07	statistics.py:910(cosin
2	6e-07	3e-07	6e-07	3e-07	fractions.py:441(nume
1	6e-07	6e-07	6e-07	6e-07	contextlib.py:433(sup
1	6e-07	6e-07	6e-07	6e-07	contextlib.py:557(Exi
1	6e-07	6e-07	6e-07	6e-07	typing.py:588(Any)
1	6e-07	6e-07	6e-07	6e-07	configparser.py:198(E
1	6e-07	6e-07	6e-07	6e-07	contextlib.py:89(Asy
1	6e-07	6e-07	6e-07	6e-07	contextlib.py:105(_Ge
1	6e-07	6e-07	6e-07	6e-07	contextlib.py:129(_Ge
1	6e-07	6e-07	6e-07	6e-07	typing.py:496(_Final)
1	6e-07	6e-07	6e-07	6e-07	typing.py:569(_Typed
1	6e-07	6e-07	6e-07	6e-07	typing.py:1717(_Conc
2	6e-07	3e-07	6e-07	3e-07	typing.py:2432(_add_
1	6e-07	6e-07	6e-07	6e-07	typing.py:3343(<lam
1	6e-07	6e-07	6e-07	6e-07	exceptions.py:216(Re
1	6e-07	6e-07	6e-07	6e-07	client.py:1484(HTTP)
1	6e-07	6e-07	6e-07	6e-07	__init__.py:43(Unsup
1	6e-07	6e-07	6e-07	6e-07	__init__.py:44(BadZi
1	6e-07	6e-07	6e-07	6e-07	__init__.py:48(Largez
2	6e-07	3e-07	6e-07	3e-07	__init__.py:880(tell)
4	6e-07	1.5e-07	6e-07	1.5e-07	__init__.py:1591(<lar
1	6e-07	6e-07	6e-07	6e-07	ssl_match_hostname.i
1	6e-07	6e-07	6e-07	6e-07	cookies.py:145(Cooki
1	6e-07	6e-07	6e-07	6e-07	core.py:14(IDNAErro
1	6e-07	6e-07	6e-07	6e-07	request.py:1199(HTTP)
1	6e-07	6e-07	6e-07	6e-07	request.py:1020(HTT
1	6e-07	6e-07	6e-07	6e-07	request.py:1031(Prox
1	6e-07	6e-07	6e-07	6e-07	_itertools.py:1(<mod
1	6e-07	6e-07	6e-07	6e-07	calendar.py:631(Loca
1	6e-07	6e-07	6e-07	6e-07	calendar.py:587(differ
1	6e-07	6e-07	6e-07	6e-07	_common.py:86(<an
1	6e-07	6e-07	6e-07	6e-07	__version__.py:1(<m
1	6e-07	6e-07	6e-07	6e-07	__init__.py:1(<modul
1	6e-07	6e-07	6e-07	6e-07	exceptions.py:47(Con
1	6e-07	6e-07	6e-07	6e-07	dtypes.py:1(<module>
1	6e-07	6e-07	6e-07	6e-07	probability.py:2256(D

ncalls	tottime	percall	cumtime	percall
1	6e-07	6e-07	6e-07	_exceptions.py:67(_U
1	6e-07	6e-07	6e-07	_exceptions.py:76(_U
1	6e-07	6e-07	6e-07	pickle.py:96(_Stop)
1	6e-07	6e-07	6e-07	pickle.py:72(PickleEr
2	6e-07	3e-07	6e-07	arrayprint.py:567(_re
1	6e-07	6e-07	6e-07	arrayprint.py:1429(Su
1	6e-07	6e-07	6e-07	_index_tricks_impl.py
2	6e-07	3e-07	6e-07	_index_tricks_impl.py
1	6e-07	6e-07	6e-07	featstruct.py:1918(Fea
1	6e-07	6e-07	6e-07	featstruct.py:2068(Sla
1	6e-07	6e-07	6e-07	boxer.py:1498(NltkDr
1	6e-07	6e-07	6e-07	drt.py:662(DrtNegate
1	6e-07	6e-07	6e-07	drt.py:680(DrtLambd
1	6e-07	6e-07	6e-07	drt.py:932(DrtApplic
1	6e-07	6e-07	6e-07	drt.py:973(PossibleAr
1	6e-07	6e-07	6e-07	pydoc.py:2022(__init_
1	6e-07	6e-07	6e-07	_regex_core.py:3482(
1	6e-07	6e-07	6e-07	logic.py:872(TypeExc
1	6e-07	6e-07	6e-07	logic.py:900(IllegalTy
1	6e-07	6e-07	6e-07	logic.py:1521(Functic
1	6e-07	6e-07	6e-07	models.py:53(Laplace
1	6e-07	6e-07	6e-07	logic.py:786(TruthVal
1	6e-07	6e-07	6e-07	logic.py:924(Substitut
1	6e-07	6e-07	6e-07	logic.py:1752(ExistsE
1	6e-07	6e-07	6e-07	logic.py:1859(Boolea
1	6e-07	6e-07	6e-07	models.py:89(Interpol
1	6e-07	6e-07	6e-07	_regex_core.py:2070(
1	6e-07	6e-07	6e-07	_regex_core.py:2572(
1	6e-07	6e-07	6e-07	_regex_core.py:2780(
1	6e-07	6e-07	6e-07	_regex_core.py:4062(
1	6e-07	6e-07	6e-07	_regex_core.py:4481(
1	6e-07	6e-07	6e-07	_regex_core.py:2919(
1	6e-07	6e-07	6e-07	_regex_core.py:3030(
1	6e-07	6e-07	6e-07	_regex_core.py:4069(
1	6e-07	6e-07	6e-07	regexp.py:172(Blankl
1	6e-07	6e-07	6e-07	sequential.py:705(Cla
1	6e-07	6e-07	6e-07	chart.py:1148(Cached
1	6e-07	6e-07	6e-07	featurechart.py:247(F
1	6e-07	6e-07	6e-07	earleychart.py:382(Ea
1	6e-07	6e-07	6e-07	earleychart.py:451(Fe
1	6e-07	6e-07	6e-07	featurechart.py:486(F
1	6e-07	6e-07	6e-07	pchart.py:73(Probabil
1	6e-07	6e-07	6e-07	pchart.py:83(Probabil

ncalls	tottime	percall	cumtime	percall
1	6e-07	6e-07	6e-07	6e-07 pchart.py:328(InsideC
1	6e-07	6e-07	6e-07	6e-07 regexp.py:442(StripR
1	6e-07	6e-07	6e-07	6e-07 regexp.py:666(Expans
1	6e-07	6e-07	6e-07	6e-07 regexp.py:736(Expans
1	6e-07	6e-07	6e-07	6e-07 resolution.py:672(Det
1	6e-07	6e-07	6e-07	6e-07 plaintext.py:166(Port
1	6e-07	6e-07	6e-07	6e-07 wordlist.py:144(MWA
1	6e-07	6e-07	6e-07	6e-07 ycoe.py:145(YCOETz
1	6e-07	6e-07	6e-07	6e-07 nombank.py:349(Non
1	6e-07	6e-07	6e-07	6e-07 nombank.py:310(Non
1	6e-07	6e-07	6e-07	6e-07 semcor.py:236(Semcc
1	6e-07	6e-07	6e-07	6e-07 framenet.py:931(Prett
1	6e-07	6e-07	6e-07	6e-07 framenet.py:955(Prett
1	6e-07	6e-07	6e-07	6e-07 nkjp.py:419(NKJPCo
1	6e-07	6e-07	6e-07	6e-07 downloader.py:390(_
1	6e-07	6e-07	6e-07	6e-07 snowball.py:154(Port
1	6e-07	6e-07	6e-07	6e-07 downloader.py:331(St
1	6e-07	6e-07	6e-07	6e-07 downloader.py:366(Fi
1	6e-07	6e-07	6e-07	6e-07 chart.py:309(CCGCh
1	6e-07	6e-07	6e-07	6e-07 chart.py:193(Forward
1	6e-07	6e-07	6e-07	6e-07 combinator.py:79(Bac
1	6e-07	6e-07	6e-07	6e-07 six.py:144(MovedAtt
1	6e-07	6e-07	6e-07	6e-07 unicode_escape.py:24
1	6e-07	6e-07	6e-07	6e-07 argparse.py:757(Meta
1	6e-07	6e-07	6e-07	6e-07 argparse.py:799(Argu
1	6e-07	6e-07	6e-07	6e-07 _base.py:135(_Acquir
1	6e-07	6e-07	6e-07	6e-07 argparse.py:1026(_St
1	6e-07	6e-07	6e-07	6e-07 argparse.py:1398(Nan
2	6e-07	3e-07	6e-07	3e-07 ~::0(<method 'isdisjoin
1	5e-07	5e-07	6e-07	6e-07 copyreg.py:22(constr
1	5e-07	5e-07	5e-07	5e-07 <frozen codecs>:189(
2	5e-07	2.5e-07	5e-07	2.5e-07 encoder.py:278(_itere
1	5e-07	5e-07	5e-07	5e-07 statistics.py:820(logis
1	5e-07	5e-07	5e-07	5e-07 statistics.py:849(triang
1	5e-07	5e-07	5e-07	5e-07 statistics.py:857(paral
5	5e-07	1e-07	5e-07	1e-07 contextlib.py:447(_e
2	5e-07	2.5e-07	5e-07	2.5e-07 fractions.py:445(deno
1	5e-07	5e-07	5e-07	5e-07 contextlib.py:393(_Re
1	5e-07	5e-07	5e-07	5e-07 contextlib.py:802(chd
1	5e-07	5e-07	5e-07	5e-07 configparser.py:189(N
1	5e-07	5e-07	5e-07	5e-07 configparser.py:224(E
1	5e-07	5e-07	5e-07	5e-07 configparser.py:337(M
1	5e-07	5e-07	5e-07	5e-07 configparser.py:351(M

ncalls	tottime	percall	cumtime	percall	
1	5e-07	5e-07	5e-07	5e-07	configparser.py:372(_
1	5e-07	5e-07	5e-07	5e-07	configparser.py:377(I
1	5e-07	5e-07	5e-07	5e-07	contextlib.py:202(_As
1	5e-07	5e-07	5e-07	5e-07	typing.py:506(_NotIt
1	5e-07	5e-07	5e-07	5e-07	typing.py:1706(_Liter
1	5e-07	5e-07	5e-07	5e-07	typing.py:3647(<gene
1	5e-07	5e-07	5e-07	5e-07	typing.py:1601(_Call
1	5e-07	5e-07	5e-07	5e-07	typing.py:1687(_Unic
1	5e-07	5e-07	5e-07	5e-07	csv.py:128(excel_tab)
1	5e-07	5e-07	5e-07	5e-07	threading.py:847(Brol
1	5e-07	5e-07	5e-07	5e-07	exceptions.py:69(Dec
1	5e-07	5e-07	5e-07	5e-07	exceptions.py:120(Tir
1	5e-07	5e-07	5e-07	5e-07	exceptions.py:299(Inv
1	5e-07	5e-07	5e-07	5e-07	exceptions.py:320(Pro
1	5e-07	5e-07	5e-07	5e-07	exceptions.py:334(Un
1	5e-07	5e-07	5e-07	5e-07	errors.py:85(HeaderD
1	5e-07	5e-07	5e-07	5e-07	errors.py:8(MessageE
1	5e-07	5e-07	5e-07	5e-07	client.py:1500(Unkno
1	5e-07	5e-07	5e-07	5e-07	parse.py:336(ParseRe
1	5e-07	5e-07	5e-07	5e-07	parse.py:355(ParseRe
1	5e-07	5e-07	5e-07	5e-07	ipaddress.py:20(Addr
1	5e-07	5e-07	5e-07	5e-07	queue.py:36(ShutDow
2	5e-07	2.5e-07	5e-07	2.5e-07	__init__.py:355(root)
1	5e-07	5e-07	5e-07	5e-07	cookiejar.py:1245(Ab
1	5e-07	5e-07	5e-07	5e-07	request.py:592(HTTP
1	5e-07	5e-07	5e-07	5e-07	response.py:57(addin
1	5e-07	5e-07	5e-07	5e-07	request.py:609(HTTP
1	5e-07	5e-07	5e-07	5e-07	request.py:1217(Proxy
1	5e-07	5e-07	5e-07	5e-07	calendar.py:755(CL
1	5e-07	5e-07	5e-07	5e-07	idna.py:316(Incremen
1	5e-07	5e-07	5e-07	5e-07	probability.py:2403(Ir
1	5e-07	5e-07	5e-07	5e-07	probability.py:910(La
1	5e-07	5e-07	5e-07	5e-07	probability.py:946(EL
1	5e-07	5e-07	5e-07	5e-07	arrayprint.py:1323(Bc
1	5e-07	5e-07	5e-07	5e-07	numerictypes.py:368(
1	5e-07	5e-07	5e-07	5e-07	pickle.py:76(Pickling)
1	5e-07	5e-07	5e-07	5e-07	_ufunc_config.py:379
1	5e-07	5e-07	5e-07	5e-07	__init__.py:168(c_shc
1	5e-07	5e-07	5e-07	5e-07	__init__.py:261(c_voi
1	5e-07	5e-07	5e-07	5e-07	__init__.py:503(HRE
1	5e-07	5e-07	5e-07	5e-07	__init__.py:516(OleD
1	5e-07	5e-07	5e-07	5e-07	__endian.py:48(BigEnc
1	5e-07	5e-07	5e-07	5e-07	_nbit_base.py:65(_12:

nCalls	Total Time	Per Call	Cumulative Time	Per Call (%)	Function
1	5e-07	5e-07	5e-07	5e-07	_iofiles.py:423(Conv
4	5e-07	1.25e-07	5e-07	1.25e-07	_init__.py:109(_get_
1	5e-07	5e-07	5e-07	5e-07	collections.py:524(La
1	5e-07	5e-07	5e-07	5e-07	featstruct.py:1886(Fet
1	5e-07	5e-07	5e-07	5e-07	drt.py:761(DrtOrExpr
1	5e-07	5e-07	5e-07	5e-07	drt.py:771(DrtEqualit
1	5e-07	5e-07	5e-07	5e-07	logic.py:877(Inconsis
1	5e-07	5e-07	5e-07	5e-07	logic.py:892(TypeRes
1	5e-07	5e-07	5e-07	5e-07	logic.py:1536(EventV
1	5e-07	5e-07	5e-07	5e-07	logic.py:794(EventTy
1	5e-07	5e-07	5e-07	5e-07	logic.py:1757(AllExp
1	5e-07	5e-07	5e-07	5e-07	logic.py:1886(OrExpr
1	5e-07	5e-07	5e-07	5e-07	logic.py:1899(ImpEx)
1	5e-07	5e-07	5e-07	5e-07	models.py:122(Absolu
1	5e-07	5e-07	5e-07	5e-07	models.py:131(Knese
1	5e-07	5e-07	5e-07	5e-07	_regex_core.py:3303(
1	5e-07	5e-07	5e-07	5e-07	_regex_core.py:3366(
1	5e-07	5e-07	5e-07	5e-07	handler.py:223(Entity
1	5e-07	5e-07	5e-07	5e-07	_regex_core.py:2744(
1	5e-07	5e-07	5e-07	5e-07	_regex_core.py:3987(
1	5e-07	5e-07	5e-07	5e-07	simple.py:56(TabTok
1	5e-07	5e-07	5e-07	5e-07	chart.py:1262(Filterec
1	5e-07	5e-07	5e-07	5e-07	chart.py:1478(TopDo
1	5e-07	5e-07	5e-07	5e-07	chart.py:1488(Bottom
1	5e-07	5e-07	5e-07	5e-07	earleychart.py:238(Fe
1	5e-07	5e-07	5e-07	5e-07	earleychart.py:401(Inc
1	5e-07	5e-07	5e-07	5e-07	earleychart.py:408(Inc
1	5e-07	5e-07	5e-07	5e-07	earleychart.py:477(Fe
1	5e-07	5e-07	5e-07	5e-07	earleychart.py:491(Fe
1	5e-07	5e-07	5e-07	5e-07	featurechart.py:339(F
1	5e-07	5e-07	5e-07	5e-07	featurechart.py:505(F
1	5e-07	5e-07	5e-07	5e-07	featurechart.py:515(F
1	5e-07	5e-07	5e-07	5e-07	pchart.py:403(Unsort
1	5e-07	5e-07	5e-07	5e-07	pchart.py:413(Longes
1	5e-07	5e-07	5e-07	5e-07	regexp.py:487(UnChu
1	5e-07	5e-07	5e-07	5e-07	regexp.py:597(SplitRi
1	5e-07	5e-07	5e-07	5e-07	glue.py:765(DrtGlueI
1	5e-07	5e-07	5e-07	5e-07	glue.py:770(DrtGlue)
1	5e-07	5e-07	5e-07	5e-07	linearlogic.py:158(Co
1	5e-07	5e-07	5e-07	5e-07	linearlogic.py:458(Un
1	5e-07	5e-07	5e-07	5e-07	resolution.py:659(Bin
1	5e-07	5e-07	5e-07	5e-07	tableau.py:37(ProverF
1	5e-07	5e-07	5e-07	5e-07	conll.py:561(ConllCh

ncalls	tottime	percall	cumtime	percall	
1	5e-07	5e-07	5e-07	5e-07	tagged.py:340(TinitT
1	5e-07	5e-07	5e-07	5e-07	wordnet.py:130(Word
1	5e-07	5e-07	5e-07	5e-07	framenet.py:987(Prett
1	5e-07	5e-07	5e-07	5e-07	framenet.py:1013(Pre
1	5e-07	5e-07	5e-07	5e-07	phrase_based.py:1(<n
1	5e-07	5e-07	5e-07	5e-07	downloader.py:355(_
1	5e-07	5e-07	5e-07	5e-07	downloader.py:338(Fi
1	5e-07	5e-07	5e-07	5e-07	downloader.py:359(St
1	5e-07	5e-07	5e-07	5e-07	downloader.py:373(St
1	5e-07	5e-07	5e-07	5e-07	downloader.py:380(Fi
1	5e-07	5e-07	5e-07	5e-07	six.py:402(Module_si
1	5e-07	5e-07	5e-07	5e-07	exceptions.py:1(Invalid
1	5e-07	5e-07	5e-07	5e-07	_base.py:39(Error)
1	5e-07	5e-07	5e-07	5e-07	unicode_escape.py:31
1	5e-07	5e-07	5e-07	5e-07	cp437.py:21(Increme
1	5e-07	5e-07	5e-07	5e-07	argparse.py:725(Raw
1	5e-07	5e-07	5e-07	5e-07	argparse.py:1326(_Ex
1	5e-07	5e-07	5e-07	5e-07	argparse.py:964(_Sto
1	5e-07	5e-07	5e-07	5e-07	argparse.py:1001(_Sto
1	5e-07	5e-07	5e-07	5e-07	argparse.py:1045(_Sto
1	5e-07	5e-07	5e-07	5e-07	argparse.py:1064(_Ap
1	5e-07	5e-07	5e-07	5e-07	argparse.py:1133(_Co
1	5e-07	5e-07	5e-07	5e-07	argparse.py:1210(_Ch
1	4e-07	4e-07	5e-07	5e-07	enum.py:413(<genexp
1	4e-07	4e-07	4e-07	4e-07	statistics.py:152(Statis
1	4e-07	4e-07	4e-07	4e-07	<string>:1(<module>
1	4e-07	4e-07	4e-07	4e-07	contextlib.py:411(redi
1	4e-07	4e-07	4e-07	4e-07	configparser.py:251(N
1	4e-07	4e-07	4e-07	4e-07	configparser.py:262(I
1	4e-07	4e-07	4e-07	4e-07	configparser.py:292(I
1	4e-07	4e-07	4e-07	4e-07	configparser.py:365(L
1	4e-07	4e-07	4e-07	4e-07	_py_warnings.py:68(_
1	4e-07	4e-07	4e-07	4e-07	exceptions.py:22(HTT
1	4e-07	4e-07	4e-07	4e-07	exceptions.py:54(SSL
1	4e-07	4e-07	4e-07	4e-07	exceptions.py:73(Prot
1	4e-07	4e-07	4e-07	4e-07	exceptions.py:124(Tir
1	4e-07	4e-07	4e-07	4e-07	exceptions.py:180(Err
1	4e-07	4e-07	4e-07	4e-07	exceptions.py:188(Cl
1	4e-07	4e-07	4e-07	4e-07	exceptions.py:231(No
1	4e-07	4e-07	4e-07	4e-07	exceptions.py:239(Ins
1	4e-07	4e-07	4e-07	4e-07	exceptions.py:243(De
1	4e-07	4e-07	4e-07	4e-07	exceptions.py:254(Bo
1	4e-07	4e-07	4e-07	4e-07	socket.py:215(_Giveu

nCalls	Total Time	Per Call	Cumulative Time	Per Call (%)	Function
1	4e-07	4e-07	4e-07	4e-07	__init__.py:1(<module ''
1	4e-07	4e-07	4e-07	4e-07	errors.py:16(HeaderPa
1	4e-07	4e-07	4e-07	4e-07	errors.py:28(CharsetE
1	4e-07	4e-07	4e-07	4e-07	client.py:1489(NotCo
1	4e-07	4e-07	4e-07	4e-07	client.py:1520(Improp
1	4e-07	4e-07	4e-07	4e-07	client.py:1523(Canno
1	4e-07	4e-07	4e-07	4e-07	client.py:1526(Canno
1	4e-07	4e-07	4e-07	4e-07	client.py:1529(Respo
1	4e-07	4e-07	4e-07	4e-07	parse.py:144(_Result)
1	4e-07	4e-07	4e-07	4e-07	parse.py:342(DefragR
1	4e-07	4e-07	4e-07	4e-07	parse.py:350(SplitRes
1	4e-07	4e-07	4e-07	4e-07	ipaddress.py:24(Netm
1	4e-07	4e-07	4e-07	4e-07	ipaddress.py:1126(_B
1	4e-07	4e-07	4e-07	4e-07	queue.py:31(Full)
1	4e-07	4e-07	4e-07	4e-07	shutil.py:75(Error)
1	4e-07	4e-07	4e-07	4e-07	shutil.py:78(SameFile)
1	4e-07	4e-07	4e-07	4e-07	shutil.py:81(SpecialFi
1	4e-07	4e-07	4e-07	4e-07	shutil.py:93(_GiveupC
1	4e-07	4e-07	4e-07	4e-07	abc.py:177(FileLoade
1	4e-07	4e-07	4e-07	4e-07	exceptions.py:27(Inv
1	4e-07	4e-07	4e-07	4e-07	exceptions.py:142(Re
2	4e-07	2e-07	4e-07	2e-07	calendar.py:101(__in
1	4e-07	4e-07	4e-07	4e-07	core.py:20(IDNABidi
1	4e-07	4e-07	4e-07	4e-07	request.py:867(HTTP
1	4e-07	4e-07	4e-07	4e-07	request.py:1394(Unkr
1	4e-07	4e-07	4e-07	4e-07	request.py:1615(Data
1	4e-07	4e-07	4e-07	4e-07	error.py:70(ContentTc
1	4e-07	4e-07	4e-07	4e-07	abc.py:58(TraversalEi
1	4e-07	4e-07	4e-07	4e-07	cookies.py:170(Cooki
1	4e-07	4e-07	4e-07	4e-07	_adapters.py:25(__in
1	4e-07	4e-07	4e-07	4e-07	_adapters.py:141(__ir
1	4e-07	4e-07	4e-07	4e-07	subprocess.py:129(Su
1	4e-07	4e-07	4e-07	4e-07	exceptions.py:58(Moc
1	4e-07	4e-07	4e-07	4e-07	exceptions.py:75(Visi
1	4e-07	4e-07	4e-07	4e-07	exceptions.py:199(DT
2	4e-07	2e-07	4e-07	2e-07	multiarray.py:1085(cc
1	4e-07	4e-07	4e-07	4e-07	__init__.py:211(c_dot
1	4e-07	4e-07	4e-07	4e-07	__init__.py:341(c_wc
1	4e-07	4e-07	4e-07	4e-07	__init__.py:494(WinI
1	4e-07	4e-07	4e-07	4e-07	_endian.py:55(BigEnc
1	4e-07	4e-07	4e-07	4e-07	_endian.py:34(_swapl
1	4e-07	4e-07	4e-07	4e-07	_endian.py:35(_swapr
1	4e-07	4e-07	4e-07	4e-07	_nbit_base.py:71(_96

nCalls	Total Time	Per Call	Cumulative Time	Per Call (%)	Function
1	4e-07	4e-07	4e-07	4e-07	featstruct.py:1948(Fee
1	4e-07	4e-07	4e-07	4e-07	boxer.py:1493(Passth
1	4e-07	4e-07	4e-07	4e-07	featstruct.py:1470(_U
1	4e-07	4e-07	4e-07	4e-07	drt.py:998(AnaphoraF
1	4e-07	4e-07	4e-07	4e-07	evaluate.py:44(Error)
1	4e-07	4e-07	4e-07	4e-07	logic.py:1906(IffExpr
1	4e-07	4e-07	4e-07	4e-07	logic.py:1935(Logical
1	4e-07	4e-07	4e-07	4e-07	logic.py:1941(Unexp
1	4e-07	4e-07	4e-07	4e-07	logic.py:1957(Expect
1	4e-07	4e-07	4e-07	4e-07	gzip.py:125(BadGzip
1	4e-07	4e-07	4e-07	4e-07	_regex_core.py:61(_L
1	4e-07	4e-07	4e-07	4e-07	_regex_core.py:65(Pa
1	4e-07	4e-07	4e-07	4e-07	_regex_core.py:297(N
1	4e-07	4e-07	4e-07	4e-07	models.py:115(Witten
1	4e-07	4e-07	4e-07	4e-07	_regex_core.py:2934(
1	4e-07	4e-07	4e-07	4e-07	_regex_core.py:2130(
1	4e-07	4e-07	4e-07	4e-07	_regex_core.py:2748(
1	4e-07	4e-07	4e-07	4e-07	_regex_core.py:2756(
1	4e-07	4e-07	4e-07	4e-07	_regex_core.py:2760(
1	4e-07	4e-07	4e-07	4e-07	_regex_core.py:2768(
1	4e-07	4e-07	4e-07	4e-07	_regex_core.py:2772(
1	4e-07	4e-07	4e-07	4e-07	_regex_core.py:2776(
1	4e-07	4e-07	4e-07	4e-07	_regex_core.py:3142(
1	4e-07	4e-07	4e-07	4e-07	_regex_core.py:3146(
1	4e-07	4e-07	4e-07	4e-07	_regex_core.py:3991(
1	4e-07	4e-07	4e-07	4e-07	regexp.py:183(WordP
1	4e-07	4e-07	4e-07	4e-07	api.py:290(Featureset
1	4e-07	4e-07	4e-07	4e-07	erroranalysis.py:1(<m
1	4e-07	4e-07	4e-07	4e-07	corenlp.py:26(CoreNI
1	4e-07	4e-07	4e-07	4e-07	chart.py:1012(Fundan
1	4e-07	4e-07	4e-07	4e-07	chart.py:1094(LeafIni
1	4e-07	4e-07	4e-07	4e-07	chart.py:1109(TopDov
1	4e-07	4e-07	4e-07	4e-07	chart.py:1199(Bottom
1	4e-07	4e-07	4e-07	4e-07	chart.py:1218(Bottom
1	4e-07	4e-07	4e-07	4e-07	chart.py:1241(EmptyI
1	4e-07	4e-07	4e-07	4e-07	chart.py:1286(Filterer
1	4e-07	4e-07	4e-07	4e-07	chart.py:1515(LeftCo
1	4e-07	4e-07	4e-07	4e-07	earleychart.py:213(Fil
1	4e-07	4e-07	4e-07	4e-07	earleychart.py:226(Fe
1	4e-07	4e-07	4e-07	4e-07	earleychart.py:242(Fe
1	4e-07	4e-07	4e-07	4e-07	earleychart.py:470(Fe
1	4e-07	4e-07	4e-07	4e-07	earleychart.py:484(Fe
1	4e-07	4e-07	4e-07	4e-07	featurechart.py:347(F

ncalls	tottime	percall	cumtime	percall	
1	4e-07	4e-07	4e-07	4e-07	featurechart.py:408(F
1	4e-07	4e-07	4e-07	4e-07	earleychart.py:246(Fe
1	4e-07	4e-07	4e-07	4e-07	pchart.py:98(Probabil
1	4e-07	4e-07	4e-07	4e-07	pchart.py:391(Randor
1	4e-07	4e-07	4e-07	4e-07	linearlogic.py:180(Va
1	4e-07	4e-07	4e-07	4e-07	resolution.py:667(Uni
1	4e-07	4e-07	4e-07	4e-07	resolution.py:34(Prov
1	4e-07	4e-07	4e-07	4e-07	framenet.py:755(Fran
1	4e-07	4e-07	4e-07	4e-07	downloader.py:326(D
1	4e-07	4e-07	4e-07	4e-07	downloader.py:345(St
1	4e-07	4e-07	4e-07	4e-07	downloader.py:352(Fi
1	4e-07	4e-07	4e-07	4e-07	downloader.py:387(U
1	4e-07	4e-07	4e-07	4e-07	downloader.py:394(St
1	4e-07	4e-07	4e-07	4e-07	downloader.py:401(Ei
1	4e-07	4e-07	4e-07	4e-07	downloader.py:419(Se
1	4e-07	4e-07	4e-07	4e-07	chart.py:200(__init__
1	4e-07	4e-07	4e-07	4e-07	six.py:245(_MovedItc
1	4e-07	4e-07	4e-07	4e-07	six.py:382(Module_si
1	4e-07	4e-07	4e-07	4e-07	exceptions.py:4(Trans
1	4e-07	4e-07	4e-07	4e-07	_base.py:43(Cancelle
1	4e-07	4e-07	4e-07	4e-07	_base.py:49(InvalidSt
1	4e-07	4e-07	4e-07	4e-07	_base.py:671(BrokenL
1	4e-07	4e-07	4e-07	4e-07	thread.py:144(Broken
1	4e-07	4e-07	4e-07	4e-07	argparse.py:736(Argu
3	4e-07	1.333e-07	4e-07	1.333e-07	_base.py:663(__enter__
1	4e-07	4e-07	4e-07	4e-07	argparse.py:1104(__Ap
1	4e-07	4e-07	4e-07	4e-07	argparse.py:1405(__ir
1	4e-07	4e-07	4e-07	4e-07	~:0(<built-in method i
1	4e-07	4e-07	4e-07	4e-07	~:0(<built-in method _
1	4e-07	4e-07	4e-07	4e-07	~:0(<method 'toordina
1	4e-07	4e-07	4e-07	4e-07	~:0(<built-in method l
1	4e-07	4e-07	4e-07	4e-07	~:0(<built-in method _
1	3e-07	3e-07	3e-07	3e-07	subprocess.py:701(_u
1	3e-07	3e-07	3e-07	3e-07	_py_warnings.py:350(
1	3e-07	3e-07	3e-07	3e-07	configparser.py:284(I
1	3e-07	3e-07	3e-07	3e-07	contextlib.py:427(redi
1	3e-07	3e-07	3e-07	3e-07	configparser.py:272(I
1	3e-07	3e-07	3e-07	3e-07	_py_warnings.py:344(
1	3e-07	3e-07	3e-07	3e-07	__init__.py:1030(setF
2	3e-07	1.5e-07	3e-07	1.5e-07	__init__.py:257(_regi
1	3e-07	3e-07	3e-07	3e-07	exceptions.py:132(Re
1	3e-07	3e-07	3e-07	3e-07	exceptions.py:138(Co
1	3e-07	3e-07	3e-07	3e-07	exceptions.py:192(Lo

ncalls	tottime	percall	cumtime	percall	
1	3e-07	3e-07	3e-07	3e-07	exceptions.py:250(Re
1	3e-07	3e-07	3e-07	3e-07	errors.py:12(Message
1	3e-07	3e-07	3e-07	3e-07	errors.py:20(Boundar
1	3e-07	3e-07	3e-07	3e-07	errors.py:24(Multipar
1	3e-07	3e-07	3e-07	3e-07	errors.py:57(Misplace
1	3e-07	3e-07	3e-07	3e-07	errors.py:60(MissingF
1	3e-07	3e-07	3e-07	3e-07	errors.py:91(InvalidH
1	3e-07	3e-07	3e-07	3e-07	errors.py:94(HeaderM
1	3e-07	3e-07	3e-07	3e-07	client.py:763(info)
1	3e-07	3e-07	3e-07	3e-07	client.py:1492(Invalid
1	3e-07	3e-07	3e-07	3e-07	client.py:1503(Unimp
1	3e-07	3e-07	3e-07	3e-07	shutil.py:86(ReadErrc
1	3e-07	3e-07	3e-07	3e-07	exceptions.py:55(HTTP
1	3e-07	3e-07	3e-07	3e-07	exceptions.py:59(Con
1	3e-07	3e-07	3e-07	3e-07	exceptions.py:67(SSL
1	3e-07	3e-07	3e-07	3e-07	exceptions.py:71(Tim
1	3e-07	3e-07	3e-07	3e-07	exceptions.py:80(Con
1	3e-07	3e-07	3e-07	3e-07	exceptions.py:87(Rea
1	3e-07	3e-07	3e-07	3e-07	exceptions.py:91(URI
1	3e-07	3e-07	3e-07	3e-07	exceptions.py:95(Too
1	3e-07	3e-07	3e-07	3e-07	exceptions.py:99(Mis
1	3e-07	3e-07	3e-07	3e-07	exceptions.py:103(Inv
1	3e-07	3e-07	3e-07	3e-07	cookiejar.py:1775(Lo
1	3e-07	3e-07	3e-07	3e-07	calendar.py:206(setfir
1	3e-07	3e-07	3e-07	3e-07	package_data.py:1(<n
1	3e-07	3e-07	3e-07	3e-07	readers.py:34(files)
1	3e-07	3e-07	3e-07	3e-07	idna.py:370(StreamW
1	3e-07	3e-07	3e-07	3e-07	ElementTree.py:537(elt
1	3e-07	3e-07	3e-07	3e-07	exceptions.py:96(Too
1	3e-07	3e-07	3e-07	3e-07	pickle.py:83(Unpickli
1	3e-07	3e-07	3e-07	3e-07	__init__.py:172(c_usl
1	3e-07	3e-07	3e-07	3e-07	__init__.py:176(c_lon
1	3e-07	3e-07	3e-07	3e-07	__init__.py:180(c_ulc
1	3e-07	3e-07	3e-07	3e-07	__init__.py:197(c_flo
1	3e-07	3e-07	3e-07	3e-07	__init__.py:201(c_doi
1	3e-07	3e-07	3e-07	3e-07	__init__.py:205(c_lon
1	3e-07	3e-07	3e-07	3e-07	__init__.py:227(c_lon
1	3e-07	3e-07	3e-07	3e-07	__init__.py:231(c_ulc
1	3e-07	3e-07	3e-07	3e-07	__init__.py:238(c_ub
1	3e-07	3e-07	3e-07	3e-07	__init__.py:245(c_byt
1	3e-07	3e-07	3e-07	3e-07	__init__.py:250(c_ch
1	3e-07	3e-07	3e-07	3e-07	__init__.py:266(c_bo
1	3e-07	3e-07	3e-07	3e-07	_nbit_base.py:86(_16

nCalls	Total Time	Per Call	Cumulative Time	Per Call (%)	File/Function
1	3e-07	3e-07	3e-07	3e-07	_nbit_base.py:91(_8B
1	3e-07	3e-07	3e-07	3e-07	_iofiles.py:439(Conv
1	3e-07	3e-07	3e-07	3e-07	drt.py:578(DrtIndivid
1	3e-07	3e-07	3e-07	3e-07	drt.py:757(DrtBoolean
1	3e-07	3e-07	3e-07	3e-07	evaluate.py:48(Unde
1	3e-07	3e-07	3e-07	3e-07	logic.py:1762(IotaExp
1	3e-07	3e-07	3e-07	3e-07	_regex_core.py:3495(
1	3e-07	3e-07	3e-07	3e-07	_regex_core.py:2752(
1	3e-07	3e-07	3e-07	3e-07	_regex_core.py:2764(
1	3e-07	3e-07	3e-07	3e-07	_regex_core.py:3498(
1	3e-07	3e-07	3e-07	3e-07	_regex_core.py:3995(
1	3e-07	3e-07	3e-07	3e-07	_regex_core.py:3999(
1	3e-07	3e-07	3e-07	3e-07	_regex_core.py:4003(
1	3e-07	3e-07	3e-07	3e-07	_exceptions.py:101(S
1	3e-07	3e-07	3e-07	3e-07	_exceptions.py:121(S
1	3e-07	3e-07	3e-07	3e-07	immutable.py:111(Im
1	3e-07	3e-07	3e-07	3e-07	immutable.py:115(Im
1	3e-07	3e-07	3e-07	3e-07	chart.py:1504(Bottom
1	3e-07	3e-07	3e-07	3e-07	earleychart.py:387(Ind
1	3e-07	3e-07	3e-07	3e-07	earleychart.py:209(Pr
1	3e-07	3e-07	3e-07	3e-07	featurechart.py:453(F
1	3e-07	3e-07	3e-07	3e-07	featurechart.py:510(F
1	3e-07	3e-07	3e-07	3e-07	prover9.py:397(Prove
1	3e-07	3e-07	3e-07	3e-07	prover9.py:401(Prove
1	3e-07	3e-07	3e-07	3e-07	downloader.py:412(P1
1	3e-07	3e-07	3e-07	3e-07	six.py:340(Module_si
1	3e-07	3e-07	3e-07	3e-07	six.py:480(Module_si
1	3e-07	3e-07	3e-07	3e-07	unicode_escape.py:28
1	3e-07	3e-07	3e-07	3e-07	argparse.py:819(Argu
1	3e-07	3e-07	3e-07	3e-07	~:0(<built-in method i
1	3e-07	3e-07	3e-07	3e-07	~:0(<built-in method i
1	3e-07	3e-07	3e-07	3e-07	~:0(<built-in method _
1	3e-07	3e-07	3e-07	3e-07	~:0(<method 'close' of
1	3e-07	3e-07	3e-07	3e-07	~:0(<method 'seekable'
1	3e-07	3e-07	3e-07	3e-07	~:0(<built-in method _
1	2e-07	2e-07	2e-07	2e-07	enum.py:1234(_gener
1	2e-07	2e-07	2e-07	2e-07	enum.py:167(__init__
1	2e-07	2e-07	2e-07	2e-07	typing.py:1806(_Typi
1	2e-07	2e-07	2e-07	2e-07	_py_warnings.py:24(_
1	2e-07	2e-07	2e-07	2e-07	exceptions.py:184(Fu
1	2e-07	2e-07	2e-07	2e-07	exceptions.py:223(Se
1	2e-07	2e-07	2e-07	2e-07	exceptions.py:227(Ins
1	2e-07	2e-07	2e-07	2e-07	exceptions.py:235(Sy

ncalls	tottime	percall	cumtime	percall	
1	2e-07	2e-07	2e-07	2e-07	errors.py:32(HeaderW
1	2e-07	2e-07	2e-07	2e-07	errors.py:45(NoBoun
1	2e-07	2e-07	2e-07	2e-07	errors.py:48(StartBou
1	2e-07	2e-07	2e-07	2e-07	errors.py:51(CloseBo
1	2e-07	2e-07	2e-07	2e-07	errors.py:54(FirstHea
1	2e-07	2e-07	2e-07	2e-07	errors.py:65(Multipar
1	2e-07	2e-07	2e-07	2e-07	errors.py:68(InvalidM
1	2e-07	2e-07	2e-07	2e-07	errors.py:74(InvalidB:
1	2e-07	2e-07	2e-07	2e-07	errors.py:77(InvalidB:
1	2e-07	2e-07	2e-07	2e-07	errors.py:108(Obsolet
1	2e-07	2e-07	2e-07	2e-07	errors.py:111(NonASo
1	2e-07	2e-07	2e-07	2e-07	errors.py:116(InvalidI
1	2e-07	2e-07	2e-07	2e-07	__init__.py:1(<modul
1	2e-07	2e-07	2e-07	2e-07	__init__.py:1(<modul
1	2e-07	2e-07	2e-07	2e-07	shutil.py:89(RegistryF
1	2e-07	2e-07	2e-07	2e-07	exceptions.py:63(Pro
1	2e-07	2e-07	2e-07	2e-07	exceptions.py:107(Inv
1	2e-07	2e-07	2e-07	2e-07	exceptions.py:111(Inv
1	2e-07	2e-07	2e-07	2e-07	exceptions.py:115(Inv
1	2e-07	2e-07	2e-07	2e-07	exceptions.py:119(Ch
1	2e-07	2e-07	2e-07	2e-07	exceptions.py:123(Co
1	2e-07	2e-07	2e-07	2e-07	exceptions.py:127(Str
1	2e-07	2e-07	2e-07	2e-07	exceptions.py:131(Re
1	2e-07	2e-07	2e-07	2e-07	exceptions.py:135(Un
1	2e-07	2e-07	2e-07	2e-07	exceptions.py:146(Fil
1	2e-07	2e-07	2e-07	2e-07	exceptions.py:150(Re
1	2e-07	2e-07	2e-07	2e-07	core.py:26(InvalidCo
1	2e-07	2e-07	2e-07	2e-07	core.py:32(InvalidCo
1	2e-07	2e-07	2e-07	2e-07	__init__.py:1(<modul
1	2e-07	2e-07	2e-07	2e-07	__init__.py:1(<modul
1	2e-07	2e-07	2e-07	2e-07	idna.py:373(StreamRe
1	2e-07	2e-07	2e-07	2e-07	exceptions.py:86(Ran
1	2e-07	2e-07	2e-07	2e-07	_nbit_base.py:81(_32
1	2e-07	2e-07	2e-07	2e-07	_iotoools.py:431(Conv
1	2e-07	2e-07	2e-07	2e-07	__init__.py:1(<modul
1	2e-07	2e-07	2e-07	2e-07	boxer.py:1560(Unpars
1	2e-07	2e-07	2e-07	2e-07	drt.py:584(DrtFunctio
1	2e-07	2e-07	2e-07	2e-07	drt.py:590(DrtEventV
1	2e-07	2e-07	2e-07	2e-07	drt.py:596(DrtConsta
1	2e-07	2e-07	2e-07	2e-07	_regex_core.py:1968(
2	2e-07	1e-07	2e-07	1e-07	_regex_core.py:1989(
2	2e-07	1e-07	2e-07	1e-07	_regex_core.py:2967(
2	2e-07	1e-07	2e-07	1e-07	_regex_core.py:3492(

ncalls	tottime	percall	cumtime	percall
1	2e-07	2e-07	2e-07	_regex_core.py:69(_F
1	2e-07	2e-07	2e-07	_regex_core.py:3737(
1	2e-07	2e-07	2e-07	_exceptions.py:111(S,
1	2e-07	2e-07	2e-07	linearlogic.py:454(Va
1	2e-07	2e-07	2e-07	linearlogic.py:463(Lir
1	2e-07	2e-07	2e-07	chart.py:223(__init__
1	2e-07	2e-07	2e-07	six.py:239(exec_modu
1	2e-07	2e-07	2e-07	version.py:1(<module
1	2e-07	2e-07	2e-07	vader.py:217(__init__
1	2e-07	2e-07	2e-07	six.py:459(Module_si
1	2e-07	2e-07	2e-07	cp437.py:25(StreamW
1	2e-07	2e-07	2e-07	cp437.py:28(StreamR
1	2e-07	2e-07	2e-07	__init__.py:1(<modul
1	1e-07	1e-07	1e-07	errors.py:71(Undecod
1	1e-07	1e-07	1e-07	errors.py:80(InvalidB:
1	1e-07	1e-07	1e-07	_common.py:174(_)
1	1e-07	1e-07	1e-07	_nbit_base.py:76(_64
1	1e-07	1e-07	1e-07	logic.py:803(__init__
1	1e-07	1e-07	1e-07	_regex_core.py:2614(
1	1e-07	1e-07	1e-07	_regex_core.py:3215(
2	1e-07	5e-08	1e-07	_regex_core.py:3333(
1	1e-07	1e-07	1e-07	__init__.py:1(<modul

Showing 1 to 4,255 of 4,255 entries

[SnakeViz Docs](#)