Treevial 통합 테스트 결과서



그림 1. 테스트 Flow Chart

테스트	목적	Test Coverage
이메일 중복 확인	유저가 회원가입 하기 전 이메일 중복을 확인한다.	UserController, UserManager, UserRepository
회원 가입	유저가 회원가입 하는 것을 확인한다.	UserController, UserManager, UserRepository
로그인	유저가 회원가입한 이메일, 비밀번호를 통해 로그인한다.	UserController, UserManager, UserRepository
진행중인 펀딩리스트	DB에 있는 펀딩 중에 상태가 진행중인 펀딩들을 리스트로 반환한다.	AfforestController, AfforestManager, AfforestRepository, BudgetRepository, PlanRepository, ForestRepository, TreeRepository
진행중인 펀딩 상세	요청하는 펀딩의 상세 정보를 반환한다.	AfforestController, AfforestManager, AfforestRepository, BudgetRepository, PlanRepository, ForestRepository, TreeRepository

테스트	목적	Test Coverage
펀딩 거래 페이지	펀딩 거래를 진행하는 과정에서 필요한 정보를 반환한다.	FundingController, PaymentService, AfforestRepository, BudgetRepository, PlanRepository, ForestRepository, TreeRepository, UserRepository
펀딩 거래 결과	유저가 펀딩을 거래를 신청하고 이의 결과를 반환한다.	FundingController, PaymentService, AfforestRepository, BudgetRepository, PlanRepository, ForestRepository, TreeRepository, UserRepository
마이페이지 펀딩 리스트	유저가 펀딩한 리스트를 반환한다.	ForestController, ForestMypageService, AfforestRepository, BudgetRepository, PlanRepository, ForestRepository, TreeRepository, UserRepository
마이페이지 펀딩 상세	유저가 펀딩한 사업의 상세 정보를 반환한다.	ForestController, ForestMypageService, AfforestRepository, BudgetRepository, PlanRepository, ForestRepository, TreeRepository, UserRepository
산주 등록	산주의 정보를 입력한다.	ForestController, ForestOwnerService, ForestRepository, UserRepository, ForestOwnerRepository
문서 자동 생성	산주의 정보와 숲의 정보를 활용하여 문서를 자동 생성하여 반환한다.	DocumentController, DocumentGenerateService, ForestRepository, UserRepository, ForestOwnerRepository
개인 숲 리스트	산주가 등록한 숲 리스트를 반환한다	ForestController, ForestOwnerService, ForestRepository, UserRepository, ForestOwnerRepository
개인 숲 상세	산주가 등록한 숲의 상세 정보를 반환한다.	ForestController, ForestOwnerService, ForestRepository, UserRepository, ForestOwnerRepository
탄소 배출권 거래 회사 등록	탄소 배출권 거래를 신청한 회사를 등록한다.	CompanyController, CompanyManger, CarbonCompanyRepository, ContractCompanyRepository
탄소 배출권 거래 등록	탄소 배출권 거래를 등록한다.	CompanyController, CompanyManger, CarbonCompanyRepository, ContractCompanyRepository

테스트	목적	Test Coverage
거래 진행중인 회사 리스트	현재 거래를 진행중인 회사와 공급량을 리스트로 반환한다.	CompanyController, CompanyManger, CarbonCompanyRepository, ContractCompanyRepository
관리하는 숲 상태	현재 관리하고 있는 모든 숲의 상태와 관련된 데이터를 반환한다.	ForestController, ForestMypageService, AfforestRepository, BudgetRepository, PlanRepository, ForestRepository, TreeRepository

FundingIntegrationTest

all > molipOvertime.tree_project.integration > FundingIntegrationTest

20	0	0	1.677s	100%
tests	failures	ignored	duration	successful

- Tests
- Standard output

Tests

Test	Method name	Duration	Result
이메일 인증	authEmailTest()	0.034s	passed
유저 인증	authUserTest()	0.045s	passed
펀딩 상세 정보	detailAfforestTest()	0.076s	passed
조림 사업 진행중인 사업 상세 페이지	detailMypageCloseTest()	0.050s	passed
펀딩 등록	initAfforestTest()	0.108s	passed
펀딩 예산 등록	initBudgetTest()	0.095s	passed
숲 등록	initForestTest()	0.087s	passed
산주 등록	initOwnerTest()	0.060s	passed
펀딩 계획 등록	initPlanTest()	0.098s	passed
마이페이지 펀딩이 종료된 사업 리스트	listMypageCloseTest()	0.077s	passed
마이페이지 펀딩이 진행중인 사업 리스트	listMypageProceedingTest()	0.074s	passed
펀딩 리스트	listProceedingTest()	0.292s	passed
로그인	loginTest()	0.034s	passed
로그아웃	logoutTest()	0.002s	passed
유저 펀딩 참가 확인	participateFundingTest()	0.103s	passed
펀딩 참가창	paymentPageTest()	0.066s	passed
펀딩 참가 결과	paymentResultTest()	0.124s	passed
회원 가입	registerTest()	0.058s	passed
숲 상태 업데이트	updateCarbonTest()	0.098s	passed
나무 등록	updateTreeTest()	0.096s	passed

Standard output

```
?[2m2022-12-12 11:24:16.639?[0;39m ?[32m INFO?[0;39m ?[35m785947?[0;39m ?[2m---?[0;39m ?[2m[    Test worker]?[0;39m ?[36m.b.t.c.SpringBootTestContextBootstrapper?[0;39m ?[2m:?[0;39m Neither @ContextConfig
?[2m2022-12-12 11:24:16.640?[0;39m ?[32m INFO?[0;39m ?[35m705947?[0;39m ?[2m---?[0;39m ?[2m[    Test worker]?[0;39m ?[36mo.s.t.c.support.AbstractContextLoader   ?[0;39m ?[2m:?[0;39m Could not detect defau
?[2m2022-12-12 11:24:16.640?[0;39m ?[32m INFO?[0;39m ?[35m785947?[0;39m ?[2m---?[0;39m ?[2m[    Test worker]?[0;39m ?[36mt.c.s.AnnotationConfigContextLoaderUtils?[0;39m ?[2m:?[0;39m Could not detect defau
?[2m2022-12-12 11:24:16.641?[0;39m ?[32m INFO?[0;39m ?[35m785947?[0;39m ?[2m---?[0;39m ?[2m[    Test worker]?[0;39m ?[36m.b.t.c.SpringBootTestContextBootstrapper?[0;39m ?[2m:?[0;39m Found @SpringBootConfi
?[2m2022-12-12 11:24:16.642?[0;39m ?[32m INFO?[0;39m ?[35m785947?[0;39m ?[2m---?[0;39m ?[2m[    Test worker]?[0;39m ?[36m.b.t.c.SpringBootTestContextBootstrapper?[0;39m ?[2m:?[0;39m Loaded default TestExe
?[2m2022-12-12 11:24:16.642?[0;39m ?[32m INFO?[0;39m ?[35m785947?[0;39m ?[2m---?[0;39m ?[2m[    Test worker]?[0;39m ?[36m.b.t.c.SpringBootTestContextBootstrapper?[0;39m ?[2m:?[0;39m Using TestExecutionLis
Hibernate: insert into forest (area, forest_name, image, latitude, longitude, target_carbon_capture, thumbnail, total_carbon_credits) values (?, ?, ?, ?, ?, ?, ?, ?)
Hibernate: insert into forest (area, forest_name, image, latitude, longitude, target_carbon_capture, thumbnail, total_carbon_credits) values (?, ?, ?, ?, ?, ?, ?, ?)
Hibernate: select forest0_.forest_seq as forest_s1_4_0_, forest0_.area as area2_4_0_, forest0_.forest_name as forest_n3_4_0_, forest0_.image as image4_4_0_, forest0_.latitude as latitude5_4_0_, forest0_.
Hibernate: insert into tree (average_carbon_capture, tree_count, average_tree_girth, average_tree_height, forest_seq, measure_at, tree_species) values (?, ?, ?, ?, ?, ?, ?)
Hibernate: select forest0_.forest_seq as forest_s1_4_0_, forest0_.area as area2_4_0_, forest0_.forest_name as forest_n3_4_0_, forest0_.image as image4_4_0_, forest0_.latitude as latitude5_4_0_, forest0_.
Hibernate: insert into tree (average_carbon_capture, tree_count, average_tree_girth, average_tree_height, forest_seq, measure_at, tree_species) values (?, ?, ?, ?, ?, ?, ?)
Hibernate: select forest0_.forest_seq as forest_s1_4_0_, forest0_.area as area2_4_0_, forest0_.forest_name as forest_n3_4_0_, forest0_.image as image4_4_0_, forest0_.latitude as latitude5_4_0_, forest0_.
Hibernate: update forest set image=?, thumbnail=?, total_carbon_credits=? where forest_seq=?
Hibernate: select forest0_.forest_seq as forest_s1_4_0_, forest0_.area as area2_4_0_, forest0_.forest_name as forest_n3_4_0_, forest0_.image as image4_4_0_, forest0_.latitude as latitude5_4_0_, forest0_.
Hibernate: update forest set image=?, thumbnail=?, total_carbon_credits=? where forest_seq=?
Hibernate: select forest0_.forest_seq as forest_s1_4_0_, forest0_.area as area2_4_0_, forest0_.forest_name as forest_n3_4_0_, forest0_.image as image4_4_0_, forest0_.latitude as latitude5_4_0_, forest0_.
Hibernate: insert into afforest (afforest_type, funding_body, close_at, additional_effect, forest_seq, funding_status, open_at, price, expected_return_rate, funding_title, unit_area) values (?, ?, ?, ?,
Hibernate: select forest0_.forest_seq as forest_s1_4_0_, forest0_.area as area2_4_0_, forest0_.forest_name as forest_n3_4_0_, forest0_.image as image4_4_0_, forest0_.latitude as latitude5_4_0_, forest0_.
Hibernate: insert into afforest (afforest_type, funding_body, close_at, additional_effect, forest_seq, funding_status, open_at, price, expected_return_rate, funding_title, unit_area) values (?, ?, ?, ?,
Hibernate: select afforest0_.afforest_seq as afforest1_0_0_, afforest0_.afforest_type as afforest2_0_0_, afforest0_.funding_body as funding_3_0_0_, afforest0_.close_at as close_at4_0_0_, afforest0_.addit
Hibernate: insert into budget (afforest_seq, amount, detail, type) values (?, ?, ?, ?)
Hibernate: select afforest0_.afforest_seq as afforest1_0_0_, afforest0_.afforest_type as afforest2_0_0_, afforest0_.funding_body as funding_3_0_0_, afforest0_.close_at as close_at4_0_0_, afforest0_.addit
Hibernate: insert into budget (afforest_seq, amount, detail, type) values (?, ?, ?, ?)
Hibernate: select afforest0_.afforest_seq as afforest1_0_0_, afforest0_.afforest_type as afforest2_0_0_, afforest0_.funding_body as funding_3_0_0_, afforest0_.close_at as close_at4_0_0_, afforest0_.addit
Hibernate: insert into plan (afforest_seq, detail, finish_at, start_at) values (?, ?, ?, ?)
Hibernate: select afforest0_.afforest_seq as afforest1_0_0_, afforest0_.afforest_type as afforest2_0_0_, afforest0_.funding_body as funding_3_0_0_, afforest0_.close_at as close_at4_0_0_, afforest0_.addit
Hibernate: insert into plan (afforest_seq, detail, finish_at, start_at) values (?, ?, ?, ?)
Hibernate: select user0_.user_seq as user_seq1_9_, user0_.email as email2_9_, user0_.phone_number as phone_nu3_9_, user0_.user_name as user_nam4_9_, user0_.user_pwd as user_pwd5_9_ from users user0_ wher
Hibernate: select user0_.user_seq as user_seq1_9_, user0_.email as email2_9_, user0_.phone_number as phone_nu3_9_, user0_.user_name as user_nam4_9_, user0_.user_pwd as user_pwd5_9_ from users user0_ wher
Hibernate: select user0_.user_seq as user_seq1_9_, user0_.email as email2_9_, user0_.phone_number as phone_nu3_9_, user0_.user_name as user_nam4_9_, user0_.user_pwd as user_pwd5_9_ from users user0_ wher
Hibernate: insert into users (email, phone_number, user_name, user_pwd) values (?, ?, ?, ?)
Hibernate: select user0_.user_seq as user_seq1_9_, user0_.email as email2_9_, user0_.phone_number as phone_nu3_9_, user0_.user_name as user_nam4_9_, user0_.user_pwd as user_pwd5_9_ from users user0_ wher
Hibernate: select user0_.user_seq as user_seq1_9_0_, user0_.email as email2_9_0_, user0_.phone_number as phone_nu3_9_0_, user0_.user_name as user_nam4_9_0_, user0_.user_pwd as user_pwd5_9_0_ from users u
Hibernate: select afforest0_.afforest_seq as afforest1_0_, afforest0_.afforest_type as afforest2_0_, afforest0_.funding_body as funding_3_0_, afforest0_.close_at as close_at4_0_, afforest0_.additional_ef
Hibernate: select forest0_.forest_seq as forest_s1_4_0_, forest0_.area as area2_4_0_, forest0_.forest_name as forest_n3_4_0_, forest0_.image as image4_4_0_, forest0_.latitude as latitude5_4_0_, forest0_.
Hibernate: select afforest0_.afforest_seq as afforest1_0_3_, afforest0_.afforest_type as afforest2_0_3_, afforest0_.funding_body as funding_3_0_3_, afforest0_.close_at as close_at4_0_3_, afforest0_.addit
Hibernate: select forest0_.forest_seq as forest_s1_4_0_, forest0_.area as area2_4_0_, forest0_.forest_name as forest_n3_4_0_, forest0_.image as image4_4_0_, forest0_.latitude as latitude5_4_0_, forest0_.
Hibernate: select afforest0_.afforest_seq as afforest1_0_3_, afforest0_.afforest_type as afforest2_0_3_, afforest0_.funding_body as funding_3_0_3_, afforest0_.close_at as close_at4_0_3_, afforest0_.addit
Hibernate: select forest0_.forest_seq as forest_s1_4_0_, forest0_.area as area2_4_0_, forest0_.forest_name as forest_n3_4_0_, forest0_.image as image4_4_0_, forest0_.latitude as latitude5_4_0_, forest0_.
Hibernate: select afforest0_.afforest_seq as afforest1_0_3_, afforest0_.afforest_type as afforest2_0_3_, afforest0_.funding_body as funding_3_0_3_, afforest0_.close_at as close_at4_0_3_, afforest0_.addit
Hibernate: select forest0_.forest_seq as forest_s1_4_0_, forest0_.area as area2_4_0_, forest0_.forest_name as forest_n3_4_0_, forest0_.image as image4_4_0_, forest0_.latitude as latitude5_4_0_, forest0_.
Hibernate: select afforest0_.afforest_seq as afforest1_0_3_, afforest0_.afforest_type as afforest2_0_3_, afforest0_.funding_body as funding_3_0_3_, afforest0_.close_at as close_at4_0_3_, afforest0_.addit
Hibernate: select forest0_.forest_seq as forest_s1_4_0_, forest0_.area as area2_4_0_, forest0_.forest_name as forest_n3_4_0_, forest0_.image as image4_4_0_, forest0_.latitude as latitude5_4_0_, forest0_.
Hibernate: select afforest0_.afforest_seq as afforest1_0_3_, afforest0_.afforest_type as afforest2_0_3_, afforest0_.funding_body as funding_3_0_3_, afforest0_.close_at as close_at4_0_3_, afforest0_.addit
Hibernate: select forest0_.forest_seq as forest_s1_4_0_, forest0_.area as area2_4_0_, forest0_.forest_name as forest_n3_4_0_, forest0_.image as image4_4_0_, forest0_.latitude as latitude5_4_0_, forest0_.
Hibernate: select afforest0_.afforest_seq as afforest1_0_3_, afforest0_.afforest_type as afforest2_0_3_, afforest0_.funding_body as funding_3_0_3_, afforest0_.close_at as close_at4_0_3_, afforest0_.addit
Hibernate: select forest0_.forest_seq as forest_s1_4_0_, forest0_.area as area2_4_0_, forest0_.forest_name as forest_n3_4_0_, forest0_.image as image4_4_0_, forest0_.latitude as latitude5_4_0_, forest0_.
Hibernate: select afforest0_.afforest_seq as afforest1_0_3_, afforest0_.afforest_type as afforest2_0_3_, afforest0_.funding_body as funding_3_0_3_, afforest0_.close_at as close_at4_0_3_, afforest0_.addit
Hibernate: select fundingspo0_.afforest_seq as afforest1_6_0_, fundingspo0_.user_seq as user_seq2_6_0_, fundingspo0_.afforest_seq as afforest1_6_1_, fundingspo0_.user_seq as user_seq2_6_1_, fundingspo0_.
Hibernate: select fundingspo0_.afforest_seq as afforest1_6_0_, fundingspo0_.user_seq as user_seq2_6_0_, fundingspo0_.afforest_seq as afforest1_6_1_, fundingspo0_.user_seq as user_seq2_6_1_, fundingspo0_.
Hibernate: select fundingspo0_.afforest_seq as afforest1_6_0_, fundingspo0_.user_seq as user_seq2_6_0_, fundingspo0_.afforest_seq as afforest1_6_1_, fundingspo0_.user_seq as user_seq2_6_1_, fundingspo0_.
Hibernate: select fundingspo0_.afforest_seq as afforest1_6_0_, fundingspo0_.user_seq as user_seq2_6_0_, fundingspo0_.afforest_seq as afforest1_6_1_, fundingspo0_.user_seq as user_seq2_6_1_, fundingspo0_.
Hibernate: select fundingspo0_.afforest_seq as afforest1_6_0_, fundingspo0_.user_seq as user_seq2_6_0_, fundingspo0_.afforest_seq as afforest1_6_1_, fundingspo0_.user_seq as user_seq2_6_1_, fundingspo0_.
Hibernate: select fundingspo0_.afforest_seq as afforest1_6_0_, fundingspo0_.user_seq as user_seq2_6_0_, fundingspo0_.afforest_seq as afforest1_6_1_, fundingspo0_.user_seq as user_seq2_6_1_, fundingspo0_.
Hibernate: select fundingspo0_.afforest_seq as afforest1_6_0_, fundingspo0_.user_seq as user_seq2_6_0_, fundingspo0_.afforest_seq as afforest1_6_1_, fundingspo0_.user_seq as user_seq2_6_1_, fundingspo0_.
Hibernate: update afforest set afforest_type=?, funding_body=?, close_at=?, additional_effect=?, forest_seq=?, funding_status=?, open_at=?, price=?, expected_return_rate=?, funding_title=?, unit_area=? w
Hibernate: update afforest set afforest_type=?, funding_body=?, close_at=?, additional_effect=?, forest_seq=?, funding_status=?, open_at=?, price=?, expected_return_rate=?, funding_title=?, unit_area=? w
Hibernate: select afforest0_.afforest_seq as afforest1_0_, afforest0_.afforest_type as afforest2_0_, afforest0_.funding_body as funding_3_0_, afforest0_.close_at as close_at4_0_, afforest0_.additional_ef
Hibernate: SELECT t.* FROM tree t WHERE t.measure_at = (SELECT MAX(e.measure_at) FROM tree e WHERE e.tree_species = t.tree_species AND e.forest_seq = ?) AND t.forest_seq = ?
Hibernate: SELECT t.* FROM tree t WHERE t.measure_at = (SELECT MAX(e.measure_at) FROM tree e WHERE e.tree_species = t.tree_species AND e.forest_seq = ?) AND t.forest_seq = ?
Hibernate: select afforest0_.afforest_seq as afforest1_0_0_, afforest0_.afforest_type as afforest2_0_0_, afforest0_.funding_body as funding_3_0_0_, afforest0_.close_at as close_at4_0_0_, afforest0_.addit
Hibernate: select budgets0_.afforest_seq as afforest5_1_0_, budgets0_.budget_seq as budget_s1_1_0_, budgets0_.budget_seq as budget_s1_1_1_, budgets0_.afforest_seq as afforest5_1_1_, budgets0_.amount as a
Hibernate: select plans0_.afforest_seq as afforest5_7_0_, plans0_.plan_seq as plan_seq1_7_0_, plans0_.plan_seq as plan_seq1_7_1_, plans0_.afforest_seq as afforest5_7_1_, plans0_.detail as detail2_7_1_, p
Hibernate: select fundingspo0_.afforest_seq as afforest1_6_0_, fundingspo0_.user_seq as user_seq2_6_0_, fundingspo0_.afforest_seq as afforest1_6_1_, fundingspo0_.user_seq as user_seq2_6_1_, fundingspo0_.
Hibernate: select user0_.user_seq as user_seq1_9_0_, user0_.email as email2_9_0_, user0_.phone_number as phone_nu3_9_0_, user0_.user_name as user_nam4_9_0_, user0_.user_pwd as user_pwd5_9_0_ from users u
Hibernate: select afforest0_.afforest_seq as afforest1_0_0_, afforest0_.afforest_type as afforest2_0_0_, afforest0_.funding_body as funding_3_0_0_, afforest0_.close_at as close_at4_0_0_, afforest0_.addit
Hibernate: select fundingspo0_.afforest_seq as afforest1_6_0_, fundingspo0_.user_seq as user_seq2_6_0_, fundingspo0_.afforest_seq as afforest1_6_1_, fundingspo0_.user_seq as user_seq2_6_1_, fundingspo0_.
Hibernate: select user0_.user_seq as user_seq1_9_0_, user0_.email as email2_9_0_, user0_.phone_number as phone_nu3_9_0_, user0_.user_name as user_nam4_9_0_, user0_.user_pwd as user_pwd5_9_0_ from users u
Hibernate: select afforest0_.afforest_seq as afforest1_0_0_, afforest0_.afforest_type as afforest2_0_0_, afforest0_.funding_body as funding_3_0_0_, afforest0_.close_at as close_at4_0_0_, afforest0_.addit
Hibernate: select fundingspo0_.afforest_seq as afforest1_6_0_, fundingspo0_.user_seq as user_seq2_6_0_, fundingspo0_.afforest_seq as afforest1_6_1_, fundingspo0_.user_seq as user_seq2_6_1_, fundingspo0_.
Hibernate: insert into funding_sponsor (user_area, afforest_seq, user_seq) values (?, ?, ?)
Hibernate: select user0_.user_seq as user_seq1_9_0_, user0_.email as email2_9_0_, user0_.phone_number as phone_nu3_9_0_, user0_.user_name as user_nam4_9_0_, user0_.user_pwd as user_pwd5_9_0_ from users u
Hibernate: select afforest0_.afforest_seq as afforest1_0_0_, afforest0_.afforest_type as afforest2_0_0_, afforest0_.funding_body as funding_3_0_0_, afforest0_.close_at as close_at4_0_0_, afforest0_.addit
Hibernate: select fundingspo0_.afforest_seq as afforest1_6_0_, fundingspo0_.user_seq as user_seq2_6_0_, fundingspo0_.afforest_seq as afforest1_6_1_, fundingspo0_.user_seq as user_seq2_6_1_, fundingspo0_.
Hibernate: insert into funding_sponsor (user_area, afforest_seq, user_seq) values (?, ?, ?)
Hibernate: select afforest0_.afforest_seq as afforest1_0_0_, afforest0_.afforest_type as afforest2_0_0_, afforest0_.funding_body as funding_3_0_0_, afforest0_.close_at as close_at4_0_0_, afforest0_.addit
Hibernate: select user0_.user_seq as user_seq1_9_0_, user0_.email as email2_9_0_, user0_.phone_number as phone_nu3_9_0_, user0_.user_name as user_nam4_9_0_, user0_.user_pwd as user_pwd5_9_0_ from users u
Hibernate: select fundingspo0_.afforest_seq as afforest1_6_0_, fundingspo0_.user_seq as user_seq2_6_0_, fundingspo0_.afforest_seq as afforest1_6_1_, fundingspo0_.user_seq as user_seq2_6_1_, fundingspo0_.
Hibernate: select afforest0_.afforest_seq as afforest1_0_0_, afforest0_.afforest_type as afforest2_0_0_, afforest0_.funding_body as funding_3_0_0_, afforest0_.close_at as close_at4_0_0_, afforest0_.addit
Hibernate: select user0_.user_seq as user_seq1_9_0_, user0_.email as email2_9_0_, user0_.phone_number as phone_nu3_9_0_, user0_.user_name as user_nam4_9_0_, user0_.user_pwd as user_pwd5_9_0_ from users u
Hibernate: select fundingspo0_.afforest_seq as afforest1_6_0_, fundingspo0_.user_seq as user_seq2_6_0_, fundingspo0_.afforest_seq as afforest1_6_1_, fundingspo0_.user_seq as user_seq2_6_1_, fundingspo0_.
Hibernate: select user0_.user_seq as user_seq1_9_0_, user0_.email as email2_9_0_, user0_.phone_number as phone_nu3_9_0_, user0_.user_name as user_nam4_9_0_, user0_.user_pwd as user_pwd5_9_0_ from users u
```

```
Hibernate: select fundingspo0_.afforest_seq as afforest1_6_, fundingspo0_.user_seq as user_seq2_6_, fundingspo0_.user_area as user_are3_6_ from funding_sponsor fundingspo0_ where fundingspo0_.user_seq=?
Hibernate: select afforest0_.afforest_seq as afforest1_0_0_, afforest0_.afforest_type as afforest2_0_0_, afforest0_.funding_body as funding_3_0_0_, afforest0_.close_at as close_at4_0_0_, afforest0_.addit
Hibernate: SELECT t.* FROM tree t WHERE t.measure_at = (SELECT MAX(e.measure_at) FROM tree e WHERE e.tree_species = t.tree_species AND e.forest_seq = ?) AND t.forest_seq = ?
Hibernate: select fundingspo0_.afforest_seq as afforest1_6_0_, fundingspo0_.user_seq as user_seq2_6_0_, fundingspo0_.afforest_seq as afforest1_6_1_, fundingspo0_.user_seq as user_seq2_6_1_, fundingspo0_.
Hibernate: select afforest0_.afforest_seq as afforest1_0_0_, afforest0_.afforest_type as afforest2_0_0_, afforest0_.funding_body as funding_3_0_0_, afforest0_.close_at as close_at4_0_0_, afforest0_.addit
Hibernate: select user0_.user_seq as user_seq1_9_0_, user0_.email as email2_9_0_, user0_.phone_number as phone_nu3_9_0_, user0_.user_name as user_nam4_9_0_, user0_.user_pwd as user_pwd5_9_0_ from users u
Hibernate: select fundingspo0_.user_seq as user_seq2_6_0_, fundingspo0_.afforest_seq as afforest1_6_0_, fundingspo0_.afforest_seq as afforest1_6_1_, fundingspo0_.user_seq as user_seq2_6_1_, fundingspo0_.
Hibernate: select afforest0_.afforest_seq as afforest1_0_0_, afforest0_.afforest_type as afforest2_0_0_, afforest0_.funding_body as funding_3_0_0_, afforest0_.close_at as close_at4_0_0_, afforest0_.addit
Hibernate: select afforest0_.afforest_seq as afforest1_0_0_, afforest0_.afforest_type as afforest2_0_0_, afforest0_.funding_body as funding_3_0_0_, afforest0_.close_at as close_at4_0_0_, afforest0_.addit
Hibernate: SELECT t.* FROM tree t WHERE t.measure_at = (SELECT MAX(e.measure_at) FROM tree e WHERE e.tree_species = t.tree_species AND e.forest_seq = ?) AND t.forest_seq = ?
Hibernate: SELECT t.* FROM tree t WHERE t.measure_at = (SELECT MAX(e.measure_at) FROM tree e WHERE e.tree_species = t.tree_species AND e.forest_seq = ?) AND t.forest_seq = ?
Hibernate: select afforest0_.afforest_seq as afforest1_0_0_, afforest0_.afforest_type as afforest2_0_0_, afforest0_.funding_body as funding_3_0_0_, afforest0_.close_at as close_at4_0_0_, afforest0_.addit
Hibernate: select fundingspo0_.afforest_seq as afforest1_6_0_, fundingspo0_.user_seq as user_seq2_6_0_, fundingspo0_.user_area as user_are3_6_0_ from funding_sponsor fundingspo0_ where fundingspo0_.affor
Hibernate: select fundingspo0_.afforest_seq as afforest1_6_0_, fundingspo0_.user_seq as user_seq2_6_0_, fundingspo0_.afforest_seq as afforest1_6_1_, fundingspo0_.user_seq as user_seq2_6_1_, fundingspo0_.
Hibernate: select user0_.user_seq as user_seq1_9_0_, user0_.email as email2_9_0_, user0_.phone_number as phone_nu3_9_0_, user0_.user_name as user_nam4_9_0_, user0_.user_pwd as user_pwd5_9_0_ from users u
Hibernate: select forest0_.forest_seq as forest_s1_4_0_, forest0_.area as area2_4_0_, forest0_.forest_name as forest_n3_4_0_, forest0_.image as image4_4_0_, forest0_.latitude as latitude5_4_0_, forest0_.
Hibernate: insert into forest_owner (forest_seq, user_seq) values (?, ?)
Hibernate: select budget0_.budget_seq as budget_s1_1_0_, budget0_.afforest_seq as afforest5_1_0_, budget0_.amount as amount2_1_0_, budget0_.detail as detail3_1_0_, budget0_.type as type4_1_0_ from budget
Hibernate: delete from budget where budget_seq=?
Hibernate: select budget0_.budget_seq as budget_s1_1_0_, budget0_.afforest_seq as afforest5_1_0_, budget0_.amount as amount2_1_0_, budget0_.detail as detail3_1_0_, budget0_.type as type4_1_0_ from budget
Hibernate: delete from budget where budget_seq=?
Hibernate: select plan0_.plan_seq as plan_seq1_7_0_, plan0_.afforest_seq as afforest5_7_0_, plan0_.detail as detail2_7_0_, plan0_.finish_at as finish_a3_7_0_, plan0_.start_at as start_at4_7_0_ from plan |
Hibernate: delete from plan where plan_seq=?
Hibernate: select plan0_.plan_seq as plan_seq1_7_0_, plan0_.afforest_seq as afforest5_7_0_, plan0_.detail as detail2_7_0_, plan0_.finish_at as finish_a3_7_0_, plan0_.start_at as start_at4_7_0_ from plan |
Hibernate: delete from plan where plan_seq=?
Hibernate: select tree0_.forest_seq as forest_s1_8_0_, tree0_.measure_at as measure_2_8_0_, tree0_.tree_species as tree_spe3_8_0_, tree0_.average_carbon_capture as average_4_8_0_, tree0_.tree_count as tr
Hibernate: delete from tree where forest_seq=? and measure_at=? and tree_species=?
Hibernate: select tree0_.forest_seq as forest_s1_8_0_, tree0_.measure_at as measure_2_8_0_, tree0_.tree_species as tree_spe3_8_0_, tree0_.average_carbon_capture as average_4_8_0_, tree0_.tree_count as tr
Hibernate: delete from tree where forest_seq=? and measure_at=? and tree_species=?
Hibernate: select fundingspo0_.afforest_seq as afforest1_6_0_, fundingspo0_.user_seq as user_seq2_6_0_, fundingspo0_.user_area as user_are3_6_0_ from funding_sponsor fundingspo0_ where fundingspo0_.affor
Hibernate: delete from funding_sponsor where afforest_seq=? and user_seq=?
Hibernate: select fundingspo0_.afforest_seq as afforest1_6_0_, fundingspo0_.user_seq as user_seq2_6_0_, fundingspo0_.user_area as user_are3_6_0_ from funding_sponsor fundingspo0_ where fundingspo0_.affor
Hibernate: delete from funding_sponsor where afforest_seq=? and user_seq=?
Hibernate: select forestowne0_.owner_seq as owner_se1_5_0_, forestowne0_.forest_seq as forest_s2_5_0_, forestowne0_.user_seq as user_seq3_5_0_, forest1_.forest_seq as forest_s1_4_1_, forest1_.area as are
Hibernate: select afforest0_.afforest_seq as afforest1_0_0_, afforest0_.afforest_type as afforest2_0_0_, afforest0_.funding_body as funding_3_0_0_, afforest0_.close_at as close_at4_0_0_, afforest0_.addit
Hibernate: select budgets0_.afforest_seq as afforest5_1_0_, budgets0_.budget_seq as budget_s1_1_0_, budgets0_.budget_seq as budget_s1_1_1_, budgets0_.afforest_seq as afforest5_1_1_, budgets0_.amount as am
Hibernate: select fundingspo0_.afforest_seq as afforest1_6_0_, fundingspo0_.user_seq as user_seq2_6_0_, fundingspo0_.afforest_seq as afforest1_6_1_, fundingspo0_.user_seq as user_seq2_6_1_, fundingspo0_.
Hibernate: select plans0_.afforest_seq as afforest5_7_0_, plans0_.plan_seq as plan_seq1_7_0_, plans0_.plan_seq as plan_seq1_7_1_, plans0_.afforest_seq as afforest5_7_1_, plans0_.detail as detail2_7_1_, p
Hibernate: select afforest0_.afforest_seq as afforest1_0_0_, afforest0_.afforest_type as afforest2_0_0_, afforest0_.funding_body as funding_3_0_0_, afforest0_.close_at as close_at4_0_0_, afforest0_.addit
Hibernate: select budgets0_.afforest_seq as afforest5_1_0_, budgets0_.budget_seq as budget_s1_1_0_, budgets0_.budget_seq as budget_s1_1_1_, budgets0_.afforest_seq as afforest5_1_1_, budgets0_.amount as am
Hibernate: select fundingspo0_.afforest_seq as afforest1_6_0_, fundingspo0_.user_seq as user_seq2_6_0_, fundingspo0_.afforest_seq as afforest1_6_1_, fundingspo0_.user_seq as user_seq2_6_1_, fundingspo0_.
Hibernate: select plans0_.afforest_seq as afforest5_7_0_, plans0_.plan_seq as plan_seq1_7_0_, plans0_.plan_seq as plan_seq1_7_1_, plans0_.afforest_seq as afforest5_7_1_, plans0_.detail as detail2_7_1_, p
Hibernate: select forest0_.forest_seq as forest_s1_4_0_, forest0_.area as area2_4_0_, forest0_.forest_name as forest_n3_4_0_, forest0_.image as image4_4_0_, forest0_.latitude as latitude5_4_0_, forest0_.
Hibernate: select trees0_.forest_seq as forest_s1_8_0_, trees0_.measure_at as measure_2_8_0_, trees0_.tree_species as tree_spe3_8_0_, trees0_.forest_seq as forest_s1_8_1_, trees0_.measure_at as measure_2
Hibernate: select budgets0_.afforest_seq as afforest5_1_0_, budgets0_.budget_seq as budget_s1_1_0_, budgets0_.budget_seq as budget_s1_1_1_, budgets0_.afforest_seq as afforest5_1_1_, budgets0_.amount as am
Hibernate: select fundingspo0_.afforest_seq as afforest1_6_0_, fundingspo0_.user_seq as user_seq2_6_0_, fundingspo0_.afforest_seq as afforest1_6_1_, fundingspo0_.user_seq as user_seq2_6_1_, fundingspo0_.
Hibernate: select plans0_.afforest_seq as afforest5_7_0_, plans0_.plan_seq as plan_seq1_7_0_, plans0_.plan_seq as plan_seq1_7_1_, plans0_.afforest_seq as afforest5_7_1_, plans0_.detail as detail2_7_1_, p
Hibernate: delete from afforest where afforest_seq=?
Hibernate: delete from forest_owner where owner_seq=?
Hibernate: delete from forest where forest_seq=?
Hibernate: select forest0_.forest_seq as forest_s1_4_0_, forest0_.area as area2_4_0_, forest0_.forest_name as forest_n3_4_0_, forest0_.image as image4_4_0_, forest0_.latitude as latitude5_4_0_, forest0_.
Hibernate: select trees0_.forest_seq as forest_s1_8_0_, trees0_.measure_at as measure_2_8_0_, trees0_.tree_species as tree_spe3_8_0_, trees0_.forest_seq as forest_s1_8_1_, trees0_.measure_at as measure_2
Hibernate: select budgets0_.afforest_seq as afforest5_1_0_, budgets0_.budget_seq as budget_s1_1_0_, budgets0_.budget_seq as budget_s1_1_1_, budgets0_.afforest_seq as afforest5_1_1_, budgets0_.amount as am
Hibernate: select fundingspo0_.afforest_seq as afforest1_6_0_, fundingspo0_.user_seq as user_seq2_6_0_, fundingspo0_.afforest_seq as afforest1_6_1_, fundingspo0_.user_seq as user_seq2_6_1_, fundingspo0_.
Hibernate: select plans0_.afforest_seq as afforest5_7_0_, plans0_.plan_seq as plan_seq1_7_0_, plans0_.plan_seq as plan_seq1_7_1_, plans0_.afforest_seq as afforest5_7_1_, plans0_.detail as detail2_7_1_, p
Hibernate: delete from afforest where afforest_seq=?
Hibernate: delete from forest where forest_seq=?
Hibernate: select user0_.user_seq as user_seq1_9_0_, user0_.email as email2_9_0_, user0_.phone_number as phone_nu3_9_0_, user0_.user_name as user_nam4_9_0_, user0_.user_pwd as user_pwd5_9_0_ from users u
Hibernate: select forestowne0_.user_seq as user_seq3_5_0_, forestowne0_.owner_seq as owner_se1_5_0_, forestowne0_.owner_seq as owner_se1_5_1_, forestowne0_.forest_seq as forest_s2_5_1_, forestowne0_.user
Hibernate: select fundingspo0_.user_seq as user_seq2_6_0_, fundingspo0_.afforest_seq as afforest1_6_0_, fundingspo0_.afforest_seq as afforest1_6_1_, fundingspo0_.user_seq as user_seq2_6_1_, fundingspo0_.
Hibernate: delete from users where user_seq=?
```

Wrap lines ☐
Generated by Gradle 7.5.1 at 2022. 12. 12. 오전 11:24:20

ForestOwnerIntegrationTest

all > molipOvertime.tree_project.integration > ForestOwnerIntegrationTest

tests	failures	ignored	duration	successful
5	0	0	0.966s	100%

- Tests
- Standard output

Tests

Test	Method name	Duration	Result
등록된 숲 상세 정보	detailOwnerTest()	0.060s	passed
문서 자동 생성	generateDocumentTest()	0.225s	passed
등록된 산 리스트	listOwnerTest()	0.074s	passed
로그인	loginTest()	0.177s	passed
숲 상태	statForestTest()	0.430s	passed

Standard output

```
?[2m2022-12-12 11:24:15.667?[0;39m ?[32m INFO?[0;39m ?[35m78594?[0;39m ?[2m---?[0;39m ?[2m[    Test worker]?[0;39m ?[36m.b.t.c.SpringBootTestContextBootstrapper?[0;39m ?[2m:?[0;39m Neither @ContextConfig
?[2m2022-12-12 11:24:15.668?[0;39m ?[32m INFO?[0;39m ?[35m78594?[0;39m ?[2m---?[0;39m ?[2m[    Test worker]?[0;39m ?[36mo.s.t.c.support.AbstractContextLoader   ?[0;39m ?[2m:?[0;39m Could not detect defau
?[2m2022-12-12 11:24:15.668?[0;39m ?[32m INFO?[0;39m ?[35m78594?[0;39m ?[2m---?[0;39m ?[2m[    Test worker]?[0;39m ?[36mt.c.s.AnnotationConfigContextLoaderUtils?[0;39m ?[2m:?[0;39m Could not detect defau
?[2m2022-12-12 11:24:15.669?[0;39m ?[32m INFO?[0;39m ?[35m78594?[0;39m ?[2m---?[0;39m ?[2m[    Test worker]?[0;39m ?[36m.b.t.c.SpringBootTestContextBootstrapper?[0;39m ?[2m:?[0;39m Found @SpringBootConfi
?[2m2022-12-12 11:24:15.669?[0;39m ?[32m INFO?[0;39m ?[35m78594?[0;39m ?[2m---?[0;39m ?[2m[    Test worker]?[0;39m ?[36m.b.t.c.SpringBootTestContextBootstrapper?[0;39m ?[2m:?[0;39m Loaded default TestExe
?[2m2022-12-12 11:24:15.669?[0;39m ?[32m INFO?[0;39m ?[35m78594?[0;39m ?[2m---?[0;39m ?[2m[    Test worker]?[0;39m ?[36m.b.t.c.SpringBootTestContextBootstrapper?[0;39m ?[2m:?[0;39m Using TestExecutionLis
Hibernate: select forest0_.forest_seq as forest_s1_4_, forest0_.area as area2_4_, forest0_.forest_name as forest_n3_4_, forest0_.image as image4_4_, forest0_.latitude as latitude5_4_, forest0_.longitude
Hibernate: select afforest0_.afforest_seq as afforest1_0_3_, afforest0_.afforest_type as afforest2_0_3_, afforest0_.funding_body as funding_3_0_3_, afforest0_.close_at as close_at4_0_3_, afforest0_.addit
Hibernate: select afforest0_.afforest_seq as afforest1_0_3_, afforest0_.afforest_type as afforest2_0_3_, afforest0_.funding_body as funding_3_0_3_, afforest0_.close_at as close_at4_0_3_, afforest0_.addit
Hibernate: select afforest0_.afforest_seq as afforest1_0_3_, afforest0_.afforest_type as afforest2_0_3_, afforest0_.funding_body as funding_3_0_3_, afforest0_.close_at as close_at4_0_3_, afforest0_.addit
Hibernate: select afforest0_.afforest_seq as afforest1_0_3_, afforest0_.afforest_type as afforest2_0_3_, afforest0_.funding_body as funding_3_0_3_, afforest0_.close_at as close_at4_0_3_, afforest0_.addit
Hibernate: select afforest0_.afforest_seq as afforest1_0_3_, afforest0_.afforest_type as afforest2_0_3_, afforest0_.funding_body as funding_3_0_3_, afforest0_.close_at as close_at4_0_3_, afforest0_.addit
Hibernate: select afforest0_.afforest_seq as afforest1_0_3_, afforest0_.afforest_type as afforest2_0_3_, afforest0_.funding_body as funding_3_0_3_, afforest0_.close_at as close_at4_0_3_, afforest0_.addit
Hibernate: select contractco0_.contract_seq as contract1_3_0_, contractco0_.carbon_credits as carbon_c2_3_0_, contractco0_.company_seq as company_4_3_0_, contractco0_.forest_seq as forest_s5_3_0_, contra
Hibernate: select forestowne0_.owner_seq as owner_se1_5_3_, forestowne0_.forest_seq as forest_s2_5_3_, forestowne0_.user_seq as user_seq3_5_3_, forest1_.forest_seq as forest_s1_4_0_, forest1_.area as are
Hibernate: select afforest0_.afforest_seq as afforest1_0_3_, afforest0_.afforest_type as afforest2_0_3_, afforest0_.funding_body as funding_3_0_3_, afforest0_.close_at as close_at4_0_3_, afforest0_.addit
Hibernate: select contractco0_.contract_seq as contract1_3_0_, contractco0_.carbon_credits as carbon_c2_3_0_, contractco0_.company_seq as company_4_3_0_, contractco0_.forest_seq as forest_s5_3_0_, contra
Hibernate: select forestowne0_.owner_seq as owner_se1_5_3_, forestowne0_.forest_seq as forest_s2_5_3_, forestowne0_.user_seq as user_seq3_5_3_, forest1_.forest_seq as forest_s1_4_0_, forest1_.area as are
Hibernate: select afforest0_.afforest_seq as afforest1_0_3_, afforest0_.afforest_type as afforest2_0_3_, afforest0_.funding_body as funding_3_0_3_, afforest0_.close_at as close_at4_0_3_, afforest0_.addit
Hibernate: select contractco0_.contract_seq as contract1_3_0_, contractco0_.carbon_credits as carbon_c2_3_0_, contractco0_.company_seq as company_4_3_0_, contractco0_.forest_seq as forest_s5_3_0_, contra
Hibernate: select forestowne0_.owner_seq as owner_se1_5_3_, forestowne0_.forest_seq as forest_s2_5_3_, forestowne0_.user_seq as user_seq3_5_3_, forest1_.forest_seq as forest_s1_4_0_, forest1_.area as are
Hibernate: SELECT SUM(t.tree_count) FROM tree t WHERE t.measure_at = (SELECT MAX(e.measure_at) FROM tree e WHERE e.tree_species = t.tree_species AND e.forest_seq = ?) AND t.forest_seq = ?
Hibernate: SELECT t.* FROM tree t WHERE t.measure_at = (SELECT MAX(e.measure_at) FROM tree e WHERE e.tree_species = t.tree_species AND e.forest_seq = ?) AND t.forest_seq = ?
Hibernate: SELECT SUM(t.tree_count) FROM tree t WHERE t.measure_at = (SELECT MAX(e.measure_at) FROM tree e WHERE e.tree_species = t.tree_species AND e.forest_seq = ?) AND t.forest_seq = ?
Hibernate: SELECT t.* FROM tree t WHERE t.measure_at = (SELECT MAX(e.measure_at) FROM tree e WHERE e.tree_species = t.tree_species AND e.forest_seq = ?) AND t.forest_seq = ?
Hibernate: SELECT SUM(t.tree_count) FROM tree t WHERE t.measure_at = (SELECT MAX(e.measure_at) FROM tree e WHERE e.tree_species = t.tree_species AND e.forest_seq = ?) AND t.forest_seq = ?
Hibernate: SELECT t.* FROM tree t WHERE t.measure_at = (SELECT MAX(e.measure_at) FROM tree e WHERE e.tree_species = t.tree_species AND e.forest_seq = ?) AND t.forest_seq = ?
Hibernate: SELECT SUM(t.tree_count) FROM tree t WHERE t.measure_at = (SELECT MAX(e.measure_at) FROM tree e WHERE e.tree_species = t.tree_species AND e.forest_seq = ?) AND t.forest_seq = ?
Hibernate: SELECT t.* FROM tree t WHERE t.measure_at = (SELECT MAX(e.measure_at) FROM tree e WHERE e.tree_species = t.tree_species AND e.forest_seq = ?) AND t.forest_seq = ?
Hibernate: SELECT SUM(t.tree_count) FROM tree t WHERE t.measure_at = (SELECT MAX(e.measure_at) FROM tree e WHERE e.tree_species = t.tree_species AND e.forest_seq = ?) AND t.forest_seq = ?
Hibernate: SELECT t.* FROM tree t WHERE t.measure_at = (SELECT MAX(e.measure_at) FROM tree e WHERE e.tree_species = t.tree_species AND e.forest_seq = ?) AND t.forest_seq = ?
Hibernate: SELECT SUM(t.tree_count) FROM tree t WHERE t.measure_at = (SELECT MAX(e.measure_at) FROM tree e WHERE e.tree_species = t.tree_species AND e.forest_seq = ?) AND t.forest_seq = ?
Hibernate: SELECT t.* FROM tree t WHERE t.measure_at = (SELECT MAX(e.measure_at) FROM tree e WHERE e.tree_species = t.tree_species AND e.forest_seq = ?) AND t.forest_seq = ?
Hibernate: SELECT SUM(t.tree_count) FROM tree t WHERE t.measure_at = (SELECT MAX(e.measure_at) FROM tree e WHERE e.tree_species = t.tree_species AND e.forest_seq = ?) AND t.forest_seq = ?
Hibernate: SELECT t.* FROM tree t WHERE t.measure_at = (SELECT MAX(e.measure_at) FROM tree e WHERE e.tree_species = t.tree_species AND e.forest_seq = ?) AND t.forest_seq = ?
<200,molipOvertime.tree_project.dto.forest.ForestStatResponseDto@3b4a77be,[Content-Type:"application/json", Transfer-Encoding:"chunked", Date:"Mon, 12 Dec 2022 02:24:15 GMT", Keep-Alive:"timeout=60", Con
Hibernate: select user0_.user_seq as user_seq1_9_, user0_.email as email2_9_, user0_.phone_number as phone_nu3_9_, user0_.user_name as user_nam4_9_, user0_.user_pwd as user_pwd5_9_ from users user0_ wher
Hibernate: select user0_.user_seq as user_seq1_9_0_, user0_.email as email2_9_0_, user0_.phone_number as phone_nu3_9_0_, user0_.user_name as user_nam4_9_0_, user0_.user_pwd as user_pwd5_9_0_ from users u
Hibernate: select forestowne0_.owner_seq as owner_se1_5_, forestowne0_.forest_seq as forest_s2_5_, forestowne0_.user_seq as user_seq3_5_ from forest_owner forestowne0_ where forestowne0_.user_seq=?
Hibernate: select forest0_.forest_seq as forest_s1_4_0_, forest0_.area as area2_4_0_, forest0_.forest_name as forest_n3_4_0_, forest0_.image as image4_4_0_, forest0_.latitude as latitude5_4_0_, forest0_.
Hibernate: select forestowne0_.owner_seq as owner_se1_5_3_, forestowne0_.forest_seq as forest_s2_5_3_, forestowne0_.user_seq as user_seq3_5_3_, forest1_.forest_seq as forest_s1_4_0_, forest1_.area as are
Hibernate: SELECT t.* FROM tree t WHERE t.measure_at = (SELECT MAX(e.measure_at) FROM tree e WHERE e.tree_species = t.tree_species AND e.forest_seq = ?) AND t.forest_seq = ?
Hibernate: select forest0_.forest_seq as forest_s1_4_0_, forest0_.area as area2_4_0_, forest0_.forest_name as forest_n3_4_0_, forest0_.image as image4_4_0_, forest0_.latitude as latitude5_4_0_, forest0_.
Hibernate: select f.* FROM forest_owner f WHERE f.user_seq = ? AND f.forest_seq = ?
Hibernate: SELECT t.* FROM tree t WHERE t.measure_at = (SELECT MAX(e.measure_at) FROM tree e WHERE e.tree_species = t.tree_species AND e.forest_seq = ?) AND t.forest_seq = ?
Hibernate: SELECT f.* FROM forest_owner f WHERE f.user_seq = ? AND f.forest_seq = ?
Hibernate: select forest0_.forest_seq as forest_s1_4_0_, forest0_.area as area2_4_0_, forest0_.forest_name as forest_n3_4_0_, forest0_.image as image4_4_0_, forest0_.latitude as latitude5_4_0_, forest0_.
Hibernate: select forestowne0_.owner_seq as owner_se1_5_3_, forestowne0_.forest_seq as forest_s2_5_3_, forestowne0_.user_seq as user_seq3_5_3_, forest1_.forest_seq as forest_s1_4_0_, forest1_.area as are
```

Wrap lines ☐

Generated by Gradle 7.5.1 at 2022. 12. 12. 오전 11:24:20

CompanyIntegrationTest

all > molipOvertime.tree_project.integration > CompanyIntegrationTest

3	0	0	0.626s	100%
tests	failures	ignored	duration	successful

- Tests
- Standard output

Tests

Test	Method name	Duration	Result
회사 등록	initCompanyTest()	0.454s	passed
계약 등록	initContractTest()	0.074s	passed
회사 리스트	listCompanyTest()	0.098s	passed

Standard output

```
11:24:12.393 [Test worker] DEBUG org.springframework.test.context.BootstrapUtils - Instantiating CacheAwareContextLoaderDelegate from class [org.springframework.test.context.cache.DefaultCacheAwareContex
11:24:12.398 [Test worker] DEBUG org.springframework.test.context.BootstrapUtils - Instantiating BootstrapContext using constructor [public org.springframework.test.context.support.DefaultBootstrapContex
11:24:12.406 [Test worker] DEBUG org.springframework.test.context.BootstrapUtils - Instantiating TestContextBootstrapper for test class [molipOvertime.tree_project.integration.CompanyIntegrationTest] fro
11:24:12.411 [Test worker] INFO org.springframework.boot.test.context.SpringBootTestContextBootstrapper - Neither @ContextConfiguration nor @ContextHierarchy found for test class [molipOvertime.tree_proj
11:24:12.412 [Test worker] DEBUG org.springframework.test.context.support.AbstractContextLoader - Did not detect default resource location for test class [molipOvertime.tree_project.integration.CompanyIn
11:24:12.413 [Test worker] DEBUG org.springframework.test.context.support.AbstractContextLoader - Did not detect default resource location for test class [molipOvertime.tree_project.integration.CompanyIn
11:24:12.413 [Test worker] INFO org.springframework.test.context.support.AbstractContextLoader - Could not detect default resource locations for test class [molipOvertime.tree_project.integration.Company
11:24:12.413 [Test worker] INFO org.springframework.test.context.support.AnnotationConfigContextLoaderUtils - Could not detect default configuration classes for test class [molipOvertime.tree_project.int
11:24:12.433 [Test worker] DEBUG org.springframework.test.context.support.ActiveProfilesUtils - Could not find an 'annotation declaring class' for annotation type [org.springframework.test.context.Active
11:24:12.456 [Test worker] DEBUG org.springframework.context.annotation.ClassPathScanningCandidateComponentProvider - Identified candidate component class: file [/Users/park/treeproject/backend-ver2/buil
11:24:12.456 [Test worker] INFO org.springframework.boot.test.context.SpringBootTestContextBootstrapper - Found @SpringBootConfiguration molipOvertime.tree_project.TreeProjectApplication for test class m
11:24:12.497 [Test worker] DEBUG org.springframework.boot.test.context.SpringBootTestContextBootstrapper - @TestExecutionListeners is not present for class [molipOvertime.tree_project.integration.Company
11:24:12.497 [Test worker] INFO org.springframework.boot.test.context.SpringBootTestContextBootstrapper - Loaded default TestExecutionListener class names from location [META-INF/spring.factories]: [org.
11:24:12.503 [Test worker] INFO org.springframework.boot.test.context.SpringBootTestContextBootstrapper - Using TestExecutionListeners: [org.springframework.test.context.web.ServletTestExecutionListener@
11:24:12.505 [Test worker] DEBUG org.springframework.test.context.support.DependencyInjectionTestExecutionListener - Performing dependency injection for test context [[DefaultTestContext@185f7840 testCla

  .   ____          _            __ _ _
 /\\ / ___'_ __ _ _(_)_ __  __ _ \ \ \ \
( ( )\___ | '_ | '_| | '_ \/ _` | \ \ \ \
 \\/  ___)| |_)| | | | | || (_| |  ) ) ) )
  '  |____| .__|_| |_|_| |_\__, | / / / /
 =========|_|==============|___/=/_/_/_/
?[32m :: Spring Boot :: ?[39m                ?[2m (v2.7.2)?[0;39m

?[2m2022-12-12 11:24:12.661?[0;39m ?[33m WARN?[0;39m ?[35m78594?[0;39m ?[2m---?[0;39m ?[2m[    Test worker]?[0;39m ?[36mory$DuplicateJsonObjectContextCustomizer?[0;39m ?[2m:?[0;39m

Found multiple occurrences of org.json.JSONObject on the class path:

        jar:file:/Users/park/.gradle/caches/modules-2/files-2.1/org.json/json/20160810/aca5eb39e2a12fddd6c472b240afe9ebea3a6733/json-20160810.jar!/org/json/JSONObject.class
        jar:file:/Users/park/.gradle/caches/modules-2/files-2.1/com.vaadin.external.google/android-json/0.0.20131108.vaadin1/fa26d351fe62a6a17f5cda1287c1c6110dec413f/android-json-0.0.20131108.vaadin1.jar

You may wish to exclude one of them to ensure predictable runtime behavior

?[2m2022-12-12 11:24:12.665?[0;39m ?[32m INFO?[0;39m ?[35m78594?[0;39m ?[2m---?[0;39m ?[2m[    Test worker]?[0;39m ?[36mm.t.integration.CompanyIntegrationTest  ?[0;39m ?[2m:?[0;39m Starting CompanyIntegr
?[2m2022-12-12 11:24:12.665?[0;39m ?[32m INFO?[0;39m ?[35m78594?[0;39m ?[2m---?[0;39m ?[2m[    Test worker]?[0;39m ?[36mm.t.integration.CompanyIntegrationTest  ?[0;39m ?[2m:?[0;39m No active profile set,
?[2m2022-12-12 11:24:12.932?[0;39m ?[32m INFO?[0;39m ?[35m78594?[0;39m ?[2m---?[0;39m ?[2m[    Test worker]?[0;39m ?[36m.s.d.r.c.RepositoryConfigurationDelegate?[0;39m ?[2m:?[0;39m Multiple Spring Data m
?[2m2022-12-12 11:24:12.933?[0;39m ?[32m INFO?[0;39m ?[35m78594?[0;39m ?[2m---?[0;39m ?[2m[    Test worker]?[0;39m ?[36m.s.d.r.c.RepositoryConfigurationDelegate?[0;39m ?[2m:?[0;39m Bootstrapping Spring D
?[2m2022-12-12 11:24:13.009?[0;39m ?[32m INFO?[0;39m ?[35m78594?[0;39m ?[2m---?[0;39m ?[2m[    Test worker]?[0;39m ?[36m.s.d.r.c.RepositoryConfigurationDelegate?[0;39m ?[2m:?[0;39m Finished Spring Data r
?[2m2022-12-12 11:24:13.016?[0;39m ?[32m INFO?[0;39m ?[35m78594?[0;39m ?[2m---?[0;39m ?[2m[    Test worker]?[0;39m ?[36m.s.d.r.c.RepositoryConfigurationDelegate?[0;39m ?[2m:?[0;39m Multiple Spring Data m
?[2m2022-12-12 11:24:13.016?[0;39m ?[32m INFO?[0;39m ?[35m78594?[0;39m ?[2m---?[0;39m ?[2m[    Test worker]?[0;39m ?[36m.s.d.r.c.RepositoryConfigurationDelegate?[0;39m ?[2m:?[0;39m Bootstrapping Spring D
?[2m2022-12-12 11:24:13.025?[0;39m ?[32m INFO?[0;39m ?[35m78594?[0;39m ?[2m---?[0;39m ?[2m[    Test worker]?[0;39m ?[36m.RepositoryConfigurationExtensionSupport?[0;39m ?[2m:?[0;39m Spring Data Redis - Co
?[2m2022-12-12 11:24:13.026
```