

PORTADA – CARATULA



UNIVERSIDAD TÉCNICA DE MANABÍ

FACULTAD DE CIENCIAS INFORMÁTICAS

CARRERA DE TECNOLOGIA DE LA INFORMACION

Nombre del Estudiante:

Bryan Andrés Zavala San Martín

CEDULA:

0750973224

Nivel:

Sexto Semestre

ASIGNATURA:

“Desarrollo De Aplicaciones Web”

PARALELO:


“A”

Profesor Tutor:

“Ing. Bravo Pico Manuel Geovanny”




Cambiamos la ruta del proyecto para que encuentre el localhost/ci4/



```
17
18 // Ensure the current directory is pointing to the front controller's dir
19 chdir(FCPATH);
20
21 /*
22  *-----
23  * BOOTSTRAP THE APPLICATION
24  *-----
25  * This process sets up the path constants, loads and registers
26  * our autoloader, along with Composer's, loads our constants
27  * and fires up an environment-specific bootstrapping.
28  */
29
30 // Load our paths config file
31 // This is the line that might need to be changed, depending on your folder
32 require FCPATH.'app/Config/Paths.php';
33 // ^^^ Change this line if you move your application folder
34
35 $paths = new Config\Paths();
36
```


Configuramos el .env



```
1 #-----
2 # Example Environment Configuration file
3 #
4 # This file can be used as a starting point for your own
5 # custom .env files, and contains most of the possible settings
6 # available in a default install.
7 #
8 # By default, all of the settings are commented out. If you want
9 # to override the setting, you must un-comment it by removing the '#'
10 # at the beginning of the line.
11 #-----
12
13 #-----
14 # ENVIRONMENT
15 #-----
16
17 CI_ENVIRONMENT = development
18 # CI_ENVIRONMENT = production
19
20 #-----
21 # APP
22 #-----
23
```



Verificamos que hasta el momento se ejecutan correctamente en el localhost/ci4/



Acerca de esta página

CodeIgniter genera dinámicamente la página que está viendo.

Si desea editar esta página, la encontrará en:

```
app/Views/welcome_message.php
```

El controlador correspondiente para esta página se puede encontrar en:

```
app/Controllers/Home.php
```

Configuramos la parte de la carpeta routes

```
$routes->setDefaultNamespace('App\Controllers');
$routes->setDefaultController('Home');
$routes->setDefaultMethod('index');
$routes->setTranslateURIDashes(false);
$routes->set404Override();
// The Auto Routing (Legacy) is very dangerous. It is easy to create vuln
// where controller filters or CSRF protection are bypassed.
// If you don't want to define all routes, please use the Auto Routing (
// Set '$autoRoutesImproved' to true in `app/Config/Feature.php` and set
// $routes->setAutoRoute(false);

/*
 * -----
 * Route Definitions
 * -----
 */

// We get a performance increase by specifying the default
// route since we don't have to scan directories.
$routes->get('/', 'Home::index');
$routes->get('/prueba', 'Home::prueba');
$routes->get('/api', 'Home::api');

/*
```



Configuramos el Home con los datos que vamos a utilizar.

```
{
    public function index()
    {
        return view('welcome_message');
    }

    public function prueba()
    {
        echo 'verificando datos';
    }

    public function api()
    {
        $usuario= array (
            "IDCEDULA" => "0750973224",
            "Nombres" => "Bryan Zavala",
            "Ciudad" => "Pasaje",
            "Direccion" => "Perimetral Sur",
            "Telefono" => "0959613388",
        );

        // echo json_encode($usuario) ,

        return $this->response->setJSON($usuario);
    }
}
```

Procedemos a Ejecutar para poder observar la base de datos

localhost/ci4/api

https://localhost/ci4/api

JSON Datos sin procesar Cabeceras

Guardar Copiar Contraer todo Expandir todo Filtar JSON

IDCEDULA: "0750973224"

Nombres: "Bryan Zavala"

Ciudad: "Pasaje"

Direcion: "Perimetral Sur"

Telefono: "0959613388"