#### **Designing Interactive Reports in Power BI Desktop**



- Designing Interactive Reports
- Creating the Top 5 Products List
- Working with Bookmarks and Drillthrough
- Using Report Themes
- Importing Custom Visuals
- Publishing Power BI Reports



# **Creating Reports**


- Power BI Desktop project contains one report
  - Report within project can contain multiple pages
  - Report pages contains visuals

- Reports can be created using filters
  - You can add filter to a specific visual
  - You can add page-level filters
  - You can add report-level filters
  - You can add interactive filters



## **Built-in Visualization Types**

- Table and Matrix
- Bar charts and Column charts
- Pie charts and Doughnut chart
- Line chart and Area chart
- Scatter chart and Combo charts
- Card and Multi-row Card
- Treemap
- Ribbon chart
- Waterfall chart
- Funnel chart
- Gauge
- Map and Filled Map
- Slicer
- R script visual
- Shape map (in preview)






#### **Column Chart and Bar Chart Variations**


Stacked Column Chart and Clustered Column Charted





Stacked Bar Chart and Clustered Bar Chart








#### **100% Stacked Column Chart**


Used to visual distribution over time across categories






#### **Line Charts**

- Visualizes a series of data points across X and Y axis
  - Commonly used for time-based analysis




Add field to Legend to create multiple lines for comparative analysis





#### **Trend Lines**


- Used to visualize trends in series-based data
  - Flattens out the ups and downs
  - Used to determine if values are trending up or down





#### **Stacked Area Chart**


- Basically, a line chart with a little more personality
  - Areas under lines filled with colors





# **Treemap**


Simple visualization of category distribution





#### **Funnel**

Visualizes distribution across categories as percentage of top value





#### Waterfall

Visualizes series-based data with positive and negative values





#### **Scatter Chart**

- Visualizes set of data points when looking for correlation
  - Scatter chart used to discover correlation between two variables
  - Each data point has two values which are mapped to X and Y axis




se price?



# Gauge Visual


Visualizes how measured value is tracking against goal or budget





# Filled Map


Visualizes distribution across states and countries






# **Inline Shape Map**


- Similar to filled map with a few important exceptions
  - Based on TopoJSON map format created by ESRI
  - Allows for creation of custom maps using JSON
  - Create maps for geography, seating arrangements, floor plans, etc.





## **User Interaction with Slicers & Highlighting**

Provides user with interactive filtering control






# **User Interaction using Drill Actions**

- Drill Actions supported when using hierarchies
  - You must enabled drilldown mode in visual







- Designing Interactive Reports
- Creating the Top 5 Products List
- Working with Bookmarks and Drillthrough
- Using Report Themes
- Importing Custom Visuals
- Publishing Power BI Reports




# Ranking Products By Sales using RANKX

- DAX provides RANKX function for ranking
  - Can be used to track top 5 products by sales revenue

```
Product Rank =
RANKX(
    ALL(Products),
    CALCULATE( SUM(Sales[SalesAmount]) )
)
```

You can sort and filter on output of RANKX function

		=
Product Rank A	Product	Sales Revenue
1	Flying Squirrel	\$3,828,783
2	Twitter Follower Action Figure	\$3,508,806
3	Godzilla Action Figure	\$2,970,735
4	Personal Commuter Chopper	\$2,613,193
5	Red Stomper Bully	\$2,538,233





#### **Problems with the Filter Context**

- RANKX function is affected by filter context
  - Sometimes you get the results you are expecting



Sometimes you might get unexpected results






# **Writing Context Aware DAX Code**

- When using RANKX...
  - It's recommended to call HASONEVALUE function
  - When calling ALL function, pass one or more columns

```
Product Rank =
IF(
   HASONEVALUE(Products[Product]),
   RANKX(
    ALL( Products[Subcategory], Products[Product] ),
    CALCULATE( SUM(Sales[SalesAmount]) )
)
)
```

Ranking function now evaluates product ranking for specific Category






# **More Ranking Evaluation Problems**

- Adding new column to table creates new problem
  - Ranking run separately for each separate Product Image
  - Every product has unique Product Image and is given rank of 1








# **Getting It Right**

- Call to RANKX must be modified again
  - You must specify which columns to factor into ranking

```
Product Rank =
IF(
   HASONEVALUE(Products[Product]),
   RANKX(
    ALL( Products[Subcategory], Products[Product], Products[Product Image] ),
        CALCULATE( SUM(Sales[SalesAmount]) )
)
```

Context-aware DAX code corrects problems with visual





- Designing Interactive Reports
- ✓ Creating the Top 5 Products List
- Working with Bookmarks and Drillthrough
- Using Report Themes
- Importing Custom Visuals
- Publishing Power BI Reports





- ✓ Designing Interactive Reports
- ✓ Creating the Top 5 Products List
- ✓ Working with Bookmarks and Drillthrough
- Using Report Themes
- Importing Custom Visuals
- Publishing Power BI Reports






- Designing Interactive Reports
- ✓ Creating the Top 5 Products List
- ✓ Working with Bookmarks and Drillthrough
- ✓ Using Report Themes
- Importing Custom Visuals
- Publishing Power BI Reports




#### **Custom Visuals for Power BI**

- Power BI Framework for Visuals is Extensible
  - Developers can extend Power BI with Custom Visuals
  - Microsoft Hosts gallery of custom visuals
  - Gallery located at https://appsource.microsoft.com






# **Histogram**






#### **Tornado Chart**






# **Spark Lines**






# **Hierarchy Slicer**






# **Importing a Custom Visual**

- Import custom visual into Power BI Desktop project
  - Execute Import > Power BI Custom Visual menu command



After import, Custom Visual appears in Visualizations list





- ✓ Designing Interactive Reports
- ✓ Creating the Top 5 Products List
- ✓ Working with Bookmarks and Drillthrough
- ✓ Importing Custom Visuals
- Publishing Power BI Reports



# Publishing a Power BI Desktop Project

- Power BI Desktop provides Publish command
  - Used to publish project to Power BI service



Requires logging into your Office 365 account






Published articles added to a specific workspace



# **Examining What's Been Published**


- What does project publishing add to workspace?
  - One dataset with same name as project
  - One report with same name as project





# **Dataset Configuration**


- You can configure Dataset after its been published
  - Configure data source credentials
  - Configure refresh schedule
  - Configure Row-level Security






#### **Publish to Web**

- Publish to Web command available on reports
  - Not supported for reports and datasets which implement RLS




Publish to Web command used to generate embed codes





# **Generating Embed Codes**

- Used to provide anonymous access to report
  - Provide link which can be posted, emailed or texted
  - Provides iFrame HTML element for embedding in public web site



## Summary

- Designing Interactive Reports
- ✓ Creating the Top 5 Products List
- ✓ Working with Bookmarks and Drillthrough
- ✓ Importing Custom Visuals
- ✓ Publishing Power BI Reports

