

Collin Backus
CS3110-001
Sprint Reflection 4
Due: April 18, 2026

Goals

1. *Establish “Likes” Post Interaction Architecture*

Met (y/n): y

This was done by creating an API in the backend JS file that is called in the assemblePosts function in the front end JS file. There is an onclick function that, when clicked, increments an array of user IDs that represent the total likes that is a property of the post item in the backend. The username is used here to allow the user to un-like a post and thereby remove their user ID from the array. The like button and counter are appended as a child to the post item.

2. *Establish “Replies” Post Interaction Architecture*

Met (y/n): y

This was done by creating an API in the backend JS file that is called in the assemblePosts function in the front end JS file. There is an onclick function that, when clicked, increments an array of user IDs that represent the total replies that is a property of the post item in the backend. The button presents a simple browser prompt to write the text of the reply, then is assembled within the assemblePosts function. The reply button and counter, and the replies themselves, are appended as a child to the post item. An issue that I ran in to as I was developing replies was that replies were not auto populating below their respective posts, I would have to refresh the page to see them. Because of this, I had to call the loadPosts function immediately after the reply was made. This was also done for reblogs.

3. *Establish “Reblogs” Post Interaction Architecture*

Met (y/n): y

This was done by creating an API in the backend JS file that is called in the assemblePosts function in the front end JS file. There is an onclick function that, when clicked, increments an array of user IDs that represent the total reblogs that is a property of the post item in the backend. The username is used here to allow the user to un-reblog a post and thereby remove their user ID from the array. The reblog button and counter are appended as a child to the post item.

4. *Show user reblogged posts on relogger’s profile page*

Met (y/n): y

Reblogging reposts the reblogged post onto the user’s profile page by pushing the post content into that user’s array of posts, essentially cloning it. This post has a text header that

shows what user the post is reblogged from to distinguish it from the other posts. Un-reblogging searches the user's array of posts for the post that matches the reblogged post and removes it from that array, which then in turn removes it from the user's profile.

Next Sprint

The next (and final) sprint will be focused on polishing the look and feel of the website. I need to implement database storage for users and posts, and I intend to do so with sqlite3 and sequelize, like Assignment 6. Usernames of replies need to be clickable and direct the user to the profile page of the replier, like usernames of posts. Showing the time stamp in the post itself would also be nice to have. I have been putting off dealing with a profile picture, so I need to implement that in the database as well. Lastly, the posts need to be in reverse order so that the most recently posted post is at the top of the feed. Currently, they are posting in descending order.

Link to Deployed Application and Usage/Testing Instructions

<https://myconet.chickenkiller.com/>

Posts made on the index page are visible there and are also visible on the profile page associated with the user that made the post. Multiple users are supported. Post "likes" are shown as a counter button, post "replies" are shown directly below the main post and also have a counter button, and post "reblogs" are shown as a counter button and reflected on the reblogger's profile page. Current active credentials are below. Because I've had to restart the server a few times and I am not yet storing user/post data persistently, you must register again or use the credentials below. You will have to allow location permissions on your browser. You may log out by clicking the logout button on either the index page or the profile.

Email	Password	Username
backus.collin@yahoo.com	test	user1
collinbackus@gmail.com	test	user2