Documentation for z80 Mainframe

Colton Beck

January 21, 2019

Legal Information

Disclaimer of Warranty

THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

Limitation of Liability

IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MODIFIES AND/OR CONVEYS THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

Dedication

Dedicated to caffeine for giving me the energy to write this and sleep deprivation for making me think this was a good idea.

Contents

1	Main Board	1						
2	2 Dot Matrix Printer							
3	Card Punch	5						
4	Card Reader	7						
5	Paper Tape Reader	9						
6	Paper Tape Punch	11						
A	Part List	13						
В	Code Listings B.1 ROM Listing	15 15 17 19 21 23 25						
C	Circuit Diagrams C.1 Main Board	27 29 31 33 35 37						
D	PCB Masks D.1 Main Board	39 39 41 43 45						

vi								CONTENTS											
		Paper Tape Punch Driver Board Paper Tape Reader Driver Board																	

\mathbf{E}	Part Drawings	51

Bibliography	53
210110814911	

List of Figures

2.1	Driver Board to Printer Timing	3
2.2	Main Bus to Printer Driver Timing	3

List of Tables

Main Board

Dot Matrix Printer

The main output for the z80 mainframe is the printer. This particular setup is designed to use an Epson LX-810 printer interfacing over a parallel port as shown in figure (null pointer).




Figure 2.1: Driver Board to Printer Timing




Figure 2.2: Main Bus to Printer Driver Timing

Card Punch

Card Reader

Paper Tape Reader

Paper Tape Punch

Appendix A

Part List

Appendix B

Code Listings

B.1 ROM Listing

B.2 Line Printer Driver Listing

```
_{1} char header [] = {0 x 00, 0 x 1B, 0 x 40, 0 x 1B, 0 x 52, 0 x 00, 0 x 1B,
                   0x74,0x01,0x1B,0x36,0x12,0x1B,0x50};
  void setup() {
    // put your setup code here, to run once:
    Serial.begin(2400);
    pinMode (2,OUTPUT);
    pinMode (3,OUTPUT);
    pinMode (4,OUTPUT);
    pinMode (5,OUTPUT);
    pinMode (6,OUTPUT);
10
    pinMode (7,OUTPUT);
    pinMode (8, OUTPUT);
12
    pinMode (9,OUTPUT);
    pinMode (10, OUTPUT);
14
    pinMode (11,INPUT);
    digital Write (10, HIGH);
16
    for(int i=0; i<sizeof(header); i++)
17
18
       for (int j=0; j<8; j++)
19
20
         if(((header[i]>>j)\&1)==1)
21
            digitalWrite(j+2,HIGH);
23
         }
         else
25
            digitalWrite(j+2LOW);
27
29
       delayMicroseconds (10);
       digitalWrite (10,LOW);
31
       delay Microseconds (10);
       digitalWrite (10, HIGH);
33
       while (digital Read (11) == HIGH) {};
34
35
    Serial.println("Ready...");
37
  int feed = 0;
  void serialEvent()
39
40
    char data=Serial.read();
41
    for (int j=0; j < 8; j++)
42
43
```

```
if(((data>>j)&1)==1)
44
45
           digitalWrite(j+2,HIGH);
46
         else
49
           digitalWrite(j+2,LOW);
50
52
       delay Microseconds (10);
       digital Write (10,LOW);
       delay Microseconds (10);
       digitalWrite(10,HIGH);
56
       Serial.print(data);
       if(data = 0x0d) \{ feed ++; Serial.println(); \};
       if(data != 0x0d) \{ feed = 0; \};
       if (feed >= 3)
60
         feed = 0;
         data = 0x0c;
         for (int j=0; j<8; j++)
63
64
           if(((data>>j)\&1)==1)
65
             digitalWrite(j+2,HIGH);
           else
69
             digitalWrite(j+2,LOW);
71
72
73
         delayMicroseconds (10);
         digitalWrite (10,LOW);
         delayMicroseconds (10);
         digitalWrite (10, HIGH);
      while (digitalRead(11)==HIGH) {};
79
80
81
  void loop() {
    // put your main code here, to run repeatedly:
83
85 }
```

B.3 Card Punch Driver Listing

B.4 Card Reader Driver Listing

B.5 Paper Tape Punch Driver Listing

B.6 Paper Tape Reader Driver Listing

Appendix C

Circuit Diagrams

C.1 Main Board

C.2 Line Printer Driver Board

C.3 Card Punch Driver Board

C.4 Card Reader Driver Board

C.5 Paper Tape Punch Driver Board

C.6 Paper Tape Reader Driver Board

Appendix D

PCB Masks

D.1 Main Board

D.2 Line Printer Driver Board

D.3 Card Punch Driver Board

D.4 Card Reader Driver Board

D.5 Paper Tape Punch Driver Board

D.6 Paper Tape Reader Driver Board

Appendix E

Part Drawings

Bibliography

- [1] Atmel Corporation. 64K (8K x 8) Parallel EEprom with Page Write and Software Data Protection, 2 2009. Rev. C.
- [2] Atmel Corporation. Atmel 8-bit Microcontroler With 4/8/16/32KBytes In-System Programmable Flash, 11 2015. Rev. J.
- [3] Steve Ciarcia. Build Your Own z80 Computer. BYTE Books, Peterborough, NH, 1981.
- [4] Epson America, Inc. 9-pin Dot Matrix Printer, 6 1989. Rev. 1.
- [5] Integrated Device Technology, Inc. 256K (32K x 8-Bit), 11 2014. Rev. 7.
- [6] Zilog, Inc. $z80\ CPU$, 8 2016. Rev. 11.

54 BIBLIOGRAPHY

BIBLIOGRAPHY 55

Fonts