Ch07-Tuples

August 7, 2020

1 Tuples

- http://openbookproject.net/thinkcs/python/english3e/tuples.html
- containers used for grouping data values surrounded with parenthesis
- data values in tuples are called elements/items/members
- two major operations done with tuples are:
 - 1. packing (creating tuples)
 - 2. unpacking (storing data into individual variables)

```
[1]: year_born = ("Paris Hilton", 1981) # tuple packing
 [2]: print(year_born)
     ('Paris Hilton', 1981)
[11]: star = "Paris", 'J', 'Hilton', 1981, 32, 1.2 # tuple packing
[12]: star
[12]: ('Paris', 'J', 'Hilton', 1981, 32, 1.2)
[13]: type(star)
[13]: tuple
[14]: # tuple assignment
      fname, mi, lname, year, age, income = star # tuple unpacking;
      # no. of variables must match no. tuple values
 [9]: fname
 [9]: 'Paris'
[10]: lname
[10]: 'Hilton'
[11]: print(income)
```

1.2

```
[12]: # swap values of two variables
a = 100
b = 200
a, b = b, a
```

[13]: print(a, b)

200 100

1.1 Member access

- each member of tuple can be accessed using [index] operator
- index is 0 based or starts from 0

```
[1]: name = ('John', 'A.', 'Smith')
```

[3]: print(name[0], name[1], name[2])

John A. Smith

1.2 len built-in function

• gives the length (no. of elements) of tuple

```
[4]: len(name)
```

[4]: 3

1.3 Tuple membership

• in and not in boolean operators let's you check for membership

```
[7]: John' in name
```

[7]: True

```
[8]: 'B.' in name
```

[8]: False

```
[9]: 'Jake' not in name
```

[9]: True

1.4 Tuples can be returned from a function

```
[29]: def maxAndMin(a, b, c, d, e):
           myMax = a \#max(a, b, c, d, e)
           if myMax < b:</pre>
               myMax = b
           if myMax < c:</pre>
               myMax = c
           if myMax < d:</pre>
               myMax = d
           if myMax < e:</pre>
               myMax = e
           values = [a, b, c, d, e]
           myMin = min(values)
           return (myMax, myMin)
[30]: ab = maxAndMin(10, 20, 5, 100, 34)
      print('max =', ab[0], 'min=', ab[1])
     max = 100 min = 5
```

1.5 Tuples are immutable

---> 1 a[0] = 100

• can't change tuple in-place or update its elements similar to string

```
[5]: a = (1, 2, 3)
     print(a[0])
    1
[6]: a[0] = 100
           Ш
            TypeError
                                                       Traceback (most recent call_
     →last)
            <ipython-input-6-b6d7a4db9a51> in <module>()
```

TypeError: 'tuple' object does not support item assignment