


CONVERGENT ANALYTICS

ENTERPRISE AI SUITE

VERSION: 1



TRACKING

EDITS

Edit	Date	Author(s)	Role(s)
Initial edit	2026-05-22	Sergey Lukyanchikov	Project Owner

APPROVALS

Approval	Date	Approver(s)	Signature(s)
Initial approval	2026-05-24	Sergey Lukyanchikov	NA

DISCLAIMER

This document provides information required for installation and use of Enterprise AI Suite. The functionality of Enterprise AI Suite is a template to be adjusted to the needs of the user. The user installs and applies Enterprise AI Suite at their own discretion and risk.

TABLE OF CONTENTS

General	4
Components installation.....	5
SuiteCRM.....	5
XAMPP.....	5
Enterprise AI Suite download, import and setup	6
Download	6
Import	6
Setup	7
Enterprise AI Suite customizing and testing	16
Customizing.....	16
Testing	16

GENERAL

[Enterprise AI Suite](#) is a bundle of open-source components configured to add AI-centric client-server computations to enterprise software. Enterprise AI Suite is currently tested under the following components (a non-exhaustive list of the most important items):

- [SuiteCRM \(suitecrm-8-7-1\)](#)
- [XAMPP \(xampp-portable-windows-x64-8.2.12-0-VS16-installer\)](#)

Prerequisites:

- [AI Orchestration Platform](#) with Cannibalization Analysis deployed

IMPORTANT: the above links are indicative, the components available under those links are not controlled by us. Download at your discretion and risk.

COMPONENTS INSTALLATION

Before downloading and configuring Enterprise AI Suite, we must download and install open-source components on which Enterprise AI Suite depends:

SUITECRM

Download - [SuiteCRM \(suitecrm-8-7-1\)](#) - and [installation instructions](#).

XAMPP

Download: [XAMPP \(xampp-portable-windows-x64-8.2.12-0-VS16-installer\)](#)

Installation video: [XAMPP](#)

Check that the following additional (next to the ones required for XAMPP setup) PHP extensions are activated:


- cURL

ENTERPRISE AI SUITE DOWNLOAD, IMPORT AND SETUP


DOWNLOAD

IMPORTANT: the below chapters describe a somewhat simplified procedure that is intended to get you up and running as quickly as possible. In particular, importing the downloaded classes in an IDE with subsequent version control setup should be considered for a more elaborate implementation.

We can now download [Enterprise AI Suite \(Enterprise AI Suite v1.zip\)](#). Extract it from the zip file to a folder of your choice, the extracted folders (closer to the end of the folder hierarchy) should look like below:



From [Data/cannibalization folder](#) of the same repository, download all the files to a local folder of your choice:



IMPORT

In phpMyAdmin, import in suitecrm database (or its analog in your SuiteCRM site) in aos_products table the data from offers.csv file using for column mapping column_map_offers_2_aos_products.txt file, previously downloaded from [Data/cannibalization folder](#) of C-NLTX repository. The data in aos_products table will look like below:


phpMyAdmin interface showing the 'aos_products' table structure. The table has columns: id, name, date_entered, date_modified, modified_user_id, created_by, description, deleted, assigned_user_id, maincode, and part_number. The data shows various products with different categories like discount, informational, and bogo.

phpMyAdmin interface showing the 'aos_products' table data. The table has columns: description, deleted, assigned_user_id, maincode, part_number, category, type, cost, cost_usdollar, currency_id, price, price_usdollar, url, contact_id, product_image, and aos_product_category_id. The data shows various products with different categories like discount, informational, and bogo.


SETUP

IMPORTANT: before modifying anything in your current SuiteCRM site, make sure you have performed a full backup of it.

Using Module Builder in SuiteCRM, create package jBPM, and inside that package, module jBPM_Generic:



Define the following custom fields (the choice as to which custom fields to create in Module Builder and which ones in Studio is free choice):



Using Studio in SuiteCRM, define the following custom fields (the choice as to which custom fields to create in Module Builder and which ones in Studio is free choice):

Administration

Accounts

Contacts

Opportunities

Leads

Quotes

Calendar

Generic jBPM callout

Labels

Fields

Relationships

Layouts

Subpanels

Invoices

KB - Categories

Knowledge Base

Leads

Line Items

Locations

Maps

Maps - Address Cache

Maps - Areas

Maps - Markers

Edit Fields

Home

Studio

>

Generic jBPM callout

>

Fields

Add Field

Edit Labels

Name	Display Label	Type
name	Name	Name
date_entered	Date Created	Datetime
date_modified	Date Modified	Datetime
description	Description	TextArea
deleted	Deleted	Checkbox
response_status	response status	TextField
response_id	response id	TextField
* input_dimension_c	input dimension	Integer
* input_iterations_c	input iterations	Integer
* input_products_c	input products	MultiSelect
* output_cormat_c	output cormat	TextArea

* field created in Studio

Configure input_products_c field as follows (copy and paste the product names in Default Value):

Edit Fields

Edit Field

Save

Cancel

Delete

Clone

Data Type:

MultiSelect

Field Name:

input_products_c

Display Label:

input products

System Label:

LBL_INPUT_PRODUCTS

Help Text:

Comment Text:

Drop Down List:

input_products_c_list

Edit

Add

Default Value:

discount-['web','email']-20-5-10
discount-['web','email','mobile','social']-7-3-...
discount-['web','email','mobile']-10-2-7
informational-['web','email','mobile']-0-0-4

Mass Update:

☐

Required Field:

☐

Audit:

☐

Inline Edit:

☒

Importable:

Yes

Duplicate Merge:

Disabled

Make sure your C:\xampp\htdocs\SuiteCRM-8.7.1\public\legacy\custom\Extension\modules\jBPM_jBPM_Generic\Ext\Menus\menu.ext.php file looks like in the example below:



```

1 <?php
2 //WARNING: The contents of this file are auto-generated
3
4
5
6 global $mod_strings, $app_strings, $sugar_config;
7
8 if (ACLController::checkAccess('jBPM_jBPM_Generic', 'edit', true)) {
9     $module_menu[] = array(
10         'index.php?module=jBPM_jBPM_Generic&action=EditView&return_module=jBPM_jBPM_Generic&return_action=DetailView',
11         $mod_strings['LBL_CREATE_CALLOUT_00_CANNIBALIZATION'],
12         'Create',
13         'Create Callout 00 Cannibalization',
14         null,
15         '',
16         array('process' => 'callout-00-cannibalization')
17     );
18 }
19

```

Make sure your C:\xampp\htdocs\SuiteCRM-8.7.1\public\legacy\custom\modules\jBPM_jBPM_Generic\Ext\Menus\menu.ext.php file looks like in the example below:



```

1 <?php
2 //WARNING: The contents of this file are auto-generated
3
4
5 //WARNING: The contents of this file are auto-generated
6
7
8
9 global $mod_strings, $app_strings, $sugar_config;
10
11 if (ACLController::checkAccess('jBPM_jBPM_Generic', 'edit', true)) {
12     $module_menu[] = array(
13         'index.php?module=jBPM_jBPM_Generic&action=EditView&return_module=jBPM_jBPM_Generic&return_action=DetailView',
14         $mod_strings['LBL_CREATE_CALLOUT_00_CANNIBALIZATION'],
15         'Create',
16         'Create Callout 00 Cannibalization',
17         null,
18         '',
19         array('process' => 'callout-00-cannibalization')
20     );
21 }
22
23

```

Make sure your C:\xampp\htdocs\SuiteCRM-8.7.1\public\legacy\custom\modules\jBPM_jBPM_Generic\metadata\detailviewdefs.php file looks like in the example below:

```
Callout00Cannibalization.php  callout00cannibalization.php  menu.ext.php  menu.ext.php  detailviewdefs.php
1 <?php
2 $module_name = 'jBPM_jBPM_Generic';
3 $viewdefs [$module_name] =
4 array (
5     'DetailView' =>
6     array (
7         'templateMeta' =>
8         array (
9             'form' =>
10            array (
11                'buttons' =>
12                array (
13                    0 => 'EDIT',
14                    1 => 'DUPLICATE',
15                    2 => 'DELETE',
16                    3 => 'FIND_DUPLICATES',
17                    'AOS_GENLET' =>
18                    array (
19                        'customCode' => '<input type="button" class="button" onClick="showPopup();" value="{ $APP.LBL_PRINT_AS_PDF }">',
20                    ),
21                ),
22            ),
23            'maxColumns' => '2',
24            'widths' =>
25            array (
26                0 =>
27                array (
28                    'label' => '10',
29                    'field' => '30',
30                ),
31                1 =>
32                array (
33                    'label' => '10',
34                    'field' => '30',
35                ),
36            ),
37            'useTabs' => false,
38            'tabDefs' =>
39            array (
40                'DEFAULT' =>
41                array (
42                    'newTab' => false,
43                    'panelDefault' => 'expanded',
44                ),
45            ),

```

```

46     ),
47     'recordActions' =>
48     array (
49         'actions' =>
50         array (
51             'callout-00-cannibalization' =>
52             array (
53                 'key' => 'record-callout-00-cannibalization',
54                 'labelKey' => 'LBL_CREATE_CALLOUT_00_CANNIBALIZATION',
55                 'asyncProcess' => 'true',
56                 'modes' =>
57                 array (
58                     0 => 'detail',
59                     1 => 'edit',
60                 ),
61                 'acl' =>
62                 array (
63                     0 => 'view',
64                 ),
65                 'aclModule' => 'jBPM_jBPM_Generic',
66                 'params' =>
67                 array (
68                 ),
69             ),
70         ),
71     ),
72     'panels' =>
73     array (
74         'default' =>
75         array (
76             0 =>
77             array (
78                 0 => 'name',
79                 1 => 'assigned_user_name',
80             ),
81             1 =>
82             array (
83                 0 =>
84                 array (
85                     'name' => 'date_entered',
86                     'customCode' => '{$fields.date_entered.value} {$APP.LBL_BY} {$fields.created_by_name.value}',
87                     'label' => 'LBL_DATE_ENTERED',
88                 ),
89                 1 =>
90                 array (

```

```
Callout00Cannibalization.php  callout00cannibalization.php  menu.ext.php  menu.ext.php  detailviewdefs.php
91         'name' => 'date_modified',
92         'customCode' => '{$fields.date_modified.value} {$APP.LBL_BY} {$fields.modified_by_name.value}',
93         'label' => 'LBL_DATE_MODIFIED',
94     ),
95 },
96 2 =>
97 array (
98     0 =>
99     array (
100         'name' => 'input_products_c',
101         'studio' => 'visible',
102         'label' => 'LBL_INPUT_PRODUCTS_C',
103     ),
104     1 =>
105     array (
106         'name' => 'output_corrmat_c',
107         'studio' => 'visible',
108         'label' => 'LBL_OUTPUT_CORRMAT_C',
109     ),
110 ),
111 3 =>
112 array (
113     0 =>
114     array (
115         'name' => 'input_dimension_c',
116         'label' => 'LBL_INPUT_DIMENSION',
117     ),
118     1 =>
119     array (
120         'name' => 'input_iterations_c',
121         'label' => 'LBL_INPUT_ITERATIONS',
122     ),
123 ),
124 4 =>
125 array (
126     0 =>
127     array (
128         'name' => 'response_id',
129         'label' => 'LBL_RESPONSE_ID',
130     ),
131     1 =>
132     array (
133         'name' => 'response_status',
134         'label' => 'LBL_RESPONSE_STATUS',
135     ),
136 ),
137 },
138 },
139 ),
140 );
141 ;
142 ?>
143
```

Make sure your C:\xampp\htdocs\SuiteCRM-8.7.1\public\legacy\modules\jBPM_jBPM_Generic\metadata\detailviewdefs.php file looks like in the example below:

```

Callout00Cannibalization.php  callout00cannibalization.php  menu.ext.php  menu.ext.php  detailviewdefs.php  detailviewdefs.php
1  <?php
2  /**
3   *
4   * SugarCRM Community Edition is a customer relationship management program developed by
5   * SugarCRM, Inc. Copyright (C) 2004-2013 SugarCRM Inc.
6   *
7   * SuiteCRM is an extension to SugarCRM Community Edition developed by SalesAgility Ltd.
8   * Copyright (C) 2011 - 2018 SalesAgility Ltd.
9   *
10  * This program is free software; you can redistribute it and/or modify it under
11  * the terms of the GNU Affero General Public License version 3 as published by the
12  * Free Software Foundation with the addition of the following permission added
13  * to Section 15 as permitted in Section 7(a): FOR ANY PART OF THE COVERED WORK
14  * IN WHICH THE COPYRIGHT IS OWNED BY SUGARCRM, SUGARCRM DISCLAIMS THE WARRANTY
15  * OF NON INFRINGEMENT OF THIRD PARTY RIGHTS.
16  *
17  * This program is distributed in the hope that it will be useful, but WITHOUT
18  * ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS
19  * FOR A PARTICULAR PURPOSE. See the GNU Affero General Public License for more
20  * details.
21  *
22  * You should have received a copy of the GNU Affero General Public License along with
23  * this program; if not, see http://www.gnu.org/licenses or write to the Free
24  * Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA
25  * 02110-1301 USA.
26  *
27  * You can contact SugarCRM, Inc. headquarters at 10050 North Wolfe Road,
28  * SW2-130, Cupertino, CA 95014, USA. or at email address contact@sugarcrm.com.
29  *
30  * The interactive user interfaces in modified source and object code versions
31  * of this program must display Appropriate Legal Notices, as required under
32  * Section 5 of the GNU Affero General Public License version 3.
33  *
34  * In accordance with Section 7(b) of the GNU Affero General Public License version 3,
35  * these Appropriate Legal Notices must retain the display of the "Powered by
36  * SugarCRM" logo and "Supercharged by SuiteCRM" logo. If the display of the logos is not
37  * reasonably feasible for technical reasons, the Appropriate Legal Notices must
38  * display the words "Powered by SugarCRM" and "Supercharged by SuiteCRM".
39  */
40
41 $module_name = 'jBPM_jBPM_Generic';
42 $viewdefs[$module_name]['DetailView'] = array(
43     'templateMeta' => array(
44         'form' => array(
45             'buttons' =>
46
47         array(
48             0 => 'EDIT',
49             1 => 'DUPLICATE',
50             2 => 'DELETE',
51             3 => 'FIND_DUPLICATES',
52             'AOS_GENLET' =>
53                 array(
54                     'customCode' => '<input type="button" class="button" onClick="showPopup();" value="{ $APP.LBL_PRINT_AS_PDF }">',
55                 ),
56             ),
57         'maxColumns' => '2',
58         'widths' => array(
59             array('label' => '10', 'field' => '30'),
60             array('label' => '10', 'field' => '30')
61         ),
62     ),
63     'recordActions' => [
64         'actions' => [
65             'callout-00-cannibalization' => [
66                 'key' => 'record-callout-00-cannibalization',
67                 'labelKey' => 'LBL_CREATE_CALLOUT_00_CANNIBALIZATION', // New label, defined in public/legacy/custom/Extension/modules/jBPM_jBPM_Generic/Ext/Language
68                 'asyncProcess' => 'true',
69                 'modes' => ['detail', 'edit'],
70                 'acl' => ['view'],
71                 'aclModule' => 'jBPM_jBPM_Generic',
72                 'params' => [
73                     // Allow selecting a record from a modal before running action
74                     // 'selectModal' => [
75                     //     'module' => 'Accounts'
76                     // ]
77                     // MORE: Other available params
78                     // 'displayConfirmation' => true, // Enable to show a confirmation modal before running action
79                     // 'confirmationLabel' => 'NTC_DELETE_CONFIRMATION' // set the message to show on the confirmation modal
80                 ]
81             ]
82         ]
83     ],
84     'panels' =>
85     array(
86         'default' =>
87         array(
88
89
90

```

```

91         array(
92             'name',
93             'assigned_user_name',
94         ),
95         array(
96             array(
97                 'name' => 'date_entered',
98                 'customCode' => '{${fields.date_entered.value} {APP.LBL_BY} ${fields.created_by_name.value}}',
99                 'label' => 'LBL_DATE_ENTERED',
100             ),
101             array(
102                 'name' => 'date_modified',
103                 'customCode' => '{${fields.date_modified.value} {APP.LBL_BY} ${fields.modified_by_name.value}}',
104                 'label' => 'LBL_DATE_MODIFIED',
105             ),
106         ),
107         array(
108             'description',
109         ),
110     ),
111 ),
112 );
113
114

```


ENTERPRISE AI SUITE CUSTOMIZING AND TESTING

CUSTOMIZING

Before we can test our Enterprise AI Suite, let us copy the files from the folder where you unzipped Enterprise AI Suite (Enterprise AI Suite v1.zip) download, in the respective paths in your SuiteCRM site:

- C:\xampp\htdocs\SuiteCRM-8.7.1\extensions\defaultExt\config\modules\jBPM_jBPM_Generic\recordview\actions\callout00cannibalization.php
- C:\xampp\htdocs\SuiteCRM-8.7.1\extensions\defaultExt\modules\jBPM_jBPM_Generic\Service\Create\Callout00Cannibalization.php

Verify and, if required, adjust the above files to match your SuiteCRM setup and the already implemented till this point elements of Enterprise AI setup. To finalize, under the admin account in your SuiteCRM go to Admin area, in the Admin Tools sub-area click Repair and then click Quick Repair and Rebuild.

TESTING

We can now test our Enterprise AI Suite by sending callouts from SuiteCRM to Cannibalization Analysis solution that we assume implemented in AI Orchestration Platform.

In SuiteCRM, select from **More** menu **Generic jBPM callout** module. When the module opens, from **Generic jBPM callout** menu select **Create Generic jBPM callout** and create an experiment scenario (these scenarios are user-specific, i.e. your created scenario will only be available for experimentation only under your SuiteCRM user login):

The screenshot shows the 'Create' form for a 'Generic jBPM callout' in SuiteCRM. The form is titled 'Create' and has 'Save' and 'Cancel' buttons. It is divided into two main sections: 'BASIC' and 'ASSIGNED TO:'. The 'BASIC' section contains fields for 'NAME: *' (with the value 'Experiment XYZ'), 'DATE CREATED:', 'INPUT PRODUCTS:' (with a dropdown menu showing 'discount-[web], email]-20-5-10, bogo-[web], email], mobile], social]-10-10-5, informational-[e...'), 'INPUT DIMENSION:' (with the value '3'), and 'RESPONSE ID:'. The 'ASSIGNED TO:' section contains a dropdown menu with the value 'admin'. Below the 'ASSIGNED TO:' section are fields for 'DATE MODIFIED:', 'OUTPUT CORRMAT:', 'INPUT ITERATIONS:' (with the value '5'), and 'RESPONSE STATUS:'. The footer of the form shows '© Supercharged by SuiteCRM © Powered By SugarCRM' and a 'BACK TO TOP' link.

Give your scenario a name. Before selecting input products, delete `null` product from the list (to avoid errors during the experiment, consider choosing from 1 to 3 products). Specify the input dimension – the dimension of the resulting product correlation matrix – that will be adjusted to the number of input products actually selected by you. Specify the input iterations – the number of times

to repeat the computation of disturbances to the product correlation matrix. Press Save button to save your experiment scenario:

Generic jBPM cal...AccountsContactsOpportunitiesLeadsQuotesCalendarDocumentsEmailsMore+🕒Search...🔍🔔👤

<Experiment XYZ★

EditActions

BASIC

NAME:
Experiment XYZ

DATE CREATED:
05/23/2026 21:45

INPUT PRODUCTS:
• discount-[web], 'email]-20-5-10
• bogo-[web], 'email', 'mobile', 'social]-10-10-5
• informational-[email], 'mobile', 'social]-0-0-3

INPUT DIMENSION:
3

RESPONSE ID:

ASSIGNED TO:
admin

DATE MODIFIED:
05/23/2026 21:45

OUTPUT CORRMAT:

INPUT ITERATIONS:
5

RESPONSE STATUS:

Select which subpanels to view▲

© Supercharged by SuiteCRM © Powered By SugarCRMBACK TO TOP ▲

From Generic jBPM callout menu select * Create Callout 00 Cannibalization to send a callout to Cannibalization Analysis solution based on the last saved experiment scenario:

Generic jBPM cal...AccountsContactsOpportunitiesLeadsQuotesCalendarDocumentsEmailsMore+🕒Search...🔍🔔👤

+ Create Generic jBPM ca...
👁 View Generic jBPM call...
+ * Create Callout 00 Cannibalization
🕒 Recently Viewed

<Experiment XYZ★

EditActions

NAME:
Experiment XYZ

DATE CREATED:
05/23/2026 21:45

INPUT PRODUCTS:
• discount-[web], 'email]-20-5-10
• bogo-[web], 'email', 'mobile', 'social]-10-10-5
• informational-[email], 'mobile', 'social]-0-0-3

INPUT DIMENSION:
3

RESPONSE ID:

ASSIGNED TO:
admin

DATE MODIFIED:
05/23/2026 21:45

OUTPUT CORRMAT:

INPUT ITERATIONS:
5

RESPONSE STATUS:

Select which subpanels to view▲

© Supercharged by SuiteCRM © Powered By SugarCRMBACK TO TOP ▲

In jBPM server console, we can observe the started execution of cannibalization process:

Copyright © Convergent Analytics. All rights reserved.

17

```

jBPM Server 7.74.1
17:51:24,992 ERROR [org.jbpm.workflow.instance.impl.NodeInstanceImpl] (default task-6) Using process-level scope
17:51:24,993 ERROR [org.jbpm.workflow.instance.impl.NodeInstanceImpl] (default task-6) Could not find variable jepConfig
17:51:24,993 ERROR [org.jbpm.workflow.instance.impl.NodeInstanceImpl] (default task-6) Using process-level scope
17:51:24,995 ERROR [org.jbpm.workflow.instance.impl.NodeInstanceImpl] (default task-6) Could not find variable subInterp
17:51:24,995 ERROR [org.jbpm.workflow.instance.impl.NodeInstanceImpl] (default task-6) Using process-level scope
17:51:24,996 ERROR [org.jbpm.workflow.instance.impl.NodeInstanceImpl] (default task-6) Could not find variable jepConfig
17:51:24,996 ERROR [org.jbpm.workflow.instance.impl.NodeInstanceImpl] (default task-6) Using process-level scope
17:51:25,629 INFO [stdout] (default task-6) ##### Finished Sub Process 2: cannibalization.bpmn #####
00:05:58,865 INFO [stdout] (default task-6) ##### Starting Sub Process 1: cannibalization.bpmn #####
00:05:58,919 ERROR [org.jbpm.workflow.instance.impl.NodeInstanceImpl] (default task-6) Could not find variable subInterp
00:05:58,919 ERROR [org.jbpm.workflow.instance.impl.NodeInstanceImpl] (default task-6) Using process-level scope
00:05:58,920 ERROR [org.jbpm.workflow.instance.impl.NodeInstanceImpl] (default task-6) Could not find variable jepConfig
00:05:58,922 ERROR [org.jbpm.workflow.instance.impl.NodeInstanceImpl] (default task-6) Using process-level scope
00:05:58,927 ERROR [org.jbpm.workflow.instance.impl.NodeInstanceImpl] (default task-6) Could not find variable subInterp
00:05:58,927 ERROR [org.jbpm.workflow.instance.impl.NodeInstanceImpl] (default task-6) Using process-level scope
00:05:58,929 ERROR [org.jbpm.workflow.instance.impl.NodeInstanceImpl] (default task-6) Could not find variable jepConfig
00:05:58,929 ERROR [org.jbpm.workflow.instance.impl.NodeInstanceImpl] (default task-6) Using process-level scope
00:06:00,183 INFO [stdout] (default task-6) ##### Finished Sub Process 1: cannibalization.bpmn #####
00:06:00,191 INFO [stdout] (default task-6) ##### Starting Sub Process 2: cannibalization.bpmn #####
00:06:00,193 ERROR [org.jbpm.workflow.instance.impl.NodeInstanceImpl] (default task-6) Could not find variable count
00:06:00,193 ERROR [org.jbpm.workflow.instance.impl.NodeInstanceImpl] (default task-6) Using process-level scope
00:06:00,195 ERROR [org.jbpm.workflow.instance.impl.NodeInstanceImpl] (default task-6) Could not find variable size
00:06:00,195 ERROR [org.jbpm.workflow.instance.impl.NodeInstanceImpl] (default task-6) Using process-level scope
00:06:00,196 ERROR [org.jbpm.workflow.instance.impl.NodeInstanceImpl] (default task-6) Could not find variable cannibals
00:06:00,197 ERROR [org.jbpm.workflow.instance.impl.NodeInstanceImpl] (default task-6) Using process-level scope
00:06:00,198 ERROR [org.jbpm.workflow.instance.impl.NodeInstanceImpl] (default task-6) Could not find variable i
00:06:00,198 ERROR [org.jbpm.workflow.instance.impl.NodeInstanceImpl] (default task-6) Using process-level scope
3
'0b1e1539f2cc45b7b9fa7c272da2e1d7*4d5c57ea9a6940dd891ad53e9dbe8da0*5a8bc65990b245e5a138643cd4eb9837'

```

In your Microsoft Azure quantum space's jobs you will find a new record created due to cannibalization execution:

Home > slukyanc-qws-jbpm

slukyanc-qws-jbpm | Job management

Quantum Workspace

Search

Refresh Help Feedback

Filter by id or name prefix... Add filter

Overview

Activity log

Access control (IAM)

Tags

Diagnose and solve problems

Resource visualizer

Operations

Job management

Providers

Quotas

Access Keys

Monitoring

Automation

Help

Name	Id
circuit-157	998c7a54-56f3-11f1-896a-181dea54504b
circuit-157	2d899148-56bf-11f1-896a-181dea54504b
circuit-157	8b3e45f3-5496-11f1-896a-181dea54504b
circuit-157	663dfad5-3fc9-11f1-896a-181dea54504b
circuit-157	32418c11-3fc9-11f1-896a-181dea54504b
circuit-157	3341eed4-3fc9-11f1-896a-181dea54504b
circuit-157	055f598e-3fc9-11f1-896a-181dea54504b
circuit-157	045003bb-3fc9-11f1-896a-181dea54504b
circuit-157	fa938f3e-3fc8-11f1-896a-181dea54504b
circuit-157	c0ad3087-3fc8-11f1-896a-181dea54504b
circuit-157	bf5d101f-3fc8-11f1-896a-181dea54504b

Showing 1 - 30 results

Job details

Quantum Workspace

Cancel job Refresh

Essentials

Name

circuit-157

State

Succeeded

Id

998c7a54-56f3-11f1-896a-181dea54504b

Execution time

00:00:08

Provider

rigetti

Submission time

24/05/2026 00:06:09

Target

rigetti.sim.qvm

Completion time

24/05/2026 00:06:23

Cost estimate

€0

Input parameters

{"count":10000,"shots":10000,"items":{"entryPoint":"circuit-15...

Input/Output

Cost Estimation

Download job input

Download job output

View all files

In jBPM server console, we observe the ended cannibalization execution (watch the printout of the disturbance matrix computed using the infrastructure provided through your Microsoft Azure quantum workspace):

```

jBPM Server 7.74.1
3
'0b1e1539f2cc45b7b9fa7c272da2e1d7*4d5c57ea9a6940dd891ad53e9dbe8da0*5a8bc65990b245e5a138643cd4eb9837'
00:06:34,653 INFO [stdout] (default task-6) [[1. 0.5061 0.4995]
00:06:34,653 INFO [stdout] (default task-6) [0.5061 1. 0.4985]
00:06:34,654 INFO [stdout] (default task-6) [0.4995 0.4985 1. ]]
00:06:34,654 ERROR [org.jbpm.workflow.instance.impl.NodeInstanceImpl] (default task-6) Could not find variable subInterp
00:06:34,654 ERROR [org.jbpm.workflow.instance.impl.NodeInstanceImpl] (default task-6) Using process-level scope
00:06:34,655 ERROR [org.jbpm.workflow.instance.impl.NodeInstanceImpl] (default task-6) Could not find variable jepConfig
00:06:34,655 ERROR [org.jbpm.workflow.instance.impl.NodeInstanceImpl] (default task-6) Using process-level scope
00:06:34,669 INFO [stdout] (default task-6) count = 5
00:06:34,669 INFO [stdout] (default task-6) i = 1
00:06:35,212 ERROR [org.jbpm.workflow.instance.impl.NodeInstanceImpl] (default task-6) Could not find variable i
00:06:35,212 ERROR [org.jbpm.workflow.instance.impl.NodeInstanceImpl] (default task-6) Using process-level scope
00:06:35,214 ERROR [org.jbpm.workflow.instance.impl.NodeInstanceImpl] (default task-6) Could not find variable subInterp
00:06:35,214 ERROR [org.jbpm.workflow.instance.impl.NodeInstanceImpl] (default task-6) Using process-level scope
00:06:35,215 ERROR [org.jbpm.workflow.instance.impl.NodeInstanceImpl] (default task-6) Could not find variable jepConfig
00:06:35,215 ERROR [org.jbpm.workflow.instance.impl.NodeInstanceImpl] (default task-6) Using process-level scope
00:06:35,219 INFO [stdout] (default task-6) count = 5
00:06:35,219 INFO [stdout] (default task-6) i = 2
00:06:35,727 ERROR [org.jbpm.workflow.instance.impl.NodeInstanceImpl] (default task-6) Could not find variable i
00:06:35,728 ERROR [org.jbpm.workflow.instance.impl.NodeInstanceImpl] (default task-6) Using process-level scope
00:06:35,729 ERROR [org.jbpm.workflow.instance.impl.NodeInstanceImpl] (default task-6) Could not find variable subInterp
00:06:35,730 ERROR [org.jbpm.workflow.instance.impl.NodeInstanceImpl] (default task-6) Using process-level scope
00:06:35,731 ERROR [org.jbpm.workflow.instance.impl.NodeInstanceImpl] (default task-6) Could not find variable jepConfig
00:06:35,731 ERROR [org.jbpm.workflow.instance.impl.NodeInstanceImpl] (default task-6) Using process-level scope
00:06:35,737 INFO [stdout] (default task-6) count = 5
00:06:35,738 INFO [stdout] (default task-6) i = 3
00:06:36,274 ERROR [org.jbpm.workflow.instance.impl.NodeInstanceImpl] (default task-6) Could not find variable i
00:06:36,274 ERROR [org.jbpm.workflow.instance.impl.NodeInstanceImpl] (default task-6) Using process-level scope
00:06:36,276 ERROR [org.jbpm.workflow.instance.impl.NodeInstanceImpl] (default task-6) Could not find variable subInterp

```

The executed experiment record will appear above the scenario record in SuiteCRM in Generic jBPM callout menu in View Generic jBPM call:

GENERIC JBPM CALLOUT						
Filter						
Bulk Action						
Name	Date Created	Created By	Assigned to	input products	input dimension	input iterations
☐ Callout 00 Cannibalization	05/23/2026 22:05	admin		- discount-[web', 'email']-20-5-10 - bogo-[web', 'email', 'mobile', 'social']-10-10-5 - informational-[email', 'mobile', 'social']-0-0-3	3	5
☐ Experiment XYZ	05/23/2026 21:45	admin	admin	- discount-[web', 'email']-20-5-10 - bogo-[web', 'email', 'mobile', 'social']-10-10-5 - informational-[email', 'mobile', 'social']-0-0-3	3	5

Clicking on the executed callout record (“Callout 00 Cannibalization”), we view the callout details, including the resulting disturbed product correlation (“cannibalization”) matrix:

Generic jBPM cal...
Accounts
Contacts
Opportunities
Leads
Quotes
Calendar
Documents
Emails
More
+
Search...

Callout 00 Cannibalization
Edit
Actions

BASIC

NAME:
Callout 00 Cannibalization

DATE CREATED:
05/23/2026 22:05

INPUT PRODUCTS:

- discount-[web], 'email']-20-5-10
- bogo-[web], 'email', 'mobile', 'social']-10-10-5
- informational-[email', 'mobile', 'social']-0-0-3

INPUT DIMENSION:
3

RESPONSE ID:
1809

ASSIGNED TO:

DATE MODIFIED:
05/23/2026 22:05

OUTPUT CORRMAT:
1.000000 0.630007 0.658747
0.630007 1.000000 0.692543
0.658747 0.692543 1.000000

INPUT ITERATIONS:
5

RESPONSE STATUS:
201

Select which subpanels to view

© Supercharged by SuiteCRM © Powered By SugarCRM
BACK TO TOP

In jBPM Business Central, we can inspect the executed `cannibalization` instance's log:

Business Central
Menu

Accueil
>
Gérer les instances de processus
>
Instance de processus : 1809

1809 - cannibalization

Détails de l'instance
Variables de processus
Documents
Journaux
Diagramme

Nom	Valeur	Type	Dernière modification	Actions
cannibals	0b1e1539f2cc45b7b9fa7c272da2e1d7*4d5c57ea9a6940dd891ad53e9dbe8da0*5a8bc65990b245e5a138643cd4eb9837		24-mai-2026 00:06:00	Historique
corrmart	1.000000 0.630007 0.658747 0.630007 1.000000 0.692543 0.658747 0.692543 1.000000		24-mai-2026 00:06:37	Historique
count	5		24-mai-2026 00:06:00	Historique
dimension	com.discovery.discovery.Dimension@2e283dc4	com.discovery.discovery....	24-mai-2026 00:05:58	Historique
i	7		24-mai-2026 00:06:37	Historique
initiator	wbadmin		24-mai-2026 00:05:58	Historique
iterations	com.discovery.discovery.iterations@657fc0f6	com.discovery.discovery.L...	24-mai-2026 00:05:58	Historique
jepConfig			24-mai-2026 00:06:37	Historique
products	com.discovery.discovery.Products@24ad4c00	com.discovery.discovery....	24-mai-2026 00:05:58	Historique
size	3		24-mai-2026 00:06:00	Historique
subInterp			24-mai-2026 00:06:37	Historique

20 Éléments
1-11 de 11

