

MSDS 7330

File Organization and Database Management

Mini Project 3

Name: Cameron Stewart

Use the Sales Order Database provided and answer the following queries using MySQL Workbench. Submit screenshots of queries along with screenshots of results. If results are longer than one page then simply provide a number of rows returned from the query. Answers for the following queries:

I created two views used in the below queries:

- **Create view SalesOrders_Joined as**

```
SELECT `Customers`.`CustomerID`,  
       `Customers`.`CustFirstName`,  
       `Customers`.`CustLastName`,  
       `Orders`.`OrderNumber`,  
       `Products`.`ProductNumber`,  
       `Products`.`ProductName`,  
       `Products`.`ProductDescription`,  
       `Categories`.`CategoryID`,  
       `Categories`.`CategoryDescription`  
from (((Customers  
      left join Orders  
      ON Customers.CustomerID = Orders.CustomerID)  
     left join Order_Details  
     ON Orders.OrderNumber = Order_Details.OrderNumber)  
    left join Products  
    ON Order_Details.ProductNumber = Products.ProductNumber)  
   left join Categories  
   ON Products.CategoryID = Categories.CategoryID);
```
- **Create view Vendors_Joined as**

```
SELECT `Products`.`ProductNumber`,  
       `Products`.`ProductName`,  
       `Products`.`ProductDescription`,  
       `Categories`.`CategoryID`,  
       `Categories`.`CategoryDescription`,  
       `Product_Vendors`.`VendorID`,  
       `Vendors`.`VendName`  
from (((Products  
      left join Categories  
      ON Products.CategoryID = Categories.CategoryID)  
     left join Product_Vendors  
     ON Products.ProductNumber = Product_Vendors.ProductNumber)  
    left join Vendors  
    ON Product_Vendors.VendorID = Vendors.VendorID);
```

1. Display the customers who have never ordered bikes or tires.

- ```
select distinct CustomerID, CustFirstName, CustLastName
from Customers
where CustomerID not in
 (select distinct CustomerID
 from salesorders_joined
 where CategoryDescription IN ("Bikes", "Tires"));
```

|   | CustomerID | CustFirstName | CustLastName |
|---|------------|---------------|--------------|
| ▶ | 1022       | Caleb         | Viescas      |
|   | 1028       | Jeffrey       | Tirekicker   |

2. List the customers who have purchased a bike but not a helmet.

- ```
select distinct CustomerID, CustFirstName, CustLastName
from salesorders_joined
where CategoryDescription = "Bikes" and CustomerID not in
  (select distinct CustomerID
   from salesorders_joined
   where ProductName like "%Helmet");
```

	CustomerID	CustFirstName	CustLastName
▶	1011	Alaina	Hallmark
	1023	Julia	Schnebly

3. Show me the customer orders that have a bike but do not have a helmet. Hint: This might seem to be the same as problem 2 above, but it is not. Solve it using EXISTS and NOT EXISTS.

- ```
select distinct OrderNumber
from salesorders_joined oq
where NOT EXISTS
 (select OrderNumber
 from salesorders_joined iq
 where ProductName like "%Helmet"
 and iq.OrderNumber=oq.OrderNumber)
AND EXISTS
 (select OrderNumber
 from salesorders_joined iqq
 where CategoryDescription = "Bikes"
 and iqq.OrderNumber=oq.OrderNumber);
```

402 row(s) returned

Parital Output Below because it was too long.

| OrderNumber ^ |
|---------------|
| ▶ 5           |
| 6             |
| 10            |
| 13            |
| 14            |
| 15            |
| 20            |
| 22            |
| 23            |
| 25            |
| 26            |
| 30            |
| 33            |
| 35            |
| 40            |
| 42            |
| 43            |
| 47            |
| 48            |
| 51            |
| 53            |
| 58            |
| 60            |
| 63            |
| 64            |
| 65            |
| 66            |
| 71            |
| 75            |
| 77            |
| 78            |
| 79            |
| 80            |
| 82            |
| 86            |
| 87            |
| 92            |
| 95            |
| 96            |
| 97            |
| 98            |

- Display the customers and their orders that have a bike and a helmet in the same order. Hint: Solve this problem using EXISTS

```

• select *
 from salesorders_joined oq
 where EXISTS
 (select OrderNumber
 from salesorders_joined iq
 where ProductName like "%Helmet"
 and iq.OrderNumber=oq.OrderNumber)
 AND EXISTS
 (select OrderNumber
 from salesorders_joined iqq
 where CategoryDescription = "Bikes"
 and iqq.OrderNumber=oq.OrderNumber);

```

184 row(s) returned

Partial Output Below because it was too long.

| OrderNumber | CustomerID | CustFirstName | CustLastName |
|-------------|------------|---------------|--------------|
| 1           | 1018       | David         | Smith        |
| 3           | 1002       | William       | Thompson     |
| 4           | 1009       | Andrew        | Cencini      |
| 11          | 1020       | Joyce         | Bonnicksen   |
| 17          | 1014       | Sam           | Abolrous     |
| 19          | 1027       | Luke          | Patterson    |
| 27          | 1014       | Sam           | Abolrous     |
| 32          | 1012       | Liz           | Keyser       |
| 39          | 1004       | Robert        | Brown        |
| 44          | 1005       | Dean          | McCrae       |
| 45          | 1008       | Neil          | Patterson    |
| 56          | 1014       | Sam           | Abolrous     |
| 57          | 1009       | Andrew        | Cencini      |
| 59          | 1004       | Robert        | Brown        |
| 61          | 1009       | Andrew        | Cencini      |
| 69          | 1021       | Estella       | Pundt        |
| 73          | 1005       | Dean          | McCrae       |
| 74          | 1002       | William       | Thompson     |
| 91          | 1010       | Angel         | Kennedy      |
| 94          | 1010       | Angel         | Kennedy      |
| 99          | 1002       | William       | Thompson     |
| 102         | 1010       | Angel         | Kennedy      |
| 105         | 1005       | Dean          | McCrae       |
| 111         | 1021       | Estella       | Pundt        |
| 113         | 1010       | Angel         | Kennedy      |
| 119         | 1013       | Rachel        | Patterson    |
| 120         | 1024       | Mark          | Rosales      |
| 122         | 1009       | Andrew        | Cencini      |
| 127         | 1009       | Andrew        | Cencini      |
| 141         | 1014       | Sam           | Abolrous     |
| 148         | 1027       | Luke          | Patterson    |
| 160         | 1021       | Estella       | Pundt        |
| 163         | 1004       | Robert        | Brown        |
| 165         | 1017       | Manuela       | Seidel       |
| 170         | 1004       | Robert        | Brown        |
| 175         | 1013       | Rachel        | Patterson    |
| 177         | 1008       | Neil          | Patterson    |
| 193         | 1025       | Maria         | Patterson    |
| 196         | 1009       | Andrew        | Cencini      |
| 219         | 1018       | David         | Smith        |
| 225         | 1017       | Manuela       | Seidel       |
| 227         | 1006       | John          | Viescas      |
| 229         | 1024       | Mark          | Rosales      |
| 242         | 1010       | Angel         | Kennedy      |
| 243         | 1020       | Joyce         | Bonnicksen   |
| 247         | 1005       | Dean          | McCrae       |

5. Show the vendors who sell accessories, car racks, and clothing. Hint: Solve this problem using IN.

```
• select Distinct VendorID, VendName
 from Vendors_Joined oq
 where VendorID IN
 (select VendorID
 from Vendors_Joined iq
 where CategoryDescription in ("accessories")
 and iq.VendorID=oq.VendorID)
 and VendorID IN
 (select VendorID
 from Vendors_Joined iqq
 where CategoryDescription in ("car racks")
 and iqq.VendorID=oq.VendorID)
 and VendorID IN
 (select VendorID
 from Vendors_Joined iqqq
 where CategoryDescription in ("clothing")
 and iqqq.VendorID=oq.VendorID);
```

| VendorID | VendName             |
|----------|----------------------|
| 7        | Dog Ear              |
| 9        | Lone Star Bike Su... |
| 6        | Big Sky Mountain...  |

Capture the screenshots of queries and resulting output