```
sunbeam@sunbeam-X542UQR:-/c2-80511-prasad$ man find
sunbeam@sunbeam-X542UQR:~/c2-80511-prasad$ mkdir 18oct
sunbeam@sunbeam-X542UQR:-/c2-80511-prasad$
sunbeam@sunbeam-X542UQR:-/c2-80511-prasad$ touch 18oct/{1..4}.txt
sunbeam@sunbeam-X542UQR:-/c2-80511-prasad$ touch 18oct/dir{1..3}
sunbeam@sunbeam-X542UQR:-/c2-80511-prasad$ fi
fi file2brl file-roller
file filefrag fincore
sunbeam@sunbeam-X542UQR:-/c2-80511-prasad$ find -d
                                                                                                  find
                                                                                                                                   findmnt
                                                                                                                                                                    firefox.aeckodriver
                                                                                                  findfs
                                                                                                                                                                    fixparts
                                                                                                                                   firefox
 find: warning: the -d option is deprecated; please use -depth instead, because the latter is a POSIX-compliant feature.
 ./18oct/4.txt
 ./18oct/dir2
./18oct/1.txt
./18oct/dir1
./18oct/3.txt
./18oct/2.txt
 ./18oct/dir3
 ./18oct
 sunbeam@sunbeam-X54ZUQR:~/cZ-80511-prasad$ find 18oct/ -type d
 18oct/
sunbeam@sunbeam-X542UQR:~/c2-80511-prasad$ cd 18oct/
sunbeam@sunbeam-X542UQR:~/c2-80511-prasad/18oct$ find -type d
. sunbeam@sunbeam-X542UQR:-/c2-80511-prasad/18oct$ ls
1.txt 2.txt 3.txt 4.txt dir1 dir2 dir3
sunbeam@sunbeam-X542UQR:-/c2-80511-prasad/18oct$ rm *
sunbeam@sunbeam-X542UQR:-/c2-80511-prasad/18oct$ sunbeam@sunbeam-X542UQR:-/c2-80511-prasad/18oct$ touch {1..4}.txt
sunbeam@sunbeam-X542UQR:-/c2-80511-prasad/18oct$ mkdir dir{1..3}
sunbeam@sunbeam-X542UQR:-/c2-80511-prasad/18oct$ ls
1.txt 2.txt 3.txt 4.txt dir1 dir2 dir3
sunbeam@sunbeam-X542UQR:-/c2-80511-prasad/18oct$
sunbeam@sunbeam-X542UQR:-/c2-80511-prasad/18octS
sunbeam@sunbeam-X542UQR:-/c2-80511-prasad/18oct$ find -type d
./dir2
./dir1
./dtr3
sunbeam@sunbeam-X542UQR:-/c2-80511-prasad/18oct$ find -type f
./4.txt
./1.txt
./3.txt
 ./2.txt
sunbeam@sunbeam-X542UQR:-/c2-80511-prasad/18oct$ ls -l 2.txt
-rw-rw-r-- 1 sunbeam sunbeam 0 Nov 6 21:37 2.txt
sunbeam@sunbeam-X542UQR:-/c2-80511-prasad/18oct\$ chnod +x 2.txt sunbeam@sunbeam-X542UQR:-/c2-80511-prasad/18oct\$
sunbeam@sunbeam-X542UQR:-/c2-80511-pra
                                                                      oct$ ls -l 2.txt
-rwxrwxr-x 1 sunbeam sunbeam 0 Nov 6 21:37 2.txt
sunbeam@sunbeam-X542UQR:-/c2-80511-prasad/18oct$
sunbeam@sunbeam-X542UQR:-/c2-80511-prasad/18oct$ ls -l | grep "rwxr-xr-x"
sunbeam@sunbeam-X542UQR:-/c2-80511-prasad/16oct$
sunbeam@sunbeam-X542UQR:-/c2-80511-prasad/18oct$ chmod 755 2.txt
sunbeam@sunbeam-X542UQR:-/c2-80511-prasad/18oc
```

```
file2brl
                                                                       file-roller
                                                                                                                                             findmnt
                                                                                                                                                                                firefox.geckodriver
file filefrag fincore findfs firefox fixparts sunbeam@sunbeam-X542UQR:~/c2-80511-prasad$ find -d find: warning: the -d option is deprecated; please use -depth instead, because the latter is a POSIX-compliant feature.
 file
                                                                                                          findfs
 ./18oct/4.txt
 ./18oct/dir2
./18oct/1.txt
./18oct/dir1
 ./18oct/3.txt
 ./18oct/2.txt
./18oct/dir3
./18oct
sunbeam@sunbeam-X542UQR:-/c2-80511-prased$ find 18oct/ -type d
18oct/
sunbeam@sunbeam-X542UQR:~/c2-80511-prasad$ cd 18oct/
sunbeam@sunbeam-X542UQR:~/c2-80511-prasad/18oct$ find -type d
 sunbeam@sunbeam-X542UQR:-/c2-80511-prasad/18oct$ ls
1.txt 2.txt 3.txt 4.txt dir1 dir2 dir3 sunbeam@sunbeam-X542UQR:~/c2-80511-prasad/18oct$ rm * sunbeam@sunbeam-X542UQR:~/c2-80511-prasad/18oct$
sunbeam@sunbeam-X542UQR:-/c2-80511-prasad/18oct$ touch {1..4}.txt
sunbeam@sunbeam-X542UQR:-/c2-80511-prasad/18oct$ mkdir dir{1..3}
sunbeam@sunbeam-X542UQR:-/c2-80511-prasad/18oct$ ls
1.txt 2.txt 3.txt 4.txt dir1 dir2 dir3
sunbeam@sunbeam-X542UQR:-/c2-80511-prasad/18oct$
sunbeam@sunbeam-X542UQR:-/c2-80511-prasad/18oct$
sunbeam@sunbeam-X542UQR:~/c2-80511-prasad/18oct$ find -type d
./dir2
./dir1
./dir3
sunbeam@sunbeam-X542UQR:-/c2-80511-prasad/18oct$ find -type f
./4.txt
./1.txt
./3.txt
./2.txt
sunbeam@sunbeam-X542UQR:-/c2-80511-prasad/18oct$ ls -l 2.txt
-rw-rw-r-- 1 sunbeam sunbeam 0 Nov 6 21:37 2.txt
sunbeam@sunbeam-X542UQR:-/c2-80511-prasad/18oct$ chmod +x 2.txt
sunbeam@sunbeam-X542UQR:-/c2-80511-prasad/18oct$
                                                                       18oct$ ls -l 2.txt
-rwxrwxr-x 1 sunbeam sunbeam 0 Nov 6 21:37 2.txt
sunbeam@sunbeam-X542UQR:~/c2-80511-prasad/18oct$
sunbeam@sunbeam-X542UQR:~/c2-80511-prasad/18oct$ ls -l | grep "rwxr-xr-x"
sunbeam@sunbeam-X542UQR:-/c2-80511-prasad/18oct$
sunbeam@sunbeam-X542UQR:-/c2-80511-presad/18oct$ chmod 755 2.txt
sunbeam@sunbeam-X542UQR:~/c2-80511-prasad/18oct$
sunbeam@sunbeam-X542UQR:-/c2-80511-prasad/18oct$ ls -l | grep "rwxr-xr-x"
-rwxr-xr-x 1 sunbeam sunbeam 0 Nov 6 21:37 2.txt
sunbeam@sunbeam-X542UQR:-/c2-80511-prasad/18oct$ find 4.txt
4.txt
4.txt
sunbeam@sunbeam-X542UQR:~/c2-80511-prasad/18oct$ sunbeam@sunbeam-X542UQR:~/c2-80511-prasad/18oct$
```

find