

## Day07\_Poll\_Questions

1.

```
#include <stdio.h>
int main()
{
    int loop=3;
    while(printf("Sunbeam ") && loop--);

    return 0;
}
```

- A. Sunbeam Sunbeam Sunbeam
- B. Sunbeam Sunbeam
- C. Sunbeam Sunbeam Sunbeam Sunbeam
- D. no output

Answer : C

2.

```
#include<stdio.h>
int main()
{
    int val=0;
    for(;;)
    {
        if(val==10)
            break;
        printf("%d ",val++);
    }
    return 0;
}
```

- A. 11
- B. Compile time error
- C. 0 1 2 3 4 5 6 7 8 9
- D. 1 2 3 4 5 6 7 8 9 10

Answer: C



## Day07\_Poll\_Questions

3.

```
#include <stdio.h>
int main(void)
{
    int a=33;
    do
    {    printf("%d ", a++);
        a-=3;
    }while(!!!(a <= 30+1));
    return 0;
}
```

- A. 34
- B. 33
- C. 33 infinte loop
- D. 34 infinte loop

Answer: B

4.

```
#include <stdio.h>
int main(void)
{
    int val = -5 ;
    while(++val < 5)
    {
        printf(" Sunbeam ",val++);
        printf(" ",++val );
        continue;
    }
    return 0;
}
```

- A. Sunbeam print Only 3 time
- B. Sunbeam print Only 10 time
- C. Sunbeam print Only 5 time
- D. Sunbeam print Only 6 time

Answer: A

5.

```
#include <stdio.h>
int main(void)
{
    int i = 0;
    for (i = 0; i < 5; i++)
    {
        if (i <= 5)
        {
            printf("Sunbeam\n");
        }
        else
            break;
    }
    return 0;
}
```

- A. Sunbeam print 5 times
- B. Sunbeam print 4 times
- C. Sunbeam print 1 times
- D. compile time error

Answer: D