Semua Screenshot Pratikum1-8 Untuk Pertemuan 1. Pemograman Web
Steve Valentino Wijaya TI-24-KA/ 242310026

Pratikum1.html

```html
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Latihan-1</title>
</head>
<body>
    <h1>Pratikum 1 TI24KA</h1>
    <p>Pak Anton Sukamto adalah prodi Teknologi Informasi</p>
    <p><b>Insitut Bisnis dan Informatika Kesatuan Bogor</b> merupakan salah satu kampus di kota Bogor</p>
    <p>Saya Steve Valentino Wijaya adalah salah satu mahasiswa di IBIK</p>
    <p>Saya mempunyai NIM 242320016 dan berada diangkatan TI24KA</p>
</body>
</html>
```

PRATIKUM1

Pratikum1.html | Pratikum2.html

```html
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Latihan-2</title>
</head>
<body>
    <h1>Pratikum 2 TI24KA</h1>
    <p>Pak Anton Sukamto adalah prodi Teknologi Informasi</p>
    <p><b>Insitut Bisnis dan Informatika Kesatuan Bogor</b> merupakan salah satu kampus di kota Bogor</p>
    <img src="https://tse3.mm.bing.net/th/id/OIP.26trxnaPswLdjgcb9WmVwQAAAA?pid=Api&P=0&h=180" width:"400px" height:"250px" alt="Gambar logo IBIK">
    <img src="Gambar Mahasiswa IBIK.jpg" width:"50%" height:"250px" alt="Gambar mahasiswa IBIK">
    <p>Saya Steve Valentino Wijaya adalah salah satu mahasiswa di IBIK</p>
    <p>Saya mempunyai NIM 242320016 dan berada diangkatan TI24KA</p>
</body>
</html>
```

PRATIKUM 2

Pratikum1.html | Pratikum3.html

Pratikum3.html > html > body

```html
<!DOCTYPE html>
<html lang="id">
<head>
    <meta charset="UTF-8">
    <title>Latihan-3</title>
    <style>
        table {
            width: 60%;
            border-collapse: collapse;
            font-family: Arial, sans-serif;
        }
        th, td {
            border: 1px solid black;
            padding: 8px;
            text-align: left;
        }
        th {
            background-color: #bfbfbf;
        }
        .container {
            border: 1px solid black;
            padding: 15px;
            width: fit-content;
        }
    </style>
</head>
<body>

    <div class="container">
        <p>Oksigen mempunyai beberapa SIFAT FISIKA, diantaranya yang terdapat dalam tabel berikut:</p>

        <table>
            <thead>
                <tr>
                    <th>Sifat Fisika</th>
                    <th>Oksigen</th>
                </tr>
            </thead>
            <tbody>
                <tr>
                    <td>Massa atom <i>relative</i></td>
                    <td>15,994</td>
                </tr>
                <tr>
                    <td>Nomor Atom</td>
                    <td>8</td>
                </tr>
                <tr>
                    <td>Konfigurasi <i>electron</i></td>
                    <td>2s<sup>2</sup>2p<sup>4</sup></td>
                </tr>
                <tr>
                    <td>Jari-jari atom (nm)</td>
                    <td>0,074</td>
                </tr>
                <tr>
                    <td>Jari-jari X<sup>2-</sup> (nm)</td>
                    <td>0.140</td>
                </tr>
                <tr>
                    <td>Keelectronegatifan</td>
                    <td>3,5</td>
                </tr>
                <tr>
                    <td>Energy ionisasi I (kJ/mol)</td>
                    <td>1316</td>
                </tr>
```

```html
                </tr>
                <tr>
                    <td>Energy ionisasi II (kJ/mol)</td>
                    <td>3396</td>
                </tr>
                <tr>
                    <td>Kerapatan (g/cm<sup>3</sup>)</td>
                    <td>1.27 (padatan)</td>
                </tr>
                <tr>
                    <td>Titik leleh (<sup>o</sup>C)</td>
                    <td>+183</td>
                </tr>
                <tr>
                    <td>Titik beku (<sup>o</sup>C)</td>
                    <td>-219</td>
                </tr>
                <tr>
                    <td><i>Potensial elektroda</i> (V)</td>
                    <td>+0.401</td>
                </tr>
                <tr>
                    <td>X<sub>2(g)</sub>+2e<sup>+</sup><sub>(aq)</sub>→2X<sup>-</sup><sub>(aq)</sub></td>
                    <td>-</td>
                </tr>
            </tbody>
        </table>
    </div>

</body>
</html>
```

PRATIKUM 3

Pratikum1.html | Pratikum4.html

Pratikum4.html > html

```html
<!DOCTYPE html>
<html lang="id">
<head>
    <meta charset="UTF-8">
    <title>Latihan-4</title>
    <style>
        body {
            font-family: Arial, sans-serif;
            line-height: 1.6;
            padding: 20px;
        }
        .border-box {
            border: 1px solid black;
            padding: 20px;
            max-width: 800px;
            margin-bottom: 20px;
        }
        .red-text {
            color: red;
        }
        .blue-link {
            color: blue;
            text-decoration: underline;
        }
        .salary {
            color: red;
            font-weight: bold;
        }
    </style>
</head>
<body>

    <div class="border-box">
        <h1>The 10 Most Popular Programming Languages to Learn in 2022</h1>

        <p>There's no question that software programming is a hot career right now. The <span class="red-text">U.S. Bureau of Labor Statistics</span> projects 21 pe

        <p>Not all programming jobs are the same, however. Different roles, companies, and types of software require knowing and understanding different programmin

    </div>

    <div class="border-box">
        <p>The <span class="blue-link">Master of Science in Computer Science Align program</span> at Northeastern University is specifically <i>designed</i> for stu

        <p><i>"Our aim is to transport students from a variety of different backgrounds and have them come out as software engineers,"</i> says Ian Gorton, PhD and

        <p>Whether you're new to programming or looking to brush up on your skills, it helps to know which languages are in high demand. Here are 10 of the most pop

ts 21 percent growth for programming jobs from 2018 to 2028, which is more than four times the average for all occupations. What's more, the median annual pay for a

gramming languages—and it's often beneficial to know multiple languages. Trying to break into the field of software programming can be a daunting experience, especi

 for students who want to transition into computer science from another field of study.</p>

PhD and director of the graduate computer science programs at Northeastern University—Seattle. <i>"We focus on math, programming, and a variety of computer science

most popular programming languages of 2020 based on the number of job postings listed on job search sites Indeed, the average annual salary for those jobs, and fact

cupations. What's more, the median annual pay for a software programmer is about $106,000, which is nearly three times the median pay for all U.S. workers.</p>

are programming can be a daunting experience, especially for professionals with no prior programming experience.</p>

ath, programming, and a variety of computer science and engineering concepts."</i></p>

, the average annual salary for those jobs, and factors such as ease of use and potential for growth.</p>
```

```html
        <h3>Top 10 Most Popular Programming Languages</h3>
        <ol>
            <li>Python <br> <span class="salary">Average annual salary: $120,000</span></li>
            <li>JavaScript <br> <span class="salary">Average annual salary: $118,000</span></li>
            <li>Java <br> <span class="salary">Average annual salary: $104,000</span></li>
            <li>C# <br> <span class="salary">Average annual salary: $97,000</span></li>
            <li>C <br> <span class="salary">Average annual salary: $97,000</span></li>
            <li>C++ <br> <span class="salary">Average annual salary: $97,000</span></li>
            <li>Go <br> <span class="salary">Average annual salary: $93,000</span></li>
            <li>R <br> <span class="salary">Average annual salary: $93,000</span></li>
            <li>Swift <br> <span class="salary">Average annual salary: $93,000</span></li>
            <li>PHP <br> <span class="salary">Average annual salary: $81,000</span></li>
        </ol>

        <h3>7 Other Programming Languages to Consider</h3>
        <ul>
            <li><b>Web-based</b> startups are more likely to be programming in <b>Python</b> and <b>JavaScript</b>.</li>
            <li>Larger companies tend to develop their internal software applications using <b>C#</b> or <b>Java</b> and their <b>Web applications using PHP</b>.</li>
            <li>Programs for data <i>analytics typically</i> use the <b>R</b> and <b>MATLAB</b> programming languages.</li>
            <li><u><b>Embedded devices</b></u>, such as those in the automotive and healthcare industries, run software written in <b>C, C++, or Rust</b>.</li>
            <li>Applications that run on the cloud are increasingly written in <b>Go or Scala</b>.</li>
            <li><b>Mobile applications</b> are increasingly written in <b>Swift or Kotlin</b>.</li>
        </ul>
    </div>

</body>
</html>
```

PRATIKUM 4

Pratikum1.html | Pratikum5.html

Pratikum5.html > html > head > style > iframe

```html
<!DOCTYPE html>
<html lang="id">
<head>
    <meta charset="UTF-8">
    <title>Latihan-5</title>
    <style>
        body {
            font-family: Arial, sans-serif;
            margin: 20px;
        }
        .main-container {
            border: 1px solid #ccc;
            padding: 20px;
            max-width: 900px;
        }
        .career-section {
            display: flex;
            justify-content: space-between;
            margin-bottom: 30px;
        }
        .career-card {
            width: 30%;
            padding: 10px;
        }
        .career-header {
            border: 2px solid #205b8d;
            padding: 10px;
            font-weight: bold;
            margin-bottom: 20px;
            min-height: 40px;
            display: flex;
            align-items: center;
            justify-content: center;
            text-align: center;
        }
        .lang-list {
            list-style: none;
            padding: 0;
        }
        .lang-item {
            display: flex;
            align-items: center;
            margin-bottom: 12px;
            font-weight: bold;
            font-size: 14px;
        }
        .lang-icon {
            width: 35px;
            margin-right: 15px;
            display: flex;
            justify-content: center;
            align-items: center;
        }
        .lang-icon img {
            width: 50%;
            height: auto;
        }
        iframe {
            width: 100%;
            border: 1px solid black;
            margin-top: 10px;
        }
    </style>
</head>
<body>
```

```html

    <div class="main-container">
        <h2>Programming Language Base on Career</h2>

        <div class="career-section">
            <!-- Front-end -->
            <div class="career-card">
                <div class="career-header">Front-end Web Development</div>
                <div class="lang-list">
                    <div class="lang-item"><div class="lang-icon"><img src="JavaScript.png" alt="JS"></div> JavaScript</div>
                    <div class="lang-item"><div class="lang-icon"><img src="Elm.png" alt="Elm"></div> Elm</div>
                    <div class="lang-item"><div class="lang-icon"><img src="TypeScript.png" alt="TS"></div> TypeScript</div>
                </div>
            </div>

            <!-- Back-end -->
            <div class="career-card">
                <div class="career-header">Back-end Web Development</div>
                <div class="lang-list">
                    <div class="lang-item"><div class="lang-icon"><img src="JavaScript.png" alt="JS"></div> JavaScript</div>
                    <div class="lang-item"><div class="lang-icon"><img src="Scala.png" alt="SC"></div> Scala</div>
                    <div class="lang-item"><div class="lang-icon"><img src="Go.png" alt="GO"></div> Go</div>
                    <div class="lang-item"><div class="lang-icon"><img src="Ruby.png" alt="RB"></div> Ruby</div>
                    <div class="lang-item"><div class="lang-icon"><img src="Phython.png" alt="PY"></div> Python</div>
                </div>
            </div>

            <!-- Mobile -->
            <div class="career-card">
                <div class="career-header">Mobile Development</div>
                <div class="lang-list">
                    <div class="lang-item"><div class="lang-icon"><img src="JavaScript.png" alt="JS"></div> JavaScript</div>
                    <div class="lang-item"><div class="lang-icon"><img src="Java.png" alt="JV"></div> Java</div>
                    <div class="lang-item"><div class="lang-icon"><img src="ObjectiveC.png" alt="OC"></div> Objective C</div>
                    <div class="lang-item"><div class="lang-icon"><img src="Swift.png" alt="SW"></div> Swift</div>
                </div>
            </div>
        </div>

        <h2>Top 10 Programming Language in 2022</h2>
        <iframe src="Pratikum4.html" height="300px" title="Latihan 4"></iframe>

        <h2>List of programming languages from Wikipedia</h2>
        <iframe src="https://en.wikipedia.org/wiki/List_of_programming_languages" height="400px" title="Wikipedia Programming Languages"></iframe>
    </div>

</body>
</html>
```

PRATIKUM 5

Pratikum1.html | Pratikum6.html

Pratikum6.html > html > body > div.container

```html
<!DOCTYPE html>
<html lang="id">
<head>
    <meta charset="UTF-8">
    <title>Latihan-6</title>
    <style>
        body {
            font-family: Arial, sans-serif;
            line-height: 1.6;
        }
        .container {
            border: 1px solid #ccc;
            padding: 20px;
            max-width: 800px;
            margin: 0 auto;
        }
        .content-box {
            border: 1px solid black;
            padding: 10px;
            margin-top: 20px;
        }
        .nav-section {
            margin-bottom: 30px;
        }
        .external-links {
            margin-top: 50px;
            padding-top: 20px;
            border-top: 2px dashed #ccc;
        }
        h2, h3 {
            margin-top: 0;
        }
    </style>
</head>
<body>

```

```html
<div class="container">
    <div class="nav-section">
        <h2>Top 10 Daftar Bahasa Pemrograman</h2>
        <strong>Daftar isi:</strong>
        <ul>
            <!-- Link menuju ke ID masing-masing area -->
            <li><a href="#python">Python</a></li>
            <li><a href="#javascript">JavaScript</a></li>
            <li><a href="#java">Java</a></li>
            <li><a href="#csharp">C#</a></li>
            <li><a href="#c">C</a></li>
            <li><a href="#cpp">C++</a></li>
            <li><a href="#go">Go</a></li>
            <li><a href="#r">R</a></li>
            <li><a href="#swift">Swift</a></li>
            <li><a href="#php">PHP</a></li>
        </ul>
    </div>

    <!-- Deskripsi Hyperlinknya -->
    <div id="python" class="content-box">
        <h3>Python</h3>
        <p>Python adalah bahasa pemrograman interpretatif multiguna dengan filosofi perancangan yang berfokus pada tingkat keterbacaan kode.</p>
    </div>

    <div id="javascript" class="content-box">
        <h3>JavaScript</h3>
        <p>JavaScript adalah bahasa pemrograman tingkat tinggi dan dinamis yang digunakan secara luas untuk pengembangan web.</p>
    </div>

    <div id="java" class="content-box">
        <h3>Java</h3>
        <p>Java adalah bahasa pemrograman yang dapat dijalankan di berbagai komputer termasuk telepon genggam.</p>
    </div>

    <div id="C#" class="content-box">
        <h3>C#</h3>
        <p>C# adalah bahasa pemrograman berorientasi objek lintas platform, modern, sumber terbuka untuk platform pengembang .NET dengan alat gratis untuk Linux, ma
    </div>

    <div id="C" class="content-box">
        <h3>C</h3>
        <p>C adalah sebuah bahasa pemrograman tingkat tinggi yang pertama kali dikembangkan pada awal 1970-an di Bell Labs oleh Dennis Ritchie.</p>
    </div>

    <div id="C++" class="content-box">
        <h3>C++</h3>
        <p>C++ adalah bahasa pemrograman tingkat tinggi yang dikembangkan oleh Bjarne Stroustrup pada awal 1980-an di Bell Labs. </p>
    </div>

    <div id="Go" class="content-box">
        <h3>Go</h3>
        <p>Go (atau Golang) adalah bahasa pemrograman open-source yang dikembangkan oleh Google pada tahun 2009. </p>
    </div>

    <div id="R" class="content-box">
        <h3>R</h3>
        <p>Bahasa pemrograman R adalah bahasa yang dirancang khusus untuk keperluan statistical computing, analisis statistik, dan pembuatan grafik.</p>
    </div>
```

```html
    <div id="Swift" class="content-box">
        <h3>Swift</h3>
        <p>BSWIFT (The Society for Worldwide Interbank Telecommunication) adalah jaringan penyedia layanan pesan keuangan yang menghubungkan bank dan lembaga keuan
    </div>

    <div id="PHP" class="content-box">
        <h3>PHP</h3>
        <p>PHP adalah singkatan dari Hypertext Preprocessor, yakni sebuah bahasa scripting yang dibuat oleh Rasmus Lerdorf pada tahun 1994 untuk membuat halaman, we
    </div>

    <!-- Bagian b: Tiga buah link baru -->
    <div class="external-links">
        <h3>Navigasi Latihan</h3>
        <ol>
            <li>
                <a href="Pratikum4.html" target="_self">Go to Latihan-4</a>
            <li>
                <a href="Pratikum5.html" target="_self">Go to Latihan-5</a>
            </li>
            <li>
                <a href="https://www.google.com" target="_parent">Go to URL</a>
        </ol>
    </div>
</div>

</body>
</html>
```

PRATIKUM 6

Pratikum1.html | Pratikum7.html

Pratikum7.html > html > body

```html
<!DOCTYPE html>
<html lang="id">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Latihan-7</title>
    <style>
        body {
            font-family: Arial, sans-serif;
            margin: 20px;
        }
        .form-container {
            border: 1px solid #ccc;
            padding: 20px;
            max-width: 500px;
            border-radius: 8px;
        }
        .form-group {
            margin-bottom: 15px;
        }
        label {
            display: block;
            font-weight: bold;
            margin-bottom: 5px;
        }
        input[type="text"],
        input[type="email"],
        input[type="password"],
        input[type="date"],
        textarea {
            width: 100%;
            padding: 8px;
            box-sizing: border-box; /* Agar padding tidak merusak lebar */
            border: 1px solid #ccc;
            border-radius: 4px;
        }
        .radio-group {
            display: flex;
            gap: 15px;
            align-items: center;
        }
        .button-group {
            margin-top: 20px;
        }
```

```
44          }
45          button {
46              padding: 10px 20px;
47              cursor: pointer;
48              border: none;
49              border-radius: 4px;
50              font-weight: bold;
51          }
52          .btn-save {
53              background-color: #4CAF50;
54              color: white;
55              margin-right: 10px;
56          }
57          .btn-clear {
58              background-color: #f44336;
59              color: white;
60          }
61      </style>
62  </head>
63  <body>
64
65      <div class="form-container">
66          <h2>Form Latihan-7</h2>
67          <form action="#" method="post">
68
69              <div class="form-group">
70                  <label for="npm">NPM:</label>
71                  <input type="text" id="npm" name="npm" placeholder="Masukkan NPM">
72              </div>
73
74              <div class="form-group">
75                  <label for="fullname">Fullname:</label>
76                  <input type="text" id="fullname" name="fullname" placeholder="Masukkan Nama Lengkap">
77              </div>
78
79              <div class="form-group">
80                  <label for="email">Email:</label>
81                  <input type="email" id="email" name="email" placeholder="contoh@mail.com">
82              </div>
83
84              <div class="form-group">
85                  <label for="password">Password:</label>
86                  <input type="password" id="password" name="password">
87              </div>
88
89              <div class="form-group">
90                  <label for="place_birth">Place Birth:</label>
91                  <input type="text" id="place_birth" name="place_birth" placeholder="Tempat Lahir">
92              </div>
93
94              <div class="form-group">
95                  <label for="birthdate">Birthdate:</label>
96                  <input type="date" id="birthdate" name="birthdate">
97              </div>
98
```

```html
            <div class="form-group">
                <label for="birthdate">Birthdate:</label>
                <input type="date" id="birthdate" name="birthdate">
            </div>

            <div class="form-group">
                <label>Gender:</label>
                <div class="radio-group">
                    <label style="font-weight: normal;">
                        <input type="radio" name="gender" value="Male"> Male
                    </label>
                    <label style="font-weight: normal;">
                        <input type="radio" name="gender" value="Female"> Female
                    </label>
                </div>
            </div>

            <div class="form-group">
                <label for="address">Address:</label>
                <textarea id="address" name="address" rows="4" placeholder="Alamat Lengkap"></textarea>
            </div>

            <div class="button-group">
                <button type="submit" class="btn-save">Save</button>
                <button type="reset" class="btn-clear">Clear</button>
            </div>

        </form>
    </div>

</body>
</html>
```

PRATIKUM 7

Pratikum1.html | Myportofolio.html

Myportofolio.html > html > body > header > img.profile-img

```html
<!DOCTYPE html>
<html lang="id">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Portofolio Saya</title>
    <link rel="stylesheet" href="css/style.css">
</head>
<body>

    <header>
        <img src="steve.jpeg" alt="Foto Profil" class="profile-img">
        <h1>Halo, Saya Steve Valentino Wijaya TI-24-KA 242310026</h1>
        <p>Pemograman Web Developer</p>
    </header>

    <main>
        <section class="about">
            <h2>Tentang Saya</h2>
            <p>Saya adalah seorang pelajar yang sedang mendalami dunia pemrograman, khususnya dalam pengembangan web dan manajemen database.</p>
        </section>

        <section class="skills">
            <h2>Keahlian</h2>
            <ul>
                <li>HTML & CSS</li>
                <li>Java Programming</li>
                <li>SQL & Database Design</li>
                <li>Networking (Cisco)</li>
            </ul>
        </section>

        <section class="contact">
            <h2>Kontak</h2>
            <p>Email: <a href="mailto:stevevalentinowijaya@gmail.com">stevevalentinowijaya@gmail.com</a></p>
        </section>
    </main>

    <footer>
        <p>&copy; 2026 Portofolio Steve Valentino Wijaya</p>
    </footer>

</body>
</html>
```

Pratikum1.html | Myportofolio.html | style.css

css > style.css > footer

```
/* Reset dasar */
body {
    font-family: 'Segoe UI', Tahoma, Geneva, Verdana, sans-serif;
    line-height: 1.6;
    margin: 0;
    padding: 0;
    background-color: #f4f4f9;
    color: #333;
    text-align: center;
}

header {
    background: #2c3e50;
    color: #fff;
    padding: 2rem 0;
}

.profile-img {
    width: 150px;
    height: 150px;
    border-radius: 50%;
    border: 5px solid #fff;
    object-fit: cover;
}

main {
    max-width: 800px;
    margin: 20px auto;
    padding: 20px;
    background: #fff;
    border-radius: 8px;
    box-shadow: 0 0 10px rgba(0,0,0,0.1);
}

section {
    margin-bottom: 30px;
}

h2 {
    border-bottom: 2px solid #2c3e50;
    display: inline-block;
    padding-bottom: 5px;
}
```

```
45  ul {
46      list-style: none;
47      padding: 0;
48  }
49
50  ul li {
51      background: #ecf0f1;
52      margin: 5px 0;
53      padding: 10px;
54      border-radius: 4px;
55  }
56
57  footer {
58      font-size: 0.8rem;
59      margin-top: 50px;
60      color: #777;
61  }
```

PRATIKUM 8- Myportofolio