• Endpoints

o Local : localhost:5000
o Heroku : vee-api.herokuapp.com

Endpoint	Body Request	Response	Functio n
POST /users	<ul> <li>firstname: string</li> <li>lastname: string</li> <li>email: string</li> <li>password: string</li> <li>passwordConfirm: string</li> </ul>	<pre>status code: 201 body:</pre>	sign up
GET /users	token	<pre>status code: 200 body:</pre>	dapatka n detail akun
PUT /users	<pre>token     firstname: string     lastname: string</pre>	<pre>status code: 200 body:</pre>	edit firstna me dan lastnam e
PUT /passwor ds	<pre>token     passwordCurrent:     string     password: string     passwordConfirm:     string</pre>	<pre>status code: 200 body:</pre>	edit user passwor d

POST /authent ications	<ul><li>email: string</li><li>password: string</li></ul>	<pre>status code: 201 body:</pre>	login
PUT /authent ications	• refreshToken: string	<pre>status code: 200 body:</pre>	update access token
DELETE /authent ications	• refreshToken: string	<pre>status code: 200 body:</pre>	logout
POST /activit ies	<pre>token     date: timestamp     lat: *optional     lon: *optional     km: integer     price: integer     liter: float</pre>	<pre>status code: 201 body:</pre>	input aktivit as
GET /activit ies?size &page	token	status code: 200 body:  • status: "success"	mendapa tkan list

		<ul> <li>message:     "Berhasil     mendapatkan     activities"</li> <li>data:     activities:     activites[]</li> </ul>	aktivit
PUT /activit ies/{id}	<pre>token     date: string     lat: *optional     lon: *optional     km: integer     price: integer     liter: float</pre>	<pre>status code: 200 body:</pre>	mengedi t aktivit as
DELETE /activit es/{id}	token	<pre>status code: 200 body:</pre>	menghap us aktivit as
GET /activit ies/{id}	token	<pre>status code: 200 body:</pre>	mendapa tkan detail aktivit as
GET /gasstat ions?lat &lon	token	<pre>status code: 200 body:</pre>	mendapa tkan gas station s terdeka t