
+5V_UM
A0_PS
A1_PS
A2_PS
WRITE_PS
R611
R612
R613
R614
R218
R219
R220
R221
C286
C287
C288
C289
D37
R10
WRITE
S2
WRITE_MC
J1
J2
J3
GND
D31
&
Vcc
GND
R229
R228
R227
R226
R225
R224
D74
CLR
1D
2D
3D
4D
CLK
GND
Vcc
1Q
2Q
3Q
4Q
C104
C162
C105
R230
R231
R232
R233
D42
A0
A1
A2
E1
E2
E3
Vcc
GND
Y0
Y1
Y2
Y3
Y4
Y5
Y6
Y7
OSC1
R519
C199
C13
C14
R7
R217
FB60
+5VD
D29
DIR
Vcc
A1
A2
A3
A4
A5
A6
A7
A8
OE
B1
B2
B3
B4
B5
B6
B7
B8
GND
R5
Umax
Unom
U5
U4
U3
U2
U1
Umin
R11
ON/OFF_MC
J4
REZET
D35
R222
R223
R615
R616
C290
C291
ON/OFF_UM
REZET_UM
R6
S1
REZET
GND
R132
R133
R134
R135
R136
R137
R138
R139
H9
H10
H11
H12
H13
H14
H15
H16
X3
X4
A1_PS
ON/OFF_PS
WRITE_PS
OFF_220V_PS
+5V_PS
GND_PS
A2_PS
A0_PS
REZET_PS
BLOCING_PS
FB1
+5VD
R236
R235
R234
R237
D33
Vdd2
GND2_1
B1
B2
B3
B4
EN2/NC
GND2_2
Isolation
Vdd1
GND1_1
A1
A2
A3
A4
NC
GND1_2
R8
R9
R20
R21
BLOCING_UM
IZL_UM
BLOCING_AMP_UM
BLOCING_IP_UM
R12
R13
R14
R15
BLOCING
IZL
BLOCING_AMP
BLOCING_IP
X2
IN_F_UM
DELAY_WRITE_UM
BLOCING_Z_UM
BLOCING_UM
BLOCING_AMP_UM
REZET_UM
GND_UM
IN_EN_UM
BLOCING_T_UM
BLOCING_IS_UM
IZL_UM
BLOCING_IP_UM
ON/OFF_UM
+5V_UM
KONTROL
X18
TP36
C220
R449
R448
R441
R439
R444
R438
R447
R34
R618
R543
R450
R446
R445
R443
R440
R442
R33
R620
R619
R240
R239
R238
R241
D32
R22
R23
R24
R25
BLOCING_IS_UM
BLOCING_Z_UM
BLOCING_T_UM
DELAY_WRITE_UM
R16
R17
R18
R19
BLOCING_IS
BLOCING_Z
BLOCING_T
DELAY_WRITE
C15
C200
C107
C161
C163
GND_UM
C160
C106
C164
C16
GND
KONTROL
X17
TP35
C219
R430
R431
R436
R429
R428
R27
R437
R29
R617
R542
R435
R434
R432
R433
R26
R28
R31
R30
R32
A1_PS
ON/OFF_PS
WRITE_PS
OFF_220V_PS
+5V_PS
A2_PS
A0_PS
REZET_PS
BLOCING_PS
WRITE_PS
GND_PS

T3_UM-1


I_AMP
X15
+U_AMP
-U_AMP
X16
+U_AMP
-U_AMP
-U_AMP
V56
FB80
TP30
L13
L14
L15
R130
R131
H2
R643
R644
R645
C7
C12
R637
R638
C6
C4
C11
C316
C5
C3
C10
V59
R635
R636
PGND
V48
R676
R681
R420
R421
V58
V49
R677
R682
R422
R423
V62
R646
R647
V63
R648
R649
R683
V50
R678
R424
R425
C317
C8
V60
L16
C318
C9
+U_POWER
+U_POWER
TP32
TP31
TP12
R693
R694
X9
TP13
R695
R696
X10
TP14
R697
R698
X11
TP15
R699
R700
X12
TP16
R701
R702
X13
TP17
R703
R704
X14
PGND
V61
R639
R640
PGND
V51
R679
R684
V57
I_MOST
R426
R427
K4
PGND
R691
BLOCING_U_MOST
C131
C71
FB37
+5VD
R688
K1
ON_POWER
PGND
R689
K2
CHARGE_CAP
PGND
C132
C70
FB36
+5VD
R690
K3
DISCHARGE_CAP
PGND
C133
C68
FB35
+5VD
KW3
X8
Graund
+5VD
FB29
R202
+3V3
FB30
R198
R276
R277
R91
REZET
R92
BLOCING_Z
R371
R372
ref
R533
C299
R374
D53
OUT
V+
V-
R660
R279
C130
C66
GND
D59
&
Vcc
GND
R199
FB31
+5VD
R314
D4
Vin
CEXT
GND
ENOUT
Vcc
ENIN
C103
R153
C98
R275
R90
C129
C63
C128
D15
&
Vcc
GND
R278
D9
Vdd
GND
C210
D60
&
Vcc
GND
R97
BLOCING_U_MOST
R375
OSC27
R200
R201
FB32
+5V
FB33
-5V
FB38
+5VD
FB34
+3V3
R671
C218
D79
OUTC
1/4
R368
R369
V21
R406
R405
C244
D79
OUTB
1/4
R370
C315
R94
R534
V19
R365
R367
D79
OUTA
1/4
V20
R366
R364
R93
C208
C209
R404
C243
R493
C242
D46
OUT
V+
V-
R95
I_UM_Z
R667
C190
C64
C189
C65
R373
C241
D79
OUTD
V+
V-
1/4
R407
C69
R408
GND
ref
R363
OSC28
OSC29
R567
R687
R535
D78
VCC
VIOUT
VZCR
GND
+IP_1
+IP_2
-IP_1
-IP_2
I_MOST
U_MOST
C191
C67
C323
R96
Us=40mV/A

T3_UM-1


+15V
FB66
R594
FB70
R585
+5VD
FB71
R175
C21
GND
R242
R243
R244
R595
V34
TP33
C301
C303
D38
VCC
NC1
NC2
NC3
SY_FLT
FLT_CLR
FAULT/SD
HIN
LIN
NC4
NC5
VSS
DSH
VB
NC6
HOP
HON
SSDH
VS
DSL
LOP
LON
SSDL
COM
C20
C258
C320
R673
V32
TP27
V1
R414
R410
R590
C282
V52
R607
R600
V33
TP38
UH
V2
V42
R415
R411
R591
C283
V53
R608
R601
R544
V35
V45
PGND
TP8
TP9
R3
NC
U_MOST
J5
J6
J7
R39
R40
R41
C307
FB68
R583
FB69
R176
FB2
R177
R245
R246
R247
R248
R249
C22
R51
SY_FLT
R52
FLT_CLR
R53
FAULT/SD
C1
C2
V44
R598
R599
C305
C306
TP1
TP2
TP3
TP4
OSC8
R606
KW2
R605
KW1
R604
R596
FB67
R580
R581
R582
D75
&
OUT_F
OUT_EN
TABU_UM
BLOCING
R43
R44
R36
R35
R38
R37
TP34
R597
V38
C302
C304
D39
R674
V36
TP28
V3
R416
R412
R592
C284
V54
R610
R602
V37
TP43
UL
V4
R417
R413
R593
C285
V55
R609
V43
R603
C308
V39
V46
C168
C167
C201
C166
C108
GND
NC1
NC2
C257
C319
C19
GEN_F
J9
+5V_UM
FB3
R624
R621
R622
R250
R251
C292
C293
IN_F_UM
IN_EN_UM
OSC6
OSC7
C165
C18
R623
J8
GND_UM
GEN_EN
J10
R625
D40
Vcc
C17
D41
OUT_F_OSC
OUT_F
R579
R42
OUT_EN
R584
R50
OUT_EN_OSC
Vdd
Vss
R252
R253
R254
R255
D72
FAULT/SD_OSC
OSC5
OSC4
FLT_CLR_OSC
SY_FLT_OSC
TP37
C221
X19
KONTROL
R462
R463
R452
R457
R454
R455
R460
R45
R47
R545
OUT_F_OSC
OUT_EN_OSC
TABU_UM
SY_FLT_OSC
CHARGE_CAP
DISCHARGE_CAP
DISCHARGE_CAP
OFF_POWER
+5VD
R451
R456
R453
R458
R459
R461
R46
R48
R49
OUT_F_OSC
OUT_EN_OSC
FAULT/SD_OSC
FLT_CLR_OSC
ON_POWER
BLOCING_U_MOST
OSC3
OSC2
OFF_MOST

T3_UM-1


R340
OSC12
R184
FB13
+5V
R185
FB14
-5V
R394
R393
R669
C215
R564
FB16
+5VD
R392
R686
FB15
+3V3
C229
R524
R330
C226
OSC13
OSC14
R665
R525
C228
R338
D77
V8
D84
OUTC
OUTB
OUTA
OUTD
1/4
R332
R329
R465
C227
D44
R328
VCC
VIOUT
VZCR
GND
+IP_1
+IP_2
-IP_1
-IP_2
+U_AMP
I_AMP
Us=40mV/A
V9
R331
R335
V10
C312
R333
R334
R65
R64
C204
C205
R66
C173
C29
C172
C30
R395
C34
R396
C174
C32
C322
R67
OUT
V+
V-
I_MOST_OSC
GND
ref
+5VD
FB10
R187
R62
REZET
+3V3
FB11
R182
R63
BLOCING_AMP
R262
R263
R261
R265
R183
FB12
D56
D12
D7
D57
R68
R336
D50
R312
D2
Vin
CEXT
ENOUT
Vcc
ENIN
&
R337
R523
C295
R339
R657
C114
C31
C101
R141
C96
R61
C112
C28
C111
R264
Vdd
U_TP
X7
X1
R186
FB4
R257
R258
R55
R56
BLOCING_IP
+5VD
FB5
R178
R256
R260
R179
FB6
D55
D11
D6
TP5
TP10
PGND
NC
R323
D49
R311
D1
R4
UL
R324
R520
C294
R326
R656
C113
C26
C100
R140
C95
R54
C110
C23
C109
R259
R1
R2
UH
R327
OSC9
R180
FB7
R181
FB8
R668
R389
R388
R563
FB17
C214
R387
R685
FB9
C225
R521
R317
C222
OSC10
OSC11
R664
R522
C224
R325
D76
D48
V5
R319
R316
R464
C223
D43
R315
V6
V7
R322
C311
R318
R320
R321
R58
R57
C202
C203
R59
C170
C24
C169
C25
R390
C33
R391
C171
C27
C321
R60
I_UM_P

T3_UM-1


R672
C216
R397
C233
R398
R345
C234
R491
C235
R343
R192
R193
R566
FB22
FB21
FB28
-5V
+5V
R342
C232
R341
D36
R650
R651
R652
R653
R654
U_Fin
U_Fin
D71
OUTB
OUTC
OUTA
OUTD
1/4
V+
V-
V14
R347
C313
R344
R346
R81
R80
C184
C55
C183
C56
R82
C185
R655
C236
GND
IZL_A
U_UM_S
COM_UM_S
TP29
TP26
X5
U_Fin
U_Fin
CONTROL
X6
U_TS
U_TS
R348
R349
ref
D51
OUT
R273
R191
FB23
+5VD
D14
&
Vcc
GND
IZL
R530
C296
R662
R658
C127
C57
I_UM_S
TP11
R642
R641
U_TS
U_Fin
R632
R633
R634
U_TS
U_TS
U_Fin
R129
R128
R126
R127
H1
V18
U_Fin
+5VD
FB19
R197
+3V3
FB20
R190
R270
R271
R79
REZET
R83
BLOCING_IS
R358
R359
D52
R274
D58
R194
FB26
+5VD
R313
D3
Vin
CEXT
GND
ENOUT
Vcc
ENIN
R269
D13
D8
Vdd
R272
R531
C298
R361
R659
C126
C61
C102
R152
C97
R78
C125
C54
C124
GND
R362
OSC25
R195
R196
FB24
FB25
+5V
-5V
R670
C217
D73
R401
R400
C240
R532
R352
V15
R354
R351
V16
R353
R355
R356
V17
R357
C314
R85
R84
C207
C206
R399
R666
R492
C239
C238
D45
R86
I_UM_S
R360
C237
R350
OSC26
R565
FB27
+5VD
D70
NC4
GND
NC3
FILTER
VIOUT
NC2
VCC
NC1
+IP_1
+IP_2
+IP_3
+IP_4
-IP_1
-IP_2
-IP_3
-IP_4
R87
R88
R89
U_TS
U_Fin
C187
C58
C186
C59
R402
C62
R403
C188
C60
C297
ref
GND

T3_UM-1


FB47
+5VD
R304
R297
R301
R296
R302
R303
R118
OFF_MOST
D19
TABU_UM
D66
&
Vcc
GND
R112
OFF_POWER
D34
D92
ON_POWER
R119
BLOCING_AMP
R109
ON/OFF_MC
R111
DELAY_WRITE
R588
R587
R589
R586
R108
DISCHARGE_CAP
D64
D65
CHARGE_CAP
C193
C79
C135
C213
GND
FB43
+5VD
GND
J11
J12
J13
V70
V71
V72
R288
R287
R286
R290
R289
D83
BLOCING
BLOCING
R101
R102
R103
R104
R105
V65
V66
V67
V68
V69
BLOCING_AMP
BLOCING_IP
BLOCING_IS
BLOCING_Z
BLOCING_T
D18
VCC
NC1
NC2
J14
J15
V73
V74
C134
C75
C194
GND
R155
R156
R157
R158
R159
R160
R161
R162
H3
H6
H7
H8
H4
H5
H25
H24
IND_BLOCING_AMP
IND_BLOCING_IP
IND_BLOCING_IS
IND_BLOCING_Z
IND_BLOCING_T
IND_BLOCING
IND_DELAY_WRITE
IND_DISCHARGE_CAP
R285
D30
DIR
Vcc
A1
A2
A3
A4
A5
A6
A7
A8
OE
B1
B2
B3
B4
B5
B6
B7
B8
BLOCING_IS
BLOCING_AMP
BLOCING_T
BLOCING_Z
BLOCING_IP
BLOCING
DELAY_WRITE
DISCHARGE_CAP
IND_BLOCING_IS
IND_BLOCING_AMP
IND_BLOCING_T
IND_BLOCING_Z
IND_BLOCING_IP
IND_BLOCING
IND_DELAY_WRITE
IND_DISCHARGE_CAP
R106
GND
X28
R167
R164
R166
R165
R168
R171
R170
R169
R163
IND_DELAY_WRITE
IND_BLOCING_IP
IND_BLOCING_T
IND_BLOCING_IS
+5VD
IND_DISCHARGE_CAP
IND_BLOCING
IND_BLOCING_Z
IND_BLOCING_AMP
KONTROL
GND
X22
R496
R500
R497
R502
R498
R504
R503
R114
R115
R557
ON/OFF_MC
BLOCING
DISCHARGE_CAP
DISCHARGE_CAP
DELAY_WRITE
DELAY_WRITE
ON/OFF_MC
WRITE_MC
+5VD
R505
R499
R495
R494
R506
R501
R113
R116
R117
BLOCING_IP
BLOCING_Z
BLOCING_T
BLOCING_AMP
BLOCING_IS
WRITE_MC
OSC30
OSC31
TP41
C245
GND
KONTROL
GND
FB46
+5VD
R300
R110
ON/OFF_MC
D62
R298
D91
TRIG
OUT
V+
DIV
SET
0,00001C
R712
R720
R717
C192
C212
C77
GND
FB48
C80
C142
R299
D63
R292
D61
R107
WRITE_MC
R294
D90
2C
R711
R719
R716
FB45
R295
C78
C141
C81
D85
DISCHARGE_CAP
DISCHARGE_CAP
WRITE_MC
R305
R120
C82
D67
R291
D89
4C
R710
R718
R715
FB44
R293
C76
C140
C143
D86
DELAY_WRITE
DELAY_WRITE
+5VD
FB39
+3V3
FB40
R207
R204
R206
C139
D81
+Vs
Vout
R409
C264
C99
R377
TEMP
D80
OUT
V+
V-
R378
C211
R707
C265
R154
C266
D5
Vin
CEXT
ENOUT
ENIN
R280
R98
C137
C72
C138
GND
R281
R282
R283
D16
R99
REZET
R100
BLOCING_T
D10
Vdd
R203
FB41
+5VD
FB42
R284
R692
K5
ON_VENT
GND_VENT
R661
D54
TEMP
R205
ref
R376
R536
C300
R663
C136
C73
D17
C74

T3_UM-1


X29
KONTROL
GND_UM
+5VD
+3V3
OSC15
OSC16
+5V5
+5V
+5V_UM
+15V
-5V
OSC17
OSC18
OSC19
ref
GND
X21
KONTROL
TP40
C231
OSC22
OSC20
OSC21
OSC23
OSC24
X30
+U_VENT
-U_VENT
D82
Vin
Vout
GND/ADJ
L11
L10
L17
FB76
R709
R708
R706
C281
C47
C325
C324
C253
C254
C256
X24
X25
X26
V64
R675
V47
R680
R578
R577
ON_VENT
R419
R705
C255
R69
GND_VENT
X20
KONTROL
I_UM_P
I_UM_Z
TEMP
I_UM_S
I_MOST_OSC
IZL_A
BLOCING_IP
BLOCING_Z
BLOCING_T
BLOCING_IS
BLOCING_AMP
IZL
TP39
C230
H18
H20
H21
H22
H23
H19
R145
R147
R628
R722
R151
R146
TP44
TP45
TP46
TP47
TP48
TP49
TP50
TP51
TP52
TP53
TP54
TP55
TP56
TP57
TP58
FB18
R189
D23
IN
OUT
R188
C45
C120
C180
C179
C178
X27
+U_UM
-U_UM
D47
DC/DC
+Vs
NC5
NC6
SYNC
-Vs1
-Vs2
+Vout
NC4
NC3
NC2
NC1
L3
L5
FB61
+5V5_UM
D20
V11
TP19
V26
FB63
FB64
V27
+5V_PS
C42
C43
V30
TP6
GND_UM
R546
GND_PS
C41
R267
C37
C118
C259
C119
C36
C35
R268
C175
C117
C38
C116
C44
TP24
V13
D21
FB65
+3V3
C181
C123
C51
C122
FB75
V12
TP23
D26
Vcc
CTL
FIN
ADJ
R570
R721
C48
C182
V24
R573
C273
C309
C49
C50
FB74
V25
C247
D27
+Vin
On/Off
-Vin
Trim
-Vout
TP18
+5V5
L4
R527
R561
C115
C260
C248
TP21
V28
L1
TP25
R418
C249
C280
V29
C274
C275
C250
L2
L6
C251
C276
C277
R574
V22
R526
FB62
D22
EN
C1+
C1-
TP20
R728
R266
C263
C39
C176
C177
C40
V31
R729
R576
H17
D28
L7
L8
C252
C278
C279
R575
V23
R528
TP22
R529
L9
FB73
R562
C121
C261
C46
C262
C53
D25
V40
R548
FB72
R569
R571
R572
C272
C310
C52
V41
R568

T3_UM-1


+3V0
FB53
R211
FB52
R210
ref_UM
R382
R730
R383
R386
C86
R384
C328
R385
D95
OUTB
V+
V-
1/2
C87
C152
R732
C329
R731
OUTA
R121
R734
R733
R306
R122
D96
OE
GND
SET
OUT
V+
DIV
ON/OFF_GEN
OUT_GEN
R713
C88
C153
R735
GND_UM
X23
KONTROL
GEN_F
OUT_GEN
+5V_UM
+3V0
OUT_GEN_EN
OUT_GEN_F1
R509
R507
R512
R511
R517
R630
R510
R173
R172
R560
R513
R514
R515
R518
R516
R508
R631
R174
R125
GEN_EN
GEN_SUM
ON/OFF_GEN
ref_UM
OUT_GEN_EN
OUT_GEN_F
OSC32
OSC33
TP42
TP7
C246
GND_UM
J20
OUT_GEN_F1
GEN_F
OUT_GEN_F
J21
OUT_GEN_EN
GEN_EN
OUT_GEN_EN
+3V0
FB59
R541
+5V_UM
FB58
R216
R751
R752
R753
R754
D68
D87
D88
D69
J22
&
Vcc
GND
GEN_SUM
OUT_GEN
R124
R123
OUT_GEN_EN
R540
OUT_GEN_EN
OUT_GEN_F
OUT_GEN_F1
C94
C159
C93
C158
GND_UM
ON/OFF_GEN
OUT_GEN_EN
GEN_SUM
+3V0
FB54
R212
R741
D97
RST
GND
SET
OUT
V+
DIV
R307
R736
J16
C268
R742
C89
C154
R714
Range1
t=200mC
N=10
FB55
R213
R749
D98
R308
R740
J17
C269
R744
C90
C155
R737
Range2
t=100mC
N=10
FB56
R214
R743
D99
R309
R745
J18
C270
R747
C91
C156
R738
Range3
t=10mC
N=2
FB57
R215
R748
D100
R310
R746
J19
C271
R750
C92
C157
R739
Range4
t=12mC
N=10
GND_UM
+5V5
FB79
C146
C195
R379
R380
R381
R539
R538
R537
C267
C326
D93
VIN
PGOOD
EN+
EN-
C1-
C1+
CP
PAD
OUT+
FB+
GND
FB-
OUT-
R727
R724
R725
R726
C144
C145
C147
C148
R558
FB77
+5V
R559
FB78
-5V
GND
GND
FB51
R209
D24
IN
GND
OUT
R208
ref_UM
C85
C151
C198
C197
C196
GND_UM
+5V5_UM
L12
FB49
C84
C149
D94
Vin
EN
GND
Vout
NR
C327
C150
FB50
C83
+3V0
GND_UM

T3_UM-1