


D37
+5V_UM
A0_PS
A1_PS
A2_PS
WRITE_PS
R611
R612
R613
R614
R218
R219
R220
R221
C286
C287
C288
C289
R10
WRITE
S2
WRITE_MC
GND
J1
J2
J3
D31
&
Vcc
GND
R229
R228
R227
R226
R225
R224
D74
CLR
1D
2D
3D
4D
CLK
GND
Vcc
1Q
2Q
3Q
4Q
C104
C162
C105
R230
R231
R232
R233
D42
OSC1
R519
C199
C13
C14
R7
R217
D29
DIR
FB60
+5VD
R5
Umax
Unom
U5
U4
U3
U2
U1
Umin
D35
ON/OFF_UM
REZET_UM
R615
R616
R222
R223
C290
C291
R6
R11
ON/OFF_MC
J4
S1
REZET
D33
Vdd2
Vdd1
GND2_1
GND1_1
B1
B2
B3
B4
EN2/NC
NC
A1
A2
A3
A4
Isolation
BLOCING_UM
IZL_UM
BLOCING_AMP_UM
BLOCING_IP_UM
R8
R9
R20
R21
R12
R13
R14
R15
BLOCING
IZL
BLOCING_AMP
BLOCING_IP
R236
R235
R234
R237
FB1
D32
BLOCING_IS_UM
BLOCING_Z_UM
BLOCING_T_UM
DELAY_WRITE_UM
R22
R23
R24
R25
R16
R17
R18
R19
BLOCING_IS
BLOCING_Z
BLOCING_T
DELAY_WRITE
R240
R239
R238
R241
C15
C200
C107
C161
C163
C160
C106
C164
C16
GND_UM
X3
X4
X2
A1_PS
ON/OFF_PS
WRITE_PS
OFF_220V_PS
+5V_PS
GND_PS
A2_PS
A0_PS
REZET_PS
BLOCING_PS
IN_F_UM
DELAY_WRITE_UM
BLOCING_Z_UM
BLOCING_UM
BLOCING_AMP_UM
REZET_UM
GND_UM
IN_EN_UM
BLOCING_T_UM
BLOCING_IS_UM
IZL_UM
BLOCING_IP_UM
ON/OFF_UM
+5V_UM
R132
R133
R134
R135
R136
R137
R138
R139
H9
H10
H11
H12
H13
H14
H15
H16
KONTROL
X18
TP36
C220
R449
R448
R441
R439
R444
R438
R447
R34
R618
R543
R450
R446
R445
R443
R440
R442
R33
R620
R619
KONTROL
X17
TP35
C219
R430
R431
R436
R429
R428
R27
R437
R29
R617
R542
R435
R434
R432
R433
R26
R28
R31
R30
R32
T3_UM-1
1

I_AMP
V56
FB80
L13
L14
R643
R644
R645
R130
R131
H2
TP30
X15
+U_AMP
-U_AMP
X16
+U_AMP
-U_AMP
-U_AMP
R637
R638
C7
C12
C6
C4
C11
C316
C5
L15
C3
C10
V59
R635
R636
PGND
V48
R676
R681
V58
R420
R421
V49
R677
R682
V62
R422
R423
R646
R647
R648
R649
V63
R683
V50
R678
R424
R425
C317
C8
V60
L16
+U_POWER
C318
C9
TP32
TP31
+U_POWER
I_MOST
V57
R679
R684
V51
R639
R640
V61
PGND
R426
R427
K4
R691
BLOCING_U_MOST
FB37
+5VD
C131
C71
PGND
R688
K1
ON_POWER
PGND
R689
K2
CHARGE_CAP
PGND
C132
C70
FB36
+5VD
R690
K3
DISCHARGE_CAP
PGND
C133
C68
FB35
+5VD
X9
X10
X11
X12
X13
X14
TP12
TP13
TP14
TP15
TP16
TP17
R693
R694
R695
R696
R697
R698
R699
R700
R701
R702
R703
R704
PGND
KW3
X8
Graund
+5VD
FB29
R202
+3V3
FB30
R198
R276
R277
R91
REZET
R92
BLOCING_Z
D9
D60
R97
BLOCING_U_MOST
R371
R372
ref
D53
R279
R199
FB31
+5VD
D59
R533
R374
C299
R660
C130
C66
GND
R314
D4
Vin
CEXT
GND
ENOUT
Vcc
ENIN
R275
D15
R278
C103
R153
C98
R90
C129
C63
C128
C210
R671
C218
D79
R375
OSC27
R200
R201
FB32
+5V
FB33
-5V
FB38
+5VD
FB34
+3V3
R567
R687
OSC28
OSC29
R535
R406
R405
C244
R534
R365
V19
R404
C243
R493
C242
R667
R373
C241
R363
D78
Us=40mV/A
I_MOST
U_MOST
R367
R364
D46
R370
R368
R369
V21
C315
R94
V20
R366
R93
C208
C209
R95
I_UM_Z
C190
C64
C189
C65
R407
R408
C69
GND
ref
C191
C67
C323
R96
T3_UM-1
2

+15V
+5VD
FB66
FB70
FB71
R594
R585
R175
R595
V34
TP33
C301
C303
D38
VCC
NC1
NC2
NC3
SY_FLT
FLT_CLR
FAULT/SD
HIN
LIN
NC4
NC5
VSS
DSH
VB
NC6
HOP
HON
SSDH
VS
DSL
LOP
LON
SSDL
COM
R673
V32
TP27
PGND
TP8
TP9
R3
NC
U_MOST
J5
J6
J7
GND
C21
R242
R243
R244
C20
C258
C320
R600
R601
R544
V35
V45
R414
R410
R590
C282
V1
V52
R607
V33
R415
R411
R591
C283
V2
V53
R608
V42
TP38
UH
PGND
+15V
+5VD
FB68
FB69
FB2
R583
R176
R177
R39
R40
R41
C307
R51
R52
R53
SY_FLT
FLT_CLR
FAULT/SD
R245
R246
R247
R248
R249
C22
GND
R596
FB67
+15V
R580
R581
R582
C1
C2
V44
R598
R599
C305
C306
TP1
TP2
TP3
TP4
OSC8
R606
KW2
R605
KW1
R604
GND
PGND
TP34
R597
V38
C302
C304
D39
R674
V36
TP28
R36
R35
R38
R37
D75
OUT_F
OUT_EN
TABU_UM
BLOCING
R43
R44
OUT_F
R416
R412
R592
C284
V3
V54
R610
V37
R417
R413
R593
C285
V4
V55
R609
V43
TP43
UL
R602
R603
C308
V39
V46
C168
C167
C201
C166
C108
C257
C319
C19
GEN_F
J9
R624
+5V_UM
FB3
IN_F_UM
IN_EN_UM
R621
R622
R250
R251
C292
C293
D40
Vcc
GND
C17
OSC6
OSC7
R623
J8
C165
C18
GND_UM
GEN_EN
J10
R625
D41
OUT_F_OSC
OUT_F_OSC
OUT_F
OUT_F
R579
R42
OUT_EN
R584
R50
OUT_EN_OSC
OUT_EN_OSC
Vdd
Vss
R252
R253
R254
R255
FAULT/SD
OSC5
FLT_CLR
SY_FLT
D72
FAULT/SD_OSC
OSC4
FLT_CLR_OSC
SY_FLT_OSC
TP37
C221
X19
OUT_F_OSC
OUT_EN_OSC
TABU_UM
SY_FLT_OSC
CHARGE_CAP
DISCHARGE_CAP
DISCHARGE_CAP
OFF_POWER
+5VD
R462
R463
R452
R457
R454
R455
R460
R45
R47
R545
R451
R456
R453
R458
R459
R461
R46
R48
R49
OUT_F_OSC
OUT_EN_OSC
FAULT/SD_OSC
FLT_CLR_OSC
ON_POWER
BLOCING_U_MOST
OSC3
OSC2
OFF_MOST
KONTROL
T3_UM-1
3


R669
C215
D84
OUTC
1/4
R394
R393
C229
R524
R330
R332
D84
OUTB
OUTA
V8
V9
V10
R335
R329
R331
C312
R333
R334
R65
R64
C204
C205
R392
C228
C227
R465
R665
D44
OUT
V+
V-
R66
R184
R185
R340
OSC12
C226
R338
D84
OUTD
R328
R395
R396
C173
C29
C172
C30
C34
GND
ref
OSC13
OSC14
R564
R525
R686
D77
VCC
VIOUT
VZCR
GND
+IP_1
+IP_2
-IP_1
-IP_2
Us=40mV/A
C174
C32
C322
R67
FB13
FB14
FB16
FB15
+5V
-5V
+5VD
+3V3
+U_AMP
I_AMP
I_MOST_OSC
FB10
FB11
+5VD
+3V3
R187
R182
R262
R263
R62
R63
REZET
BLOCING_AMP
R336
R337
ref
R523
C295
R339
D50
OUT
V+
V-
R657
R265
R183
FB12
+5VD
D56
&
Vcc
GND
C114
C31
GND
R312
D2
Vin
CEXT
GND
ENOUT
Vcc
ENIN
C101
R141
C96
R261
C112
C28
C111
D12
R264
D7
Vdd
R68
D57
BLOCING_AMP
U_TP
U_TP
X7
X1
U_TP
U_TP
TP5
PGND
TP10
UL
R4
NC
U_TP
UH
R1
R2
UL
R323
R324
ref
R520
C294
R326
D49
R656
R260
R179
FB6
+5VD
R311
C100
R140
C95
R54
C110
C23
C109
R256
R257
R258
R186
R178
FB4
FB5
+5VD
+3V3
D1
D11
D6
R55
R56
REZET
BLOCING_IP
R259
C113
C26
GND
R668
C214
D48
R320
R321
V7
R322
C311
R389
R388
C225
R521
R317
D48
V5
V6
R319
R318
R316
R58
R57
C202
C203
I_UM_P
R387
C224
C223
R464
R664
D43
R59
C170
C24
C169
C25
R325
C222
R315
R390
C33
R391
GND
ref
OSC9
OSC10
OSC11
R180
R181
R327
R563
R522
R685
D76
Us=40mV/A
C171
C27
C321
R60
FB7
FB8
FB17
FB9
+5V
-5V
+5VD
+3V3
UH
U_TP

R672 C216 D71 OUTB 1/4 R398 R397 C233 OUTC R345 C234 R491 C235 OUTA R343 R344 R346 V14 R347 C313 R81 R80 R192 R193 R566 FB22 FB21 FB28 -5V +5V R342 C232 OUTD V+ V- R341 R82 D36 R650 R651 R652 R653 R654 U_Fin C184 C55 C183 C56 C185 R655 C236 GND IZL_A

R348 R349 ref R530 C296 D51 OUT V+ V- R273 R658 R662 R191 FB23 +5VD D14 & Vcc GND IZL GND

U_UM_S TP29 COM_UM_S TP26 X5 U_Fin

CONTROL X6 U_TS

I_UM_S TP11 R642 R641 R632 R633 R634

R129 R128 R126 R127 H1 V18

+5VD FB19 +3V3 FB20 R197 R190 R270 R271 R269 R79 REZET R83 BLOCING_IS D8 Vdd GND D13 D3 Vin CEXT GND ENOUT ENIN Vcc R313 R274 R194 FB26 D52 D58 R358 R359 R531 C298 R361 R659 C126 C61 R272 R102 R152 C97 R78 C125 C54 C124


R670 C217 D73 OUTC R401 R400 C240 R532 R352 V15 V16 R354 R351 R357 C314 R355 R356 V17 R85 R84 R399 C239 R492 C238 D45 R666 R195 R196 R362 OSC25 FB24 FB25 FB27 +5V -5V +5VD R565 R87 R88 R89 OSC26 R360 C237 R350 R402 C62 R403 C187 C58 C186 C59 C188 C60 C297 D70 U_TS U_Fin I_UM_S GND ref


T3_UM-1


5


FB43 +5VD
GND
J11 J12 J13
V70 V71 V72
R288 R287 R286 R290 R289
D83
BLOCING
BLOCING
BLOCING_AMP R101 V65
BLOCING_IP R102 V66
BLOCING_IS R103 V67
BLOCING_Z R104 V68
BLOCING_T R105 V69
D18
J14 J15
V73 V74
C134 C75 C194
GND
GND
IND_BLOCING_AMP R155 H3
IND_BLOCING_IP R156 H6
IND_BLOCING_IS R157 H7
IND_BLOCING_Z R158 H8
IND_BLOCING_T R159 H4
IND_BLOCING R160 H5
IND_DELAY_WRITE R161 H25
IND_DISCHARGE_CAP R162 H24
R285
D30
BLOCING_IS
BLOCING_AMP
BLOCING_T
BLOCING_Z
BLOCING_IP
BLOCING
DELAY_WRITE
DISCHARGE_CAP
DIR Vcc
A1 A2 A3 A4 A5 A6 A7 A8
B1 B2 B3 B4 B5 B6 B7 B8
OE GND
IND_BLOCING_IS
IND_BLOCING_AMP
IND_BLOCING_T
IND_BLOCING_Z
IND_BLOCING_IP
IND_BLOCING
IND_DELAY_WRITE
IND_DISCHARGE_CAP
R106
GND
IND_DELAY_WRITE R167 R164 IND_BLOCING_IP R166 IND_BLOCING_T R165 IND_BLOCING_IS R168 +5VD
X28
R171 R170 R169 R163
IND_DISCHARGE_CAP
IND_BLOCING
IND_BLOCING_Z
IND_BLOCING_AMP
KONTROL
GND
ON/OFF_MC R496 R500 BLOCING R497 DISCHARGE_CAP R502 DISCHARGE_CAP R498 DELAY_WRITE R504 DELAY_WRITE R503 R114 ON/OFF_MC WRITE_MC R115 +5VD R557
X22
R505 R499 R495 R494 R506 R501 R113 R116 R117
BLOCING_IP
BLOCING_Z
BLOCING_T
BLOCING_AMP
BLOCING_IS
WRITE_MC
OSC30
OSC31
TP41
C245
GND
GND
KONTROL
FB46 +5VD
R305
D67
R291
D89
4C
FB44
R293
D86
DELAY_WRITE
R120
C82
R718
R715
C140
C143
C76
DELAY_WRITE
R110 ON/OFF_MC
R300
D62
R298
D91
0,00001C
FB48
R299
D63
R292
D61
R294
D90
2C
FB45
R295
D85
R712
R711
R720
R717
C142
C80
R719
R716
C141
C78
C81
C192 C212 C77
GND
WRITE_MC
R107
DISCHARGE_CAP
DISCHARGE_CAP
WRITE_MC
+5VD FB39 R207
+3V3 FB40 R204
R206
C99
R377
TEMP
D80
R707
D5
R280
R281 R282 R283
D16
R99 REZET
R100 BLOCING_T
D10
D81
R409
C139
C264
R378
C211
C265 R154 C266
R98 C137 C72 C138
GND
R203
FB41 +5VD
FB42
R284
R692
K5
ON_VENT
GND_VENT
R661
D54
D17
TEMP R205
ref R376
R536 C300
R663
C136 C73
C74
R304 R297 R301 R296
R302 R303
FB47 +5VD
R118 OFF_MOST
D19 TABU_UM
R112 OFF_POWER
D34
D92 ON_POWER
R119
BLOCING_AMP
ON/OFF_MC R109
DELAY_WRITE R111
R588 R587 R589
R586
D64
D65 CHARGE_CAP
R108
DISCHARGE_CAP
C193 C79 C135 C213
GND
T3_UM-1
6


X29
GND_UM
+5VD
+3V3
OSC15
OSC16
+5V5
+5V
R554
R550
R551
R74
R75
R549
R76
R555
R553
R552
R71
R72
R73
R70
+5V_UM
+15V
-5V
OSC17
OSC18
OSC19
ref
GND
KONTROL
X30
+U_VENT
-U_VENT
KONTROL
X21
+5VD
-5V
+3V3
OSC22
OSC20
OSC21
+5VD
+5V5
R471
R467
R472
R488
R487
R486
R485
R149
R148
R556
R468
R466
R473
R484
R489
R490
R629
R150
R723
+15V
+5V5
ref
+5V
OSC23
OSC24
+3V3
-5V
+15V
KONTROL
GND
TP40
C231
GND
X27
+U_UM
-U_UM
L3
D47
+Vs
NC5
NC6
SYNC
-Vs1
-Vs2
+Vout
NC4
NC3
NC2
NC1
GND
R267
C41
C37
C118
C259
GND
L5
FB61
+5V5_UM
C119
C36
R268
C35
V11
D20
Vin
Vout
GND
C175
C117
C38
C116
V26
FB63
C44
+5V_UM
+5V_PS
FB64
V27
C42
C43
V30
TP6
GND_UM
GND_PS
R546
L11
L10
+U_VENT
-U_VENT
D82
Vin
Vout
GND/ADJ
R709
R708
C281
C47
C325
C324
C253
C254
FB76
L17
C256
R706
X24
X25
X26
R675
V47
R680
V64
R578
R577
ON_VENT
R419
C255
R705
R69
GND_VENT
R145
R147
R628
R722
R151
R146
H18
H20
H21
H22
H23
H19
+5V5
+5VD
+3V3
+15V
+5V
-5V
GND
X20
I_UM_P
I_UM_Z
TEMP
I_UM_S
I_MOST_OSC
IZL_A
+5VD
R474
R469
R626
R470
R477
R476
R475
R143
R142
R547
R478
R479
R480
R481
R482
R483
R627
R144
R77
BLOCING_IP
BLOCING_Z
BLOCING_T
BLOCING_IS
BLOCING_AMP
IZL
+3V3
-5V
KONTROL
TP39
C230
GND
TP44
TP45
TP46
TP47
TP48
TP49
TP50
GND
TP51
TP52
TP53
TP54
TP55
TP56
TP57
TP58
GND
FB18
R189
D23
IN
OUT
GND
R188
ref
C45
C120
C180
C179
C178
GND
TP24
V13
D21
Vin
Vout
GND
FB65
+3V3
C181
C123
C51
C122
GND
FB75
V12
D26
Vcc
CTL
GND
OUT
ADJ
FIN
TP23
+5VD
R570
R721
C48
C182
V24
R573
C273
C309
C49
C50
GND
TP21
+U_UM
-U_UM
V28
V29
L1
TP25
R418
C249
C280
C274
C275
C250
L2
L6
C251
C276
C277
FB74
V25
C247
C248
D27
+Vin
On/Off
-Vin
DC/DC
+Vout
Trim
-Vout
R574
R526
V22
R561
R527
TP18
C115
C260
GND
L4
+5V5
C247
C248
R576
H17
TP22
D28
+Vin
On/Off
-Vin
DC/DC
+Vout
Trim
-Vout
R575
V23
R528
R529
R562
L9
C121
C261
C46
FB73
C262
C53
V40
R548
FB72
+15V
D25
Vcc
CTL
GND
OUT
ADJ
FIN
R569
R571
R572
C272
C310
C52
V41
R568
GND
+U_VENT
-U_VENT
L7
L8
C278
C252
C279
TP19
TP20
D22
Vin
Vout
C1+
C1-
EN
GND
FB62
R266
C263
C39
C176
C177
C40
V31
R729
R728
-5V
GND
T3_UM-1
7



FB53
FB52
R211
R210
+3V0
C328
C329
R385
R731
R306
R122
D96
ON/OFF_GEN
OUT_GEN
ref_UM
R382
R730
R386
R732
D95
R734
R713
R383
C86
R384
C87
C152
R733
C88
C153
R735
R121
GND_UM
OUTB
V+
V-
1/2
OUTA
OE
GND
SET
OUT
DIV


X23
GEN_F
OUT_GEN
+5V_UM
+3V0
OUT_GEN_EN
OUT_GEN_F1
+5V_UM
R509
R507
R512
R511
R517
R630
R510
R173
R172
R560
R513
R514
R515
R518
R516
R508
R631
R174
R125
GEN_EN
GEN_SUM
ON/OFF_GEN
ref_UM
OUT_GEN_EN
OUT_GEN_F
OSC32
OSC33
TP42
C246
TP7
GND_UM
KONTROL
J20
OUT_GEN_F1
GEN_F
OUT_GEN_F
J21
OUT_GEN_EN
GEN_EN
OUT_GEN_EN


+3V0
FB59
R541
+5V_UM
FB58
R216
R751
R752
R753
R754
D87
D88
D68
D69
OUT_GEN
R124
R123
R540
OUT_GEN_EN
OUT_GEN_F
OUT_GEN_F1
GEN_SUM
GND_UM
ON/OFF_GEN
C94
C159
C93
C158
J22
&
Vcc
GND


GEN_SUM
+3V0
FB54
R212
Range1
t=200mC
N=10
R741
D97
J16
R307
R736
C268
R742
C89
C154
R714
FB55
R213
Range2
t=100mC
N=10
R749
D98
J17
R308
R740
C269
R744
C90
C155
R737
FB56
R214
Range3
t=10mC
N=2
R743
D99
J18
R309
R745
C270
R747
C91
C156
R738
FB57
R215
Range4
t=12mC
N=10
R748
D100
J19
R310
R746
C271
R750
C92
C157
R739
GND_UM
RST
GND
SET
OUT
V+
DIV


D93
+5V5
FB79
C146
C195
R379
R380
R381
R539
R538
R537
C326
C267
R558
FB77
+5V
R727
R724
R725
R726
C144
C145
C147
C148
R559
FB78
-5V
GND
VIN
PGOOD
EN+
EN-
C1-
C1+
CP
PAD
OUT+
FB+
GND
FB-
OUT-


FB51
R209
D24
R208
ref_UM
C85
C151
C198
C197
C196
GND_UM
+5V5_UM
L12
FB49
D94
FB50
+3V0
C84
C149
C327
C150
C83
GND_UM
IN
OUT
GND
Vin
Vout
EN
NR