



InClass

Team 17 - How to Run InClass

Case Wright, Pat Fortunato, Nicolas James, Evan Klein, Patrick Sullivan

Deployed at (defect free): <https://project-inclass.herokuapp.com/>

Deployed at (defect version): <http://project-inclass-bugs.herokuapp.com/>

Requirements

- Ruby 2.6.0
- Rails 5.2.2
- Angular 7

Setup

Note: If you are having troubles running ruby or angular on Windows cmd, try running it on bash for Windows

1. Install nodejs
 - Windows: [Download](#)
 - macOS: `brew install node`
 - Linux: `apt install nodejs`
2. Install Angular 7: `npm install -g @angular/cli`
3. Install Ruby 2.6:
 - Windows: [Download](#)
 - macOS/Linux:

- You can install certain versions of ruby with [rvm](#).
 - `rvm install 2.6`
 - `rvm use 2.6`
4. Install postgres server:
 - Windows: [Download](#)
 - macOS: `brew install postgres`
 - Linux: `apt install postgresql postgresql-contrib`
 5. Configure the database in `config/database.yml`
 6. Install dependencies:
 - `bundle install`
 - `npm install`

Run

- Backend: `rails s`
- Frontend: `ng serve`

The site be be up at `localhost:4200`