


# Install ESP32 Filesystem Uploader in Arduino IDE

The ESP32 contains a Serial Peripheral Interface Flash File System (SPIFFS). SPIFFS is a lightweight filesystem created for microcontrollers with a flash chip, which is connected by SPI bus, like the ESP32 flash memory. In this article we're going to show how to easily upload files to the ESP32 filesystem using a plugin for Arduino IDE.



**Note:** if you have an ESP8266 board, read: [Install ESP8266 NodeMCU LittleFS Filesystem Uploader in Arduino IDE](#).

At the moment, this is not compatible with Arduino 2.0.

If you're using VS Code with the PlatformIO extension, read the following tutorial

- [ESP32 with VS Code and PlatformIO: Upload Files to Filesystem \(SPIFFS\)](#)

## Table of Contents

- [Introducing SPIFFS](#)
- [Installing the Arduino ESP32 Filesystem Uploader](#)
  - [Windows Instructions](#)
  - [MacOS X Instructions](#)
- [Uploading Files using the Filesystem Uploader](#)
- [Testing the Uploader](#)

## Introducing SPIFFS

SPIFFS lets you access the flash memory like you would do in a normal filesystem in your computer, but simpler and more limited. You can read, write, close, and delete files. At the time of writing this post, SPIFFS doesn't support directories, so everything is saved on a flat structure.

Using SPIFFS with the [ESP32 board](#) is especially useful to:

- Create configuration files with settings;
- Save data permanently;
- Create files to save small amounts of data instead of using a microSD card;
- [Save HTML and CSS files to build a web server](#);
- [Save images, figures, and icons](#);
- And much more.

With SPIFFS, you can write the HTML and CSS in separate files and save them on the ESP32 filesystem. Check the following tutorial to learn how to build a web server with files stored on the ESP32 file system:

- [ESP32 Web Server using SPIFFS \(SPI Flash File System\)](#)

## Installing the Arduino ESP32 Filesystem Uploader

You can create, save and write files to the ESP32 filesystem by writing the code yourself on the Arduino IDE. This is not very useful, because you'd have to type the content of your files in the Arduino sketch.

Fortunately, there is a plugin for the Arduino IDE that allows you to upload files directly to the ESP32 filesystem from a folder on your computer. This makes it really easy and simple to work with files. Let's install it.

**Note:** at the time of writing this post, the ESP32 Filesystem Uploader plugin is not supported on Arduino 2.0.

First, make sure you have the ESP32 add-on for the Arduino IDE. If you don't, follow the next tutorial:

- [Windows, Mac, and Linux instructions – Installing the ESP32 Board in Arduino IDE](#)

## Windows Instructions

Follow the next steps to install the filesystem uploader if you're using Windows:

- 1) Go to the [releases page](#) and click the [ESP32FS-1.0.zip](#) file to download.

Latest release

1.0  
278ffa0  
Verified

## Release for esptool\_py


me-no-dev released this on Jan 15

Updates the path to esptool to work with the latest Arduino for ESP32


Assets 3

- ESP32FS-1.0.zip
- Source code (zip)
- Source code (tar.gz)

- 2)** Find your Sketchbook location. In your Arduino IDE, go to **File > Preferences** and check your Sketchbook location. In my case, it's in the following path:  
**C:\Users\sarin\Documents\Arduino .**




- 3)** Go to the sketchbook location, and create a **tools** folder.




- 4)** Unzip the downloaded **.zip** folder. Open it and copy the **ESP32FS** folder to the **tools** folder you created in the previous step. You should have a similar folder structure:

<Sketchbook-location>/tools/ESP32FS/tool/esp32fs.jar



## 5) Finally, restart your Arduino IDE.

To check if the plugin was successfully installed, open your Arduino IDE. Select your ESP32 board, go to **Tools** and check that you have the option “**ESP32 Sketch Data Upload**”.



## MacOS X

Follow the next instructions if you're using MacOS X.

- 1) Go to the [releases page](#) and click the **ESP32FS-1.0.zip** file to download.

[Latest release](#)

1.0  
me-no-dev released this on Jan 15

Updates the path to esptool to work with the latest Arduino for ESP32

Assets 3


- ESP32FS-1.0.zip
- Source code (zip)
- Source code (tar.gz)

2) Unpack the files.

3) Create a folder called **tools** in `/Documents/Arduino/`.


4) Copy the unpacked **ESP32FS** folder to the **tools** directory. You should have a similar folder structure.

`~Documents/Arduino/tools/ESP32FS/tool/esp32fs.jar`



5) Finally, restart your Arduino IDE.

Upload".




## Uploading Files using the Filesystem Uploader


To upload files to the ESP32 filesystem follow the next instructions.

- 1) Create an Arduino sketch and save it. For demonstration purposes, you can save an empty sketch


2) Then, open the sketch folder. You can go to **Sketch > Show Sketch Folder**. The folder where your sketch is saved should open.




3) Inside that folder, create a new folder called ***data***.



4) Inside the ***data*** folder is where you should put the files you want to save into the ESP32 filesystem. As an example, create a **.txt** file with some text called ***test\_example***.



5) Then, to upload the files, in the Arduino IDE, you just need to go to **Tools > ESP32 Sketch Data Upload**.



The uploader will overwrite anything you had already saved in the filesystem.

**Note:** in some ESP32 development boards you need to press the on-board **BOOT** button when you see the “Connecting .....\_\_\_\_\_” message.

```
SPIFFS Uploading Image...
[SPIFFS] page    : 256
[SPIFFS] block   : 4096
/desktop.ini

/test_example.txt

[SPIFFS] upload : C:\Users\Sara\AppData\Local\Temp\arduino_build_516333/Test.spiffs.bin
[SPIFFS] address: 2691072
[SPIFFS] port   : COM7
[SPIFFS] speed  : 921600
[SPIFFS] mode   : dio
[SPIFFS] freq   : 80m

esptool.py v2.1

Connecting....._____
```

DOIT ESP32 DEVKIT V1, 80MHz, 921600, None on COM7

A screenshot of the Arduino IDE Serial Monitor window. The window title is "Serial Monitor". The text area shows the output of an SPIFFS upload process. It starts with "SPIFFS Uploading Image...", followed by several log entries from "[SPIFFS]" indicating file operations like "page : 256", "block : 4096", and "upload : C:\Users\Sara\AppData\Local\Temp\arduino\_build\_516333/Test.spiffs.bin". It also shows configuration details like "address: 2691072", "port : COM7", "speed : 921600", "mode : dio", and "freq : 80m". The text "esptool.py v2.1" is visible at the bottom. At the very bottom of the text area, the word "Connecting.....\_\_\_\_\_" is displayed, with the entire line underlined by a red box. The status bar at the bottom right of the window shows "DOIT ESP32 DEVKIT V1, 80MHz, 921600, None on COM7".

The files were successfully uploaded to the ESP32 filesystem when you see the message “**SPIFFS Image Uploaded**“.



## Testing the Uploader


Now, let's just check if the file was actually saved into the ESP32 filesystem. Simply upload the following code to your ESP32 board.

```
*****  
Rui Santos  
Complete project details at https://randomnerdtutorials.com  
*****  
  
#include "SPIFFS.h"  
  
void setup() {  
  
    Serial.begin(115200);  
  
    if(!SPIFFS.begin(true)){  
        Serial.println("An Error has occurred while mounting SPIFFS")  
        return;  
    }  
  
    File file = SPIFFS.open("/test_example.txt");
```

```
return;  
}  
  
Serial.println("File Content:");  
while(file.available()){  
    Serial.write(file.read());  
}  
file.close();
```

[View raw code](#)

After uploading, open the Serial Monitor at a baud rate of 115200. Press the ESP32 “ENABLE/RST” button. It should print the content of your .txt file on the Serial Monitor.



You've successfully uploaded files to the ESP32 filesystem using the plugin.

## Wrapping Up

Using the filesystem uploader plugin is one of the easiest ways to upload files to the

HTML and CSS files stored on the filesystem: [ESP32 Web Server using SPIFFS \(SPI Flash File System\)](#).

Another way to save data permanently is using the ESP32 Preferences library. It is especially useful to save data as key:value pairs in the flash memory. Check the following tutorial:

- [ESP32 Save Data Permanently using Preferences Library](#)

For more projects with ESP32, check the following resources:

- [Learn ESP32 with Arduino IDE](#)
- [Build Web Servers with ESP32 and ESP8266](#)
- [Firebase Web App with ESP32 and ESP8266](#)
- [Free ESP32 Projects and Tutorials...](#)

**PCBWay** PCB Fabrication & Assembly

**ONLY \$5 for 10 PCBs**

✓ 24-hour Build Time ✓ Quality Guaranteed  
✓ Most Soldermask Colors:  


[Order now](#)




www.pcbway.com




**[eBook] Build Web Servers with ESP32 and ESP8266 (2nd Edition)**

communication protocols [DOWNLOAD »](#)


## Recommended Resources



[Build a Home Automation System from Scratch »](#) With Raspberry Pi, ESP8266, Arduino, and Node-RED.



[Home Automation using ESP8266 eBook and video course »](#) Build IoT and home automation projects.





[Arduino Step-by-Step Projects](#) » Build 25 Arduino projects with our course, even with no prior experience!

## What to Read Next...

---

[ESP32 Useful Wi-Fi Library Functions \(Arduino IDE\)](#)

PHP)

---

[ESP32/ESP8266 Thermostat Web Server – Control Output Based on Temperature](#)

**Enjoyed this project? Stay updated by subscribing our newsletter!**

Your Email Address

SUBSCRIBE

**98 thoughts on “Install ESP32 Filesystem Uploader in Arduino IDE”**



**mark roles**

October 19, 2018 at 8:12 pm

☰ Menu



You stated that “After uploading, open the Serial Monitor at a baud rate of 115200. Press the ESP32 “ENABLE” button.”

Just where is this ESP32 “ENABLE” button located?

My sketch does not show any of the test data from the text file. It does print out “File Content:”. But nothing else.

And even when I deliberately rename the file in the sketch to something else, it does not tell me that “Failed to open file for reading” but still displays “File Content:” with nothing else.

I am using Arduino 1.8.5 on Windows 10

[Reply](#)



**Sara Santos**

October 21, 2018 at 1:35 pm

Hi Mark.

The following image shows where the EN button is located:

<https://i0.wp.com/randomnerdtutorials.com/wp-content/uploads/2018/10/esp32-EN-enable-button.jpg?w=608&ssl=1>

Have you successfully uploaded the text file to the ESP32 by going to Tools > ESP32 Sketch Data Upload ? Did you get the “SPIFFS Image Uploaded” message?

Try this sketch that deals with files and see if everything is working well with files on your ESP32: [https://github.com/espressif/arduino-esp32/blob/master/libraries/SD/examples/SD\\_Test/SD\\_Test.ino](https://github.com/espressif/arduino-esp32/blob/master/libraries/SD/examples/SD_Test/SD_Test.ino)

It should create a file, read its content and then delete it.

**sandro da silva**

January 16, 2019 at 9:16 pm

for me, show this message: "SPIFFS Error: esptool not found!"  
[ My Ide arduino : 1.8.7]

[Reply](#)**Sara Santos**

January 17, 2019 at 5:44 pm

Hi Sandro.

To be honest, I don't know why you are getting that error.  
That situation was already pointed out on Github yesterday.

Let's try and see if someone has the answer

<https://github.com/espressif/arduino-esp32/issues/2339>

Regards,

Sara

[Reply](#)**JF**

April 10, 2019 at 5:13 am

Version 0.1 had this problem in me too. Version 1.0 (ESP32FS-1.0.zip)  
worked great 😊

Menu



**LOL**

April 10, 2019 at 2:42 am

instale la actualización para la tarjeta esp32 y ya debe funcionar

[Reply](#)**Luis Arturo**

October 1, 2020 at 11:25 pm

You must name the file same as it is displayed in the code, for example, in this code there is written:

```
File file = SPIFFS.open("/test_example.txt");
```

So you need to call the file as test\_example or change the code to the name you want, of course adding .txt .

PD. Do not add the .txt on the file name, just create the file as a text file and name it as you want. The program will understand you are talking about a .txt file.

[Reply](#)**Weerachai Sangkam**

May 11, 2021 at 4:45 am

At first, why can't I try it? thank you for answer.

Menu



**Francisco Pinheiro**

April 3, 2019 at 4:58 pm

Boa tarde!

Será possível através dos SPIFFS controlar os GPIO do ESP32? Ou seja, eu quero gravar um ficheiro de configuração (formato json) onde indico que pinos desejo ler os dados de sensores do meu ESP32, quando ele arrancar vai ler esse ficheiro.

Cumprimentos,

Francisco Pinheiro

[Reply](#)

**Sara Santos**

April 16, 2019 at 3:08 pm

Ola Francisco.

Sim, é possível guardar ficheiros no SPIFFS.

Depois de a ESP32 arrancar tem de adicionar todo co código que lê os ficheiros e decide o que fazer.

Só para orientação, temos um tutorial que faz uma página web a partir de ficheiros no SPIFFS (não é relacionado com o que quer fazer, mas pode ajudar a perceber como funciona): <https://randomnerdtutorials.com/esp32-web-server-spiffs-spi-flash-file-system/>

Também pode ver este tutorial para ver como trabalhar com JSON em

Cumprimentos,  
Sara

[Reply](#)



**Carl Munque**

July 4, 2019 at 7:50 pm

So far I haven't been successful uploading additional files.

SPIFFS.open("[FilePath]") always returns true whether or not the file was uploaded.

SPIFFS.exists("[FilePath]") return false whether or not the file was included in the /data directory.

Specs

Mac OS 10.14.5

Arduino IDE 1.8.9

On an ESP32

Using Arduino IDE > Tools > Board > ESP32 Dev Module

[Reply](#)



**Sara Santos**

July 12, 2019 at 10:28 pm

Hi Carl.

I've never faced that issue.

≡ Menu



If anyone knows a solution for this, please help.

Regards,  
Sara

[Reply](#)



**Dick Spork**

December 30, 2021 at 10:06 pm

Hi Sarah,

I have the same error that Carl describes on July 4, 2019. I am also using the Arduino IDE 1.8.9.

It turned out that adding #include "FS.h" in the example solves the problem.

Greeting,

Dick

[Reply](#)



**Dick Spork**

December 30, 2021 at 11:30 pm

This comment is not correct, forget it.

Greeting,

Dick

[Reply](#)

**Richard Romig**

August 7, 2019 at 1:42 pm

Hi: I'm trying to install ESP32 filesystem uploader into the Arduino IDE 1.8.5. I have the esp32fs.jar in this path: Macintosh HD ▶ Users ▶ richardromig ▶ Dropbox ▶ Arduino IDE 1.8.5 ▶ Tools ▶ ESP32FS ▶ tool but the option "ESP32 Sketch Data Upload" does not appear in the IDE. I am running MacOS 10.14.6 Any suggestions?

[Reply](#)**Myosis**

November 2, 2019 at 12:13 am

yes, I copied-pasted the file esp32fs.jar in creating some folders like this :  
Macintosh HD ▶ Utilisateurs ▶ MyName ▶ Documents ▶ Arduino ▶ tools  
▶ ESP32FS ▶ tool ▶ esp32fs.jar and the option "ESP32 Sketch Data Upload" appear in the IDE.

macOS Mojave 10.14.6

[Reply](#)**Michal**

August 22, 2019 at 6:50 pm

Menu



Very important for linux users! I create in data folder text file. Then I do same, but I dont see file content (nothing wrong, just dont see characters). Then I try to rename file to like this “test\_example.txt”. And it works! In linux, mostly txt file is not txt file.

[Reply](#)**Sara Santos**

August 24, 2019 at 11:29 am

Thank you for sharing that info.

Regards,

Sara

[Reply](#)**Janne Numminen**

August 23, 2019 at 8:30 am

Hi.

Richard , I had the same problem. But creating a Tools folder under the Sketch folder and placing the ESP32FS there did the trick.-Not the first time something like this comes up.

[Reply](#)

**Martin Winkler**

February 19, 2021 at 6:49 pm

Hi,

great THX from Austria. Solved my problem 😊

[Reply](#)**Ollie**

March 27, 2021 at 3:09 pm

Thanks, I tried all of the other options mentioned and they didn't work. Yours, however, did work. Many thanks. I'm migrating from Windows to Mac and things are a bit different. I also had to move my library folder into the sketches folder.

[Reply](#)**Malcolm**

November 23, 2019 at 3:14 pm

I had a problem when I installed the ESP32 filesystem uploader in a new tools folder where all my arduino archives are kept. It didn't install properly. However, it worked when I installed the uploader to Local Disk(c:), Program

Menu



Excellent.

Just make sure a data folder is in the same folder as your arduino code.

[Reply](#)



**Malcolm**

November 23, 2019 at 3:27 pm

It works for txt files but do you have a tutorial on reading and displaying a jpg file?

[Reply](#)



**Malcolm**

November 23, 2019 at 5:52 pm

I've solved this last problem. I can now read and display jpg file on web browser.

[Reply](#)



**Abraham Newton**

February 12, 2020 at 3:14 am

serial.serialutil.SerialException: could not open port 'COM3': WindowsError(5, 'Access is denied.')

Turn your serial monitor or plotter off. I hope it helps...

Source : Stupid mistake I made.

[Reply](#)



**David**

June 30, 2020 at 3:17 pm

This is explained very well, thank you for the tutorial.

Will this work with an ESP8266 as well?

[Reply](#)



**Sara Santos**

July 1, 2020 at 12:55 pm

Hi.

Yes. Here's the tutorial for ESP8266:

<https://randomnerdtutorials.com/install-esp8266-filesystem-uploader-arduino-ide/>

Regards,

Sara

[Reply](#)

**David Hughes**

June 30, 2020 at 3:57 pm

I am having zero luck with this.

I can upload the SPIFFS file the first time and then thereafter I get:

```
[SPIFFS] data : /Users/davidh/Documents/Arduino/spiffs-check/data
[SPIFFS] start : 2686976
[SPIFFS] size : 1472
[SPIFFS] page : 256
[SPIFFS] block : 4096
/test_example.txt
[SPIFFS] upload :
/var/folders/n1/59y24n0j2z128fchsgxh1f5w0000gn/T/arduino_build_804785/s
piffs-check.spiffs.bin
[SPIFFS] address: 2686976
[SPIFFS] port : /dev/cu.SLAB_USBtoUART
[SPIFFS] speed : 921600
[SPIFFS] mode : dio
[SPIFFS] freq : 80m
```

esptool.py v2.6

Serial port /dev/cu.SLAB\_USBtoUART

Traceback (most recent call last):

File "esptool.py", line 2959, in

File "esptool.py", line 2952, in \_main

File "esptool.py", line 2652, in main

File "esptool.py", line 222, in init

File "serial/init.py", line 88, in serial\_for\_url

File "serial/serialposix.py", line 268, in open

serial.serialutil.SerialException: [Errno 16] could not open port

/dev/cu.SLAB\_USBtoUART: [Errno 16] Resource busy:

Failed to execute script esptool

SPIFFS Upload failed!

If I restart the Arduino application it uploads. However running the SPIFFS read test program always comes up with failed to open file for reading.

So issues with upload and with reading.

[Reply](#)



**Sara Santos**

July 1, 2020 at 12:54 pm

Hi David.

Can you take a look at this discussion and see if it helps:

<https://rntlab.com/question/spiffs-error-esptool-not-found/>

See Stéphane answer.

Regards,

Sara

[Reply](#)



**Brian**

November 26, 2020 at 1:27 pm

I am not having much luck with the web servers using the SPIFF. I am using Arduino V1.8.13. When I try to include the .zip library ESP32FS-1.0 I always get the error message: “TTGO LoRa32-OLED V1, 80MHz, 921600, None”

≡ Menu



I am wondering if the LoraESP32 board supports ESP32FS.

Thanks

[Reply](#)



**Sara Santos**

November 26, 2020 at 4:42 pm

Hi Brian.

Where are you trying to include the filesystem uploader?

It shouldn't be in the project folder.

The data folder should be in the project folder.

You're probably not installing the uploader plugin properly.

Regards,

Sara

[Reply](#)



**Brian**

November 26, 2020 at 5:08 pm

1.) I download ESP32FS-1.0.zip

2.) In Arduino IDE, I go to: Sketch -> Include Library-> Add .zip Library

3.) I choose ESP32FS1.0.zip from my download folder.

4.) I get the following error message at the bottom of the IDE:

"Specified folder/zip file does not contain a valid library" with an orange background.

The newer versions of Arduino IDE do not have a Tool folder like the previous versions.

Should I maybe just unzip the ESP32FS-1.0.zip outside of the Arduino IDE and place the .jar file in a Tool folder that I create myself?

Many thanks for your help!

[Reply](#)



**Sara Santos**

November 26, 2020 at 5:57 pm

Hi Brian.

I don't think it should be installed in that way. But you can try it.

I think you may need to install the Arduino version that comes with a .zip file: <https://downloads.arduino.cc/arduino-1.8.13-windows.zip>

And then, follow our instructions to install the filesystem.

Regards,

sara

[Reply](#)



**Adrian**

January 12, 2021 at 11:26 pm

Hello Sara,

Thank you very much for this tutorial and it worked well for me, but when I opened the serial monitor, after the sketch had been down loaded, it was blank. However, I realized that the text had been and gone before I opened

came the text as you specified. I wonder is this would be of help to the gentleman who seemed to have similar problems.

I was so pleased that this worked for me as yesterday evening I had been trying for hours to try and get LittleFS working without success and I spotted your tutorial, like a life belt to a drowning man.

Kindest regards

Adrian

[Reply](#)



**Sara Santos**

January 13, 2021 at 11:43 am

Hi.

Yes, that's normal because the text is printed in the setup().

So, you need to press the RST button to be able to see it.

We have a tutorial about LittleFS with the ESP8266 with VSCode + PlatformIO: <https://randomnerdtutorials.com/esp8266-nodemcu-vs-code-platformio-littlefs/>

Regards,

Sara

[Reply](#)



**Steve Platt**

January 22, 2021 at 7:05 pm

Hi Rui and Sara,

A slight word of warning/note: The uploader will overwrite anything you had already saved in the filesystem. For me, not a big deal since it was just some test files for an ESP32-based shell/file editor I've been working on. But in a production environment where I might be saving config files and runtime data, this would be an issue.

You might wish to note this in the text of the tutorial (unless I missed it!!).

Steve

[Reply](#)



**Sara Santos**

January 23, 2021 at 11:37 am

Yes, you are right.

Thanks for the warning.

I've added a note about that.

Regards,

Sara

[Reply](#)



**Baam**

March 28, 2021 at 10:41 am

For those who struggling on Mac.  
Make a folder, “tools” inside Arduino directory.  
Then, move downloaded folder to “tools” folder  
Finally, you should change the the name of the folder from “ESP32FS 2” to “ESP32Fs”.  
Now, you may find “ESP32 Sketch Data Upload” at the tools bar.

[Reply](#)



**Baam**

March 28, 2021 at 10:43 am

sorry the folder name should be changed to “ESP32FS”, not “ESP32Fs”.

[Reply](#)



**heimi**

July 18, 2021 at 3:13 pm

saved my day, thank you

[Reply](#)



**Thomas**

☰ Menu



Hi Rui et al,  
Great project!  
I'm quite new in the field, please help me out:  
I'm getting the "expected unqualified-id before '<' token  
>" error while trying to compile the code, line 23 ().  
Where should I dig?  
Regards,  
Th.

[Reply](#)



**Sara Santos**

March 29, 2021 at 10:23 am

Hi.  
that is a syntax error.  
Double-check that you have copied the complete code and that you haven't inserted any character by mistake.  
Regards,  
Sara

[Reply](#)



**Allen Mulvey**

May 4, 2021 at 4:43 pm

Thank you. I looked at many sites for instructions for installing "Sketch Data

≡ Menu



Windows 10. Thanks again. You are always the best source for information about ESP devices.

[Reply](#)



**Sara Santos**

May 4, 2021 at 5:51 pm

Thanks 😊

[Reply](#)



**Rubens Machado Bittencourt**

May 16, 2021 at 12:52 am

Hi Rui and Sara,

Very good your tutorial on ElegantOTA library. Congratulations!

I wonder if there is any way or library to do a remote update, that is, I am in one place and ESP32 is in another.

[Reply](#)



**Sara Santos**

May 16, 2021 at 2:52 pm

...

☰ Menu



Regards,  
Sara

[Reply](#)



**Rubens Machado Bittencourt**

May 17, 2021 at 9:05 pm

Hello Sara,  
I appreciate your prompt reply.  
I will check carefully,  
Regards,  
Rubens

[Reply](#)



**Peter**

May 21, 2021 at 6:21 am

Am getting this error on esp32  
“SPIFFS Not Supported on avr

[Reply](#)



**Sara Santos**

May 21, 2021 at 9:57 pm

Hi.

Make sure you have an ESP32 board selected in Tools > Board.

Regards,

Sara

[Reply](#)



**Peter Achieng**

May 21, 2021 at 10:35 pm

Thanks. solved

[Reply](#)



**Nahuel**

June 29, 2021 at 3:39 am

I have a SPIFFS based webserver (based in your post on that).

I want to add a settings file to store wifi credentials etc. But if I do that next time I upload the SPIFFS image I lose all settings stored on my settings file. Is there a way to keep the settings?

[Reply](#)



**Sara Santos**

June 29, 2021 at 3:39 am

☰ Menu



Hi.

Yes.

I recommend using the Preferences library.

We even have a tutorial showing how to save and read Wi-Fi credentials.

I think this post is exactly what you are looking for:

<https://randomnerdtutorials.com/esp32-save-data-permanently-preferences/>

Regards,

Sara

[Reply](#)



dave

July 6, 2021 at 2:18 am

I was able to do this to get SPIFFS working, but I was hoping that it could show how to log a temperature and light (LDR) reading or some couple of sensors.

if you are going to do a follow-up, the next step would be data logging to SPIFFS

[Reply](#)



Sara Santos

July 6, 2021 at 9:48 am

Hi Dave.

similar:

- <https://randomnerdtutorials.com/esp32-data-logging-temperature-to-microsd-card/>
- <https://randomnerdtutorials.com/esp32-microsd-card-arduino/>

Regards,  
Sara

[Reply](#)



**Ciro Bruno**

August 18, 2021 at 2:28 pm

I'm stuck ar this step:

"3) Unzip the downloaded .zip folder to the Tools folder. You should have a similar folder structure:

/Arduino-/tools/ESP32FS/tool/esp32fs.jar"

There's no "tools" folder in Arduino for Mac.  
Where should it be placed then?

[Reply](#)



**Sara Santos**

August 18, 2021 at 2:34 pm

Hi.

On the OS X create the tools directory in ~/Documents/Arduino/ and unpack

Regards,  
Sara

[Reply](#)



**Ciro Bruno**

August 18, 2021 at 4:48 pm

Thank you Sara.

But it didn't work.

In fact, I've found only one file within this zip: "/ESP32FS/tool/esp32fs.jar".  
I've placed it in "~Documents/Arduino//ESP32FS/tool/esp32fs.jar".  
I've restarted Arduino IDE and no "ESP32 Sketch Data Upload" appears in Tools menu.

Is it suitable for Arduino IDE 2.0?

Thank you.

Regards

[Reply](#)



**Sara Santos**

August 18, 2021 at 5:33 pm

Hi.

Unfortunately, this doesn't work with Arduino 2.0.

—

Menu



[Reply](#)**Ciro Bruno**

August 18, 2021 at 7:23 pm

Thank you, Sara.

It seems that there won't be any support to that in Arduino IDE 2.0.

<https://forum.arduino.cc/t/tool-to-upload-data-to-spiffs-is-missing/699986>

Regards

**Amit Jindal**

August 31, 2021 at 9:47 pm

Hi,

I have installed Arduino 1.8.15. Then installed the ESP32FS downloaded from <https://github.com/me-no-dev/arduino-esp32fs-plugin/releases/> website and placed under C:\Program Files (x86)\Arduino\tools folder. After that I was able to see “ESP32 Sketch Data Upload” in my tools menu of IDE. But when I click there I get “SPIFFS Error: esptool not found!”

My sketch folder is

“C:\Users\jinda\OneDrive\Documents\Arduino\hardware\heltec\IRserver3” As I was reading the comments I tried putting the ESP32FS under the tools folder under IRserver3 but it still didn’t work. Any help please?

[Reply](#)

Menu



**Sara Santos**

September 1, 2021 at 9:30 am

Hi.

I'm not sure what is causing that error.

See this discussion, it might help: <https://github.com/me-no-dev/arduino-esp32fs-plugin/issues/15>

Regards,

Sara

[Reply](#)

**Amit**

September 1, 2021 at 2:49 pm

Thanks a lot Sara. My esptool.exe was in the esptool folder, I took it out to the same location as esptool.py then it worked.

[Reply](#)

**Sara Santos**

September 1, 2021 at 4:01 pm

Great!

I'm glad you solved the issue.

Regards,

Sara

**Michael L**

September 29, 2021 at 9:20 am

I have Arduino IDE 1.8.16 from the Windows Store, not the version from Arduino website. I cannot locate the “Tools” folder anywhere to copy the plugin into. I am running latest update of Windows 10.

Have checked /AppData/Local (no Arduino folders at all here), same for AppData/Roaming

Have checked the Sketchbook location and the ArduinoData folder that sits next to that. Nowhere do I have a Tools folder!

Has anyone else encountered this or have a solution as to where to copy the plugin for this version of the Arduino IDE?

[Reply](#)**Sara Santos**

September 29, 2021 at 1:23 pm

Hi.

That version of Arduino IDE, doesn't have the Tools folder.

You need the .ZIP folder version of Arduino from the Arduino website:

<https://www.arduino.cc/en/software>

Regards,

Sara

Menu



**Michael L**

September 30, 2021 at 4:27 am

Perfect. Reinstalled from Arduino website and now I can have the tools folder, and the Data Uploader appears in the Tools menu in the IDE.

Unable to actually do the upload however, as I get “SPIFFS Error: serial port not defined!” popping up as an error. I am using an AiThinker ESP32Cam board, which of course does not have a direct USB connection, and I think this might be the cause of the issue.

Have you found a way to upload to SPIFFS on one of these ESP32Cam boards?

I've never been able to get serial monitor to work with one of these ESP32Cam boards (but have with other ESP32 boards that have direct USB), so I'm wondering if there is a clever way to get Arduino IDE to recognise serial connection that would also enable upload to SPIFFS on an ESP32Cam?

[Reply](#)**Michael L**

September 30, 2021 at 6:33 am

Progress – managed to get SPIFFS upload to start but, it only gets as far as “Connecting.....\_\_\_\_\_” then “A fatal error occurred: Failed to connect to ESP32: Timed out waiting for packet header” then “SPIFFS Upload Failed”

[☰ Menu](#)

I discovered that other ESP32 boards have way more options in the tools menu than the AIThinker ESP32Cam has (like partition scheme for example). So as a test, I swapped from ESP32Cam to Wrover, then back again, and for some reason that allowed the serial port error to go away.

[Reply](#)



**Sara Santos**

September 30, 2021 at 9:50 am

Hi.

When you see the dots on the debugging window ....\_\_\_\_\_ press the on-board RST button and it will upload the spiffs image.

To be able to see the Serial Monitor, you must disconnect GPIO 0 from GND after uploading the code.

Regards,

Sara

[Reply](#)



**Michael L**

October 1, 2021 at 1:38 am

Thanks Sara – that has been an awesome help. Fixed two issues at once! When my project is complete I'll send through the details. Have really enjoyed the tutorials, e-books and courses that you and Rui have made available.

[Reply](#)

≡ Menu



**Sara Santos**

October 1, 2021 at 10:45 am

That's great!  
I'm glad you enjoy our tutorials.  
Regards,  
Sara

**Hendry**

October 12, 2021 at 3:59 am

Hi,  
Thank you for the tutorial. I have been learning from your tutorial.  
I have a problem related to the ESP32 Sketch Data Upload plugin. Is it available for  
Ubuntu 20.04 Arduino IDE?  
Thank you very much.

**Hendry**[Reply](#)**Sara Santos**

October 12, 2021 at 9:46 am

Hi.

[Menu](#)

Regards,  
Sara

[Reply](#)



**Francis**

October 12, 2021 at 10:30 am

Hi Sara

Thanks a lot for those tutos and help you provide for all of us, your website is a reference to me before starting anything with ESP chip.

I am under Win10 and Arduino 1.8.13

I follow your instructions and create a tools folder before uncompressed the uploader and it works but:

Now I am trying to upload on a ESP32-C3 dev module then got error message :

```
esptool.py v3.1
Serial port COM11
Connecting....
```

A fatal error occurred: This chip is ESP32-C3 not ESP32. Wrong --chip argument?

SPIFFS Upload failed!

Of course I check my setup to confirm I select the right chip in tools board selection

[Reply](#)**Sara Santos**

October 12, 2021 at 5:09 pm

Hi.

I haven't experimented with ESP32-C3. From that error, it seems it is not compatible with the current ESP32 board's add-on.

You need a different installation for that board.

Go to File > Preferences and copy the following link to the "Additional Boards Manager URLs":

[https://raw.githubusercontent.com/espressif/arduino-esp32/gh-pages/package\\_esp32\\_dev\\_index.json](https://raw.githubusercontent.com/espressif/arduino-esp32/gh-pages/package_esp32_dev_index.json)

Then, click ok.

Then go to Tools > Board > Boards Manager

In the Boards Manager, search esp32 by Espressif Systems. Install the latest 2.0.0 version

Now, once the installation is complete, you can see the ESP32C3 Dev Module in Tools > Board. Select it and try to upload code again.

I don't know if code for ESP32 is compatible with ESP32-C3.

Regardsm

Sara

[Reply](#)**francis**

October 15, 2021 at 1:50 am

Menu



Orginal data uploader didn't work for ESP32-C3 you have to install a forked one for that you can find here : <https://github.com/lorol/arduino-esp32fs-plugin/releases>

[Reply](#)



**Gabryx**

November 23, 2021 at 11:05 am

On ESP32 dev kit V1 i made also this at start of sketch : #include "FS.h"  
I have made a SPIFF manager where you can also transfer files from ESP32 to PC via Serial in binary mode, so your file/image is converted in Hex, copy this output on serial monitor and paste in a Notepad++, in Plugins/Converter of Notepad++ you see HEX to ASCII converter, use it and save result with original extension (so .bmp or .png ecc...), in this mode, if you save screenshots of ESP32 to SPIFF you can also transfer to PC (i am working for save display buffer, but various solutions online not work on my Ili9488 touch screen....need more work)

<https://pastebin.com/BtCCj5Gg>

[Reply](#)



**Abraham V**

December 6, 2021 at 7:33 pm

for technical support and knowledge. Mostly I find the answers on your website. But now I have a question about this subject SPIFFS. In the example you show Serial.write(file.read()); But how can I read a couple characters or read a line from the file and bring this into a variable or string ? Or did I miss this little part of the story ? Greetings Abraham.

[Reply](#)



**Sara Santos**

December 7, 2021 at 12:34 pm

Hi.

At the moment, we don't have any tutorials about different ways to handle files.

You can use a function like the following, for example, that returns the first line written in a file:

```
String readFile(fs::FS &fs, const char * path){  
    Serial.printf("Reading file: %s\r\n", path);
```

```
    File file = fs.open(path);  
    if(!file || file.isDirectory()){  
        Serial.println("- failed to open file for reading");  
        return String();  
    }
```

```
    String fileContent;  
    while(file.available()){  
        fileContent = file.readStringUntil('\n');  
        break;  
    }  
    return fileContent;
```

Just pass SPIFFS as the first argument and the filepath as a second argument to that function.

Regards,  
Sara

[Reply](#)



**William Dreschel**

January 3, 2022 at 4:49 pm

Hi,

Do you know of any way to upload data files to SPIFFS on ESP32-S2 based boards? “ESP32 Sketch Data Upload” in the Arduino IDE errors out when it finds the ESP32-S2 is being used.

Any thoughts or suggestions would be appreciated.

Thanks,  
Bill

[Reply](#)



**Gabryx**

January 12, 2022 at 5:32 pm

You need close serial monitor

[Reply](#)

**Fab**

January 11, 2022 at 2:01 pm

Hello, thanks for the great tutorial.

I need to use SPIFFS on an external FLASH chip on a custom board based on an ESP32 pico. How could I do it?

And if the uploader mentioned above to put under “Tools” doesn’t support external FLASH (only internal I guess), how should I upload the files? Do I have to create a custom partition? I don’t know how to tell SPIFFS to search from the extended memory.

Thank you

[Reply](#)**Gabryx**

January 12, 2022 at 5:33 pm

You mean SD ?

is many example and also some external library for manage em

[Reply](#)**Fab**

January 13, 2022 at 6:24 pm

No I mean a second FLASH chip that I add to a custom PCB where the ESP32 is mounted on. So I would like to upload with the tool my files to

[☰ Menu](#)

[Reply](#)**Camilo**

March 16, 2022 at 6:12 pm

SPIFFS doesn't seem to be supported anymore. I am new to this so figuring it out with littleffs is a bit over my head 😞

[Reply](#)**Sara Santos**

March 18, 2022 at 4:08 pm

Hi.

Why do you say that? You can install it and use it.

You just need to follow the steps.

Regards,

Sara

[Reply](#)**surya**

April 3, 2022 at 2:20 pm

[☰ Menu](#)

[Reply](#)**Sara Santos**

April 3, 2022 at 8:53 pm

Hi.

Try to unzip the esp32fs.jar file containing the plugin in Sketchbook location  
> tools > ESP32FS > tool folder.

The Sketchbook location folder is defined in the Arduino IDE, by selecting  
File > Preferences.

If the Arduino IDE is open, then Arduino IDE must be closed and restarted,  
and the Tools menu will then include the SP32 Sketch Data Upload option.

Regards,

Sara

[Reply](#)**KH**

April 7, 2022 at 5:51 pm

When uploading the sketch data, the serial monitor window should NOT be open.

Otherwise, there will be an error message stating that the upload failed. I spent some time googling for the info.

Perhaps this post should be amended with such a warning for newbies.

Not sure if anyone else encountered the same problem. Thought I just share

[☰ Menu](#)

[Reply](#) Bob**Bob Pearn**

April 14, 2022 at 7:48 pm

Hi Sara,

As always, the tutorials on your site are the best!

When I first saw Rui's newsletter email I thought it was going to be for an html based files system. No worries, I found what I needed. However I do want to mention I use a file upload function on my website. It really makes it handy to upload specific files via Wi-Fi, only one at a time, when making small changes to a webpage or a saved variable. Or as in my case, a JSON data file.

[Reply](#)**David Boccabella**

April 14, 2022 at 11:28 pm

Hi.

Is there a stand alone way to load files on to the SPIFF drive and retrieve them without using the IDE or a Web interface.

I am looking at how to have someone load their own data on to the SPIFF after I have programmed it for them.

[Reply](#) Menu

**Sara Santos**

April 15, 2022 at 5:14 pm

Hi.

I'm sorry, but I'm not familiar with something that does that.

Regards,

Sara

[Reply](#)**Gabryx**

April 15, 2022 at 10:53 am

If you want upload and download from SPIFFS is more simple use a FTP server and a external FTP on PC (for example Total Commander with Local IP set and username/password same of Esp32) how show this example:

```
#include <WiFi.h>
#include "SPIFFS.h"
#include <SimpleFTPServer.h>/*
https://www.mischianti.org/it/2020/02/08/server-ftp-su-esp8266-ed-esp32/ */
```

```
const char* ssid = "WIFI SSID";
const char* password ="WIFI Password";
```

```
FtpServer ftpSrv; //set #define FTP_DEBUG in ESP8266FtpServer.h to see
ftp verbose on serial
```

```
WiFi.begin(ssid, password);
Serial.println("");

// Wait for connection
while (WiFi.status() != WL_CONNECTED) {
delay(500);
Serial.print(".");
}

Serial.println("");
Serial.print("Connected to ");
Serial.println(ssid);
Serial.print("IP address: ");
Serial.println(WiFi.localIP());

////FTP Setup, ensure SPIFFS is started before ftp; ///////
if (SPIFFS.begin(true)) {
Serial.println("SPIFFS opened!");
ftpSrv.begin("Esp32","Esp32"); //username, password for ftp. set ports in
ESP8266FtpServer.h (default 21, 50009 for PASV)
}
}

void loop(void){
ftpSrv.handleFTP(); //make sure in loop you call handleFTP()!!
}
```

[Reply](#)



**David Boccabella**

April 15, 2022 at 1:55 pm

Hi and thanks.

The people I am targeting are very non-computer.. So telling them to set

≡ Menu



Think of it this way. An analogy..

I am making a Photo shower using an ESP32 I want the end users to be able to add their own photos. I want to save costs on not having an SD card so the SPIFFS or the LITTLEFS would be ideal as an SD reader and an SD Card could add about \$5 to the values.

But an application that can talk to the ESP32 via a serial port would be much easier.

Many thanks for replying

Dave

[Reply](#)



**Bob Pearn**

April 15, 2022 at 6:06 pm

Dave, if you setup a webserver you can create a webpage to upload files. Search out littlefs file manager and fine tune to your needs. There is limited space so they might need to remove files to make room for new files.

[Reply](#)



**Gabryx**

April 16, 2022 at 11:29 am

On the SPIFFS you can fit only 3-5 Jpg images...you need use a SD for more

**Sara Santos**

April 15, 2022 at 5:21 pm

Great!

Thanks for sharing.

Regards,

Sara

[Reply](#)**Mike Morrow**

April 18, 2022 at 11:44 am

SPIFFS is deprecated

Replaced by LittleFS. That's what you should be talking up, not SPIFFS.

[Reply](#)**Sara Santos**

April 19, 2022 at 10:09 pm

Hi.

SPIFFS is only deprecated for the ESP8266.

Regards,

-


[☰ Menu](#)

[Reply](#)


## Leave a Comment

 Name \* Email \* Website Notify me of follow-up comments by email. Notify me of new posts by email.[Post Comment](#)

[Visit Maker Advisor – Tools and Gear for makers, hobbyists and DIYers »](#)



[Home Automation using ESP8266 eBook and video course »](#) Build IoT and home automation projects.



[Build a Home Automation System from Scratch »](#) With Raspberry Pi, ESP8266, Arduino, and Node-RED.































[About](#)   [Support](#)   [Terms and Conditions](#)   [Privacy Policy](#)   [Refunds](#)   [Complaints' Book](#)  
[MakerAdvisor.com](#)   [Join the Lab](#)

Copyright © 2013-2022 · RandomNerdTutorials.com · All Rights Reserved

Exclusive Member of Mediavine Home