

Generalized Anxiety Disorder-7 (GAD-7)

[Study Name/ID pre-filled]

Site Name:

Subject ID:

Over the last 2 weeks, how often have you been bothered by the following problems?

1. Feeling nervous, anxious, or on edge

__ 0

__ 1

__ 2

__ 3

Not at all

Several days

More than half
the days

Nearly every day

2. Not being able to stop or control worrying

__ 0

__ 1

__ 2

__ 3

Not at all

Several days

More than half
the days

Nearly every day

3. Worrying too much about different things

__ 0

__ 1

__ 2

__ 3

Not at all

Several days

More than half
the days

Nearly every day

4. Trouble relaxing

__ 0

__ 1

__ 2

__ 3

Not at all

Several days

More than half
the days

Nearly every day

5. Being so restless that it is hard to sit still

__ 0

__ 1

__ 2

__ 3

Not at all

Several days

More than half
the days

Nearly every day

6. Becoming easily annoyed or irritable

__ 0

__ 1

__ 2

__ 3

Not at all

Several days

More than half
the days

Nearly every day

7. Feeling afraid as if something awful might happen

__ 0

__ 1

__ 2

__ 3

Not at all

Several days

More than half
the days

Nearly every day

(For office coding: **Total Score T** ____ = ____ + ____ + ____)

Developed by Drs. Robert L. Spitzer, Janet B.W. Williams, Kurt Kroenke and colleagues, with an educational grant from Pfizer Inc. No permission required to reproduce, translate, display or distribute.

Generalized Anxiety Disorder-7 (GAD-7)

[Study Name/ID pre-filled]

Site Name:

Subject ID:

Notes

1. GAD-7 total score is obtained by adding the score for each of the items (possible range 0 to 21)
2. Scores of 5-9 (mild), 10-14 (moderate), and 15-21 (severe) represent thresholds for mild, moderate, and severe anxiety. Using the threshold score of 10, the GAD-7 has a sensitivity of 89% and a specificity of 82% for generalized anxiety disorder. It is moderately good at screening three other common anxiety disorders – panic disorder (sensitivity 74%, specificity 81%), social anxiety disorder (sensitivity 72%, specificity 80%), and post-traumatic stress disorder (sensitivity 66%, specificity 81%).

Reference

Spitzer RL, Kroenke K, Williams JBW, Löwe B. A Brief Measure for Assessing Generalized Anxiety Disorder: The GAD-7. Arch Intern Med. 2006;166(10):1092–1097.