



□□□□□□

Q/GDW 12 241-2022



□□□□□□□□

2.1


1

2

3

4 APP

5 Type-C




2

2.2

1

≥ 8



3

2

a

b

c 3-4

3

20%


4

a

b

2.3

1 3 “ XX% ” “ ”



4

2 /

a “ ”

b 2 1080P “ / ”

c /

d

e LED

f. 5 “ ”

2.4

	“ . XX ”
	“ / ”
	20%—10%—5%
	/

	/

2.5

1

20% “ ”

2

“ ” SIM SIM

3

4

5

LoRa

6

7

8

30

□ □ □ □ □ □

--	--

	4G 5G WiFi
	0 5
	0.5m
	8h
	20%
	3000
	1000
	GB/T17626.2 4
	GB/T17626.3 3
	GB/T17626.8 5
	LoRa

□ □ □ □ □ □ □

4.1

1	4G/5G WiFi	0 5	≤0.5	LoRa
2				
3	1300			
4				

4.2

1

2 LoRa

LoRa

3

4

5

+

6

EMC

GB/T17626

7

□ □ □ □ □ □

5.1

0 5

0.5

5.2

5.3

LoRa

5.4

5.5

5.6

LED

□ □ □ □ □ □ □

6.1

6.2

20%

2-3

40-60%

6.3

15-25°C

60%

3

□ □ □ □ □ □

1

2

3 IP67

4

5