


Qualcomm Technologies, Inc.



Device Registration Subsystem 2.0.0

SPA Installation Guide (Public)

DRS-SPA-Installation-Guide-2.0.0 March 9, 2019

Revision history

Revision	Date	Description
А		Release 2.0.0

Contents

1 Introduction	4
1.1 Purpose & Scope 1.2 Definitions, Acronyms & Abbreviations 1.3 References 1.4 Getting Started	4 4
2 Installation	5
2.1 System Requirements 2.1.1 Software Requirements 2.1.2 Hardware Requirement 2.1.3 Operating System 2.1.4 Supported Desktop Browsers 2.1.5 Supported Mobile Browsers 2.2 Extracting Software Release 2.3 Manual Installation	5 5 5 5 6
3 Configuration	7
3.1 Apiman, Keycloak and API Configuration	7
4 Testing	9
Tables	
Table 1- Definitions, Acronyms & Abbreviations	4

1 Introduction

1.1 Purpose & Scope

This document provides:

■ Installation instructions for the Single Page Application for Device Registration Subsystem 2.0.0

1.2 Definitions, Acronyms & Abbreviations

Table 1- Definitions, Acronyms & Abbreviations

Term	Explanation
DIRBS	Device Identification, Registration & Blocking System
DRS	Device Registration Subsystem
OS	Operating System
Nginx	An open source, lightweight, high-performance web server or proxy server.
Apache	An open source web server
API	Application Program Interface
Gateway	A Gateway route requests from clients to services
SPA	Single Page Application
IAM	Identity Access Management

1.3 References

Table 2- References

Ref no.	Document
REF-No	IAM User Guide (section 3)

1.4 Getting Started

The instructions provided in this document assume that the required equipment (hardware, software) has been installed and configured.

2 Installation

Note: The reader acknowledges and agrees that he is entirely and solely responsible for the selection and use of all third-party software modules downloaded and installed by this installation method, including securing all appropriate and proper rights of use to any of such third-party software modules and to comply fully with any terms of use that may apply to or accompany any such third-party software modules.

Qualcomm Technologies, Inc. does not undertake any obligations, duties, or other responsibilities in connection with the selection or use by the reader of any of such third-party software modules.

2.1 System Requirements

2.1.1 Software Requirements

- Node v8.9.4 or greater
- NPM v5.6.0 or greater
- Nginx 1.14.X

2.1.2 Hardware Requirement

Minimum hardware requirements are:

- At least 512 MB of RAM
- At least 1G of disk space

2.1.3 Operating System

This system will be installed and configured with Ubuntu 16.04. Refer to the Ubuntu Installation Guide for additional installation help.

2.1.4 Supported Desktop Browsers

- Chrome 63.0 (recommended)
- Internet Explorer 11.0
- Firefox 52.5 ESR, 57.0
- Safari 11.0
- Edge 41.16299

2.1.5 Supported Mobile Browsers

- Chrome 63.0 (recommended)
- Safari 11.1
- UC Browser 11.5
- Opera (Android) 44.1
- Opera Mini (iOS) 16.0.7
- Samsung Internet 6.2
- Android (included with Android OS4.1.X-4.3)

2.2 Extracting Software Release

The DRS software release is distributed as a tar.gz file. To extract the contents of the distribution, run:

```
tar xvzf dirbs-drs-spa-2.0.0.tar.gz
```

2.3 Manual Installation

- **Go to** dirbs-drs-spa-2.0.0 pushd dirbs-drs-spa-2.0.0
- Install dependencies by running below mentioned command npm install

3 Configuration

3.1 Apiman, Keycloak and API Configuration

To align Apiman and API Configurations go to *src/settings.json* file and make configurations accordingly

nano src/settings.json

```
"appDetails": {
// configure Application name, make sure that this appName must be the first
// part of keycloak user's role e.g. "drs_authority" in here "drs" part
// refers to appName and "authority" part refers to user's role configured in
// keycloak
   "appName": "APP NAME",
//configure your support email
   "supportEmail": "example@company.com",
//configure your support number
   "supportNumber": "+923001234567"
},
//Note: Configure to directly hit APIs or API Gateway (Apiman). In order to
//use any of the configuration, change its "use" value to "True". If both
//configurations are enabled, preference will be given to first
//configuration.
"api": {
//Configure API Host e.g. http://www.api-example.com
   "host": "http://SERVER IP",
//Configure API Port e.g. 3000
 "port": "PORT NUMBER",
```

```
//Configure API Version e.g. /api/v1/
   "version": "VERSION_OR_SUBPATH",

//for directly hitting API, make it *True*

   "use": true
},

"apiman": {

//configure Apiman Host e.g. http://www.apiman-example.com
   "host": "http://SERVER_IP",

//Configure Apiman Port e.g. 8000

"port": "PORT_NUMBER",

//configure clientID e.g. /apiman-gateway/example/appname/2.0

   "clientId": "CLIENT_ID_OR_SUBPATH",

//for hitting Apiman Gateway directly, make it "True"

   "use": false
}
```

Note: To configure SPA in IAM see IAM User Guide document section 3 and then perform following steps:

- Copy the downloaded Keycloak.json file into public directory
- Build the code for production npm run build
- It will create a build directory, copy the content of the directory to web root directory e.g. /var/www/html (default Nginx web root directory)
 cp -r build/* /var/www/html

4 Testing

To verify the installation, visit server web IP on browser i.e. http://your_server_IP_address