

# ECO-PTM Training – Sacramento Delta Juvenile Salmon Junction Routing, Movement, and Survival

Adam C. Pope, Russell W. Perry,  
Xiaochun Wang, Doug Jackson, and  
Michael Dodrill

# ECO-PTM

- Current version of CADWR enhanced particle tracking model
  - Uses DSM2 historical simulation hydrology
- ECO-PTM adds 'swimming behaviors' to original PTM's neutrally-buoyant particles
- Particle routing at key junctions governed by statistical sub-model
- Particles 'die' probabilistically according to XT model




# Modeling Salmon Migration

- Which way?
  - What is the route migration probability for important junctions? (**Migration route model**)
- How long?
  - What is the travel time distribution for migrating juvenile salmon? (**Travel time model**)
- Who's left?
  - What is mortality for migrating juvenile salmon in each reach within the Delta? (**Survival model**)


# Modeling Salmon Migration

- Which way?
  - What is the route migration probability for important junctions?  
(Migration route model)
- How long?
  - What is the travel time distribution for migrating juvenile salmon? (Travel time model)
- Who's left?
  - What is mortality for migrating juvenile salmon in each reach within the Delta? (Survival model)

- We need a model to predict entrainment because it isn't always proportional to flow



- 2 junctions, 3 models
  - Georgiana Slough has separate models for high and low flows
- All use acoustic tagged late-fall Chinook
- Data collected between 2006 and 2014
- Many agencies
  - DWR, USGS, USFWS, NMFS
- Acoustic tag sample sizes
  - 714 fish – Georgiana Slough and DCC routing
  - 3,418 fish – Sutter and Steamboat routing



## Quantifying the effects of tides, river flow, and barriers on movements of Chinook Salmon smolts at junctions in the Sacramento – San Joaquin River Delta using multistate models

Michael J. Dodrill  · Russell W. Perry ·  
Adam C. Pope · Xiaochun Wang



### Combining Models of the Critical Streakline and the Cross-Sectional Distribution of Juvenile Salmon to Predict Fish Routing at River Junctions

2020 | Hance, Dalton J.; Perry, Russell W.; Burau, Jon R.; Blake, Aaron; Stumpner, Paul; Wang, Xiaochung; Pope, Adam



### Effects of Tidally Varying River Flow on Entrainment of Juvenile Salmon into Sutter and Steamboat Sloughs

2021 | Romine, Jason G.; Perry, Russell W.; Stumpner, Paul R.; Blake, Aaron R.; Burau, John R.

# Modeling Salmon Migration

- Which way?
  - What is the route migration probability for important junctions?  
(Migration route model)
- How long?
  - What is the travel time distribution for migrating juvenile salmon? (**Travel time model**)
- Who's left?
  - What is mortality for migrating juvenile salmon in each reach within the Delta? (Survival model)



# ECO-PTM behavioral parameters


- Movement velocity beyond advection
  - Each particle has a mean velocity ( $\mu$ ) drawn from a normal distribution (standard deviation  $\sigma_p$ )
  - A particle's velocity each timestep is drawn from another normal distribution around that mean ( $\sigma_t$ )
- Holding and orientation behaviors
  - Probability of holding during daylight hours ( $p_{\text{diel}}$ )
  - Selective tidal stream transport (STST,  $f_{\text{ST}}$ )
  - Probability of mis-assessing downstream direction (logistic function with intercept  $C_0$ )

# Model comparison allows parameter selection

- 'Base' model allows for swimming velocity and diel holding behavior
  - $\mu$ ,  $\sigma_p$ ,  $\sigma_t$ ,  $p_{\text{diel}}$
  - $\mu$  and  $p_{\text{diel}}$  can vary by tidal region
  - If  $p_{\text{diel}}$  near 0, would be evidence against it
- 3 additional models allow for either STST, mis-assess direction, or both
  - $f_{\text{ST}}$  and  $C_0$
  - Model fit to data determines ECO-PTM behaviors



# Acoustic Telemetry Data for Travel Time Analysis

- Acoustic Telemetry: USFWS (Delta Action 8) & CADWR Salmon Studies
- Late-fall run Chinook
- 2,170 Acoustic tagged fish
- 5 Years (2007–2011)
- Migrated December to February
- Travel times,  
% detected at night



# Calibration: Travel Time

ECO-PTM Simulations Telemetry Data




# Modeling Salmon Migration

- Which way?
  - What is the route migration probability for important junctions? (Migration route model)
- How long?
  - What is the travel time distribution for migrating juvenile salmon? (Travel time model)
- Who's left?
  - What is mortality for migrating juvenile salmon in each reach within the Delta? (Survival model)

# Acoustic Telemetry Data for Survival Analysis


- Acoustic Telemetry: USFWS (Delta Action 8) & CADWR Salmon Studies
- Late-fall run Chinook
- 2,170 Acoustic tagged fish
- 5 Years (2007–2011)
- Migrated December to February
- Travel times,  
% detected at night





# XT survival model (Anderson et al. 2005)

$$S = \exp\left(-\frac{1}{\lambda} \sqrt{x^2 + \omega^2 t^2}\right)$$



# XT Parameter Estimation

- Based on Perry et al. 2018 CJFAS
- Bayesian mark-recapture framework
  - Simultaneously estimate travel time and XT survival parameters
  - Replace logit function on survival with XT equation

1886



ARTICLE

## Flow-mediated effects on travel time, routing, and survival of juvenile Chinook salmon in a spatially complex, tidally forced river delta

Russell W. Perry, Adam C. Pope, Jason G. Romine, Patricia L. Brandes, Jon R. Burau, Aaron R. Blake, Arnold J. Ammann, and Cyril J. Michel



**Questions? Please type them into Teams chat**  
**Include slide # if possible**



Adam Pope (apope@usgs.gov)

**Go to next slide to start the break timer**

# 10-minute break

**10:00**




DSM2 Learning Series




Follow-Up Survey



DSM2 Releases



DSM2 code



DSM2 documentation