Attack on Fully Homomorphic Encryption over the Integers

Gu Chunsheng

School of Computer Engineering
Jiangsu Teachers University of Technology
Changzhou, China, 213001
guchunsheng@gmail.com

Abstract: This paper presents a heuristic attack on the fully homomorphic encryption over the integers by using lattice reduction algorithm. Our result shows that the FHE in [DGHV10] is not secure for some parameter settings. We also present an improvement scheme to avoid the lattice attack in this paper.

Keywords: Fully Homomorphic Encryption, Cryptanalysis, Lattice Reduction

1. Introduction

Rivest, Adleman and Dertouzos [RAD78] introduced a notion of privacy homomorphism. But until 2009, Gentry [Gen09] constructed the first fully homomorphic encryptions based on ideal lattice, all previous schemes are insecure. Following the breakthrough of [Gen09], there is currently great interest on fully-homomorphic encryption [SV10, vDGHV10, SS10, GH11a, GH11b, BV11a, BV11b, BGV11, CJMNT11, CMNT11]. In these schemes, the simplest one is certainly the one of van Dijk, Gentry, Halevi and Vaikuntanathan [DGHV10]. The public key of this scheme is a list of approximate multiples $\left\{x_i=q_ip+2r_i\right\}_{i=1}^r$ for an odd integer p, where q_i , r_i is the uniform random integers over Z such that $\left|r_i\right| < 2^{\lambda-1}$. The secret key is p. To encrypt a message bit m, the ciphertext is evaluated as $c=\sum_{i\in T,T\subseteq [\tau]}x_i+2r+m$, where $\left|r\right|<2^{\lambda-1}$. To decrypt a ciphertext, compute the message bit $m=[c]_p \mod 2$, where $[c]_p$ is an integer in (-p/2,p/2).

To conveniently compare, we simply describe the known attacks considering in the Section 5 and appendix B in [DGHV10]. Section 5 in [DGHV10] considered known attacks on the AGCD problem for two numbers (x_0, x_1) and many numbers (x_0, \dots, x_t) . These attacks mainly discussed how to solve approximate GCD problem, i.e. the secret key p. The appendix B.1 in [DGHV10] analyzed Nguyen and Stern's orthogonal lattice attack. Given

 $ec{x}=(x_0,...,x_t)=pec{q}+ec{r}$, where $ec{q}=(q_0,...,q_t)$ and $ec{r}=(r_0,...,r_t)$, consider the t-dimensional lattice $L_{ec{x}}^\perp$ of integer vectors orthogonal to $ec{x}$. It is easy to verify that any vector that is orthogonal to both $ec{q}$ and $ec{r}$, that is, is in the lattice $L_{ec{q},ec{r}}^\perp$, it is also in $L_{ec{x}}^\perp$. According to [DGHV10], the idea of the attack is to reduce $L_{ec{x}}^\perp$ to recover t-1 linearly independent vectors of $L_{ec{q},ec{r}}^\perp$, and further recover $ec{q}$ and $ec{r}$, and p. Then Dijk et al. discussed that when $t>\gamma/(\eta-\rho)$, lattice reduction algorithms can not find a $2^{\eta-\rho}$ approximate short vectors in $L_{ec{q},ec{r}}^\perp$ on the worst-case.

Dijk et al. also analyzed a similar above attack by using the constraint $x_i - r_i = 0 \mod p$, which also paid close attention to how to solve for the \vec{r} . They considered a lattice as follows.

$$M = \begin{pmatrix} x_1 & R_1 & & & \\ x_2 & & R_2 & & \\ & & & \ddots & \\ x_t & & & & R_t \end{pmatrix}.$$

But one needs to find t linearly independent short vectors of the lattice M to obtain the success of this attack. That is, each l_1 norm among t vectors is at most p/2. When t is large, solving these vectors is very difficult by using lattice reduction algorithm.

In addition, instead of applying linear system $x_i - r_i = 0 \mod p$, Coppersmith's method looks at quadratic system $(x_i - r_i)^2 = 0 \mod p^2$ and $(x_i - r_i)(x_j - r_j) = 0 \mod p^2$, etc, and finds one of the r_i and thereof p and all other r_i 's by solving some small vectors in new lattice.

In a word, the attacks considering in the Section 5 and appendix B in [DGHV10] is how to recover the secret key $\,p$, and their security analysis depends on the worst-case performance of the currently known lattice reduction algorithms.

The lattice we constructed is very similar to the lattice M. However, our attack only requires find one short vectors with certain condition, and not to solve t short vectors. Moreover, our attack merely recovers the plaintext from a ciphertext and depends upon the average-case performance of the lattice reduction algorithms. On the other hand, if suppose $\vec{x} = (c, x_0, ..., x_t) = p\vec{q} + 2\vec{r} + m$ with a ciphertext c, then our attack in some sense is similar to solving a short vector of orthogonal lattice L_q^\perp , which is different from the lattices

 $L_{\bar{x}}^{\perp}$ or $L_{\bar{a}\bar{r}}^{\perp}$ considering in the Section 5 and appendix B in [DGHV10].

Our Contribution. Our main observation is that one can directly obtain the plaintext from a ciphertext and the public key without using the secret key for some parameter settings of the FHE in [DGHV10]. The attack in this paper is different from the known attacks considering in [DGHV10]. Because our method is how to recover the plaintext from a ciphertext, whereas the attacks they considered is how to solve the secret key in the scheme. So, our result shows that the FHE in [DGHV10] is not secure for some practical parameters.

Organization of This Paper. Section 2 gives some notations and definitions, and the lattice reduction algorithms. Section 3 constructs a new lattice based on the public key, and presents a polynomial time algorithm to directly obtain plaintext from ciphertext. Section 4 presents an improvement scheme. Section 5 concludes this paper.

2. Preliminaries

2.1 Notations

In this paper, we follow the parameter setting of [DGHV10]. Let λ be a security parameter, $[\lambda] = \{1,...,\lambda\}$ be a set of integers. Let γ be bit-length of the integers in the public key, η the bit-length of the secret key, ρ the bit-length of the noise, and τ the number of integers in the public key. To conveniently describe, we concretely set $\rho = \lambda$, $\eta = 4\lambda^2$, $\gamma = \lambda^5$, and $\tau = \gamma + \lambda$ throughout this paper.

Let $w \leftarrow^{\Psi} S$ denote to choose an element w in S according to the distribution Ψ .

2.2 Lattices

A lattice in \mathbb{R}^m is the set of all integral combination of n linearly independent vectors $b_1,...,b_n$ in \mathbb{R}^m ($m \ge n$), namely $L = L(b_1,...,b_n) = \{\sum_{i=1}^n x_i b_i, x_i \in Z\}$, usual denoted as a matrix B. Any such n-tuple of vectors $b_1,...,b_n$ is called a basis of the lattice L. Every lattice has an infinite number of lattice bases. Two lattice bases $B_1, B_2 \in \mathbb{R}^{n \times m}$ are equivalent if and only if $B_1 = UB_2$ for some unimodular matrix $U \in \mathbb{Z}^{n \times n}$. The volume of a lattice L is the determinant of any basis of L, namely $vol(L) = \det(L) = \sqrt{B^T B}$.

2.3 Lattice Reduction Algorithm

Given a basis of the lattice $b_1,...,b_n$, one of the most famous problems of the algorithm theory of lattices is to find a short nonzero vector. Currently, there is no polynomial time algorithm for solving a shortest nonzero vector in a given lattice. The most celebrated LLL reduction finds a vector whose approximating factor is at most $2^{(n-1)/2}$. In 1987, Schnorr [Sch87] introduced a hierarchy of reduction concepts that stretch from LLL reduction to Korkine-Zolotareff reduction which obtains a polynomial time algorithm with $(4k^2)^{n/2k}$ approximating factor for lattices of any rank. The running time of Schnorr's algorithm is poly(size of basis)*HKZ(2k), where HKZ(2k) is the time complexity of computing a 2k-dimensional HKZ reduction, and equal to $O(k^{k/2+o(k)})$. If we use the probabilistic AKS algorithm [AKS01], HKZ(2k) is about $O(2^{2k})$.

Theorem 2.1 (Sch87 Theorem 2.6) Every block 2k-reduced basis $b_1,...,b_{mk}$ of lattice L satisfies $||b_1|| \le \sqrt{\gamma_k} \beta_k^{\frac{m-1}{2}} \lambda_1(L)$, where β_k is another lattice constant using in Schnorr's analysis of his algorithm.

Shnorr [Sch87] showed that $\beta_k \leq 4k^2$, and Ajtai improved this bound to $\beta_k \leq k^\varepsilon$ for some positive number $\varepsilon > 0$. Recently, Gama Howgrave, Koy and Nguyen [GHKN06] improved the approximation factor of the Schnorr's 2k-reduction to $\|b_1\|/\lambda_1(L) \leq \sqrt{\gamma_k} \, (4/3)^{(3k-1)/4} \, \beta_k^{n/2\,k-1}$, and proved the following result via Rankin's constant.

Theorem 2.2 (GHKN06 Theorem 2, 3) For all $k \ge 2$, Schnorr's constant β_k satisfies: $k/12 \le \beta_k \le (1+k/2)^{2\ln 2+1/k}$. Asymptotically it satisfies $\beta_k \le 0.1 \times k^{2\ln 2+1/k}$. In particular, $\beta_k \le k^{1.1}$ for all $k \le 100$.

Observation 2.3 (NS06). For lattice L, the first vector b_1 output by LLL is satisfied to the ratio $||b_1||/\lambda(L) \approx (1.02)^n$ on the average.

3. Attack on FHE Scheme

To describe simplicity, we first refer the FHE scheme in [DGHV10], then construct a new lattice based on the public key and recover the plaintext bit from a ciphertext by applying LLL lattice reduction algorithm.

3.1 Fully Homomorphic Encryption

KeyGen(λ). The secret key is a random odd η -bit integer: $p \overset{\Psi}{\longleftarrow} (2\mathbb{Z}+1) \cap [2^{\eta-1},2^{\eta})$. Select $q_0,...,q_{\tau} \overset{\Psi}{\longleftarrow} \mathbb{Z} \cap [0,2^{\gamma}/p)$ with the largest odd integer q_0 . Select $r_0,...,r_{\tau} \overset{\Psi}{\longleftarrow} \mathbb{Z} \cap [-2^{\rho},2^{\rho}]$, compute $x_0=q_0p+2r_0$ and $x_i=\left[q_ip+2r_i\right]_{x_0}$ for $i\in[\tau]$. Output the public key $pk=\langle x_0,x_1,...,x_{\tau}\rangle$ and the secret key $sk=\langle p\rangle$.

Encrypt(pk, $m \in \{0,1\}$). Select a random subset $T \subseteq [\tau]$ and $r \leftarrow \mathbb{Z} \cap [-2^{\rho}, 2^{\rho}]$, and output ciphertext $c = [m + 2r + \sum_{i \in T} x_i]_{x_i}$.

Decrypt(
$$sk,c$$
). Output $m' = \left[\left[c \right]_p \right]_2$.

To implement fully homomorphic encryption scheme, one applies to it the standard Gentry's bootstappable technique.

3.2 Lattice Attack Based on the Public Key

Given a list of approximate multiples of p:

$$\{x_i = q_i p + r_i : q_i \in \mathbb{Z} \cap [0, 2^{\gamma} / p), r_i \in \mathbb{Z} \cap (-2^{\rho}, 2^{\rho})\}_{i=0}^{\tau}, \text{ find } p.$$

Dijk et al. [DGHV10] showed that the security of their FHE scheme is equivalent to solving the approximate GCD problem. Chen and Nguyen [CN11] presented a new AGCD algorithm running in $2^{3\rho/2}$ polynomial-time operations, which is essentially the 3/4-th root of that of GCD exhaustive search.

According to FHE, we know that an arbitrary ciphertext has general form c = qp + 2r + m.

The ideal of our attack is very simple, that is, one is how to remove qp in a ciphertext c by adding small noise value. When completing this, it is easy to recover the plaintext bit m in c. To do this, we, we define following Diophantine inequality equation problem.

Definition 3.1. (**Diophantine Inequality Equation (DIE**)). Given a list of integers $\{x_i = q_i p + r_i : q_i \in \mathbb{Z} \cap [0, 2^{\gamma} / p), r_i \in \mathbb{Z} \cap (-2^{\rho}, 2^{\rho})\}_{i=0}^{\tau}$, solve the Diophantine inequality equation $\left|\sum_{i=0}^{\tau} y_i x_i\right| < p/8$ subject to $\left|y_i\right| < p/(8\tau 2^{\rho})$ and at least one non-zero y_i .

Suppose there is an oracle to solve the above DIE problem, then one can obtain the plaintext bit in an arbitrary ciphertext of FHE [DGHV10]. Since $|y_i| , <math>\left|\sum_{i=0}^{\tau} y_i r_i\right| ,$

that is, $\sum_{i=0}^{\tau} y_i x_i$ is only the sum of noise terms, without non-zero multiple of p. So, one

can correctly decide the plaintext bit of a ciphertext in FHE according to the parity of $\sum_{i=0}^{\tau} y_i x_i$.

However, it is not difficult to see that the Diophantine inequality equation is a generalization of the knapsack problem. So, there is unlikely an efficient algorithm for general DIE unless P=NP. But, this does not demonstrate that there is not a polynomial time algorithm for special DIE.

To be concrete, we construct a new lattice based on the public key of the FHE [DGHV10]. Given the public key $pk = \langle x_0, x_1, ..., x_\tau \rangle$ and ciphertext c, we randomly choose a subset T from $[\tau]$ such that $|T| = \lambda^3$. Without generality of loss, assume $T = [\lambda^3]$ and c = qp + 2r + m with $|2r| \le 2^\rho$. We construct a new lattice as follows:

$$L = \begin{pmatrix} c & 0 & \cdots & 0 & 0 \\ -x_1 & 1 & \cdots & 0 & 0 \\ \vdots & \vdots & \cdots & \vdots & \vdots \\ -x_{\lambda^3} & 0 & \cdots & 1 & 0 \\ -x_0 & 0 & \cdots & 0 & 1 \end{pmatrix}, L_1 = \begin{pmatrix} c & 1 & 0 & \cdots & 0 & 0 \\ -x_1 & 0 & 1 & \cdots & 0 & 0 \\ \vdots & \vdots & \vdots & \cdots & \vdots & \vdots \\ -x_{\lambda^3} & 0 & 0 & \cdots & 1 & 0 \\ -x_0 & 0 & 0 & \cdots & 0 & 1 \end{pmatrix}.$$

On the one hand, the size of the shortest vector of lattice L is less than $\sqrt{\lambda^3+2}\,|c|^{1/(\lambda^3+2)}\approx 2^{\lambda^2}$ according to the parameter setting. On the other hand, there is a non-zero solution $\left|\sum_{i=0}^{\lambda^3}y_ix_i+yc\right|\leq 2^{\lambda^2}$ with $|y_i|\leq 2^{\lambda^2}$ and $|y|\leq 2^{\lambda^2}$ by using pigeon hole principle. This is because $|c|,|x_i|\leq 2^{\lambda^5}$, the number of all distinct y_i,y subject to $|y|,|y_i|\leq 2^{\lambda^2}$ is $(2^{\lambda^2})^{\lambda^3+2}>2^{\lambda^5}$, that is, there is at least a non-zero solution for the equation $\left|\sum_{i=0}^{\lambda^3}y_ix_i+yc\right|\leq 2^{\lambda^2}$. Thus, if one finds a non-zero small solution vector, then one gets the plaintext bit with probability at least 1/2 (y is an odd integer).

To conveniently decide, we use a variant lattice L_1 of L, and call LLL algorithm for lattice L_1 . Assume $b = (b_0, b_1, ..., b_{\lambda^3+1})$ is the first vector of the L_1 's basis output by LLL. If $\|b\|_{\infty} < p/(8\lambda^3 2^{\lambda})$ and $\operatorname{mod}(b_1, 2) = 1$, then $m = \operatorname{mod}(b_0, 2)$. In our experiment, we notice that b_1 may be an even integer, but the several vectors following the first vector (such as the second vector, or the third vector, et al.) often satisfy the above condition. That is, the first coordinate of vector is odd and its norm is small. So, as long as one gets one solution of the above form, one can correctly decide plaintext bit. In fact, LLL can also be called many times for distinct subset T.

So, we have the following result by applying the block lattice reduction.

Theroem 3.1. Suppose the parameters of FHE [DGHV10] $\lambda \le 100$, $\rho = \lambda$, $\eta = 5\lambda^2$, $\gamma = \lambda^5$, and $\tau = \gamma + \lambda$, then there is a running time $2^{\theta\lambda}$, $(\theta \le 1)$ algorithm recovering plaintext from ciphertext.

Proof: According to Theorem 2.1, 2.2, we know $\|b_1\|/\lambda_1(L) \le \sqrt{\gamma_k} (4/3)^{(3k-1)/4} \beta_k^{n/2k-1}$ and $\beta_k \le k^{1.1}$ for all $k \le 100$. If we choose $k = \lambda, n = \lambda^3$, then we get $\|b_1\| \approx \lambda^{1.1 \times \lambda^3/2\lambda} \times \lambda_1(L) \approx 2^{3.66\lambda^2} \lambda_1(L) \le 2^{4.66\lambda^2} << 2^{\eta}$. By using AKS [AKS01, MV10] algorithm, solving each block sub-lattice costs time $2^{\delta\lambda}$, $\delta < 1$, and the times solving block is at most $\lambda^{O(1)}$. So, the total running time of algorithm is $2^{\theta\lambda}$, $\theta \le 1$.

Theorem 3.2 Suppose the average-case performance of LLL is true, that is, Observation 2.3 holds. Then, for the parameters $\lambda \le 100$, $\rho = \lambda$, $\eta = 4\lambda^2$, $\gamma = \lambda^5$, and $\tau = \gamma + \lambda$, the FHE scheme in [DGHV10] is insecure.

Proof: For the above lattice L_1 , we have

$$||b|| \le (1.02)^{\lambda^3 + 2} \lambda(L_1) \le (1.02)^{100\lambda^2 + 2} \lambda(L_1) \approx 7.2^{\lambda^2} \lambda(L_1) << 2^{4\lambda^2}.$$

3.3 Computational Experiment

In the appendix, we present a toy example to show that our attack method is how to work.

4. Improvement

The reason the above lattice attack is successful is that the secret key p is a large integer. If we replace p by a matrix, then the above attack dose not work.

4.1 Construction

Key Generating Algorithm (KeyGen):

- (1) Select a random matrix $T \in Z^{2\times 2}$ with $||T||_{\infty} = 2^{O(\lambda^2)}$ such that $p = \det(T) = 2^{O(\lambda^2)}$ and $p \mod 2 = 1$. Compute $A \in Z^{2\times 2}$ with AT = pI, where I is identity matrix.
- (2) Generate $\tau = O(\lambda \log \lambda)$ matrices $\left\{ B_i = (R_i A + 2r_i \cdot I) \mod p \right\}_{i=1}^{\tau}$, where $R_i \in \mathbb{Z}_p^{2 \times 2}$

is an uniformly random matrix and $|r_i| \le 2^{\lambda}$ and r_i is integer.

(3) Output the public key $pk = (p, B_i, i \in [\tau])$ and the secret key sk = (p, T).

Encryption Algorithm (Enc). Given the public key pk and a bit $m \in \{0,1\}$. Evaluate ciphertext $C = (\sum_{i \in [\tau]} k_i B_i + (m+2r)I) \mod p$ where $|k_i| \le 2^{\lambda}$ and r is integer.

Add Operation (Add). Given the public key pk and ciphertexts C_1, C_2 , output new ciphertext $C = (C_1 + C_2) \bmod p$.

Multiplication Operation (Mul). Given the public key pk and ciphertexts C_1, C_2 , output new ciphertext $C = (C_1 \times C_2) \mod p$.

Decryption Algorithm (Dec). Given the secret key sk and ciphertext C, decipher $M = (C \times T) \mod p \mod 2$, and the plaintext m is the element $m = M_{1,1}$ of the first row and the first column of M.

It is not difficult to verify that the above scheme is a somewhat homomorphic encryption. Now, one can use Gentry's standard bootstrappable technique to implement fully homomorphic encryption.

In addition, we can choose two random primes $p, q = 2^{O(\lambda^2)}$ with $p = a^2 + b^2$ i.e.

$$p \equiv 1 \mod 4$$
. Set $n = pq$ and $T = \begin{pmatrix} a & b \\ -b & a \end{pmatrix}$, $A = \begin{pmatrix} a & -b \\ b & a \end{pmatrix}$ with $AT = \begin{pmatrix} p & 0 \\ 0 & p \end{pmatrix} = pI$.

Now, we can replace p with n=pq in the above scheme, and use the new matrix A to generate the public key $pk=(n,B_i,i\in[\tau])$. We observe that the security of this modification depends on the hardness of factoring n=pq.

4.2 Efficiency and Security.

Efficiency: The size of the public key is $O(\lambda^3 \log \lambda)$, the size of the secret key is $O(\lambda^2)$, the expansion rate of ciphertext to plaintext is $O(\lambda^2)$. To implement FHE, one only needs to add ciphertexts of the secret key to the public key.

Security: It is not feasible to use brute force attack by guessing noise term r because $|r| = O(2^{\lambda})$. A possible attack is to solve the following equation

$$\begin{cases}
TB_1 = r_1 T \mod p \\
TB_2 = r_2 T \mod p \\
\vdots \\
TB_{\tau} = r_{\tau} T \mod p
\end{cases}$$

However this system consists of quadratic equations when r_i is unknown. So, to solve this equation, we also require to guess r_i . As well as we know, attacking the above scheme is not

At the same time, the above scheme can avoid the lattice attack of this paper because the matrix B_i is approximate multiple of the corresponding secret key A.

The above improvement scheme has more efficient, but we currently can not reduce its security to solving the secret key.

5. Conclusion

feasible by using algebraic equation method.

This paper presents a heuristic attack for the FHE in [DGHV10] by directly calling LLL algorithm. Our method concentrates on recovering the plaintext in a ciphertext, whereas the attacks considering in [DGHV10] mainly discussed how to avoid to recovering the secret key. Moreover, our attack applies the average-case performance of lattice reduction algorithm, whereas the security of their scheme depends upon the worst-case performance of lattice reduction algorithm.

Our result shows that the FHE scheme in [DGHV10] is not secure for some parameter settings. According to our experiment, one can avoid the above lattice attack by setting parameter $\gamma = \lambda^6$. But, the scheme is less practical in this case.

In addition, we also design an improvement scheme to avoid the above lattice attack.

Reference

[AKS01] Miklos Ajtai, Ravi Kumar, and D. Sivakumar. A sieve algorithm for the shortest lattice vector problem. In STOC, pages 601 {610. ACM, 2001.

[Coh93] H. Cohen, A Course in Computational Algebraic Number Theory, Graduate Texts in Mathematics, 138. Springer, 1993.

[BGV11] Z. Brakerski, C. Gentry, and V. Vaikuntanathan. Fully homomorphic encryption without bootstrapping, Cryptology ePrint Archive, Report 2011/277, 2011, http://eprint.iacr.org/2011/277.pdf.

[CJMNT11] J.-S. Coron, A. Joux, A. Mandal, D. Naccache, and M. Tibouchi. Cryptanalysis of the rsa subgroup assumption from TCC 2005. In Public Key Cryptography - Proc. PKC 2011, volume 6571 of Lecture Notes in Computer Science, pages 147{155. Springer, 2011. [CMNT11] J.-S. Coron, A. Mandal, D. Naccache, and M. Tibouchi. Fully homomorphic

encryption over the integers with shorter public-keys. In Advances in Cryptology - Proc.

CRYPTO 2011, volume 6841 of Lecture Notes in Computer Science. Springer, 2011.

[CN11] Y. Chen and P. Q. Nguyen. Faster algorithms for approximate common divisors: Breaking fully homomorphic encryption challenges over the integers, Cryptology ePrint Archive, Report 2011/436, 2011, http://eprint.iacr.org/2011/436.

[DGHV10] M. van Dijk, C. Gentry, S. Halevi, and V. Vaikuntanathan. Fully homomorphic encryption over the integers. In Proc. of Eurocrypt, volume 6110 of LNCS, pages 24-43. Springer, 2010.

[Gen01] C. Gentry. Key Recovery and Message Attacks on NTRU-Composite. Eurocrypt'01, LNCS 2045, pages 182-194.

[Gen09] C. Gentry. Fully homomorphic encryption using ideal lattices. In Proc. of STOC, pages 169-178, 2009.

[GH11a] Craig Gentry and Shai Halevi. Implementing Gentry's fully-homomorphic encryption scheme. In Kenneth Paterson, editor, Advances in Cryptology — EUROCRYPT 2011, volume 6632 of Lecture Notes in Computer Science, pages 129–148, Berlin,

Heidelberg, New York, 2011. Springer Verlag. Cryptology ePrint Archive: Report 2010/520: http://eprint.iacr.org/2010/520.

[GH11b] C. Gentry and S. Halevi, Fully homomorphic encryption without squashing using depth-3 arithmetic circuits, Cryptology ePrint Archive, Report 2011/279.

[GHKN06] N. Gama, N. Howgrave-Graham, H. Koy, and P. Q. Nguyen. Rankin's constant and blockwise lattice reduction. In CRYPTO, pages 112–130, 2006.

[GN08a] N. Gama and P. Nguyen, Finding Short Lattice Vectors within Mordell's Inequality, In Proc. of the ACM Symposium on Theory of Computing STOC'08, pp. 208–216, 2008.

[GN08b] N. Gama and P.Q. Nguyen, Predicting lattice reduction, in Proc. EUROCRYPT 2008, LNCS 4965, Springer-Verlag, pp. 31–51, 2008.

[GS02] C. Gentry, M. Szydlo. Cryptanalysis of the Revised NTRU Signature Scheme. Eurocrypt'02, LNCS 2332, pages 299-320.

[HPS98] J. Hoffstein, J. Pipher, J. H. Silverman. NTRU: A Ring-Based Public Key Cryptosystem. LNCS 1423, pages 267-288, 1998.

[LLL82] H.W. Lenstra Jr., A.K. Lenstra and L. Lov'asz, Factoring polynomials with rational coefficients, Mathematische Annalen 261, pp. 515–534, 1982.

[Mic07] D. Micciancio, Generalized compact knapsaks, cyclic lattices, and efficient one-way functions. Computational Complexity, 16(4):365-411.

[MV10] D. Micciancio P. Voulgari, Faster exponential time algorithms for the shortest vector problem, SODA 2010, Electronic Colloquium on Computational Complexity, Report No. 65 (2009).

[NS00] P. Nguyen and J. Stern, Lattice Reduction in Cryptology: An Update, in Proc. of Algorithm Number Theory (ANTS IV), LNCS 1838, pages 85-112. Springer-Verlag, 2000.

[NS06] P.Q. Nguyen and D. Stehle, LLL on the average, proc. Of ANTS VII, 2006, LNCS 4076, pp. 238-256.

[RAD78] R. Rivest, L. Adleman, and M. Dertouzos. On data banks and privacy homomorphisms. In Foundations of Secure Computation, pages 169-180, 1978.

[Sch87] C.P. Schnorr. A hierarchy of polynomial time lattice basis reduction algorithms. Theoretical Computer Science, 53, pp. 201–224, 1987.

[Sch03] C.P. Schnorr, Lattice Reduction by Random Sampling and Birthday Methods. Proceedings STACS 2003, LNCS 2607, pages 145-156.

[SS10] D. Stehle and R. Steinfeld. Faster Fully Homomorphic Encryption. Cryptology ePrint Archive: Report 2010/299: http://eprint.iacr.org/2010/299.

[SV10] Nigel P. Smart and Frederik Vercauteren. Fully homomorphic encryption with relatively small key and ciphertext sizes. In Public Key Cryptography – PKC 2010, volume 6056 of Lecture Notes in Computer Science, pages 420–443, Berlin, Heidelberg, New York, 2010. Springer Verlag.

Appendix

Here we present a toy example to show the attack processing in this paper.

Assume $\lambda=3$, $\rho=3$, $\eta=3\times 3^2$, $\gamma=3^5$, and $\tau=246$. The secret key is p=134217729. The public key pk is

[14010527899310104915077361405897655856954579259894401235416931662794471467]****32506244927968164359969318887725121412264319555364207379386105590943814 72****-61668018253619289544406191129075715793507248873031838028953930564122 66189****3892714162399730166387019505980100405510908218952222044614575456946680171****7297145954097706021913940547389339956678019870767415691933823917 88378629****-30140457344626604907579495600823072252232199359703539812608633 9305890421****-198039757395521807886526608072264557416820515735678022945202 5195354817820****-617125236542825931469309400681208216141848713368988343043 5009695024807072****-314344724456047052407343043408844666369696926387730341 4205945241278676736****-873650667075946688621744141808551515776371375520393 505618087627422587406****-5661168717031627007850558362083804903558788886794 176445355379682688910349****30332042166890573283978942136211465207658275535 18578073761359734805150017****-30599639629274071100875783774253822818323774 24563292183331667391617245338****377518992692665033260320262796931302684111 4587259495227768564459897302000****-6025056718432872055604293681097250135829510209439555808422352974191399388****6763448644568304758244751149882262168 427403425012104198632216541146186520****43291631893418224189644931321568726 90912140128638518271106678567196791969****366385414764461945789706576688701 4377637049690758932503955703872805828158****6440880339223906908108938864863 $052034513651946363428003991648513062002965^{****}-4974311372710821868924307908$ 738050767871452376853232321769440071681428910****309610755753782621838321035904466679022952996964095569513990204112782637****4113598743532238700496752 097591052168374627432273591547382338028915538447****-2965592531570108896306 815542410444724674255339620147254641588706805265875****30002227770025267391 85891000088487105999014311115341163533423735960260448****678689740309413453 4533013052616306218273301665668499059266421763674152516****-488122982551147 6781567461424022352227982595672304581914582176843266989485****-833738745194

333061366341717042061148501976564139759009870084454456527257*****69121095564 16932955238616827044793514141996144932568841447564201361220326****372487628 1437640235184992786673841216947175812427519103333037574619681918****-483098 9279881589641800850063563446860654173481021189969240348597706270293****4343 01000293836536203991940196546368483454423110776137595757626709908480****-44 29866702460333153153756362730636088925479012702063909293582423662168942**** 3085453373300086999038525086562434538237700869467988275252812015174528201** **129022909858729481661479871168529130260180061799116292527231012665273864* ***-69655158906360626481385109145334455945277321521027925864745111362414757 22****287909033608209074646471105439706662606646843319030070486414901836285 5901****-470279667653424510554457455411828872378527455396028801770918322273 5491445****-509042285041100694838289036102829363655455298886601941040198960 1525964217****4973025390919351667746428837714935897984817309684591162468961 558033108788****13197793188905477151185846754305058379215626226020823041180 31135871168848****-29763031934767436025796048947518526262569279851236981623 2857371183389208****2618459004145048320285355851179180516584209114642345881 759646269617599778****-2927997298448524692358584354924598966335899494380161 992505262447665795686****-4725038281081535969401783160321378421525130125861 557119011312808094948875****-2552741460565209336080529869913902740291919180 877419180066395550035732110****39016999248830187759342013008764039708394431 34981144173229113424553421555****-44672799102518361383108087386133388859772 40118016229771105299692130819004****-84473559971894142356630707378731863974 7098651711461963768614791487685939****-429563007975019674357944964604856533 5047362205344284510296661540961668560****-302925771559139634499571058859516 609198348578396748570110058646286561550543****4416460957307328933429651971054734413104103520885402330266172078909629007****-31740161814318120132626229 19689487063225445177829741329126617029470565229****-84841651487839378161413 493091440044997772518379397980142053423197654742523****-69811174141255611231 4212630439466410069224084511339565606726353593679641****-139885310957537355 8878863462248773819221655910678546125803561319483634703****2945037657265817 814517278448645241121603239592022319035129433362668508455****12408795266068 99322219801421636998955880138912594509904319162569086667857****486896033932 5554234380039989131843620158243256261608186078479856339074704****3721152048 929805643670945111689388318148008011610863330250146384313490514****10162325 3478917056088653753041311280906730560837159389315678238139697417****-219125 5043960951781069576869658423835653672100077160343571960626800209324****-382 8146165105311855834571449609858068644564059553424904673585819406788176****-4343502742461802469930334275441842753822829993846006479180986906729375801** **-318497000388442771932146182408217788535626694157128314499083373857008998 1****2978083133771623905791631747499294383318411053992580039129891078222603 4***-356462996984457903970422283055007166075556725520151182652370638367280 7036****-117814514750145236247023144463391452133517967475281727880254620941

4597740****-540461964151349087138710622365992939478471801487208382428212328 131439279****44493674969757118022960475250416072148780316595046124594206140 74500866931****-10031921904170748502790075030647503575973627829163271687698 8882286796962****5247773905144915577982791469360230589831375237870854888767 524397506943584****-2584569190538017487001826401288424459027320189802441680 55908533434531683****134590686292907772800743059561179098352402182763509629 9649213998287557280****6832555530698354154208184847496699552786581776950053 518279338143787925699****43442925010418412475312779378277600676558352980546 46536750963517402382836****356554903590954899718853011389275447748976218990 5206078585638441284819171****-207286014469793550405428408809991800101450794 $9879746907252468336462488550^{****} - 673334346277495619662501607699399732377199$ 1492479736716366866887413510217****-358329992334082705842425464041628799094 1709779364478909690368947803954208****6682643999107438559671179379427649608 917551047900916341999771762396610861****-7377727757231209119527417478030262 65258949486210293698339387767016804920****3023219858150274908015176264777589151708320807983293431233738844754048984****2400932510687386923986585045553 192543503670547686615780717569708854208292****38327962658987702321887629204 87499556300343004765916334878279938869351822****-42182946718981026744151217 41626893985448030459569333657287815766710468427****-34761657508175848729172 54296945444074279141900589101366823642109002878829****-24609879743866092092 92111104240733560462085593151930154717259122559580789****318376685501183132 0481850948450573287122987833022138954070804543650033862****-2945397738903300748189082170868815464339482523418905283351288588318836318****5890719328675 177385219820193568896652554744400598695098332493882871977667****-1037438217 03328243058169233098571879121296068907575335292078207500886192478****-37836 24052802107436036940508974529614791450145443915120710146311154511382****-517 1268880357553376366628432578209109554163485323910727133622370241916214****7 94947995124913096894099157258564785481749904007494502002573313040999971**** 1208254626840488506796597177519942825697390609922401113896590563533718765** **6536099941257584124067896206552947050206357170228600275046746285551957746 ****-6158242675910238398303325112702239850580422717956325571266899460220375 090****34329110107151794792514133258973658984233479662135949431219423240163 74824****493464290518497142259847452039217930103818621193524703197637581750 4175271****-647577701749314883559958894743301728238055335298892032742674286 6741870600****5905135478792743696084018774990129015486062601910993982882500 157846480771****52496021648614562082212569155496934558359706862960250886779 25341891486724****-24105894205245179362701772248942644028712239389685739479 70536614754041444****130026398545305270326223043518994613604748762985180740 1332074583297159868****2223837875999897095951213297127277006231149825053015 35934397442660338931****-10778900596708693545016093415952119222902944599889 6459791554622717471128055****4283112251856729709152424580349747696090571890 510258934075182270418985838****31847736711311702466166647305234036299765374

02417479232497920193950013614****-18044366619428829597608810401481706232318 $01138791257119437085702886608274^{****}-16353706589928454641656639209430889860$ 15637374194605760947609411154767191****-34122870423766141314894306174613236 65681462804021888303121320979544895210****-19429030847793062015542223208892 65461714375245771508160044447300727438427****4046391941470242935668171482898762103158759747977472560345966088252774919****-168734739583849562821140550 6269651756400201409842966154510075174007137888****4794860450857076494883320111320196918422144174269953871296363857120826287****27530459270838957613836 33261665254163899105876736107886965719577648253850****-38480633817880172098 06858207864190850352215531845558108576432453975165083****505882214698905872 9086478256755512514152589022104036428175629106819970309****3238895771108565 951758749062625303658741790055730038514572234190247737603****-1710086495650 458379762604852596780233481114350953546845713342608866722865****11799451009 41351187110712125298398105089610827865453172930041991829778662****346505614 4859658681110347184269581953903343031221799371090025284248677910****6088148 10050692496928119574804298152809676862048717552523262989106455026****-61037 39074373825622656651628155737376664665710121307674376868759938638681****197 7283434785242586034193225733547218205476098338503844223818741794432485****2 292947040432187775101637443316960210096221320403123969536578696582052801*** *5606254346995472854276971778442763013370411853379175208863771466333722327* ***-46209687733581641490210473591868387145103083405857003253021586778793034 68****-37014483829595262336700490750122718643702939658862497597053150820103 17451****-10160372489540278260386801643134293111642958947654401961334837688 89209203****458374775296261450536777780834383401055745436898034899499215115 4939763088****6731343041643839027192470921691467449212726232981835890937279 669390502595****-4974792658090714406331898927099583098474530386726606685140 581991524292439****63233245978510138863407444111848213662536091403934283653 38900014943720275****-14066787917294212901682178667499911136957065648450670 1840226752500743531****-329214852376141981869061601848161883563053216196396 2233535761528074278880****4537816167493383437592746835571837800127463174996 89809956278872784999492****421549114631201287503199373051819100003929952180 $6292975931651554463185958^{****}2703047951971855770992984826607187698647269590$ 527482396798928373814354133****61774651689601192585396216799131069204115500 73308986819114157940063494710****144282493025516846197051129297397695391704 2601380985376867812424038062595****2394972473174630781749951332851927416970 373757597880697282585699691325915****57318570298591630763184503452817538332 38142595228249732562176523171167941****-12393086709471418493045485305099720 07809452814009033964293844428891438013****-25631895142081205571200657720796 $02481383969017178836132191704706126501637^{****} - 66461277004723628372502928761$ 43045395841518676566068110238862480478180958****323879690074601678422397282 3902976036457393723305143144878270434507325034****-440085032347675088164864 54953951772417041836617030896191087494191285555****-1547368944230630686709416906507927342740497164496654914690296196911496106****2168853193379821222253757740738405414651881053021300345074360496026961147****-578426752768943915

7616263351822789734387414843562317084463328508977933176****-218129879811312 653610920731196981636006978859540213674648833374422454591****89960316468422 9652540988767016341541079859725348786339094924995367823588****-293073428917 505131737681508307073747950103507564065931617593183449459079****63842592940 09307807592478090601031188097161700896010499984381232052924462****179786967 4327514030310565670256913936930560278916428637693806560628430536****-474623 1159565794461388186646710810043904841533822055413758008688496598133****-290 6195810530300542335582637251423362984618981579006382070478621590151909****5 803998123311226027759698992595849737065395642355716565011370393908954189*** *2693382085931466081508642774365001777542759923744565790931572374148948102* ***-46719558980422136694832905930542718820812079592775128781957070587499863 79****280446693743567128323840872140024300922262436357692336176603624353720 8542****3324002237075738651159067522079172611729239485094504570883372144094 733919****-3911591599851218062191825928015676602570980566358033321130376714 626000703****25965174893214709505842411296486390743544676304955488174623052 96197391532****620770789743513142751251834670879173848331838926532630517638 1562658488080****-242562487151159090244959594779093435442850336825725046485 2588504384390314****-411491072229461361520601703991865123616319707934462829 8424776544698953986****6067821307969645430056465136230114987352126895523154 683695781591603561104****-2133677020645229820449576387686129911282190848937 31679443493387860326767953****195698877131888537349656570675292201909699391 8539259619253129478137682552****-648560586886890670698888574274215434606119 5149758365163601859518028515971****4404029878818596053651267534637569063233 696226881564778616608783650219983****-1760522782284460375079538981561438012 397545448146653305625381660352583018****-5883697409017386014029072891955594 $021866666137100254079977609861752004591^{****}12828209756945805363618176771956$ 52748244112166039584308488741529018652597****-60068101932628867334730802704 62837805110653229081304629712616836349796659****-96931986428087161387046321 5044898137085063784386093010590483229017918724****-415224682148098051897893 625471598654691279076911284065939077575835082151312****-3582284292535142650 766885041924356001922341663722388170009130693850371655****-6109616276284967 476949882832474617586495754354083557421855161737798447303****34605361857436 6721232145972528107315047339229691188942440901358096489671****-304951663851 2898991055372196992991779682360214374535077965278535423386917****2425082385 720622817683683910704640113429340552003094395090130449181480327****28211792 82639579493514998851690522697278774768379459790006878281644487381****295096 3417697699890060885221159568465896463907591657601823770069647398176****6409 246885112945417236553650396252123773852425925970959900512329872801843****32 45009629173099713491810597084234387399520458204006434715633333171012312**** 4002905124328973782650304832296357312635926070389930394295441249877692694** **-565259019587550919314993354704360075875778475465892081850810356785621919

3****7598412910141921857561163792398141236390576164963240427552152914602438 56****332535926389151523573732298896664880084718594624037889228422708183898 $6072^{****}4454692366532448709439143243330679746743820155778655158843950685415$ 262350****-6601062884846417891879272868786659560202678833629424666136478632 660447240****37166315949346069241642199995347193397883958747512295307332216 71643782170****123689319223817772962638315968178003594555150162812042159810 2922892453866****1612446982714989622320246948322485465601199075622097670463 089418266878200****-3926023814034921915554630488031263155829114668155405146 870812352980151855****-1886947799712604640958938793892442898335909404180114 467521848195015148824****-6822159997840124693829508148736587080473490634010 35415745091459191812390****588993023785537556963852725422442074990500599553 9202456304880811878512547****-529354683958828669084944332624003260613184147 3650402241738505495673077236****-597917361105885896578491554967051396265145 2427945412139134271212133925614****-159343645732901543526315534035601053662 221830960476510617861651768038119****10008401318638240757704679708239415851 85311537326121174050912065708832666****526478771285427649824712845833777249 1398965534209903682821389603795028343****-672005513047781634369956318992112 9198633923811110985069084083875088474731****2948564026606264879092900392634 880619907802168921959510684410385391349191****38914579255394636419254545847 58481567622192776097758268275613780169729305****334447473216037956868904506 9995799655509067237692445924839941364758145142****-571376066176687918631997 2299683530585628527838025651917155479895225872620****-581348793934927237844 1256727908004257002812844400683832807978680450901433****-324366020689897318 7375815297536510254610303218614173869280762125054371585****-644169259364777 1313893742532909582986246027387822070247862428900658150549777****-355915415 8711033193161000229948101277947713860697675166384247616647170322****-557896 9794331437138028332915653309965533089166122917427409616732685771948****-473 4714094685487338147886763963121855252450865430203756011018865861908853****-2428201399383130458681275708372397922112027158877311222049557118076158914** **5079435455944786633586655825943792108240163301196236775752137659310214813 ****-3874457366159390256779682624375683731372930093261472390833348512563659 174****-1576248259182306080975435472568639899304163226558986563225276228009 318114****-3617859949415074220166275399759135846797704625829482897448261161 603678974****3188601313948642262544027414382292408093140287162674121499659760607357032****573062586411690167583613006706073482240892907913458988154148 0046771543753****-553659386145736494235324490205917552612265056124108931785 7772311113652636****1533825856398390745696096978823707439073528858650112746 7123004833701592****4466890572809180313236589437201306744081540345391910608 $08512183249968607087^{****}-52503755949310824872420279284545022183641590575108$ 26521425297659369801507****434196090289962138013330748854830541146285664207 3255798550763657721695349****-502793245900738819100099657399322888386874331 $0699584444900112214668799970^{****7382106921817153500831697383062242938121595\\$

 $91627831190636770563222467121****-38572970228695463135441526795671827926051\\49427110103780679557956298703351****110068350462068250943689071554265570561\\2690416550520944338747526750907164****2567012614359545699103925355645788358\\033976936113512163346474830334195259****-1801766642742734776470113001010844\\470698120042253165416407787786060297744****16460595207280505429710646891864\\21708561004359998173781458855498948087914****-18069411244994048834747819599\\84269285140955413484035068502996879165977451$

The lattice L_1 is as follows.

C=

```
[-6440880339223906908108938864863052034513651946363428003991648513062002965
[2965592531570108896306815542410444724674255339620147254641588706805265875\ 0
[-3000222777002526739185891000088487105999014311115341163533423735960260448]
[-6786897403094134534533013052616306218273301665668499059266421763674152516]
[4881229825511476781567461424022352227982595672304581914582176843266989485\ \ 0
[833738745194333061366341717042061148501976564139759009870084454456527257 \quad 0
[-14010527899310104915077361405897655856954579259894401235416931662794471467]
1
By calling LLL algorithm, the reduced basis of L_1 is
B=[[-86 122 -65 -175 -90 -182 113 79 41 46 -225 99 -72 164 -66 -376 5 -55 167 -159 94 96
33 -63 -1 -42 -39 -92 0]
[-87 -49 65 -321 -209 49 11 -30 29 48 -149 181 12 109 -153 -237 -43 -83 10 79 177 -120
-127 171 17 100 -89 -52 4]
[175 75 -43 -80 36 -86 14 -147 -111 -180 -60 -5 -181 308 -98 -114 115 -96 150 -151 184 293
48 - 39 2 8 57 52 - 41
[-153 -21 -61 172 138 198 -31 -188 -3 107 61 47 260 42 30 -55 -82 64 -91 -52 -31 179 -59
-104 -113 72 -25 -6 9]
[77 149 -12 60 242 89 212 23 90 126 73 -40 56 -135 91 -49 -68 -8 116 103 100 91 100 80 -55
-114 57 -45 -5]
[-169 55 -115 362 140 102 -157 23 -69 84 -9 4 145 4 5 97 110 -113 -22 76 -59 -83 34 -88 -71
107 9 39 14]
[-23 -143 -137 54 -184 7 -209 32 -67 234 -9 179 345 6 -7 -109 -143 40 -2 89 -164 -110 -109
-11 -80 128 -48 79 18]
[-62 -66 -64 -232 64 131 1 -175 -42 -107 -145 170 26 234 -154 -95 119 124 -128 -281 211
111 55 -82 -7 91 -68 -87 -38]
[-155 167 -110 86 -19 -102 96 108 120 178 -113 33 -161 -32 -9 -187 -33 -62 145 66 87 -149
-39 -96 176 62 -115 -206 10]
[-31 -5 56 2 97 146 -42 -213 -88 -2 -173 -99 74 214 -64 -53 -50 -156 -16 -51 21 96 -244 150
```

[-3663854147644619457897065766887014377637049690758932503955703872805828158]

- -60 -31 -53 157 85]
- [-56 40 -21 109 -73 -140 -97 3 -28 -255 2 -59 -10 -161 196 2 -14 -76 242 -66 -33 60 3 -19 -136 -66 119 69 -14]
- [-223 -35 50 -147 5 -171 -72 52 3 94 -53 103 -4 204 -69 -250 -76 66 -56 79 -28 23 -256 -68 24 21 69 10 9]
- [144 -22 -83 -257 -39 -19 16 -39 -131 64 -34 -75 -137 11 -97 76 9 -168 -214 89 64 -125 -8 -189 52 34 28 20 -38]
- [-168 98 -91 42 18 -101 365 217 -31 -108 -110 62 14 -63 70 -9 45 -70 -129 91 108 -34 89 38 -85 10 -110 -162 -4]
- [-146 -28 -46 -3 7 -61 197 106 -149 -57 -17 -77 57 2 -74 147 19 -23 -98 223 -120 -166 58 -69 -130 -63 177 -90 -44]
- [84 42 137 -208 195 108 130 8 72 16 -40 -25 9 -102 -114 43 -115 78 7 97 39 -272 -52 -87 -181 -136 60 -19 -6]
- [-169 3 -26 -42 50 -16 4 222 184 224 -115 202 -127 -97 21 -88 198 53 121 88 11 -81 83 60 105 38 48 -55 -43]
- [-15 -105 183 181 -118 53 -54 39 51 56 -63 -106 -43 14 56 153 -43 103 140 -99 -207 -63 -129 -100 32 -45 -122 -72 35]
- [186 16 12 -98 126 -94 45 37 -140 -12 -16 68 -26 240 -18 30 -121 47 168 127 21 -25 -51 154 -151 -16 -23 -35 -5]
- [-31 -5 -119 190 -1 -34 -9 126 -23 34 103 104 86 -82 55 -60 -127 106 29 43 -53 -1 -118 11 115 136 38 86 47]
- [224 110 -166 50 225 142 -73 -94 29 38 77 -84 9 51 -127 83 -74 16 154 9 -5 53 237 15 65 -8 154 -52 3]
- [-16 12 93 -44 16 319 -146 -30 -26 88 118 124 112 41 -47 -134 6 -130 -56 96 136 90 77 174 -19 69 48 -128 -16]
- [25 -25 -142 43 -65 -23 54 -45 -159 -148 118 103 143 46 145 -223 -107 27 72 21 88 148 -72 21 -54 62 40 17 -79]
- [-35 -45 -4 27 -343 -109 -73 32 62 -25 -196 76 118 -39 26 -241 -147 132 198 -112 -90 -10 122 -113 -126 -137 -51 -31 25]
- [47 -69 4 85 -139 -116 90 148 81 -221 -62 -172 86 -206 126 323 8 266 -45 -106 -136 -123 163 100 -120 -51 15 -132 9]
- [129 -13 -17 100 360 214 -2 -63 -90 23 -68 -87 53 -157 14 181 31 100 28 87 130 -87 -111 -22 46 7 146 -32 -99]
- [-201 -65 -109 -13 -128 -179 -83 50 -60 56 109 105 -12 51 35 -111 -18 242 19 -119 -109 230 2 3 1 -33 -85 -11 -12]
- [32662 1532013 35166 -334620 -492845 319870 -62472 -112310 -73327 -101190 -187515 444100 363631 224003 356632 512681 263715 351591 -34152 266919 -280216 127712 -299356 -168344 363922 -258533 45283 138299 -195047]]
- When calling LLL algorithm, generating matrix U is as follows.
- U= [[122 -65 -175 -90 -182 113 79 41 46 -225 99 -72 164 -66 -376 5 -55 167 -159 94 96 33 -63 -1 -42 -39 -92 0]
- [-49 65 -321 -209 49 11 -30 29 48 -149 181 12 109 -153 -237 -43 -83 10 79 177 -120 -127 171 17 100 -89 -52 4]
- [75 -43 -80 36 -86 14 -147 -111 -180 -60 -5 -181 308 -98 -114 115 -96 150 -151 184 293 48

- -39 2 8 57 52 -4]
- [-21 -61 172 138 198 -31 -188 -3 107 61 47 260 42 30 -55 -82 64 -91 -52 -31 179 -59 -104 -113 72 -25 -6 9]
- [149 -12 60 242 89 212 23 90 126 73 -40 56 -135 91 -49 -68 -8 116 103 100 91 100 80 -55 -114 57 -45 -5]
- [55 -115 362 140 102 -157 23 -69 84 -9 4 145 4 5 97 110 -113 -22 76 -59 -83 34 -88 -71 107 9 39 14]
- [-143 -137 54 -184 7 -209 32 -67 234 -9 179 345 6 -7 -109 -143 40 -2 89 -164 -110 -109 -11 -80 128 -48 79 18]
- [-66 -64 -232 64 131 1 -175 -42 -107 -145 170 26 234 -154 -95 119 124 -128 -281 211 111 55 -82 -7 91 -68 -87 -38]
- [167 -110 86 -19 -102 96 108 120 178 -113 33 -161 -32 -9 -187 -33 -62 145 66 87 -149 -39 -96 176 62 -115 -206 10]
- [-5 56 2 97 146 -42 -213 -88 -2 -173 -99 74 214 -64 -53 -50 -156 -16 -51 21 96 -244 150 -60 -31 -53 157 85]
- [40 -21 109 -73 -140 -97 3 -28 -255 2 -59 -10 -161 196 2 -14 -76 242 -66 -33 60 3 -19 -136 -66 119 69 -14]
- [-35 50 -147 5 -171 -72 52 3 94 -53 103 -4 204 -69 -250 -76 66 -56 79 -28 23 -256 -68 24 21 69 10 9]
- [-22 -83 -257 -39 -19 16 -39 -131 64 -34 -75 -137 11 -97 76 9 -168 -214 89 64 -125 -8 -189 52 34 28 20 -38]
- [98 -91 42 18 -101 365 217 -31 -108 -110 62 14 -63 70 -9 45 -70 -129 91 108 -34 89 38 -85 10 -110 -162 -4]
- [-28 -46 -3 7 -61 197 106 -149 -57 -17 -77 57 2 -74 147 19 -23 -98 223 -120 -166 58 -69 -130 -63 177 -90 -44]
- [42 137 -208 195 108 130 8 72 16 -40 -25 9 -102 -114 43 -115 78 7 97 39 -272 -52 -87 -181 -136 60 -19 -6]
- [3 -26 -42 50 -16 4 222 184 224 -115 202 -127 -97 21 -88 198 53 121 88 11 -81 83 60 105 38 48 -55 -43]
- [-105 183 181 -118 53 -54 39 51 56 -63 -106 -43 14 56 153 -43 103 140 -99 -207 -63 -129 -100 32 -45 -122 -72 35]
- [16 12 -98 126 -94 45 37 -140 -12 -16 68 -26 240 -18 30 -121 47 168 127 21 -25 -51 154 -151 -16 -23 -35 -5]
- [-5 -119 190 -1 -34 -9 126 -23 34 103 104 86 -82 55 -60 -127 106 29 43 -53 -1 -118 11 115 136 38 86 47]
- [110 -166 50 225 142 -73 -94 29 38 77 -84 9 51 -127 83 -74 16 154 9 -5 53 237 15 65 -8 154 -52 3]
- [12 93 -44 16 319 -146 -30 -26 88 118 124 112 41 -47 -134 6 -130 -56 96 136 90 77 174 -19 69 48 -128 -16]
- [-25 -142 43 -65 -23 54 -45 -159 -148 118 103 143 46 145 -223 -107 27 72 21 88 148 -72 21 -54 62 40 17 -79]
- [-45 -4 27 -343 -109 -73 32 62 -25 -196 76 118 -39 26 -241 -147 132 198 -112 -90 -10 122 -113 -126 -137 -51 -31 25]
- [-69 4 85 -139 -116 90 148 81 -221 -62 -172 86 -206 126 323 8 266 -45 -106 -136 -123 163

100 -120 -51 15 -132 9]

[-13 -17 100 360 214 -2 -63 -90 23 -68 -87 53 -157 14 181 31 100 28 87 130 -87 -111 -22 46 7 146 -32 -99]

[-65 -109 -13 -128 -179 -83 50 -60 56 109 105 -12 51 35 -111 -18 242 19 -119 -109 230 2 3 1 -33 -85 -11 -12]

[1532013 35166 -334620 -492845 319870 -62472 -112310 -73327 -101190 -187515 444100 363631 224003 356632 512681 263715 351591 -34152 266919 -280216 127712 -299356 -168344 363922 -258533 45283 138299 -195047]]

The above three matrices is satisfied to equality U*C=B. Moreover, U is equal to B except for the first column.

Now, we can decide the plaintext bit in the ciphertext

 $-196848789281973859727465844151315553725055119450697291705147663567242373 \ according to the parity of the first column of U and B.$

It is easy to check that they are respectively

$$[0\ 1\ 1\ 1\ 1\ 1\ 1\ 0\ 1\ 0\ 1\ 0\ 0\ 0\ 0\ 1\ 1\ 0\ 1\ 0\ 0\ 1\ 1\ 1\ 1\ 1\ 1\ 1],$$

$$[0\ 1\ 1\ 1\ 1\ 1\ 1\ 1\ 0\ 1\ 0\ 1\ 0\ 0\ 0\ 0\ 1\ 1\ 0\ 1\ 0\ 0\ 0\ 1\ 1\ 1\ 1\ 1\ 1\ 0].$$

So, the plaintext is "1" for the above ciphertext. This is because the first columns in U and B have same parity if the plaintext is "1" in a ciphertext and $||U||_{\infty}$, $||B||_{\infty} < 2^{\lambda^2}$.

Notice that the last row vector in U is too large (that is $|y|, |y_i| > 2^{\lambda^2}$), so the last terms in the parity vectors is not satisfied the above condition.

On the other hand, suppose the ciphertext is

-196848789281973859727465844151315553725055119450697291705147663567242374, then calling LLL generates the matrices B, U as follows.

B=[[-110 112 -87 -84 7 1 161 -66 239 63 -181 -146 -205 80 -74 -63 37 -41 -18 34 85 75 7 106 122 158 -27 45 1]

[-2 5 73 41 131 -131 -125 153 -181 217 62 166 201 -63 -140 15 42 36 60 8 -148 -1 96 122 -24 -46 149 170 1]

[102 -33 -62 9 73 -207 127 -42 -273 170 1 130 185 164 -30 -172 -66 22 20 -128 -109 -132 -110 -184 59 -71 84 122 1]

[68 -152 186 187 -215 -37 129 59 14 -153 180 40 -52 203 6 88 139 96 -195 70 -129 -308 -57 -56 139 78 -65 -48 0]

[48 62 -104 -173 250 -14 -52 -73 -173 -23 173 -12 145 44 -217 -93 -62 152 -74 44 210 26 -25 -155 -149 -166 172 167 1]

[88 -57 169 30 -189 7 168 125 26 188 -254 -7 -79 60 -104 -38 133 121 -103 -52 -127 29 -138 318 52 188 -111 58 -1]

[-84 76 222 155 -108 -26 -197 25 -224 297 19 -53 77 -58 5 66 -51 -106 88 -73 -166 -13 37 22 -175 26 -41 -158 -4]

[76 124 -50 4 26 50 49 11 -199 159 -151 -101 -27 6 -104 -149 -14 -201 66 -222 -130 73 -150 -68 33 -27 4 -273 0]

[-94 -37 -17 -71 -51 -45 -65 -68 -89 -85 68 209 52 -21 85 -166 -81 111 -100 -162 43 -4 -175 83 -53 150 -106 143 -1]

[52 -22 64 -80 -114 -107 -63 231 71 -89 -26 108 -215 163 -112 -141 7 10 -78 36 -188 -41 -64

- -1 85 95 -40 88 1]
- [-34 179 157 24 -63 12 -162 80 -57 -121 56 41 -36 -255 52 -139 -70 -116 24 -92 -60 21 138 130 -209 -65 -12 -225 -28]
- [64 100 57 -25 0 35 -36 -82 -131 -40 115 -220 -85 179 -128 -129 -111 -56 -74 -61 48 -146 -60 -55 181 -63 -31 -13 -27]
- [-4 2 80 -34 162 74 -169 179 -119 103 -21 -57 28 110 -103 103 -52 141 61 57 165 74 150 -70 -48 -130 89 196 29]
- [62 -80 113 181 -168 -152 141 52 -279 -49 32 95 104 60 135 9 99 39 -107 -73 73 -170 -131 3 34 67 -26 -148 -3]
- [132 -26 -46 43 -100 102 -85 134 130 -106 49 -5 -41 21 -251 30 130 104 -137 28 -94 -57 -150 78 -12 123 -94 -47 62]
- [-14 27 240 137 29 -36 -56 147 -70 94 22 -133 17 -29 -210 193 139 267 -19 42 122 -1 -72 160 -44 39 62 40 34]
- [36 8 80 103 -99 -167 -275 13 -142 210 85 50 82 68 106 32 73 -91 54 -91 -63 -195 85 87 63 143 28 48 -23]
- [-54 -29 -138 31 -13 35 -94 -49 276 -20 -35 -77 -72 -74 293 46 7 -12 73 112 144 116 -53 91 64 36 1 -89 40]
- [50 -15 -12 -100 42 -124 83 -70 98 19 91 31 -120 174 17 -96 109 175 -178 22 30 7 -108 89 -70 -4 -7 207 47]
- [-16 -65 106 97 -79 -133 -87 42 43 161 179 185 48 -58 66 17 128 -71 -40 21 -273 -30 196 -89 38 27 60 27 -51]
- [-16 20 190 14 2 -83 -192 111 -232 65 9 210 -12 72 -22 -60 3 79 7 -95 -131 136 -20 237 -182 41 25 -180 13]
- [-8 -70 -124 17 -73 262 -62 138 3 3 -158 -42 72 -120 203 -14 221 -154 121 -97 148 314 -103 46 -83 53 0 -172 -44]
- [-90 -41 -50 -64 -141 85 -20 164 190 -6 -1 5 -156 -46 7 90 34 79 -34 139 60 -60 -35 234 22 46 -119 42 107]
- [110 1 107 54 -158 104 -96 -198 63 43 -81 -218 -101 -208 286 32 -121 35 36 -53 -81 163 91 77 -209 -178 -5 -80 9]
- [-202 114 -93 1 164 -87 236 -150 147 -19 -82 42 21 156 6 -193 33 24 -38 -147 94 -91 3 -38 53 -76 -11 -13 82]
- [-118 212 103 23 -78 -23 -224 -36 124 -62 94 -27 -185 73 -147 -125 -68 -12 -41 116 188 37 216 71 -53 163 85 64 51]
- [-38 -34 288 71 -145 -145 -124 170 -21 74 202 50 76 -31 97 62 -80 64 -34 10 -89 14 -70 214 -34 38 -80 90 75]
- [31795 1529484 34164 -326891 -481784 312328 -61101 -109858 -71653 -98959 -183586 434089 355349 219063 348775 501243 257557 343487 -33138 260672 -273839 124941 -292486 -164591 355578 -252847 44112 135082 -190712]]
- U=[[112 -87 -84 7 1 161 -66 239 63 -181 -146 -205 80 -74 -63 37 -41 -18 34 85 75 7 106 122 158 -27 45 1]
- [5 73 41 131 -131 -125 153 -181 217 62 166 201 -63 -140 15 42 36 60 8 -148 -1 96 122 -24 -46 149 170 1]
- [-33 -62 9 73 -207 127 -42 -273 170 1 130 185 164 -30 -172 -66 22 20 -128 -109 -132 -110

- -184 59 -71 84 122 1]
- [-152 186 187 -215 -37 129 59 14 -153 180 40 -52 203 6 88 139 96 -195 70 -129 -308 -57 -56 139 78 -65 -48 0]
- [62 -104 -173 250 -14 -52 -73 -173 -23 173 -12 145 44 -217 -93 -62 152 -74 44 210 26 -25 -155 -149 -166 172 167 1]
- [-57 169 30 -189 7 168 125 26 188 -254 -7 -79 60 -104 -38 133 121 -103 -52 -127 29 -138 318 52 188 -111 58 -1]
- [76 222 155 -108 -26 -197 25 -224 297 19 -53 77 -58 5 66 -51 -106 88 -73 -166 -13 37 22 -175 26 -41 -158 -4]
- [124 -50 4 26 50 49 11 -199 159 -151 -101 -27 6 -104 -149 -14 -201 66 -222 -130 73 -150 -68 33 -27 4 -273 0]
- [-37 -17 -71 -51 -45 -65 -68 -89 -85 68 209 52 -21 85 -166 -81 111 -100 -162 43 -4 -175 83 -53 150 -106 143 -1]
- [-22 64 -80 -114 -107 -63 231 71 -89 -26 108 -215 163 -112 -141 7 10 -78 36 -188 -41 -64 -1 85 95 -40 88 1]
- [179 157 24 -63 12 -162 80 -57 -121 56 41 -36 -255 52 -139 -70 -116 24 -92 -60 21 138 130 -209 -65 -12 -225 -28]
- [100 57 -25 0 35 -36 -82 -131 -40 115 -220 -85 179 -128 -129 -111 -56 -74 -61 48 -146 -60 -55 181 -63 -31 -13 -27]
- [2 80 -34 162 74 -169 179 -119 103 -21 -57 28 110 -103 103 -52 141 61 57 165 74 150 -70 -48 -130 89 196 29]
- [-80 113 181 -168 -152 141 52 -279 -49 32 95 104 60 135 9 99 39 -107 -73 73 -170 -131 3 34 67 -26 -148 -3]
- [-26 -46 43 -100 102 -85 134 130 -106 49 -5 -41 21 -251 30 130 104 -137 28 -94 -57 -150 78 -12 123 -94 -47 62]
- [27 240 137 29 -36 -56 147 -70 94 22 -133 17 -29 -210 193 139 267 -19 42 122 -1 -72 160 -44 39 62 40 34]
- [8 80 103 -99 -167 -275 13 -142 210 85 50 82 68 106 32 73 -91 54 -91 -63 -195 85 87 63 143 28 48 -23]
- [-29 -138 31 -13 35 -94 -49 276 -20 -35 -77 -72 -74 293 46 7 -12 73 112 144 116 -53 91 64 36 1 -89 40]
- [-15 -12 -100 42 -124 83 -70 98 19 91 31 -120 174 17 -96 109 175 -178 22 30 7 -108 89 -70 -4 -7 207 47]
- [-65 106 97 -79 -133 -87 42 43 161 179 185 48 -58 66 17 128 -71 -40 21 -273 -30 196 -89 38 27 60 27 -51]
- [20 190 14 2 -83 -192 111 -232 65 9 210 -12 72 -22 -60 3 79 7 -95 -131 136 -20 237 -182 41 25 -180 13]
- [-70 -124 17 -73 262 -62 138 3 3 -158 -42 72 -120 203 -14 221 -154 121 -97 148 314 -103 46 -83 53 0 -172 -44]
- [-41 -50 -64 -141 85 -20 164 190 -6 -1 5 -156 -46 7 90 34 79 -34 139 60 -60 -35 234 22 46 -119 42 107]
- [1 107 54 -158 104 -96 -198 63 43 -81 -218 -101 -208 286 32 -121 35 36 -53 -81 163 91 77 -209 -178 -5 -80 9]
- [114 -93 1 164 -87 236 -150 147 -19 -82 42 21 156 6 -193 33 24 -38 -147 94 -91 3 -38 53 -76

-11 -13 82]

[212 103 23 -78 -23 -224 -36 124 -62 94 -27 -185 73 -147 -125 -68 -12 -41 116 188 37 216 71 -53 163 85 64 51]

[-34 288 71 -145 -145 -124 170 -21 74 202 50 76 -31 97 62 -80 64 -34 10 -89 14 -70 214 -34 38 -80 90 75]

[1529484 34164 -326891 -481784 312328 -61101 -109858 -71653 -98959 -183586 434089 355349 219063 348775 501243 257557 343487 -33138 260672 -273839 124941 -292486 -164591 355578 -252847 44112 135082 -190712]]

Similarly, the above three matrices is satisfied to equality U*C=B.

It is easy to check that the parity of the first columns of B and U are respectively

Thus, the plaintext bit is "0" in the ciphertext. Because the parity of the first column of B is "0" except its last row and is different from the parity of the first column of U.

Similarly, the last row vector in U is too large (that is $|y|, |y_i| > 2^{\lambda^2}$), so the last terms in the parity vectors is not satisfied the above condition.