

Street Tree Inventory — User Guide

From a blank project to a printed Tree Protection Plan.

Build v212 · 1 October 2026 · © 2026 Chris Gynan. Proprietary and confidential.

WHAT IS IN HERE

- | | |
|---------------------------------|--|
| 1. Before you start | 9. Uploading the arborist report |
| 2. Starting a project | 10. Selecting standard drawings |
| 3. Loading layers | 11. Appendix A and the tables |
| 4. Recording and editing trees | 12. Finalizing the plan |
| 5. The fence and the plantings | 13. Building and printing |
| 6. Making the map read properly | 14. Picking a job up on another device |
| 7. Creating the map sheets | 15. If something looks wrong |
| 8. The wording and branding | |

1 Before you start

Once per device. Five minutes, and you never do it again.

1. Open the app in the phone or tablet's browser and **add it to the home screen**. It then opens like an app and works with no signal.
2. **Menu** →  **Settings & help** → **Cruiser, project & ID settings**. Pick **your name** from the list, or choose to add a new one and type it. Every tree you record is attributed to you.
3. Put your **email** in the same screen. It is where "Email me the data + photos" sends.
4. Check the **York Region replacement cost** and its rate year while you are there. It drives the compensation table.
5. **Menu** →  **Sync & the Sheet** → **Sheet & photo check**. Every line should be green. If **The Sheet** is red it tells you exactly what to do.

WORTH DOING ONCE

When you have one job set up exactly the way you like it — wording, logo, label style, layer colours, sheet size, rates — go to **Menu** →  **Sync & the Sheet** → **House standard** and tap **Save this project's setup as the standard**. Every new project after that starts already looking right, on anyone's device. Tick **Start new projects from it, without asking** and it happens by itself.

2 Starting a project

1. **Menu** →  **Settings & help** → **Cruiser, project & ID settings**.
2. Under **Project**, choose to add a new one and type the name — for example **1 Cynthia Crescent**. It is shared with the whole crew as soon as you save.
3. **Save**, then close the screen.
4. At the top of the Menu, the button reading  **Showing:** should now name your project. Tap it to change which project you are looking at.
5. Still in the Menu, tap the switch under the groups to **turn tree protection on** for this project. Confirm when it asks. This adds the impact, prognosis and recommended-action fields to the tree form, and puts the whole  **Tree protection & reporting** group on the Menu. Without it none of the plan tools appear.

SHOWING

Showing controls everything. Counts, exports, the legend, the sheets and the document are all built from the project you are showing. If a screen says "Set Showing to one project first", that is what it means.

3 Loading layers

Layers are context — parcels, servicing, streets, boundaries. They are drawn and labelled but never edited. Trees you will edit come in a different way (§4).

Bringing a layer in

1. **Menu** → 📁 **Bring data in** → **Layers & reference files**, then + **Add layer / GPX track**.
2. Choose a zipped shapefile, a GeoJSON, or a GPX track.
3. The layer appears in the list with a row of buttons.

If the crew shares layers through the Drive, use **Menu** → 📁 **Bring data in** → 🏠 **Layers on Drive** instead and take them straight from there.

The buttons on a layer row

BUTTON WHAT IT DOES

🔧	Name, colour, line weight, pattern, transparency, and whether it appears in the legend.
🏷️	Which of the layer's own fields print as labels on the map and on the plan .
➡️	Copy a field from this layer into any new tree dropped inside it — an address from the parcel fabric, for instance.
⬇️	Send the layer back out as a shapefile or GeoJSON.
☆	Tell the app what the layer is for.

Labelling the property fabric

1. Tap 🏷️ on the parcel layer.
2. Tick the field that holds the address.
3. Choose the ink colour. **White** for a plan over dark aerial photography, **black** over a pale survey base.

Those labels print on every detailed sheet. An address that will not fit inside its own lot is placed beside the lot and joined to it with a leader line, so it is never read as belonging to the neighbour.

The site plan

Menu → 🌳 **Tree protection & reporting** → **Load the site plan (georeferenced PDF)**. Once loaded, the 🗺️ button appears on the map rail to turn it on and off.

GETTING THE LAYERS TO THE REST OF THE CREW

You do not have to do anything. Layers and PDFs go up to the project folder by themselves and arrive on the other devices. **Menu** → **🔗 Sync & the Sheet** → **Project files** shows what is up there, what this device is missing, and what is still to send.

4 Recording and editing trees

Three ways a tree gets on the map

+ Tree here (GPS)	Bottom of the screen. Drops a tree at your position. The normal way in the field.
+ Place	Pan the map so the crosshair sits on the tree, then tap ✓ Drop here . For a tree you can see but cannot stand at.
Import	Menu → 📁 Bring data in → Import tree points — a zipped shapefile, GeoJSON or GPX from the office.

Editing one tree

Tap its symbol on the map. Fill in species, DBH, health, and — with tree protection on — potential impact, prognosis and recommended action. Photographs are taken from the same screen.

💾 Save tree sits at the top of the form as well as at the bottom, and stays with you as you scroll. A tree that only needs a species, a diameter and a photograph is done without scrolling to the end. It is the same save either way: the tree still needs a position and a species, and it still asks once if there is no photograph.

Editing a lot of trees at once

- **Menu** → **📊 Review** → **Find trees by attribute** — pick them by what they have in common, then edit, move or delete the lot. **Zoom to them** closes the sheet and takes the map to them; they stay selected, and **Menu** → **📊 Review** → **↩ Back to the selected trees** brings the sheet back with the same search printed on it.
- **Menu** → **📊 Review** → **Select everything showing** — same, for everything currently on screen.
- **📏** on the map rail — draw a box round a group.
- **Menu** → **📁 Bring data in** → **Update trees from an edited layer or table** — bring changes back from a spreadsheet or a layer edited in ArcGIS Pro.

Keeping the numbering tidy

Menu → **⚙ Settings & help** → **Renumber what is showing 1, 2, 3...** rennumbers the project in a sensible order once the inventory is complete.

BEFORE YOU LEAVE SITE

Menu →  **Sync** — **send and check everything**. The readiness line at the top of the Menu tells you in one sentence whether anything is still sitting on this device only.

5 The fence and the plantings

Drawing them

- **Menu** →  → **Draw the tree protection fence**, then tap along the line. The length is measured for you and printed in the legend.
- **Menu** →  → **Place proposed plantings** for each new tree.
- **Menu** →  → **Fences & protection lines from a layer** if the alignment already exists in a CAD or GIS file. Anything you draw afterwards is added to the same set and the length summary keeps up.

Styling the two lines

Open **Layers** and tap  on *Tree protection fence* or *Root-sensitive excavation*.

- **Line weight** runs from 1 to 20. On a 200 dpi sheet, 20 is about a sixth of an inch.
- **Line pattern** — solid, dashed, dotted, dash-dot, long dash, dash-dot-dot. The pattern prints on the plan as well as the map, which is what keeps the two lines apart when the drawing is photocopied.
- **White outline** is off. Turn it on only for a plan printed over dark aerial photography.

TWO LINES ON ONE ALIGNMENT

The fence and the excavation line usually follow the same route. Make one of them **wider** and it is automatically drawn underneath, so it reads as a band either side of the other. There is no setting to get wrong. A good starting point is the excavation line at **14** and the fence at **4**.

Notes and arrows

Menu →  → **Notes & arrows on the map**. These print on the detailed sheets and are deliberately left off the index sheet.

6 Making the map read properly

What the screen shows is what the plan prints. Get it right here and the sheets come out right.

The map rail



Change the base imagery

	Labels on and off — hold to configure
	Layers · Legend
	Protection zones · Crown diameter circles
	Pruning (P) and removal (X) marks
	Colour the trees by health, size, treatment and so on
	Measure · Identify what is under your finger

The legend

Layers →  Legend — names & groups.

- Rename anything for the legend alone — the layer keeps its real name.
- + **New group** puts related layers under one heading. Give the group a colour and every member takes it.
- A group whose members would all print the **same** symbol collapses to a single row that names them:
Existing features — Driveway, Sanitary sewer, Storm sewer
- Tick **Give each layer its own line pattern** on the group's  screen if you would rather tell them apart. They then stay listed separately, each with its own pattern, on the drawing as well as in the key.

THE FIGURES BESIDE A LEGEND ITEM

Show the figure for each sheet puts the fence length and the tree counts next to their legend entries — counted from what that sheet actually carries, not from the whole job.

7 Creating the map sheets

1. **Menu** →  **Get data out** → **Map of this view (PDF)** opens the **Export map** screen.
2. **Title** — a  bar splits it over two lines.
3. **Label each tree with** — number and species is the usual choice.
4. **Coverage**
 - *This view* — *one sheet* for a single figure.
 - *All trees* — *a series of sheets* for a plan set.
5. **Scale of each sheet** — 1:250 for a single tree and its zone, 1:1,000 for a street.
6. **Overlap between sheets** — 10% is the usual allowance and the default. Each sheet runs past its neighbour by that much, so a tree or fence on a boundary is shown whole on one of them. The line underneath tells you how many sheets, how much ground each covers, and how much is shared, in metres.
7. **Sheet size** — 17 × 11 in for a plan set.

8. Export. A series also produces an **index sheet** showing the layout and the sheet numbers, and stamps each tree with the sheet it is found on.

MORE OVERLAP MEANS MORE SHEETS

The ground one sheet covers never changes — the scale is untouched — but each sheet now starts before the last one ended. A twelve-sheet job becomes about fifteen at 10%. Set the overlap to **None** if you want sheets that butt edge to edge.

8 The wording and branding

Typed once and carried forward to every future plan.

Menu →  → **TPP wording & branding**.

Prepared for	The client block. Changes with each job.
Title block	The plan title and municipality. Changes with each job.
Base data credits	Who supplied the aerial photo, the site plan, the servicing plan.
Prepared by	Your own block. Set once.
Landscaping notes	Printed above the plant list. Leave it empty to leave the section out. A line starting Timing: or Watering: prints with its lead word in bold.
Contents page note	Anything that belongs on the contents page.
Logo	Drawn in the <i>Prepared by</i> box on every sheet.

Save when you are done. Only the top two boxes normally change between jobs.

9 Uploading the arborist report

1. Menu →  →  **Assemble the final document**.
2. Leave **A PDF you add goes** on *Straight after Contents — the arborist report*.
3. Tap **+ Add a PDF** and choose the file.
4. Name it as the contents page should read. It drops into place — no arrows needed.

For anything that belongs at the back — a letter, a figure, a supplementary drawing — switch the box to *At the end* before adding it. The green line in the list shows where the next one will land, and  moves a PDF already in the list up behind Contents.

REMOVING AN OLD VERSION FROM THE DRIVE

Taking a report out of the document does not remove it from the project folder.

Menu → **↕ Sync & the Sheet** → **Project files**, then **Remove** on the row. If the file is still on this device the automatic send will put it back, so take it out of the document here first — the screen tells you which case you are in.

10 Selecting standard drawings

Menu → **📁** → **Standard detail drawings**.

- The library is **shared** — added once, available on every device, for every future job.
- **+ Add drawings (PDF or image)**. Each page of a PDF becomes its own drawing.
- Use the municipality box to narrow a long library down.
- **Preview size** — *Large* lets you read a title block, *Full width* the whole drawing.
- **Tick** the drawings this project's document should carry. Two go on every sheet.

Adding a large library takes a few minutes the first time, and the progress is shown as it goes. After that it is there for good.

11 Appendix A and the tables

Appendix A — tree photographs

1. **Menu** → **📁** → **Appendix A — tree photographs (PDF)**. (Called *Schedule B* before v210 — renamed to match the arborist report.)
2. Set the **title**, **subtitle** and the **site** as it should read on the title page.
3. Tap the fields that go under each photograph, **in the order you want them**. The tree number is always first and cannot be removed — it is the only thing tying a photograph to a row in Schedule A.
4. Check the preview, then **Save and build it**.

A long job says how far along it is as it runs, and **Stop building** is there if you started the wrong one.

The tables

Schedule A	The tree inventory table.
Table 1	Species by location.
Landscaping plant list	What is being planted, with the codes that appear on the plan.
York Region compensation	Built from the replacement cost in Settings.
Treatments	Counts and a list of the protection treatments.

All of them sit under **Menu** →  → **Report tables**.

12 Finalizing the plan

A version is the whole arrangement, named and dated. It is what lets anyone on the job produce the same document.

1. **Menu** →  →  **Plan versions**.
2. Look at **Ready to hand over?** — four ticks and anybody on this project can produce the same document. A red line says exactly what is missing.
3. Tap + **Save a version & send everything up** and name it as the submission should be known — *90% submission, Issued for permit, Rev B*.

A version carries the wording, the branding, the layer symbology, the legend, the chosen standard drawings, the notes and arrows, and the plan settings. It does **not** carry the trees — they live on the Sheet and are the live job. Nothing is ever overwritten by saving a new one.

Housekeeping

Remove on any version takes it out of the project folder for every device. It is final, and nothing on your device changes — a version is a recipe, not a copy of the job. Removing the only version leaves the project with nothing to hand over, and the screen says so before you answer.

13 Building and printing

1. **Menu** →  →  **Assemble the final document**.
2. **Document title** and **Sheet prefix** — the prefix is what numbers the sheets (TPP-1, TPP-2 ...).
3. **Value column** — offsetting value, appraisal, both, or none.
4. **Sheet size, Site plan scale** and **Overlap between sheets**. The overlap is the same figure the map export uses; changing it in either place changes both.
5. **Label each tree with**, and the **key map background**.
6. Tick what goes in and order it with the arrows. The contents page is built from the real page numbers, so it is always right.
7. **Print the drawing name in the title block** names the uploaded PDF or standard detail on each of its sheets, under the document title.
8. **Build the document**.

You get one PDF: title page, contents, the arborist report, the plan sheets, the schedules and the standard details, in order, numbered.

THE TPP PAGE COLUMN

Assembling the document stamps every tree with the plan sheet it falls on, using the number that is actually printed on that sheet — a tree shown on **TPP12** reads 12. The column is called **TPP page** and it appears in Schedule A, in the Schedule A CSV and in the emailed workbook. Where sheets overlap, a tree caught on two of them is indexed to the one it sits most centrally on. Build the document before you send the workbook out, or the column will be carrying the numbers from the last build.

Printing it

1. Open the PDF and print at **100% / Actual size**. Do **not** use "fit to page" — it breaks the scale.
2. Plan sheets are 17 × 11 in (tabloid). Letter is available if the job wants it.
3. Check the scale bar on a printed sheet against a ruler before a set goes out.

CHECK BEFORE YOU ISSUE

Print one sheet first. Look at the scale bar, the north arrow, the title block, and that the legend matches what is on that sheet. The legend is built from what the sheet actually carries, so a sheet with no fence on it will not list one.

14 Picking a job up on another device

1. Set  **Showing** to the project.
2. **Menu** →  **Sync & the Sheet** → **Load trees from Sheet**.
3. **Menu** →  **Plan versions**, then **Bring this in** on the version you want. It fetches the layers and the report by itself.
4. **Menu** →  **Assemble the final document** and build.

Bringing a version in replaces the wording, branding, symbology, legend, chosen drawings, notes and plan settings **on that device**. The trees are not touched. Your current arrangement is not saved anywhere unless you saved it as a version first.

15 If something looks wrong

WHAT YOU SEE

A photo will not load

Trees missing or doubled

Layers missing on a second device

WHAT TO DO

Menu →  → **Sheet & photo check**. It names the problem. **Refresh photo links** fixes most of them.

Menu →  → **Check this device against the Sheet**.

Menu →  → **Project files**. It says what is up there, what this device is missing, and what is still to send.

A label has no room on a sheet	The app says how many were dropped. A larger scale fits them.
Group styles reset	Fixed in v199. Set them once more and they stay.
Trees have a red ring round them	That is the field-checked halo — a tree gets it when somebody opens and saves it. The ✓ button on the map rail turns it off, on screen and on the printed plan together.
The TPP page column is blank or disagrees with the sheets	It is filled in when the document is assembled, so build the document once and it is right. The standalone map export does not touch it.
Something is only on this phone	The readiness line at the top of the Menu says so, and tapping it goes to whatever will put it right.

TWO THINGS TO BE CAREFUL WITH

Clear a project from this phone removes the local copy only — the Sheet keeps it. **Clear all data on this device** does what it says. Sync first, both times.

A short order of work

1. Settings — your name, the project, turn tree protection on
2. Layers and the site plan
3. Trees, photographs, the fence and the plantings
4. Labels, legend, symbology
5. TPP wording & branding
6. Arborist report in, standard drawings ticked
7. Appendix A and the tables
8. Sync, then save a plan version
9. Assemble the document and build
10. Print one sheet and check the scale bar

This guide, on the phone

Menu → ⚙ **Settings & help** → 📖 **User guide (PDF)** opens this document from within the app. It is kept on the device with the app, so it opens in the field with no signal.