

```
*Creating database.
create database The_MovieCo;
mysql> SHOW TABLES;
```

```
+-----+
| Tables_in_the_movieco |
+-----+
| detailrental           |
| membership             |
| movie                  |
| price                  |
| rental                 |
| video                  |
+-----+
6 rows in set (0.00 sec)
```

```
* Membership Table.
create table MEMBERSHIP(MEM_NUM INT PRIMARY KEY, MEM_FNAME VARCHAR(30), MEM_LNAME
VARCHAR(30), MEM_STREET VARCHAR(30), MEM_CITY VARCHAR(10) , MEM_STATE
VARCHAR(20), MEM_ZIP INT, MEM_BALANCE INT);
mysql> describe membership;
```

```
+-----+-----+-----+-----+-----+-----+
| Field      | Type      | Null | Key | Default | Extra |
+-----+-----+-----+-----+-----+-----+
| MEM_NUM    | int       | NO   | PRI | NULL    |       |
| MEM_FNAME  | varchar(30) | YES  |     | NULL    |       |
| MEM_LNAME  | varchar(30) | YES  |     | NULL    |       |
| MEM_STREET | varchar(30) | YES  |     | NULL    |       |
| MEM_CITY   | varchar(50) | YES  |     | NULL    |       |
| MEM_STATE  | varchar(20) | YES  |     | NULL    |       |
| MEM_ZIP    | int       | YES  |     | NULL    |       |
| MEM_BALANCE | int       | YES  |     | NULL    |       |
+-----+-----+-----+-----+-----+-----+
8 rows in set (0.00 sec)
```

```
*PRICE Table.
CREATE TABLE PRICE(Price_Code INT PRIMARY KEY, Price_Description
VARCHAR(20), Price_Rentfee decimal(4,1), Price_Dailylatefee decimal(4,1));
mysql> describe Price;
```

```
+-----+-----+-----+-----+-----+-----+
| Field      | Type      | Null | Key | Default | Extra |
+-----+-----+-----+-----+-----+-----+
| Price_Code | int       | NO   | PRI | NULL    |       |
| Price_Description | varchar(20) | YES  |     | NULL    |       |
| Price_Rentfee | decimal(4,1) | YES  |     | NULL    |       |
| Price_Dailylatefee | decimal(4,1) | YES  |     | NULL    |       |
+-----+-----+-----+-----+-----+-----+
4 rows in set (0.00 sec)
Query OK, 0 rows affected (0.10 sec)
```

```
*MOVIE Table
create table MOVIE(Movie_Num INT PRIMARY KEY, Movie_Name VARCHAR(50), Movie_Year
INT, Movie_Cost decimal(4,1), Movie_Genre VARCHAR(50), Price_Code INT);
mysql> describe MOVIE;
```

```
+-----+-----+-----+-----+-----+-----+
| Field      | Type      | Null | Key | Default | Extra |
+-----+-----+-----+-----+-----+-----+
| Movie_Num  | int       | NO   | PRI | NULL    |       |
| Movie_Name | varchar(50) | YES  |     | NULL    |       |
| Movie_Year | int       | YES  |     | NULL    |       |
| Movie_Cost | decimal(4,1) | YES  |     | NULL    |       |
| Movie_Genre | varchar(50) | YES  |     | NULL    |       |
| Price_Code | int       | YES  |     | NULL    |       |
+-----+-----+-----+-----+-----+-----+
6 rows in set (0.00 sec)
```

Query OK, 0 rows affected (0.19 sec)

*VIDEO Table

```
create table VIDEO(Vid_Num INT PRIMARY KEY,Vid_Indate VARCHAR(20),Movie_Num
INT,FOREIGN KEY(Movie_Num)REFERENCES MOVIE(Movie_Num));
mysql> describe VIDEO;
```

Field	Type	Null	Key	Default	Extra
Vid_Num	int	NO	PRI	NULL	
Movie_Num	int	YES	MUL	NULL	
Vid_Indate	varchar(20)	YES		NULL	

3 rows in set (0.00 sec)

Query OK, 0 rows affected (0.19 sec)

*RENTAL TABLE

```
create table RENTAL(Rent_Num INT PRIMARY KEY,Rent_Date VARCHAR(20),MEM_NUM
INT,FOREIGN KEY(MEM_NUM)REFERENCES MEMBERSHIP(MEM_NUM));
mysql> DESCRIBE RENTAL;
```

Field	Type	Null	Key	Default	Extra
Rent_Num	int	NO	PRI	NULL	
Rent_Date	varchar(20)	YES		NULL	
MEM_NUM	int	YES	MUL	NULL	

3 rows in set (0.00 sec)

Query OK, 0 rows affected (0.16 sec)

*DETAIL_RENTAL TABLE;

```
CREATE TABLE Detail_Rental (Rent_Num INT NOT NULL,Vid_Num INT NOT NULL,
Detail_Fee DECIMAL(5,1) NOT NULL, Detail_Duedate VARCHAR(15) NOT NULL,
Detail_Returndate VARCHAR(15) NOT NULL, Detail_Dailylatefee DECIMAL(5,1) NOT
NULL, PRIMARY KEY (Rent_Num, Vid_Num), FOREIGN KEY (Rent_Num) REFERENCES
RENTAL(Rent_Num),FOREIGN KEY (Vid_Num) REFERENCES VIDEO(Vid_Num));
mysql> DESCRIBE detailrental;
```

Field	Type	Null	Key	Default	Extra
Rent_Num	int	NO	PRI	NULL	
Vid_Num	int	NO	PRI	NULL	
Detail_Fee	decimal(5,1)	NO		NULL	
Detail_Duedate	varchar(15)	NO		NULL	
Detail_Returndate	varchar(15)	NO		NULL	
Detail_Dailylatefee	decimal(5,1)	NO		NULL	

6 rows in set (0.00 sec)

Query OK, 0 rows affected (0.15 sec)

*Membership Data

INSERT INTO

```
MEMBERSHIP(MEM_NUM, MEM_FNAME, MEM_LNAME, MEM_STREET, MEM_CITY, MEM_STATE, MEM_ZIP, MEM
_BALANCE)VALUES(102, 'Tami', 'Dawson', '2632 Takli Circle', 'Norene', 'TN', 37136, 11);
Query OK, 1 row affected (0.07 sec)
```

INSERT INTO

```
MEMBERSHIP(MEM_NUM, MEM_FNAME, MEM_LNAME, MEM_STREET, MEM_CITY, MEM_STATE, MEM_ZIP, MEM
_BALANCE)VALUES(103, 'Curt', 'Knight', '4025 Cornell
Court', 'Flatgap', 'KY', 41219, 6);
```

Query OK, 1 row affected (0.06 sec)

mysql> INSERT INTO MEMBERSHIP

```
(MEM_NUM, MEM_FNAME, MEM_LNAME, MEM_STREET, MEM_CITY, MEM_STATE, MEM_ZIP, MEM_BALANCE)V
```

```

ALUES(104,'Jamal','Melendez','788 East 145th Avenue','Quebeck','TN',38579,0),
(105,'Iva','Mcclain','6045 Musket Ball Circle','Summit','KY',42783,15),
(106,'Miranda','Parks','4469 Maxwell Place','Germantown','TN',38183,0),
(107,'Rosario','Elliott','7578 Danner Avenue','Columbia','TN',38402,5),
(108,'Mattie','Guy','4390 Evergreen Street','Lily','KY',40740,0),
(109,'Clint','Ochoa','1711 Elm Street','Greenville','TN',37745,10),
(110,'Lewis','Rosales','4524 Southwind Circle','Counce','TN',38326,0),
(111,'Stacy','Mann','2789 East Cook Avenue','Murfreesboro','TN',37132,8),
(112,'Luis','Trujillo','7267 Melvin Avenue','Heiskell','TN',37754,3);

```

Query OK, 9 rows affected (0.02 sec)

```
mysql> SELECT * FROM MEMBERSHIP;
```

```

+-----+-----+-----+-----+-----+-----+
+-----+-----+-----+-----+
| MEM_NUM | MEM_FNAME | MEM_LNAME | MEM_STREET | MEM_CITY | MEM_STATE |
| MEM_STATE | MEM_ZIP | MEM_BALANCE |
+-----+-----+-----+-----+-----+-----+
+-----+-----+-----+-----+
| 102 | Tami | Dawson | 2632 Takli Circle | Norene | TN |
| 37136 | 11 |
| 103 | Curt | Knight | 4025 Cornell Court | Flatgap | KY |
| 41219 | 6 |
| 104 | Jamal | Melendez | 788 East 145th Avenue | Quebeck | TN |
| 38579 | 0 |
| 105 | Iva | Mcclain | 6045 Musket Ball Circle | Summit | KY |
| 42783 | 15 |
| 106 | Miranda | Parks | 4469 Maxwell Place | Germantown | TN |
| 38183 | 0 |
| 107 | Rosario | Elliott | 7578 Danner Avenue | Columbia | TN |
| 38402 | 5 |
| 108 | Mattie | Guy | 4390 Evergreen Street | Lily | KY |
| 40740 | 0 |
| 109 | Clint | Ochoa | 1711 Elm Street | Greenville | TN |
| 37745 | 10 |
| 110 | Lewis | Rosales | 4524 Southwind Circle | Counce | TN |
| 38326 | 0 |
| 111 | Stacy | Mann | 2789 East Cook Avenue | Murfreesboro | TN |
| 37132 | 8 |
| 112 | Luis | Trujillo | 7267 Melvin Avenue | Heiskell | TN |
| 37754 | 3 |
| 113 | Minnie | Gonzales | 6430 Vasili Drive | Williston | TN |
| 38076 | 0 |
+-----+-----+-----+-----+-----+-----+
+-----+-----+-----+-----+

```

12 rows in set (0.00 sec)

*detailrental info.

```
INSERT INTO DETAILRENTAL
```

```
(Rent_Num, Vid_Num, Detail_Fee, Detail_Duedate, Detail_Returndate,
Detail_Dailylatefee)
```

```
VALUES
```

```

(1001, 34342, 2.0, '04-MAR-16', '02-MAR-16', 1.0),
(1001, 61353, 2.0, '04-MAR-16', '03-MAR-16', 1.0),
(1002, 59237, 3.5, '04-MAR-16', '04-MAR-16', 3.0),
(1003, 54325, 3.5, '04-MAR-16', '09-MAR-16', 3.0),
(1003, 34369, 2.0, '06-MAR-16', '09-MAR-16', 1.0),
(1003, 61388, 0.0, '06-MAR-16', '09-MAR-16', 1.0),
(1004, 44392, 3.5, '05-MAR-16', '07-MAR-16', 3.0),
(1004, 34367, 3.5, '05-MAR-16', '07-MAR-16', 3.0),
(1004, 34341, 2.0, '07-MAR-16', '07-MAR-16', 1.0),
(1005, 34342, 2.0, '07-MAR-16', '05-MAR-16', 1.0),
(1005, 44397, 3.5, '05-MAR-16', '05-MAR-16', 3.0),
(1006, 34366, 3.5, '05-MAR-16', '04-MAR-16', 3.0),
(1006, 61354, 2.0, '07-MAR-16', 1.0),
(1007, 34368, 3.5, '05-MAR-16', 3.0),

```

```
(1008, 34369, 3.5, '05-MAR-16', '05-MAR-16', 3.0),
(1009, 54324, 3.5, '05-MAR-16', 3.0),
(1001, 34366, 3.5, '04-MAR-16', '02-MAR-16', 3.0);
```

```
-----+
| Rent_Num | Vid_Num | Detail_Fee | Detail_Duedate | Detail_Returndate |
Detail_Dailylatefee |
+-----+-----+-----+-----+-----+-----+
+-----+
|      1001 |      34342 |          2.0 | 04-MAR-16      | 02-MAR-16          |
1.0 |
|      1001 |      34366 |          3.5 | 04-MAR-16      | 02-MAR-16          |
3.0 |
|      1001 |      61353 |          2.0 | 04-MAR-16      | 03-MAR-16          |
1.0 |
|      1002 |      59237 |          3.5 | 04-MAR-16      | 04-MAR-16          |
3.0 |
|      1003 |      34369 |          2.0 | 06-MAR-16      | 09-MAR-16          |
1.0 |
|      1003 |      54325 |          3.5 | 04-MAR-16      | 09-MAR-16          |
3.0 |
|      1003 |      61388 |          0.0 | 06-MAR-16      | 09-MAR-16          |
1.0 |
|      1004 |      34341 |          2.0 | 07-MAR-16      | 07-MAR-16          |
1.0 |
|      1004 |      34367 |          3.5 | 05-MAR-16      | 07-MAR-16          |
3.0 |
|      1004 |      44392 |          3.5 | 05-MAR-16      | 07-MAR-16          |
3.0 |
|      1005 |      34342 |          2.0 | 07-MAR-16      | 05-MAR-16          |
1.0 |
|      1005 |      44397 |          3.5 | 05-MAR-16      | 05-MAR-16          |
3.0 |
|      1006 |      34366 |          3.5 | 05-MAR-16      |                    |
3.0 |
|      1006 |      61354 |          2.0 | 07-MAR-16      |                    |
1.0 |
|      1007 |      34368 |          3.5 | 05-MAR-16      |                    |
3.0 |
|      1008 |      34369 |          3.5 | 05-MAR-16      | 05-MAR-16          |
3.0 |
|      1009 |      54324 |          3.5 | 05-MAR-16      |                    |
3.0 |
+-----+-----+-----+-----+-----+-----+
+-----+
```

17 rows in set (0.00 sec)

* RENTAL DATA

```
mysql> INSERT INTO RENTAL(Rent_Num, Rent_Date, Mem_Num)VALUES(1001, '01-MAR-16',
103),(1002, '01-MAR-16', 105),(1003, '02-MAR-16', 102),(1004, '02-MAR-16', 110),
(1005, '02-MAR-16', 111),(1006, '02-MAR-16', 107),(1007, '02-MAR-16', 104),
(1008, '03-MAR-16', 105),(1009, '03-MAR-16', 111);
```

Query OK, 9 rows affected (0.01 sec)

```
mysql> SELECT * FROM RENTAL
```

-> ;

```
-----+-----+-----+
| Rent_Num | Rent_Date | MEM_NUM |
+-----+-----+-----+
|      1001 | 01-MAR-16 |      103 |
|      1002 | 01-MAR-16 |      105 |
|      1003 | 02-MAR-16 |      102 |
|      1004 | 02-MAR-16 |      110 |
|      1005 | 02-MAR-16 |      111 |
|      1006 | 02-MAR-16 |      107 |
|      1007 | 02-MAR-16 |      104 |
```

1008	03-MAR-16	105
1009	03-MAR-16	111

9 rows in set (0.00 sec)
Records: 9 Duplicates: 0 Warnings: 0

*PRICE DATA

```
mysql> INSERT INTO PRICE(Price_Code, Price_Description, Price_Rentfee,
Price_Dailylatefee)VALUES(1, 'Standard', 2.0, 1.0),(2, 'New Release', 3.5, 3.0),
(3, 'Discount', 1.5, 1.0),(4, 'Weekly Special', 1.0, 0.5);
mysql> SELECT * FROM PRICE;
```

Price_Code	Price_Description	Price_Rentfee	Price_Dailylatefee
1	Standard	2.0	1.0
2	New Release	3.5	3.0
3	Discount	1.5	1.0
4	Weekly Special	1.0	0.5

Query OK, 4 rows affected (0.01 sec)
Records: 4 Duplicates: 0 Warnings: 0

*Movie data

```
INSERT INTO MOVIE(Movie_Num, Movie_Name, Movie_Year, Movie_Cost, Movie_Genre,
Price_Code)VALUES(1234, 'The Cesar Family Christmas', 2014, 39.95, 'FAMILY', 2),
(1235, 'Smokey Mountain Wildlife', 2011, 59.95, 'ACTION', 1),(1236, 'Richard
Goodhope', 2015, 59.95, 'DRAMA', 2),(1237, 'Beatnik Fever', 2014, 29.95,
'COMEDY', 2),(1238, 'Constant Companion', 2015, 89.95, 'DRAMA', 3),(1239, 'Where
Hope Dies', 2005, 25.49, 'DRAMA', 3),(1245, 'Time to Burn', 2012, 45.49,
'ACTION', 1),(1246, 'What He Doesn''t Know', 2013, 58.29, 'COMEDY', 1);
mysql> SELECT * FROM PRICE;
```

Price_Code	Price_Description	Price_Rentfee	Price_Dailylatefee
1	Standard	2.0	1.0
2	New Release	3.5	3.0
3	Discount	1.5	1.0
4	Weekly Special	1.0	0.5

4 rows in set (0.00 sec)
Query OK, 8 rows affected, 8 warnings (0.01 sec)
Records: 8 Duplicates: 0 Warnings: 8

*Video data

```
mysql> INSERT INTO VIDEO(Vid_Num, Vid_Indate, Movie_Num) VALUES(54321, '18-
JUN-15', 1234),(54324, '18-JUN-15', 1234),(54325, '18-JUN-15', 1234),(34341,
'22-JAN-14', 1235),(34342, '22-JAN-14', 1235),(34366, '02-MAR-16', 1236),(34367,
'02-MAR-16', 1236),(34368, '02-MAR-16', 1236),(34369, '02-MAR-16', 1236),(44392,
'21-OCT-15', 1237),(44397, '21-OCT-15', 1237),(59237, '14-FEB-16', 1237),(61388,
'25-JAN-14', 1239),(61353, '28-JAN-13', 1245),(61354, '28-JAN-13', 1245);
mysql> SELECT * FROM VIDEO;
```

Vid_Num	Movie_Num	Vid_Indate
34341	1235	22-JAN-14
34342	1235	22-JAN-14
34366	1236	02-MAR-16
34367	1236	02-MAR-16
34368	1236	02-MAR-16
34369	1236	02-MAR-16
44392	1237	21-OCT-15
44397	1237	21-OCT-15
54321	1234	18-JUN-15

54324	1234	18-JUN-15
54325	1234	18-JUN-15
59237	1237	14-FEB-16
61353	1245	28-JAN-13
61354	1245	28-JAN-13
61367	1245	07-MAR-16
61388	1239	25-JAN-14

```

+-----+
16 rows in set (0.00 sec)
Query OK, 15 rows affected (0.01 sec)
Records: 15  Duplicates: 0  Warnings: 0

```

Q3.

```
UPDATE MOVIE SET Movie_Year = 2010 WHERE Movie_Num = 1245;
```

```
mysql> SELECT * FROM MOVIE;
```

Movie_Num	Movie_Name	Movie_Year	Movie_Cost	Movie_Genre
1234	The Cesar Family Christmas	2014	40.0	FAMILY
1235	Smokey Mountain Wildlife	2011	60.0	ACTION
1236	Richard Goodhope	2015	60.0	DRAMA
1237	Beatnik Fever	2014	30.0	COMEDY
1238	Constant Companion	2015	90.0	DRAMA
1239	Where Hope Dies	2005	25.5	DRAMA
1245	Time to Burn	1245	45.5	ACTION
1246	What He Doesn't Know	2013	58.3	COMEDY

```

+-----+
8 rows in set (0.00 sec)
Query OK, 1 row affected (0.04 sec)
Rows matched: 1  Changed: 1  Warnings: 0

```

Q4.

```
UPDATE MOVIE SET Price_Code = 3WHERE Movie_Genre = 'ACTION';
```

```
mysql> SELECT * FROM MOVIE;
```

Movie_Num	Movie_Name	Movie_Year	Movie_Cost	Movie_Genre
1234	The Cesar Family Christmas	2014	40.0	FAMILY
1235	Smokey Mountain Wildlife	2011	60.0	ACTION
1236	Richard Goodhope	2015	60.0	DRAMA
1237	Beatnik Fever	2014	30.0	COMEDY
1238	Constant Companion	2015	90.0	DRAMA

1239	Where Hope Dies	2005	25.5	DRAMA
1245	Time to Burn	2010	45.5	ACTION
1246	What He Doesn't Know	2013	58.3	COMEDY

```

+-----+-----+-----+-----+
+-----+-----+

```

8 rows in set (0.00 sec)
Query OK, 2 rows affected (0.01 sec)
Rows matched: 2 Changed: 2 Warnings: 0

Q5

UPDATE PRICE SET PRICE_RENTFEE = PRICE_RENTFEE + 0.50;

Query OK, 4 rows affected (0.01 sec)
Rows matched: 4 Changed: 4 Warnings: 0

mysql> SELECT * FROM PRICE;

Price_Code	Price_Description	Price_Rentfee	Price_DailyLatefee
1	Standard	2.5	1.0
2	New Release	4.0	3.0
3	Discount	2.0	1.0
4	Weekly Special	1.5	0.5

4 rows in set (0.00 sec)

Q6.

mysql> select movie_name,movie_year,movie_genre FROM MOVIE;

movie_name	movie_year	movie_genre
The Cesar Family Christmas	2014	FAMILY
Smokey Mountain Wildlife	2011	ACTION
Richard Goodhope	2015	DRAMA
Beatnik Fever	2014	COMEDY
Constant Companion	2015	DRAMA
Where Hope Dies	2005	DRAMA
Time to Burn	2010	ACTION
What He Doesn't Know	2013	COMEDY

8 rows in set (0.00 sec)

Q7.

mysql> SELECT MOVIE_Name,movie_year,movie_cost FROM MOVIE;

MOVIE_Name	movie_year	movie_cost
The Cesar Family Christmas	2014	40.0
Smokey Mountain Wildlife	2011	60.0
Richard Goodhope	2015	60.0
Beatnik Fever	2014	30.0
Constant Companion	2015	90.0
Where Hope Dies	2005	25.5
Time to Burn	2010	45.5
What He Doesn't Know	2013	58.3

8 rows in set (0.00 sec)

Q8.

mysql> SELECT Movie_name, Movie_Year, Movie_Genre FROM MOVIE ORDER BY
Movie_Genre ASC, Movie_Year DESC;

```

+-----+-----+-----+
| Movie_name | Movie_Year | Movie_Genre |
+-----+-----+-----+
| Smokey Mountain Wildlife | 2011 | ACTION |
| Time to Burn | 2010 | ACTION |
| Beatnik Fever | 2014 | COMEDY |
| What He Doesn't Know | 2013 | COMEDY |
| Richard Goodhope | 2015 | DRAMA |
| Constant Companion | 2015 | DRAMA |
| Where Hope Dies | 2005 | DRAMA |
| The Cesar Family Christmas | 2014 | FAMILY |
+-----+-----+-----+
8 rows in set (0.03 sec)

```

Q9.

```
mysql> SELECT Movie_Num, Movie_Name, Price_Code FROM MOVIE WHERE Movie_Name LIKE 'R%';
```

```

+-----+-----+-----+
| Movie_Num | Movie_Name | Price_Code |
+-----+-----+-----+
| 1236 | Richard Goodhope | 2 |
+-----+-----+-----+
1 row in set (0.03 sec)

```

Q10.

```
SELECT Movie_Name, Movie_Year, Movie_Cost FROM MOVIE WHERE Movie_Name LIKE '%hope%' ORDER BY Movie_Name ASC;
```

```

+-----+-----+-----+
| Movie_Name | Movie_Year | Movie_Cost |
+-----+-----+-----+
| Richard Goodhope | 2015 | 60.0 |
| Where Hope Dies | 2005 | 25.5 |
+-----+-----+-----+
2 rows in set (0.00 sec)

```

Q11

```
SELECT Movie_name, Movie_Year, Movie_Genre FROM MOVIE WHERE Movie_Genre = 'ACTION';
```

```

+-----+-----+-----+
| Movie_name | Movie_Year | Movie_Genre |
+-----+-----+-----+
| Smokey Mountain Wildlife | 2011 | ACTION |
| Time to Burn | 2010 | ACTION |
+-----+-----+-----+
2 rows in set (0.00 sec)

```

Q12

```
SELECT Movie_Num, Movie_Name, Movie_Cost FROM MOVIE WHERE Movie_Cost > 40;
```

```

+-----+-----+-----+
| Movie_Num | Movie_Name | Movie_Cost |
+-----+-----+-----+
| 1235 | Smokey Mountain Wildlife | 60.0 |
| 1236 | Richard Goodhope | 60.0 |
| 1238 | Constant Companion | 90.0 |
| 1245 | Time to Burn | 45.5 |
| 1246 | What He Doesn't Know | 58.3 |
+-----+-----+-----+
5 rows in set (0.03 sec)

```

Q13

```
SELECT Movie_Num, Movie_Name, Movie_Cost, Movie_Genre FROM MOVIE WHERE
```



```
(Movie_Genre = 'ACTION' OR Movie_Genre = 'COMEDY') AND Movie_Cost < 50 ORDER BY
Movie_Genre ASC;
```

Movie_Num	Movie_Name	Movie_Cost	Movie_Genre
1245	Time to Burn	45.5	ACTION
1237	Beatnik Fever	30.0	COMEDY

2 rows in set (0.04 sec)

Q14

```
SELECT MEM_NUM, MEM_FNAME, MEM_LNAME, MEM_STREET, MEM_STATE, MEM_BALANCE FROM
MEMBERSHIP WHERE MEM_BALANCE < 5 AND MEM_STREET LIKE '%AVENUE' AND MEM_STATE
LIKE 'TN';
```

MEM_NUM	MEM_FNAME	MEM_LNAME	MEM_STREET	MEM_STATE	MEM_BALANCE
104	Jamal	Melendez	788 East 145th Avenue	TN	0
112	Luis	Trujillo	7267 Melvin Avenue	TN	3

2 rows in set (0.00 sec)

Q15

```
SELECT Movie_Genre, COUNT(*) Number_Of_Movies FROM MOVIE GROUP BY Movie_Genre;
```

Movie_Genre	Number_Of_Movies
FAMILY	1
ACTION	2
DRAMA	3
COMEDY	2

4 rows in set (0.04 sec)

Q16

```
mysql> SELECT AVG(Movie_Cost) FROM MOVIE AS AVERAGE_MOVIE_COST;
```

AVG(Movie_Cost)
51.16250

1 row in set (0.03 sec)

Q17

```
SELECT Movie_Genre, AVG(Movie_Cost) FROM MOVIE GROUP BY Movie_Genre;
```

Movie_Genre	AVG(Movie_Cost)
FAMILY	40.00000
ACTION	52.75000
DRAMA	58.50000
COMEDY	44.15000

4 rows in set (0.03 sec)

Q18.

```
SELECT Movie_Name, Movie_Genre, Price_Description, Price_RentFee FROM MOVIE JOIN
PRICE ON MOVIE.Price_Code = PRICE.Price_Code;
```

Movie_Name	Movie_Genre	Price_Description	Price_RentFee
The Cesar Family Christmas	FAMILY	New Release	4.0
Smokey Mountain Wildlife	ACTION	Discount	2.0
Richard Goodhope	DRAMA	New Release	4.0
Beatnik Fever	COMEDY	New Release	4.0
Where Hope Dies	DRAMA	Discount	2.0
Time to Burn	ACTION	Discount	2.0
What He Doesn't Know	COMEDY	Standard	2.5

7 rows in set (0.00 sec)

Q19.

```
SELECT Movie_Genre, AVG(Price_RentFee) FROM MOVIE JOIN PRICE ON
MOVIE.Price_Code = PRICE.Price_Code GROUP BY Movie_Genre;
```

Movie_Genre	AVG(Price_RentFee)
FAMILY	4.00000
ACTION	2.00000
DRAMA	3.00000
COMEDY	3.25000

4 rows in set (0.00 sec)

Q20.

```
SELECT Movie_Name,Movie_Cost / Price_RentFee AS BreakEven_Rentals FROM MOVIE
JOIN PRICE ON MOVIE.Price_Code = PRICE.Price_Code;
```

Movie_Name	BreakEven_Rentals
The Cesar Family Christmas	10.00000
Smokey Mountain Wildlife	30.00000
Richard Goodhope	15.00000
Beatnik Fever	7.50000
Where Hope Dies	12.75000
Time to Burn	22.75000
What He Doesn't Know	23.32000

7 rows in set (0.01 sec)

Q21.

```
SELECT Movie_Name,Movie_Year FROM MOVIE WHERE MOVIE.Price_Code;
```

Movie_Name	Movie_Year
The Cesar Family Christmas	2014
Smokey Mountain Wildlife	2011
Richard Goodhope	2015
Beatnik Fever	2014
Where Hope Dies	2005
Time to Burn	2010
What He Doesn't Know	2013

Q22.

```
mysql> SELECT Movie_Name,Movie_Genre,Movie_cost FROM MOVIE WHERE Movie_Cost
BETWEEN 44.99 AND 49.99;
```

Movie_Name	Movie_Genre	Movie_cost
------------	-------------	------------

```
+-----+-----+-----+
| Time to Burn | ACTION      |      45.5 |
+-----+-----+-----+
1 row in set (0.01 sec)
```

Q23.

```
select movie.movie_name, price.price_description, price.price_rentfee,
movie.movie_genre from movie join price on movie.price_code = price.price_code
where movie_genre = 'family' or movie_genre = 'comedy' or movie_genre = 'drama';
```

```
+-----+-----+-----+-----+
| movie_name          | price_description | price_rentfee | movie_genre |
+-----+-----+-----+-----+
| The Cesar Family Christmas | New Release      |      4.0      | FAMILY      |
| Richard Goodhope       | New Release      |      4.0      | DRAMA       |
| Beatnik Fever           | New Release      |      4.0      | COMEDY      |
| Where Hope Dies         | Discount         |      2.0      | DRAMA       |
| What He Doesn't Know    | Standard         |      2.5      | COMEDY      |
+-----+-----+-----+-----+
```

5 rows in set (0.01 sec)

Q24.

```
SELECT DISTINCT membership.mem_num, membership.mem_fname, membership.mem_lname,
membership.mem_balance FROM membership JOIN rental ON membership.mem_num =
rental.mem_num;
```

```
+-----+-----+-----+-----+
| mem_num | mem_fname | mem_lname | mem_balance |
+-----+-----+-----+-----+
|      102 | Tami      | Dawson    |          11 |
|      103 | Curt      | Knight    |           6 |
|      104 | Jamal     | Melendez  |           0 |
|      105 | Iva       | McClain   |          15 |
|      107 | Rosario   | Elliott   |           5 |
|      110 | Lewis     | Rosales   |           0 |
|      111 | Stacy     | Mann      |           8 |
+-----+-----+-----+-----+
```

7 rows in set (0.00 sec)

Q25.

```
mysql> select min(membership.mem_balance) as 'minimum balance',
max(membership.mem_balance) as 'maximum balance', avg(membership.mem_balance) as
'average balance' from membership where mem_num in (select mem_num from rental);
```

```
+-----+-----+-----+
| minimum balance | maximum balance | average balance |
+-----+-----+-----+
|           0    |          15    |       6.4286    |
+-----+-----+-----+
```

1 row in set (0.04 sec)

Q26

```
SELECT r.Rent_Num,r.Rent_Date, dr.Vid_Num, m.Movie_Name,dr.Detail_DueDate,
dr.Detail_ReturnDate FROM Rental r JOIN DetailRental dr ON r.Rent_Num =
dr.Rent_Num JOIN Video v ON dr.Vid_Num = v.Vid_Num JOIN Movie m ON v.Movie_Num
= m.Movie_Num WHERE dr.Detail_ReturnDate > dr.Detail_DueDate ORDER BY
r.Rent_Num, m.Movie_Name;
```

```
+-----+-----+-----+-----+-----+
+-----+
| Rent_Num | Rent_Date | Vid_Num | Movie_Name          | Detail_DueDate |
Detail_ReturnDate |
+-----+-----+-----+-----+-----+
+-----+
```

1003	02-MAR-16	34369	Richard Goodhope	06-MAR-16
09-MAR-16				
1003	02-MAR-16	54325	The Cesar Family Christmas	04-MAR-16
09-MAR-16				
1003	02-MAR-16	61388	Where Hope Dies	06-MAR-16
09-MAR-16				
1004	02-MAR-16	44392	Beatnik Fever	05-MAR-16
07-MAR-16				
1004	02-MAR-16	34367	Richard Goodhope	05-MAR-16
07-MAR-16				

5 rows in set (0.05 sec)

Q27

```
SELECT r.Rent_Num, r.Rent_Date, m.Movie_Name,dr.Detail_Fee FROM Rental r JOIN
DetailRental dr ON r.Rent_Num = dr.Rent_Num JOIN Video v ON dr.Vid_Num =
v.Vid_Num JOIN Movie m ON v.Movie_Num = m.Movie_Num WHERE dr.Detail_ReturnDate
<= dr.Detail_DueDate;
```

Rent_Num	Rent_Date	Movie_Name	Detail_Fee
1001	01-MAR-16	Smokey Mountain Wildlife	2.0
1001	01-MAR-16	Richard Goodhope	3.5
1001	01-MAR-16	Time to Burn	2.0
1002	01-MAR-16	Beatnik Fever	3.5
1004	02-MAR-16	Smokey Mountain Wildlife	2.0
1005	02-MAR-16	Smokey Mountain Wildlife	2.0
1005	02-MAR-16	Beatnik Fever	3.5
1006	02-MAR-16	Richard Goodhope	3.5
1006	02-MAR-16	Time to Burn	2.0
1008	03-MAR-16	Richard Goodhope	3.5

10 rows in set (0.00 sec)

Q28.

```
mysql> SELECT Movie_Num,Movie_Genre,Avg_Cost,Movie_Cost,ROUND(((Movie_Cost-
Avg_Cost)/Avg_Cost)*100,2) AS Pct_Difference FROM Movie JOIN (SELECT
Movie_Genre,AVG(Movie_Cost) AS Avg_Cost FROM Movie GROUP BY Movie_Genre) G
USING (Movie_Genre);
```

Movie_Num	Movie_Genre	Avg_Cost	Movie_Cost	Pct_Difference
1234	FAMILY	40.00000	40.0	0.00
1235	ACTION	52.75000	60.0	13.74
1236	DRAMA	58.50000	60.0	2.56
1237	COMEDY	44.15000	30.0	-32.05
1238	DRAMA	58.50000	90.0	53.85
1239	DRAMA	58.50000	25.5	-56.41
1245	ACTION	52.75000	45.5	-13.74
1246	COMEDY	44.15000	58.3	32.05

8 rows in set (0.00 sec)

