



ABSTRACT SPECIFICATION TOPIC FOR OGC (ADD TITLE TEXT)

ABSTRACT SPECIFICATION TOPIC

CANDIDATE SWG DRAFT

Version: 1.0

Submission Date: 2023-05-09

Approval Date: 2023-05-11

Publication Date: 2023-05-11

Editor: Charles Heazel

Notice: This document is not an OGC Standard. This document is an OGC Abstract Specification Topic and is therefore not an official position of the OGC membership. It is distributed for review and comment. It is subject to change without notice and may not be referred to as an OGC Standard.

Further, an OGC Abstract Specification Topic should not be referenced as required or mandatory technology in procurements.

License Agreement

Permission is hereby granted by the Open Geospatial Consortium, ("Licensor"), free of charge and subject to the terms set forth below, to any person obtaining a copy of this Intellectual Property and any associated documentation, to deal in the Intellectual Property without restriction (except as set forth below), including without limitation the rights to implement, use, copy, modify, merge, publish, distribute, and/or sublicense copies of the Intellectual Property, and to permit persons to whom the Intellectual Property is furnished to do so, provided that all copyright notices on the intellectual property are retained intact and that each person to whom the Intellectual Property is furnished agrees to the terms of this Agreement.

If you modify the Intellectual Property, all copies of the modified Intellectual Property must include, in addition to the above copyright notice, a notice that the Intellectual Property includes modifications that have not been approved or adopted by LICENSOR.

THIS LICENSE IS A COPYRIGHT LICENSE ONLY, AND DOES NOT CONVEY ANY RIGHTS UNDER ANY PATENTS THAT MAY BE IN FORCE ANYWHERE IN THE WORLD. THE INTELLECTUAL PROPERTY IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, AND NONINFRINGEMENT OF THIRD PARTY RIGHTS. THE COPYRIGHT HOLDER OR HOLDERS INCLUDED IN THIS NOTICE DO NOT WARRANT THAT THE FUNCTIONS CONTAINED IN THE INTELLECTUAL PROPERTY WILL MEET YOUR REQUIREMENTS OR THAT THE OPERATION OF THE INTELLECTUAL PROPERTY WILL BE UNINTERRUPTED OR ERROR FREE. ANY USE OF THE INTELLECTUAL PROPERTY SHALL BE MADE ENTIRELY AT THE USER'S OWN RISK. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR ANY CONTRIBUTOR OF INTELLECTUAL PROPERTY RIGHTS TO THE INTELLECTUAL PROPERTY BE LIABLE FOR ANY CLAIM, OR ANY DIRECT, SPECIAL, INDIRECT OR CONSEQUENTIAL DAMAGES, OR ANY DAMAGES WHATSOEVER RESULTING FROM ANY ALLEGED INFRINGEMENT OR ANY LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR UNDER ANY OTHER LEGAL THEORY, ARISING OUT OF OR IN CONNECTION WITH THE IMPLEMENTATION, USE, COMMERCIALIZATION OR PERFORMANCE OF THIS INTELLECTUAL PROPERTY.

This license is effective until terminated. You may terminate it at any time by destroying the Intellectual Property together with all copies in any form. The license will also terminate if you fail to comply with any term or condition of this Agreement. Except as provided in the following sentence, no such termination of this license shall require the termination of any third party end-user sublicense to the Intellectual Property which is in force as of the date of notice of such termination. In addition, should the Intellectual Property, or the operation of the Intellectual Property, infringe, or in LICENSOR's sole opinion be likely to infringe, any patent, copyright, trademark or other right of a third party, you agree that LICENSOR, in its sole discretion, may terminate this license without any compensation or liability to you, your licensees or any other party. You agree upon termination of any kind to destroy or cause to be destroyed the Intellectual Property together with all copies in any form, whether held by you or by any third party.

Except as contained in this notice, the name of LICENSOR or of any other holder of a copyright in all or part of the Intellectual Property shall not be used in advertising or otherwise to promote the sale, use or other dealings in this Intellectual Property without prior written authorization of LICENSOR or such copyright holder. LICENSOR is and shall at all times be the sole entity that may authorize you or any third party to use certification marks, trademarks or other special designations to indicate compliance with any LICENSOR standards or specifications. This Agreement is governed by the laws of the Commonwealth of Massachusetts. The application to this Agreement of the United Nations Convention on Contracts for the International Sale of Goods is hereby expressly excluded. In the event any provision of this Agreement shall be deemed unenforceable, void or invalid, such provision shall be modified so as to make it valid and enforceable, and as so modified the entire Agreement shall remain in full force and effect. No decision, action or inaction by LICENSOR shall be construed to be a waiver of any rights or remedies available to it.

None of the Intellectual Property or underlying information or technology may be downloaded or otherwise exported or reexported in violation of U.S. export laws and regulations. In addition, you are responsible for complying with any local laws in your jurisdiction which may impact your right to import, export or use the Intellectual Property, and you represent that you have complied with any regulations or registration procedures required by applicable law to make this license enforceable.

Copyright notice

Copyright © 2023 Open Geospatial Consortium

To obtain additional rights of use, visit <http://www.ogc.org/legal/>

Note

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. The Open Geospatial Consortium shall not be held responsible for identifying any or all such patent rights.

Recipients of this document are requested to submit, with their comments, notification of any relevant patent claims or other intellectual property rights of which they may be aware that might be infringed by any implementation of the standard set forth in this document, and to provide supporting documentation.

CONTENTS

I. ABSTRACT	v
II. KEYWORDS	v
III. PREFACE	vi
IV. SECURITY CONSIDERATIONS	vii
V. SUBMITTING ORGANIZATIONS	viii
VI. SUBMITTERS	viii
VII. INTRODUCTION	viii
VIII. REFERENCE NOTES	viii
2. CONFORMANCE	10
1. SCOPE	2
3. NORMATIVE REFERENCES	4
4. TERMS AND DEFINITIONS	6
5. CONVENTIONS	15
5.1. Identifiers	15
5.2. Other conventions	15
6. ABSTRACT TEMPORAL REFERENCE MODEL	17
6.1. Context	17
7. ABSTRACT TEMPORAL REFERENCE MODEL	25
7.1. Introduction	25
8. ABSTRACT CONCEPTUAL MODEL	27
9. TEMPORAL REGIMES	29
9.1. Events and Operators	29
9.2. Simple Clocks and Discrete Timescales	29
9.3. CRS and Continuous Timescales	30
9.4. Calendars	31

9.5. Other Regimes	31
10. NOTATION	34
11. ATTRIBUTES OF THE REGIMES/CLASSES	36
11.1. Attributes of Events and Ordinal Temporal Reference Systems	36
11.2. Attributes of simple Clock and Discrete Timescale	36
11.3. Attributes of a CRS and Continuous Timescales	37
12. ATTRIBUTES OF CALENDARS	39
13. SYNCHRONISATION OF CLOCKS	41
ANNEX A (NORMATIVE) ANNEX TITLE	43
ANNEX B (INFORMATIVE)	45
B. BIBLIOGRAPHY	45

LIST OF FIGURES

Figure 1	18
Figure 2	19
Figure 3	20
Figure 4	21
Figure 5	22
Figure 6	27



ABSTRACT

<Insert abstract here.>



KEYWORDS

The following are keywords to be used by search engines and document catalogues.

ogcdoc, OGC document, time, temporal



PREFACE

<Insert Preface text here.>

NOTE: Give OGC specific commentary: describe the technical content, reason for document, history of the document and precursors, and plans for future work.

There are two ways to specify the Preface: “simple clause” or “full clause”

If the Preface does not contain subclauses, it is considered a simple preface clause. This one is entered as text after the `.Preface` label and must be placed between the AsciiDoc document attributes and the first AsciiDoc section title. It should not be give a section title of its own.

If the Preface contains subclauses, it needs to be encoded as a full preface clause. This one is recognized as a full Metanorma AsciiDoc section with the title “Preface”, i.e. `== Preface`. (Simple preface content can also be encoded like full preface.)



SECURITY CONSIDERATIONS

No security considerations have been made for this document.



SUBMITTING ORGANIZATIONS

The following organizations submitted this Document to the Open Geospatial Consortium (OGC):

- Met Office



SUBMITTERS

All questions regarding this submission should be directed to the editor or the submitters:

NAME	AFFILIATION
Chris Little	Met Office ...



INTRODUCTION

<Insert introduction here.>



REFERENCE NOTES

<Place reference notes here.>

NOTE: If you need to place any further sections in the preface area use the [.preface] attribute.



2

CONFORMANCE

<Insert conformance content here>

NOTE: Provide a short description of the content approached in subsequent sections and the main subject of the document



1

SCOPE

<Insert scope text here.>

NOTE: Give the subject of the document and aspects of the scope covered by the document.



3

NORMATIVE REFERENCES



NORMATIVE REFERENCES

There are no normative references in this document.



4

TERMS AND DEFINITIONS

TERMS AND DEFINITIONS

This document uses the terms defined in OGC Policy Directive 49, which is based on the ISO/IEC Directives, Part 2, Rules for the structure and drafting of International Standards. In particular, the word “shall” (not “must”) is the verb form used to indicate a requirement to be strictly followed to conform to this document and OGC documents do not use the equivalent phrases in the ISO/IEC Directives, Part 2.

This document also uses terms defined in the OGC Standard for Modular specifications (OGC 08-131r3), also known as the ‘ModSpec’. The definitions of terms such as standard, specification, requirement, and conformance test are provided in the ModSpec.

For the purposes of this document, the following additional terms and definitions apply.

4.1. compound coordinate reference system

coordinate reference system using at least two independent coordinate reference systems

Note 1 to entry: Coordinate reference systems are independent of each other if coordinate values in one cannot be converted or transformed into coordinate values in the other.

[SOURCE:]

4.2. coordinate

one of a sequence of numbers designating the position of a point

Note 1 to entry: In a spatial coordinate reference system, the coordinate numbers are qualified by units.

[SOURCE:]

4.3. coordinate epoch

epoch to which coordinates in a dynamic coordinate reference system are referenced

[SOURCE:]

4.4. coordinate reference system

coordinate system that is related to an object by a datum

Note 1 to entry: Geodetic and vertical datums are referred to as reference frames.

Note 2 to entry: For geodetic and vertical reference frames, the object will be the Earth. In planetary applications, geodetic and vertical reference frames may be applied to other celestial bodies.

[SOURCE:]

4.5. coordinate system

set of mathematical rules for specifying how coordinates are to be assigned to points

[SOURCE:]

4.6. datum

reference frame

parameter or set of parameters that realize the position of the origin, the scale, and the orientation of a coordinate system

[SOURCE:]

4.7. derived coordinate reference system

coordinate reference system that is defined through the application of a specified coordinate conversion to the coordinates within a previously established coordinate reference system

Note 1 to entry: The previously established coordinate reference system is referred to as the base coordinate reference system.

Note 2 to entry: A derived coordinate reference system inherits its datum or reference frame from its base coordinate reference system.

Note 3 to entry: The coordinate conversion between the base and derived coordinate reference system is implemented using the parameters and formula(s) specified in the definition of the coordinate conversion.

[SOURCE:]

4.8. dynamic coordinate reference system

coordinate reference system that has a dynamic reference frame

Note 1 to entry: Coordinates of points on or near the crust of the Earth that are referenced to a dynamic coordinate reference system may change with time, usually due to crustal deformations such as tectonic motion and glacial isostatic adjustment.

Note 2 to entry: Metadata for a dataset referenced to a dynamic coordinate reference system should include coordinate epoch information.

[SOURCE:]

4.9. dynamic reference frame

dynamic datum

reference frame in which the defining parameters include time evolution

Note 1 to entry: The defining parameters that have time evolution are usually a coordinate set.

[SOURCE:]

4.10. engineering coordinate reference system

coordinate reference system based on an engineering datum

Example 1 System for identifying relative positions within a few kilometres of the reference point, such as a building or construction site.

Example 2 Coordinate reference system local to a moving object such as a ship or an orbiting spacecraft.

Example 3 Internal coordinate reference system for an image. This has continuous axes. It may be the foundation for a grid.

4.11. engineering datum

local datum

datum describing the relationship of a coordinate system to a local reference

Note 1 to entry: Engineering datum excludes both geodetic and vertical reference frames.

[SOURCE:]

4.12. epoch

<geodesy> point in time

Note 1 to entry: In this document an epoch is expressed in the Gregorian calendar as a decimal year.

Example 2017-03-25 in the Gregorian calendar is epoch 2017.23.

[SOURCE:]

4.13. frame reference epoch

epoch of coordinates that define a dynamic reference frame

[SOURCE:]

4.14. linear coordinate system

one-dimensional coordinate system in which a linear feature forms the axis

Example 1 Distances along a pipeline.

Example 2 Depths down a deviated oil well bore.

[SOURCE:]

4.15. parameter reference epoch

epoch at which the parameter values of a time-dependent coordinate transformation are valid

Note 1 to entry: The transformation parameter values first need to be propagated to the epoch of the coordinates before the coordinate transformation can be applied.

[SOURCE:]

4.16. parametric coordinate reference system

coordinate reference system based on a parametric datum

[SOURCE:]

4.17. parametric coordinate system

one-dimensional coordinate system where the axis units are parameter values which are not inherently spatial

[SOURCE:]

4.18. parametric datum

datum describing the relationship of a parametric coordinate system to an object

Note 1 to entry: The object is normally the Earth.

[SOURCE:]

4.19. point motion operation

coordinate operation that changes coordinates within one coordinate reference system due to the motion of the point

Note 1 to entry: The change of coordinates is from those at an initial epoch to those at another epoch.

Note 2 to entry: In this document the point motion is due to tectonic motion or crustal deformation.

[SOURCE:]

4.20. reference frame

datum

parameter or set of parameters that realize the position of the origin, the scale, and the orientation of a coordinate system

[SOURCE:]

4.21. spatio-parametric coordinate reference system

compound coordinate reference system in which one constituent coordinate reference system is a spatial coordinate reference system and one is a parametric coordinate reference system

Note 1 to entry: Normally the spatial component is “horizontal” and the parametric component is “vertical”.

[SOURCE:]

4.22. spatio-parametric-temporal coordinate reference system

compound coordinate reference system comprised of spatial, parametric and temporal coordinate reference systems

[SOURCE:]

4.23. spatio-temporal coordinate reference system

compound coordinate reference system in which one constituent coordinate reference system is a spatial coordinate reference system and one is a temporal coordinate reference system

[SOURCE:]

4.24. static coordinate reference system

coordinate reference system that has a static reference frame

Note 1 to entry: Coordinates of points on or near the crust of the Earth that are referenced to a static coordinate reference system do not change with time.

Note 2 to entry: Metadata for a dataset referenced to a static coordinate reference system does not require coordinate epoch information.

[SOURCE:]

4.25. static reference frame

static datum

reference frame in which the defining parameters exclude time evolution

[SOURCE:]

4.26. temporal coordinate reference system

coordinate reference system based on a temporal datum

[SOURCE:]

4.27. temporal coordinate system

<geodesy> one-dimensional coordinate system where the axis is time

[SOURCE:]

4.28. temporal datum

datum describing the relationship of a temporal coordinate system to an object

Note 1 to entry: The object is normally time on the Earth.

[SOURCE:]

4.29. terrestrial reference system

TRS

set of conventions defining the origin, scale, orientation and time evolution of a spatial reference system co-rotating with the Earth in its diurnal motion in space

Note 1 to entry: The abstract concept of a TRS is realised through a terrestrial reference frame that usually consists of a set of physical points with precisely determined coordinates and optionally their rates of change. In this document terrestrial reference frame is included within the geodetic reference frame element of the data model

[SOURCE:]



5

CONVENTIONS

NOTE: This section provides details and examples for any conventions used in the document. Examples of conventions are symbols, abbreviations, use of XML schema, or special notes regarding how to read the document.

5.1. Identifiers

The normative provisions in this standard are denoted by the URI

<http://www.opengis.net/spec/{standard}/{m.n}>

All requirements and conformance tests that appear in this document are denoted by partial URIs which are relative to this base.

5.2. Other conventions

<Place any other convention needed with its corresponding title>



6

ABSTRACT TEMPORAL REFERENCE MODEL

6.1. Context

When OGC standards involve time, they generally refer to the ISO documents such as ISO 19108, ISO 19111, ISO 8601, and their freely available OGC equivalents, such as Abstract Specification Topic 2 Referencing by Coordinates (equivalent to ISO 19111).

When dealing with temporal reference systems, it is necessary to understand all of these standards and how they interact. ISO Technical Committee 211 (TC211) provides a useful tool for integrating their standards. The Harmonized UML model provides a single integrated model for most of the TC211 Standards. That model will provide the foundation for the Abstract Temporal Reference Model.

The Abstract Temporal Reference Model is a “Conceptual” model. It both defines concepts and the associations between those concepts. This “conceptual” model is an extension of a higher level “Semantic” model. The W3C Time Ontology is illustrated below.




Figure 1

At the very time, the Abstract Temporal Model divides the world into Spatial, Temporal, and SpatialTemporal Reference Systems.




Figure 2

The Temporal Reference System is further divided into Temporal Coordinate Reference Systems and Temporal Ordinal Reference Systems.




Figure 3

The Temporal Coordinate Reference Systems provide a link to ISO 19111 – Geographic information – Referencing by coordinates.




Figure 4

ISO 19111 provides a model for coordinate transformations which can be re-used for temporal coordinate reference systems.




Figure 5

Some Observations:

1. Many temporal reference systems are not coordinate reference systems
2. There is no temporal equivalent to the Compound Reference System
3. DateTime should be represented as a compound reference system consisting of a TM_Calendar and TM_Clock reference system.
4. TM_Calendar should be a type of TM_OrdinalReferenceSystem.
5. TM_Clock should not be defined in terms of a "day". Many clocks count elapsed time since an epoch. Date and time are not considered.
6. TM_Clock should be a type of TM_CoordinateSystem

7. TM_Calendar can be defined as a Compound Reference System composed of days, months, and years. This would allow to define meaningful calendars for the Moon, Mars, and other non-Terrestrial environments.
8. Is there an ordinal equivalent to TM_Clock. Sunrise, noon, sunset, and midnight?
9. Can a calendar be defined in terms of planting season, Saints days, or other arbitrary events?



7

ABSTRACT TEMPORAL REFERENCE MODEL

7.1. Introduction

When OGC standards involve time, they generally refer to the ISO documents such as ISO 19108, ISO 19111, ISO8601, and their freely available OGC equivalents, such as Abstract Specification Topic 2 Referencing by Coordinates (equivalent to ISO 19111).

Much effort over decades has gone into establishing complex structures to represent calendar based time, such as the ISO8601 notation, and many date-time schemas. Because of this effort, many people use calendar based “coordinates”, with the attendant ambiguities, imprecision and inappropriate scope.

The aim of this document is to establish clear concepts and terminology, so that people are well aware of the advantages and disadvantages of adopting a particular technological approach and then perhaps contribute to building better interoperable systems.



8

ABSTRACT CONCEPTUAL MODEL

ABSTRACT CONCEPTUAL MODEL

This attempt at a Temporal Abstract Reference Model follows [ISO19111:2019](#), aka [OGC Abstract Specification Topic 2: Referencing by coordinates](#), [OGC18-005r4](#)

The model is also informed by the [W3C Time Ontology in OWL](#)

Below is a UML diagram using Mermaid. **Not sure what the multiplicities should be.**

Not clear what should be classes and what should be attributes of a class

Also, not a UML expert, so may have all sorts of things wrong that need correcting

(Should be converted to PlantUML for Metanorma, by replacing Mermaid container with:

```
[plantuml] @startuml . . @enduml

classDiagram
class ReferenceSystem {
    Dimension 1..*
    ApplicableLocationTimeOrDomain 1
}
class SpatialReferenceSystem {
    Dimension 1..*
    ApplicableLocationTimeOrDomain 1
}
class TemporalReferenceSystem {
    Dimension 1
    ApplicableLocationTimeOrDomain 1
}
ReferenceSystem "1" <|-- "1..*" SpatialReferenceSystem
ReferenceSystem "1" <|-- "1..*" TemporalReferenceSystem
TemporalReferenceSystem "0..1" <|-- "1" TemporalCoordinateReferenceSystem
TemporalReferenceSystem "0..1" <|-- "1" Calendar
TemporalReferenceSystem "0..1" <|-- "1" OrdinalTemporalReferenceSystem
TemporalCoordinateReferenceSystem "1" o-- "1" Timescale
TemporalCoordinateReferenceSystem "1" o-- "1" Epoch
TemporalCoordinateReferenceSystem "1" --> "1..*" Notation
Calendar "1" o-- "0..1" Epoch
Calendar "1" o-- "1..*" Timescale
Calendar "1" o-- "1" Algorithm
Calendar "1" --> "1..*" Notation
OrdinalTemporalReferenceSystem "1" o-- "0..1" Epoch
OrdinalTemporalReferenceSystem "1" o-- "2..*" Event
OrdinalTemporalReferenceSystem "1" --> "1..*" Notation
Timescale "1" o-- "1" Clock
```

Figure 6



9

TEMPORAL REGIMES

To help us think more clearly about time, this paper adopts the term “Regime” to describe the fundamentally different types of time and its measurement under consideration. This is a pragmatic approach that allows the grouping of recommendations and best practices in a practical way, but without obscuring the connection to the underlying theoretical components.

The first three regimes have deep underlying physical and mathematical foundations which cannot be legislated away. The fourth regime, of calendars, uses a seemingly random mixture of ad hoc algorithms, arithmetic, numerology and measurements. Paradoxically, this regime has historically driven advances in mathematics and physics.

The regimes are applicable to other planets and outer space, but with due consideration.

9.1. Events and Operators

The simplest way of relating entities in time is by events that can be ordered, that is, established in a sequence, and this sequence is used as an approximate measure of the passage of time.

In this regime, no clocks or time measurements are defined, only events, that are ordered in relation to each other. For example, geological layers, sediment or ice core layers, archaeological sequences, sequential entries in computer logs without coordinated time.

One set of events may be completely ordered with respect to each other, but another set of similar internally consistent events cannot be cross-referenced until extra information is available. Even then, only partial orderings may be possible.

In this regime, the Allen Operators [Allen, Ref 13] can be used. If A occurs before B and B occurs before C, then we can correctly deduce that A occurs before C. The full set of operators also covers pairs of intervals. So in our example, B occurs in the interval (A,C). However, we cannot perform arithmetic operations like (B-A) or (C-A) as we have not defined any timescale or measurements. For example, ‘subtracting’ Ordovician from Jurassic is meaningless.

This regime constitutes an Ordinal Temporal Reference System, with discrete enumerated ordered events.

9.2. Simple Clocks and Discrete Timescales

In this regime, a clock is defined as any regularly repeating physical phenomena, such as pendulum swings, earth’s rotation about sun, earth’s rotation about its axis, heart beats, vibrations of electrically stimulated quartz crystals or the resonance of the unperturbed ground-state hyperfine transition frequency of the caesium 133 atom. Some phenomena make better

clocks that others, in terms of the number of repetitions possible, the consistency of each repetition and the precision of each 'tick'. A mechanism for counting, or possibly measuring, the ticks is desirable.

It is an assumption that the ticks are regular and homogeneous.

There is no sub-division between two successive clock ticks. Measuring time consists of counting the complete number of repetitions of ticks since the clock started, or since some other event at a given clock count.

There is no time measurement before the clock started, or after it stops.

It may seem that time can be measured between 'ticks' by interpolation, but this needs another clock, with faster ticks. This process of devising more precise clocks continues down to the atomic scale, and then the process of physically trying to interpolate between ticks is not possible.

The internationally agreed atomic time, TAI, is an example of a timescale with an integer count as the measure of time, though in practice it is an arithmetic compromise across about two hundred separate atomic clocks, corrected for differing altitudes and temperatures.

In this regime, the Allen Operators [Allen, Ref 13] also can be used. If A occurs before B and B occurs before C, then we can correctly deduce that A occurs before C. The full set of operators also covers pairs of intervals. So if B occurs in the interval (A,C), we can now perform integer arithmetic operations like (B-A) or (C-A) as we have defined a timescale or measurement.

This regime constitutes a Temporal Coordinate Reference System, with discrete integer units of measure which can be subject to integer arithmetic.

9.3. CRS and Continuous Timescales

This regime takes a clock from the previous regime and assumes that between any two adjacent ticks, it is possible to interpolate indefinitely to finer and finer precision, using ordinary arithmetic, rather than any physical device.

Alternatively, it may be that the ticks are not counted but measured, and the precision of the clock is determined by the precision of the measurements, such as depth in an ice core, or angular position of an astronomical body, such as the sun, moon or a star.

It is also assumed that time can be extrapolated to before the time when the clock started and into the future, possibly past when the clock stops.

This gives us a continuous number line to perform theoretical measurements. It is a coordinate system. With a datum/origin/epoch, a unit of measure (a name for the 'tick marks' on the axis), positive and negative directions and the full range of normal arithmetic. It is a Coordinate Reference System.

In this regime, the Allen Operators [Allen, Ref 13] also can be used. If A occurs before B and B occurs before C, then we can correctly deduce that A occurs before C. The full set

of operators also covers pairs of intervals. So if B occurs in the interval (A,C), we can now perform real number arithmetic operations like (B-A) or (C-A) as we have defined a timescale or measurement, and between any two instants, we can always find an infinite number of other instants.

Some examples are:

- Unix milliseconds since 1970-01-01T00:00:00.0Z
- Julian Days, and fractions of a day, since noon on 1st January, 4713 BCE.

This regime constitutes a Temporal Coordinate Reference System, with continuous, floating-point, units of measure, which can be subject to the full range of real arithmetic.

9.4. Calendars

In this regime, counts and measures of time are related to the various combinations of the rotations of the earth, moon and sun or other astronomical bodies. There is no simple arithmetic, so for example, the current civil year count of years in the Current Era (CE) and Before Current Era (BCE) is a calendar, albeit a very simple one, as there is no year zero. That is, Year 14CE – Year 12CE is a duration of 2 years, and Year 12BCE – Year 14BCE is also two years. However Year 1CE – Year 1BCE is one year, not two as there is no year 0CE or 0BCE.

Calendars are social constructs made by combining several clocks and their associated timescales.

This paper only addresses the internationally agreed Gregorian calendar. [Ref 1] gives overwhelming detail for conversion to numerous other calendars that have developed around the world and over the millennia and to meet the various social needs of communities, whether agricultural, religious or other. The reference is comprehensive but not exhaustive, as there are calendars that have been omitted.

A Calendar is a Temporal Reference System, but it is not a Temporal Coordinate Reference System nor an Ordinal Temporal Reference System.

9.5. Other Regimes

There may in fact be a series of other regimes, which are out of scope of this document. This could include local solar time, useful, for example, for the calculation of illumination levels and the length of shadows on aerial photography, or relativistic time.

9.5.1. Local Solar Time

Local solar time may or may not correspond to the local statutory or legal time in a country. Local solar time can be construed as a clock and timescale, with an angular measure of the apparent position of the sun along the ecliptic (path through the sky) as the basic physical principle.

9.5.2. Relativistic

A regime may be needed for 'space-time', off the planet Earth, such as for recording and predicting space weather approaching from the sun, where the speed of light and relativistic effects may be relevant.

Relativistic effects may need to be taken into account for satellites and other space craft because of their relative speed and position in Earth's gravity well.

The key approach is to ensure each moving feature of interest has its own local clock and time, known as its 'proper time'. This example can be construed as a fitting into the clock and timescale regime. The relativistic effects are addressed through the relationships between the separate clocks, positions and velocities of the features.

9.5.3. Accountancy

The financial and administrative domains often use weeks, quarters, and other calendrical measures. These may be convenient (though often not!) for the requisite tasks, but are usually inappropriate for scientific or technical purposes.



10

NOTATION

There are often widely agreed, commonly accepted, notations used for temporal reference systems, but few have been standardised. Any particular notation may be capable of expressing a wider range of times than are valid for the reference system.

Example 0: The IETF RFC3999 timestamp notation, a restrictive profile of the ISO8601, can express times before 1588CE, when the Gregorian calendar was first introduced in some parts of the world.



11

ATTRIBUTES OF THE REGIMES/CLASSES

ATTRIBUTES OF THE REGIMES/CLASSES

The top level Reference System is a super-class and does not have many attributes or properties. So far, only the dimension of the reference system and the Location, Time or Domain of Applicability have been identified as essential.

The Dimension is one for time, or a vertical reference system, but may be as much as 6 for spatial location and orientation.

Besides the conventional space and time, there may be other reference systems, such as wavelength/frequency, that can be addressed by the Abstract Conceptual Model.

11.1. Attributes of Events and Ordinal Temporal Reference Systems

- Name/Id
- Listed or enumerated sequence of events
- First and last events
- Optional Epoch, defined in some other temporal reference system
- Optional location or region of applicability
- Optional notations

Example 1: Ancient annals of a country may give a sequence of emperors which could be used to 'date' another event such as "Emperor Xi built a canal", or may be used to date a particular reign. For example: "In the reign of Emperor Yi, a comet was sighted" and later research identifies this as an appearance of Hailey's Comet.

The events from the list may be instants, such as the change of reign, or intervals, such as the complete reign of each emperor.

Other documents may enable two such 'king lists' to be related, though not completely.

11.2. Attributes of simple Clock and Discrete Timescale

- Name/Id

- Optional Epoch/starting time, defined in some other temporal reference system
- Optional name for each tick
- Optional End time or count
- Optional location
- Optional Notation

Example 2: A well preserved fossilised log is recovered and the tree rings establish an annual 'tick'. The start and end times may be known accurately by comparison and matching with other known tree ring sequences, or perhaps only dated imprecisely via Carbon Dating, or its archaeological or geological context.

11.3. Attributes of a CRS and Continuous Timescales

- Name/Id
- Optional Epoch/starting time, defined in some other temporal reference system
- Optional name for the measure
- Optional End time or measure
- Optional location
- Optional Notation

Example 3: A long ice core is retrieved from a stable ice-sheet. From long term meteorological observations, the rate of accumulation of ice is known, so linear length can be equated to time (assuming a stable climate too). This enable the dates of some previously unknown large scale volcanic eruptions to be identified and timed. Identifiable nuclear fallout from specific atmospheric atomic bomb tests increase the confidence in the timing accuracy.



12

ATTRIBUTES OF CALENDARS

- Name/id
- Astronomical Type (e.g. solar, sidereal, lunar, luni-solar)
- Predictive type (e.g. observed or calculated)
- Epoch/start time
- Optional end time
- Optional location or region of applicability
- Constituent units or clocks and counts or timescales
- Optional Notation

Example 4: The modern Gregorian calendar is a calculated solar calendar, with various epochs from 1588 CE through to 1922 CE depending on location or country. The constituent timescales are days (earth's rotations), months (moon's orbit around the earth), years (earth's orbit around the sun) and seconds determined by atomic clocks. To accommodate discrepancies, leap days and leap seconds are intercalated in some years. The commonest notations for the Gregorian calendar are ISO 8601 and its various restrictive profiles.

Example 5: The modern Islamic calendar is an observed lunar calendar, and the major religious dates progress throughout the year, year on year. The important months are determined by the observation of new moons from Mecca.

Example 6: The modern Jewish calendar is a calculated luni-solar calendar, and discrepancies in the solar year are addressed by adding 'leap months' every few years.

Example 6: The Ba'hai calendar is a calculated solar calendar, but without any other astronomical aspects. The year consists of 19 months of 19 days each, with 4 or 5 intercalated days for a new year holiday.

Example 7: The West African Yoruba traditional calendar is a solar calendar with months, but rather than subdividing a nominal month of 28 days into 4 weeks, 7 weeks of 4 days are used. This perhaps gave rise to the fortnightly (every 8 days) markets in many villages in the grasslands of north-west Cameroun.

Example 8: Teams controlling remote vehicles on Mars use a solar calendar, with Martian years and martian days (called sols). Months are not used because there are two moons, with different, rather short, 'months'.



13

SYNCHRONISATION OF CLOCKS

If there are two or more clocks, stationary with respect to each other, and a practical method of communicating their times to each other, the clocks can be perfectly synchronized.

However, if the clocks are moving with respect to each other, they cannot be precisely coordinated (unless the communication is instantaneous). As communication speed is limited by the finite constant speed of light, perfect synchronisation is not possible, though repetitive protocols can be used to reduce the synchronization error to any practical desired level. See [Orzell, Ref 15, pp187-191]



ANNEX A (NORMATIVE)

ANNEX TITLE



ANNEX A (NORMATIVE) ANNEX TITLE

<Insert annex content here>

NOTE: Place annex material in sequential order and set `obligation` attribute as “normative” (default) or “informative” according to the case.



B

ANNEX B (INFORMATIVE)



ANNEX B (INFORMATIVE)



BIBLIOGRAPHY
