Manitoba Monthly Surveillance Report

January 2016

| Reportable Diseases | Mo | nthly Cases | Monthly Rate (| 95%CI) (Per 1,000,000) | | Current M | onth Cas | es by R | HA | | Year | r-to-Da | te Cases |
|--------------------------------|---------|----------------|-----------------|------------------------|------|-----------|----------|---------|----|-----|------|---------|----------|
| Disease or Organism Name | Current | 3-Year-Average | Current | 3-Year-Average | WRHA | IERHA | NRHA | РМН | SH | Unk | 2016 | 2015 | Change |
| Enterics | | | | | | | | | | | | | |
| CRYPTOSPORIDIOSIS | 2 | 1 | 1.5 (0.2-5.5) | 0.8 (0.0-4.3) | 2 | 0 | 0 | 0 | 0 | 0 | 2 | 1 | 1 |
| E. COLI-VEROTOXIGENIC | 2 | 2 | 1.5 (0.2-5.5) | 1.5 (0.2-5.5) | 0 | 0 | 0 | 1 | 1 | 0 | 2 | 2 | 0 |
| AMEBIASIS | 2 | 2 | 1.5 (0.2-5.5) | 1.5 (0.2-5.5) | 2 | 0 | 0 | 0 | 0 | 0 | 2 | 1 | 1 |
| SHIGELLOSIS | 2 | 3 | 1.5 (0.2-5.5) | 2.3 (0.5-6.7) | 0 | 0 | 0 | 1 | 1 | 0 | 2 | 1 | 1 |
| GIARDIASIS | 10 | 7 | 7.6 (3.6-13.9) | 5.4 (2.2-11.0) | 7 | 0 | 0 | 0 | 3 | 0 | 10 | 5 | 5 |
| CAMPYLOBACTERIOSIS | 4 | 11 | 3.0 (0.8-7.8) | 8.4 (4.2-15.1) | 4 | 0 | 0 | 0 | 0 | 0 | 4 | 10 | -6 |
| SALMONELLOSIS | 24 | 18 | 18.2 (11.6-27.0 | 13.8 (8.2-21.8) | 8 | 4 | 0 | 5 | 7 | 0 | 24 | 18 | 6 |
| VPD | | | | | | | | | | | | | |
| DIPHTHERIA CARRIERS | 1 | 0 | 0.8 (0.0-4.2) | 0.0 (0.0-2.8) | 1 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 |
| PERTUSSIS | 8 | 0 | 6.1 (2.6-11.9) | 0.0 (0.0-2.8) | 2 | 2 | 4 | 0 | 0 | 0 | 8 | 0 | 8 |
| H. INFLUENZAE (NON-SEROTYPE B) | 4 | 1 | 3.0 (0.8-7.8) | 0.8 (0.0-4.3) | 0 | 2 | 0 | 0 | 2 | 0 | 4 | 1 | 3 |
| PNEUMOCOCCAL INVASIVE DISEASE | 6 | 13 | 4.5 (1.7-9.9) | 10.0 (5.3-17.0) | 1 | 1 | 2 | 0 | 2 | 0 | 6 | 9 | -3 |
| Respiratory Diseases and TB | | | | | | | | | | | | | |
| TB - NON-RESP. | 5 | 1 | 3.8 (1.2-8.8) | 0.8 (0.0-4.3) | 4 | 0 | 1 | 0 | 0 | 0 | 5 | 2 | 3 |



| Reportable Diseases | Mo | nthly Cases | Monthly Rate (95%) | CI) (Per 1,000,000) | | Current M | onth Cas | es by RI | HA | | Year | -to-Da | te Cases |
|-----------------------------------|---------|----------------|---------------------|---------------------|------|-----------|----------|----------|----|-----|------|--------|----------|
| Disease or Organism Name | Current | 3-Year-Average | Current | 3-Year-Average | WRHA | IERHA | NRHA | РМН | SH | Unk | 2016 | 2015 | Change |
| TB - RESP. | 4 | 12 | 3.0 (0.8-7.8) | 9.2 (4.8-16.1) | 2 | 0 | 2 | 0 | 0 | 0 | 4 | 6 | -2 |
| INFLUENZA B | 5 | 16 | 3.8 (1.2-8.8) | 12.3 (7.0-19.9) | 0 | 0 | 0 | 0 | 5 | 0 | 5 | 21 | -16 |
| INFLUENZA A | 23 | 445 | 17.4 (11.0-26.1) | 340.9 (310.0-374.1) | 11 | 4 | 2 | 3 | 3 | 0 | 23 | 577 | -554 |
| EMD and Zoonotics | | | | | | | | | | | | | |
| ANAPLASMOSIS | 1 | | 0.8 (0.0-4.2) | | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 1 |
| BLASTOMYCOSIS | 1 | 1 | 0.8 (0.0-4.2) | 0.8 (0.0-4.3) | 1 | 0 | 0 | 0 | 0 | 0 | 1 | 2 | -1 |
| MALARIA | 3 | 1 | 2.3 (0.5-6.6) | 0.8 (0.0-4.3) | 3 | 0 | 0 | 0 | 0 | 0 | 3 | 2 | 1 |
| STBBI | | | | | | | | | | | | | |
| HIV | 8 | 9 | 6.1 (2.6-11.9) | 6.9 (3.2-13.1) | 4 | 1 | 1 | 0 | 2 | 0 | 8 | 6 | 2 |
| GONORRHEA | 128 | 111 | 96.9 (80.9-115.3) | 85.0 (70.0-102.4) | 74 | 7 | 42 | 1 | 4 | 0 | 128 | 99 | 29 |
| CHLAMYDIA | 634 | 612 | 480.2 (443.5-519.0) | 468.9 (432.4-507.5) | 307 | 46 | 178 | 59 | 44 | 0 | 634 | 603 | 31 |
| INFECTIOUS SYPHILIS* | 23 | 9 | 17.4 (11.0-26.1) | 6.9 (3.2-13.1) | 7 | 0 | 13 | 2 | 1 | 0 | 23 | 18 | 5 |
| SYPHILIS (Sero-reactive)* | 146 | 37 | 110.6 (93.4-130.0)* | 28.3 (20.0-39.1) | 82 | 6 | 42 | 9 | 7 | 0 | 146 | 63 | 83 |
| HEPATITIS B* | 1 | 1 | 0.8 (0.0-4.2) | 0.8 (0.0-4.3) | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 0 | 1 |
| HEPATITIS C | 30 | 27 | 22.7 (15.3-32.4) | 20.7 (13.6-30.1) | 20 | 4 | 1 | 4 | 1 | 0 | 30 | 26 | 4 |
| OTHER DISEASES | | | | | | | | | | | | | |
| STREP. INVASIVE DISEASE (GROUP A) | 17 | 13 | 12.9 (7.5-20.6) | 10.0 (5.3-17.0) | 7 | 2 | 5 | 2 | 1 | 0 | 17 | 18 | -1 |
| CLOSTRIDIUM DIFFICILE | 100 | 74 | 75.7 (61.6-92.1) | 56.7 (44.5-71.2) | 71 | 5 | 2 | 12 | 10 | 0 | 100 | 71 | 29 |





Data extracted: March 15, 2016

Notes and Abbreviations

Notes:

- 1. 3-year-average cases / rate are defined as the average cases / rate reported in the same month over the previous three years.
- 2. Out-of-province cases are excluded.
- 3. The diseases where the current monthly rates are significantly higher than the previous 3-year average rates for the same month are highlighted yellow.
- 4. Syphilis (sero-reactive): This category includes all reported Treponema pallidum serology-reactive individuals reported to the Public Health Surveillance System. These reports include infectious and non-infectious cases, as well as those requiring further public health follow-up to determine this status (implemented in 2013).
- 5. Syphilis (infectious): This category includes all confirmed infectious syphilis cases with primary, secondary, early latent stage of infection, or congenital syphilis as defined by the MHHLS Communicable Disease Protocol. This addition to the report is effective January, 2016.
- 6. Hepatitis B: This includes confirmed cases of acute infection only, where both surface antigen (HBsAG) and core antibody (Anti-HBc IgM) are positive.
- 7. Since the reportable diseases' list was updated in January 2015, this monthly report was correspondingly modified.
- 8. The two categories "ARO and Nosocomial Organisms" and "Non VPD" have been combined to the category "Other diseases" since Jan 2015.

Abbreviations:

ARO Antibiotic Resistant Organisms

CI Confidence Interval

EMD Environmentally Mediated Diseases

IERHA Interlake-Eastern Regional Health Authority

NRHA Northern Regional Health Authority

PMH Prairie Mountain Health RHA Regional Health Authority

STBBI Sexually Transmitted & Blood-Borne Infections

TB Tuberculosis

VPD Vaccine Preventable Diseases

WNV West Nile Virus



Manitoba Monthly Surveillance Report

February 2016

| Reportable Diseases | Mo | nthly Cases | Monthly Rate (95%) | CI) (Per 1,000,000) | | Current M | onth Cas | es by R | HA | | Year | r-to-Da | ite Cases |
|--------------------------------|---------|----------------|--------------------|---------------------|------|-----------|----------|---------|----|-----|------|---------|-----------|
| Disease or Organism Name | Current | 3-Year-Average | Current | 3-Year-Average | WRHA | IERHA | NRHA | РМН | SH | Unk | 2016 | 2015 | Change |
| Enterics | | | | | | | | | | | | | |
| CRYPTOSPORIDIOSIS | 1 | 2 | 0.8 (0.0-4.2) | 1.5 (0.2-5.5) | 1 | 0 | 0 | 0 | 0 | 0 | 3 | 3 | 0 |
| E. COLI-VEROTOXIGENIC | 3 | 2 | 2.3 (0.5-6.6) | 1.5 (0.2-5.5) | 1 | 0 | 0 | 0 | 2 | 0 | 4 | 2 | 2 |
| AMEBIASIS | 1 | 2 | 0.8 (0.0-4.2) | 1.5 (0.2-5.5) | 0 | 0 | 0 | 1 | 0 | 0 | 4 | 1 | 3 |
| SHIGELLOSIS | 1 | 4 | 0.8 (0.0-4.2) | 3.1 (0.8-7.8) | 1 | 0 | 0 | 0 | 0 | 0 | 3 | 4 | -1 |
| GIARDIASIS | 11 | 7 | 8.3 (4.2-14.9) | 5.4 (2.2-11.0) | 5 | 0 | 0 | 3 | 3 | 0 | 23 | 11 | 12 |
| CAMPYLOBACTERIOSIS | 5 | 13 | 3.8 (1.2-8.8) | 10.0 (5.3-17.0) | 1 | 0 | 0 | 2 | 2 | 0 | 12 | 19 | -7 |
| SALMONELLOSIS | 22 | 19 | 16.7 (10.4-25.2) | 14.6 (8.8-22.7) | 11 | 3 | 1 | 3 | 4 | 0 | 49 | 33 | 16 |
| VPD | | | | | | | | | | | | | |
| DIPHTHERIA CARRIERS | 3 | 0 | 2.3 (0.5-6.6) | 0.0 (0.0-2.8) | 1 | 0 | 2 | 0 | 0 | 0 | 4 | 0 | 4 |
| PERTUSSIS | 3 | 0 | 2.3 (0.5-6.6) | 0.0 (0.0-2.8) | 1 | 0 | 0 | 0 | 2 | 0 | 11 | 0 | 11 |
| MUMPS | 1 | 1 | 0.8 (0.0-4.2) | 0.8 (0.0-4.3) | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 2 | -1 |
| ТҮРНОІД | 1 | 1 | 0.8 (0.0-4.2) | 0.8 (0.0-4.3) | 1 | 0 | 0 | 0 | 0 | 0 | 1 | 4 | -3 |
| H. INFLUENZAE (NON-SEROTYPE B) | 4 | 2 | 3.0 (0.8-7.8) | 1.5 (0.2-5.5) | 1 | 0 | 1 | 1 | 1 | 0 | 7 | 6 | 1 |
| PNEUMOCOCCAL INVASIVE DISEASE | 12 | 8 | 9.1 (4.7-15.9) | 6.1 (2.6-12.1) | 5 | 1 | 2 | 1 | 3 | 0 | 18 | 14 | 4 |
| Respiratory Diseases and TB | | | | | | | | | | | | | |



| Reportable Diseases | Mo | onthly Cases | Monthly Rate (95%) | CI) (Per 1,000,000) | | Current M | onth Cas | es by RI | HA | | Year | -to-Da | te Cases |
|-----------------------------------|---------|----------------|----------------------|---------------------|------|-----------|----------|----------|----|-----|------|--------|----------|
| Disease or Organism Name | Current | 3-Year-Average | Current | 3-Year-Average | WRHA | IERHA | NRHA | РМН | SH | Unk | 2016 | 2015 | Change |
| TB - NON-RESP. | 3 | 3 | 2.3 (0.5-6.6) | 2.3 (0.5-6.7) | 1 | 0 | 2 | 0 | 0 | 0 | 8 | 6 | 2 |
| TB - RESP. | 16 | 10 | 12.1 (6.9-19.7) | 7.7 (3.7-14.1) | 1 | 0 | 12 | 1 | 2 | 0 | 20 | 18 | 2 |
| INFLUENZA B | 12 | 11 | 9.1 (4.7-15.9) | 8.4 (4.2-15.1) | 7 | 0 | 0 | 1 | 4 | 0 | 17 | 39 | -22 |
| INFLUENZA A | 246 | 100 | 186.3 (163.8-211.1)* | 76.6 (62.3-93.2) | 64 | 25 | 66 | 62 | 29 | 0 | 271 | 654 | -383 |
| EMD and Zoonotics | | | | | | | | | | | | | |
| HANTA VIRUS | 1 | 0 | 0.8 (0.0-4.2) | 0.0 (0.0-2.8) | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 0 | 1 |
| BLASTOMYCOSIS | 2 | 1 | 1.5 (0.2-5.5) | 0.8 (0.0-4.3) | 2 | 0 | 0 | 0 | 0 | 0 | 3 | 4 | -1 |
| STBBI | | | | | | | | | | | | | |
| HIV | 9 | 8 | 6.8 (3.1-12.9) | 6.1 (2.6-12.1) | 8 | 1 | 0 | 0 | 0 | 0 | 17 | 15 | 2 |
| GONORRHEA | 139 | 84 | 105.3 (88.5-124.3)* | 64.4 (51.3-79.7) | 98 | 9 | 19 | 5 | 7 | 1 | 268 | 171 | 97 |
| CHLAMYDIA | 605 | 526 | 458.2 (422.4-496.2) | 403.0 (369.3-438.9) | 308 | 51 | 157 | 58 | 31 | 0 | 1238 | 1131 | 107 |
| INFECTIOUS SYPHILIS* | 20 | 9 | 15.1 (9.3-23.4) | 6.9 (3.2-13.1) | 8 | 1 | 8 | 2 | 1 | 0 | 44 | 30 | 14 |
| SYPHILIS (Sero-reactive)* | 105 | 41 | 79.5 (65.0-96.3)* | 31.4 (22.5-42.6) | 67 | 3 | 21 | 9 | 5 | 0 | 251 | 116 | 135 |
| HEPATITIS B* | 1 | 0 | 0.8 (0.0-4.2) | 0.0 (0.0-2.8) | 1 | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 2 |
| HEPATITIS C | 40 | 25 | 30.3 (21.6-41.3) | 19.2 (12.4-28.3) | 27 | 4 | 3 | 3 | 3 | 0 | 70 | 59 | 11 |
| OTHER DISEASES | | | | | | | | | | | | | |
| STREP. INVASIVE DISEASE (GROUP A) | 20 | 15 | 15.1 (9.3-23.4) | 11.5 (6.4-19.0) | 12 | 1 | 2 | 1 | 4 | 0 | 38 | 37 | 1 |
| CLOSTRIDIUM DIFFICILE | 105 | 65 | 79.5 (65.0-96.3)* | 49.8 (38.4-63.5) | 61 | 11 | 6 | 14 | 13 | 0 | 205 | 145 | 60 |





Data extracted: April 15, 2016

Notes and Abbreviations

Notes:

- 1. 3-year-average cases / rate are defined as the average cases / rate reported in the same month over the previous three years.
- 2. Out-of-province cases are excluded.
- 3. The diseases where the current monthly rates are significantly higher than the previous 3-year average rates for the same month are highlighted yellow.
- 4. Syphilis (sero-reactive): This category includes all reported Treponema pallidum serology-reactive individuals reported to the Public Health Surveillance System. These reports include infectious and non-infectious cases, as well as those requiring further public health follow-up to determine this status (implemented in 2013).
- 5. Syphilis (infectious): This category includes all confirmed infectious syphilis cases with primary, secondary, early latent stage of infection, or congenital syphilis as defined by the MHHLS Communicable Disease Protocol. This addition to the report is effective January, 2016.
- 6. Hepatitis B: This includes confirmed cases of acute infection only, where both surface antigen (HBsAG) and core antibody (Anti-HBc IgM) are positive.
- 7. Since the reportable diseases' list was updated in January 2015, this monthly report was correspondingly modified.
- 8. The two categories "ARO and Nosocomial Organisms" and "Non VPD" have been combined to the category "Other diseases" since Jan 2015.

Abbreviations:

ARO Antibiotic Resistant Organisms

CI Confidence Interval

EMD Environmentally Mediated Diseases

IERHA Interlake-Eastern Regional Health Authority

NRHA Northern Regional Health Authority

PMH Prairie Mountain Health RHA Regional Health Authority

STBBI Sexually Transmitted & Blood-Borne Infections

TB Tuberculosis

VPD Vaccine Preventable Diseases

WNV West Nile Virus



Manitoba Monthly Surveillance Report

March 2016

| Reportable Diseases | Mo | nthly Cases | Monthly Rate (95%) | CI) (Per 1,000,000) | | Current M | onth Cas | es by RI | HA | | Year | r-to-Da | ite Cases |
|--------------------------------|---------|----------------|--------------------|---------------------|------|-----------|----------|----------|----|-----|------|---------|-----------|
| Disease or Organism Name | Current | 3-Year-Average | Current | 3-Year-Average | WRHA | IERHA | NRHA | РМН | SH | Unk | 2016 | 2015 | Change |
| Enterics | | | | | | | | | | | | | |
| AMEBIASIS | 1 | 1 | 0.8 (0.0-4.2) | 0.8 (0.0-4.3) | 1 | 0 | 0 | 0 | 0 | 0 | 6 | 3 | 3 |
| SHIGELLOSIS | 1 | 1 | 0.8 (0.0-4.2) | 0.8 (0.0-4.3) | 1 | 0 | 0 | 0 | 0 | 0 | 4 | 5 | -1 |
| E. COLI-VEROTOXIGENIC | 2 | 2 | 1.5 (0.2-5.5) | 1.5 (0.2-5.5) | 1 | 0 | 0 | 0 | 1 | 0 | 6 | 3 | 3 |
| CRYPTOSPORIDIOSIS | 2 | 3 | 1.5 (0.2-5.5) | 2.3 (0.5-6.7) | 1 | 1 | 0 | 0 | 0 | 0 | 5 | 7 | -2 |
| GIARDIASIS | 7 | 8 | 5.3 (2.1-10.9) | 6.1 (2.6-12.1) | 4 | 0 | 0 | 0 | 3 | 0 | 30 | 20 | 10 |
| CAMPYLOBACTERIOSIS | 9 | 10 | 6.8 (3.1-12.9) | 7.7 (3.7-14.1) | 3 | 0 | 1 | 3 | 2 | 0 | 23 | 28 | -5 |
| SALMONELLOSIS | 23 | 20 | 17.4 (11.0-26.1) | 15.3 (9.4-23.7) | 12 | 3 | 1 | 3 | 4 | 0 | 76 | 59 | 17 |
| VPD | | | | | | | | | | | | | |
| MUMPS | 1 | 0 | 0.8 (0.0-4.2) | 0.0 (0.0-2.8) | 1 | 0 | 0 | 0 | 0 | 0 | 1 | 2 | -1 |
| MENINGOCOCCAL INVASIVE DISEASE | 1 | 1 | 0.8 (0.0-4.2) | 0.8 (0.0-4.3) | 0 | 0 | 1 | 0 | 0 | 0 | 1 | 2 | -1 |
| PERTUSSIS | 9 | 1 | 6.8 (3.1-12.9) | 0.8 (0.0-4.3) | 4 | 0 | 1 | 3 | 1 | 0 | 20 | 1 | 19 |
| H. INFLUENZAE (NON-SEROTYPE B) | 2 | 2 | 1.5 (0.2-5.5) | 1.5 (0.2-5.5) | 2 | 0 | 0 | 0 | 0 | 0 | 9 | 8 | 1 |
| PNEUMOCOCCAL INVASIVE DISEASE | 16 | 9 | 12.1 (6.9-19.7) | 6.9 (3.2-13.1) | 10 | 0 | 3 | 1 | 2 | 0 | 35 | 22 | 13 |
| Respiratory Diseases and TB | | | | | | | | | | | | | |
| TB - NON-RESP. | 3 | 2 | 2.3 (0.5-6.6) | 1.5 (0.2-5.5) | 2 | 1 | 0 | 0 | 0 | 0 | 11 | 9 | 2 |



| Reportable Diseases | Mo | nthly Cases | Monthly Rate (95%) | CI) (Per 1,000,000) | | Current M | onth Cas | es by RI | HA | | Year | r-to-Da | te Cases |
|-----------------------------------|---------|----------------|----------------------|---------------------|------|-----------|----------|----------|----|-----|------|---------|----------|
| Disease or Organism Name | Current | 3-Year-Average | Current | 3-Year-Average | WRHA | IERHA | NRHA | РМН | SH | Unk | 2016 | 2015 | Change |
| TB - RESP. | 17 | 10 | 12.9 (7.5-20.6) | 7.7 (3.7-14.1) | 2 | 1 | 12 | 0 | 2 | 0 | 37 | 22 | 15 |
| INFLUENZA B | 82 | 24 | 62.1 (49.4-77.1)* | 18.4 (11.8-27.4) | 37 | 6 | 11 | 19 | 9 | 0 | 99 | 94 | 5 |
| INFLUENZA A | 535 | 35 | 405.2 (371.6-441.0)* | 26.8 (18.7-37.3) | 184 | 48 | 109 | 110 | 81 | 3 | 806 | 664 | 142 |
| EMD and Zoonotics | | | | | | | | | | | | | |
| MALARIA | 1 | 1 | 0.8 (0.0-4.2) | 0.8 (0.0-4.3) | 0 | 0 | 0 | 0 | 1 | 0 | 4 | 3 | 1 |
| STBBI | | | | | | | | | | | | | |
| HIV | 9 | 8 | 6.8 (3.1-12.9) | 6.1 (2.6-12.1) | 9 | 0 | 0 | 0 | 0 | 0 | 26 | 28 | -2 |
| GONORRHEA | 135 | 96 | 102.2 (85.7-121.0) | 73.5 (59.6-89.8) | 99 | 4 | 25 | 2 | 5 | 0 | 403 | 272 | 131 |
| CHLAMYDIA | 607 | 545 | 459.7 (423.9-497.8) | 417.5 (383.2-454.1) | 329 | 45 | 138 | 46 | 48 | 1 | 1845 | 1709 | 136 |
| INFECTIOUS SYPHILIS* | 19 | 11 | 14.4 (8.7-22.5) | 8.4 (4.2-15.1) | 11 | 0 | 7 | 0 | 1 | 0 | 65 | 46 | 19 |
| SYPHILIS (Sero-reactive)* | 93 | 44 | 70.4 (56.9-86.3)* | 33.7 (24.5-45.3) | 70 | 5 | 12 | 4 | 2 | 0 | 344 | 181 | 163 |
| HEPATITIS B* | 1 | 0 | 0.8 (0.0-4.2) | 0.0 (0.0-2.8) | 0 | 1 | 0 | 0 | 0 | 0 | 3 | 0 | 3 |
| HEPATITIS C | 38 | 35 | 28.8 (20.4-39.5) | 26.8 (18.7-37.3) | 25 | 4 | 0 | 8 | 1 | 0 | 106 | 93 | 13 |
| OTHER DISEASES | | | | | | | | | | | | | |
| CREUTZFELD-JACOB DISEASE | 1 | 0 | 0.8 (0.0-4.2) | 0.0 (0.0-2.8) | 0 | 0 | 0 | 1 | 0 | 0 | 2 | 0 | 2 |
| STREP. INVASIVE DISEASE (GROUP A) | 17 | 14 | 12.9 (7.5-20.6) | 10.7 (5.9-18.0) | 12 | 2 | 1 | 2 | 0 | 0 | 55 | 50 | 5 |
| CLOSTRIDIUM DIFFICILE | 104 | 78 | 78.8 (64.4-95.4) | 59.8 (47.2-74.6) | 67 | 11 | 7 | 13 | 6 | 0 | 309 | 222 | 87 |

Data extracted: May 17, 2016

Notes and Abbreviations

Notes:

- 1. 3-year-average cases / rate are defined as the average cases / rate reported in the same month over the previous three years.
- 2. Out-of-province cases are excluded.
- 3. The diseases where the current monthly rates are significantly higher than the previous 3-year average rates for the same month are highlighted yellow.
- 4. Syphilis (sero-reactive): This category includes all reported Treponema pallidum serology-reactive individuals reported to the Public Health Surveillance System. These reports include infectious and non-infectious cases, as well as those requiring further public health follow-up to determine this status (implemented in 2013).
- 5. Syphilis (infectious): This category includes all confirmed infectious syphilis cases with primary, secondary, early latent stage of infection, or congenital syphilis as defined by the MHHLS Communicable Disease Protocol. This addition to the report is effective January, 2016.
- 6. Hepatitis B: This includes confirmed cases of acute infection only, where both surface antigen (HBsAG) and core antibody (Anti-HBc IgM) are positive.
- 7. Since the reportable diseases' list was updated in January 2015, this monthly report was correspondingly modified.
- 8. The two categories "ARO and Nosocomial Organisms" and "Non VPD" have been combined to the category "Other diseases" since Jan 2015.

Abbreviations:

ARO Antibiotic Resistant Organisms

CI Confidence Interval

EMD Environmentally Mediated Diseases

IERHA Interlake-Eastern Regional Health Authority

NRHA Northern Regional Health Authority

PMH Prairie Mountain Health RHA Regional Health Authority

STBBI Sexually Transmitted & Blood-Borne Infections

TB Tuberculosis

VPD Vaccine Preventable Diseases

WNV West Nile Virus



Manitoba Monthly Surveillance Report

April 2016

| Reportable Diseases | Mo | nthly Cases | Monthly Rate (95% | CI) (Per 1,000,000) | (| Current M | onth Cas | es by RI | HA | | Year | r-to-Da | te Cases |
|--------------------------------|---------|----------------|-------------------|---------------------|------|-----------|----------|----------|----|-----|------|---------|----------|
| Disease or Organism Name | Current | 3-Year-Average | Current | 3-Year-Average | WRHA | IERHA | NRHA | PMH | SH | Unk | 2016 | 2015 | Change |
| Enterics | | | | | | | | | | | | | |
| SHIGELLOSIS | 1 | 2 | 0.8 (0.0-4.2) | 1.5 (0.2-5.5) | 1 | 0 | 0 | 0 | 0 | 0 | 5 | 7 | -2 |
| AMEBIASIS | 3 | 2 | 2.3 (0.5-6.6) | 1.5 (0.2-5.5) | 1 | 0 | 0 | 0 | 2 | 0 | 9 | 6 | 3 |
| E. COLI-VEROTOXIGENIC | 3 | 3 | 2.3 (0.5-6.6) | 2.3 (0.5-6.7) | 1 | 0 | 0 | 1 | 1 | 0 | 9 | 5 | 4 |
| GIARDIASIS | 7 | 7 | 5.3 (2.1-10.9) | 5.4 (2.2-11.0) | 3 | 0 | 0 | 1 | 3 | 0 | 38 | 24 | 14 |
| CAMPYLOBACTERIOSIS | 14 | 16 | 10.6 (5.8-17.8) | 12.3 (7.0-19.9) | 6 | 1 | 0 | 6 | 1 | 0 | 38 | 44 | -6 |
| SALMONELLOSIS | 30 | 17 | 22.7 (15.3-32.4) | 13.0 (7.6-20.9) | 14 | 1 | 0 | 11 | 4 | 0 | 108 | 81 | 27 |
| VPD | | | | | | | | | | | | | |
| DIPHTHERIA CARRIERS | 1 | 0 | 0.8 (0.0-4.2) | 0.0 (0.0-2.8) | 0 | 0 | 1 | 0 | 0 | 0 | 5 | 0 | 5 |
| H. INFLUENZAE (NON-SEROTYPE B) | 1 | 0 | 0.8 (0.0-4.2) | 0.0 (0.0-2.8) | 0 | 0 | 1 | 0 | 0 | 0 | 10 | 9 | 1 |
| PERTUSSIS | 3 | 2 | 2.3 (0.5-6.6) | 1.5 (0.2-5.5) | 3 | 0 | 0 | 0 | 0 | 0 | 23 | 5 | 18 |
| PNEUMOCOCCAL INVASIVE DISEASE | 17 | 16 | 12.9 (7.5-20.6) | 12.3 (7.0-19.9) | 2 | 2 | 8 | 2 | 3 | 0 | 52 | 35 | 17 |
| Respiratory Diseases and TB | | | | | | | | | | | | | |
| TB - NON-RESP. | 1 | 1 | 0.8 (0.0-4.2) | 0.8 (0.0-4.3) | 0 | 0 | 1 | 0 | 0 | 0 | 12 | 12 | 0 |
| TB - RESP. | 16 | 10 | 12.1 (6.9-19.7) | 7.7 (3.7-14.1) | 6 | 0 | 10 | 0 | 0 | 0 | 53 | 36 | 17 |



| Reportable Diseases | Mo | nthly Cases | Monthly Rate (95%) | CI) (Per 1,000,000) | (| Current M | onth Cas | es by RI | HA | | Year | r-to-Da | te Cases |
|-----------------------------------|---------|----------------|---------------------|---------------------|------|-----------|----------|----------|----|-----|------|---------|----------|
| Disease or Organism Name | Current | 3-Year-Average | Current | 3-Year-Average | WRHA | IERHA | NRHA | РМН | SH | Unk | 2016 | 2015 | Change |
| INFLUENZA A | 49 | 11 | 37.1 (27.5-49.1)* | 8.4 (4.2-15.1) | 30 | 3 | 0 | 7 | 9 | 0 | 855 | 666 | 189 |
| INFLUENZA B | 74 | 40 | 56.0 (44.0-70.4)* | 30.6 (21.9-41.7) | 26 | 8 | 12 | 17 | 11 | 0 | 173 | 172 | 1 |
| EMD and Zoonotics | | | | | | | | | | | | | |
| BLASTOMYCOSIS | 1 | 1 | 0.8 (0.0-4.2) | 0.8 (0.0-4.3) | 0 | 0 | 0 | 0 | 1 | 0 | 4 | 8 | -4 |
| STBBI | | | | | | | | | | | | | |
| HIV | 11 | 10 | 8.3 (4.2-14.9) | 7.7 (3.7-14.1) | 8 | 2 | 0 | 0 | 1 | 0 | 37 | 41 | -4 |
| GONORRHEA | 155 | 91 | 117.4 (99.6-137.4)* | 69.7 (56.1-85.6) | 95 | 14 | 35 | 3 | 8 | 0 | 559 | 362 | 197 |
| CHLAMYDIA | 602 | 525 | 455.9 (420.3-493.9) | 402.2 (368.5-438.1) | 297 | 61 | 161 | 37 | 46 | 0 | 2451 | 2229 | 222 |
| INFECTIOUS SYPHILIS* | 20 | 9 | 15.1 (9.3-23.4) | 6.9 (3.2-13.1) | 10 | 2 | 8 | 0 | 0 | 0 | 85 | 55 | 30 |
| SYPHILIS (Sero-reactive)* | 67 | 35 | 50.7 (39.3-64.4)* | 26.8 (18.7-37.3) | 44 | 4 | 14 | 2 | 3 | 0 | 411 | 223 | 188 |
| HEPATITIS C | 30 | 32 | 22.7 (15.3-32.4) | 24.5 (16.8-34.6) | 22 | 0 | 3 | 5 | 0 | 0 | 138 | 131 | 7 |
| OTHER DISEASES | | | | | | | | | | | | | |
| STREP. INVASIVE DISEASE (GROUP A) | 19 | 14 | 14.4 (8.7-22.5) | 10.7 (5.9-18.0) | 11 | 0 | 2 | 1 | 5 | 0 | 74 | 70 | 4 |
| CLOSTRIDIUM DIFFICILE | 98 | 75 | 74.2 (60.3-90.5) | 57.5 (45.2-72.0) | 50 | 12 | 3 | 13 | 20 | 0 | 407 | 318 | 89 |





Data extracted: June 15, 2016

Notes and Abbreviations

Notes:

- 1. 3-year-average cases / rate are defined as the average cases / rate reported in the same month over the previous three years.
- 2. Out-of-province cases are excluded.
- 3. The diseases where the current monthly rates are significantly higher than the previous 3-year average rates for the same month are highlighted yellow.
- 4. Syphilis (sero-reactive): This category includes all reported Treponema pallidum serology-reactive individuals reported to the Public Health Surveillance System. These reports include infectious and non-infectious cases, as well as those requiring further public health follow-up to determine this status (implemented in 2013).
- 5. Syphilis (infectious): This category includes all confirmed infectious syphilis cases with primary, secondary, early latent stage of infection, or congenital syphilis as defined by the MHHLS Communicable Disease Protocol. This addition to the report is effective January, 2016.
- 6. Hepatitis B: This includes confirmed cases of acute infection only, where both surface antigen (HBsAG) and core antibody (Anti-HBc IgM) are positive.
- 7. Since the reportable diseases' list was updated in January 2015, this monthly report was correspondingly modified.
- 8. The two categories "ARO and Nosocomial Organisms" and "Non VPD" have been combined to the category "Other diseases" since Jan 2015.

Abbreviations:

ARO Antibiotic Resistant Organisms

CI Confidence Interval

EMD Environmentally Mediated Diseases

IERHA Interlake-Eastern Regional Health Authority

NRHA Northern Regional Health Authority

PMH Prairie Mountain Health RHA Regional Health Authority

STBBI Sexually Transmitted & Blood-Borne Infections

TB Tuberculosis

VPD Vaccine Preventable Diseases

WNV West Nile Virus



Manitoba Monthly Surveillance Report

May 2016

| Reportable Diseases | Mo | nthly Cases | Monthly Rate (95%) | CI) (Per 1,000,000) | | Current M | onth Cas | es by RI | HA | | Year | r-to-Da | te Cases |
|--------------------------------|---------|----------------|--------------------|---------------------|------|-----------|----------|----------|----|-----|------|---------|----------|
| Disease or Organism Name | Current | 3-Year-Average | Current | 3-Year-Average | WRHA | IERHA | NRHA | РМН | SH | Unk | 2016 | 2015 | Change |
| Enterics | | | | | | | | | | | | | |
| AMEBIASIS | 1 | 2 | 0.8 (0.0-4.2) | 1.5 (0.2-5.5) | 1 | 0 | 0 | 0 | 0 | 0 | 12 | 6 | 6 |
| CRYPTOSPORIDIOSIS | 2 | 3 | 1.5 (0.2-5.5) | 2.3 (0.5-6.7) | 0 | 0 | 0 | 2 | 0 | 0 | 8 | 14 | -6 |
| E. COLI-VEROTOXIGENIC | 1 | 3 | 0.8 (0.0-4.2) | 2.3 (0.5-6.7) | 0 | 0 | 0 | 0 | 1 | 0 | 11 | 9 | 2 |
| GIARDIASIS | 1 | 7 | 0.8 (0.0-4.2) | 5.4 (2.2-11.0) | 1 | 0 | 0 | 0 | 0 | 0 | 41 | 31 | 10 |
| CAMPYLOBACTERIOSIS | 14 | 12 | 10.6 (5.8-17.8) | 9.2 (4.8-16.1) | 2 | 2 | 0 | 3 | 7 | 0 | 53 | 56 | -3 |
| SALMONELLOSIS | 22 | 16 | 16.7 (10.4-25.2) | 12.3 (7.0-19.9) | 13 | 0 | 1 | 2 | 6 | 0 | 132 | 96 | 36 |
| VPD | | | | | | | | | | | | | |
| MUMPS | 1 | 0 | 0.8 (0.0-4.2) | 0.0 (0.0-2.8) | 1 | 0 | 0 | 0 | 0 | 0 | 1 | 3 | -2 |
| MENINGOCOCCAL INVASIVE DISEASE | 3 | 0 | 2.3 (0.5-6.6) | 0.0 (0.0-2.8) | 1 | 0 | 1 | 0 | 1 | 0 | 4 | 3 | 1 |
| H. INFLUENZAE (NON-SEROTYPE B) | 2 | 2 | 1.5 (0.2-5.5) | 1.5 (0.2-5.5) | 1 | 0 | 1 | 0 | 0 | 0 | 12 | 11 | 1 |
| PERTUSSIS | 3 | 2 | 2.3 (0.5-6.6) | 1.5 (0.2-5.5) | 0 | 0 | 1 | 0 | 2 | 0 | 28 | 9 | 19 |
| PNEUMOCOCCAL INVASIVE DISEASE | 10 | 18 | 7.6 (3.6-13.9) | 13.8 (8.2-21.8) | 4 | 0 | 2 | 4 | 0 | 0 | 63 | 54 | 9 |
| Respiratory Diseases and TB | | | | | | | | | | | | | |
| TB - NON-RESP. | 1 | 4 | 0.8 (0.0-4.2) | 3.1 (0.8-7.8) | 1 | 0 | 0 | 0 | 0 | 0 | 13 | 16 | -3 |
| TB - RESP. | 15 | 12 | 11.4 (6.4-18.7) | 9.2 (4.8-16.1) | 6 | 3 | 6 | 0 | 0 | 0 | 67 | 55 | 12 |





| Reportable Diseases | Mo | nthly Cases | Monthly Rate (95%) | CI) (Per 1,000,000) | | Current M | onth Cas | es by RI | HA | | Year | -to-Da | te Cases |
|-----------------------------------|---------|----------------|----------------------|---------------------|------|-----------|----------|----------|----|-----|------|--------|----------|
| Disease or Organism Name | Current | 3-Year-Average | Current | 3-Year-Average | WRHA | IERHA | NRHA | РМН | SH | Unk | 2016 | 2015 | Change |
| INFLUENZA A | 1 | 2 | 0.8 (0.0-4.2) | 1.5 (0.2-5.5) | 0 | 0 | 0 | 1 | 0 | 0 | 853 | 667 | 186 |
| INFLUENZA B | 50 | 31 | 37.9 (28.1-49.9) | 23.7 (16.1-33.7) | 10 | 5 | 26 | 4 | 5 | 0 | 222 | 207 | 15 |
| EMD and Zoonotics | | | | | | | | | | | | | |
| TULAREMIA | 1 | 0 | 0.8 (0.0-4.2) | 0.0 (0.0-2.8) | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 0 | 1 |
| MALARIA | 4 | 4 | 3.0 (0.8-7.8) | 3.1 (0.8-7.8) | 4 | 0 | 0 | 0 | 0 | 0 | 9 | 6 | 3 |
| STBBI | | | | | | | | | | | | | |
| HIV | 5 | 8 | 3.8 (1.2-8.8) | 6.1 (2.6-12.1) | 1 | 0 | 0 | 1 | 3 | 0 | 42 | 49 | -7 |
| GONORRHEA | 175 | 93 | 132.5 (113.6-153.7)* | 71.2 (57.5-87.3) | 104 | 17 | 37 | 12 | 5 | 0 | 734 | 454 | 280 |
| CHLAMYDIA | 599 | 515 | 453.7 (418.1-491.5) | 394.5 (361.2-430.1) | 294 | 48 | 163 | 56 | 38 | 0 | 3050 | 2705 | 345 |
| INFECTIOUS SYPHILIS* | 19 | 11 | 14.4 (8.7-22.5) | 8.4 (4.2-15.1) | 11 | 2 | 4 | 2 | 0 | 0 | 106 | 64 | 42 |
| SYPHILIS (Sero-reactive)* | 62 | 36 | 47.0 (36.0-60.2) | 27.6 (19.3-38.2) | 42 | 5 | 8 | 4 | 3 | 0 | 473 | 267 | 206 |
| HEPATITIS B* | 1 | 1 | 0.8 (0.0-4.2) | 0.8 (0.0-4.3) | 1 | 0 | 0 | 0 | 0 | 0 | 4 | 2 | 2 |
| HEPATITIS C | 39 | 33 | 29.5 (21.0-40.4) | 25.3 (17.4-35.5) | 14 | 10 | 4 | 8 | 3 | 0 | 177 | 166 | 11 |
| OTHER DISEASES | | | | | | | | | | | | | |
| STREP. INVASIVE DISEASE (GROUP A) | 21 | 11 | 15.9 (9.8-24.3) | 8.4 (4.2-15.1) | 8 | 3 | 7 | 1 | 2 | 0 | 94 | 88 | 6 |
| CLOSTRIDIUM DIFFICILE | 76 | 94 | 57.6 (45.4-72.0) | 72.0 (58.2-88.1) | 46 | 5 | 3 | 15 | 7 | 0 | 483 | 444 | 39 |





Data extracted: July 15, 2016

Notes and Abbreviations

Notes:

- 1. 3-year-average cases / rate are defined as the average cases / rate reported in the same month over the previous three years.
- 2. Out-of-province cases are excluded.
- 3. The diseases where the current monthly rates are significantly higher than the previous 3-year average rates for the same month are highlighted yellow.
- 4. Syphilis (sero-reactive): This category includes all reported Treponema pallidum serology-reactive individuals reported to the Public Health Surveillance System. These reports include infectious and non-infectious cases, as well as those requiring further public health follow-up to determine this status (implemented in 2013).
- 5. Syphilis (infectious): This category includes all confirmed infectious syphilis cases with primary, secondary, early latent stage of infection, or congenital syphilis as defined by the MHHLS Communicable Disease Protocol. This addition to the report is effective January, 2016.
- 6. Hepatitis B: This includes confirmed cases of acute infection only, where both surface antigen (HBsAG) and core antibody (Anti-HBc IgM) are positive.
- 7. Since the reportable diseases' list was updated in January 2015, this monthly report was correspondingly modified.
- 8. The two categories "ARO and Nosocomial Organisms" and "Non VPD" have been combined to the category "Other diseases" since Jan 2015.

Abbreviations:

ARO Antibiotic Resistant Organisms

CI Confidence Interval

EMD Environmentally Mediated Diseases

IERHA Interlake-Eastern Regional Health Authority

NRHA Northern Regional Health Authority

PMH Prairie Mountain Health RHA Regional Health Authority

STBBI Sexually Transmitted & Blood-Borne Infections

TB Tuberculosis

VPD Vaccine Preventable Diseases

WNV West Nile Virus



Manitoba Monthly Surveillance Report

June 2016

| Reportable Diseases | Mo | nthly Cases | Monthly Rate (95%) | CI) (Per 1,000,000) | (| Current M | onth Cas | es by RI | HA | | Year | r-to-Da | te Cases |
|--------------------------------|---------|----------------|--------------------|---------------------|------|-----------|----------|----------|----|-----|------|---------|----------|
| Disease or Organism Name | Current | 3-Year-Average | Current | 3-Year-Average | WRHA | IERHA | NRHA | РМН | SH | Unk | 2016 | 2015 | Change |
| Enterics | | | | | | | | | | | | | |
| CRYPTOSPORIDIOSIS | 7 | 3 | 5.3 (2.1-10.9) | 2.3 (0.5-6.7) | 2 | 0 | 0 | 5 | 0 | 0 | 15 | 15 | 0 |
| AMEBIASIS | 1 | 3 | 0.8 (0.0-4.2) | 2.3 (0.5-6.7) | 1 | 0 | 0 | 0 | 0 | 0 | 13 | 10 | 3 |
| E. COLI-VEROTOXIGENIC | 2 | 4 | 1.5 (0.2-5.5) | 3.1 (0.8-7.8) | 1 | 0 | 0 | 0 | 1 | 0 | 14 | 14 | 0 |
| GIARDIASIS | 5 | 7 | 3.8 (1.2-8.8) | 5.4 (2.2-11.0) | 3 | 0 | 0 | 1 | 1 | 0 | 47 | 36 | 11 |
| CAMPYLOBACTERIOSIS | 32 | 15 | 24.2 (16.6-34.2) | 11.5 (6.4-19.0) | 10 | 5 | 0 | 9 | 8 | 0 | 86 | 66 | 20 |
| SALMONELLOSIS | 20 | 16 | 15.1 (9.3-23.4) | 12.3 (7.0-19.9) | 11 | 2 | 0 | 3 | 4 | 0 | 153 | 109 | 44 |
| VPD | | | | | | | | | | | | | |
| DIPHTHERIA CARRIERS | 1 | 1 | 0.8 (0.0-4.2) | 0.8 (0.0-4.3) | 0 | 0 | 1 | 0 | 0 | 0 | 5 | 2 | 3 |
| MENINGOCOCCAL INVASIVE DISEASE | 1 | 1 | 0.8 (0.0-4.2) | 0.8 (0.0-4.3) | 1 | 0 | 0 | 0 | 0 | 0 | 5 | 4 | 1 |
| PERTUSSIS | 5 | 1 | 3.8 (1.2-8.8) | 0.8 (0.0-4.3) | 0 | 0 | 1 | 0 | 4 | 0 | 33 | 11 | 22 |
| H. INFLUENZAE (NON-SEROTYPE B) | 4 | 2 | 3.0 (0.8-7.8) | 1.5 (0.2-5.5) | 0 | 0 | 1 | 1 | 2 | 0 | 16 | 13 | 3 |
| PNEUMOCOCCAL INVASIVE DISEASE | 9 | 10 | 6.8 (3.1-12.9) | 7.7 (3.7-14.1) | 4 | 1 | 1 | 2 | 1 | 0 | 75 | 67 | 8 |
| Respiratory Diseases and TB | | | | | | | | | | | | | |
| TB - NON-RESP. | 5 | 5 | 3.8 (1.2-8.8) | 3.8 (1.2-8.9) | 5 | 0 | 0 | 0 | 0 | 0 | 18 | 18 | 0 |



| Reportable Diseases | Mo | nthly Cases | Monthly Rate (95%) | CI) (Per 1,000,000) | (| Current M | onth Cas | es by RI | HA | | Year | -to-Da | te Cases |
|-----------------------------------|---------|----------------|----------------------|---------------------|------|-----------|----------|----------|----|-----|------|--------|----------|
| Disease or Organism Name | Current | 3-Year-Average | Current | 3-Year-Average | WRHA | IERHA | NRHA | РМН | SH | Unk | 2016 | 2015 | Change |
| TB - RESP. | 13 | 10 | 9.8 (5.2-16.8) | 7.7 (3.7-14.1) | 5 | 3 | 5 | 0 | 0 | 0 | 79 | 67 | 12 |
| INFLUENZA A | 1 | 0 | 0.8 (0.0-4.2) | 0.0 (0.0-2.8) | 0 | 1 | 0 | 0 | 0 | 0 | 854 | 667 | 187 |
| INFLUENZA B | 5 | 2 | 3.8 (1.2-8.8) | 1.5 (0.2-5.5) | 0 | 0 | 5 | 0 | 0 | 0 | 227 | 210 | 17 |
| EMD and Zoonotics | | | | | | | | | | | | | |
| TULAREMIA | 1 | 0 | 0.8 (0.0-4.2) | 0.0 (0.0-2.8) | 0 | 0 | 0 | 1 | 0 | 0 | 2 | 1 | 1 |
| BLASTOMYCOSIS | 1 | 1 | 0.8 (0.0-4.2) | 0.8 (0.0-4.3) | 1 | 0 | 0 | 0 | 0 | 0 | 5 | 8 | -3 |
| MALARIA | 1 | 2 | 0.8 (0.0-4.2) | 1.5 (0.2-5.5) | 1 | 0 | 0 | 0 | 0 | 0 | 10 | 7 | 3 |
| STBBI | | | | | | | | | | | | | |
| HIV | 9 | 8 | 6.8 (3.1-12.9) | 6.1 (2.6-12.1) | 7 | 0 | 0 | 1 | 1 | 0 | 52 | 57 | -5 |
| GONORRHEA | 192 | 81 | 145.4 (125.6-167.5)* | 62.1 (49.3-77.1) | 141 | 8 | 30 | 4 | 9 | 0 | 926 | 540 | 386 |
| CHLAMYDIA | 589 | 493 | 446.1 (410.8-483.6) | 377.7 (345.1-412.5) | 346 | 44 | 108 | 48 | 43 | 0 | 3639 | 3198 | 441 |
| INFECTIOUS SYPHILIS* | 17 | 11 | 12.9 (7.5-20.6) | 8.4 (4.2-15.1) | 9 | 1 | 6 | 0 | 1 | 0 | 123 | 86 | 37 |
| SYPHILIS (Sero-reactive)* | 46 | 34 | 34.8 (25.5-46.5) | 26.0 (18.0-36.4) | 29 | 3 | 12 | 0 | 2 | 0 | 519 | 322 | 197 |
| HEPATITIS B* | 1 | 1 | 0.8 (0.0-4.2) | 0.8 (0.0-4.3) | 1 | 0 | 0 | 0 | 0 | 0 | 5 | 2 | 3 |
| HEPATITIS C | 35 | 28 | 26.5 (18.5-36.9) | 21.5 (14.3-31.0) | 16 | 5 | 3 | 8 | 3 | 0 | 213 | 201 | 12 |
| OTHER DISEASES | | | | | | | | | | | | | |
| STREP. INVASIVE DISEASE (GROUP A) | 17 | 12 | 12.9 (7.5-20.6) | 9.2 (4.8-16.1) | 9 | 2 | 6 | 0 | 0 | 0 | 111 | 103 | 8 |
| CLOSTRIDIUM DIFFICILE | 92 | 80 | 69.7 (56.2-85.5) | 61.3 (48.6-76.3) | 50 | 14 | 3 | 15 | 10 | 0 | 575 | 540 | 35 |





Data extracted: August 15, 2016

Notes and Abbreviations

Notes:

- 1. 3-year-average cases / rate are defined as the average cases / rate reported in the same month over the previous three years.
- 2. Out-of-province cases are excluded.
- 3. The diseases where the current monthly rates are significantly higher than the previous 3-year average rates for the same month are highlighted yellow.
- 4. Syphilis (sero-reactive): This category includes all reported Treponema pallidum serology-reactive individuals reported to the Public Health Surveillance System. These reports include infectious and non-infectious cases, as well as those requiring further public health follow-up to determine this status (implemented in 2013).
- 5. Syphilis (infectious): This category includes all confirmed infectious syphilis cases with primary, secondary, early latent stage of infection, or congenital syphilis as defined by the MHHLS Communicable Disease Protocol. This addition to the report is effective January, 2016.
- 6. Hepatitis B: This includes confirmed cases of acute infection only, where both surface antigen (HBsAG) and core antibody (Anti-HBc IgM) are positive.
- 7. Since the reportable diseases' list was updated in January 2015, this monthly report was correspondingly modified.
- 8. The two categories "ARO and Nosocomial Organisms" and "Non VPD" have been combined to the category "Other diseases" since Jan 2015.

Abbreviations:

ARO Antibiotic Resistant Organisms

CI Confidence Interval

EMD Environmentally Mediated Diseases

IERHA Interlake-Eastern Regional Health Authority

NRHA Northern Regional Health Authority

PMH Prairie Mountain Health RHA Regional Health Authority

STBBI Sexually Transmitted & Blood-Borne Infections

TB Tuberculosis

VPD Vaccine Preventable Diseases

WNV West Nile Virus



Manitoba Monthly Surveillance Report

July 2016

| Reportable Diseases | Mo | nthly Cases | Monthly Rate (95% | 6CI) (Per 1,000,000) | | Current M | onth Cas | es by R | HA | | Yea | r-to-Da | ite Cases |
|--------------------------------|---------|----------------|-------------------|----------------------|------|-----------|----------|---------|----|-----|------|---------|-----------|
| Disease or Organism Name | Current | 3-Year-Average | Current | 3-Year-Average | WRHA | IERHA | NRHA | РМН | SH | Unk | 2016 | 2015 | Change |
| Enterics | | | | | | | | | | | | | |
| HEPATITIS A | 1 | 0 | 0.8 (0.0-4.2) | 0.0 (0.0-2.8) | 0 | 0 | 0 | 1 | 0 | 0 | 1 | 0 | 1 |
| SHIGELLOSIS | 1 | 1 | 0.8 (0.0-4.2) | 0.8 (0.0-4.3) | 0 | 0 | 0 | 1 | 0 | 0 | 6 | 8 | -2 |
| CYCLOSPORIASIS | 1 | 1 | 0.8 (0.0-4.2) | 0.8 (0.0-4.3) | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 4 | -3 |
| AMEBIASIS | 2 | 3 | 1.5 (0.2-5.5) | 2.3 (0.5-6.7) | 2 | 0 | 0 | 0 | 0 | 0 | 16 | 13 | 3 |
| CRYPTOSPORIDIOSIS | 3 | 4 | 2.3 (0.5-6.6) | 3.1 (0.8-7.8) | 1 | 0 | 1 | 0 | 1 | 0 | 18 | 18 | 0 |
| E. COLI-VEROTOXIGENIC | 5 | 7 | 3.8 (1.2-8.8) | 5.4 (2.2-11.0) | 3 | 1 | 0 | 0 | 1 | 0 | 20 | 25 | -5 |
| GIARDIASIS | 8 | 10 | 6.1 (2.6-11.9) | 7.7 (3.7-14.1) | 5 | 0 | 0 | 2 | 1 | 0 | 55 | 49 | 6 |
| CAMPYLOBACTERIOSIS | 24 | 22 | 18.2 (11.6-27.0) | 16.9 (10.6-25.5) | 6 | 5 | 2 | 5 | 6 | 0 | 111 | 86 | 25 |
| SALMONELLOSIS | 20 | 26 | 15.1 (9.3-23.4) | 19.9 (13.0-29.2) | 7 | 1 | 2 | 5 | 5 | 0 | 174 | 134 | 40 |
| VPD | | | | | | | | | | | | | |
| DIPHTHERIA CARRIERS | 1 | 0 | 0.8 (0.0-4.2) | 0.0 (0.0-2.8) | 1 | 0 | 0 | 0 | 0 | 0 | 6 | 2 | 4 |
| TYPHOID | 1 | 0 | 0.8 (0.0-4.2) | 0.0 (0.0-2.8) | 1 | 0 | 0 | 0 | 0 | 0 | 2 | 4 | -2 |
| H. INFLUENZAE (NON-SEROTYPE B) | 3 | 2 | 2.3 (0.5-6.6) | 1.5 (0.2-5.5) | 2 | 1 | 0 | 0 | 0 | 0 | 19 | 18 | 1 |





| Reportable Diseases | Mo | onthly Cases | Monthly Rate (95%) | CI) (Per 1,000,000) | | Current M | onth Cas | es by RI | HA | | Year | :-to-Da | te Cases |
|-----------------------------------|---------|----------------|----------------------|---------------------|------|-----------|----------|----------|----|-----|------|---------|----------|
| Disease or Organism Name | Current | 3-Year-Average | Current | 3-Year-Average | WRHA | IERHA | NRHA | РМН | SH | Unk | 2016 | 2015 | Change |
| PERTUSSIS | 13 | 4 | 9.8 (5.2-16.8) | 3.1 (0.8-7.8) | 7 | 0 | 1 | 0 | 5 | 0 | 46 | 21 | 25 |
| PNEUMOCOCCAL INVASIVE DISEASE | 6 | 9 | 4.5 (1.7-9.9) | 6.9 (3.2-13.1) | 2 | 1 | 3 | 0 | 0 | 0 | 81 | 76 | 5 |
| Respiratory Diseases and TB | | | | | | | | | | | | | |
| TB - NON-RESP. | 8 | 2 | 6.1 (2.6-11.9) | 1.5 (0.2-5.5) | 5 | 1 | 1 | 0 | 1 | 0 | 26 | 21 | 5 |
| TB - RESP. | 22 | 11 | 16.7 (10.4-25.2) | 8.4 (4.2-15.1) | 5 | 2 | 14 | 0 | 1 | 0 | 101 | 80 | 21 |
| INFLUENZA B | 1 | 1 | 0.8 (0.0-4.2) | 0.8 (0.0-4.3) | 0 | 0 | 1 | 0 | 0 | 0 | 228 | 211 | 17 |
| EMD and Zoonotics* | | | | | | | | | | | | | |
| MALARIA | 3 | 1 | 2.3 (0.5-6.6) | 0.8 (0.0-4.3) | 3 | 0 | 0 | 0 | 0 | 0 | 13 | 9 | 4 |
| BLASTOMYCOSIS | 1 | 2 | 0.8 (0.0-4.2) | 1.5 (0.2-5.5) | 0 | 0 | 0 | 1 | 0 | 0 | 6 | 9 | -3 |
| STBBI | | | | | | | | | | | | | |
| HIV | 8 | 7 | 6.1 (2.6-11.9) | 5.4 (2.2-11.0) | 5 | 0 | 1 | 0 | 2 | 0 | 60 | 63 | -3 |
| GONORRHEA | 198 | 99 | 150.0 (129.8-172.4)* | 75.8 (61.6-92.3) | 130 | 17 | 33 | 4 | 14 | 0 | 1123 | 630 | 493 |
| CHLAMYDIA | 583 | 488 | 441.6 (406.4-478.9) | 373.9 (341.4-408.5) | 302 | 62 | 136 | 47 | 35 | 1 | 4222 | 3718 | 504 |
| INFECTIOUS SYPHILIS* | 18 | 11 | 13.6 (8.1-21.5) | 8.4 (4.2-15.1) | 5 | 0 | 13 | 0 | 0 | 0 | 144 | 108 | 36 |
| SYPHILIS (Sero-reactive)* | 45 | 28 | 34.1 (24.9-45.6) | 21.5 (14.3-31.0) | 28 | 0 | 15 | 1 | 1 | 0 | 564 | 362 | 202 |
| HEPATITIS C | 41 | 32 | 31.1 (22.3-42.1) | 24.5 (16.8-34.6) | 20 | 8 | 3 | 7 | 3 | 0 | 253 | 236 | 17 |
| OTHER DISEASES | | | | | | | | | | | | | |
| STREP. INVASIVE DISEASE (GROUP A) | 9 | 10 | 6.8 (3.1-12.9) | 7.7 (3.7-14.1) | 4 | 2 | 2 | 0 | 1 | 0 | 120 | 117 | 3 |
| CLOSTRIDIUM DIFFICILE | 100 | 81 | 75.7 (61.6-92.1) | 62.1 (49.3-77.1) | 72 | 11 | 1 | 11 | 5 | 0 | 675 | 630 | 45 |





Data extracted: September 15, 2016

Notes and Abbreviations

Notes:

- 1. 3-year-average cases / rate are defined as the average cases / rate reported in the same month over the previous three years.
- 2. Out-of-province cases are excluded.
- 3. The diseases where the current monthly rates are significantly higher than the previous 3-year average rates for the same month are highlighted yellow.
- 4. Syphilis (sero-reactive): This category includes all reported Treponema pallidum serology-reactive individuals reported to the Public Health Surveillance System. These reports include infectious and non-infectious cases, as well as those requiring further public health follow-up to determine this status (implemented in 2013).
- 5. Syphilis (infectious): This category includes all confirmed infectious syphilis cases with primary, secondary, early latent stage of infection, or congenital syphilis as defined by the MHHLS Communicable Disease Protocol. This addition to the report is effective January, 2016.
- 6. Hepatitis B: This includes confirmed cases of acute infection only, where both surface antigen (HBsAG) and core antibody (Anti-HBc IgM) are positive.
- 7. Since the reportable diseases' list was updated in January 2015, this monthly report was correspondingly modified.
- 8. The two categories "ARO and Nosocomial Organisms" and "Non VPD" have been combined to the category "Other diseases" since Jan 2015.
- 9. About tick-borne diseases, please refer to the website: "http://www.gov.mb.ca/health/publichealth/cdc/tickborne/index.html".
- 10. About WNV disease, please refer to the website: "http://www.gov.mb.ca/health/wnv/stats.html".

Abbreviations:

ARO Antibiotic Resistant Organisms

CI Confidence Interval

EMD Environmentally Mediated Diseases

IERHA Interlake-Eastern Regional Health Authority

NRHA Northern Regional Health Authority

PMH Prairie Mountain Health RHA Regional Health Authority

STBBI Sexually Transmitted & Blood-Borne Infections

TB Tuberculosis

VPD Vaccine Preventable Diseases

WNV West Nile Virus



Manitoba Monthly Surveillance Report

July 2016

| Reportable Diseases | Mo | nthly Cases | Monthly Rate (95% | 6CI) (Per 1,000,000) | | Current M | onth Cas | es by R | HA | | Yea | r-to-Da | ite Cases |
|--------------------------------|---------|----------------|-------------------|----------------------|------|-----------|----------|---------|----|-----|------|---------|-----------|
| Disease or Organism Name | Current | 3-Year-Average | Current | 3-Year-Average | WRHA | IERHA | NRHA | РМН | SH | Unk | 2016 | 2015 | Change |
| Enterics | | | | | | | | | | | | | |
| HEPATITIS A | 1 | 0 | 0.8 (0.0-4.2) | 0.0 (0.0-2.8) | 0 | 0 | 0 | 1 | 0 | 0 | 1 | 0 | 1 |
| SHIGELLOSIS | 1 | 1 | 0.8 (0.0-4.2) | 0.8 (0.0-4.3) | 0 | 0 | 0 | 1 | 0 | 0 | 6 | 8 | -2 |
| CYCLOSPORIASIS | 1 | 1 | 0.8 (0.0-4.2) | 0.8 (0.0-4.3) | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 4 | -3 |
| AMEBIASIS | 2 | 3 | 1.5 (0.2-5.5) | 2.3 (0.5-6.7) | 2 | 0 | 0 | 0 | 0 | 0 | 16 | 13 | 3 |
| CRYPTOSPORIDIOSIS | 3 | 4 | 2.3 (0.5-6.6) | 3.1 (0.8-7.8) | 1 | 0 | 1 | 0 | 1 | 0 | 18 | 18 | 0 |
| E. COLI-VEROTOXIGENIC | 5 | 7 | 3.8 (1.2-8.8) | 5.4 (2.2-11.0) | 3 | 1 | 0 | 0 | 1 | 0 | 20 | 25 | -5 |
| GIARDIASIS | 8 | 10 | 6.1 (2.6-11.9) | 7.7 (3.7-14.1) | 5 | 0 | 0 | 2 | 1 | 0 | 55 | 49 | 6 |
| CAMPYLOBACTERIOSIS | 24 | 22 | 18.2 (11.6-27.0) | 16.9 (10.6-25.5) | 6 | 5 | 2 | 5 | 6 | 0 | 111 | 86 | 25 |
| SALMONELLOSIS | 20 | 26 | 15.1 (9.3-23.4) | 19.9 (13.0-29.2) | 7 | 1 | 2 | 5 | 5 | 0 | 174 | 134 | 40 |
| VPD | | | | | | | | | | | | | |
| DIPHTHERIA CARRIERS | 1 | 0 | 0.8 (0.0-4.2) | 0.0 (0.0-2.8) | 1 | 0 | 0 | 0 | 0 | 0 | 6 | 2 | 4 |
| TYPHOID | 1 | 0 | 0.8 (0.0-4.2) | 0.0 (0.0-2.8) | 1 | 0 | 0 | 0 | 0 | 0 | 2 | 4 | -2 |
| H. INFLUENZAE (NON-SEROTYPE B) | 3 | 2 | 2.3 (0.5-6.6) | 1.5 (0.2-5.5) | 2 | 1 | 0 | 0 | 0 | 0 | 19 | 18 | 1 |





| Reportable Diseases | Mo | onthly Cases | Monthly Rate (95%) | CI) (Per 1,000,000) | | Current M | onth Cas | es by RI | HA | | Year | :-to-Da | te Cases |
|-----------------------------------|---------|----------------|----------------------|---------------------|------|-----------|----------|----------|----|-----|------|---------|----------|
| Disease or Organism Name | Current | 3-Year-Average | Current | 3-Year-Average | WRHA | IERHA | NRHA | РМН | SH | Unk | 2016 | 2015 | Change |
| PERTUSSIS | 13 | 4 | 9.8 (5.2-16.8) | 3.1 (0.8-7.8) | 7 | 0 | 1 | 0 | 5 | 0 | 46 | 21 | 25 |
| PNEUMOCOCCAL INVASIVE DISEASE | 6 | 9 | 4.5 (1.7-9.9) | 6.9 (3.2-13.1) | 2 | 1 | 3 | 0 | 0 | 0 | 81 | 76 | 5 |
| Respiratory Diseases and TB | | | | | | | | | | | | | |
| TB - NON-RESP. | 8 | 2 | 6.1 (2.6-11.9) | 1.5 (0.2-5.5) | 5 | 1 | 1 | 0 | 1 | 0 | 26 | 21 | 5 |
| TB - RESP. | 22 | 11 | 16.7 (10.4-25.2) | 8.4 (4.2-15.1) | 5 | 2 | 14 | 0 | 1 | 0 | 101 | 80 | 21 |
| INFLUENZA B | 1 | 1 | 0.8 (0.0-4.2) | 0.8 (0.0-4.3) | 0 | 0 | 1 | 0 | 0 | 0 | 228 | 211 | 17 |
| EMD and Zoonotics* | | | | | | | | | | | | | |
| MALARIA | 3 | 1 | 2.3 (0.5-6.6) | 0.8 (0.0-4.3) | 3 | 0 | 0 | 0 | 0 | 0 | 13 | 9 | 4 |
| BLASTOMYCOSIS | 1 | 2 | 0.8 (0.0-4.2) | 1.5 (0.2-5.5) | 0 | 0 | 0 | 1 | 0 | 0 | 6 | 9 | -3 |
| STBBI | | | | | | | | | | | | | |
| HIV | 8 | 7 | 6.1 (2.6-11.9) | 5.4 (2.2-11.0) | 5 | 0 | 1 | 0 | 2 | 0 | 60 | 63 | -3 |
| GONORRHEA | 198 | 99 | 150.0 (129.8-172.4)* | 75.8 (61.6-92.3) | 130 | 17 | 33 | 4 | 14 | 0 | 1123 | 630 | 493 |
| CHLAMYDIA | 583 | 488 | 441.6 (406.4-478.9) | 373.9 (341.4-408.5) | 302 | 62 | 136 | 47 | 35 | 1 | 4222 | 3718 | 504 |
| INFECTIOUS SYPHILIS* | 18 | 11 | 13.6 (8.1-21.5) | 8.4 (4.2-15.1) | 5 | 0 | 13 | 0 | 0 | 0 | 144 | 108 | 36 |
| SYPHILIS (Sero-reactive)* | 45 | 28 | 34.1 (24.9-45.6) | 21.5 (14.3-31.0) | 28 | 0 | 15 | 1 | 1 | 0 | 564 | 362 | 202 |
| HEPATITIS C | 41 | 32 | 31.1 (22.3-42.1) | 24.5 (16.8-34.6) | 20 | 8 | 3 | 7 | 3 | 0 | 253 | 236 | 17 |
| OTHER DISEASES | | | | | | | | | | | | | |
| STREP. INVASIVE DISEASE (GROUP A) | 9 | 10 | 6.8 (3.1-12.9) | 7.7 (3.7-14.1) | 4 | 2 | 2 | 0 | 1 | 0 | 120 | 117 | 3 |
| CLOSTRIDIUM DIFFICILE | 100 | 81 | 75.7 (61.6-92.1) | 62.1 (49.3-77.1) | 72 | 11 | 1 | 11 | 5 | 0 | 675 | 630 | 45 |





Data extracted: September 15, 2016

Notes and Abbreviations

Notes:

- 1. 3-year-average cases / rate are defined as the average cases / rate reported in the same month over the previous three years.
- 2. Out-of-province cases are excluded.
- 3. The diseases where the current monthly rates are significantly higher than the previous 3-year average rates for the same month are highlighted yellow.
- 4. Syphilis (sero-reactive): This category includes all reported Treponema pallidum serology-reactive individuals reported to the Public Health Surveillance System. These reports include infectious and non-infectious cases, as well as those requiring further public health follow-up to determine this status (implemented in 2013).
- 5. Syphilis (infectious): This category includes all confirmed infectious syphilis cases with primary, secondary, early latent stage of infection, or congenital syphilis as defined by the MHHLS Communicable Disease Protocol. This addition to the report is effective January, 2016.
- 6. Hepatitis B: This includes confirmed cases of acute infection only, where both surface antigen (HBsAG) and core antibody (Anti-HBc IgM) are positive.
- 7. Since the reportable diseases' list was updated in January 2015, this monthly report was correspondingly modified.
- 8. The two categories "ARO and Nosocomial Organisms" and "Non VPD" have been combined to the category "Other diseases" since Jan 2015.
- 9. About tick-borne diseases, please refer to the website: "http://www.gov.mb.ca/health/publichealth/cdc/tickborne/index.html".
- 10. About WNV disease, please refer to the website: "http://www.gov.mb.ca/health/wnv/stats.html".

Abbreviations:

ARO Antibiotic Resistant Organisms

CI Confidence Interval

EMD Environmentally Mediated Diseases

IERHA Interlake-Eastern Regional Health Authority

NRHA Northern Regional Health Authority

PMH Prairie Mountain Health RHA Regional Health Authority

STBBI Sexually Transmitted & Blood-Borne Infections

TB Tuberculosis

VPD Vaccine Preventable Diseases

WNV West Nile Virus



Manitoba Monthly Surveillance Report

August 2016

| Reportable Diseases | Mo | nthly Cases | Monthly Rate (95%) | CI) (Per 1,000,000) | | Current M | onth Cas | es by RI | HA | | Year | r-to-Da | te Cases |
|-------------------------------|---------|----------------|--------------------|---------------------|------|-----------|----------|----------|----|-----|------|---------|----------|
| Disease or Organism Name | Current | 3-Year-Average | Current | 3-Year-Average | WRHA | IERHA | NRHA | РМН | SH | Unk | 2016 | 2015 | Change |
| Enterics | | | | | | | | | | | | | |
| AMEBIASIS | 2 | 2 | 1.5 (0.2-5.5) | 1.5 (0.2-5.5) | 2 | 0 | 0 | 0 | 0 | 0 | 18 | 15 | 3 |
| E. COLI-VEROTOXIGENIC | 5 | 3 | 3.8 (1.2-8.8) | 2.3 (0.5-6.7) | 2 | 0 | 0 | 1 | 2 | 0 | 25 | 26 | -1 |
| GIARDIASIS | 22 | 13 | 16.7 (10.4-25.2) | 10.0 (5.3-17.0) | 13 | 1 | 0 | 1 | 7 | 0 | 80 | 65 | 15 |
| CRYPTOSPORIDIOSIS | 7 | 16 | 5.3 (2.1-10.9) | 12.3 (7.0-19.9) | 1 | 1 | 0 | 2 | 3 | 0 | 25 | 28 | -3 |
| SALMONELLOSIS | 20 | 19 | 15.1 (9.3-23.4) | 14.6 (8.8-22.7) | 17 | 1 | 0 | 0 | 2 | 0 | 196 | 151 | 45 |
| CAMPYLOBACTERIOSIS | 27 | 25 | 20.4 (13.5-29.8) | 19.2 (12.4-28.3) | 13 | 1 | 1 | 6 | 6 | 0 | 141 | 103 | 38 |
| VPD | | | | | | | | | | | | | |
| ТҮРНОІД | 1 | 0 | 0.8 (0.0-4.2) | 0.0 (0.0-2.8) | 1 | 0 | 0 | 0 | 0 | 0 | 3 | 4 | -1 |
| PERTUSSIS | 22 | 5 | 16.7 (10.4-25.2)* | 3.8 (1.2-8.9) | 7 | 1 | 6 | 1 | 7 | 0 | 69 | 36 | 33 |
| PNEUMOCOCCAL INVASIVE DISEASE | 2 | 7 | 1.5 (0.2-5.5) | 5.4 (2.2-11.0) | 1 | 1 | 0 | 0 | 0 | 0 | 84 | 82 | 2 |
| Respiratory Diseases and TB | | | | | | | | | | | | | |
| TB - NON-RESP. | 6 | 3 | 4.5 (1.7-9.9) | 2.3 (0.5-6.7) | 5 | 0 | 0 | 1 | 0 | 0 | 32 | 26 | 6 |
| TB - RESP. | 19 | 10 | 14.4 (8.7-22.5) | 7.7 (3.7-14.1) | 5 | 1 | 12 | 0 | 1 | 0 | 120 | 89 | 31 |
| EMD and Zoonotics | | | | | | | | | | | | | |
| TULAREMIA | 1 | 1 | 0.8 (0.0-4.2) | 0.8 (0.0-4.3) | 0 | 0 | 1 | 0 | 0 | 0 | 3 | 2 | 1 |





| Reportable Diseases | Мо | nthly Cases | Monthly Rate (95%) | CI) (Per 1,000,000) | (| Current M | onth Cas | es by R | HA | | Year | r-to-Da | te Cases |
|-----------------------------------|---------|----------------|----------------------|---------------------|------|-----------|----------|---------|----|-----|------|---------|----------|
| Disease or Organism Name | Current | 3-Year-Average | Current | 3-Year-Average | WRHA | IERHA | NRHA | РМН | SH | Unk | 2016 | 2015 | Change |
| BLASTOMYCOSIS | 1 | 2 | 0.8 (0.0-4.2) | 1.5 (0.2-5.5) | 1 | 0 | 0 | 0 | 0 | 0 | 7 | 10 | -3 |
| MALARIA | 3 | 3 | 2.3 (0.5-6.6) | 2.3 (0.5-6.7) | 2 | 0 | 0 | 1 | 0 | 0 | 16 | 13 | 3 |
| STBBI | | | | | | | | | | | | | |
| HIV | 14 | 10 | 10.6 (5.8-17.8) | 7.7 (3.7-14.1) | 11 | 2 | 1 | 0 | 0 | 0 | 74 | 69 | 5 |
| GONORRHEA | 206 | 83 | 156.0 (135.4-178.8)* | 63.6 (50.6-78.8) | 142 | 24 | 30 | 4 | 6 | 0 | 1329 | 699 | 630 |
| CHLAMYDIA | 592 | 507 | 448.4 (413.0-486.0) | 388.4 (355.3-423.7) | 317 | 52 | 162 | 37 | 24 | 0 | 4815 | 4234 | 581 |
| INFECTIOUS SYPHILIS* | 14 | 8 | 10.6 (5.8-17.8) | 6.1 (2.6-12.1) | 9 | 1 | 4 | 0 | 0 | 0 | 159 | 120 | 39 |
| SYPHILIS (Sero-reactive)* | 41 | 24 | 31.1 (22.3-42.1) | 18.4 (11.8-27.4) | 26 | 1 | 11 | 2 | 1 | 0 | 606 | 397 | 209 |
| HEPATITIS B* | 2 | 1 | 1.5 (0.2-5.5) | 0.8 (0.0-4.3) | 2 | 0 | 0 | 0 | 0 | 0 | 9 | 2 | 7 |
| HEPATITIS C | 41 | 27 | 31.1 (22.3-42.1) | 20.7 (13.6-30.1) | 20 | 4 | 3 | 8 | 6 | 0 | 295 | 258 | 37 |
| OTHER DISEASES | | | | | | | | | | | | | |
| STREP. INVASIVE DISEASE (GROUP A) | 14 | 13 | 10.6 (5.8-17.8) | 10.0 (5.3-17.0) | 8 | 0 | 5 | 0 | 1 | 0 | 134 | 136 | -2 |
| CLOSTRIDIUM DIFFICILE | 70 | 76 | 53.0 (41.3-67.0) | 58.2 (45.9-72.9) | 45 | 7 | 1 | 9 | 8 | 0 | 745 | 729 | 16 |





Data extracted: October 14, 2016

Notes and Abbreviations

Notes:

- 1. 3-year-average cases / rate are defined as the average cases / rate reported in the same month over the previous three years.
- 2. Out-of-province cases are excluded.
- 3. The diseases where the current monthly rates are significantly higher than the previous 3-year average rates for the same month are highlighted yellow.
- 4. Syphilis (sero-reactive): This category includes all reported Treponema pallidum serology-reactive individuals reported to the Public Health Surveillance System. These reports include infectious and non-infectious cases, as well as those requiring further public health follow-up to determine this status (implemented in 2013).
- 5. Syphilis (infectious): This category includes all confirmed infectious syphilis cases with primary, secondary, early latent stage of infection, or congenital syphilis as defined by the MHHLS Communicable Disease Protocol. This addition to the report is effective January, 2016.
- 6. Hepatitis B: This includes confirmed cases of acute infection only, where both surface antigen (HBsAG) and core antibody (Anti-HBc IgM) are positive.
- 7. Since the reportable diseases' list was updated in January 2015, this monthly report was correspondingly modified.
- 8. The two categories "ARO and Nosocomial Organisms" and "Non VPD" have been combined to the category "Other diseases" since Jan 2015.
- 9. About tick-borne diseases, please refer to the website: "http://www.gov.mb.ca/health/publichealth/cdc/tickborne/index.html".
- 10. About WNV disease, please refer to the website: "http://www.gov.mb.ca/health/wnv/stats.html".

Abbreviations:

ARO Antibiotic Resistant Organisms

CI Confidence Interval

EMD Environmentally Mediated Diseases

IERHA Interlake-Eastern Regional Health Authority

NRHA Northern Regional Health Authority

PMH Prairie Mountain Health RHA Regional Health Authority

STBBI Sexually Transmitted & Blood-Borne Infections

TB Tuberculosis

VPD Vaccine Preventable Diseases

WNV West Nile Virus



Manitoba Monthly Surveillance Report

September 2016

| Reportable Diseases | Mo | onthly Cases | Monthly Rate (95%) | CI) (Per 1,000,000) | | Current M | onth Cas | es by RI | HA | | Year | r-to-Da | ite Cases |
|--------------------------------|---------|----------------|--------------------|---------------------|------|-----------|----------|----------|----|-----|------|---------|-----------|
| Disease or Organism Name | Current | 3-Year-Average | Current | 3-Year-Average | WRHA | IERHA | NRHA | РМН | SH | Unk | 2016 | 2015 | Change |
| Enterics | | | | | | | | | | | | | |
| LISTERIOSIS | 1 | 1 | 0.8 (0.0-4.2) | 0.8 (0.0-4.3) | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 3 | -2 |
| AMEBIASIS | 1 | 1 | 0.8 (0.0-4.2) | 0.8 (0.0-4.3) | 1 | 0 | 0 | 0 | 0 | 0 | 19 | 17 | 2 |
| SHIGELLOSIS | 2 | 3 | 1.5 (0.2-5.5) | 2.3 (0.5-6.7) | 2 | 0 | 0 | 0 | 0 | 0 | 8 | 11 | -3 |
| E. COLI-VEROTOXIGENIC | 3 | 6 | 2.3 (0.5-6.6) | 4.6 (1.7-10.0) | 3 | 0 | 0 | 0 | 0 | 0 | 28 | 35 | -7 |
| GIARDIASIS | 14 | 10 | 10.6 (5.8-17.8) | 7.7 (3.7-14.1) | 8 | 1 | 0 | 1 | 4 | 0 | 101 | 77 | 24 |
| CRYPTOSPORIDIOSIS | 3 | 17 | 2.3 (0.5-6.6) | 13.0 (7.6-20.9) | 0 | 1 | 0 | 0 | 2 | 0 | 29 | 34 | -5 |
| CAMPYLOBACTERIOSIS | 19 | 17 | 14.4 (8.7-22.5) | 13.0 (7.6-20.9) | 8 | 1 | 1 | 2 | 7 | 0 | 163 | 121 | 42 |
| SALMONELLOSIS | 18 | 20 | 13.6 (8.1-21.5) | 15.3 (9.4-23.7) | 8 | 2 | 1 | 3 | 4 | 0 | 218 | 164 | 54 |
| VPD | | | | | | | | | | | | | |
| H. INFLUENZAE (NON-SEROTYPE B) | 2 | 1 | 1.5 (0.2-5.5) | 0.8 (0.0-4.3) | 0 | 0 | 1 | 1 | 0 | 0 | 21 | 24 | -3 |
| MUMPS | 1 | 1 | 0.8 (0.0-4.2) | 0.8 (0.0-4.3) | 1 | 0 | 0 | 0 | 0 | 0 | 2 | 8 | -6 |
| PERTUSSIS | 15 | 6 | 11.4 (6.4-18.7) | 4.6 (1.7-10.0) | 7 | 1 | 2 | 0 | 5 | 0 | 89 | 50 | 39 |
| PNEUMOCOCCAL INVASIVE DISEASE | 5 | 8 | 3.8 (1.2-8.8) | 6.1 (2.6-12.1) | 2 | 1 | 2 | 0 | 0 | 0 | 89 | 86 | 3 |
| Respiratory Diseases and TB | | | | | | | | | | | | | |
| TB - NON-RESP. | 2 | 2 | 1.5 (0.2-5.5) | 1.5 (0.2-5.5) | 0 | 0 | 1 | 1 | 0 | 0 | 34 | 31 | 3 |



| Reportable Diseases | Mo | nthly Cases | Monthly Rate (95%) | CI) (Per 1,000,000) | (| Current M | onth Cas | es by RI | HA | | Year | r-to-Da | te Cases |
|-----------------------------------|---------|----------------|----------------------|---------------------|------|-----------|----------|----------|----|-----|------|---------|----------|
| Disease or Organism Name | Current | 3-Year-Average | Current | 3-Year-Average | WRHA | IERHA | NRHA | РМН | SH | Unk | 2016 | 2015 | Change |
| TB - RESP. | 9 | 12 | 6.8 (3.1-12.9) | 9.2 (4.8-16.1) | 3 | 0 | 6 | 0 | 0 | 0 | 129 | 96 | 33 |
| INFLUENZA A | 1 | 1 | 0.8 (0.0-4.2) | 0.8 (0.0-4.3) | 0 | 0 | 0 | 0 | 1 | 0 | 855 | 673 | 182 |
| EMD and Zoonotics | | | | | | | | | | | | | |
| LEGIONELLOSIS | 1 | 1 | 0.8 (0.0-4.2) | 0.8 (0.0-4.3) | 0 | 0 | 0 | 1 | 0 | 0 | 1 | 1 | 0 |
| BLASTOMYCOSIS | 2 | 2 | 1.5 (0.2-5.5) | 1.5 (0.2-5.5) | 1 | 0 | 1 | 0 | 0 | 0 | 10 | 12 | -2 |
| MALARIA | 2 | 2 | 1.5 (0.2-5.5) | 1.5 (0.2-5.5) | 2 | 0 | 0 | 0 | 0 | 0 | 18 | 18 | 0 |
| STBBI | | | | | | | | | | | | | |
| HIV | 14 | 9 | 10.6 (5.8-17.8) | 6.9 (3.2-13.1) | 13 | 1 | 0 | 0 | 0 | 0 | 88 | 78 | 10 |
| GONORRHEA | 271 | 102 | 205.2 (181.5-231.2)* | 78.1 (63.7-94.9) | 184 | 23 | 43 | 6 | 15 | 0 | 1600 | 784 | 816 |
| CHLAMYDIA | 661 | 593 | 500.6 (463.2-540.3) | 454.3 (418.5-492.4) | 347 | 56 | 147 | 68 | 43 | 0 | 5477 | 4855 | 622 |
| INFECTIOUS SYPHILIS* | 16 | 9 | 12.1 (6.9-19.7) | 6.9 (3.2-13.1) | 10 | 0 | 5 | 1 | 0 | 0 | 178 | 136 | 42 |
| SYPHILIS (Sero-reactive)* | 46 | 28 | 34.8 (25.5-46.5) | 21.5 (14.3-31.0) | 32 | 0 | 11 | 3 | 0 | 0 | 651 | 437 | 214 |
| HEPATITIS B* | 2 | 0 | 1.5 (0.2-5.5) | 0.0 (0.0-2.8) | 2 | 0 | 0 | 0 | 0 | 0 | 11 | 3 | 8 |
| HEPATITIS C | 48 | 28 | 36.4 (26.8-48.2) | 21.5 (14.3-31.0) | 25 | 8 | 1 | 10 | 4 | 0 | 343 | 296 | 47 |
| OTHER DISEASES | | | | | | | | | | | | | |
| STREP. INVASIVE DISEASE (GROUP A) | 25 | 14 | 18.9 (12.3-28.0) | 10.7 (5.9-18.0) | 7 | 7 | 7 | 1 | 3 | 0 | 159 | 154 | 5 |
| CLOSTRIDIUM DIFFICILE | 80 | 82 | 60.6 (48.0-75.4) | 62.8 (50.0-78.0) | 55 | 8 | 2 | 6 | 9 | 0 | 825 | 809 | 16 |





Data extracted: November 15, 2016

Notes and Abbreviations

Notes:

- 1. 3-year-average cases / rate are defined as the average cases / rate reported in the same month over the previous three years.
- 2. Out-of-province cases are excluded.
- 3. The diseases where the current monthly rates are significantly higher than the previous 3-year average rates for the same month are highlighted yellow.
- 4. Syphilis (sero-reactive): This category includes all reported Treponema pallidum serology-reactive individuals reported to the Public Health Surveillance System. These reports include infectious and non-infectious cases, as well as those requiring further public health follow-up to determine this status (implemented in 2013).
- 5. Syphilis (infectious): This category includes all confirmed infectious syphilis cases with primary, secondary, early latent stage of infection, or congenital syphilis as defined by the MHHLS Communicable Disease Protocol. This addition to the report is effective January, 2016.
- 6. Hepatitis B: This includes confirmed cases of acute infection only, where both surface antigen (HBsAG) and core antibody (Anti-HBc IgM) are positive.
- 7. Since the reportable diseases' list was updated in January 2015, this monthly report was correspondingly modified.
- 8. The two categories "ARO and Nosocomial Organisms" and "Non VPD" have been combined to the category "Other diseases" since Jan 2015.
- 9. About tick-borne diseases, please refer to the website: "http://www.gov.mb.ca/health/publichealth/cdc/tickborne/index.html".
- 10. About WNV disease, please refer to the website: "http://www.gov.mb.ca/health/wnv/stats.html".

Abbreviations:

ARO Antibiotic Resistant Organisms

CI Confidence Interval

EMD Environmentally Mediated Diseases

IERHA Interlake-Eastern Regional Health Authority

NRHA Northern Regional Health Authority

PMH Prairie Mountain Health RHA Regional Health Authority

STBBI Sexually Transmitted & Blood-Borne Infections

TB Tuberculosis

VPD Vaccine Preventable Diseases

WNV West Nile Virus



Manitoba Monthly Surveillance Report

September 2016

| Reportable Diseases | Mo | onthly Cases | Monthly Rate (95%) | CI) (Per 1,000,000) | | Current M | onth Cas | es by RI | HA | | Year | r-to-Da | ite Cases |
|--------------------------------|---------|----------------|--------------------|---------------------|------|-----------|----------|----------|----|-----|------|---------|-----------|
| Disease or Organism Name | Current | 3-Year-Average | Current | 3-Year-Average | WRHA | IERHA | NRHA | РМН | SH | Unk | 2016 | 2015 | Change |
| Enterics | | | | | | | | | | | | | |
| LISTERIOSIS | 1 | 1 | 0.8 (0.0-4.2) | 0.8 (0.0-4.3) | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 3 | -2 |
| AMEBIASIS | 1 | 1 | 0.8 (0.0-4.2) | 0.8 (0.0-4.3) | 1 | 0 | 0 | 0 | 0 | 0 | 19 | 17 | 2 |
| SHIGELLOSIS | 2 | 3 | 1.5 (0.2-5.5) | 2.3 (0.5-6.7) | 2 | 0 | 0 | 0 | 0 | 0 | 8 | 11 | -3 |
| E. COLI-VEROTOXIGENIC | 3 | 6 | 2.3 (0.5-6.6) | 4.6 (1.7-10.0) | 3 | 0 | 0 | 0 | 0 | 0 | 28 | 35 | -7 |
| GIARDIASIS | 14 | 10 | 10.6 (5.8-17.8) | 7.7 (3.7-14.1) | 8 | 1 | 0 | 1 | 4 | 0 | 101 | 77 | 24 |
| CRYPTOSPORIDIOSIS | 3 | 17 | 2.3 (0.5-6.6) | 13.0 (7.6-20.9) | 0 | 1 | 0 | 0 | 2 | 0 | 29 | 34 | -5 |
| CAMPYLOBACTERIOSIS | 19 | 17 | 14.4 (8.7-22.5) | 13.0 (7.6-20.9) | 8 | 1 | 1 | 2 | 7 | 0 | 163 | 121 | 42 |
| SALMONELLOSIS | 18 | 20 | 13.6 (8.1-21.5) | 15.3 (9.4-23.7) | 8 | 2 | 1 | 3 | 4 | 0 | 218 | 164 | 54 |
| VPD | | | | | | | | | | | | | |
| H. INFLUENZAE (NON-SEROTYPE B) | 2 | 1 | 1.5 (0.2-5.5) | 0.8 (0.0-4.3) | 0 | 0 | 1 | 1 | 0 | 0 | 21 | 24 | -3 |
| MUMPS | 1 | 1 | 0.8 (0.0-4.2) | 0.8 (0.0-4.3) | 1 | 0 | 0 | 0 | 0 | 0 | 2 | 8 | -6 |
| PERTUSSIS | 15 | 6 | 11.4 (6.4-18.7) | 4.6 (1.7-10.0) | 7 | 1 | 2 | 0 | 5 | 0 | 89 | 50 | 39 |
| PNEUMOCOCCAL INVASIVE DISEASE | 5 | 8 | 3.8 (1.2-8.8) | 6.1 (2.6-12.1) | 2 | 1 | 2 | 0 | 0 | 0 | 89 | 86 | 3 |
| Respiratory Diseases and TB | | | | | | | | | | | | | |
| TB - NON-RESP. | 2 | 2 | 1.5 (0.2-5.5) | 1.5 (0.2-5.5) | 0 | 0 | 1 | 1 | 0 | 0 | 34 | 31 | 3 |



| Reportable Diseases | Mo | nthly Cases | Monthly Rate (95%) | CI) (Per 1,000,000) | (| Current M | onth Cas | es by RI | HA | | Year | r-to-Da | te Cases |
|-----------------------------------|---------|----------------|----------------------|---------------------|------|-----------|----------|----------|----|-----|------|---------|----------|
| Disease or Organism Name | Current | 3-Year-Average | Current | 3-Year-Average | WRHA | IERHA | NRHA | РМН | SH | Unk | 2016 | 2015 | Change |
| TB - RESP. | 9 | 12 | 6.8 (3.1-12.9) | 9.2 (4.8-16.1) | 3 | 0 | 6 | 0 | 0 | 0 | 129 | 96 | 33 |
| INFLUENZA A | 1 | 1 | 0.8 (0.0-4.2) | 0.8 (0.0-4.3) | 0 | 0 | 0 | 0 | 1 | 0 | 855 | 673 | 182 |
| EMD and Zoonotics | | | | | | | | | | | | | |
| LEGIONELLOSIS | 1 | 1 | 0.8 (0.0-4.2) | 0.8 (0.0-4.3) | 0 | 0 | 0 | 1 | 0 | 0 | 1 | 1 | 0 |
| BLASTOMYCOSIS | 2 | 2 | 1.5 (0.2-5.5) | 1.5 (0.2-5.5) | 1 | 0 | 1 | 0 | 0 | 0 | 10 | 12 | -2 |
| MALARIA | 2 | 2 | 1.5 (0.2-5.5) | 1.5 (0.2-5.5) | 2 | 0 | 0 | 0 | 0 | 0 | 18 | 18 | 0 |
| STBBI | | | | | | | | | | | | | |
| HIV | 14 | 9 | 10.6 (5.8-17.8) | 6.9 (3.2-13.1) | 13 | 1 | 0 | 0 | 0 | 0 | 88 | 78 | 10 |
| GONORRHEA | 271 | 102 | 205.2 (181.5-231.2)* | 78.1 (63.7-94.9) | 184 | 23 | 43 | 6 | 15 | 0 | 1600 | 784 | 816 |
| CHLAMYDIA | 661 | 593 | 500.6 (463.2-540.3) | 454.3 (418.5-492.4) | 347 | 56 | 147 | 68 | 43 | 0 | 5477 | 4855 | 622 |
| INFECTIOUS SYPHILIS* | 16 | 9 | 12.1 (6.9-19.7) | 6.9 (3.2-13.1) | 10 | 0 | 5 | 1 | 0 | 0 | 178 | 136 | 42 |
| SYPHILIS (Sero-reactive)* | 46 | 28 | 34.8 (25.5-46.5) | 21.5 (14.3-31.0) | 32 | 0 | 11 | 3 | 0 | 0 | 651 | 437 | 214 |
| HEPATITIS B* | 2 | 0 | 1.5 (0.2-5.5) | 0.0 (0.0-2.8) | 2 | 0 | 0 | 0 | 0 | 0 | 11 | 3 | 8 |
| HEPATITIS C | 48 | 28 | 36.4 (26.8-48.2) | 21.5 (14.3-31.0) | 25 | 8 | 1 | 10 | 4 | 0 | 343 | 296 | 47 |
| OTHER DISEASES | | | | | | | | | | | | | |
| STREP. INVASIVE DISEASE (GROUP A) | 25 | 14 | 18.9 (12.3-28.0) | 10.7 (5.9-18.0) | 7 | 7 | 7 | 1 | 3 | 0 | 159 | 154 | 5 |
| CLOSTRIDIUM DIFFICILE | 80 | 82 | 60.6 (48.0-75.4) | 62.8 (50.0-78.0) | 55 | 8 | 2 | 6 | 9 | 0 | 825 | 809 | 16 |





Data extracted: November 15, 2016

Notes and Abbreviations

Notes:

- 1. 3-year-average cases / rate are defined as the average cases / rate reported in the same month over the previous three years.
- 2. Out-of-province cases are excluded.
- 3. The diseases where the current monthly rates are significantly higher than the previous 3-year average rates for the same month are highlighted yellow.
- 4. Syphilis (sero-reactive): This category includes all reported Treponema pallidum serology-reactive individuals reported to the Public Health Surveillance System. These reports include infectious and non-infectious cases, as well as those requiring further public health follow-up to determine this status (implemented in 2013).
- 5. Syphilis (infectious): This category includes all confirmed infectious syphilis cases with primary, secondary, early latent stage of infection, or congenital syphilis as defined by the MHHLS Communicable Disease Protocol. This addition to the report is effective January, 2016.
- 6. Hepatitis B: This includes confirmed cases of acute infection only, where both surface antigen (HBsAG) and core antibody (Anti-HBc IgM) are positive.
- 7. Since the reportable diseases' list was updated in January 2015, this monthly report was correspondingly modified.
- 8. The two categories "ARO and Nosocomial Organisms" and "Non VPD" have been combined to the category "Other diseases" since Jan 2015.
- 9. About tick-borne diseases, please refer to the website: "http://www.gov.mb.ca/health/publichealth/cdc/tickborne/index.html".
- 10. About WNV disease, please refer to the website: "http://www.gov.mb.ca/health/wnv/stats.html".

Abbreviations:

ARO Antibiotic Resistant Organisms

CI Confidence Interval

EMD Environmentally Mediated Diseases

IERHA Interlake-Eastern Regional Health Authority

NRHA Northern Regional Health Authority

PMH Prairie Mountain Health RHA Regional Health Authority

STBBI Sexually Transmitted & Blood-Borne Infections

TB Tuberculosis

VPD Vaccine Preventable Diseases

WNV West Nile Virus



Manitoba Monthly Surveillance Report

October 2016

| Reportable Diseases | Mo | onthly Cases | Monthly Rate (95%) | CI) (Per 1,000,000) | | Current M | onth Cas | es by RI | HA | | Year | r-to-Da | ite Cases |
|--------------------------------|---------|----------------|--------------------|---------------------|------|-----------|----------|----------|----|-----|------|---------|-----------|
| Disease or Organism Name | Current | 3-Year-Average | Current | 3-Year-Average | WRHA | IERHA | NRHA | РМН | SH | Unk | 2016 | 2015 | Change |
| Enterics | | | | | | | | | | | | | |
| LISTERIOSIS | 1 | 0 | 0.8 (0.0-4.2) | 0.0 (0.0-2.8) | 1 | 0 | 0 | 0 | 0 | 0 | 2 | 3 | -1 |
| GIARDIASIS | 6 | 6 | 4.5 (1.7-9.9) | 4.6 (1.7-10.0) | 3 | 0 | 1 | 1 | 1 | 0 | 108 | 84 | 24 |
| CRYPTOSPORIDIOSIS | 3 | 7 | 2.3 (0.5-6.6) | 5.4 (2.2-11.0) | 1 | 0 | 1 | 1 | 0 | 0 | 32 | 35 | -3 |
| CAMPYLOBACTERIOSIS | 16 | 13 | 12.1 (6.9-19.7) | 10.0 (5.3-17.0) | 3 | 1 | 3 | 2 | 7 | 0 | 180 | 135 | 45 |
| SALMONELLOSIS | 24 | 18 | 18.2 (11.6-27.0) | 13.8 (8.2-21.8) | 10 | 2 | 1 | 8 | 3 | 0 | 242 | 183 | 59 |
| VPD | | | | | | | | | | | | | |
| MUMPS | 44 | 0 | 33.3 (24.2-44.7)* | 0.0 (0.0-2.8) | 34 | 3 | 1 | 5 | 1 | 0 | 46 | 7 | 39 |
| MENINGOCOCCAL INVASIVE DISEASE | 1 | 0 | 0.8 (0.0-4.2) | 0.0 (0.0-2.8) | 1 | 0 | 0 | 0 | 0 | 0 | 6 | 2 | 4 |
| PERTUSSIS | 8 | 1 | 6.1 (2.6-11.9) | 0.8 (0.0-4.3) | 3 | 0 | 0 | 1 | 4 | 0 | 97 | 51 | 46 |
| H. INFLUENZAE (NON-SEROTYPE B) | 3 | 2 | 2.3 (0.5-6.6) | 1.5 (0.2-5.5) | 1 | 2 | 0 | 0 | 0 | 0 | 24 | 26 | -2 |
| PNEUMOCOCCAL INVASIVE DISEASE | 9 | 11 | 6.8 (3.1-12.9) | 8.4 (4.2-15.1) | 3 | 2 | 1 | 3 | 0 | 0 | 97 | 94 | 3 |
| Respiratory Diseases and TB | | | | | | | | | | | | | |
| TB - NON-RESP. | 1 | 2 | 0.8 (0.0-4.2) | 1.5 (0.2-5.5) | 1 | 0 | 0 | 0 | 0 | 0 | 35 | 34 | 1 |
| TB - RESP. | 14 | 10 | 10.6 (5.8-17.8) | 7.7 (3.7-14.1) | 7 | 1 | 4 | 0 | 2 | 0 | 142 | 104 | 38 |
| INFLUENZA A | 7 | 0 | 5.3 (2.1-10.9) | 0.0 (0.0-2.8) | 1 | 0 | 0 | 6 | 0 | 0 | 862 | 672 | 190 |



| Reportable Diseases | Mo | nthly Cases | Monthly Rate (95%) | CI) (Per 1,000,000) | (| Current M | onth Cas | es by R | HA | | Year | r-to-Da | te Cases |
|-----------------------------------|---------|----------------|----------------------|---------------------|------|-----------|----------|---------|----|-----|------|---------|----------|
| Disease or Organism Name | Current | 3-Year-Average | Current | 3-Year-Average | WRHA | IERHA | NRHA | РМН | SH | Unk | 2016 | 2015 | Change |
| INFLUENZA B | 1 | 1 | 0.8 (0.0-4.2) | 0.8 (0.0-4.3) | 0 | 1 | 0 | 0 | 0 | 0 | 229 | 212 | 17 |
| STBBI | | | | | | | | | | | | | |
| HIV | 12 | 11 | 9.1 (4.7-15.9) | 8.4 (4.2-15.1) | 11 | 0 | 1 | 0 | 0 | 0 | 100 | 91 | 9 |
| GONORRHEA | 200 | 104 | 151.5 (131.2-174.0)* | 79.7 (65.1-96.5) | 131 | 17 | 31 | 11 | 10 | 0 | 1800 | 879 | 921 |
| CHLAMYDIA | 578 | 599 | 437.8 (402.8-474.9) | 458.9 (422.9-497.2) | 299 | 64 | 129 | 56 | 29 | 1 | 6055 | 5442 | 613 |
| INFECTIOUS SYPHILIS* | 16 | 13 | 12.1 (6.9-19.7) | 10.0 (5.3-17.0) | 5 | 0 | 10 | 0 | 1 | 0 | 196 | 159 | 37 |
| SYPHILIS (Sero-reactive)* | 49 | 35 | 37.1 (27.5-49.1) | 26.8 (18.7-37.3) | 32 | 1 | 14 | 1 | 1 | 0 | 700 | 480 | 220 |
| HEPATITIS B* | 1 | 0 | 0.8 (0.0-4.2) | 0.0 (0.0-2.8) | 1 | 0 | 0 | 0 | 0 | 0 | 12 | 3 | 9 |
| HEPATITIS C | 41 | 31 | 31.1 (22.3-42.1) | 23.7 (16.1-33.7) | 20 | 4 | 5 | 10 | 1 | 1 | 384 | 330 | 54 |
| OTHER DISEASES | | | | | | | | | | | | | |
| STREP. INVASIVE DISEASE (GROUP A) | 15 | 12 | 11.4 (6.4-18.7) | 9.2 (4.8-16.1) | 8 | 3 | 2 | 1 | 1 | 0 | 171 | 170 | 1 |
| CLOSTRIDIUM DIFFICILE | 80 | 78 | 60.6 (48.0-75.4) | 59.8 (47.2-74.6) | 51 | 10 | 2 | 12 | 5 | 0 | 905 | 894 | 11 |





Data extracted: December 16, 2016

Notes and Abbreviations

Notes:

- 1. 3-year-average cases / rate are defined as the average cases / rate reported in the same month over the previous three years.
- 2. Out-of-province cases are excluded.
- 3. The diseases where the current monthly rates are significantly higher than the previous 3-year average rates for the same month are highlighted yellow.
- 4. Syphilis (sero-reactive): This category includes all reported Treponema pallidum serology-reactive individuals reported to the Public Health Surveillance System. These reports include infectious and non-infectious cases, as well as those requiring further public health follow-up to determine this status (implemented in 2013).
- 5. Syphilis (infectious): This category includes all confirmed infectious syphilis cases with primary, secondary, early latent stage of infection, or congenital syphilis as defined by the MHHLS Communicable Disease Protocol. This addition to the report is effective January, 2016.
- 6. Hepatitis B: This includes confirmed cases of acute infection only, where both surface antigen (HBsAG) and core antibody (Anti-HBc IgM) are positive.
- 7. Since the reportable diseases' list was updated in January 2015, this monthly report was correspondingly modified.
- 8. The two categories "ARO and Nosocomial Organisms" and "Non VPD" have been combined to the category "Other diseases" since Jan 2015.
- 9. About tick-borne diseases, please refer to the website: "http://www.gov.mb.ca/health/publichealth/cdc/tickborne/index.html".
- 10. About WNV disease, please refer to the website: "http://www.gov.mb.ca/health/wnv/stats.html".

Abbreviations:

ARO Antibiotic Resistant Organisms

CI Confidence Interval

EMD Environmentally Mediated Diseases

IERHA Interlake-Eastern Regional Health Authority

NRHA Northern Regional Health Authority

PMH Prairie Mountain Health RHA Regional Health Authority

STBBI Sexually Transmitted & Blood-Borne Infections

TB Tuberculosis

VPD Vaccine Preventable Diseases

WNV West Nile Virus



Manitoba Monthly Surveillance Report

November 2016

| Reportable Diseases | Mo | nthly Cases | Monthly Rate (95%CI) (Per 1,000,000) | | | Current Month Cases by RHA | | | | | | | Year-to-Date Cases | | | |
|--------------------------------|---------|----------------|--------------------------------------|-----------------|------|----------------------------|------|-----|----|-----|------|------|--------------------|--|--|--|
| Disease or Organism Name | Current | 3-Year-Average | Current | 3-Year-Average | WRHA | IERHA | NRHA | РМН | SH | Unk | 2016 | 2015 | Change | | | |
| Enterics | | | | | | | | | | | | | | | | |
| LISTERIOSIS | 1 | 0 | 0.8 (0.0-4.2) | 0.0 (0.0-2.8) | 0 | 0 | 1 | 0 | 0 | 0 | 3 | 3 | 0 | | | |
| E. COLI-VEROTOXIGENIC | 8 | 1 | 6.1 (2.6-11.9) | 0.8 (0.0-4.3) | 4 | 0 | 0 | 1 | 3 | 0 | 36 | 36 | 0 | | | |
| SHIGELLOSIS | 2 | 1 | 1.5 (0.2-5.5) | 0.8 (0.0-4.3) | 2 | 0 | 0 | 0 | 0 | 0 | 11 | 19 | -8 | | | |
| AMEBIASIS | 2 | 2 | 1.5 (0.2-5.5) | 1.5 (0.2-5.5) | 2 | 0 | 0 | 0 | 0 | 0 | 21 | 20 | 1 | | | |
| GIARDIASIS | 9 | 7 | 6.8 (3.1-12.9) | 5.4 (2.2-11.0) | 4 | 0 | 3 | 1 | 1 | 0 | 118 | 94 | 24 | | | |
| CAMPYLOBACTERIOSIS | 8 | 11 | 6.1 (2.6-11.9) | 8.4 (4.2-15.1) | 3 | 1 | 1 | 1 | 2 | 0 | 189 | 141 | 48 | | | |
| SALMONELLOSIS | 14 | 15 | 10.6 (5.8-17.8) | 11.5 (6.4-19.0) | 5 | 0 | 1 | 4 | 4 | 0 | 257 | 195 | 62 | | | |
| VPD | | | | | | | | | | | | | | | | |
| MUMPS | 30 | 0 | 22.7 (15.3-32.4)* | 0.0 (0.0-2.8) | 23 | 2 | 1 | 2 | 2 | 0 | 76 | 7 | 69 | | | |
| H. INFLUENZAE (SEROTYPE B) | 1 | 0 | 0.8 (0.0-4.2) | 0.0 (0.0-2.8) | 0 | 0 | 0 | 1 | 0 | 0 | 1 | 3 | -2 | | | |
| ТҮРНОІД | 1 | 0 | 0.8 (0.0-4.2) | 0.0 (0.0-2.8) | 1 | 0 | 0 | 0 | 0 | 0 | 4 | 5 | -1 | | | |
| H. INFLUENZAE (NON-SEROTYPE B) | 3 | 0 | 2.3 (0.5-6.6) | 0.0 (0.0-2.8) | 2 | 0 | 0 | 0 | 1 | 0 | 27 | 27 | 0 | | | |
| PERTUSSIS | 9 | 2 | 6.8 (3.1-12.9) | 1.5 (0.2-5.5) | 0 | 0 | 4 | 0 | 5 | 0 | 107 | 56 | 51 | | | |
| PNEUMOCOCCAL INVASIVE DISEASE | 7 | 10 | 5.3 (2.1-10.9) | 7.7 (3.7-14.1) | 3 | 2 | 1 | 1 | 0 | 0 | 104 | 105 | -1 | | | |
| Respiratory Diseases and TB | | | | | | | | | | | | | | | | |



| Reportable Diseases | Mo | onthly Cases | Monthly Rate (95%CI) (Per 1,000,000) | | | Current Month Cases by RHA | | | | | | | Year-to-Date Cases | | | |
|-----------------------------------|---------|----------------|--------------------------------------|---------------------|------|----------------------------|------|-----|----|-----|------|------|--------------------|--|--|--|
| Disease or Organism Name | Current | 3-Year-Average | Current | 3-Year-Average | WRHA | IERHA | NRHA | РМН | SH | Unk | 2016 | 2015 | Change | | | |
| TB - NON-RESP. | 4 | 1 | 3.0 (0.8-7.8) | 0.8 (0.0-4.3) | 3 | 1 | 0 | 0 | 0 | 0 | 38 | 35 | 3 | | | |
| TB - RESP. | 12 | 8 | 9.1 (4.7-15.9) | 6.1 (2.6-12.1) | 10 | 0 | 2 | 0 | 0 | 0 | 153 | 111 | 42 | | | |
| INFLUENZA A | 6 | 7 | 4.5 (1.7-9.9) | 5.4 (2.2-11.0) | 5 | 1 | 0 | 0 | 0 | 0 | 868 | 672 | 196 | | | |
| EMD and Zoonotics | | | | | | | | | | | | | | | | |
| BLASTOMYCOSIS | 2 | 2 | 1.5 (0.2-5.5) | 1.5 (0.2-5.5) | 1 | 0 | 1 | 0 | 0 | 0 | 12 | 16 | -4 | | | |
| STBBI | | | | | | | | | | | | | | | | |
| HIV | 14 | 7 | 10.6 (5.8-17.8) | 5.4 (2.2-11.0) | 10 | 0 | 0 | 2 | 2 | 0 | 114 | 98 | 16 | | | |
| GONORRHEA | 211 | 108 | 159.8 (139.0-182.9)* | 82.7 (67.9-99.9) | 131 | 26 | 36 | 12 | 6 | 0 | 2018 | 981 | 1037 | | | |
| CHLAMYDIA | 619 | 528 | 468.8 (432.6-507.2) | 404.5 (370.7-440.5) | 315 | 55 | 163 | 51 | 34 | 1 | 6686 | 5994 | 692 | | | |
| INFECTIOUS SYPHILIS* | 13 | 12 | 9.8 (5.2-16.8) | 9.2 (4.8-16.1) | 5 | 1 | 5 | 0 | 2 | 0 | 212 | 179 | 33 | | | |
| SYPHILIS (Sero-reactive)* | 41 | 38 | 31.1 (22.3-42.1) | 29.1 (20.6-40.0) | 28 | 1 | 8 | 0 | 4 | 0 | 741 | 539 | 202 | | | |
| HEPATITIS C | 35 | 26 | 26.5 (18.5-36.9) | 19.9 (13.0-29.2) | 23 | 4 | 1 | 6 | 1 | 0 | 419 | 366 | 53 | | | |
| OTHER DISEASES | | | | | | | | | | | | | | | | |
| STREP. INVASIVE DISEASE (GROUP A) | 14 | 15 | 10.6 (5.8-17.8) | 11.5 (6.4-19.0) | 8 | 0 | 3 | 2 | 1 | 0 | 185 | 191 | -6 | | | |
| CLOSTRIDIUM DIFFICILE | 95 | 78 | 72.0 (58.2-88.0) | 59.8 (47.2-74.6) | 51 | 11 | 7 | 18 | 8 | 0 | 1000 | 991 | 9 | | | |





Data extracted: January 16, 2017

Notes and Abbreviations

Notes:

- 1. 3-year-average cases / rate are defined as the average cases / rate reported in the same month over the previous three years.
- 2. Out-of-province cases are excluded.
- 3. The diseases where the current monthly rates are significantly higher than the previous 3-year average rates for the same month are highlighted yellow.
- 4. Syphilis (sero-reactive): This category includes all reported Treponema pallidum serology-reactive individuals reported to the Public Health Surveillance System. These reports include infectious and non-infectious cases, as well as those requiring further public health follow-up to determine this status (implemented in 2013).
- 5. Syphilis (infectious): This category includes all confirmed infectious syphilis cases with primary, secondary, early latent stage of infection, or congenital syphilis as defined by the MHHLS Communicable Disease Protocol. This addition to the report is effective January, 2016.
- 6. Hepatitis B: This includes confirmed cases of acute infection only, where both surface antigen (HBsAG) and core antibody (Anti-HBc IgM) are positive.
- 7. Since the reportable diseases' list was updated in January 2015, this monthly report was correspondingly modified.
- 8. The two categories "ARO and Nosocomial Organisms" and "Non VPD" have been combined to the category "Other diseases" since Jan 2015.
- 9. About tick-borne diseases, please refer to the website: "http://www.gov.mb.ca/health/publichealth/cdc/tickborne/index.html".
- 10. About WNV disease, please refer to the website: "http://www.gov.mb.ca/health/wnv/stats.html".

Abbreviations:

ARO Antibiotic Resistant Organisms

CI Confidence Interval

EMD Environmentally Mediated Diseases

IERHA Interlake-Eastern Regional Health Authority

NRHA Northern Regional Health Authority

PMH Prairie Mountain Health RHA Regional Health Authority

STBBI Sexually Transmitted & Blood-Borne Infections

TB Tuberculosis

VPD Vaccine Preventable Diseases

WNV West Nile Virus



Manitoba Monthly Surveillance Report

December 2016

| Reportable Diseases | Mo | onthly Cases | Monthly Rate (95%CI) (Per 1,000,000) | | | Current Month Cases by RHA | | | | | | | Year-to-Date Cases | | | |
|--------------------------------|---------|----------------|--------------------------------------|-----------------|------|----------------------------|------|-----|----|-----|------|------|--------------------|--|--|--|
| Disease or Organism Name | Current | 3-Year-Average | Current | 3-Year-Average | WRHA | IERHA | NRHA | РМН | SH | Unk | 2016 | 2015 | Change | | | |
| Enterics | | | | | | | | | | | | | | | | |
| LISTERIOSIS | 1 | 0 | 0.8 (0.0-4.2) | 0.0 (0.0-2.8) | 1 | 0 | 0 | 0 | 0 | 0 | 4 | 3 | 1 | | | |
| AMEBIASIS | 4 | 1 | 3.0 (0.8-7.8) | 0.8 (0.0-4.3) | 2 | 1 | 0 | 0 | 1 | 0 | 26 | 21 | 5 | | | |
| CRYPTOSPORIDIOSIS | 1 | 1 | 0.8 (0.0-4.2) | 0.8 (0.0-4.3) | 1 | 0 | 0 | 0 | 0 | 0 | 33 | 37 | -4 | | | |
| E. COLI-VEROTOXIGENIC | 3 | 3 | 2.3 (0.5-6.6) | 2.3 (0.5-6.7) | 3 | 0 | 0 | 0 | 0 | 0 | 39 | 42 | -3 | | | |
| GIARDIASIS | 10 | 6 | 7.6 (3.6-13.9) | 4.6 (1.7-10.0) | 9 | 0 | 0 | 0 | 1 | 0 | 129 | 101 | 28 | | | |
| CAMPYLOBACTERIOSIS | 7 | 10 | 5.3 (2.1-10.9) | 7.7 (3.7-14.1) | 3 | 0 | 1 | 0 | 3 | 0 | 196 | 149 | 47 | | | |
| SALMONELLOSIS | 14 | 20 | 10.6 (5.8-17.8) | 15.3 (9.4-23.7) | 6 | 2 | 1 | 2 | 3 | 0 | 271 | 215 | 56 | | | |
| VPD | | | | | | | | | | | | | | | | |
| DIPHTHERIA CASES | 1 | 0 | 0.8 (0.0-4.2) | 0.0 (0.0-2.8) | 1 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | | | |
| MUMPS | 43 | 0 | 32.6 (23.6-43.9)* | 0.0 (0.0-2.8) | 33 | 3 | 1 | 0 | 6 | 0 | 119 | 8 | 111 | | | |
| MENINGOCOCCAL INVASIVE DISEASE | 2 | 1 | 1.5 (0.2-5.5) | 0.8 (0.0-4.3) | 0 | 0 | 1 | 0 | 1 | 0 | 8 | 3 | 5 | | | |
| PERTUSSIS | 8 | 1 | 6.1 (2.6-11.9) | 0.8 (0.0-4.3) | 1 | 0 | 1 | 0 | 6 | 0 | 118 | 56 | 62 | | | |
| H. INFLUENZAE (NON-SEROTYPE B) | 5 | 3 | 3.8 (1.2-8.8) | 2.3 (0.5-6.7) | 0 | 0 | 2 | 0 | 3 | 0 | 32 | 34 | -2 | | | |
| PNEUMOCOCCAL INVASIVE DISEASE | 16 | 10 | 12.1 (6.9-19.7) | 7.7 (3.7-14.1) | 9 | 1 | 2 | 3 | 1 | 0 | 120 | 116 | 4 | | | |
| Respiratory Diseases and TB | | | | | | | | | | | | | | | | |



| Reportable Diseases | Mo | onthly Cases | Monthly Rate (95%CI) (Per 1,000,000) | | | Current Month Cases by RHA | | | | | | | Year-to-Date Cases | | | |
|-----------------------------------|---------|----------------|--------------------------------------|---------------------|------|----------------------------|------|-----|----|-----|------|------|--------------------|--|--|--|
| Disease or Organism Name | Current | 3-Year-Average | Current | 3-Year-Average | WRHA | IERHA | NRHA | РМН | SH | Unk | 2016 | 2015 | Change | | | |
| TB - NON-RESP. | 6 | 2 | 4.5 (1.7-9.9) | 1.5 (0.2-5.5) | 4 | 0 | 2 | 0 | 0 | 0 | 43 | 39 | 4 | | | |
| TB - RESP. | 9 | 10 | 6.8 (3.1-12.9) | 7.7 (3.7-14.1) | 4 | 1 | 3 | 0 | 1 | 0 | 162 | 119 | 43 | | | |
| INFLUENZA B | 5 | 3 | 3.8 (1.2-8.8) | 2.3 (0.5-6.7) | 1 | 0 | 0 | 3 | 1 | 0 | 235 | 212 | 23 | | | |
| INFLUENZA A | 8 | 151 | 6.1 (2.6-11.9) | 115.7 (98.0-135.7) | 5 | 0 | 0 | 3 | 0 | 0 | 876 | 676 | 200 | | | |
| EMD and Zoonotics | | | | | | | | | | | | | | | | |
| MALARIA | 2 | 0 | 1.5 (0.2-5.5) | 0.0 (0.0-2.8) | 2 | 0 | 0 | 0 | 0 | 0 | 20 | 20 | 0 | | | |
| BLASTOMYCOSIS | 2 | 1 | 1.5 (0.2-5.5) | 0.8 (0.0-4.3) | 2 | 0 | 0 | 0 | 0 | 0 | 14 | 16 | -2 | | | |
| STBBI | | | | | | | | | | | | | | | | |
| HIV | 13 | 7 | 9.8 (5.2-16.8) | 5.4 (2.2-11.0) | 12 | 0 | 0 | 0 | 1 | 0 | 127 | 103 | 24 | | | |
| GONORRHEA | 196 | 83 | 148.4 (128.4-170.7)* | 63.6 (50.6-78.8) | 119 | 20 | 40 | 11 | 6 | 0 | 2216 | 1080 | 1136 | | | |
| CHLAMYDIA | 496 | 483 | 375.7 (343.3-410.2) | 370.0 (337.8-404.5) | 266 | 44 | 110 | 41 | 35 | 0 | 7185 | 6539 | 646 | | | |
| INFECTIOUS SYPHILIS* | 13 | 15 | 9.8 (5.2-16.8) | 11.5 (6.4-19.0) | 6 | 0 | 7 | 0 | 0 | 0 | 229 | 206 | 23 | | | |
| SYPHILIS (Sero-reactive)* | 58 | 35 | 43.9 (33.4-56.8) | 26.8 (18.7-37.3) | 38 | 2 | 17 | 1 | 0 | 0 | 801 | 590 | 211 | | | |
| HEPATITIS B* | 1 | 0 | 0.8 (0.0-4.2) | 0.0 (0.0-2.8) | 0 | 1 | 0 | 0 | 0 | 0 | 13 | 4 | 9 | | | |
| HEPATITIS C | 43 | 26 | 32.6 (23.6-43.9) | 19.9 (13.0-29.2) | 29 | 3 | 1 | 8 | 2 | 0 | 462 | 392 | 70 | | | |
| OTHER DISEASES | | | | | | | | | | | | | | | | |
| STREP. AGALACTIAE (NEWBORN) | 1 | 1 | 0.8 (0.0-4.2) | 0.8 (0.0-4.3) | 1 | 0 | 0 | 0 | 0 | 0 | 10 | 7 | 3 | | | |
| STREP. INVASIVE DISEASE (GROUP A) | 19 | 13 | 14.4 (8.7-22.5) | 10.0 (5.3-17.0) | 11 | 3 | 3 | 0 | 2 | 0 | 206 | 212 | -6 | | | |
| CLOSTRIDIUM DIFFICILE | 78 | 81 | 59.1 (46.7-73.7) | 62.1 (49.3-77.1) | 32 | 11 | 6 | 15 | 14 | 0 | 1078 | 1094 | -16 | | | |





Data extracted: February 15, 2017

Notes and Abbreviations

Notes:

- 1. 3-year-average cases / rate are defined as the average cases / rate reported in the same month over the previous three years.
- 2. Out-of-province cases are excluded.
- 3. The diseases where the current monthly rates are significantly higher than the previous 3-year average rates for the same month are highlighted yellow.
- 4. Syphilis (sero-reactive): This category includes all reported Treponema pallidum serology-reactive individuals reported to the Public Health Surveillance System. These reports include infectious and non-infectious cases, as well as those requiring further public health follow-up to determine this status (implemented in 2013).
- 5. Syphilis (infectious): This category includes all confirmed infectious syphilis cases with primary, secondary, early latent stage of infection, or congenital syphilis as defined by the MHHLS Communicable Disease Protocol. This addition to the report is effective January, 2016.
- 6. Hepatitis B: This includes confirmed cases of acute infection only, where both surface antigen (HBsAG) and core antibody (Anti-HBc IgM) are positive.
- 7. Since the reportable diseases' list was updated in January 2015, this monthly report was correspondingly modified.
- 8. The two categories "ARO and Nosocomial Organisms" and "Non VPD" have been combined to the category "Other diseases" since Jan 2015.
- 9. About tick-borne diseases, please refer to the website: "http://www.gov.mb.ca/health/publichealth/cdc/tickborne/index.html".
- 10. About WNV disease, please refer to the website: "http://www.gov.mb.ca/health/wnv/stats.html".

Abbreviations:

ARO Antibiotic Resistant Organisms

CI Confidence Interval

EMD Environmentally Mediated Diseases

IERHA Interlake-Eastern Regional Health Authority

NRHA Northern Regional Health Authority

PMH Prairie Mountain Health RHA Regional Health Authority

STBBI Sexually Transmitted & Blood-Borne Infections

TB Tuberculosis

VPD Vaccine Preventable Diseases

WNV West Nile Virus

