

Relational Mapping

Attendance_record (attendance_id, event_id, map_id)

Attendance_Record_date (attendance_id, event_id, map_id, c_in, c_out)

Attendee (map_id, email, dietary_pref, Fname, Lname)

Event (event_id, Edate, Ename)

Event_Elocation (event_id, Elocation)

keeps (F_id, event_id, cquantity)

Food_item (F_id, Food_name, Fi_quantity, cost)

Food_Leftover (Leftover_id, L_quantity)

Produces (Leftover_id, event_id)

consumes (map_id, F_id, quantity)

Report (R_id, Rname, Rdate, event_id)

Administrator (Admin_ID, Admin_Name, Admin_email)

Validated_By (Admin_ID, R_id, Timestamp)

candidate keys

Attendance-record (attendance-id, event-id, mav-id)

Attendance-Record-date (attendance-id, event-id, mav-id)

Attendee (mav-id)

Event (event-id)

Event-Elocation (event-id, Elocation)

Keeps (F-id, event-id)

Food-item (F-id)

Food-Leftover (Leftover-id)

Producers (Leftover-id, event-id)

Consumers (mav-id, F-id)

Report (R-id)

Adminisrator (Admin-ID, Admin-email)

Validated-By (Admin-ID, R-id)

- ① In Attendance-record table the candidate keys are (Attendance-id, event-id, maw-id)
- ② In Attendance-Record-date table the candidate keys are (Attendance-id, event-id, maw-id)
- ③ In Attendee table the candidate keys are (maw-id)
- ④ In Event table the candidate keys are (event-id).
- ⑤ In Event-Location table the candidate keys are (event-id, Elocation)
- ⑥ In keeps table the candidate keys are (F-id, event-id).
- ⑦ In Food-item table the candidate keys are (F-id)
- ⑧ In Food-Leftover table the candidate keys are (leftover-id)
- ⑨ In producer tables the candidate keys are (Leftover-id, event-id).
- ⑩ In consumers table the candidate keys are (maw-id, F-id)

- ⑪ In Report table the candidate keys are (R-id).
- ⑫ In Administrator table the candidate keys are (Admin-ID, Admin-Email)
- ⑬ In Validated-By table the candidate keys are (Admin-ID, R-id)

Functional Dependencies.

- 1) Attendance record:
 $\text{attendance_id}, \text{event_id}, \text{mav_id} \rightarrow \text{attendance_id}, \text{event_id}, \text{mav_id}$
- 2) Attendance-Record-date:
 $\text{attendance_id}, \text{event_id}, \text{mav_id} \rightarrow \text{c_in}, \text{c_out}, \text{attendance_id}.$
- 3) Attendee:
 $\text{mav_id} \rightarrow \text{email}, \text{dietary_pref}, \text{Fname}, \text{Lname}$
- 4) Event:
 $\text{Event_id} \rightarrow \text{Edate}, \text{Ename}$
- 5) Event_location:
 $\text{event_id}, \text{Elocation} \rightarrow \text{Event_id}$
- 6) keeps:
 $\text{F_id}, \text{event_id} \rightarrow \text{Cquantity}$
- 7) Food_item:
 $\text{F_id} \rightarrow \text{Food_name}, \text{Fi_quantity}, \text{cost}$
- 8) Food-Leftover:
 $\text{Leftover_id} \rightarrow \text{L-quantity}$
- 9) Produces:
 $\text{Leftover_id}, \text{event_id} \rightarrow \text{leftover_id}$
- 10) Consumes:
 $\text{mav_id}, \text{F_id} \rightarrow \text{quantity}$
- 11) Report
 $\text{R_id} \rightarrow \text{Rname}, \text{Rdate}, \text{event_id}$

12) Administrator

Admin_id $\rightarrow$ Admin_Name, Admin_email

13) Validated_By:

Admin_ID, R_id $\rightarrow$ Timestamp

Team No: 9

Team members:

1) Apurva Pingale: 1002243379

2) Chirag Patil : : 1002223067

3) Shreenidhi Pai: 1002232249

4) Shweta Rane : 1002247899