

Flight Simulation Add-on Kit
Configuration #5A (Rudder plate not included)
General And Commercial Aviation Package
Yoke/Quadrant/Rudder Pedals **MK2**
Assembly Manual
And
Optional Accessories



Assembly instruction manuals available at:

V1.4 102924

<http://bit.ly/ow-manuals>

by **SimFab**.com

WARNINGS:



Proceed with caution and extra attention when warning signs are present during installation instructions manual.




WARNING

Choking hazard, small parts. Not for children under 5 years old.



WARNING

Keep hands and fingers clear of pinching points, and hinging metal parts.



Congratulations on your new flight pit simulation platform.

For more detailed information of all the features and endless driving or flight sim possibilities you can visit our official website at

www.SimFab.com

Keep checking our online store for great gaming and sim racing deals and offers.

Best regards,

Team HomeRacer

Made by enthusiasts for enthusiasts.

If your item is damaged, defective or missing parts, please contact us first directly at Email: info@SimFab.com or

Toll Free: 1-888-299-2746

As the manufacturer, our knowledge of your new product ensures that we will be able to assist you promptly and accurately.

For invoices and other price information, please refer to your market place account for more details. Alternatively, you can always email us at info@SimFab.com

Table of Contents

SimFab Modular Flight Simulation Concept And Design Intent.....	4
Parts list.....	10
Flight sim add-ons, modular design introduction.....	13
Rudder plate assembly.....	21
Yoke and quadrant brackets assembly.....	28
Controls installation and mounting.....	31
Honeycomb Alpha yoke and Bravo throttle installation.....	31
Logitech (Saitek) yoke and throttle installation.....	34
CH Products yoke and throttle.....	36
Turtle Beach Velocity One yoke and throttle.....	38
Thrustmaster TCA Boeing edition.....	39
Specifications, Warranty, Terms and Conditions	41

SimFab Modular Flight Simulation Concept And Design Intent

SimFab offers wide range of dedicated and specialized flight simulation pits with high level of fidelity, realism and immersion. While all our pits, attachments and brackets are designed, replicating real aircrafts layout we take in consideration maximum comfort, modularity and full compatibility with all established brands and controls makers on the current market.

SimFab modular flight pit concept starts with several basic models covering the essentials at most affordable budget, without compromising in quality and craftsmanship.

Base models are suitable for flight sim pilots entering the air field of flight simulation and looking to give it a try at affordable cost. Each of our models has modular design, all upgradeable and interchangeable with one another, including sim racing setup.

Our base models are purposed for type of flight simulation as well as types of flight controls sharing similar attachment design.

SimFab introduces three base models as follows:

Civil aviation modular pit, **MSFS edition**.

Civil, combat and space sim modular pit, **hybrid edition**.

Combat sim modular flight pit, **DCS World edition**



DCS edition

For compatibility refer to flight sim add-on kit configuration #2



Hybrid edition

For compatibility refer to flight sim add-on kit configuration #1



MSFS edition

For compatibility refer to flight sim add-on kit configuration #5



SCAN TO ORDER



<https://bit.ly/dd-conversionkit>

DD sim racing conversion kit
 Convert your flight sim pit to sim racing setup
 and hot swap between each setup in seconds

Parts list

⚠ **Part list from 1 through 6 and images reference, refer to rudder pedal plate assembly manual booklet.**

1. Rudder pedal plate with mounting bracket.
2. Rudder pedal plate shaft.
3. Rudder pedal plate to shaft mounting hardware.
4. Various rudder pedals controls mounting hardware:
 - ⚠ All controls mounting bolts are installed upside down (bolt heads on floor side).
 - 4A. Thrustmaster TFRP and VirPil Torq
 - 4B. Logitech (Saitek)
 - 4C. MFG Crosswind
 - 4D. VKB T-Rudders Mk.IV
 - 4E. TPR, VirPil Ace Interceptor/Collection, Slaw Viper, Turtle Beach Velocity One
5. Vecro strips for rudder pedals not equipped with through holes or inserts.
6. Velcro ties for cable management (6)

Yoke and throttle quadrant bracket kit, and hardware.

7. Yoke and quadrant plate with pre-assmebled shaft (2)
 - ⚠ Hardware for Honeycomb controls is pre-assembled by default.
 - ⚠ Hardware must be removed when Logitech, CH Products or Turtle Beach Velocity One controls are being used.
8. Yoke and throttle posts
9. T extension tube
10. Yoke and throttle quadrant controls mounting hardware:
 - 10A. Mounting hardware for Logitech (Saitek) yoke and throttle quadrant
 - 10B. Mounting hardware for Turtle Beach Velocity One yoke and quadrant
 - ⚠ Use 4mm Allen key from rudder hardware bag 4E
11. Quadrant main support shaft (horizontal bar)
12. Knobs and bolts (pre-installed to both posts #8)

⚠ Use wrenches included in base package: Gen3 OpenWheeler sim racing cockpit:

5mm Hex key; 8mm Hex key; 10mm combo flat wrench; 13mm combo flat wrench; 17mm combo flat wrench




Neck support pillow in matching color.



SimFab

Neck Pillow

for Racing and Flight Sim Cockpits



SCAN TO
ORDER

<https://bit.ly/simfabnpillow>



Lumbar support pillow in matching color



SimFab

Lumbar Pillow

for Racing and Flight Sim Cockpits



SCAN TO
ORDER

<https://bit.ly/simfablpillow>



Low frequency tactile transducer (bass shaker) universal bracket

Bring your racing sim experience to another level by adding a low frequency tactile transducer (bass shaker) to your SimFab rig. Bass shaker mount bracket is designed to provide universal fit for most bass shakers on the market such as all models Buttkicker, AuraSound or DaytonAudio or other brands.

Easy mount on either corner of seat frame.

Solid metal to metal connection for optimum vibration transfer.

Optional, install a pair of bass shakers for stereo effect on both sides of seat frame.

Optional, install shaker brackets at back of the frame. Install rolling wheels to shaker brackets.

SimFab

Universal Bracket
for Bass Shaker (Single)



SCAN TO
ORDER

<https://bit.ly/simfabshaker>



4 Point Seat Harness



SimFab

Racing and Flight
Simulation Cockpit Four
Point Harness



SCAN TO
ORDER

<https://bit.ly/simfab4harness>



- Add immersion into the Virtual Reality
- Available in black, red, blue, orange, green, yellow and camo
- Easy release cam lock buckle
- Soft pads and mounting hardware included

Thrustmaster TSSH Sparco HandBrake Mode Mounting Bracket



Dual Sparco Handbrake With Sequential Shifter Combo Mounting Plate



Mounting bracket kit for 14/64 bit USB generic handbrake

Generic handbrake is inexpensive handbrake offered by various vendors on Amazon.com or other marketplaces.

Handbrake and bracket work in combination with any major brand manual shifter: Logitech, Thrustmaster, Fanatec



Bracket fits only the type handbrake as shown.



Using seat lift kit in flight sim setup is highly recommended for optimum flight pit seating position.

SimFab

DCS Flight Sim Modular
Cockpit



SCAN TO
ORDER

<https://bit.ly/simfabdcs>



SimFab

MSFS Flight Sim
Modular Cockpit



SCAN TO
ORDER

<https://bit.ly/simfabmsfs>

Flight Sim add-on configuration #3, centered stick standard mount bracket. Requires either configuration #1 or Configuration #2.

Centered stick standard mount bracket provides quick and convenient conversion from racing wheel to flight stick by sharing same steering post. While config. #3 can be used in combination with either config. #1 or #3 we recommend it for #1 where stick base height adjustment is not necessary below knee level.



Configuration #1 + #3
Thrustmaster T.Flight



Configuration #3



Configuration #2 + #3
Thrustmaster Warthog

SimFab

Flight Sim Configuration
#3 HOTAS Add-on Stick
Center Bracket Kit



SCAN TO
ORDER

<https://bit.ly/simfabhotascenterstick>

Flight Sim add-on configuration #4, rudder pedals plate.

Configuration #4 consists of dedicated rudder pedal plate and shaft connected to seat frame. Rudder pedals are optional for lower end flight sticks within configuration #1 family, with built in yaw movement by twisting flight stick grip. Rudder pedal plate is required with higher end flight controls within configuration #2 family where rudder pedals are used for yaw movement and ground braking. Rudder pedal plate is pre-drilled to accept all rudder pedals hard mounted. Included in the package is various mounting hardware compatible with the following rudder pedals:

1. Thrustmaster TFPR
2. Thrustmaster TPR
3. Logitech Pro Flight
4. CH Products
5. VirPil, MFG Crosswind
6. VKB
7. Slaw device

SimFab

Flight Sim Configuration
#4 HOTAS Add-on
Rudder Pedal Plate Kit



SCAN TO
ORDER

<https://bit.ly/simfabrudderplate>



Flight Sim add-on **configuration #5**, general, civil and commercial aviation simulation package.

Configuration #5 consists of rudder pedal plate (config. #4), mounting brackets and adapter plates for various yokes and throttle quadrants. Our proprietary design of how controls are being mounted unifies adapter plates for all leading brands yokes and throttle quadrants with maximum rigidity and leg clearance.

Configuration #5 is compatible with the following yokes and throttle quadrants:

1. Honeycomb Alpha yoke and Bravo throttle quadrant
2. Turtle Beach Velocity One yoke and throttle quadrant
3. Logitech/Saitek yoke and single/dual throttle quadrant with optional Flight Velocity Trim Wheel
4. CH Products yoke and throttle quadrant


⚠ Thrustmaster TCA yoke and single/dual quadrant Boeing edition requires separate kit.



Installation

Pedal plate and shaft assembly (Pedal plate kit is not included in configuration 5A)

1. Install hardware connecting pedal plate with shaft, leave hardware hand tight.




2. Rudder pedal plate assembly to seat frame installation.

A. Slide in shaft to seat frame

B. Tighten quick release knobs

C. Adjust plate to lay flat on floor and tighten plate mounting hardware by using 5mm hex key and 13mm combo wrench.






Rudder pedals installation

3. Install controls mounting hardware upside down with bolt heads facing the floor.

⚠ All controls mounting bolts are installed upside down (bolt heads on floor side).



Rudder pedals mounting pattern

Saitek/Logitech

ThrustMaster TFPR

ThrustMaster TPR

VirPil Ace Interceptor / Collection


VirPil Ace Torq

MFG CrossWind

VKB Sim and Turtle Beach Velocity One

CH Products - use Velcro strips

Slaw Device Viper



4. Thrustmaster TFPR rudder pedals holding tabs installation.
Align rudder pedals along with plate mounting holes and clamping marks as indicated on pedals.

⚠ Clamping holding tabs elsewhere may damage pedals plastic.



5. VirPil Collection / Interceptor rudder pedals.

⚠ Remove factory base bracket held by four bolts and mount pedals to rudder pedal plate.






6. VirPil Torq rudder pedals holding tabs installation.

⚠ Use holding tabs and hardware to secure rudder pedals to plate.



7. VKB T-Rudders Mk.IV rudder pedals.

⚠ Remove factory inserts and bolts holding rudder rear feet as shown, and replace them with hardware as labeled through pedal plate.



Yoke and Quadrant brackets assembly

7. Slide yoke post on rudder pedal plate shaft and slide shaft into seat frame center tube.

⚠ Yoke post can be mounted reversed according to personal preference and comfort. (ADD REVERSE POST)



8. Insert T extension tube into front/right side seat frame tube.



9. Slide quadrant post to horizontal shaft in opposite direction of the yoke post holding the Yoke. Horizontal shaft with felt pad is pointing forward. Slide horizontal shaft into T extension tube. Tighten all bolts and knobs.





10. Insert yoke and quadrant shafts into each post. Ensure pivot bolt of each plate is fastened enough to hold the weight of the control. Keep pivot brackets slightly loose for tilt adjustment before final setting and tightening down of all knobs and hardware.



Controls installation and mounting

⚠ By default pre-assembled hardware on both plates is for Honeycomb Alpha yoke and Bravo quadrant.


1. Honeycomb Alpha yoke and Bravo quadrant installation.



1.1. Transfer controls from factory plastic plate to OpenWheeler aluminum plates. Mounting principal is the same as factory plate.

1.3. Slide yoke and quadrant on the plate with centered mounted bolt/washer fitting into the control center key way.


1.4. Extend tension wheels until they nest into pre-assembled nuts on each plate. Adjust both wheels equally until plates are secured to the controls.




2. Logitech (Saitek) Yoke and quadrant installation



2.1. Remove pre-installed center bolt from plates.




2.2. Use selected hardware (four bolts) to secure Logitech yoke to plate.



2.3. Use selected hardware (four bolts) to secure Logitech throttles to plate: single, dual or dual with Flight Velocity trim wheel.

⚠ Flip plate, remove all pre-installed hardware for Honeycomb throttle

⚠ Dual quadrants can be mounted next to each other with Flight Velocity trim wheel.





3. CH Products Yoke and quadrant installation.



3.1. Remove factory clamps from yoke and quadrant.


3.2. Install clamps through plate larger holes and tighten them down, pointing towards center of the plate.




4. Turtle Beach Velocity One yoke and quadrant installation



4.1. Use selected hardware (three bolts) to secure Velocity One yoke to plate.



4.2. Use selected hardware (three bolts) to secure Velocity One quadrant to plate.



Thrustmaster TCA Boeing edition bracket kit, sold separate.

<https://bit.ly/sf-tm-tca>



SCAN TO
ORDER



5. Thrustmaster TCA Boeing throttle installation.

⚠ Boeing yoke requires additional bracket, sold separate.


Single throttle



Dual throttle



5.1. Use left sets of holes for single throttle or both sets of holes for dual throttle.



Specifications:

Recliner: max: 170 degrees

Construction: tubular steel frame with elastic strap supports

Seat Materials: high-density cold cure foam filling; Fabric, Steel chassis

Instructions during use and care:

Move simulator around with caution to avoid collision.

Keep out of direct sunlight and outdoor use.

Watch fingers when adjusting recliner.

Placing heavy or sharp objects on the seat may damage the surface material.

Do not use abrasive or chemically aggressive materials on the seat.

Use dry cloth or soft brush to clean the chair.

Dimensions:



Warranty Information

Return Policy

Terms And Conditions

<http://homeracer.com/ow-termsandconditions.html>

