

Balanced Life (VELORA)

Detailed Scoring Model and MVP Measurement Design

Submission-ready project report section for the Balanced Life mobile application

Prepared for system architecture and product design documentation

Document purpose. This report defines the scoring logic for the MVP version of Balanced Life, including the conceptual model, onboarding baseline, daily and weekly update logic, detailed domain feature design, scoring equations, implementation assumptions, and future extension path.

Product	Balanced Life (UI brand: VELORA)
Document type	Technical scoring specification / project report section
Version scope	Minimum viable product (MVP)
Scoring philosophy	All five life domains are equally important
Update cadence	Internal daily calculation with weekly headline summary

1. Introduction

Balanced Life is a cross-platform mobile application designed to help users understand how balanced their lives are across five core domains: Spirituality, Family and Friends, Work/Productivity, Health, and Financial Wellbeing. The product aims to operate as a daily and weekly wellbeing system rather than as a one-time survey tool. Users check in regularly, complete small missions, log meaningful actions, and review how their overall life pattern evolves over time.

Because the product promise is centred on balanced living, the scoring system must do more than count engagement. It must capture whether the user is maintaining all major domains of life at a reasonably healthy level and whether those levels are relatively even. The score should therefore reward broad, sustained development rather than isolated excellence in a single area.

This report presents a detailed scoring framework for the MVP version of the application. The selected design intentionally favours clarity, implementability, and future extensibility. It uses lightweight onboarding, equal domain weighting, behaviour-informed scoring, weekly score presentation, and a clear path for future expansion as more features are introduced.

2. Design Objectives for the Scoring Model

The scoring model has been designed to satisfy a set of product, behavioural, and technical objectives. These objectives ensure that the score is useful to users, defensible in system design, and practical to implement within an MVP scope.

Objective	Explanation	Design Response
Low onboarding friction	Users should not face a long survey before seeing value.	Use five lightweight initial self-ratings, one per domain.
Trustworthy scoring	The score should reflect more than mood or app clicks.	Combine reflection, meaningful action, and consistency.
True life balance	Users should not be rated highly if one domain is strong while others are neglected.	Calculate both overall life strength and domain evenness.
Stable movement	The score should not swing wildly after one good or bad day.	Use rolling windows, smoothing, and weekly headline summaries.
MVP feasibility	The first release cannot support a large action library in every domain.	Assign 1-2 representative features to each domain and normalise points against weekly targets.
Extensibility	The model should remain valid as new tools are added later.	Keep the scoring architecture stable while expanding the action library in future versions.

3. Conceptual Foundation: What 'Balanced Life' Means

The selected scoring model adopts a strict equal-domain interpretation of balance. This means that all five domains are assumed to be equally important within the product philosophy. A person is not considered balanced if one area

of life is exceptionally strong while another is persistently weak. At the same time, a person is not considered to be doing well if all domains are equally underdeveloped. The desired state is therefore both high and even.

This leads to two necessary conditions for a strong final score. The first condition is domain quality: each individual domain should show signs of healthy functioning. The second condition is domain evenness: the scores of the five domains should remain reasonably close to one another. Together, these conditions provide a much more faithful representation of life balance than a single engagement score or a simple average.

Key implication: the final headline score must be lowered when one or more domains lag significantly behind the rest, even if the user's average level across all domains is moderate or high.

4. Life Domains and Equal Weighting

Domain	Definition within MVP	Why it matters to balance
Spirituality	Inner reflection, peace, meaning, mindfulness, prayer, or other reflective practices.	Supports meaning, self-awareness, and psychological grounding.
Family and Friends	Connection, support, and intentional effort in close relationships.	Prevents isolation and strengthens social wellbeing.
Work/Productivity	Meaningful progress on tasks, responsibilities, and focused effort.	Represents daily structure, achievement, and contribution.
Health	Physical maintenance, exercise, energy, recovery, and basic self-care.	Supports sustainable functioning across all other domains.
Financial Wellbeing	Awareness, planning, control, and intentional action in money matters.	Reduces stress and supports longer-term stability.

5. Scoring Architecture Overview

The scoring engine is built in layers. Raw user interactions are first converted into standardised values. These values are then aggregated into domain-level scores, which are in turn combined into global measures. The layered architecture is important because it separates product events from score computation, making the model easier to maintain and extend.

Layer	Inputs	Output	Purpose
Layer 1: Event capture	Daily check-ins, task completions, logs, missions, journal entries, budget actions, sleep records.	Raw product events	Captures what the user reports and does inside the app.

Layer 2: Normalisation	Scaled ratings and weighted action points.	Reflection, action, and consistency values per domain	Transforms heterogeneous events into comparable numeric inputs.
Layer 3: Domain calculation	Reflection, action, and consistency per domain.	Five domain scores (0-100)	Represents current domain health.
Layer 4: Cross-domain aggregation	Five domain scores.	Life Strength, Evenness, Balanced Life Score	Produces the weekly headline measures used in the app.

6. Initialisation and Onboarding Baseline

A strong scoring model should not require a long initial survey. Long onboarding causes friction, delays value, and may reduce adoption. The MVP therefore uses a lightweight initialisation strategy. At first login, the user answers one quick self-rating for each domain. These ratings create a temporary baseline profile that is gradually replaced by observed evidence during the first week.

Onboarding question type	Response scale	Temporary conversion
How would you rate your spirituality right now?	1-5	1=20, 2=40, 3=60, 4=80, 5=100
How would you rate your relationships right now?	1-5	1=20, 2=40, 3=60, 4=80, 5=100
How would you rate your work/productivity right now?	1-5	1=20, 2=40, 3=60, 4=80, 5=100
How would you rate your health right now?	1-5	1=20, 2=40, 3=60, 4=80, 5=100
How would you rate your financial wellbeing right now?	1-5	1=20, 2=40, 3=60, 4=80, 5=100

These baseline values are not presented as fully authoritative domain scores. Rather, they provide a starting estimate so the user can see an early profile while the app begins to collect behavioural data. This design provides a better user experience than a long questionnaire and a more realistic foundation than starting every user at the same arbitrary value.

7. Core Domain Formula

Each domain score is computed from three components: reflection, action, and consistency. The formula is the same for all five domains because the product treats every domain equally.

$$\text{DomainScore_d} = 0.3R_d + 0.4A_d + 0.3C_d$$

General domain score formula

The action component receives the highest weight because meaningful behaviour provides the strongest evidence that the user is investing in a life domain. Reflection remains essential because subjective experience is part of

wellbeing. Consistency is also necessary because balance is built through repeated patterns rather than one-off activity.

8. Reflection Score Design

The reflection score measures how the user currently feels about a domain. For the MVP, reflection can be captured through a lightweight daily check-in or a short domain-specific prompt. Reflection should never be the only input into the score, but it should remain visible because users need the system to reflect their lived experience, not just their logged actions.

Domain	Suggested prompt	Scoring rule
Spirituality	How grounded, peaceful, or purposeful did you feel today?	Average recent 1-5 responses, converted to 20-100.
Family and Friends	How connected and supported did you feel today?	Average recent 1-5 responses, converted to 20-100.
Work/Productivity	How satisfied are you with your productivity and progress today?	Average recent 1-5 responses, converted to 20-100.
Health	How would you rate your health and energy today?	Average recent 1-5 responses, converted to 20-100.
Financial Wellbeing	How in control of your finances did you feel today?	Average recent 1-5 responses, converted to 20-100.

R_d = average of recent reflection values for domain d

Reflection calculation

9. Action Score Design

The action score measures what the user actually does inside the application that meaningfully relates to a domain. In the MVP, each domain contains only one or two representative features. This is intentional: it keeps implementation scope manageable while preserving a clear and defensible relationship between user behaviour and domain score.

Every supported action is assigned a weight based on its behavioural significance. Actions are accumulated over a weekly window and normalised against a weekly target. This normalisation allows the app to compare domains with different usage patterns while preventing unlimited score growth from repetitive logging.

$A_d = (\text{PointsEarned}_d / \text{WeeklyTarget}_d) \times 100$, capped at 100

Action score calculation

This design achieves three goals. First, it provides behavioural evidence without requiring a large feature set. Second, it prevents score inflation caused by repeated low-value actions. Third, it allows the action library to grow later without changing the overall scoring architecture.

10. Consistency Score Design

The consistency score captures how regularly the user maintains a domain over a seven-day window. A domain is considered active on any day in which the user performs at least one meaningful domain-related action. The purpose of this measure is to reward steady maintenance rather than occasional bursts of effort.

$$C_d = (\text{DaysWithMeaningfulActivity}_d / 7) \times 100$$

Consistency score calculation

Consistency is especially important in a balanced life model because life balance is not achieved through one highly productive day or one strong health action. It emerges from repeated engagement across multiple domains throughout time.

11. Detailed MVP Domain Design

The following subsections provide the detailed score design for each of the five domains. For each domain, the report specifies the selected MVP features, the rationale for including those features, the suggested action-point weighting, the weekly action target, the definition of a meaningful activity day, and the corresponding domain formula.

11.1 Spirituality

Spirituality is intended to capture inner grounding, reflection, peace, meaning, and intentional inward attention. In the MVP, the domain should avoid overly narrow religious assumptions while still supporting practices such as mindfulness, prayer, reflective writing, or gratitude.

Element	MVP design	Point value / rule	Design rationale
Reflection prompt	How grounded, peaceful, or purposeful did you feel today?	1-5 scale converted to 20-100	Captures the user's current subjective experience in this domain.
Action feature	Reflection / journaling entry	50 points each	Encourages deliberate self-reflection and meaning-making.
Action feature	Mindfulness or prayer session	50 points each	Represents intentional quiet practice or inner-centred attention.
Weekly target	Total target for action score normalisation	200 points per week	Provides a fair benchmark for normalised action scoring.
Meaningful activity day	Any day on which the user records a reflection/journal entry or logs a mindfulness/prayer session.	Counts toward consistency score	Rewards repeated maintenance across the week rather than isolated effort.

$$A_{\text{spirituality}} = (\text{PointsEarned}_{\text{spirituality}} / 200) \times 100$$

Spirituality action score

$$\mathbf{C_spirituality = (DaysWithSpiritualityActivity / 7) \times 100}$$

Spirituality consistency score

$$\mathbf{DomainScore_spirituality = 0.3R_spirituality + 0.4A_spirituality + 0.3C_spirituality}$$

Spirituality domain score

11.2 Family and Friends

This domain measures intentional investment in close relationships. The scoring model should privilege meaningful connection rather than passive social presence. The MVP therefore focuses on logged relationship effort rather than broad social media-like activity.

Element	MVP design	Point value / rule	Design rationale
Reflection prompt	How connected and supported did you feel today?	1-5 scale converted to 20-100	Captures the user's current subjective experience in this domain.
Action feature	Meaningful connection log	50 points each	Captures a conversation, call, visit, or quality interaction with someone important.
Action feature	Social mission / relationship task	50 points each	Encourages deliberate actions such as checking in, planning time together, or completing a relationship-focused task.
Weekly target	Total target for action score normalisation	200 points per week	Provides a fair benchmark for normalised action scoring.
Meaningful activity day	Any day on which the user logs a meaningful connection or completes a relationship mission.	Counts toward consistency score	Rewards repeated maintenance across the week rather than isolated effort.

$$\mathbf{A_family = (PointsEarned_family / 200) \times 100}$$

Family action score

$$\mathbf{C_family = (DaysWithFamilyActivity / 7) \times 100}$$

Family consistency score

$$\mathbf{DomainScore_family = 0.3R_family + 0.4A_family + 0.3C_family}$$

Family domain score

11.3 Work/Productivity

This domain measures the user's ability to make progress on responsibilities and apply focused effort. The MVP should balance outputs and process, so both important task completion and intentional focus sessions are included.

Element	MVP design	Point value / rule	Design rationale
Reflection prompt	How satisfied are you with your productivity and progress today?	1-5 scale converted to 20-100	Captures the user's current subjective experience in this domain.
Action feature	Important task completed	25 points each	Represents concrete progress on work or responsibility.
Action feature	Focus session completed	25 points each	Represents concentrated effort and disciplined attention.
Weekly target	Total target for action score normalisation	250 points per week	Provides a fair benchmark for normalised action scoring.
Meaningful activity day	Any day on which the user completes at least one important task or logs at least one focus session.	Counts toward consistency score	Rewards repeated maintenance across the week rather than isolated effort.

$$A_work = (PointsEarned_work / 250) \times 100$$

Work action score

$$C_work = (DaysWithWorkActivity / 7) \times 100$$

Work consistency score

$$DomainScore_work = 0.3R_work + 0.4A_work + 0.3C_work$$

Work domain score

11.4 Health

The Health domain should capture both active care and basic physiological maintenance. Because the MVP cannot include a full health suite, it focuses on one behaviour linked to activity and one linked to recovery.

Element	MVP design	Point value / rule	Design rationale
Reflection prompt	How would you rate your health and energy today?	1-5 scale converted to 20-100	Captures the user's current subjective experience in this domain.
Action feature	Exercise / activity log	50 points each	Represents intentional movement such as

			exercise, walking, stretching, or training.
Action feature	Sleep log	50 points each	Represents a core daily recovery behaviour and basic health awareness.
Weekly target	Total target for action score normalisation	300 points per week	Provides a fair benchmark for normalised action scoring.
Meaningful activity day	Any day on which the user logs exercise/activity or records sleep.	Counts toward consistency score	Rewards repeated maintenance across the week rather than isolated effort.

$$A_health = (PointsEarned_health / 300) \times 100$$

Health action score

$$C_health = (DaysWithHealthActivity / 7) \times 100$$

Health consistency score

$$DomainScore_health = 0.3R_health + 0.4A_health + 0.3C_health$$

Health domain score

11.5 Financial Wellbeing

This domain measures financial awareness and intentional control. In the MVP, the system should capture both routine visibility into spending and at least one strategic money action.

Element	MVP design	Point value / rule	Design rationale
Reflection prompt	How in control of your finances did you feel today?	1-5 scale converted to 20-100	Captures the user's current subjective experience in this domain.
Action feature	Expense log	25 points each	Represents awareness and day-to-day financial tracking.
Action feature	Budget review or savings action	50 points each	Represents deliberate financial control, planning, or future-oriented action.
Weekly target	Total target for action score normalisation	200 points per week	Provides a fair benchmark for normalised action scoring.

Meaningful activity day	Any day on which the user logs an expense or completes a budget/savings action.	Counts toward consistency score	Rewards repeated maintenance across the week rather than isolated effort.
-------------------------	---	---------------------------------	---

$$A_finance = (PointsEarned_finance / 200) \times 100$$

Finance action score

$$C_finance = (DaysWithFinanceActivity / 7) \times 100$$

Finance consistency score

$$DomainScore_finance = 0.3R_finance + 0.4A_finance + 0.3C_finance$$

Finance domain score

12. Cross-Domain Aggregation

Once the five domain scores have been computed, the system calculates two global measures: Life Strength and Evenness. These metrics are then combined to produce the final Balanced Life Score.

12.1 Life Strength

Life Strength represents the user's average level of wellbeing across all five domains. It answers the question: how strong is the user's life overall?

$$LifeStrength = (D1 + D2 + D3 + D4 + D5) / 5$$

Life Strength

12.2 Evenness

Evenness measures how close the five domain scores are to one another. This is critical because balance requires more than a high average. A user who is very strong in Work/Productivity but weak in Health and Family and Friends should not receive a top balance score.

$$Evenness = 100 - 2 \times SD(D1, D2, D3, D4, D5)$$

Evenness

Standard deviation is used because it is a compact way to measure score spread. Lower spread implies greater evenness. After calculation, the result should be clamped to a range of 0 to 100.

12.3 Final Balanced Life Score

The final Balanced Life Score combines Life Strength and Evenness equally. This reflects the product principle that users should be rewarded both for doing well overall and for maintaining a reasonably even distribution of wellbeing across all domains.

$$BalancedLifeScore = 0.5 \times LifeStrength + 0.5 \times Evenness$$

Final headline score

13. Worked Example

The following example illustrates how the system would compute the final score for a hypothetical user at the end of a weekly summary window.

Domain	R	A	C	Domain Score	Comment
Spirituality	70	75	71	72.3	Good journaling and quiet-practice engagement.
Family/Friends	60	50	57	55.1	Some social effort, but not highly consistent.
Work/Productivity	80	84	86	83.4	Strong task completion and focus behaviour.
Health	65	67	71	67.6	Moderate exercise and sleep maintenance.
Financial Wellbeing	55	62	43	54.7	Some tracking and review, but weak consistency.

From the five domain scores above, Life Strength = 66.6. The spread of scores produces a standard deviation of 10.9, so Evenness = 78.3. The final Balanced Life Score is therefore 72.5. In this example, the user is doing moderately well overall but remains uneven because Family and Friends and Financial Wellbeing lag behind Work/Productivity and Spirituality.

14. Progressive Calibration and Score Evolution

The initial self-ratings should not dominate the score after the user has produced meaningful behavioural evidence. The system should therefore transition gradually from onboarding estimates to observed values.

Time window	Recommended mix	Purpose
Days 1-3	$0.7 \times \text{InitialSelfRating} + 0.3 \times \text{ObservedEvidence}$	Allows a quick initial profile while data is still sparse.
Days 4-7	$0.4 \times \text{InitialSelfRating} + 0.6 \times \text{ObservedEvidence}$	Shifts emphasis toward actual app use during the first week.
Day 8 onward	$0.2 \times \text{InitialSelfRating} + 0.8 \times \text{ObservedEvidence}$	Makes the score mostly evidence-based after onboarding.

This calibration strategy is important because early data is necessarily incomplete. The system should not overinterpret sparse behavioural signals, but it should also avoid letting the initial self-rating persist for too long.

15. Daily Calculation and Weekly Presentation

The recommended update strategy is to calculate scores internally every day while presenting the headline score primarily as a weekly summary. Daily calculation is necessary because the user is entering daily events such as check-ins, journal entries, task completions, exercise logs, and expense logs. Weekly presentation is preferable because life balance is a medium-term pattern rather than a one-day outcome.

Time scale	System activity	User-visible outcome
Daily	Update reflection, action, and consistency inputs; recompute provisional domain values.	Show progress indicators, mission completion, and domain trend hints if desired.
Weekly	Freeze or summarise the latest seven-day window; compute Life Strength, Evenness, and final score.	Show official weekly domain scores, radar chart, strongest/weakest domains, and summary insights.

16. Smoothing and Score Stability

Each domain is calculated with a unique calculation by the following and ranges from 0 to 100:

Can include the daily missions and is unique per domain.

Calibration = $(0.3 \times \text{ReflectionScore} + 0.4 \times \text{ActionScore} + 0.3 \times \text{ConsistenceScore})$

Which will be converted into award-point ranging from -x to x of possible weekly awarding points.

$\text{NewDomain} = \text{Previous_Domain} + \text{award_point}$

17. Anti-Gaming Rules and Quality Controls

Any scoring model based on user actions can be distorted if repetitive low-value behaviour is rewarded without limits. The MVP should therefore include simple anti-gaming rules.

- Cap each domain action score at 100 after normalisation against the weekly target.
- Use weighted actions so that more meaningful actions count more than trivial logs.
- Treat consistency as days with meaningful activity, not the raw number of events entered.
- Avoid giving score credit to repeated duplicate events entered in an unrealistic pattern.
- Keep reflection as only one component of the score so users cannot inflate the result by rating every day highly.

18. Data Model and Implementation Notes

From a system architecture perspective, the score engine should be supported by a clean event and aggregation model. The following data elements are sufficient for the MVP.

Data object	Example fields	Purpose
User onboarding baseline	user_id, domain_name, initial_rating, created_at	Stores first-week baseline profile.

Reflection event	user_id, domain_name, rating_value, event_date	Feeds the reflection component.
Action event	user_id, domain_name, action_type, points_awarded, event_date	Feeds the action component.
Daily domain summary	user_id, domain_name, rolling_R, rolling_A, rolling_C, provisional_score	Stores internal daily score state.
Weekly score summary	user_id, week_start, D1..D5, life_strength, evenness, final_balance_score	Provides user-visible weekly reporting and analytics.

19. Extensibility Beyond MVP

One advantage of the selected model is that future features can be added without redesigning the score engine. The reflection-action-consistency structure remains stable; only the domain action library expands.

Domain	MVP features	Possible future additions
Spirituality	Journal entry; mindfulness/prayer session	Gratitude streaks, guided reflections, purpose goals, sentiment analysis of reflections.
Family/Friends	Meaningful connection log; relationship mission	Contact frequency graphs, social planning, connection quality ratings, shared goals.
Work/Productivity	Important task completion; focus session	Priority planning, project breakdowns, time-blocking, distraction tracking.
Health	Exercise/activity log; sleep log	Nutrition tracking, hydration, recovery scoring, wearable integration.
Financial Wellbeing	Expense logging; budget review or savings action	Category budgets, bill reminders, net-worth view, savings goals, cash-flow insights.

20. Summary of Final Recommended MVP Formulas

Measure	Formula
Reflection score	$R_d = \text{average of recent reflection values}$
Action score	$A_d = (\text{PointsEarned}_d / \text{WeeklyTarget}_d) \times 100$, capped at 100

Consistency score	$C_d = (\text{DaysWithMeaningfulActivity_d} / 7) \times 100$
Domain score	$\text{DomainScore_d} = 0.3R_d + 0.4A_d + 0.3C_d$
Life Strength	$\text{LifeStrength} = (D1 + D2 + D3 + D4 + D5) / 5$
Evenness	$\text{Evenness} = 100 - 2 \times \text{SD}(D1, D2, D3, D4, D5)$
Balanced Life Score	$\text{BalancedLifeScore} = 0.5 \times \text{LifeStrength} + 0.5 \times \text{Evenness}$
Smoothing	$\text{Calibration} = (0.3 \times \text{ReflectionScore} + 0.4 \times \text{ActionScore} + 0.3 \times \text{ConsistenceScore})$ Which will be converted into award-point ranging from -x to x of possible weekly awarding points. $\text{NewDomain} = \text{Previous_Domain} + \text{award_point}$

21. Conclusion

The selected Equal-Domain Progressive Balance Model is the most suitable scoring framework for the Balanced Life MVP. It is conceptually aligned with the product vision, because it treats the five life domains as equally important and defines balance as both high and even. It is also practical for implementation because it relies on a small, clear action set in each domain and uses a stable architecture that can expand later without redesign.

By combining reflection, action, and consistency at the domain level and then combining Life Strength and Evenness at the global level, the model produces a score that is more meaningful than a generic points total or a one-time survey result. It tells the user not only whether they are doing well, but whether they are doing well across life as a whole. For a product whose promise is to help users build a more balanced life, this is the most defensible and useful scoring design for the MVP stage.