

OPENSOURCE PROGRAMMING

OPENSOURCE LICENSE

OPENSOURCE PROGRAMMING TEAM 7

문호진 / 박소은 / 장정우 / 정하영

01 / WHAT IS
OPENSOURCE LICENSE?

02 / INTRODUCE
VARIOUS LICENSE

- MPL
- MIT
- GPL 2.0
- APACHE


03 / CHARACTERISTIC
OF LICENSE

04 / DIFFERENCE
OF LICENSE



PRESENTATION TEMPLATE

WHAT IS OPENSOURCE LICENSE?



OPEN SOURCE LICENSE - MPL



A license developed to disclose the source code of Netscape's web browser.

MOZILLA PUBLIC LICENSE



A least restrictive copyleft opensource

WEAK COPYLEFT



MPL is used in Mozilla's software, such as Mozilla Firefox, Adobe Flex, Cairo.

USED IN SOFTWARE

OPEN SOURCE LICENSE - MIT



A license developed by MIT University in the U.S.

MIT LICENSE



Developed based on BSD License, one of the non-copyleft.

BASED ON



For our AI interview project, we have decided to use MIT License.

USED IN

OPEN SOURCE LICENSE – GPL 2.0



The strongest license made
by Free Software Foundation.

GENERAL PUBLIC LICENSE



As a strong copyleft
license, it provides
license notifications and
copyright terms.

STRONG COPYLEFT



The Linux kernel is used
the GPL 2.0 version.

USED IN SOFTWARE

OPEN SOURCE LICENSE - APACHE



License for software
created by the Apache
Software Foundation.

APACHE LICENSE



Apache License is very
opened to its use, this is
very similar as the MIT.

WEAK COPYLEFT



Various Apache
foundation's
Software and Docker CE
has used Apache License.

USED IN

CHARACTERISTIC

OF THE OPENSOURCE LICENSES.



- Attach a copy of the MPL license when distributing.
- Distribute the original and modification code by MPL.
- When modifying a file, specify the date and facts in the file.

MPL



- Specify License and copyright statements.
- MIT license statement is included in all copies.

MIT



- The source code is all modules included in the executable, the entire interface definition file, the entire script
- Don't allow sub-licenses.
- Recipient automatically acquires a license.

GPL 2.0



- Can be sold by applying a different license to the adaptation.
- No patent can be claimed for a license.

APACHE

DIFFERENCE

OF THE OPENSOURCE LICENSES.



**RECIPROCAL -
WEAK COPYLEFT**

MPL



**PERMISSIVE -
NO ADDITIONAL RESTRICTIONS**

MIT



**RECIPROCAL -
STRONG COPYLEFT**

GPL 2.0



**PERMISSIVE -
WITH ADDITIONAL RESTRICTIONS**

APACHE

THANK YOU

POWERPOINT DESIGN & TEMPLATE

PAPO PPT TEMPLATE SHARE

 Instagram@pic.slow  Facebook@consultist